

Codebook Newvar File Albania 2002 Males

intcmc

| | | Value | |
|---------------------|---------|----------------|------|
| Standard Attributes | Label | INTERVIEW DATE | |
| N | Valid | | 1740 |
| | Missing | | 0 |

hhselage

| | | Value | |
|---------------------|---------|----------------------|------|
| Standard Attributes | Label | Selected persons age | |
| N | Valid | | 1740 |
| | Missing | | 0 |

hhselms

| | | Value | Count | Percent |
|---------------------|---------|---------------------------------|-------|---------|
| Standard Attributes | Label | Selected persons Marital Status | | |
| N | Valid | | 1740 | |
| | Missing | | 0 | |
| Labeled Values | 1.00 | Married | 1013 | 58.2% |
| | 2.00 | Unregister Marriage | 8 | .5% |
| | 3.00 | Separated | 3 | .2% |
| | 4.00 | Divorced | 5 | .3% |
| | 5.00 | Widowed | 3 | .2% |
| | 6.00 | Never Married | 708 | 40.7% |
| | 8.00 | Unknown | 0 | .0% |

hhseleduc

| | | Value | Count | Percent |
|---------------------|---------|--|-------|---------|
| Standard Attributes | Label | Selected persons education | | |
| N | Valid | | 1740 | |
| | Missing | | 0 | |
| Labeled Values | .00 | No school | 6 | .3% |
| | 1.00 | Elementary (1-4yrs) | 16 | .9% |
| | 2.00 | Postelementary (5-8yrs) | 731 | 42.0% |
| | 3.00 | High School/Gymnazium (9-12yrs) | 641 | 36.8% |
| | 4.00 | Basic secondary + vocational education | 141 | 8.1% |
| | 5.00 | Complete secondary + technical education | 11 | .6% |
| | 6.00 | University/Postgraduate Education | 192 | 11.0% |
| | 8.00 | Unknown | 2 | .1% |

hhsel

| | | Value | |
|---------------------|---------|-----------------|------|
| Standard Attributes | Label | Selected person | |
| N | Valid | | 1740 |
| | Missing | | 0 |

mnaccmc

| | | Value | |
|---------------------|---------|----------------|------|
| Standard Attributes | Label | CMC Mens birth | |
| N | Valid | | 1740 |
| | Missing | | 0 |

marstatg

| | | Value | Count | Percent |
|---------------------|---------|--------------------|-------|---------|
| Standard Attributes | Label | Marital Status | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Married | 1023 | 58.8% |
| | 2.00 | Previously Married | 14 | .8% |
| | 3.00 | Never married | 703 | 40.4% |

NUMMAR

| | | Value | Count | Percent |
|---------------------|---------|---------------------|-------|---------|
| Standard Attributes | Label | NUMBER OF MARRIAGES | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | Never in union | 703 | 40.4% |
| | 1.00 | 1 | 1024 | 58.9% |
| | 2.00 | 2-3 | 12 | .7% |
| | 3.00 | 2-3 | 1 | .1% |

agecat

| | | Value | Count | Percent |
|---------------------|---------|-----------|-------|---------|
| Standard Attributes | Label | Age Group | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | 15-19 | 401 | 23.0% |
| | 2.00 | 20-24 | 189 | 10.9% |
| | 3.00 | 25-29 | 218 | 12.5% |
| | 4.00 | 30-34 | 253 | 14.5% |
| | 5.00 | 35-39 | 255 | 14.7% |
| | 6.00 | 40-44 | 277 | 15.9% |
| | 7.00 | 45-49 | 147 | 8.4% |

stratawt

| | | Value |
|---------------------|---------|--------|
| Standard Attributes | Label | <none> |
| N | Valid | 1740 |
| | Missing | 0 |

WGT2

| | | Value |
|---------------------|---------|-------------------------------|
| Standard Attributes | Label | Weight for Male questionnaire |
| N | Valid | 1740 |
| | Missing | 0 |

dwt

| | | Value |
|---------------------|---------|-------------------------------|
| Standard Attributes | Label | Weight for Male questionnaire |
| N | Valid | 1740 |
| | Missing | 0 |

dnrwm

| | | Value |
|---------------------|---------|--------|
| Standard Attributes | Label | <none> |
| N | Valid | 1740 |
| | Missing | 0 |

fwm

| | | Value |
|---------------------|---------|------------------------------------|
| Standard Attributes | Label | Adjusts for age group diferentials |
| N | Valid | 1740 |
| | Missing | 0 |

res

| | | Value | Count | Percent |
|---------------------|---------|-----------|-------|---------|
| Standard Attributes | Label | Residence | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Urban | 1155 | 66.4% |
| | 2.00 | Rural | 585 | 33.6% |

newage

| | | Value | Count | Percent |
|---------------------|---------|----------------|-------|---------|
| Standard Attributes | Label | Age Group <3g> | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | 15-24 | 590 | 33.9% |
| | 2.00 | 25-34 | 471 | 27.1% |
| | 3.00 | 35-49 | 679 | 39.0% |

ageya

| | | Value |
|---------------------|---------|--------------|
| Standard Attributes | Label | Age YA Group |
| N | Valid | 0 |
| | Missing | 1740 |

RELFREQ

| | | Value | Count | Percent |
|---------------------|---------|-----------------------------------|-------|---------|
| Standard Attributes | Label | Frequency of Religious Attendance | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 2.00 | At Least Monthly | 148 | 8.5% |
| | 3.00 | < 1/Month | 38 | 2.2% |
| | 4.00 | Only holidays | 1045 | 60.1% |
| | 5.00 | Never | 509 | 29.3% |

ethnic

| | | Value | Count | Percent |
|---------------------|---------|----------------------|-------|---------|
| Standard Attributes | Label | Ethnicity | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Albanian | 1701 | 97.8% |
| | 2.00 | Greek | 3 | .2% |
| | 3.00 | Gypsy (Roma) | 32 | 1.8% |
| | 4.00 | Macedonian | 0 | .0% |
| | 5.00 | Albanian from Kosovo | 0 | .0% |
| | 6.00 | Mixed ethnicity | 0 | .0% |
| | 7.00 | Other | 2 | .1% |
| | 9.00 | Refused | 2 | .1% |

lang

| | | Value |
|---------------------|---------|----------|
| Standard Attributes | Label | Language |
| N | Valid | 0 |
| | Missing | 1740 |

edcat

| | | Value | Count | Percent |
|---------------------|---------|----------------------|-------|---------|
| Standard Attributes | Label | Level of education | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | Never Attended | 7 | .4% |
| | 1.00 | Primary incomplete | 42 | 2.4% |
| | 2.00 | Primary complete | 640 | 36.8% |
| | 3.00 | Secondary incomplete | 307 | 17.6% |
| | 4.00 | Secondary complete | 518 | 29.8% |
| | 5.00 | Post-secondary | 226 | 13.0% |

educ

| | | Value | Count | Percent |
|---------------------|---------|----------------------|-------|---------|
| Standard Attributes | Label | Level of education | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Primary or less | 689 | 39.6% |
| | 2.00 | Secondary incomplete | 199 | 11.4% |
| | 3.00 | Secondary complete | 626 | 36.0% |
| | 4.00 | Post-secondary | 226 | 13.0% |

newed

| | | Value | Count | Percent |
|---------------------|---------|-----------------|-------|---------|
| Standard Attributes | Label | Men s Education | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Primary or less | 689 | 39.6% |
| | 2.00 | Secondary | 825 | 47.4% |
| | 3.00 | Post-secondary | 226 | 13.0% |

employ

| | | Value | Count | Percent |
|---------------------|---------|-------------|-------|---------|
| Standard Attributes | Label | Employment | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Working | 913 | 52.5% |
| | 2.00 | Not working | 827 | 47.5% |

work

| | | Value | Count | Percent |
|---------------------|---------|----------------|-------|---------|
| Standard Attributes | Label | Work (Yes/ No) | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Yes | 923 | 53.0% |
| | 2.00 | Not Working | 817 | 47.0% |

resnowk

| | | Value | Count | Percent |
|---------------------|---------|-------------------------------------|-------|---------|
| Standard Attributes | Label | Reasons for not working | | |
| N | Valid | 817 | | |
| | Missing | 923 | | |
| Labeled Values | 1.00 | Attending school | 231 | 13.3% |
| | 2.00 | Internal displacement | 7 | .4% |
| | 3.00 | Looking for work | 399 | 22.9% |
| | 4.00 | Laid off | 6 | .3% |
| | 5.00 | Does not need/want/like to work | 5 | .3% |
| | 6.00 | Medical leave | 0 | .0% |
| | 7.00 | Caring for children | 0 | .0% |
| | 8.00 | Inability to find/afford child care | 0 | .0% |
| | 9.00 | Homemaker | 55 | 3.2% |
| | 13.00 | Odd Jobs (<20 hrs per week) | 39 | 2.2% |
| | 14.00 | Temporary back from work abroad | 48 | 2.8% |
| | 20.00 | Other | 27 | 1.6% |

employed

| | | Value |
|---------------------|---------|----------|
| Standard Attributes | Label | Employed |
| N | Valid | 0 |
| | Missing | 1740 |

parity

| | | Value |
|---------------------|---------|--------|
| Standard Attributes | Label | Parity |
| N | Valid | 1740 |
| | Missing | 0 |

allchild

| | | Value | Count | Percent |
|---------------------|---------|------------------------------------|-------|---------|
| Standard Attributes | Label | Number of Children Born Alive (6+) | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | 0 | 814 | 46.8% |
| | 1.00 | 1 | 216 | 12.4% |
| | 2.00 | 2 | 458 | 26.3% |
| | 3.00 | 3 | 173 | 9.9% |
| | 4.00 | 4 | 58 | 3.3% |
| | 5.00 | 5 | 15 | .9% |
| | 6.00 | 6 or more | 6 | .3% |

alchild

| | | Value | Count | Percent |
|---------------------|---------|------------------------------------|-------|---------|
| Standard Attributes | Label | Number of Children Born Alive (4+) | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | 0 | 814 | 46.8% |
| | 1.00 | 1 | 216 | 12.4% |
| | 2.00 | 2 | 458 | 26.3% |
| | 3.00 | 3 | 173 | 9.9% |
| | 4.00 | 4 or more | 79 | 4.5% |

livchild

| | | Value | Count | Percent |
|---------------------|---------|--------------------------------|-------|---------|
| Standard Attributes | Label | Number of Living Children (6+) | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | 0 | 815 | 46.8% |
| | 1.00 | 1 | 221 | 12.7% |
| | 2.00 | 2 | 468 | 26.9% |
| | 3.00 | 3 | 167 | 9.6% |
| | 4.00 | 4 | 51 | 2.9% |
| | 5.00 | 5 | 13 | .7% |
| | 6.00 | 6 + | 5 | .3% |

lvchild

| | | Value | Count | Percent |
|---------------------|---------|--------------------------------|-------|---------|
| Standard Attributes | Label | Number of Living Children (4+) | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | 0 | 815 | 46.8% |
| | 1.00 | 1 | 221 | 12.7% |
| | 2.00 | 2 | 468 | 26.9% |
| | 3.00 | 3 | 167 | 9.6% |
| | 4.00 | 4 + | 69 | 4.0% |

lvchild1

| | | Value | Count | Percent |
|---------------------|---------|--|-------|---------|
| Standard Attributes | Label | Number of Living Children+Current Preg(4+) | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | 0 | 799 | 45.9% |
| | 1.00 | 1 | 224 | 12.9% |
| | 2.00 | 2 | 477 | 27.4% |
| | 3.00 | 3 | 170 | 9.8% |
| | 4.00 | 4 + | 70 | 4.0% |

Tot_pg

| | | Value |
|---------------------|---------|-----------------------|
| Standard Attributes | Label | Number of Live Births |
| N | Valid | 1740 |
| | Missing | 0 |

NPREG

| | | Value |
|---------------------|---------|--------|
| Standard Attributes | Label | <none> |
| N | Valid | 26 |
| | Missing | 1714 |

numia

| | | Value |
|---------------------|---------|---|
| Standard Attributes | Label | Number of Induced Abortion in the last five years |
| N | Valid | 69 |
| | Missing | 1671 |

numnac

| | | Value |
|---------------------|---------|--|
| Standard Attributes | Label | Number of Births (live+Still) in Pregnancy History |
| N | Valid | 0 |
| | Missing | 1740 |

roomper

| | | Value | Count | Percent |
|---------------------|---------|-------------------------------|-------|---------|
| Standard Attributes | Label | Number of rooms per person | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | less than one room per person | 236 | 13.6% |
| | 1.00 | one or more rooms per person | 1504 | 86.4% |

roompeo

| | | Value |
|---------------------|---------|----------------------------|
| Standard Attributes | Label | Number of rooms per person |
| N | Valid | 0 |
| | Missing | 1740 |

nHOURE

| | | Value | Count | Percent |
|---------------------|---------|---------------------------|-------|---------|
| Standard Attributes | Label | Hours per day electricity | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | 0 | 0 | .0% |
| | 1.00 | 1-23 | 1581 | 90.9% |
| | 2.00 | 24 | 158 | 9.1% |
| | 8.00 | DK | 1 | .1% |

ha

| | | Value |
|---------------------|---------|------------------|
| Standard Attributes | Label | Household Assets |
| N | Valid | 1740 |
| | Missing | 0 |

index

| | | Value | Count | Percent |
|---------------------|---------|---------------------|-------|---------|
| Standard Attributes | Label | Socioeconomic Index | | |
| N | Valid | 1731 | | |
| | Missing | 9 | | |
| Labeled Values | 1.00 | Low | 377 | 21.7% |
| | 2.00 | Medium | 893 | 51.3% |
| | 3.00 | High | 461 | 26.5% |

cmcliv

| | | Value | Count | Percent |
|---------------------|---------|--------------------------|-------|---------|
| Standard Attributes | Label | Years Living Continously | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | Always/since birth | 1158 | 66.6% |
| | 8888.00 | Don t remember | 11 | .6% |

resdur

| | | Value | |
|---------------------|---------|--------|------|
| Standard Attributes | Label | <none> | |
| N | Valid | | 1740 |
| | Missing | | 0 |

resdurr

| | | Value | Count | Percent |
|---------------------|---------|-------------------------|-------|---------|
| Standard Attributes | Label | Residence Duration | | |
| N | Valid | | 1740 | |
| | Missing | | 0 | |
| Labeled Values | .00 | < 1 year | 28 | 1.6% |
| | 1.00 | 12-23 months | 40 | 2.3% |
| | 2.00 | 24-35 | 47 | 2.7% |
| | 3.00 | 36-47 | 32 | 1.8% |
| | 4.00 | 48-59 | 56 | 3.2% |
| | 5.00 | 60-71 | 48 | 2.8% |
| | 6.00 | 6 or more years | 320 | 18.4% |
| | 7.00 | Never changed residence | 1158 | 66.6% |
| | 8.00 | Do not know | 11 | .6% |

migstat

| | | Value | Count | Percent |
|---------------------|---------|--------------------|-------|---------|
| Standard Attributes | Label | Migrational Status | | |
| N | Valid | | 1740 | |
| | Missing | | 0 | |
| Labeled Values | 1.00 | Ever migrated | 571 | 32.8% |
| | 2.00 | Never migrated | 1158 | 66.6% |
| | 8.00 | Do not know | 11 | .6% |

migstat4

| | | Value | Count | Percent |
|---------------------|---------|-----------------------------|-------|---------|
| Standard Attributes | Label | Migrational Status | | |
| N | Valid | | 1740 | |
| | Missing | | 0 | |
| Labeled Values | 1.00 | Migrant 2 yrs ago or less | 81 | 4.7% |
| | 2.00 | Migrant 2 to 5 yrs ago | 135 | 7.8% |
| | 3.00 | Migrant more than 5 yrs ago | 355 | 20.4% |
| | 4.00 | Never changed residence | 1158 | 66.6% |
| | 9.00 | Do not know | 11 | .6% |

migtype

| | | Value | Count | Percent |
|---------------------|---------|-----------------------|-------|---------|
| Standard Attributes | Label | Migrant Type | | |
| N | Valid | | 581 | |
| | Missing | | 1159 | |
| Labeled Values | 1.00 | Urban-urban Migrant | 247 | 14.2% |
| | 2.00 | Rural-urban Migrant | 231 | 13.3% |
| | 3.00 | Rural-rural Migrant | 80 | 4.6% |
| | 4.00 | Urban-rural Migrant | 20 | 1.1% |
| | 5.00 | International Migrant | 3 | .2% |

migtype4

| | | Value | Count | Percent |
|---------------------|---------|------------------------|-------|---------|
| Standard Attributes | Label | Migrant Type | | |
| N | Valid | 581 | | |
| | Missing | 1159 | | |
| Labeled Values | 1.00 | Urban-urban Migrant | 247 | 14.2% |
| | 2.00 | Rural-urban Migrant | 231 | 13.3% |
| | 3.00 | Other Internal Migrant | 100 | 5.7% |
| | 5.00 | International Migrant | 3 | .2% |

agerepro

| | | Value | Count | Percent |
|---------------------|---------|---------------------------------------|-------|---------|
| Standard Attributes | Label | Age to teach about Human Reproduction | | |
| N | Valid | 1600 | | |
| | Missing | 140 | | |
| Labeled Values | 1.00 | <= 13 | 200 | 11.5% |
| | 2.00 | 14-15 | 631 | 36.3% |
| | 3.00 | 16 or more | 653 | 37.5% |
| | 7.00 | Should not be Taught in School | 4 | .2% |
| | 8.00 | Dk/Nr | 112 | 6.4% |

agecont

| | | Value | Count | Percent |
|---------------------|---------|----------------------------------|-------|---------|
| Standard Attributes | Label | Age to teach about Contraception | | |
| N | Valid | 1600 | | |
| | Missing | 140 | | |
| Labeled Values | 1.00 | <= 13 | 183 | 10.5% |
| | 2.00 | 14-15 | 603 | 34.7% |
| | 3.00 | 16 or more | 696 | 40.0% |
| | 7.00 | Should not be Taught in School | 4 | .2% |
| | 8.00 | Dk/Nr | 114 | 6.6% |

agesti

| | | Value | Count | Percent |
|---------------------|---------|--|-------|---------|
| Standard Attributes | Label | Age to teach about Sexually Transmitted Infections | | |
| N | Valid | 1600 | | |
| | Missing | 140 | | |
| Labeled Values | 1.00 | <= 13 | 188 | 10.8% |
| | 2.00 | 14-15 | 612 | 35.2% |
| | 3.00 | 16 or more | 683 | 39.3% |
| | 7.00 | Should not be Taught in School | 4 | .2% |
| | 8.00 | Dk/Nr | 113 | 6.5% |

sisource

| | | Value | Count | Percent |
|---------------------|---------|---|-------|---------|
| Standard Attributes | Label | Most Important Source of Sexual Information | | |
| N | Valid | 590 | | |
| | Missing | 1150 | | |
| Labeled Values | 1.00 | Mother/Father | 11 | .6% |
| | 3.00 | Relative | 2 | .1% |
| | 4.00 | Girlfriend/Friends | 13 | .7% |
| | 6.00 | Co-worker/Colleagues,Peer | 51 | 2.9% |
| | 8.00 | Partner/Wife | 0 | .0% |
| | 9.00 | Doctor | 6 | .3% |
| | 10.00 | Nurse, Midwife | 0 | .0% |
| | 11.00 | Teacher | 223 | 12.8% |
| | 12.00 | Pharmacist | 0 | .0% |
| | 13.00 | Books/Newspapers,magazines | 74 | 4.3% |
| | 15.00 | Radio/TV | 186 | 10.7% |
| | 20.00 | Other | 0 | .0% |
| | 88.00 | DR | 24 | 1.4% |

ageA

| | | Value | Count | Percent |
|---------------------|---------|--|-------|---------|
| Standard Attributes | Label | Age to taught at school about Mestrual Cycle | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Less than 14 years | 31 | 1.8% |
| | 2.00 | Age 14 | 73 | 4.2% |
| | 3.00 | Age 15 | 22 | 1.3% |
| | 4.00 | Age 16+ | 28 | 1.6% |
| | 77.00 | Should not be taught in school | 1586 | 91.1% |

ageb

| | | Value | Count | Percent |
|---------------------|---------|--|-------|---------|
| Standard Attributes | Label | Age to taught at school about Female Reproductive System | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Less than 14 years | 50 | 2.9% |
| | 2.00 | Age 14 | 120 | 6.9% |
| | 3.00 | Age 15 | 48 | 2.8% |
| | 4.00 | Age 16+ | 48 | 2.8% |
| | 77.00 | Should not be taught in school | 1474 | 84.7% |

agec

| | | Value | Count | Percent |
|---------------------|---------|--|-------|---------|
| Standard Attributes | Label | Age to taught at school about Male Reproductive System | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Less than 14 years | 52 | 3.0% |
| | 2.00 | Age 14 | 121 | 7.0% |
| | 3.00 | Age 15 | 49 | 2.8% |
| | 4.00 | Age 16+ | 49 | 2.8% |
| | 77.00 | Should not be taught in school | 1469 | 84.4% |

aged

| | | Value | Count | Percent |
|---------------------|---------|--|-------|---------|
| Standard Attributes | Label | Age to taught at school about How Pregnancy Occurs | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Less than 14 years | 49 | 2.8% |
| | 2.00 | Age 14 | 123 | 7.1% |
| | 3.00 | Age 15 | 67 | 3.9% |
| | 4.00 | Age 16+ | 44 | 2.5% |
| | 77.00 | Should not be taught in school | 1457 | 83.7% |

agee

| | | Value | Count | Percent |
|---------------------|---------|---|-------|---------|
| Standard Attributes | Label | Age to taught at school about Contraceptive Methods | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Less than 14 years | 21 | 1.2% |
| | 2.00 | Age 14 | 82 | 4.7% |
| | 3.00 | Age 15 | 52 | 3.0% |
| | 4.00 | Age 16+ | 46 | 2.6% |
| | 77.00 | Should not be taught in school | 1539 | 88.4% |

agef

| | | Value | Count | Percent |
|---------------------|---------|--|-------|---------|
| Standard Attributes | Label | Age to taught at school about HIV/AIDS | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Less than 14 years | 55 | 3.2% |
| | 2.00 | Age 14 | 166 | 9.5% |
| | 3.00 | Age 15 | 68 | 3.9% |
| | 4.00 | Age 16+ | 72 | 4.1% |
| | 77.00 | Should not be taught in school | 1379 | 79.3% |

ageg

| | | Value | Count | Percent |
|---------------------|---------|---|-------|---------|
| Standard Attributes | Label | Age to taught at school about Other STD | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Less than 14 years | 19 | 1.1% |
| | 2.00 | Age 14 | 82 | 4.7% |
| | 3.00 | Age 15 | 35 | 2.0% |
| | 4.00 | Age 16+ | 31 | 1.8% |
| | 77.00 | Should not be taught in school | 1573 | 90.4% |

opageA

| | | Value | Count | Percent |
|---------------------|---------|--|-------|---------|
| Standard Attributes | Label | Age of begin to teach at school about Human Reproduction | | |
| N | Valid | 1737 | | |
| | Missing | 3 | | |
| Labeled Values | 1.00 | Less than 13 years | 111 | 6.4% |
| | 2.00 | Age 13 | 89 | 5.1% |
| | 3.00 | Age 14 | 304 | 17.5% |
| | 4.00 | Age 15+ | 980 | 56.3% |
| | 77.00 | Should not be taught in school | 141 | 8.1% |
| | 88.00 | DK | 112 | 6.4% |

opageB

| | | Value | Count | Percent |
|---------------------|---------|---|-------|---------|
| Standard Attributes | Label | Age of begin to teach at school about Contraception | | |
| N | Valid | 1737 | | |
| | Missing | 3 | | |
| Labeled Values | 1.00 | Less than 13 years | 103 | 5.9% |
| | 2.00 | Age 13 | 80 | 4.6% |
| | 3.00 | Age 14 | 295 | 17.0% |
| | 4.00 | Age 15+ | 1004 | 57.7% |
| | 77.00 | Should not be taught in school | 141 | 8.1% |
| | 88.00 | DK | 114 | 6.6% |

opageC

| | | Value | Count | Percent |
|---------------------|---------|---|-------|---------|
| Standard Attributes | Label | Age of begin to teach at school about STI | | |
| N | Valid | 1737 | | |
| | Missing | 3 | | |
| Labeled Values | 1.00 | Less than 13 years | 107 | 6.1% |
| | 2.00 | Age 13 | 81 | 4.7% |
| | 3.00 | Age 14 | 289 | 16.6% |
| | 4.00 | Age 15+ | 1006 | 57.8% |
| | 77.00 | Should not be taught in school | 141 | 8.1% |
| | 88.00 | DK | 113 | 6.5% |

foutcome

| | | Value | Count | Percent |
|---------------------|---------|--------------------------|-------|---------|
| Standard Attributes | Label | First Pregnancy Outcome | | |
| N | Valid | 955 | | |
| | Missing | 785 | | |
| Labeled Values | 1.00 | Current Pregnancy | 26 | 1.5% |
| | 2.00 | Live Birth | 899 | 51.7% |
| | 3.00 | Induced Abortion | 10 | .6% |
| | 4.00 | Other Pregnancy Outcomes | 20 | 1.1% |

plnfirst

| | | Value | Count | Percent |
|---------------------|---------|------------------------------------|-------|---------|
| Standard Attributes | Label | Planning Status of First Pregnancy | | |
| N | Valid | 955 | | |
| | Missing | 785 | | |
| Labeled Values | 1.00 | Yes | 875 | 50.3% |
| | 2.00 | No | 50 | 2.9% |
| | 8.00 | Not Sure | 30 | 1.7% |

planstat

| | | Value | Count | Percent |
|---------------------|---------|-----------------------------------|-------|---------|
| Standard Attributes | Label | Planning Status of Last Pregnancy | | |
| N | Valid | 488 | | |
| | Missing | 1252 | | |
| Labeled Values | 1.00 | Intended | 477 | 27.4% |
| | 2.00 | Mistimed | 8 | .5% |
| | 3.00 | Unwanted | 1 | .1% |
| | 8.00 | Not Sure | 2 | .1% |

knwpil

| | | Value | Count | Percent |
|---------------------|---------|------------------|-------|---------|
| Standard Attributes | Label | Ever heard Pills | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1042 | 59.9% |
| | 100.00 | Yes | 698 | 40.1% |

knwiud

| | | Value | Count | Percent |
|---------------------|---------|----------------|-------|---------|
| Standard Attributes | Label | Ever heard IUD | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1538 | 88.4% |
| | 100.00 | Yes | 202 | 11.6% |

knwcon

| | | Value | Count | Percent |
|---------------------|---------|--------------------|-------|---------|
| Standard Attributes | Label | Ever heard Condoms | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 139 | 8.0% |
| | 100.00 | Yes | 1601 | 92.0% |

knwvag

| | | Value | Count | Percent |
|---------------------|---------|------------------------|-------|---------|
| Standard Attributes | Label | Ever heard Spermicides | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1640 | 94.3% |
| | 100.00 | Yes | 100 | 5.7% |

knwfem

| | | Value | Count | Percent |
|---------------------|---------|---------------------------|-------|---------|
| Standard Attributes | Label | Ever heard Tubal ligation | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1453 | 83.5% |
| | 100.00 | Yes | 287 | 16.5% |

knwvas

| | | Value | Count | Percent |
|---------------------|---------|----------------------|-------|---------|
| Standard Attributes | Label | Ever heard Vasectomy | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1623 | 93.3% |
| | 100.00 | Yes | 117 | 6.7% |

knwinj

| | | Value | Count | Percent |
|---------------------|---------|------------------------|-------|---------|
| Standard Attributes | Label | Ever heard Injectables | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1591 | 91.4% |
| | 100.00 | Yes | 149 | 8.6% |

knwehc

| | | Value | Count | Percent |
|---------------------|---------|------------------------------------|-------|---------|
| Standard Attributes | Label | Ever heard Emergency Contraception | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1514 | 87.0% |
| | 100.00 | Yes | 226 | 13.0% |

knwrhy

| | | Value | Count | Percent |
|---------------------|---------|--|-------|---------|
| Standard Attributes | Label | Ever heard Periodic abstinence (rhythm method) | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1314 | 75.5% |
| | 100.00 | Yes | 426 | 24.5% |

knwwit

| | | Value | Count | Percent |
|---------------------|---------|-----------------------|-------|---------|
| Standard Attributes | Label | Ever heard Withdrawal | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 212 | 12.2% |
| | 100.00 | Yes | 1528 | 87.8% |

knwotr

| | | Value | Count | Percent |
|---------------------|---------|--------------------------|-------|---------|
| Standard Attributes | Label | Ever heard Other Methods | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1739 | 99.9% |
| | 100.00 | Yes | 1 | .1% |

knwany

| | | Value | Count | Percent |
|---------------------|---------|------------|-------|---------|
| Standard Attributes | Label | Any Method | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 24 | 1.4% |
| | 100.00 | Yes | 1716 | 98.6% |

knwmod

| | | Value | Count | Percent |
|---------------------|---------|-------------------|-------|---------|
| Standard Attributes | Label | Any Modern Method | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 130 | 7.5% |
| | 100.00 | Yes | 1610 | 92.5% |

knwtrad

| | | Value | Count | Percent |
|---------------------|---------|------------------------|-------|---------|
| Standard Attributes | Label | Any Traditional Method | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 210 | 12.1% |
| | 100.00 | Yes | 1530 | 87.9% |

nummod

| | | Value |
|---------------------|---------|--------------------------|
| Standard Attributes | Label | Number of modern methods |
| N | Valid | 1740 |
| | Missing | 0 |

knupil

| | | Value | Count | Percent |
|---------------------|---------|----------------|-------|---------|
| Standard Attributes | Label | Know Use Pills | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1285 | 73.9% |
| | 100.00 | Yes | 455 | 26.1% |

knuiud

| | | Value | Count | Percent |
|---------------------|---------|--------------|-------|---------|
| Standard Attributes | Label | Know Use IUD | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1581 | 90.9% |
| | 100.00 | Yes | 159 | 9.1% |

knucon

| | | Value | Count | Percent |
|---------------------|---------|------------------|-------|---------|
| Standard Attributes | Label | Know Use Condoms | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 476 | 27.4% |
| | 100.00 | Yes | 1264 | 72.6% |

knuvag

| | | Value | Count | Percent |
|---------------------|---------|----------------------|-------|---------|
| Standard Attributes | Label | Know Use Spermicides | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1657 | 95.2% |
| | 100.00 | Yes | 83 | 4.8% |

knufem

| | | Value | Count | Percent |
|---------------------|---------|-------------------------|-------|---------|
| Standard Attributes | Label | Know Use Tubal ligation | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1542 | 88.6% |
| | 100.00 | Yes | 198 | 11.4% |

knuvas

| | | Value | Count | Percent |
|---------------------|---------|--------------------|-------|---------|
| Standard Attributes | Label | Know Use Vasectomy | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1652 | 94.9% |
| | 100.00 | Yes | 88 | 5.1% |

knuinj

| | | Value | Count | Percent |
|---------------------|---------|----------------------|-------|---------|
| Standard Attributes | Label | Know Use Injectables | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1628 | 93.6% |
| | 100.00 | Yes | 112 | 6.4% |

knuehc

| | | Value | Count | Percent |
|---------------------|---------|----------------------------------|-------|---------|
| Standard Attributes | Label | Know Use Emergency Contraception | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1567 | 90.1% |
| | 100.00 | Yes | 173 | 9.9% |

knurhy

| | | Value | Count | Percent |
|---------------------|---------|--|-------|---------|
| Standard Attributes | Label | Know Use Periodic abstinence (rhythm method) | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1339 | 77.0% |
| | 100.00 | Yes | 401 | 23.0% |

knuwit

| | | Value | Count | Percent |
|---------------------|---------|---------------------|-------|---------|
| Standard Attributes | Label | Know Use Withdrawal | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 259 | 14.9% |
| | 100.00 | Yes | 1481 | 85.1% |

knuotr

| | | Value | Count | Percent |
|---------------------|---------|------------------------|-------|---------|
| Standard Attributes | Label | Know Use Other Methods | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1739 | 99.9% |
| | 100.00 | Yes | 1 | .1% |

knuany

| | | Value | Count | Percent |
|---------------------|---------|---------------------|-------|---------|
| Standard Attributes | Label | Know Use Any Method | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 149 | 8.6% |
| | 100.00 | Yes | 1591 | 91.4% |

knumod

| | | Value | Count | Percent |
|---------------------|---------|----------------------------|-------|---------|
| Standard Attributes | Label | Know Use Any Modern Method | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 464 | 26.7% |
| | 100.00 | Yes | 1276 | 73.3% |

knutrad

| | | Value | Count | Percent |
|---------------------|---------|---------------------------------|-------|---------|
| Standard Attributes | Label | Know Use Any Traditional Method | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 257 | 14.8% |
| | 100.00 | Yes | 1483 | 85.2% |

usedpil

| | | Value | Count | Percent |
|---------------------|---------|------------|-------|---------|
| Standard Attributes | Label | Used Pills | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1683 | 96.7% |
| | 100.00 | Yes | 57 | 3.3% |

useiudd

| | | Value | Count | Percent |
|---------------------|---------|----------|-------|---------|
| Standard Attributes | Label | Used IUD | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1733 | 99.6% |
| | 100.00 | Yes | 7 | .4% |

usedcon

| | | Value | Count | Percent |
|---------------------|---------|--------------|-------|---------|
| Standard Attributes | Label | Used Condoms | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1188 | 68.3% |
| | 100.00 | Yes | 552 | 31.7% |

usedvag

| | | Value | Count | Percent |
|---------------------|---------|------------------|-------|---------|
| Standard Attributes | Label | Used Spermicides | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1737 | 99.8% |
| | 100.00 | Yes | 3 | .2% |

usedfem

| | | Value | Count | Percent |
|---------------------|---------|---------------------|-------|---------|
| Standard Attributes | Label | Used Tubal ligation | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1734 | 99.7% |
| | 100.00 | Yes | 6 | .3% |

usedvas

| | | Value | Count | Percent |
|---------------------|---------|----------------|-------|---------|
| Standard Attributes | Label | Used Vasectomy | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1740 | 100.0% |
| | 100.00 | Yes | 0 | .0% |

usedinj

| | | Value | Count | Percent |
|---------------------|---------|------------------|-------|---------|
| Standard Attributes | Label | Used Injectables | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1734 | 99.7% |
| | 100.00 | Yes | 6 | .3% |

usedehc

| | | Value | Count | Percent |
|---------------------|---------|------------------------------|-------|---------|
| Standard Attributes | Label | Used Emergency Contraception | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1701 | 97.8% |
| | 100.00 | Yes | 39 | 2.2% |

usedrhy

| | | Value | Count | Percent |
|---------------------|---------|--|-------|---------|
| Standard Attributes | Label | Used Periodic abstinence (rhythm method) | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1543 | 88.7% |
| | 100.00 | Yes | 197 | 11.3% |

usedwit

| | | Value | Count | Percent |
|---------------------|---------|-----------------|-------|---------|
| Standard Attributes | Label | Used Withdrawal | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 479 | 27.5% |
| | 100.00 | Yes | 1261 | 72.5% |

usedotr

| | | Value | Count | Percent |
|---------------------|---------|--------------------|-------|---------|
| Standard Attributes | Label | Used Other Methods | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1740 | 100.0% |
| | 100.00 | Yes | 0 | .0% |

usedany

| | | Value | Count | Percent |
|---------------------|---------|-----------------|-------|---------|
| Standard Attributes | Label | Used Any Method | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 442 | 25.4% |
| | 100.00 | Yes | 1298 | 74.6% |

usedmod

| | | Value | Count | Percent |
|---------------------|---------|------------------------|-------|---------|
| Standard Attributes | Label | Used Any Modern Method | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1174 | 67.5% |
| | 100.00 | Yes | 566 | 32.5% |

usedtrad

| | | Value | Count | Percent |
|---------------------|---------|-----------------------------|-------|---------|
| Standard Attributes | Label | Used Any Traditional Method | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 474 | 27.2% |
| | 100.00 | Yes | 1266 | 72.8% |

kngpil

| | | Value | Count | Percent |
|---------------------|---------|----------------|-------|---------|
| Standard Attributes | Label | Know get Pills | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1285 | 73.9% |
| | 100.00 | Yes | 455 | 26.1% |

kngiud

| | | Value | Count | Percent |
|---------------------|---------|--------------|-------|---------|
| Standard Attributes | Label | Know get IUD | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1581 | 90.9% |
| | 100.00 | Yes | 159 | 9.1% |

kngcon

| | | Value | Count | Percent |
|---------------------|---------|------------------|-------|---------|
| Standard Attributes | Label | Know get Condoms | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 476 | 27.4% |
| | 100.00 | Yes | 1264 | 72.6% |

kngvag

| | | Value | Count | Percent |
|---------------------|---------|----------------------|-------|---------|
| Standard Attributes | Label | Know get Spermicides | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1657 | 95.2% |
| | 100.00 | Yes | 83 | 4.8% |

kngfem

| | | Value | Count | Percent |
|---------------------|---------|-------------------------|-------|---------|
| Standard Attributes | Label | Know get Tubal ligation | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1542 | 88.6% |
| | 100.00 | Yes | 198 | 11.4% |

kngvas

| | | Value | Count | Percent |
|---------------------|---------|--------------------|-------|---------|
| Standard Attributes | Label | Know get Vasectomy | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1652 | 94.9% |
| | 100.00 | Yes | 88 | 5.1% |

knginj

| | | Value | Count | Percent |
|---------------------|---------|----------------------|-------|---------|
| Standard Attributes | Label | Know get Injectables | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1628 | 93.6% |
| | 100.00 | Yes | 112 | 6.4% |

kngehc

| | | Value | Count | Percent |
|---------------------|---------|----------------------------------|-------|---------|
| Standard Attributes | Label | Know get Emergency Contraception | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 1567 | 90.1% |
| | 100.00 | Yes | 173 | 9.9% |

kngany

| | | Value | Count | Percent |
|---------------------|---------|----------------------------|-------|---------|
| Standard Attributes | Label | Know get Any Modern Method | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 464 | 26.7% |
| | 100.00 | Yes | 1276 | 73.3% |

num_umod

| | | Value |
|---------------------|---------|---|
| Standard Attributes | Label | Number of modern methods Know how to use it |
| N | Valid | 1740 |
| | Missing | 0 |

fpuse

| | | Value | Count | Percent |
|---------------------|---------|-------------|-------|---------|
| Standard Attributes | Label | Current use | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | No | 838 | 48.2% |
| | 2.00 | Yes | 902 | 51.8% |

methoc

| | | Value | Count | Percent |
|---------------------|---------|----------------------------------|-------|---------|
| Standard Attributes | Label | Current Use of Contraception | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No Current Use | 838 | 48.2% |
| | 1.00 | Pill | 4 | .2% |
| | 2.00 | IUD | 4 | .2% |
| | 3.00 | Condom | 85 | 4.9% |
| | 4.00 | Foams/Jelly | 0 | .0% |
| | 7.00 | Female sterilization | 2 | .1% |
| | 8.00 | Emergency Hormonal Contraception | 1 | .1% |
| | 9.00 | Injectables | 2 | .1% |
| | 10.00 | Other modern method | 0 | .0% |
| | 11.00 | Rhythm Method | 13 | .7% |
| | 12.00 | Withdrawal | 791 | 45.5% |
| | 20.00 | Other BC method | 0 | .0% |
| | 22.00 | Not currently using BC | 0 | .0% |
| | 88.00 | Do not know | 0 | .0% |

modtrad

| | | Value | Count | Percent |
|---------------------|---------|------------------------------|-------|---------|
| Standard Attributes | Label | Current Use of Contraception | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Modern | 98 | 5.6% |
| | 2.00 | Traditional | 804 | 46.2% |
| | 3.00 | Unknown | 0 | .0% |
| | 4.00 | No current use | 838 | 48.2% |

BCUSE

| | | Value | Count | Percent |
|---------------------|---------|----------------------|-------|---------|
| Standard Attributes | Label | Contraceptive Status | | |
| N | Valid | 2 | | |
| | Missing | 1738 | | |
| Labeled Values | 1.00 | Never used | 0 | .0% |
| | 2.00 | Previous user | 0 | .0% |
| | 3.00 | Current user | 2 | .1% |

bestmf

| | | Value | Count | Percent |
|---------------------|---------|-------------------------------------|-------|---------|
| Standard Attributes | Label | Most effective contraceptive method | | |
| N | Valid | 0 | | |
| | Missing | 1740 | | |
| Labeled Values | 1.00 | Pill | 0 | .0% |
| | 2.00 | IUD | 0 | .0% |
| | 3.00 | Condom | 0 | .0% |
| | 7.00 | Female sterilization | 0 | .0% |
| | 8.00 | Emergency Contraception | 0 | .0% |
| | 9.00 | Other modern method | 0 | .0% |
| | 11.00 | Calendar (Rhythm) Method | 0 | .0% |
| | 12.00 | Withdrawal | 0 | .0% |
| | 77.00 | No method | 0 | .0% |
| | 88.00 | Do not know | 0 | .0% |

rezmetc

| | | Value | Count | Percent |
|---------------------|---------|---|-------|---------|
| Standard Attributes | Label | The most important reason for choosing current method | | |
| N | Valid | 902 | | |
| | Missing | 838 | | |
| Labeled Values | 1.00 | Doctor Recommended | 10 | .6% |
| | 2.00 | Cost | 15 | .9% |
| | 3.00 | Very Effective | 216 | 12.4% |
| | 4.00 | No Side Effects | 49 | 2.8% |
| | 6.00 | Easy to use | 181 | 10.4% |
| | 7.00 | Partner prefers it | 59 | 3.4% |
| | 10.00 | Allows spontaneity during intercourse | 123 | 7.1% |
| | 11.00 | Traditional Method | 241 | 13.9% |
| | 20.00 | Other | 5 | .3% |
| | 88.00 | DK | 3 | .2% |

reznouse

| | | Value | Count | Percent |
|---------------------|---------|--|-------|---------|
| Standard Attributes | Label | Reason for not using currently contraceptive method | | |
| N | Valid | 392 | | |
| | Missing | 1348 | | |
| Labeled Values | 1.00 | Does not currently have a partner/ not sexually active in th | 217 | 12.5% |
| | 2.00 | Trying to get pregnant | 56 | 3.2% |
| | 3.00 | Partner Postpartum/ breastfeeding | 0 | .0% |
| | 4.00 | Partner Currently pregnant | 34 | 2.0% |
| | 5.00 | Partner Hysterectomy/menopause | 0 | .0% |
| | 6.00 | Doctor said he or his partner cannot have children | 0 | .0% |
| | 7.00 | Couple tried to get pregnant for at least 2 years and didn't | 23 | 1.3% |
| | 8.00 | Fear of side effects | 0 | .0% |
| | 9.00 | Lovemaking would be interrupted | 25 | 1.4% |
| | 10.00 | Respondent did not think about using contraception | 10 | .6% |
| | 11.00 | Cost, cannot afford birth control | 0 | .0% |
| | 12.00 | Birth control is the partner's responsibility | 0 | .0% |
| | 13.00 | Birth control is not (very) effective | 0 | .0% |
| | 14.00 | Respondent does not want to use a method | 0 | .0% |
| | 15.00 | Partner objects to using method | 17 | 1.0% |
| | 16.00 | Objects due to religious reasons | 0 | .0% |
| | 17.00 | Does not know where to get method | 0 | .0% |
| | 18.00 | Respondent does not know how to use birth control methods | 0 | .0% |
| | 19.00 | Respondent does not think that she can get pregnant | 5 | .3% |
| | 20.00 | Respondent has no time to go to a FP Clinic/ or buy condoms | 0 | .0% |
| | 21.00 | Respondent uses douching | 1 | .1% |
| | 77.00 | Other | 0 | .0% |
| | 88.00 | DK/Ref | 4 | .2% |

tlyr

| | | Value |
|---------------------|---------|------------------------------|
| Standard Attributes | Label | Year of Female Sterilization |
| N | Valid | 0 |
| | Missing | 1740 |

tlmth

| | | Value |
|---------------------|---------|-------------------------------|
| Standard Attributes | Label | Month of Female Sterilization |
| N | Valid | 0 |
| | Missing | 1740 |

SEXEX

| | | Value | Count | Percent |
|---------------------|---------|-------------------|-------|---------|
| Standard Attributes | Label | Sexual Experience | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | No | 445 | 25.6% |
| | 1.00 | Yes | 1295 | 74.4% |

lastsex

| | | Value | Count | Percent |
|---------------------|---------|---------------------------------|-------|---------|
| Standard Attributes | Label | Time of last sexual intercourse | | |
| N | Valid | 143 | | |
| | Missing | 1597 | | |
| Labeled Values | 1.00 | 30Days | 0 | .0% |
| | 3.00 | 1-3 Mth | 5 | .3% |
| | 12.00 | 4-12 Mth | 61 | 3.5% |
| | 13.00 | 12+ | 44 | 2.5% |
| | 98.00 | NR | 33 | 1.9% |

infertil

| | | Value |
|---------------------|---------|----------|
| Standard Attributes | Label | Infertil |
| N | Valid | 1295 |
| | Missing | 445 |

intend

| | | Value | Count | Percent |
|---------------------|---------|--|-------|---------|
| Standard Attributes | Label | Future fertility preferences for fertile Women | | |
| N | Valid | 1254 | | |
| | Missing | 486 | | |
| Labeled Values | 1.00 | Yes | 512 | 29.4% |
| | 2.00 | No | 624 | 35.9% |
| | 8.00 | DK | 118 | 6.8% |

wantpg

| | | Value | Count | Percent |
|---------------------|---------|---------------------------|-------|---------|
| Standard Attributes | Label | When to become pregnant.. | | |
| N | Valid | 1295 | | |
| | Missing | 445 | | |
| Labeled Values | 1.00 | Want pregnancy right away | 96 | 5.5% |
| | 2.00 | Within a Year | 51 | 2.9% |
| | 3.00 | 1-2Yr | 78 | 4.5% |
| | 4.00 | 2+Yr | 66 | 3.8% |
| | 6.00 | After marriage | 186 | 10.7% |
| | 66.00 | Undecided | 153 | 8.8% |
| | 77.00 | Nomore | 624 | 35.9% |
| | 88.00 | Infertile | 41 | 2.4% |

NONECPF

| | | Value | Count | Percent |
|---------------------|---------|--------------------------|-------|---------|
| Standard Attributes | Label | No Needed PF/Razon | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Using method | 902 | 51.8% |
| | 2.00 | Infertile or subfecund | 35 | 2.0% |
| | 3.00 | Pregnant/Postparto | 0 | .0% |
| | 4.00 | Wants to become pregnant | 53 | 3.0% |
| | 5.00 | Not sexually active | 716 | 41.1% |
| | 6.00 | Need PF | 34 | 2.0% |

NECPF

| | | Value | Count | Percent |
|---------------------|---------|----------------------------------|-------|---------|
| Standard Attributes | Label | Potencial Demand for FP Services | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Yes | 891 | 51.2% |
| | 2.00 | No | 849 | 48.8% |

needpf

| | | Value | Count | Percent |
|---------------------|---------|---|-------|---------|
| Standard Attributes | Label | Potencial Demand for FP Services | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Never had sexual intercourse | 445 | 25.6% |
| | 2.00 | Currently pregnant or post-partum | 0 | .0% |
| | 3.00 | Seeking to get pregnant | 98 | 5.6% |
| | 4.00 | Infecund/subfecund | 35 | 2.0% |
| | 5.00 | Current users of a modern method | 90 | 5.2% |
| | 6.00 | Current users of a traditional method | 767 | 44.1% |
| | 7.00 | Not currently sexually active | 271 | 15.6% |
| | 8.00 | Non users at risk of unintended pregnancy | 34 | 2.0% |

methsource

| | | Value | Count | Percent |
|---------------------|---------|------------------------------|-------|---------|
| Standard Attributes | Label | Source of last method | | |
| N | Valid | 902 | | |
| | Missing | 838 | | |
| Labeled Values | 1.00 | Health post or clinic | 3 | .2% |
| | 3.00 | Policlinic | 2 | .1% |
| | 4.00 | Family Planning Clinic | 3 | .2% |
| | 5.00 | Gov. Hospital-Maternity Ward | 2 | .1% |
| | 6.00 | Private Clinic or Office | 3 | .2% |
| | 8.00 | Pharmacy | 82 | 4.7% |
| | 9.00 | Open Market | 0 | .0% |
| | 10.00 | Store/Kiosk | 0 | .0% |
| | 11.00 | Partner/Husband | 26 | 1.5% |
| | 12.00 | Friend | 1 | .1% |
| | 13.00 | Relative | 0 | .0% |
| | 20.00 | Other | 0 | .0% |
| | 77.00 | Natural Method | 780 | 44.8% |
| | 88.00 | Do not Know | 0 | .0% |

lastmet

| | | Value | |
|---------------------|---------|--------------------------------|------|
| Standard Attributes | Label | Last contraceptive method used | |
| N | Valid | | 0 |
| | Missing | | 1740 |

CMB

| | | Value | |
|---------------------|---------|--------|------|
| Standard Attributes | Label | <none> | |
| N | Valid | | 1740 |
| | Missing | | 0 |

CMMAR

| | | Value | |
|---------------------|---------|--------|------|
| Standard Attributes | Label | <none> | |
| N | Valid | | 1037 |
| | Missing | | 703 |

agemcalc

| | | Value | Count | Percent |
|---------------------|---------|-----------------------------|-------|---------|
| Standard Attributes | Label | Age of first marriage/union | | |
| N | Valid | | 1037 | |
| | Missing | | 703 | |
| Labeled Values | 98.00 | DK/Ref | 0 | .0% |

fmarcat

| | | Value | Count | Percent |
|---------------------|---------|----------------------------------|-------|---------|
| Standard Attributes | Label | Age of first marriage/union <4G> | | |
| N | Valid | | 1037 | |
| | Missing | | 703 | |
| Labeled Values | 1.00 | <20 | 37 | 2.1% |
| | 2.00 | 20-24 | 328 | 18.9% |
| | 3.00 | 25-29 | 485 | 27.9% |
| | 4.00 | 30 or over | 187 | 10.7% |

end1mar

| | | Value | |
|---------------------|---------|---------------------------|------|
| Standard Attributes | Label | CMC at end of first union | |
| N | Valid | | 1037 |
| | Missing | | 703 |

DURUNION

| | | Value | |
|---------------------|---------|-----------------------------|------|
| Standard Attributes | Label | Duration of the first union | |
| N | Valid | | 1037 |
| | Missing | | 703 |

numpart

| | | Value | Count | Percent |
|---------------------|---------|--------------------------------|-------|---------|
| Standard Attributes | Label | Number of partners (MRA 15-49) | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | .00 | 0 | 446 | 25.6% |
| | 1.00 | 1 | 448 | 25.7% |
| | 2.00 | 2+ | 702 | 40.3% |
| | 88.00 | Don t Know | 42 | 2.4% |
| | 99.00 | No response | 102 | 5.9% |

premarital

| | | Value | Count | Percent |
|---------------------|---------|---|-------|---------|
| Standard Attributes | Label | Marital status at 1st Sex Among Young Adult | | |
| N | Valid | 157 | | |
| | Missing | 1583 | | |
| Labeled Values | 1.00 | Premarital | 135 | 7.8% |
| | 2.00 | Marital | 14 | .8% |
| | 8.00 | Dr/Dr | 8 | .5% |

sexage

| | | Value | Count | Percent |
|---------------------|---------|---|-------|---------|
| Standard Attributes | Label | Age group at 1st sex <15, 15-17, 18-19, 20-24 | | |
| N | Valid | 157 | | |
| | Missing | 1583 | | |
| Labeled Values | 1.00 | <15 | 9 | .5% |
| | 2.00 | 15-17 | 64 | 3.7% |
| | 3.00 | 18-19 | 44 | 2.5% |
| | 4.00 | 20-24 | 39 | 2.2% |
| | 5.00 | 25-29 | 0 | .0% |
| | 6.00 | 30 or more | 0 | .0% |
| | 8.00 | Do not Remenber | 1 | .1% |

CMSEX

| | | Value |
|---------------------|---------|--------|
| Standard Attributes | Label | <none> |
| N | Valid | 156 |
| | Missing | 1584 |

AGESEXCALC1

| | | Value |
|---------------------|---------|--|
| Standard Attributes | Label | Age at first sex MRA 15-24 (dissagregated) |
| N | Valid | 589 |
| | Missing | 1151 |

agesexcalc

| | | Value | Count | Percent |
|---------------------|---------|----------------------------|-------|---------|
| Standard Attributes | Label | Age at first sex MRA 15-24 | | |
| N | Valid | 589 | | |
| | Missing | 1151 | | |
| Labeled Values | .00 | Never Had Intercourse | 0 | .0% |
| | 1.00 | <15 | 10 | .6% |
| | 2.00 | 15-17 | 60 | 3.4% |
| | 3.00 | 18-19 | 45 | 2.6% |
| | 4.00 | 20-24 | 37 | 2.1% |
| | 88.00 | Do not Remenber | 0 | .0% |

agefrs

| | | Value | |
|---------------------|---------|--------|------|
| Standard Attributes | Label | <none> | |
| N | Valid | | 1307 |
| | Missing | | 433 |

agefrsr

| | | Value | Count | Percent |
|---------------------|---------|----------------------------|-------|---------|
| Standard Attributes | Label | Age at First Sex WRA 15-44 | | |
| N | Valid | | 1059 | |
| | Missing | | 681 | |
| Labeled Values | .00 | Never Had Intercourse | 0 | .0% |
| | 1.00 | <15 | 18 | 1.0% |
| | 2.00 | 15-17 | 187 | 10.7% |
| | 3.00 | 18-19 | 299 | 17.2% |
| | 4.00 | 20-24 | 468 | 26.9% |
| | 88.00 | Do not Remember | 0 | .0% |

gynex

| | | Value | |
|---------------------|---------|-------------------------------|------|
| Standard Attributes | Label | Last routine gynecologic exam | |
| N | Valid | | 0 |
| | Missing | | 1740 |

resgyn

| | | Value | |
|---------------------|---------|---|------|
| Standard Attributes | Label | Reason for never had a routine gynecologic exam | |
| N | Valid | | 0 |
| | Missing | | 1740 |

respap

| | | Value | |
|---------------------|---------|---------------------------------|------|
| Standard Attributes | Label | Reason for never had a Pap test | |
| N | Valid | | 0 |
| | Missing | | 1740 |

lastpap

| | | Value | |
|---------------------|---------|---------------|------|
| Standard Attributes | Label | Last Pap test | |
| N | Valid | | 0 |
| | Missing | | 1740 |

knowhiv

| | | Value | Count | Percent |
|---------------------|---------|-----------------------|-------|---------|
| Standard Attributes | Label | Knowledge of HIV/AIDS | | |
| N | Valid | | 1740 | |
| | Missing | | 0 | |
| Labeled Values | 1.00 | Yes | 1696 | 97.5% |
| | 2.00 | No | 44 | 2.5% |
| | 8.00 | Dk/Dr | 0 | .0% |

knowtest

| | | Value | Count | Percent |
|---------------------|---------|--|-------|---------|
| Standard Attributes | Label | Knowledge of HIV test location for ALL Men | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Yes | 675 | 38.8% |
| | 2.00 | No | 1065 | 61.2% |
| | 8.00 | Dk/Dr | 0 | .0% |

asym

| | | Value | Count | Percent |
|---------------------|---------|---|-------|---------|
| Standard Attributes | Label | Belief that HIV can be asymptomatic for ALL Men | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Yes | 880 | 50.6% |
| | 2.00 | No | 256 | 14.7% |
| | 8.00 | Dk/Dr | 604 | 34.7% |

syphdiag

| | | Value | Count | Percent |
|---------------------|---------|--------------------------------------|-------|---------|
| Standard Attributes | Label | Diagnosis for Syphilis AMONG ALL Men | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Yes | 0 | .0% |
| | 2.00 | No | 1740 | 100.0% |
| | 8.00 | Dk/Dr | 0 | .0% |

gondiag

| | | Value | Count | Percent |
|---------------------|---------|---------------------------------------|-------|---------|
| Standard Attributes | Label | Diagnosis for Gonorrhea AMONG ALL Men | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Yes | 0 | .0% |
| | 2.00 | No | 1739 | 99.9% |
| | 8.00 | Dk/Dr | 1 | .1% |

chlamdiag

| | | Value | Count | Percent |
|---------------------|---------|---------------------------------------|-------|---------|
| Standard Attributes | Label | Diagnosis for Chlamydia AMONG ALL Men | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Yes | 1 | .1% |
| | 2.00 | No | 1739 | 99.9% |
| | 8.00 | Dk/Dr | 0 | .0% |

yeastdiag

| | | Value | Count | Percent |
|---------------------|---------|---|-------|---------|
| Standard Attributes | Label | Diagnosis for Yeast Infection AMONG ALL Men | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Yes | 24 | 1.4% |
| | 2.00 | No | 1716 | 98.6% |
| | 8.00 | Dk/Dr | 0 | .0% |

herpesdiag

| | | Value | Count | Percent |
|---------------------|---------|--|-------|---------|
| Standard Attributes | Label | Diagnosis for genital Herpes AMONG ALL Men | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Yes | 1 | .1% |
| | 2.00 | No | 1739 | 99.9% |
| | 8.00 | Dk/Dr | 0 | .0% |

wartdiag

| | | Value | Count | Percent |
|---------------------|---------|---|-------|---------|
| Standard Attributes | Label | Diagnosis for Genital Warts AMONG ALL Men | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Yes | 0 | .0% |
| | 2.00 | No | 1740 | 100.0% |
| | 8.00 | Dk/Dr | 0 | .0% |

trichdiag

| | | Value | Count | Percent |
|---------------------|---------|--|-------|---------|
| Standard Attributes | Label | Diagnosis for Trichomoniasis AMONG ALL Men | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Yes | 0 | .0% |
| | 2.00 | No | 1740 | 100.0% |
| | 8.00 | Dk/Dr | 0 | .0% |

syphtrat

| | | Value | Count | Percent |
|---------------------|---------|--------------------------------------|-------|---------|
| Standard Attributes | Label | Treatment for Syphilis AMONG ALL Men | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Yes | 0 | .0% |
| | 2.00 | No | 1740 | 100.0% |
| | 8.00 | Dk/Dr | 0 | .0% |

gontreat

| | | Value | Count | Percent |
|---------------------|---------|---------------------------------------|-------|---------|
| Standard Attributes | Label | Treatment for Gonorrhea AMONG ALL Men | | |
| N | Valid | 1739 | | |
| | Missing | 1 | | |
| Labeled Values | 1.00 | Yes | 0 | .0% |
| | 2.00 | No | 1739 | 99.9% |
| | 8.00 | Dk/Dr | 0 | .0% |

chlamtrat

| | | Value | Count | Percent |
|---------------------|---------|---------------------------------------|-------|---------|
| Standard Attributes | Label | Treatment for Chlamydia AMONG ALL Men | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Yes | 1 | .1% |
| | 2.00 | No | 1739 | 99.9% |
| | 8.00 | Dk/Dr | 0 | .0% |

yeasttreat

| | | Value | Count | Percent |
|---------------------|---------|---|-------|---------|
| Standard Attributes | Label | Treatment for Yeast Infection AMONG ALL Men | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Yes | 23 | 1.3% |
| | 2.00 | No | 1717 | 98.7% |
| | 8.00 | Dk/Dr | 0 | .0% |

herpestreat

| | | Value | Count | Percent |
|---------------------|---------|--|-------|---------|
| Standard Attributes | Label | Treatment for genital Herpes AMONG ALL Men | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Yes | 1 | .1% |
| | 2.00 | No | 1739 | 99.9% |
| | 8.00 | Dk/Dr | 0 | .0% |

warttreat

| | | Value | Count | Percent |
|---------------------|---------|---|-------|---------|
| Standard Attributes | Label | Treatment for Genital Warts AMONG ALL Men | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Yes | 0 | .0% |
| | 2.00 | No | 1740 | 100.0% |
| | 8.00 | Dk/Dr | 0 | .0% |

trichtreat

| | | Value | Count | Percent |
|---------------------|---------|--|-------|---------|
| Standard Attributes | Label | Treatment for Trichomoniasis AMONG ALL Men | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Yes | 0 | .0% |
| | 2.00 | No | 1740 | 100.0% |
| | 8.00 | Dk/Dr | 0 | .0% |

evermarr

| | | Value | Count | Percent |
|---------------------|---------|--------------------|-------|---------|
| Standard Attributes | Label | Ever/never married | | |
| N | Valid | 1740 | | |
| | Missing | 0 | | |
| Labeled Values | 1.00 | Yes | 1037 | 59.6% |
| | 2.00 | No | 703 | 40.4% |
| | 8.00 | Dk/Dr | 0 | .0% |

lifeverbal

| | | Value | Count | Percent |
|---------------------|---------|--------------|-------|---------|
| Standard Attributes | Label | Verbal Abuse | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | 1.00 | Yes | 338 | 19.4% |
| | 2.00 | No | 699 | 40.2% |
| | 8.00 | Dk/Dr | 0 | .0% |

lifephys

| | | Value | Count | Percent |
|---------------------|---------|----------------|-------|---------|
| Standard Attributes | Label | Physical Abuse | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | 1.00 | Yes | 149 | 8.6% |
| | 2.00 | No | 888 | 51.0% |
| | 8.00 | Dk/Dr | 0 | .0% |

lifesexab

| | | Value | Count | Percent |
|---------------------|---------|--------------|-------|---------|
| Standard Attributes | Label | Sexual Abuse | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | 1.00 | Yes | 11 | .6% |
| | 2.00 | No | 1026 | 59.0% |
| | 8.00 | Dk/Dr | 0 | .0% |

yearverbal

| | | Value | Count | Percent |
|---------------------|---------|-----------------|-------|---------|
| Standard Attributes | Label | Verbal Abuse LY | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | 1.00 | Yes | 192 | 11.0% |
| | 2.00 | No | 845 | 48.6% |
| | 8.00 | Dk/Dr | 0 | .0% |

yearphys

| | | Value | Count | Percent |
|---------------------|---------|-------------------|-------|---------|
| Standard Attributes | Label | Physical Abuse LY | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | 1.00 | Yes | 54 | 3.1% |
| | 2.00 | No | 983 | 56.5% |
| | 8.00 | Dk/Dr | 0 | .0% |

yearsexab

| | | Value | Count | Percent |
|---------------------|---------|-----------------|-------|---------|
| Standard Attributes | Label | Sexual Abuse LY | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | 1.00 | Yes | 3 | .2% |
| | 2.00 | No | 1034 | 59.4% |
| | 8.00 | Dk/Dr | 0 | .0% |

witabuse

| | | Value | Count | Percent |
|---------------------|---------|-----------------|-------|---------|
| Standard Attributes | Label | Witnessed Abuse | | |
| N | Valid | 1739 | | |
| | Missing | 1 | | |
| Labeled Values | 1.00 | Yes | 763 | 43.9% |
| | 2.00 | No | 976 | 56.1% |
| | 8.00 | Dk/Dr | 0 | .0% |

expabuse

| | | Value | Count | Percent |
|---------------------|---------|-------------------|-------|---------|
| Standard Attributes | Label | Experienced Abuse | | |
| N | Valid | 1739 | | |
| | Missing | 1 | | |
| Labeled Values | 1.00 | Yes | 1099 | 63.2% |
| | 2.00 | No | 640 | 36.8% |
| | 8.00 | Dk/Dr | 0 | .0% |

insulted

| | | Value | Count | Percent |
|---------------------|---------|------------------------------|-------|---------|
| Standard Attributes | Label | Insulted or swore at partner | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | .00 | No | 702 | 40.3% |
| | 100.00 | Yes | 0 | .0% |

hurt

| | | Value | Count | Percent |
|---------------------|---------|--|-------|---------|
| Standard Attributes | Label | Threatened to hurt her or someone she care about | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | .00 | No | 1003 | 57.6% |
| | 100.00 | Yes | 0 | .0% |

pushed

| | | Value | Count | Percent |
|---------------------|---------|---|-------|---------|
| Standard Attributes | Label | Pushed, shook, shove or threw something at your partner | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | .00 | No | 957 | 55.0% |
| | 100.00 | Yes | 0 | .0% |

slapped

| | | Value | Count | Percent |
|---------------------|---------|---------------------------------------|-------|---------|
| Standard Attributes | Label | Slapped or twisted your partner s arm | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | .00 | No | 903 | 51.9% |
| | 100.00 | Yes | 0 | .0% |

hit

| | | Value | Count | Percent |
|---------------------|---------|---|-------|---------|
| Standard Attributes | Label | Hit her with your fist or with something else | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | .00 | No | 1004 | 57.7% |
| | 100.00 | Yes | 0 | .0% |

weapon

| | | Value | Count | Percent |
|---------------------|---------|---|-------|---------|
| Standard Attributes | Label | Threatened her with a knife or other weapon | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | .00 | No | 1035 | 59.5% |
| | 100.00 | Yes | 0 | .0% |

kicked

| | | Value | Count | Percent |
|---------------------|---------|--------------------------------------|-------|---------|
| Standard Attributes | Label | Kicked, choke or beaten your partner | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | .00 | No | 1025 | 58.9% |
| | 100.00 | Yes | 0 | .0% |

sexforced

| | | Value | Count | Percent |
|---------------------|---------|--|-------|---------|
| Standard Attributes | Label | Phisically forced her to have sexual relations | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | .00 | No | 1026 | 59.0% |
| | 100.00 | Yes | 0 | .0% |

numphys

| | | Value |
|---------------------|---------|----------------|
| Standard Attributes | Label | Physical Abuse |
| N | Valid | 1037 |
| | Missing | 703 |

numabus

| | | Value |
|---------------------|---------|------------------|
| Standard Attributes | Label | Number of abuses |
| N | Valid | 1037 |
| | Missing | 703 |

viover

| | | Value | Count | Percent |
|---------------------|---------|--------------|-------|---------|
| Standard Attributes | Label | Verbal Abuse | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | .00 | No | 699 | 40.2% |
| | 100.00 | Yes | 338 | 19.4% |

viophys

| | | Value | Count | Percent |
|---------------------|---------|----------------|-------|---------|
| Standard Attributes | Label | Physical Abuse | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | .00 | No | 888 | 51.0% |
| | 100.00 | Yes | 149 | 8.6% |

viosex

| | | Value | Count | Percent |
|---------------------|---------|--------------|-------|---------|
| Standard Attributes | Label | Sexual Abuse | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | .00 | No | 1026 | 59.0% |
| | 100.00 | Yes | 11 | .6% |

viophysm

| | | Value | Count | Percent |
|---------------------|---------|--------------------------|-------|---------|
| Standard Attributes | Label | Physical Abuse(Moderate) | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | .00 | No | 892 | 51.3% |
| | 100.00 | Yes | 145 | 8.3% |

viophyss

| | | Value | Count | Percent |
|---------------------|---------|------------------------|-------|---------|
| Standard Attributes | Label | Physical Abuse(Severe) | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | .00 | No | 996 | 57.2% |
| | 100.00 | Yes | 41 | 2.4% |

insulted1

| | | Value | Count | Percent |
|---------------------|---------|--|-------|---------|
| Standard Attributes | Label | Insulted or swore at partner (last year) | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | .00 | No | 847 | 48.7% |
| | 100.00 | Yes | 0 | .0% |

hurt1

| | | Value | Count | Percent |
|---------------------|---------|---|-------|---------|
| Standard Attributes | Label | Threatened to hurt her or someone she care about(last year) | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | .00 | No | 1021 | 58.7% |
| | 100.00 | Yes | 0 | .0% |

pushed1

| | | Value | Count | Percent |
|---------------------|---------|---|-------|---------|
| Standard Attributes | Label | Pushed, shook, shove or threw something at your partner (last year) | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | .00 | No | 1012 | 58.2% |
| | 100.00 | Yes | 0 | .0% |

slapped1

| | | Value | Count | Percent |
|---------------------|---------|---|-------|---------|
| Standard Attributes | Label | Slapped or twisted your partner s arm (last year) | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | .00 | No | 985 | 56.6% |
| | 100.00 | Yes | 0 | .0% |

hit1

| | | Value | Count | Percent |
|---------------------|---------|---|-------|---------|
| Standard Attributes | Label | Hit her with your fist or with something else (last year) | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | .00 | No | 1032 | 59.3% |
| | 100.00 | Yes | 0 | .0% |

weapon1

| | | Value | Count | Percent |
|---------------------|---------|---|-------|---------|
| Standard Attributes | Label | Threatened her with a knife or other weapon (last year) | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | .00 | No | 1037 | 59.6% |
| | 100.00 | Yes | 0 | .0% |

kicked1

| | | Value | Count | Percent |
|---------------------|---------|--|-------|---------|
| Standard Attributes | Label | Kicked, choke or beaten your partner (last year) | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | .00 | No | 1032 | 59.3% |
| | 100.00 | Yes | 0 | .0% |

sexforced1

| | | Value | Count | Percent |
|---------------------|---------|--|-------|---------|
| Standard Attributes | Label | Physically forced her to have sexual relations (last year) | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | .00 | No | 1034 | 59.4% |
| | 100.00 | Yes | 0 | .0% |

numphys1

| | | Value |
|---------------------|---------|----------------------------|
| Standard Attributes | Label | Physical Abuse (Last Year) |
| N | Valid | 1037 |
| | Missing | 703 |

numabus1

| | | Value |
|---------------------|---------|----------------------------|
| Standard Attributes | Label | Number of abuses last year |
| N | Valid | 1037 |
| | Missing | 703 |

viover1

| | | Value | Count | Percent |
|---------------------|---------|--------------------------|-------|---------|
| Standard Attributes | Label | Verbal Abuse (last year) | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | .00 | No | 845 | 48.6% |
| | 100.00 | Yes | 192 | 11.0% |

viophys1

| | | Value | Count | Percent |
|---------------------|---------|----------------------------|-------|---------|
| Standard Attributes | Label | Physical Abuse (last year) | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | .00 | No | 983 | 56.5% |
| | 100.00 | Yes | 54 | 3.1% |

viosex1

| | | Value | Count | Percent |
|---------------------|---------|-------------------------|-------|---------|
| Standard Attributes | Label | Sexual Abuse(last year) | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | .00 | No | 1034 | 59.4% |
| | 100.00 | Yes | 3 | .2% |

viophysm1

| | | Value | Count | Percent |
|---------------------|---------|------------------------------------|-------|---------|
| Standard Attributes | Label | Physical Abuse last year(Moderate) | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | .00 | No | 983 | 56.5% |
| | 100.00 | Yes | 54 | 3.1% |

viophyss1

| | | Value | Count | Percent |
|---------------------|---------|-----------------------------------|-------|---------|
| Standard Attributes | Label | Physical Abuse last year (Severe) | | |
| N | Valid | 1037 | | |
| | Missing | 703 | | |
| Labeled Values | .00 | No | 1028 | 59.1% |
| | 100.00 | Yes | 9 | .5% |