

Census of Population and Housing (F3)- Range Edit (For District files – 5 % Sample)
(Modify in Data Entry)

Files needed for doing modifications are

POP2001R.MNU

POP2001R.BAT

MOD_F3R.AP

These files should be in F3_2001P folder additional to previous files


Step 1.

Make Directory called F305XXXX for working.

Copy District file to working folder.

- District file is F305XXXX.BCH After First Run
 - District file is F305R1DD.BCH After Second Run
 - District file is F305R2DD.BCH After Third Run
- XXXX – First 4 characters in District Name
DD – District Code

Step 2. Type **POP2001R**



Step 3: Enter

Type District file name & enter

- F305XXXX.BCH After First Run
 - F305R1DD.BCH After Second Run
 - F305R2DD.BCH After Third Run
- XXXX – First 4 characters in District Name
DD – District Code

Step 4: After doing all corrections rename the data file

- | <u>Before Corrections</u> | | <u>After Corrections</u> |
|---------------------------|---|--------------------------|
| • F305XXXX.BCH | → | F305R1DD.BCH |
| • F305R1DD.BCH | → | F305R2DD.BCH |
| • F305R2DD.BCH | → | F305R3DD.BCH |
- XXXX – First 4 characters in District Name
DD – District Code

* ûÛ´ô õÛø`µÑ Record Type <ìè× à`õ.

äæß ùÛ<&æß &÷À{ \$

1 <ìè× ûô÷ÀßèÛ µõ\$øõÝø` µÑ. äææð <`± &`ç] \$<æß õÛÃ× {`æ.

ä´ùÛ&\$ Delete æøù à<&ßö\$<Û÷ÀÛ à÷À\$Û ûô÷ÀßèÛ×\$µèß
µõ\$øõÝø` û´óæß Delete æøùßù.

2 <ìè× Housing Unit µõ\$øõÝø` µÑ. äææð <`± &`ç] \$<æß õÛÃ×
µù\$ {`æ.

3 <ìè× Householdß µõ\$øõÝø` µÑ. äææð <`± &`ç] \$<æß õÛÃ×
µù\$ {`æ.

* Quest ID ×ùôµ<ùß &ð{ùß æø à`õßµõß Questionnaire ID
ùÛ<`í÷ÀÛ µù\$<ù ý< µûùßð´ð×Û.

äß<\$µ×ß ûÛ´ô õÛø`µÑ " - " &ð{ùß æø à`õ.
ùÛ<`í÷ÀÛ æÛîµÆ÷ÀÛ Questionnaire ID û´óæß ùÛ<`í÷ÀÛ
æøùßù.

Census of Population & Housing 2001 (5 % Sample)
F3 - Range Edit Runs


Steps to be done only in very beginning

1. Make directory called F3_2001R in Root Directory
2. Add F3_2001R to Path line in AUTOEXEC.BAT file
3. Copy following files to F3_2001R Directory

DOUGMENU.EXE	REPQUEST.EXE
XEDIT.BAT	REPSUM.EXE
XREPORTS.BAT	DMENUR.BAT
RANGE.MNU	RANGE.BAT
RAN_FRM3.EXE	RAN_FRM3.MSG
RAN_FRM3.ERR	
4. Make directory called POP2001 in Root Directory
5. Make sub Directories called ROWDATA, WRITE in POP2001 Directory

Steps to be done in each Range Edit Run

1. Copy Data File to ROWDATA Sub Directory
 - * For First Run F305XXXX.BCH
(XXXX for first four characters in District Name)
 - * For Second Run
F305R1DD.BCH
(DD for District Code)
 - * For Third Run
F305R2DD.BCH
(DD for District Code)
2. Change Directory to POP2001
3. Type RANGE & Hit Enter



4. Follow the instructions in the Menu.
5. After doing above steps
Print DIARY.LST,
WRITE\F305RXDD.SUM
WRITE\F305RXDD.WRT (Where X - 1,2,3 Relevant Run
DD for District Code)

Census of Population & Housing 2001 (5 % Sample)
F3 - Consistency Edit(s) Runs


Steps to be done only in very beginning

1. Make directory called F3_2001C in Root Directory
2. Add F3_2001C to Path line in AUTOEXEC.BAT file
3. Copy following files to F3_2001C Directory

DOUGMENU.EXE	REPQUEST.EXE
XEDIT.BAT	REPSUM.EXE
XREPORTS.BAT	DMENUC.BAT
CONSIST.MNU	CONSIST.BAT
CON_F3_1.EXE	CON_F3_2.MSG
CON_F3_1.ERR	CON_F3_2.EXE
CON_F3_1.MSG	CON_F3_2.ERR
SMALLSUM.EXE	SMALLSUM.MSG
SMALLSUM.ERR	
4. Make directory called POP2001 in Root Directory
5. Make sub Directories called ROWDATA, WRITE
in POP2001 Directory

Steps to be done in each Consistency 1 (A) Edit Run


1. Copy Data File to ROWDATA Sub Directory
 - * For First Run F305RCDD.BCH
(DD for District Code)
 - * For Second Run
F305A1DD.BCH
(DD for District Code)
 - * For Third Run
F305A2DD.BCH
(DD for District Code)
2. Change Directory to POP2001
3. Type CONSIST & Hit Enter



4. Follow the instructions in the Menu.
5. After doing above steps
Print DIARY.TXT,
WRITE\F305AXDD.SUM
WRITE\F305AXDD.QST (Where X - 1,2,3 Relevant Run
DD for District Code)

Steps to be done in each Consistency 2 (B) Edit Run

1. Copy Data File to ROWDATA Sub Directory
 - * For First Run F305ACDD.BCH
(DD for District Code)
 - * For Second Run
F305B1DD.BCH
(DD for District Code)
 - * For Third Run
F305B2DD.BCH
(DD for District Code)
2. Change Directory to POP2001
3. Type CONSIST & Hit Enter



4. Follow the instructions in the Menu.
5. After doing above steps
Print DIARY.TXT,
WRITE\F305BXDD.SUM
WRITE\F305BXDD.QST (Where X - 1,2,3 Relevant Run
DD for District Code)

Census of Population and Housing (F3)- Consistency Edit (A)
(For District files – 5 % Sample) (Modify in Data Entry)

Files needed for doing modifications are

POP2001A.MNU
POP2001A.BAT
MOD_F3A.AP

These files should be in F3_2001P folder additional to previous files

Step 1.

Make Directory called F305XXXX for working.

Copy District file to working folder.

- District file is F305RCDD.BCH After First Run
- District file is F305A1DD.BCH After Second Run
- District file is F305A2DD.BCH After Third Run

DD – District Code

Step 2. Type **POP2001A**



Step 3: Enter

Type District file name & enter

- F305RCDD.BCH After First Run
- F305A1DD.BCH After Second Run
- F305A2DD.BCH After Third Run

DD – District Code

Step 4: After doing all corrections rename the data file

<u>Before Corrections</u>		<u>After Corrections</u>
---------------------------	--	--------------------------

- | | | |
|----------------|---|--------------|
| • F305RCDD.BCH | → | F305A1DD.BCH |
| • F305A1DD.BCH | → | F305A2DD.BCH |
| • F305A2DD.BCH | → | F305A3DD.BCH |

DD – District Code

Census of Population and Housing (F3)- Consistency Edit (B)
(For District files – 5 % Sample) (Modify in Data Entry)

Files needed for doing modifications are

POP2001B.MNU
POP2001B.BAT
MOD_F3B.AP

These files should be in F3_2001P folder additional to previous files

Step 1.


Make Directory called F305XXXX for working.

Copy District file to working folder.

- District file is F305ACDD.BCH After First Run
- District file is F305B1DD.BCH After Second Run
- District file is F305B2DD.BCH After Third Run

DD – District Code

Step 2. Type **POP2001B**



Step 3: Enter

Type District file name & enter

- F305ACDD.BCH After First Run
- F305B1DD.BCH After Second Run
- F305B2DD.BCH After Third Run

DD – District Code

Step 4: After doing all corrections rename the data file
Before Corrections After Corrections

- F305ACDD.BCH → F305B1DD.BCH
- F305B1DD.BCH → F305B2DD.BCH
- F305B2DD.BCH → F305B3DD.BCH

DD – District Code

Census of Population & Housing 2001 (5 % Sample)
F3 - Imputations

Steps to be done only in very beginning

1. Make directory called F3_2001i in Root Directory
2. Add F3_2001i to Path line in AUTOEXEC.BAT file
3. Copy following files to F3_2001i Directory

DOUGMENU.EXE		REPQUEST.EXE
XEDIT.BAT		REPSUM.EXE
XREPORTS.BAT		DMENUI.BAT
IMPUTE.MNU		IMPUTE.BAT
IM_FRM31.EXE	IM_FRM31.ERR	IM_FRM31.MSG
SMALLSUM.EXE	SMALLSUM.MSG	SMALLSUM.ERR
IM_FRM32.EXE	IM_FRM32.ERR	IM_FRM32.MSG
4. Make directory called POP2001 in Root Directory
5. Make sub Directories called ROWDATA, WRITE in POP2001 Directory

Steps to be done

1. Copy Data File to ROWDATA Sub Directory
 - * F305BCDD.BCH
 - (DD for District Code)
2. Change Directory to POP2001
3. Type IMPUTE & Hit Enter



4. Follow the instructions in the Menu.
5. After doing above steps
Print DIARY.TXT, DIARY.DAT
WRITE\F305IPDD.SUM WRITE\F305IPDD.QST
WRITE\F305IMDD.SUM WRITE\F305IMDD.QST
(Where DD for District Code)
6. Copy imputed data file into diskette
F305IMDD.BCH (Where DD for District Code)

Census of Population and Housing (F3)- Range Edit
(For District files – 10 % Sample)
 (Modify in Data Entry)
 Files needed for doing modifications are

POP2001R.MNU
 POP2001R.BAT
 MOD_F3R.AP


These files should be in F3_2001P folder additional to previous files

Step 1.

Make Directory called F310XXXX for working.
 Copy District file to working folder.

- District file is F310XXXX.BCH After First Run
 - District file is F310R1DD.BCH After Second Run
 - District file is F310R2DD.BCH After Third Run
- XXXX – First 4 characters in District Name
 DD – District Code

Step 2. Type **POP2001R**



Step 3: Enter

Type District file name & enter

- F310XXXX.BCH After First Run
 - F310R1DD.BCH After Second Run
 - F310R2DD.BCH After Third Run
- XXXX – First 4 characters in District Name
 DD – District Code

Step 4: After doing all corrections rename the data file

<u>Before Corrections</u>		<u>After Corrections</u>
• F310XXXX.BCH	→	F310R1DD.BCH
• F310R1DD.BCH	→	F310R2DD.BCH
• F310R2DD.BCH	→	F310R3DD.BCH

XXXX – First 4 characters in District Name
 DD – District Code

Census of Population & Housing 2001 (10 % Sample)
F3 - Range Edit Runs


Steps to be done only in very beginning

1. Make directory called F3_2001R in Root Directory
2. Add F3_2001R to Path line in AUTOEXEC.BAT file
3. Copy following files to F3_2001R Directory

DOUGMENU.EXE	REPQUEST.EXE
XEDIT.BAT	REPSUM.EXE
XREPORTS.BAT	DMENUR.BAT
RANGE10.MNU	RANGE10.BAT
RAN_FRM3.EXE	RAN_FRM3.MSG
RAN_FRM3.ERR	
4. Make directory called POP2001 in Root Directory
5. Make sub Directories called ROWDATA, WRITE in POP2001 Directory

Steps to be done in each Range Edit Run

1. Copy Data File to ROWDATA Sub Directory
 - * For First Run F310XXXX.BCH
(XXXX for first four characters in District Name)
 - * For Second Run
F310R1DD.BCH
(DD for District Code)
 - * For Third Run
F310R2DD.BCH
(DD for District Code)
2. Change Directory to POP2001
3. Type RANGE10 & Hit Enter



4. Follow the instructions in the Menu.
5. After doing above steps
Print DIARY.LST,
WRITE\F310RXDD.SUM
WRITE\F310RXDD.WRT (Where X - 1,2,3 Relevant Run
DD for District Code)

Census of Population & Housing 2001 (5 % Sample)

F3 – Add Inflation Factors


Steps to be done only in very beginning

1. Make directory called F3_2001F in Root Directory
2. Add F3_2001F to Path line in AUTOEXEC.BAT file
3. Copy following files to F3_2001F Directory

DOUGMENU.EXE	XEDIT.BAT
REPSUM.EXE	XREPORTS.BAT
DMENUF.BAT	INFLATE.MNU
INFLATE.BAT	ADDINF05.EXE
ADDINF05.ERR	ADDINF05.MSG
REPQUEST.EXE	
4. Make directory called POP2001 in Root Directory
5. Make sub Directories called ROWDATA, WRITE in POP2001 Directory

Steps to be done

1. Copy Imputed Data File to WRITE Sub Directory
 - * F305IMDD.BCH (DD for District Code)
- Copy Sorted Lookup File to ROWDATA Sub Directory
 - * F305XXXX.LKP (XXXX for First 4 Characters in District Name)
2. Change Directory to POP2001
3. Type INFLATE & Hit Enter



4. Follow the instructions in the Menu.
5. After doing above steps
Print DIARY.LST,
WRITE\F305IFDD.SUM (Where DD for District Code)
WRITE\F305IFDD.QST
6. Copy inflated data file into diskette
F305IFDD.BCH (Where DD for District Code)

Census of Population & Housing 2001 (10 % Sample)
F3 - Consistency Edit(s) Runs


Steps to be done only in very beginning

1. Make directory called F3_2001C in Root Directory
2. Add F3_2001C to Path line in AUTOEXEC.BAT file
3. Copy following files to F3_2001C Directory

DOUGMENU.EXE	REPQUEST.EXE
XEDIT.BAT	REPSUM.EXE
XREPORTS.BAT	DMENUC.BAT
CON SIS10.MNU	CON SIS10.BAT
CON_F3_1.EXE	CON_F3_2.MSG
CON_F3_1.ERR	CON_F3_2.EXE
CON_F3_1.MSG	CON_F3_2.ERR
SMALLSUM.EXE	SMALLSUM.MSG
SMALLSUM.ERR	
4. Make directory called POP2001 in Root Directory
5. Make sub Directories called ROWDATA, WRITE
in POP2001 Directory

Steps to be done in each Consistency 1 (A) Edit Run


1. Copy Data File to ROWDATA Sub Directory
 - * For First Run F310RCDD.BCH
(DD for District Code)
 - * For Second Run
F310A1DD.BCH
(DD for District Code)
 - * For Third Run
F310A2DD.BCH
(DD for District Code)
2. Change Directory to POP2001
3. Type CON SIS10 & Hit Enter



4. Follow the instructions in the Menu.
5. After doing above steps
Print DIARY.TXT,
WRITE\F310AXDD.SUM
WRITE\F310AXDD.QST (Where X - 1,2,3 Relevant Run
DD for District Code)

Steps to be done in each Consistency 2 (B) Edit Run

1. Copy Data File to ROWDATA Sub Directory
 - * For First Run F310ACDD.BCH
(DD for District Code)
 - * For Second Run
F310B1DD.BCH
(DD for District Code)
 - * For Third Run
F310B2DD.BCH
(DD for District Code)
2. Change Directory to POP2001
3. Type CON SIS10 & Hit Enter



4. Follow the instructions in the Menu.
5. After doing above steps
Print DIARY.TXT,
WRITE\F310BXDD.SUM
WRITE\F310BXDD.QST (Where X - 1,2,3 Relevant Run
DD for District Code)

Census of Population and Housing (F3)- Consistency Edit (A)
(For District files – 10 % Sample) (Modify in Data Entry)

Files needed for doing modifications are

POP2001R.MNU
POP2001R.BAT
MOD_F3R.AP

These files should be in F3_2001P folder additional to previous files

Step 1.


Make Directory called F310XXXX for working.

Copy District file to working folder.

- District file is F310RCDD.BCH After First Run
- District file is F310A1DD.BCH After Second Run
- District file is F310A2DD.BCH After Third Run

DD – District Code

Step 2. Type **POP2001R**



Step 3: Enter

Type District file name & enter

- F310RCDD.BCH After First Run
- F310A1DD.BCH After Second Run
- F310A2DD.BCH After Third Run

DD – District Code

Step 4: After doing all corrections rename the data file

<u>Before Corrections</u>		<u>After Corrections</u>
---------------------------	--	--------------------------

- | | | |
|----------------|---|--------------|
| • F310RCDD.BCH | → | F310A1DD.BCH |
| • F310A1DD.BCH | → | F310A2DD.BCH |
| • F310A2DD.BCH | → | F310A3DD.BCH |

DD – District Code

Census of Population and Housing (F3)- Consistency Edit (B)
(For District files – 10 % Sample) (Modify in Data Entry)

Files needed for doing modifications are

POP2001R.MNU
POP2001R.BAT
MOD_F3R.AP

These files should be in F3_2001P folder additional to previous files

Step 1.


Make Directory called F310XXXX for working.

Copy District file to working folder.

- District file is F310ACDD.BCH After First Run
- District file is F310B1DD.BCH After Second Run
- District file is F310B2DD.BCH After Third Run

DD – District Code

Step 2. Type **POP2001R**



Step 3: Enter

Type District file name & enter

- F310ACDD.BCH After First Run
- F310B1DD.BCH After Second Run
- F310B2DD.BCH After Third Run

DD – District Code

Step 4: After doing all corrections rename the data file

	<u>Before Corrections</u>		<u>After Corrections</u>
--	---------------------------	--	--------------------------

- | | | | |
|---|--------------|---|--------------|
| • | F310ACDD.BCH | → | F310B1DD.BCH |
| • | F310B1DD.BCH | → | F310B2DD.BCH |
| • | F310B2DD.BCH | → | F310B3DD.BCH |

DD – District Code