

Moçambique Indicadores Básicos de Bem-estar (2000-2001)

	Total	Margin of error	Rural	Pobres rurais	Urbano	Pobres urbanos
Household economic situation compared to one year ago						
Worse now	38.1	1.7	39.6	50.1	33.8	48.6
Better now	26.3	1.2	25.9	17.8	27.2	16.4
Difficulty with food needs	20.8	1.5	21.5	33.6	19.0	36.8
Access to water	86.9	1.7	84.1	80.1	94.5	92.0
Safe water source	37.1	3.6	26.0	25.5	66.8	56.7
Safe sanitation	9.7	1.7	1.7	1.0	31.3	9.4
Has electricity	5.8	1.1	0.5	0.0	20.2	1.5
Employment						
Desemprega	2.4	0.4	0.5	0.7	7.9	7.0
Homem	3.0	0.5	0.9	1.7	7.9	9.5
Mulher	1.9	0.4	0.2	0.0	8.0	4.4
Subemprega	9.5	0.9	9.7	7.5	8.8	7.2
Homem	12.6	1.1	14.2	10.3	9.1	5.3
Mulher	6.5	0.9	6.0	5.5	8.3	9.0
Taxas de analfabetismo adulto	56.7	2.3	68.9	74.5	31.4	52.1
Primário do 1º grau						
Acesso	66.9	3.6	59.0	55.4	84.2	83.7
Taxa bruta	100.6	4.1	92.6	81.3	118.6	100.6
Homem	110.7	4.7	103.3	96.2	127.9	119.5
Mulher	90.9	5.0	81.7	65.0	110.2	84.9
Satisfação	40.0	3.0	29.6	27.5	58.1	48.6
Primário do 2º grau						
Acesso	67.1	3.9	58.4	52.6	84.1	80.0
Taxa bruta	60.2	6.1	37.2	20.7	104.9	56.5
Homem	69.8	8.3	47.3	27.0	117.3	62.0
Mulher	50.0	6.1	25.9	13.2	93.1	50.2
Satisfação	59.0	3.8	56.2	51.5	60.9	48.8
Secundário do 1º ciclo						
Acesso	14.2	2.7	1.9	0.8	35.6	19.8
Taxa bruta	20.1	3.1	6.4	3.7	43.9	15.2
Homem	22.0	3.6	8.2	5.5	47.7	18.1
Mulher	18.1	3.4	4.3	1.8	40.2	11.6
Satisfação	58.2	5.4	59.6	60.4	57.8	36.6
Secundário do 2º ciclo						
Acesso	17.8	3.4	1.8	0.8	42.3	27.8
Taxa bruta	7.5	1.5	1.6	0.2	16.6	2.3
Homem	9.1	1.9	2.2	0.0	19.6	5.1
Mulher	5.9	1.8	1.0	0.5	13.6	0.0
Satisfação	58.7	7.5	69.2	0.0	57.2	0.0
Medical services						
Acesso	28.3	3.3	17.5	14.2	51.5	42.6
Nessecidade	18.3	0.6	18.9	18.2	16.9	18.4
Uso	10.9	0.5	10.0	8.7	13.0	12.7
Satisfação	52.1	2.6	48.1	45.9	58.6	54.9
Children's health						
Stunted	42.6	1.8	48.3	49.1	29.3	39.8
Wasted	6.4	0.9	7.2	7.9	4.5	5.6
Underweight	25.7	1.6	30.3	32.8	14.8	20.8
Has DTP immunisation	61.1	4.0	51.8	48.6	82.0	76.5
Has Polio immunisation	59.2	4.0	50.7	45.9	78.3	77.7
Has TB immunisation	76.9	3.6	70.8	67.1	90.8	90.7
Has measles immunisation	67.5	3.7	58.7	55.1	87.5	87.4

Moçambique Indicadores Básicos de Bem-estar (2000-2001)

	Cabo									Maputo	Maputo	
	Total	Niassa	Delgado	Nampula	Zambézia	Tete	Manica	Sofala	Inhambane	Gaza	Provincia	Cidade
Household economic situation compared to one year ago												
Worse now	38.1	12.5	38.1	38.9	35.5	33.5	22.7	59.2	41.1	60.1	30.9	26.5
Better now	26.3	31.5	25.2	26.4	27.1	36.1	46.0	18.5	21.4	13.9	20.8	32.0
Difficulty with food needs	20.8	8.1	9.8	18.7	12.9	23.9	11.9	39.7	29.8	48.9	20.1	12.0
Access to water	86.9	94.9	82.3	86.3	91.7	77.4	90.6	89.8	73.3	79.2	96.1	98.9
Safe water source	37.1	32.3	35.3	22.6	17.1	39.5	48.0	47.1	34.2	72.5	50.6	97.9
Safe sanitation	9.7	3.2	2.6	5.0	3.3	5.9	11.8	10.0	5.4	10.3	22.0	75.2
Has electricity	5.8	3.9	1.5	3.8	1.1	3.0	2.8	4.5	1.5	5.0	16.5	51.1
Employment												
Desemprega	2.4	0.0	1.0	1.1	0.9	0.9	1.9	2.6	1.0	2.5	8.1	13.6
Homem	3.0	0.1	1.6	1.5	0.8	1.5	2.4	4.0	1.3	4.1	9.4	11.2
Mulher	1.9	0.0	0.4	0.7	0.9	0.4	1.4	1.2	0.7	1.4	7.0	17.1
Subemprega	9.5	4.3	2.7	20.6	10.2	4.3	9.8	12.8	4.9	3.6	5.4	6.7
Homem	12.6	5.4	4.6	23.5	18.5	5.5	12.7	15.7	7.6	4.4	5.7	7.4
Mulher	6.5	3.3	0.9	17.8	2.7	3.3	7.0	9.9	2.9	3.1	5.2	5.7
Taxas de analfabetismo adulto												
Primário do 1º grau	56.7	65.4	77.3	69.9	74.7	57.0	50.8	53.5	47.2	43.8	32.9	13.0
Acesso	66.9	81.6	85.9	62.0	46.7	69.7	59.9	62.5	53.7	72.9	87.3	90.2
Taxa bruta	100.6	86.8	86.1	86.1	83.4	84.2	98.0	88.3	133.2	137.5	145.6	133.8
Homem	110.7	104.7	94.8	98.1	91.2	90.6	103.7	107.6	137.6	147.1	156.0	135.5
Mulher	90.9	71.4	78.3	74.6	75.7	77.9	92.3	69.4	128.9	127.8	136.0	132.1
Satisfactão	40.0	70.5	26.1	20.8	48.4	45.5	62.6	46.2	9.2	27.8	67.1	54.6
Primário do 2º grau												
Acesso	67.1	80.6	87.7	64.5	43.4	70.4	59.1	63.4	48.1	74.1	87.5	90.3
Taxa bruta	60.2	36.3	29.7	36.0	48.8	52.1	81.1	58.5	54.4	70.5	88.3	176.2
Homem	69.8	50.8	46.2	40.0	61.6	69.7	122.6	71.2	63.5	71.3	105.2	167.3
Mulher	50.0	21.1	16.8	30.6	36.7	34.5	46.6	42.8	45.2	69.6	72.2	184.6
Satisfactão	59.0	89.7	55.3	45.1	63.8	70.4	90.8	77.4	13.3	54.6	77.7	44.6
Secondário do 1º ciclo												
Acesso	14.2	10.7	5.3	9.2	2.7	5.7	10.6	13.3	8.6	10.2	38.4	53.4
Taxa bruta	20.1	14.0	6.7	9.1	12.4	13.6	17.7	20.1	23.2	15.1	34.3	74.2
Homem	22.0	15.9	9.1	12.5	12.8	16.3	17.7	26.8	24.7	14.0	36.3	79.3
Mulher	18.1	11.9	3.8	4.8	11.9	10.9	17.7	13.0	21.9	16.4	32.1	69.6
Satisfactão	58.2	92.3	52.3	41.3	79.3	70.2	94.4	68.8	13.0	49.1	82.7	46.4
Secondário do 2º ciclo												
Acesso	17.8	10.3	4.8	16.2	3.0	6.9	12.4	17.2	10.9	8.8	43.5	55.8
Taxa bruta	7.5	4.5	2.2	2.2	3.4	8.0	7.0	5.0	9.5	5.7	12.2	27.5
Homem	9.1	5.9	5.0	3.1	3.1	9.8	10.5	5.3	14.8	5.4	16.8	28.7
Mulher	5.9	2.9	0.0	1.2	3.7	6.5	3.5	4.6	4.7	5.9	7.7	26.4
Satisfactão	58.7	80.9	13.4	58.1	27.1	97.1	97.4	74.4	23.3	52.1	80.7	51.0
Medical services												
Acesso	28.3	53.3	27.1	22.0	6.3	23.7	21.9	32.9	18.2	29.4	54.7	67.4
Necessidade	18.3	19.1	17.4	19.8	16.1	20.7	11.8	17.9	25.7	16.9	18.3	13.6
Uso	10.9	12.6	9.3	10.7	8.3	12.6	8.3	11.8	13.2	11.3	13.3	10.6
Satisfactão	52.1	68.8	46.8	37.6	51.7	61.2	86.7	50.6	33.2	60.1	73.8	43.0
Children's health												
Stunted	42.6	42.2	55.0	46.9	58.4	44.3	38.9	44.5	30.9	36.1	26.0	18.8
Wasted	6.4	9.1	7.0	10.9	4.7	7.5	4.8	4.5	4.6	4.2	3.8	3.2
Underweight	25.7	31.1	36.7	31.9	31.1	31.3	23.2	24.7	16.1	18.1	11.5	9.0
Has DTP immunisation	61.1	48.3	30.1	56.3	23.3	65.6	55.7	62.9	73.5	81.8	92.3	92.3
Has Polio immunisation	59.2	45.1	26.0	55.9	15.6	66.5	43.1	61.4	74.0	83.6	88.7	95.1
Has TB immunisation	76.9	74.2	73.2	70.2	37.7	88.0	77.9	78.4	85.1	87.8	96.7	97.1
Has measles immunisation	67.5	66.5	51.6	59.5	42.8	64.3	71.9	67.6	75.0	83.6	87.7	95.2

Indicadores Básicos de Bem-estar Definições

The indicators have been derived from the 2000-2001 Mozambique QUIBB survey and are based on a sample of 13,790 households.

Margin of error expresses the error attributed to sampling. It is expressed as an absolute percentage and indicates the range of a 95% confidence interval for the estimate.

Household economic situation compared to one year ago: worse is defined for households which replied much worse now or a little worse now; better is defined for households which replied a little better now or much better now.

Difficulty satisfying food needs is defined for households which replied they had difficulty satisfying food needs many times or always.

Access to water is defined for households with a water source less than 30 minutes away.

Safe water source is defined for households using água canalizada, torneira publica, fontanário or poco protegido.

Safe sanitation is defined for households with casas de banho com rede de esgotos or com fossa septica or latrinha melhorada.

Electricity is defined for households which reported they had energia eléctrica.

Unemployed is defined for age 15 and above. It includes persons who had no job in the seven day period preceding the survey and who looked for work in the seven day period preceding the survey. The inactive population, primarily students and retired persons, are not included.

Underemployed is defined for age 15 and above. It includes persons who worked in the seven day period preceding the survey and who sought to increase earnings by additional hours in a different activity in the same period.

Adult illiteracy rate is defined for persons age 15 and above.

Primário do 1º grau estimates are defined for children aged 6 to 10.

- Access is defined for children living in households with a primary school less than 30 minutes away.
- Enrollment (net) is defined for children age 6 to 10 currently in primário do 1º grau (EP1).
- Enrollment (gross) is defined for persons of all ages in primário do 1º grau (EP1).
- Satisfaction is defined for all persons currently in primário do 1º grau (EP1) who cited no problems.

Primário do 2º grau estimates are defined for children aged 11 to 12.

- Access is defined for children living in households with a primary school less than 30 minutes away.
- Enrollment (net) is defined for children age 11 to 12 currently in primário do 2º grau (EP2).
- Enrollment (gross) is defined for persons of all ages in primário do 2º grau (EP2).
- Satisfaction is defined for all persons currently in primário do 2º grau (EP2) who cited no problems.

Secundário 1º ciclo estimates are defined for children aged 13 to 15.

- Access is defined for children living in households with a secondary school less than 30 minutes away.
- Enrollment (net) is defined for children age 13 to 15 currently in secundário ciclo 1.
- Enrollment (gross) is defined for persons of all ages currently in secundário ciclo 1.
- Satisfaction is defined for all persons currently in secundário ciclo 1 who cited no problems.

Secundário 2º ciclo estimates are defined for children aged 16 to 17.

- Access is defined for children living in households with a secondary school less than 30 minutes away.
- Enrollment (net) is defined for children age 16 to 17 currently in secundário ciclo 2.
- Enrollment (gross) is defined for persons of all ages currently in secundário ciclo 2.
- Satisfaction is defined for all persons currently in secundário ciclo 2 who cited no problems.

Health access is defined for persons living in households with a health facility less than 30 minutes away.

Health need is defined for persons who were sick or injured in the two week period preceding the survey.

Health use is defined for persons who consulted a health practitioner in the two week period preceding the survey. Note that need is not taken into account.

Health satisfaction is defined for persons who consulted a health practitioner in the two week period preceding the survey and who cited no problems.

The following nutritional status indicators are defined for children under 5 who were successfully weighed and measured.

Stunted children are short for their age. Their height is more than two standard deviations below the standard (NCHS) height for age.

Wasted children are underweight for their height. Their weight is more than two standard deviations below the standard (NCHS) weight for height.

Underweight children are underweight for their age. Their weight is more than two standard deviations below the standard (NCHS) weight for age.

Vaccination indicators are defined for children age 12 to 23 months.

Polio and DTP immunisation are defined for children who have had all three immunisations.

Moçambique Indicadores Básicos de Bem-estar (2000-2001)

	Cabo										Maputo	Maputo
	Total	Niassa	Delgado	Nampula	Zambézia	Tete	Manica	Sofala	Inhambane	Gaza	Provincia	Cidade
Household economic situation compared to one year ago												
<i>Worse now</i>	38.1	12.5	38.1	38.9	35.5	33.5	22.7	59.2	41.1	60.1	30.9	26.5
<i>Better now</i>	26.3	31.5	25.2	26.4	27.1	36.1	46.0	18.5	21.4	13.9	20.8	32.0
<i>Difficulty with food needs</i>	20.8	8.1	9.8	18.7	12.9	23.9	11.9	39.7	29.8	48.9	20.1	12.0
<i>Access to water</i>	86.9	94.9	82.3	86.3	91.7	77.4	90.6	89.8	73.3	79.2	96.1	98.9
<i>Safe water source</i>	37.1	32.3	35.3	22.6	17.1	39.5	48.0	47.1	34.2	72.5	50.6	97.9
<i>Safe sanitation</i>	9.7	3.2	2.6	5.0	3.3	5.9	11.8	10.0	5.4	10.3	22.0	75.2
<i>Has electricity</i>	5.8	3.9	1.5	3.8	1.1	3.0	2.8	4.5	1.5	5.0	16.5	51.1
Employment												
<i>Desemprega</i>	2.4	0.0	1.0	1.1	0.9	0.9	1.9	2.6	1.0	2.5	8.1	13.6
<i>Homem</i>	3.0	0.1	1.6	1.5	0.8	1.5	2.4	4.0	1.3	4.1	9.4	11.2
<i>Mulher</i>	1.9	0.0	0.4	0.7	0.9	0.4	1.4	1.2	0.7	1.4	7.0	17.1
<i>Subemprega</i>	9.5	4.3	2.7	20.6	10.2	4.3	9.8	12.8	4.9	3.6	5.4	6.7
<i>Homem</i>	12.6	5.4	4.6	23.5	18.5	5.5	12.7	15.7	7.6	4.4	5.7	7.4
<i>Mulher</i>	6.5	3.3	0.9	17.8	2.7	3.3	7.0	9.9	2.9	3.1	5.2	5.7
<i>taxas de analfabetismo adulto</i>												
	56.7	65.4	77.3	69.9	74.7	57.0	50.8	53.5	47.2	43.8	32.9	13.0
Primário do 1º grau												
<i>Acesso</i>	66.9	81.6	85.9	62.0	46.7	69.7	59.9	62.5	53.7	72.9	87.3	90.2
<i>Taxa bruta</i>	100.6	86.8	86.1	86.1	83.4	84.2	98.0	88.3	133.2	137.5	145.6	133.8
<i>Homem</i>	110.7	104.7	94.8	98.1	91.2	90.6	103.7	107.6	137.6	147.1	156.0	135.5
<i>Mulher</i>	90.9	71.4	78.3	74.6	75.7	77.9	92.3	69.4	128.9	127.8	136.0	132.1
<i>Satisfação</i>	40.0	70.5	26.1	20.8	48.4	45.5	62.6	46.2	9.2	27.8	67.1	54.6
Primário do 2º grau												
<i>Acesso</i>	67.1	80.6	87.7	64.5	43.4	70.4	59.1	63.4	48.1	74.1	87.5	90.3
<i>Taxa bruta</i>	60.2	36.3	29.7	36.0	48.8	52.1	81.1	58.5	54.4	70.5	88.3	176.2
<i>Homem</i>	69.8	50.8	46.2	40.0	61.6	69.7	122.6	71.2	63.5	71.3	105.2	167.3
<i>Mulher</i>	50.0	21.1	16.8	30.6	36.7	34.5	46.6	42.8	45.2	69.6	72.2	184.6
<i>Satisfação</i>	59.0	89.7	55.3	45.1	63.8	70.4	90.8	77.4	13.3	54.6	77.7	44.6
Secundário do 1º ciclo												
<i>Acesso</i>	14.2	10.7	5.3	9.2	2.7	5.7	10.6	13.3	8.6	10.2	38.4	53.4
<i>Taxa bruta</i>	20.1	14.0	6.7	9.1	12.4	13.6	17.7	20.1	23.2	15.1	34.3	74.2
<i>Homem</i>	22.0	15.9	9.1	12.5	12.8	16.3	17.7	26.8	24.7	14.0	36.3	79.3
<i>Mulher</i>	18.1	11.9	3.8	4.8	11.9	10.9	17.7	13.0	21.9	16.4	32.1	69.6
<i>Satisfação</i>	58.2	92.3	52.3	41.3	79.3	70.2	94.4	68.8	13.0	49.1	82.7	46.4
Secundário do 2º ciclo												
<i>Acesso</i>	17.8	10.3	4.8	16.2	3.0	6.9	12.4	17.2	10.9	8.8	43.5	55.8
<i>Taxa bruta</i>	7.5	4.5	2.2	2.2	3.4	8.0	7.0	5.0	9.5	5.7	12.2	27.5
<i>Homem</i>	9.1	5.9	5.0	3.1	3.1	9.8	10.5	5.3	14.8	5.4	16.8	28.7
<i>Mulher</i>	5.9	2.9	0.0	1.2	3.7	6.5	3.5	4.6	4.7	5.9	7.7	26.4
<i>Satisfação</i>	58.7	80.9	13.4	58.1	27.1	97.1	97.4	74.4	23.3	52.1	80.7	51.0
Medical services												
<i>Acesso</i>	28.3	53.3	27.1	22.0	6.3	23.7	21.9	32.9	18.2	29.4	54.7	67.4
<i>Necessidade</i>	18.3	19.1	17.4	19.8	16.1	20.7	11.8	17.9	25.7	16.9	18.3	13.6
<i>Uso</i>	10.9	12.6	9.3	10.7	8.3	12.6	8.3	11.8	13.2	11.3	13.3	10.6
<i>Satisfação</i>	52.1	68.8	46.8	37.6	51.7	61.2	86.7	50.6	33.2	60.1	73.8	43.0
Children's health												
<i>Stunted</i>	42.6	42.2	55.0	46.9	58.4	44.3	38.9	44.5	30.9	36.1	26.0	18.8
<i>Wasted</i>	6.4	9.1	7.0	10.9	4.7	7.5	4.8	4.5	4.6	4.2	3.8	3.2
<i>Underweight</i>	25.7	31.1	36.7	31.9	31.1	31.3	23.2	24.7	16.1	18.1	11.5	9.0
<i>Has DTP immunisation</i>	61.1	48.3	30.1	56.3	23.3	65.6	55.7	62.9	73.5	81.8	92.3	92.3
<i>Has Polio immunisation</i>	59.2	45.1	26.0	55.9	15.6	66.5	43.1	61.4	74.0	83.6	88.7	95.1
<i>Has TB immunisation</i>	76.9	74.2	73.2	70.2	37.7	88.0	77.9	78.4	85.1	87.8	96.7	97.1
<i>Has measles immunisation</i>	67.5	66.5	51.6	59.5	42.8	64.3	71.9	67.6	75.0	83.6	87.7	95.2

Moçambique Indicadores Básicos de Bem-estar (2000-2001)

	Cabo										Maputo	Maputo
	Total	Niassa	Delgado	Nampula	Zambézia	Tete	Manica	Sofala	Inhambane	Gaza	Provincia	Cidade
Household economic situation compared to one year ago												
<i>Worse now</i>	38.1	12.5	38.1	38.9	35.5	33.5	22.7	59.2	41.1	60.1	30.9	26.5
<i>Better now</i>	26.3	31.5	25.2	26.4	27.1	36.1	46.0	18.5	21.4	13.9	20.8	32.0
<i>Difficulty with food needs</i>	20.8	8.1	9.8	18.7	12.9	23.9	11.9	39.7	29.8	48.9	20.1	12.0
<i>Access to water</i>	86.9	94.9	82.3	86.3	91.7	77.4	90.6	89.8	73.3	79.2	96.1	98.9
<i>Safe water source</i>	37.1	32.3	35.3	22.6	17.1	39.5	48.0	47.1	34.2	72.5	50.6	97.9
<i>Safe sanitation</i>	9.7	3.2	2.6	5.0	3.3	5.9	11.8	10.0	5.4	10.3	22.0	75.2
<i>Has electricity</i>	5.8	3.9	1.5	3.8	1.1	3.0	2.8	4.5	1.5	5.0	16.5	51.1
Employment												
<i>Desemprega</i>	2.4	0.0	1.0	1.1	0.9	0.9	1.9	2.6	1.0	2.5	8.1	13.6
<i>Homem</i>	3.0	0.1	1.6	1.5	0.8	1.5	2.4	4.0	1.3	4.1	9.4	11.2
<i>Mulher</i>	1.9	0.0	0.4	0.7	0.9	0.4	1.4	1.2	0.7	1.4	7.0	17.1
<i>Subemprega</i>	9.5	4.3	2.7	20.6	10.2	4.3	9.8	12.8	4.9	3.6	5.4	6.7
<i>Homem</i>	12.6	5.4	4.6	23.5	18.5	5.5	12.7	15.7	7.6	4.4	5.7	7.4
<i>Mulher</i>	6.5	3.3	0.9	17.8	2.7	3.3	7.0	9.9	2.9	3.1	5.2	5.7
<i>taxas de analfabetismo adulto</i>												
	56.7	65.4	77.3	69.9	74.7	57.0	50.8	53.5	47.2	43.8	32.9	13.0
Primário do 1º grau												
<i>Acesso</i>	66.9	81.6	85.9	62.0	46.7	69.7	59.9	62.5	53.7	72.9	87.3	90.2
<i>Taxa bruta</i>	100.6	86.8	86.1	86.1	83.4	84.2	98.0	88.3	133.2	137.5	145.6	133.8
<i>Homem</i>	110.7	104.7	94.8	98.1	91.2	90.6	103.7	107.6	137.6	147.1	156.0	135.5
<i>Mulher</i>	90.9	71.4	78.3	74.6	75.7	77.9	92.3	69.4	128.9	127.8	136.0	132.1
<i>Satisfação</i>	40.0	70.5	26.1	20.8	48.4	45.5	62.6	46.2	9.2	27.8	67.1	54.6
Primário do 2º grau												
<i>Acesso</i>	67.1	80.6	87.7	64.5	43.4	70.4	59.1	63.4	48.1	74.1	87.5	90.3
<i>Taxa bruta</i>	60.2	36.3	29.7	36.0	48.8	52.1	81.1	58.5	54.4	70.5	88.3	176.2
<i>Homem</i>	69.8	50.8	46.2	40.0	61.6	69.7	122.6	71.2	63.5	71.3	105.2	167.3
<i>Mulher</i>	50.0	21.1	16.8	30.6	36.7	34.5	46.6	42.8	45.2	69.6	72.2	184.6
<i>Satisfação</i>	59.0	89.7	55.3	45.1	63.8	70.4	90.8	77.4	13.3	54.6	77.7	44.6
Secundário do 1º ciclo												
<i>Acesso</i>	14.2	10.7	5.3	9.2	2.7	5.7	10.6	13.3	8.6	10.2	38.4	53.4
<i>Taxa bruta</i>	20.1	14.0	6.7	9.1	12.4	13.6	17.7	20.1	23.2	15.1	34.3	74.2
<i>Homem</i>	22.0	15.9	9.1	12.5	12.8	16.3	17.7	26.8	24.7	14.0	36.3	79.3
<i>Mulher</i>	18.1	11.9	3.8	4.8	11.9	10.9	17.7	13.0	21.9	16.4	32.1	69.6
<i>Satisfação</i>	58.2	92.3	52.3	41.3	79.3	70.2	94.4	68.8	13.0	49.1	82.7	46.4
Secundário do 2º ciclo												
<i>Acesso</i>	17.8	10.3	4.8	16.2	3.0	6.9	12.4	17.2	10.9	8.8	43.5	55.8
<i>Taxa bruta</i>	7.5	4.5	2.2	2.2	3.4	8.0	7.0	5.0	9.5	5.7	12.2	27.5
<i>Homem</i>	9.1	5.9	5.0	3.1	3.1	9.8	10.5	5.3	14.8	5.4	16.8	28.7
<i>Mulher</i>	5.9	2.9	0.0	1.2	3.7	6.5	3.5	4.6	4.7	5.9	7.7	26.4
<i>Satisfação</i>	58.7	80.9	13.4	58.1	27.1	97.1	97.4	74.4	23.3	52.1	80.7	51.0
Medical services												
<i>Acesso</i>	28.3	53.3	27.1	22.0	6.3	23.7	21.9	32.9	18.2	29.4	54.7	67.4
<i>Necessidade</i>	18.3	19.1	17.4	19.8	16.1	20.7	11.8	17.9	25.7	16.9	18.3	13.6
<i>Uso</i>	10.9	12.6	9.3	10.7	8.3	12.6	8.3	11.8	13.2	11.3	13.3	10.6
<i>Satisfação</i>	52.1	68.8	46.8	37.6	51.7	61.2	86.7	50.6	33.2	60.1	73.8	43.0
Children's health												
<i>Stunted</i>	42.6	42.2	55.0	46.9	58.4	44.3	38.9	44.5	30.9	36.1	26.0	18.8
<i>Wasted</i>	6.4	9.1	7.0	10.9	4.7	7.5	4.8	4.5	4.6	4.2	3.8	3.2
<i>Underweight</i>	25.7	31.1	36.7	31.9	31.1	31.3	23.2	24.7	16.1	18.1	11.5	9.0
<i>Has DTP immunisation</i>	61.1	48.3	30.1	56.3	23.3	65.6	55.7	62.9	73.5	81.8	92.3	92.3
<i>Has Polio immunisation</i>	59.2	45.1	26.0	55.9	15.6	66.5	43.1	61.4	74.0	83.6	88.7	95.1
<i>Has TB immunisation</i>	76.9	74.2	73.2	70.2	37.7	88.0	77.9	78.4	85.1	87.8	96.7	97.1
<i>Has measles immunisation</i>	67.5	66.5	51.6	59.5	42.8	64.3	71.9	67.6	75.0	83.6	87.7	95.2