

Record Length: 53

The following records have been defined:

Record Name	Record Type Value (RECTYPE)	Required	Max. Records
-----	-----	-----	-----
A0	01	Y	1
B1	02	N	41
B2	03	N	41
B3	04	N	41
C1	05	N	41
C2	06	N	41
C3	07	N	41
D1	08	N	1
D2	09	N	5
E1	10	N	1
F1	11	N	1
F2	12	N	5
G1	13	N	1
G2	14	N	3
H1	15	N	1
H2	16	N	12
I1	17	N	20
J1	18	N	1
J2	19	N	11
K1	20	N	5

The following COMMON items have been defined. They occur on all records.

Item (occurs) Subitem (occurs) (record type)	Data Type A	Position 1-2	Item Len. 2	Value Name	Values
ANNEE	N	3-4	2	ANNEE	93
GRAPPE	N	5-8	4	GRAPPE	2301:2538
MENAGE	N	9-10	2	MENAGE	01:24

Record Name: A0

Record Type: 01

Item (occurs) Subitem (occurs)	Data Type	Position	Item Len.	Dec.	Value Name	Values
SA0Q1	N	11-12	2	0	SA0Q1 NA	00:12 //
SA0Q2	N	13	1	0	SA0Q2 NA	1:9 /
SA0Q3	N	14-17	4	0	SA0Q3	2301:2538
SA0Q4A	N	18-19	2	0	SA0Q4A NA	01:20 //
SA0Q4B	N	20-22	3	0		
SA0Q4C	N	23-25	3	0		
SA0Q5	N	26	1	0	SA0Q5 NA	1:5 /
SA0Q6A	N	27-28	2	0	SA0Q6A NA	21:24 //
SA0Q6B	N	29-31	3	0		
SA0Q6C	N	32-34	3	0		
SA0Q7	N	35	1	0	SA0Q7 NA	1:9 /
SA0Q8	N	36	1	0	SA0Q8 NA	1:2 /
SA0Q9	N	37	1	0	SA0Q9 NA	1:5 /
SA0Q10	N	38-39	2	0	SA0Q10 NA	01:40 99 //
SA0Q11	N	40-41	2	0	SA0Q11 NA	01:40 99 //
SA0Q12	N	42	1	0	SA0Q12 NA	1:6 /
SA0Q13	N	43	1	0	SA0Q13 NA	1:2 /

Note: / represents a blank character.

Record Name: B1

Record Type: 02

Item (occurs) Subitem (occurs)	Data Type	Position	Item Len. Dec.	Value Name	Values
ID	N	11-12	2 0	ID NA	01:41 / /
SB1Q2	N	13	1 0	SB1Q2 NA	1:2 /
SB1Q3	N	14	1 0	SB1Q3 NA	1:6 /
SB1Q4	N	15	1 0	SB1Q4 NA	1:4 /
SB1Q5	N	16	1 0	SB1Q5 NA	1:2 /
SB1Q6	N	17	1 0	SB1Q6	1:2
SB1Q7	N	18-20	3 0	SB1Q7 NA	000:150 / / /
SB1Q8	N	21	1 0	SB1Q8 NA	1:2 /
SB1Q9	N	22	1 0	SB1Q9 NA	1:2 /
SB1Q10	N	23-24	2 0		
SB1Q11	N	25-26	2 0		
SB1Q12	N	27	1 0	SB1Q12 NA	1:2 /
SB1Q13	N	28	1 0	SB1Q14 NA	1:6 /
SB1Q14	N	29-33	5 0		

Note: / represents a blank character.

Record Name: B2

Record Type: 03

Item (occurs) Subitem (occurs)	Data Type	Position	Item Len.	Dec.	Value Name	Values
SB2Q0	N	11-12	2	0	SB2Q0 NA	01:41 //
SB2Q15	N	13	1	0	SB2Q15 NA	1:2 /
SB2Q16	N	14	1	0	SB2Q16 NA	1:2 /
SB2Q17	N	15	1	0	SB2Q17 NA	1:2 /
SB2Q18	N	16-17	2	0	SB2Q18 NA	11:16 21:26 31:38 //
SB2Q19	N	18-19	2	0	SB2Q19 NA	10:16 21:26 31:38 //
SB2Q20	N	20	1	0	SB2Q20 NA	1:7 /
SB2Q21	N	21	1	0	SB2Q21 NA	1:2 /
SB2Q22	N	22-23	2	0	SB2Q22 NA	11:16 21:26 31:38 //
SB2Q23	N	24	1	0	SB2Q23 NA	1:2 /
SB2Q24	N	25	1	0	SB2Q24 NA	1:5 /
SB2Q25	N	26	1	0	SB2Q25 NA	1:2 /
SB2Q26	N	27	1	0	SB2Q26 NA	1:2 /

Note: / represents a blank character.

Record Name: B3

Record Type: 04

Item (occurs) Subitem (occurs)	Data Type	Position	Item Len. Dec.	Value Name	Values
SB3Q0	N	11-12	2 0	SB3Q0 NA	01:41 //
SB3Q27	N	13-14	2 0	SB3Q27 NA	01:13 //
SB3Q28	N	15	1 0	SB3Q28 NA	1:2 /
SB3Q29	N	16	1 0	SB3Q29 NA	12 /
SB3Q30	N	17-18	2 0	SB3Q30 NA	01:12 //
SB3Q31	N	19	1 0	SB3Q31 NA	1:2 /
SB3Q32	N	20	1 0	SB3Q32 NA	1:5 /
SB3Q33	N	21-22	2 0	SB3Q33 NA	01:74 //

Note: / represents a blank character.

Record Name: C1

Record Type: 05

Item (occurs) Subitem (occurs)	Data Type	Position	Item Len.	Dec.	Value Name	Values
SC1Q0	N	11-12	2	0	SC1Q0 NA	01:41 //
SC1Q1	N	13	1	0	SC1Q1 NA	1:2 /
SC1Q2	N	14-15	2	0	SC1Q2 NA	01:74 //
SC1Q3	N	16-18	3	0	SC1Q3 NA	101:120 201:209 301:323 501:504 601:618 701:708 801:804 901:933 ///
SC1Q4	N	19	1	0	SC1Q4 NA	1:2 /
SC1Q5	N	20	1	0	SC1Q5 NA	1:3 /
SC1Q6	N	21-22	2	0		
SC1Q7	N	23	1	0	SC1Q7 NA	1:2 /
SC1Q8	N	24	1	0	SC1Q8 NA	1:7 /
SC1Q9	N	25	1	0	SC1Q9 NA	1:2 /
SC1Q10	N	26	1	0	SC1Q10 NA	1:2 /
SC1Q11	N	27	1	0	SC1Q11 NA	1:2 /
SC1Q12	N	28	1	0	SC1Q12 NA	1:2 /
SC1Q13	N	29	1	0	SC1Q13 NA	1:2 /
SC1Q14	N	30-35	6	0		

Note: / represents a blank character.

Record Name: C1

Record Type: 05

Item (occurs)	Data		Item				
Subitem (occurs)	Type	Position	Len.	Dec.	Value	Name	Values
SC1Q15	N	36	1	0	SC1Q15 NA		1:4 /
SC1Q16	N	37	1	0	SC1Q16 NA		1:2 /
SC1Q17	N	38	1	0	SC1Q17 NA		1:2 /
SC1Q18	N	39	1	0	SC1Q18 NA		1:3 /
SC1Q19	N	40	1	0	SC1Q19 NA		1:3 /
SC1Q20	N	41	1	0	SC1Q20 NA		1:2 /
SC1Q21	N	42	1	0	SC1Q21 NA		1:3 /

Note: / represents a blank character.

Record Name: C2

Record Type: 06

Item (occurs) Subitem (occurs)	Data Type	Position	Item Len.	Dec.	Value Name	Values
SC2Q0	N	11-12	2	0	SC2Q0 NA	01:41 //
SC2Q22	N	13	1	0	SC2Q22 NA	1:2 /
SC2Q23	N	14-15	2	0	SC2Q23 NA	01:74 //
SC2Q24	N	16-18	3	0	SC2Q24	101:120 201:209 301:323 501:504 601:618 701:708 802:804 901:933 NA ///
SC2Q25	N	19	1	0	SC2Q25 NA	1:2 /
SC2Q26	N	20	1	0	SC2Q26 NA	1:3 /
SC2Q27	N	21-22	2	0		
SC2Q28	N	23	1	0	SC2Q28 NA	1:2 /
SC2Q29	N	24	1	0	SC2Q29 NA	1:7 /
SC2Q30	N	25	1	0	SC2Q30 NA	1:2 /
SC2Q31	N	26-31	6	0		
SC2Q32	N	32	1	0	SC2Q32 NA	1:4 /
SC2Q33	N	33	1	0	SC2Q33 NA	1:3 /
SC2Q34	N	34	1	0	SC2Q34 NA	1:2 /
SC2Q35	N	35	1	0	SC2Q35 NA	1:3 /

Note: / represents a blank character.

Record Name: C3

Record Type: 07

Item (occurs) Subitem (occurs)	Data Type	Position	Item Len.	Dec.	Value Name	Values
SC3Q0	N	11-12	2	0	SC3Q0 NA	01:41 //
SC3Q36	N	13	1	0	SC3Q36 NA	1:2 /
SC3Q37	N	14-15	2	0	SC3Q37 NA	01:74 //
SC3Q38	N	16-18	3	0	SC3Q38 NA	101:120 201:209 301:323 501:504 601:618 701:708 801:804 901:933 ///

Note: / represents a blank character.

Record Name: D1

Record Type: 08

Item (occurs) Subitem (occurs)	Data Type	Position	Item Len.	Dec.	Value Name	Values
SD1Q1	N	11	1	0	SD1Q1 NA	1:2 /
SD1Q2	N	12-13	2	0		
SD1Q3	N	14	1	0	SD1Q3 NA	1:2 /
SD1Q4	N	15	1	0	SD1Q4 NA	1:5 /
SD1Q5	N	16	1	0	SD1Q5 NA	1:6 /
SD1Q6	N	17	1	0	SD1Q6 NA	1:6 /
SD1Q7	N	18	1	0	SD1Q7 NA	1:7 /
SD1Q8	N	19	1	0	SD1Q8 NA	1:5 /
SD1Q9	N	20	1	0	SD1Q9 NA	1:6 /
SD1Q10	N	21	1	0	SD1Q10 NA	1:8 /
SD1Q11	N	22	1	0	SD1Q11 NA	1:9 /

Note: / represents a blank character.

Record Name: D2

Record Type: 09

Item (occurs)		Data		Item		Value Name	Values
Subitem (occurs)		Type	Position	Len.	Dec.		
SD2Q0		N	11	1	0	DS2Q0 NA	1:6 /
SD2Q12		N	12	1	0	SD2Q12 NA	1:7 /
SD2Q13		N	13	1	0	SD2Q13 NA	1:7 /
SD2Q14		N	14	1	0	SD2Q14 NA	1:2 /
SD2Q15		N	15	1	0	SD2Q15 NA	1:5 /

Note: / represents a blank character.

Record Name: E1

Record Type: 10

Item (occurs)		Data		Item		Value Name	Values
Subitem (occurs)		Type	Position	Len.	Dec.		
SE1Q1		N	11	1	0	SE1Q1 NA	1:6 /
SE1Q2		N	12	1	0	SE1Q2 NA	1:6 /
SE1Q3		N	13	1	0	SE1Q3 NA	1:2 /
SE1Q4		N	14-15	2	0	SE1Q4 NA	01:40 //
SE1Q5		N	16-17	2	0	SE1Q5 NA	01:40 //
SE1Q6		N	18	1	0	SE1Q6 NA	1:2 /
SE1Q7		N	19	1	0	SE1Q7 NA	1:2 /

Note: / represents a blank character.

Record Name: F1

Record Type: 11

Item (occurs) Subitem (occurs)	Data Type	Position	Item Len. Dec.	Value Name	Values
SF1Q1	N	11	1 0	SF1Q1 NA	1:2 /
SF1Q2	N	12-15	4 0		
SF1Q3	N	16	1 0	SF1Q3 NA	1:3 /
SF1Q4	N	17-20	4 0		
SF1Q5	N	21	1 0	SF1Q5 NA	1:3 /
SF1Q6	N	22-25	4 0		
SF1Q7	N	26	1 0	SF1Q7 NA	1:3 /
SF1Q8	N	27-30	4 0		
SF1Q9	N	31	1 0	SF1Q9 NA	1:3 /
SF1Q10	N	32-35	4 0		
SF1Q11	N	36	1 0	SF1Q11 NA	1:3 /
SF1Q12	N	37	1 0	SF1Q12 NA	1:2 /
SF1Q13	N	38-40	3 0		
SF1Q14	N	41	1 0	SF1Q14 NA	1:2 /

Note: / represents a blank character.

Record Name: F2

Record Type: 12

Item (occurs) Subitem (occurs)	Data Type	Position	Item Len.	Dec.	Value Name	Values
SF2Q0	N	11	1	0	SF2Q0 NA	1:6 /
SF2Q15	N	12	1	0	SF2Q15 NA	1:2 /
SF2Q16	N	13	1	0	SF2Q16 NA	1:4 /
SF2Q17	N	14-17	4	0		
SF2Q18	N	18	1	0	SF2Q18 NA	1:2 /
SF2Q19	N	19	1	0	SF2Q19 NA	1:2 /
SF2Q20	N	20-23	4	0		
SF2Q21	N	24	1	0	SF2Q21 NA	1:7 /
SF2Q22	N	25-29	5	0		
SF2Q23	N	30-33	4	0		
SF2Q24	N	34	1	0	SF2Q24 NA	1:3 /
SF2Q25	N	35	1	0	SF2Q25 NA	1:6 /
SF2Q26	N	36	1	0	SF2Q26 NA	1:2 /
SF2Q27	N	37	1	0	SF2Q27 NA	1:3 /
SF2Q28	N	38	1	0	SF2Q28 NA	1:2 /
SF2Q29	N	39	1	0	SF2Q29 NA	1:2 /
SF2Q30	N	40	1	0	SF2Q30 NA	1:6 /
SF2Q31	N	41	1	0	SF2Q31 NA	1:2 /

Note: / represents a blank character.

Record Name: G1

Record Type: 13

Item (occurs) Subitem (occurs)	Data Type	Position	Item Len.	Dec.	Value Name	Values
SG1Q1	N	11	1	0	SG1Q1 NA	1:2 /
SG1Q2	N	12-14	3	0	SG1Q2 NA	101:120 201:209 301:323 501:504 601:618 701:708 801:804 901:933 ///
SG1Q3	N	15-17	3	0	SG1Q3 NA	101:120 201:209 301:323 501:504 601:618 701:708 801:804 901:933 ///
SG1Q4	N	18-20	3	0	SG1Q4 NA	101:120 201:209 301:323 501:504 601:618 701:708 801:804 901:933 ///
SG1Q5	N	21	1	0	SG1Q5 NA	1:2 /
SG1Q6	N	22-24	3	0	SG1Q6 NA	101:120 201:209 301:323 501:504 601:618 701:708 801:804 901:933 ///

Note: / represents a blank character.

Record Name: G2

Record Type: 14

Item (occurs) Subitem (occurs)	Data Type	Position	Item Len.	Dec.	Value Name	Values
SG2Q0	N	11	1	0	SG2Q0 NA	1:4 /
SG2Q7	N	12-14	3	0	SG2Q7	101:120 201:209 301:323 501:504 601:618 701:708 801:804 901:933 NA ///
SG2Q8	N	15-16	2	0	SG2Q8 NA	01:40 //
SG2Q9	N	17	1	0	SG2Q9 NA	1:2 /
SG2Q10	N	18-19	2	0		
SG2Q11	N	20-21	2	0	SG2Q11 NA	01:12 //
SG2Q12	N	22	1	0	SG2Q12 NA	1:2 /
SG2Q13	N	23-25	3	0		
SG2Q14	N	26-28	3	0		
SG2Q15	N	29	1	0	SG2Q15 NA	12 /
SG2Q16	N	30	1	0	SG2Q16 NA	1:2 /
SG2Q17	N	31	1	0	SG2Q17 NA	1:2 /
SG2Q18	N	32	1	0	SG2Q18 NA	1:3 /

Note: / represents a blank character.

Record Name: H1

Record Type: 15

Item (occurs)		Data Type	Position	Item		Value Name	Values
Subitem (occurs)				Len.	Dec.		
SH1Q1		N	11-16	6	0		
SH1Q2		N	17-22	6	0		
SH1Q3		N	23-28	6	0		
SH1Q4		N	29-34	6	0		
SH1Q5		N	35	1	0	SH1Q5 NA	1:4 /
SH1Q6		N	36-41	6	0		
SH1Q7		N	42-47	6	0		
SH1Q8		N	48-53	6	0		

Note: / represents a blank character.

Record Name: H2

Record Type: 16

Item (occurs)		Data		Item		Value Name	Values
Subitem (occurs)		Type	Position	Len.	Dec.		
SH2Q0		N	11-12	2	0	SH2Q0 NA	01:13 //
SH2Q9		N	13-17	5	0		
SH2Q10		N	18	1	0	SH2Q10 NA	1:3 /

Note: / represents a blank character.

Record Name: I1

Record Type: 17

Item (occurs)		Data		Item		Value Name	Values
Subitem (occurs)		Type	Position	Len.	Dec.		
SI1Q0		N	11-12	2	0	SI1Q0 NA	01:21 //
SI1Q1		N	13-18	6	0		
SI1Q2		N	19	1	0	SI1Q2 NA	1:4 /

Note: / represents a blank character.

Record Name: J1

Record Type: 18

Item (occurs)		Data		Item		Value Name	Values
Subitem (occurs)		Type	Position	Len.	Dec.		
SJ1Q1		N	11	1	0	SJ1Q1 NA	1:2 /
SJ1Q2		N	12-13	2	0		
SJ1Q3		N	14	1	0	SJ1Q3 NA	1:3 /
SJ1Q4		N	15	1	0	SJ1Q4 NA	1:2 /
SJ1Q5		N	16	1	0	SJ1Q5 NA	1:3 /

Note: / represents a blank character.

Record Name: J2

Record Type: 19

Item (occurs)		Data		Item		Value Name	Values
Subitem (occurs)		Type	Position	Len.	Dec.		
SJ2Q0		N	11-12	2	0	SJ2Q0 NA	01:12 / /
SJ2Q6		N	13	1	0	SJ2Q6 NA	1:2 /
SJ2Q7		N	14	1	0	SJ2Q7 NA	1:3 /

Note: / represents a blank character.

Record Name: K1

Record Type: 20

Item (occurs) Subitem (occurs)	Data Type	Position	Item Len.	Dec.	Value Name	Values
SK1Q0	N	11	1	0	SK1Q5 NA	1:6 /
SK1Q1	N	12-13	2	0	SK1Q1 NA	02:30 //
SK1Q2	N	14-15	2	0	SK1Q2 NA	01:30 //
SK1Q3	N	16-17	2	0	SK1Q3 NA	03:59 //
SK1Q4	N	18	1	0	SK1Q4 NA	1:2 /
SK1Q5	N	19	1	0	SK1Q5 NA	1:4 /
SK1Q6	N	20-22	3	1		
SK1Q7	N	23-25	3	0		
SK1Q8	N	26	1	0	SK1Q8 NA	1:2 /
SK1Q9	N	27	1	0	SK1Q9 NA	1:3 /
SK1Q10	N	28	1	0	SK1Q10 NA	1:2 /
SK1Q11A	N	29	1	0	SK1Q11A NA	1:2 /
SK1Q11B	N	30	1	0	SK1Q11B NA	1:2 /
SK1Q11C	N	31	1	0	SK1Q11C NA	1:2 /
SK1Q11D	N	32	1	0	SK1Q11D NA	1:2 /
SK1Q11E	N	33	1	0	SK1Q11D NA	1:2 /
SK1Q12	N	34	1	0	SK1Q12 NA	1:2 /

Note: / represents a blank character.

Record Name: K1

Record Type: 0

Item (occurs)	Data		Item				
Subitem (occurs)	Type	Position	Len.	Dec.	Value Name		Values
SK1Q13	N	35	1	0	SK1Q13		1:4
					NA		/

Note: / represents a blank character.