

Appendix E. MICS Indicators: Numerators and Denominators

INDICATOR		NUMERATOR	DENOMINATOR
1	Under-five mortality rate	Probability of dying by exact age 5 years	
2	Infant mortality rate	Probability of dying by exact age 1 year	
3	Maternal mortality ratio	Number of deaths of women from pregnancy-related causes in a given year	Number of live births in the year (expressed per 100,000 births)
4	Skilled attendant at delivery	Number of women aged 15-49 years with a birth in the 2 years preceding the survey that were attended during childbirth by skilled health personnel	Total number of women surveyed aged 15-49 years with a birth in the 2 years preceding the survey
5	Institutional deliveries	Number of women aged 15-49 years with a birth in the 2 years preceding the survey that delivered in a health facility	Total number of women surveyed aged 15-49 years with a birth in 2 years preceding the survey
6	Underweight prevalence	Number of children under age five that fall below minus two standard deviations from the median weight for age of the NCHS/WHO standard (moderate and severe); number that fall below minus three standard deviations (severe)	Total number of children under age five that were weighed
7	Stunting prevalence	Number of children under age five that fall below minus two standard deviations from the median height for age of the NCHS/WHO standard (moderate and severe); number that fall below minus three standard deviations (severe)	Total number of children under age five measured
8	Wasting prevalence	Number of children under age five that fall below minus two standard deviations from the median weight for height of the NCHS/WHO standard (moderate and severe); number that fall below minus three standard deviations (severe)	Total number of children under age five weighed and measured
9	Low-birthweight infants	Number of last live births in the 2 years preceding the survey weighing below 2,500 grams	Total number of last live births in the 2 years preceding the survey
10	Infants weighed at birth	Number of last live births in the 2 years preceding the survey that were weighed at birth	Total number of last live births in the 2 years preceding the survey
11	Use of improved drinking water sources	Number of household members living in households using improved sources of drinking water	Total number of household members in households surveyed
12	Use of improved sanitation facilities	Number of household members using improved sanitation facilities	Total number of household members in households surveyed
13	Water treatment	Number of household members using water that has been treated	Total number of household members in households surveyed
14	Disposal of child's faeces	Number of children under age three whose (last) stools were disposed of safely	Total number of children under age three surveyed
15	Exclusive breastfeeding rate	Number of infants aged 0-5 months that are exclusively breastfed	Total number of infants aged 0-5 months surveyed
16	Continued breastfeeding rate	Number of infants aged 12-15 months, and 20-23 months, that are currently breastfeeding	Total number of children aged 12-15 months and 20-23 months surveyed
17	Timely complementary feeding rate	Number of infants aged 6-9 months that are receiving breastmilk and complementary foods	Total number of infants aged 6-9 months surveyed

INDICATOR		NUMERATOR	DENOMINATOR
18	Frequency of complementary feeding	Number of infants aged 6-11 months that receive breastmilk and complementary food at least the minimum recommended number of times per day (two times per day for infants aged 6-8 months, three times per day for infants aged 9-11 months)	Total number of infants aged 6-11 months surveyed
19	Adequately fed infants	Number of infants aged 0-11 months that are appropriately fed: infants aged 0-5 months that are exclusively breastfed and infants aged 6-11 months that are breastfed and ate solid or semi-solid foods the appropriate number of times (see above) yesterday	Total number of infants aged 0-11 months surveyed
20	Antenatal care	Number of women aged 15-49 years that were attended at least once during pregnancy in the 2 years preceding the survey by skilled health personnel	Total number of women surveyed aged 15-49 years with a birth in the 2 years preceding the survey
21	Contraceptive prevalence	Number of women currently married or in union aged 15-49 years that are using (or whose partner is using) a contraceptive method (either modern or traditional)	Total number of women aged 15-49 years that are currently married or in union
22	Antibiotic treatment of suspected pneumonia	Number of children aged 0-59 months with suspected pneumonia in the previous 2 weeks receiving antibiotics	Total number of children aged 0-59 months with suspected pneumonia in the previous 2 weeks
23	Care-seeking for suspected pneumonia	Number of children aged 0-59 months with suspected pneumonia in the previous 2 weeks that are taken to an appropriate health provider	Total number of children aged 0-59 months with suspected pneumonia in the previous 2 weeks
24	Solid fuels	Number of residents in households that use solid fuels (wood, charcoal, crop residues and dung) as the primary source of domestic energy to cook	Total number of residents in households surveyed
25	Tuberculosis immunization coverage	Number of children aged 18-29 months receiving BCG vaccine before their first birthday	Total number of children aged 12-23 months surveyed
26	Polio immunization coverage	Number of children aged 18-29 months receiving OPV3 vaccine before their first birthday	Total number of children aged 12-23 months surveyed
27	Immunization coverage for diphtheria, pertussis and tetanus (DPT)	Number of children aged 18-29 months receiving DPT3 vaccine before their first birthday	Total number of children aged 12-23 months surveyed
28	Measles immunization coverage	Number of children aged 18-29 months receiving measles vaccine before their first birthday	Total number of children aged 12-23 months surveyed
29	Hepatitis B immunization coverage	Number of children aged 18-29 months immunized against hepatitis before their first birthday	Total number of children aged 12-23 months surveyed
31	Fully immunized children	Number of children aged 18-29 months receiving DPT1-3, OPV-1-3, BCG and measles vaccines before their first birthday	Total number of children aged 12-23 months surveyed
33	Use of oral rehydration therapy (ORT)	Number of children aged 0-59 months with diarrhoea in the previous 2 weeks that received oral rehydration salts and/or an appropriate household solution	Total number of children aged 0-59 months with diarrhoea in the previous 2 weeks
34	Home management of diarrhoea	Number of children aged 0-59 months with diarrhoea in the previous 2 weeks that received more fluids AND continued eating somewhat less, the same or more food	Total number of children aged 0-59 months with diarrhoea in the previous 2 weeks
35	Received ORT or increased fluids and continued feeding	Number of children aged 0-59 months with diarrhoea that received ORT (oral rehydration salts or an appropriate household solution) or received more fluids AND continued eating somewhat less, the same or more food	Total number of children aged 0-59 months with diarrhoea in the previous 2 weeks
36	Household availability of insecticide-treated nets (ITNs)	Number of households with at least one mosquito net, either permanently treated or treated within the previous year	Total number of households surveyed

INDICATOR		NUMERATOR	DENOMINATOR
37	Under-fives sleeping under insecticide- treated nets	Number of children aged 0-59 months that slept under an insecticide-treated mosquito net the previous night	Total number of children aged 0-59 months surveyed
38	Under-fives sleeping under mosquito nets	Number of children aged 0-59 months that slept under a mosquito net the previous night	Total number of children aged 0-59 months surveyed
39	Antimalarial treatment (under-fives)	Number of children aged 0-59 months reported to have had fever in the previous 2 weeks that were treated with an appropriate antimalarial within 24 hours of onset	Total number of children aged 0-59 months reported to have had fever in the previous 2 weeks
41	Iodized salt consumption	Number of households with salt testing 15 parts per million or more of iodine/iodate	Total number of households surveyed
42	Vitamin A supplementation (under-fives)	Number of children aged 6-59 months receiving at least one high-dose vitamin A supplement in the previous 6 months	Total number of children aged 6-59 months surveyed
43	Vitamin A supplementation (post-partum mothers)	Number of women with a live birth in the 2 years preceding the survey that received a high-dose vitamin A supplement within 8 weeks after birth	Total number of women that had a live birth in the 2 years preceding the survey
44	Content of antenatal care	Number of women with a live birth in the 2 years preceding the survey that received antenatal care during the last pregnancy	Total number of women with a live birth in the 2 years preceding the survey
45	Timely initiation of breastfeeding	Number of women with a live birth in the 2 years preceding the survey that put the newborn infant to the breast within 1 hour of birth	Total number of women with a live birth in the 2 years preceding the survey
46	Support for learning	Number of children aged 0-59 months living in households in which an adult has engaged in four or more activities to promote learning and school readiness in the past 3 days	Total number of children aged 0-59 months surveyed
47	Father's support for learning	Number of children aged 0-59 months whose father has engaged in one or more activities to promote learning and school readiness in the past 3 days	Total number of children aged 0-59 months
48	Support for learning: children's books	Number of households with three or more children's books	Total number of households surveyed
49	Support for learning: non-children's books	Number of households with three or more non-children's books	Total number of households surveyed
50	Support for learning: materials for play	Number of households with three or more materials intended for play	Total number of households surveyed
51	Non-adult care	Number of children aged 0-59 months left alone or in the care of another child younger than 10 years of age in the past week	Total number of children aged 0-59 months surveyed
52	Pre-school attendance	Number of children aged 36-59 months that attend some form of early childhood education programme	Total number of children aged 36-59 months surveyed
53	School readiness	Number of children in first grade that attended some form of pre-school the previous year	Total number of children in the first grade surveyed
54	Net intake rate in primary education	Number of children of school-entry age that are currently attending first grade	Total number of children of primary- school entry age surveyed
55	Net primary school attendance rate	Number of children of primary-school age currently attending primary or secondary school	Total number of children of primary- school age surveyed
56	Net secondary school attendance rate	Number of children of secondary-school age currently attending secondary school or higher	Total number of children of secondary-school age surveyed

INDICATOR		NUMERATOR	DENOMINATOR
57	Children reaching grade five	Proportion of children entering the first grade of primary school that eventually reach grade five	
58	Transition rate to secondary school	Number of children that were in the last grade of primary school during the previous school year that attend secondary school	Total number of children that were in the last grade of primary school during the previous school year surveyed
59	Primary completion rate	Number of children (of any age) attending the last grade of primary school (excluding repeaters)	Total number of children of primary school completion age (age appropriate to final grade of primary school) surveyed
60	Adult literacy rate	Number of women aged 15-24 years that are able to read a short simple statement about everyday life	Total number of women aged 15-24 years surveyed
61	Gender parity index	Proportion of girls in primary and secondary education	Proportion of boys in primary and secondary education
62	Birth registration	Number of children aged 0-59 months whose births are reported registered	Total number of children aged 0-59 months surveyed
67	Marriage before age 15 and age 18	Number of women that were first married or in union by the exact age of 15 and the exact age of 18, by age groups	Total number of women aged 15-49 years and 20-49 years surveyed, by age groups
68	Young women aged 15-19 years currently married or in union	Number of women aged 15-19 years currently married or in union	Total number of women aged 15-19 years surveyed
69	Spousal age difference	Number of women married/in union aged 15-19 years and 20-24 years with a difference in age of 10 or more years between them and their current spouse	Total number of women aged 15-19 and 20-24 years surveyed that are currently married or in union
71	Child labour	Number of children aged 5-14 years that are involved in child labour	Total number of children aged 5-14 years surveyed
72	Labourer students	Number of children aged 5-14 years involved in child labour activities that attend school	Total number of children aged 5-14 years involved in child labour activities
73	Student labourers	Number of children aged 5-14 years attending school that are involved in child labour activities	Total number of children aged 5-14 years attending school
74	Child discipline	Number of children aged 2-14 years that (1) experience only non-violent aggression, (2) experience psychological aggression as punishment, (3) experience minor physical punishment, (4) experience severe physical punishment	Total number of children aged 2-14 years selected and surveyed
75	Prevalence of orphans	Number of children under age 18 with at least one dead parent	Total number of children under age 18 surveyed
78	Children's living arrangements	Number of children aged 0-17 years not living with a biological parent	Total number of children aged 0-17 years surveyed
82	Comprehensive knowledge about HIV prevention among young people	Number of women aged 15-24 years that correctly identify two ways of avoiding HIV infection and reject three common misconceptions about HIV transmission	Total number of women aged 15-24 years surveyed

INDICATOR		NUMERATOR	DENOMINATOR
86	Attitude towards people with HIV/AIDS	Number of women expressing acceptance on all four questions about people with HIV or AIDS	Total number of women surveyed
87	Women who know where to be tested for HIV	Number of women that state knowledge of a place to be tested	Total number of women surveyed
88	Women who have been tested for HIV	Number of women that report being tested for HIV	Total number of women surveyed
89	Knowledge of mother-to-child transmission of HIV	Number of women that correctly identify all three means of vertical transmission	Total number of women surveyed
90	Counselling coverage for the prevention of mother-to-child transmission of HIV	Number of women that gave birth in the previous 24 months and received antenatal care reporting that they received counselling on HIV/AIDS during this care	Total number of women that gave birth in the previous 24 months surveyed
91	Testing coverage for the prevention of mother-to-child transmission of HIV	Number of women that gave birth in the previous 24 months and received antenatal care reporting that they received the results of an HIV test during this care	Total number of women that gave birth in the previous 24 months surveyed
96	Source of supplies	Number of children (or households) for whom supplies were obtained from public providers, presented separately for each type of supply: insecticide-treated mosquito nets, oral rehydration salts, antibiotics and antimalarials	Total number of children (or households) for whom supplies were obtained
97	Cost of supplies	Median cost of supplies obtained, presented separately for each type of supply and whether sourced from public or private providers: insecticide-treated mosquito nets, oral rehydration salts, antibiotics and antimalarials.	Total number of children (or households) for whom supplies were obtained
98	Unmet need for family planning	Number of women that are currently married or in union that are fecund and want to space their births or limit the number of children they have and that are not currently using contraception	Total number of women interviewed that are currently married or in union
99	Demand satisfied for family planning	Number of women currently married or in union that are currently using contraception	Number of women currently married or in union that have an unmet need for contraception or that are currently using contraception
100	Attitudes towards domestic violence	Number of women that consider that a husband/partner is justified in hitting or beating his wife in at least one of the following circumstances: (1) she goes out without telling him, (2) she neglects the children, (3) she argues with him, (4) she refuses sex with him, (5) she burns the food	Total number of women surveyed