

# Global Youth Tobacco Survey 2010

report\_generated\_on: June 2, 2023

visit\_data\_catalog\_at: <http://catalog.ihsn.org/>

## Identification

### SURVEY ID NUMBER

AGO\_2010\_GYTS\_v01\_M

### TITLE

Global Youth Tobacco Survey 2010

### SUBTITLE

Huambo

### COUNTRY

Name	Country code
Angola	AGO

### STUDY TYPE

Global Youth Tobacco Survey

### SERIES INFORMATION

This is the first GYTS conducted by Angola.

### ABSTRACT

The GYTS is a school-based survey which uses a self-administered questionnaire to monitor tobacco use among youth and to guide the implementation and evaluation of tobacco prevention and control programmes.

### KIND OF DATA

Sample survey data [ssd]

### UNIT OF ANALYSIS

Individuals

## Version

### VERSION DESCRIPTION

Public-use dataset

## Scope

### NOTES

GYTS is composed of 56 "core" questions designed to gather data on the following seven domains:

1. Knowledge and attitudes of young people towards cigarette smoking
2. Prevalence of cigarette smoking and other tobacco use among young people
3. Role of the media and advertising in young people's use of cigarettes
4. Access to cigarettes
5. Tobacco-related school curriculum
6. Environmental tobacco smoke (ETS)
7. Cessation of cigarette smoking

Countries may add additional optional questions, such as on shisha use, smokeless tobacco use or e-cigarettes, or country-specific questions.

### TOPICS

Topic	Vocabulary
Global Youth Tobacco Survey (GYTS)	Survey

### KEYWORDS

Keyword
adolescents
noncommunicable diseases
risk factors
health surveys
tobacco

## Coverage

### GEOGRAPHIC COVERAGE

Huambo

### UNIVERSE

School-going adolescents aged 13-15 years.

## Producers and sponsors

### FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

## Sampling

### SAMPLING PROCEDURE

GYTS uses a global standardized methodology that includes a two-stage sample design with schools selected with a probability proportional to enrollment size. The classes within selected schools are chosen randomly and all students in selected classes are eligible to participate in the survey.

### WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3*f4$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting the school

W2 - The inverse of the probability of selecting the class within the school

f1 - a school-level nonresponse adjustment factor calculated by school size category (small, medium, large)

f2 - a class adjustment factor calculated by school

f3 - a student-level nonresponse adjustment factor calculated by class

f4 - a post stratification adjustment factor calculated by gender and grade

## data\_collection

### DATES OF DATA COLLECTION

Start
2010

### DATA COLLECTION MODE

Other [oth]

## data\_processing

### DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

## Access policy

### CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	<a href="#">Link</a>

### ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

### CITATION REQUIREMENTS

Publications based on GYTS data should use the following acknowledgement:

"This paper uses data from the Global Youth Tobacco Survey (GYTS). GYTS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

## Disclaimer and copyrights

### DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

## Metadata production

### DDI DOCUMENT ID

DDI\_AGO\_2010\_GYTS\_v01\_M

### PRODUCERS

Name	Abbreviation	Affiliation	Role
Yue Wu		World Health Organization	Documentation of data
Melanie Cowan		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

### DATE OF METADATA PRODUCTION

2023-05-15

### DDI DOCUMENT VERSION

Version 01 (May 2023): This metadata was downloaded from the WHO website

(<https://extranet.who.int/ncdsmicrodata/index.php/catalog>) and it is identical to WHO version (AGO\_2010\_GYTS\_v01). The following two metadata fields were edited - Document ID and Survey ID.

**data\_dictionary**

<b>Data file</b>	<b>Cases</b>	<b>variables</b>
<b>ANGOLA_Huambo_10</b> Subnational public-use dataset	1576	56



**Data file: ANGOLA\_Huambo\_10**

Subnational public-use dataset

Cases: 1576

variables: 56

**variables**

ID	Name	Label	Question
V57	FinalWgt	finalwgt	
V58	AOR1	Custom age	
V59	CR53	Sex	
V60	CR1	Tried smoking	
V61	CR2	Age first cigarette	
V62	AOR5	Age started smoking every day	
V63	CR3	Smoked past 30 days	
V64	AOR7	Cigarettes per day	
V65	AOR8	Obtain cigarettes past 30 days	
V66	AOR9	Consider when choose cigarette brand	
V67	AOR10	Usual type of cigarettes	
V68	AOR11	Usual brand of cigarettes	
V69	AOR12	Flavor of cigarettes	
V70	AOR13	How usually buy cigarettes	
V71	AOR14	Usual amount pack of 20 cigarettes	
V72	AOR15	Spent on cigarettes past 30 days	
V73	CR7	Refused to sell cigarettes due to age	
V74	AOR17	Used tobacco products other than cigarettes	
V75	CR10	Where usually smoke	
V76	AOR19	Smoke more after consumed alcohol	
V77	CR11	Cigarette first thing morning	
V78	AOR21	Parents smoke	
V79	AOR22	Parents know that you smoke	
V80	CR13	Best friends offered tobacco	
V81	CR14	Family discussed harmful effects of smoking	
V82	CR17	Think difficult to quit smoking	
V83	CR21	Boys smoking attractive	
V84	CR22	Girls smoking attractive	
V85	CR24	Think smoking harmful to health	
V86	CR25	Closest friends smoke	
V87	CR26	Opinion of man smoking	
V88	CR27	Opinion of woman smoking	
V89	AOR32	Think other people smoking harmful and someone can die	
V90	AOR33	Ask permission to smoke around others	
V91	AOR34	Allow someone to smoke around you	
V92	CR29	Think other people smoking harmful	
V93	CR30	People smoked in home	

ID	Name	Label	Question
V94	CR31	People smoked in places other than home	
V95	CR32	Ban smoking in public places	
V96	CR34	Tried to stop smoking past year	
V97	CR35	Time stopped smoking	
V98	CR36	Main reason to stop smoking	
V99	CR37	Stop smoking if wanted to	
V100	AOR43	Received help/advice stop smoking	
V101	CR39	Anti-smoking messages media	
V102	CR40	Anti-smoking messages events	
V103	CR42	Own product with tobacco brand logo	
V104	AOR47	Cigarette brand names TV programs	
V105	AOR48	Cigarette advertisement brand names radio	
V106	CR44	Cigarette advertisements billboards	
V107	CR45	Cigarette advertisements newspapers or magazines	
V108	CR48	Taught dangers of smoking	
V109	CR50	Taught effects of smoking	
V110	CR51	Time since last lesson discuss smoking and health	
V111	Stratum	stratum	
V112	PSU	psu	

---

total: 56





**FINALWGT: finalwgt****Data file: ANGOLA\_Huambo\_10****Overview**

Valid: 1576    Invalid: 0

Type: Discrete    Decimal: 2    Range: 251.7812275619 - 1286.25826469725    Format: Numeric    Weighted: yes

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
15.9982781313416		23	1.5%
16.2563148754419		30	1.9%
16.9477023203121		31	2%
17.3918490017578		22	1.4%
18.8658940228623		53	3.4%
18.995865758032		11	0.7%
19.3022506896683		32	2%
20.1231829788634		17	1.1%
20.1745448420391		12	0.8%
20.65054915342		7	0.4%
21.0316852208455		16	1%
21.0904739985474		15	1%
21.4465469361536		18	1.1%
22.3424229075632		31	2%
22.370967062812		19	1.2%
22.4007850920828		53	3.4%
23.2881368353708		39	2.5%
23.7074144456791		26	1.6%
23.9546370179672		13	0.8%
24.4871604052757		21	1.3%
24.6132784466201		30	1.9%
24.8483894382046		29	1.8%
24.972379267347		25	1.6%
25.0421832625105		12	0.8%
25.4649733695024		26	1.6%
25.5261526970195		27	1.7%
26.2819752906774		16	1%
26.5287090758722		27	1.7%
26.5425978089086		23	1.5%
26.5626015320997		13	0.8%

26.9061950391677		24	1.5%
26.9736062192757		24	1.5%
27.6516208461671		12	0.8%
27.8910758184872		9	0.6%
27.9444197946319		23	1.5%
28.0513693576664		13	0.8%
28.1494582468785		9	0.6%
28.7433031352493		16	1%
29.0753047318728		28	1.8%
29.2250534337879		9	0.6%
29.5042170286267		18	1.1%
29.5425210972134		24	1.5%
29.8279560838641		16	1%
30.3089723763258		25	1.6%
31.2064129888806		10	0.6%
31.5158681895713		21	1.3%
31.9475924113463		20	1.3%
32.0276343832016		14	0.9%
32.4792598490239		33	2.1%
33.1170097022588		12	0.8%
33.1803487067145		12	0.8%
33.2469708133205		14	0.9%
33.3073373442169		16	1%
34.0890926673919		28	1.8%
34.1289183321524		14	0.9%
34.9499283404323		4	0.3%
35.0778852767347		14	0.9%
35.4168020429359		8	0.5%
35.57738631261		22	1.4%
37.2592263928425		17	1.1%
38.4558772658016		17	1.1%
38.5648789792954		5	0.3%
39.4764354792526		9	0.6%
40.4763451920677		14	0.9%
40.883072673986		20	1.3%
41.4984751207107		23	1.5%
42.2434995108634		14	0.9%
42.692863575132		15	1%
43.3501730007692		36	2.3%

44.2404649422861		13	0.8%
45.6613315602648		5	0.3%
46.2404678041968		20	1.3%
48.543309093338		19	1.2%
50.6921994130361		9	0.6%
51.4726685052962		26	1.6%
53.027477480909		20	1.3%
54.904516085161		18	1.1%
59.3847489292105		16	1%
62.9632036300861		7	0.4%
65.9830543668506		13	0.8%
70.5116331565565		4	0.3%
78.3462590641004		5	0.3%
94.5681789493151		12	0.8%
112.287361024401		4	0.3%
453.284547051694		3	0.2%
538.21619647403		3	0.2%

## AOR1: Custom age

Data file: ANGOLA\_Huambo\_10

### Overview

Valid: 1516 Invalid: 60

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	12 years old or younger	303	20%
2	13 years old	246	16.2%
3	14 years old	270	17.8%
4	15 years old	219	14.4%
5	16 years old	163	10.8%
6	17 years old	166	10.9%
7	18 years old	99	6.5%
8	19 years old or older	50	3.3%
Sysmiss		60	

**CR53: Sex****Data file:** ANGOLA\_Huambo\_10**Overview**

Valid: 1518 Invalid: 58

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Male	885	58.3%
2	Female	633	41.7%
Sysmiss		58	

**CR1: Tried smoking****Data file:** ANGOLA\_Huambo\_10**Overview**

Valid: 1368 Invalid: 208

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	yes	204	14.9%
2	no	1164	85.1%
Sysmiss		208	

**CR2: Age first cigarette****Data file:** ANGOLA\_Huambo\_10**Overview**

Valid: 1488 Invalid: 88

Type: Discrete Decimal: 0 Range: - Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1430	96.1%

2	7 years old or younger	26	1.7%
3	8 or 9 years old	6	0.4%
4	10 or 11 years old	7	0.5%
5	12 or 13 years old	5	0.3%
6	14 or 15 years old	12	0.8%
7	16 years old or older	2	0.1%
Sysmiss		88	

## AOR5: Age started smoking every day

Data file: ANGOLA\_Huambo\_10

### Overview

Valid: 1503 Invalid: 73

Type: Discrete Decimal: 0 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1420	94.5%
2	9 years or less	46	3.1%
3	10 to 12 years	6	0.4%
4	13 to 15 years	12	0.8%
5	16 to 18 years	11	0.7%
6	19 years or more	8	0.5%
Sysmiss		73	

## CR3: Smoked past 30 days

Data file: ANGOLA\_Huambo\_10

### Overview

Valid: 1403 Invalid: 173

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	0 days	1382	98.5%
2	1 or 2 days	8	0.6%

3	3 to 5 days	6	0.4%
4	6 to 9 days	2	0.1%
5	10 to 19 days	2	0.1%
6	20 to 29 days	3	0.2%
7	all 30 days	0	0%
Sysmiss		173	

## AOR7: Cigarettes per day

Data file: ANGOLA\_Huambo\_10

### Overview

Valid: 1481 Invalid: 95

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	I did not smoke cigarettes during the past 30 days	1421	95.9%
2	Less than 1 cigarette per day	42	2.8%
3	1 cigarette per day	3	0.2%
4	2 to 5 cigarettes per day	2	0.1%
5	6 to 10 cigarettes per day	3	0.2%
6	11 to 20 cigarettes per day	6	0.4%
7	More than 20 cigarettes per day	4	0.3%
Sysmiss		95	

## AOR8: Obtain cigarettes past 30 days

Data file: ANGOLA\_Huambo\_10

### Overview

Valid: 1520 Invalid: 56

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	I did not smoke any cigarettes during the past 30 days	1433	94.3%
2	I bought them in a store, a big shop, or a little shop	46	3%

3	I bought them from a street vendor	10	0.7%
4	I gave someone else money to buy them for me	7	0.5%
5	I borrowed them from someone else	7	0.5%
6	I stole them	10	0.7%
7	An older person gave them to me	3	0.2%
8	I got them some other way	4	0.3%
Sysmiss		56	

## AOR9: Consider when choose cigarette brand

Data file: ANGOLA\_Huambo\_10

### Overview

Valid: 1523 Invalid: 53

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1430	93.9%
2	The cigarettes brand name that my friends smoke	48	3.2%
3	The cigarettes brand more beautiful advertised	12	0.8%
4	The brand that has pictures with which I identify	2	0.1%
5	The cheapest cigarettes	4	0.3%
6	The brand with the best flavor	9	0.6%
7	Options b, c, d, e, f	4	0.3%
8	I do not take into account the brand names	14	0.9%
Sysmiss		53	

## AOR10: Usual type of cigarettes

Data file: ANGOLA\_Huambo\_10

### Overview

Valid: 1548 Invalid: 28

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--



1	I have never smoked cigarettes	1481	95.7%
2	Light or low tar	40	2.6%
3	Regular (full flavor) cigarettes	16	1%
4	Chewing tobacco	5	0.3%
5	Other	6	0.4%
Sysmiss		28	

## AOR11: Usual brand of cigarettes

Data file: ANGOLA\_Huambo\_10

### Overview

Valid: 1525 Invalid: 51

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	I did not smoke cigarettes during the past 30 days	1427	93.6%
2	No usual brand	58	3.8%
3	Hollywood	11	0.7%
4	Derby	11	0.7%
5	Free	8	0.5%
6	Lucky Strike	6	0.4%
7	Marlboro	2	0.1%
8	Other	2	0.1%
Sysmiss		51	

## AOR12: Flavor of cigarettes

Data file: ANGOLA\_Huambo\_10

### Overview

Valid: 1523 Invalid: 53

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1434	94.2%

2	Menthol flavor	46	3%
3	Vanilla flavor	7	0.5%
4	No special flavor	25	1.6%
5	Other	11	0.7%
Sysmiss		53	

### AOR13: How usually buy cigarettes

Data file: ANGOLA\_Huambo\_10

#### Overview

Valid: 1539 Invalid: 37

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1382	89.8%
2	I no longer smoke cigarettes	67	4.4%
3	I buy one by one	12	0.8%
4	I buy a pack	9	0.6%
5	I do not buy cigarettes	69	4.5%
Sysmiss		37	

### AOR14: Usual amount pack of 20 cigarettes

Data file: ANGOLA\_Huambo\_10

#### Overview

Valid: 1532 Invalid: 44

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	I don't smoke cigarettes	1399	91.3%
2	I don't buy cigarettes or I don't buy them in packs	109	7.1%
3	1 000 AKZ (\$12,5)	11	0.7%
4	750 AKZ (\$9,40)	2	0.1%
5	500 AKZ (\$6,25)	1	0.1%

6	250 AKZ (\$3,13)	7	0.5%
7	100 AKZ (\$1,23)	3	0.2%
Sysmiss		44	

## AOR15: Spent on cigarettes past 30 days

Data file: ANGOLA\_Huambo\_10

### Overview

Valid: 1518 Invalid: 58

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	I don't smoke cigarettes	1388	91.4%
2	I don't buy my cigarettes	98	6.5%
3	Less than 500 AKZ (\$6,12)	13	0.9%
4	500 to 1000 AKZ (\$6,12 to 12,5)	5	0.3%
5	5000 to 7000 AKZ (\$62,5 to 87,5)	4	0.3%
6	8000 to 10000 AKZ (\$100 to 125)	7	0.5%
7	More than 10000 AKZ	3	0.2%
Sysmiss		58	

## CR7: Refused to sell cigarettes due to age

Data file: ANGOLA\_Huambo\_10

### Overview

Valid: 1537 Invalid: 39

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	I did not try to buy cigarettes during the past 30 days (one month)	1342	87.3%
2	Yes, someone refused to sell me cigarettes because of my age	124	8.1%
3	No, my age did not keep me from buying cigarettes	71	4.6%
Sysmiss		39	

**AOR17: Used tobacco products other than cigarettes****Data file: ANGOLA\_Huambo\_10****Overview**

Valid: 1499    Invalid: 77

Type: Discrete    Decimal: 0    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	286	19.1%
2	No	1213	80.9%
Sysmiss		77	

**CR10: Where usually smoke****Data file: ANGOLA\_Huambo\_10****Overview**

Valid: 1528    Invalid: 48

Type: Discrete    Decimal: 0    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1433	93.8%
2	At home	54	3.5%
3	At school	12	0.8%
4	At work	5	0.3%
5	At friends' houses	9	0.6%
6	At social events	8	0.5%
7	In public spaces (e.g. parks, shopping centres, street corners)	0	0%
8	Other	7	0.5%
Sysmiss		48	

**AOR19: Smoke more after consumed alcohol****Data file: ANGOLA\_Huambo\_10**

## Overview

Valid: 1548    Invalid: 28  
 Type: Discrete    Decimal: 0    Range: 1 - 6    Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1411	91.1%
2	I do not smoke cigarettes anymore	69	4.5%
3	I smoke but I never drink alcohol	12	0.8%
4	No, I smoke less when I drink alcohol	44	2.8%
5	Yes, I smoke more when I drink alcohol	6	0.4%
6	I smoke the same amount when I drink alcohol	6	0.4%
Sysmiss		28	

## CR11: Cigarette first thing morning

Data file: ANGOLA\_Huambo\_10

## Overview

Valid: 1528    Invalid: 48  
 Type: Discrete    Decimal: 0    Range: 1 - 2    Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1331	87.1%
2	I no longer smoke cigarettes	76	5%
3	No, I don't have or feel like having a cigarette first thing in the morning	114	7.5%
4	Yes, I sometimes have or feel like having a cigarette first thing in the morning	3	0.2%
5	Yes, I always have or feel like having a cigarette first thing in the morning	4	0.3%
Sysmiss		48	

## AOR21: Parents smoke

Data file: ANGOLA\_Huambo\_10

## Overview

Valid: 1519    Invalid: 57  
 Type: Discrete    Decimal: 0    Range: 1 - 6    Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	None	1227	80.8%
2	Both	77	5.1%
3	Father only	140	9.2%
4	Mother only	29	1.9%
5	I have no parents	20	1.3%
6	I don't know	26	1.7%
Sysmiss		57	

### AOR22: Parents know that you smoke

Data file: ANGOLA\_Huambo\_10

#### Overview

Valid: 1545   Invalid: 31  
 Type: Discrete   Decimal: 0   Range: 1 - 6   Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1427	92.4%
2	Yes, my father knows	59	3.8%
3	Yes, my mother knows	11	0.7%
4	Yes, parents know	11	0.7%
5	No they don't know	27	1.7%
6	I don't have parents	10	0.6%
Sysmiss		31	

### CR13: Best friends offered tobacco

Data file: ANGOLA\_Huambo\_10

#### Overview

Valid: 1529   Invalid: 47  
 Type: Discrete   Decimal: 0   Range: 1 - 2   Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Definitely not	1352	88.4%
2	Probably not	152	9.9%
3	Probably yes	19	1.2%
4	Definitely yes	6	0.4%
Sysmiss		47	

### CR14: Family discussed harmful effects of smoking

Data file: ANGOLA\_Huambo\_10

#### Overview

Valid: 1491 Invalid: 85

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	yes	1280	85.8%
2	no	211	14.2%
Sysmiss		85	

### CR17: Think difficult to quit smoking

Data file: ANGOLA\_Huambo\_10

#### Overview

Valid: 1534 Invalid: 42

Type: Discrete Decimal: 0 Range: - Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Definitely not	985	64.2%
2	Probably not	191	12.5%
3	Probably yes	193	12.6%
4	Definitely yes	165	10.8%

Sysmiss		42	
---------	--	----	--

## CR21: Boys smoking attractive

Data file: ANGOLA\_Huambo\_10

### Overview

Valid: 1511 Invalid: 65

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	More attractive	608	40.2%
2	Less attractive	522	34.5%
3	No difference from non-smokers	381	25.2%
Sysmiss		65	

## CR22: Girls smoking attractive

Data file: ANGOLA\_Huambo\_10

### Overview

Valid: 1503 Invalid: 73

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	More attractive	638	42.4%
2	Less attractive	505	33.6%
3	No difference from non-smokers	360	24%
Sysmiss		73	

## CR24: Think smoking harmful to health

Data file: ANGOLA\_Huambo\_10

### Overview

Valid: 1533 Invalid: 43

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric



## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Definitely not	456	29.7%
2	Probably not	111	7.2%
3	Probably yes	354	23.1%
4	Definitely yes	612	39.9%
Sysmiss		43	

### CR25: Closest friends smoke

Data file: ANGOLA\_Huambo\_10

#### Overview

Valid: 1530 Invalid: 46

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	None of them	1212	79.2%
2	Some of them	265	17.3%
3	Most of them	44	2.9%
4	All of them	9	0.6%
Sysmiss		46	

### CR26: Opinion of man smoking

Data file: ANGOLA\_Huambo\_10

#### Overview

Valid: 1516 Invalid: 60

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Lacks confidence	971	64.1%
2	Stupid	430	28.4%

3	Loser	69	4.6%
4	Successful	21	1.4%
5	Intelligent	17	1.1%
6	Macho	8	0.5%
Sysmiss		60	

## CR27: Opinion of woman smoking

Data file: ANGOLA\_Huambo\_10

### Overview

Valid: 1549 Invalid: 27

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	Lacks confidence	951	61.4%
2	Stupid	475	30.7%
3	Loser	88	5.7%
4	Successful	16	1%
5	Intelligent	10	0.6%
6	Sophisticated	9	0.6%
Sysmiss		27	

## AOR32: Think other people smoking harmful and someone can die

Data file: ANGOLA\_Huambo\_10

### Overview

Valid: 1496 Invalid: 80

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	True	1160	77.5%
2	False	336	22.5%
Sysmiss		80	

**AOR33: Ask permission to smoke around others****Data file:** ANGOLA\_Huambo\_10**Overview**

Valid: 1496 Invalid: 80

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	819	54.7%
2	No	677	45.3%
Sysmiss		80	

**AOR34: Allow someone to smoke around you****Data file:** ANGOLA\_Huambo\_10**Overview**

Valid: 1506 Invalid: 70

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	377	25%
2	No	1129	75%
Sysmiss		70	

**CR29: Think other people smoking harmful****Data file:** ANGOLA\_Huambo\_10**Overview**

Valid: 1511 Invalid: 65

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Definitely not	393	26%
2	Probably not	120	7.9%
3	Probably yes	422	27.9%
4	Definitely yes	576	38.1%
Sysmiss		65	

### CR30: People smoked in home

Data file: ANGOLA\_Huambo\_10

#### Overview

Valid: 1507 Invalid: 69

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	0	1189	78.9%
2	1 to 2 days	201	13.3%
3	3 to 4 days	52	3.5%
4	5 to 6 days	23	1.5%
5	7 days	42	2.8%
Sysmiss		69	

### CR31: People smoked in places other than home

Data file: ANGOLA\_Huambo\_10

#### Overview

Valid: 1541 Invalid: 35

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	0	1153	74.8%
2	1 to 2 days	261	16.9%
3	3 to 4 days	56	3.6%
4	5 to 6 days	27	1.8%

5	7 days	44	2.9%
Sysmiss		35	

## CR32: Ban smoking in public places

Data file: ANGOLA\_Huambo\_10

### Overview

Valid: 1490 Invalid: 86

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	yes	1119	75.1%
2	no	371	24.9%
Sysmiss		86	

## CR34: Tried to stop smoking past year

Data file: ANGOLA\_Huambo\_10

### Overview

Valid: 1504 Invalid: 72

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1337	88.9%
2	I did not smoke during the past year	106	7%
3	Yes	33	2.2%
4	No	28	1.9%
Sysmiss		72	

## AOR43: Received help/advice stop smoking

Data file: ANGOLA\_Huambo\_10

### Overview

Valid: 1542 Invalid: 34

Type: Discrete    Decimal: 0    Range: 1 - 7    Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1357	88%
2	Yes, from a program or professional	87	5.6%
3	Yes, from a friend	33	2.1%
4	Yes, from a family member	40	2.6%
5	Yes, from both programs or professionals and from friends or family members	8	0.5%
6	Yes, from a religious person	7	0.5%
7	No	10	0.6%
Sysmiss		34	

## CR39: Anti-smoking messages media

Data file: ANGOLA\_Huambo\_10

### Overview

Valid: 1495    Invalid: 81

Type: Discrete    Decimal: 0    Range: 1 - 4    Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	A lot	914	61.1%
2	A few	295	19.7%
3	None	286	19.1%
Sysmiss		81	

## CR40: Anti-smoking messages events

Data file: ANGOLA\_Huambo\_10

### Overview

Valid: 1496    Invalid: 80

Type: Discrete    Decimal: 0    Range: 1 - 4    Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	I never go to sports events, fairs, concerts, community events, or social gatherings	705	47.1%
2	A lot	426	28.5%
3	Sometimes	203	13.6%
4	Never	162	10.8%
Sysmiss		80	

## CR42: Own product with tobacco brand logo

Data file: ANGOLA\_Huambo\_10

### Overview

Valid: 1502 Invalid: 74

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	yes	394	26.2%
2	no	1108	73.8%
Sysmiss		74	

## AOR47: Cigarette brand names TV programs

Data file: ANGOLA\_Huambo\_10

### Overview

Valid: 1500 Invalid: 76

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	I never watch TV	650	43.3%
2	I saw many in sports games	242	16.1%
3	I've seen it on tv in other programs than sports	288	19.2%
4	I've seen in both TV programs	65	4.3%
5	I've never seen it in any TV program	255	17%
Sysmiss		76	

**AOR48: Cigarette advertisement brand names radio****Data file:** ANGOLA\_Huambo\_10**Overview**

Valid: 1477    Invalid: 99

Type: Discrete    Decimal: 0    Range: 1 - 4    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	I never heard the radio	535	36.2%
2	A lot	579	39.2%
3	Sometimes	153	10.4%
4	Never	210	14.2%
Sysmiss		99	

**CR44: Cigarette advertisements billboards****Data file:** ANGOLA\_Huambo\_10**Overview**

Valid: 1525    Invalid: 51

Type: Discrete    Decimal: 0    Range: 1 - 3    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	A lot	629	41.2%
2	A few	339	22.2%
3	None	557	36.5%
Sysmiss		51	

**CR35: Time stopped smoking****Data file:** ANGOLA\_Huambo\_10**Overview**

Valid: 1548    Invalid: 28

Type: Discrete    Decimal: 0    Range: 1 - 3    Format: Numeric



## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1453	93.9%
2	I have not stopped smoking	57	3.7%
3	1-3 months	9	0.6%
4	4-11 months	7	0.5%
5	One year	4	0.3%
6	2 years	8	0.5%
7	3 years or longer	10	0.6%
Sysmiss		28	

### CR36: Main reason to stop smoking

Data file: ANGOLA\_Huambo\_10

#### Overview

Valid: 1528 Invalid: 48

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	I have never smoke	1388	90.8%
2	I have not stopped smoking	53	3.5%
3	To improve my health	52	3.4%
4	To save money	7	0.5%
5	Because my family does not like it	12	0.8%
6	Because my friends do not like it	10	0.7%
7	Other	6	0.4%
Sysmiss		48	

### CR37: Stop smoking if wanted to

Data file: ANGOLA\_Huambo\_10

#### Overview

Valid: 1512 Invalid: 64

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1321	87.4%
2	I have already stopped smoking cigarettes	83	5.5%
3	Yes	79	5.2%
4	No	29	1.9%
Sysmiss		64	

### CR45: Cigarette advertisements newspapers or magazines

Data file: ANGOLA\_Huambo\_10

#### Overview

Valid: 1499 Invalid: 77

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	A lot	603	40.2%
2	A few	326	21.7%
3	None	570	38%
Sysmiss		77	

### CR48: Taught dangers of smoking

Data file: ANGOLA\_Huambo\_10

#### Overview

Valid: 1478 Invalid: 98

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	846	57.2%
2	No	370	25%
3	Not sure	262	17.7%

Sysmiss		98	
---------	--	----	--

## CR50: Taught effects of smoking

Data file: ANGOLA\_Huambo\_10

### Overview

Valid: 1509 Invalid: 67

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	Yes	831	55.1%
2	No	461	30.6%
3	Not sure	217	14.4%
Sysmiss		67	

## CR51: Time since last lesson discuss smoking and health

Data file: ANGOLA\_Huambo\_10

### Overview

Valid: 1492 Invalid: 84

Type: Discrete Decimal: 0 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	Never	979	65.6%
2	This term	327	21.9%
3	Last term	53	3.6%
4	2 terms ago	50	3.4%
5	3 terms ago	14	0.9%
6	More than a year ago	69	4.6%
Sysmiss		84	

## STRATUM: stratum

Data file: ANGOLA\_Huambo\_10

**Overview**

Valid: 1576 Invalid: 0

Type: Discrete Decimal: 0 Range: 200001001 - 200001025 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
201001001		68	4.3%
201001002		59	3.7%
201001003		88	5.6%
201001004		260	16.5%
201001005		184	11.7%
201001006		110	7%
201001007		193	12.2%
201001008		168	10.7%
201001009		147	9.3%
201001010		65	4.1%
201001011		43	2.7%
201001012		124	7.9%
201001013		67	4.3%

**PSU: psu**

Data file: ANGOLA\_Huambo\_10

**Overview**

Valid: 1576 Invalid: 0

Type: Discrete Decimal: 0 Range: 1 - 50 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1		30	1.9%
2		38	2.4%
3		35	2.2%
4		24	1.5%
5		36	2.3%
6		52	3.3%
7		168	10.7%

8		92	5.8%
9		88	5.6%
10		96	6.1%
11		68	4.3%
12		42	2.7%
13		45	2.9%
14		148	9.4%
15		118	7.5%
16		50	3.2%
17		70	4.4%
18		77	4.9%
19		38	2.4%
20		27	1.7%
21		20	1.3%
22		23	1.5%
23		51	3.2%
24		73	4.6%
25		38	2.4%
26		29	1.8%

# study\_resources

## technical\_documents

### Angola All Schools Region 1 (HUAMBO) - Web Codebook 2010

---

title Angola All Schools Region 1 (HUAMBO) - Web Codebook 2010

country Angola

language English

filename GYTSAFRO2010\_Angola\_All\_Schools\_Region1\_HUAMBO\_Web\_Codebook\_20150622\_TAG508.pdf

---