

Global School-Based Student Health Survey 2016

Ministry of Health

report_generated_on: November 6, 2023

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER

BHR_2016_GSHS_v01_M

TITLE

Global School-Based Student Health Survey 2016

COUNTRY

Name	Country code
Bahrain	BHR

STUDY TYPE

Global School-Based Student Health Survey

SERIES INFORMATION

This is the first GSHS conducted by Bahrain.

ABSTRACT

The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA

Sample survey data [ssd]

UNIT OF ANALYSIS

Individuals

Version

VERSION DESCRIPTION

Public-use dataset

Scope

NOTES

The following core modules were included in the survey:

dietary behaviours
 drug use
 hygiene
 mental health
 physical activity
 protective factors
 tobacco use
 violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword
adolescents

school health
noncommunicable diseases
risk factors
protective factors
health surveys
diet
nutrition
drug use
hygiene
mental health
physical activity
tobacco use
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE

National

UNIVERSE

School-going adolescents aged 13-17 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
Ministry of Health

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE

A two-stage cluster sample design was used to produce data representative of all students in Grades 7-11 in Bahrain. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

The school response rate was 100%, the student response rate was 89%, and the overall response rate was 89%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

data_collection

DATES OF DATA COLLECTION

Start
2016

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

dietary behaviours

drug use

hygiene

mental health

physical activity

protective factors

tobacco use

violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

(1) to acknowledge the data source.

(2) to share any planned publications with WHO prior to publication.

(3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.

(4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_BHR_2016_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Melanie Cowan		World Health Organization	Documentation of data
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2020-02-12

DDI DOCUMENT VERSION

Identical to a metadata (BHR_2016_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
bhr2016 - national	7141	120
bhr2016-govt	3385	120
bhr2016-private	3756	120

Data file: bhr2016 - national

Cases: 7141

variables: 120

variables

ID	Name	Label	Question
V1	q1	Custom Age	How old are you?
V2	q2	Sex	What is your sex?
V3	q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V13	q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V15	q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V16	q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V17	q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V18	q18	Serious injury type	During the past 12 months, what was the most serious injury that happened to you?
V19	q19	Serious injury cause	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	q20	Bullied	During the past 30 days, on how many days were you bullied?
V21	q21	Bullied how	During the past 30 days, how were you bullied most often?
V22	q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V23	q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V24	q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V25	q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V27	q27	Close friends	How many close friends do you have?
V28	q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V29	q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V30	q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V33	q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V40	q40	Initiation of drug use	How old were you when you first used drugs?
V41	q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V49	q49	Physical activity past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?
V51	q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V52	q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V54	q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	qn6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V60	qn7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)

ID	Name	Label	Question
V61	qn8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V62	qn9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V63	qn10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V64	qn11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V65	qn12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V66	qn13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V67	qn14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V68	qn15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V69	qn16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V70	qn17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V71	qn18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V72	qn19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V73	qn20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V74	qn21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)
V75	qn22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V76	qn23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V77	qn24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V78	qn25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V79	qn26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V80	qn27	Did not have any close friends	Percentage of students who did not have any close friends
V81	qn28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V82	qn29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V83	qn30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V84	qn31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

ID	Name	Label	Question
V85	qn32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V86	qn33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V92	qn39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V93	qn40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V94	qn41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V95	qn42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V96	qn43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V102	qn49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V103	qn50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V104	qn51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V105	qn52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V106	qn53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V107	qn54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V108	qn55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V109	qn56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V110	qn57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V111	qn58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V112	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V113	qnowntg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V114	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V115	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V116	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V117	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V118	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V119	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)
V120	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V121	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V122	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V123	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V124	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V125	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V126	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V127	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V128	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V129	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V130	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V131	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V132	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V133	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V134	qnc1g	Ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk (one or more times during their life)
V135	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V136	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V137	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V138	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V139	weight		
V140	stratum		

ID	Name	Label	Question
V141	psu		

total: 120

Data file: bhr2016-govt

Cases: 3385

variables: 120

variables

ID	Name	Label	Question
V142	q1	Custom Age	How old are you?
V143	q2	Sex	What is your sex?
V144	q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V145	q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V146	q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V147	q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V148	q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V149	q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V150	q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V151	q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V152	q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V153	q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V154	q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V155	q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V156	q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V157	q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V158	q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V159	q18	Serious injury type	During the past 12 months, what was the most serious injury that happened to you?
V160	q19	Serious injury cause	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V161	q20	Bullied	During the past 30 days, on how many days were you bullied?
V162	q21	Bullied how	During the past 30 days, how were you bullied most often?
V163	q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V164	q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V165	q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V166	q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V167	q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V168	q27	Close friends	How many close friends do you have?
V169	q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V170	q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V171	q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V172	q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V173	q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V174	q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V181	q40	Initiation of drug use	How old were you when you first used drugs?
V182	q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V183	q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V184	q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V190	q49	Physical activity past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V191	q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?
V192	q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V193	q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V194	q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V195	q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V196	q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V197	q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V198	q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V199	q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V200	qn6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V201	qn7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)

ID	Name	Label	Question
V202	qn8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V203	qn9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V204	qn10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V205	qn11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V206	qn12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V207	qn13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V208	qn14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V209	qn15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V210	qn16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V211	qn17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V212	qn18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V213	qn19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V214	qn20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V215	qn21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)
V216	qn22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V217	qn23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V218	qn24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V219	qn25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V220	qn26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V221	qn27	Did not have any close friends	Percentage of students who did not have any close friends
V222	qn28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V223	qn29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V224	qn30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V225	qn31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

ID	Name	Label	Question
V226	qn32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V227	qn33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V233	qn39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V234	qn40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V235	qn41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V236	qn42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V237	qn43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V243	qn49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V244	qn50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V245	qn51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V246	qn52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V247	qn53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V248	qn54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V249	qn55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V250	qn56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V251	qn57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V252	qn58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V253	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V254	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V255	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V256	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V257	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V258	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V259	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V260	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)
V261	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V262	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V263	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V264	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V265	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V266	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V267	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V268	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V269	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V270	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V271	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V272	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V273	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V274	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V275	qnc1g	Ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk (one or more times during their life)
V276	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V277	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V278	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V279	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V280	weight		
V281	stratum		

ID	Name	Label	Question
V282	psu		

total: 120

Data file: bhr2016-private

Cases: 3756

variables: 120

variables

ID	Name	Label	Question
V283	q1	Custom Age	How old are you?
V284	q2	Sex	What is your sex?
V285	q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V286	q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V287	q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V288	q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V289	q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V290	q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V291	q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V292	q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V293	q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V294	q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V295	q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V296	q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V297	q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V298	q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V299	q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V300	q18	Serious injury type	During the past 12 months, what was the most serious injury that happened to you?
V301	q19	Serious injury cause	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V302	q20	Bullied	During the past 30 days, on how many days were you bullied?
V303	q21	Bullied how	During the past 30 days, how were you bullied most often?
V304	q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V305	q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V306	q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V307	q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V308	q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V309	q27	Close friends	How many close friends do you have?
V310	q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V311	q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V312	q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V313	q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V314	q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V315	q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V322	q40	Initiation of drug use	How old were you when you first used drugs?
V323	q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V324	q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V325	q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V331	q49	Physical activity past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V332	q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?
V333	q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V334	q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V335	q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V336	q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V337	q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V338	q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V339	q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V340	q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V341	qn6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V342	qn7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)

ID	Name	Label	Question
V343	qn8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V344	qn9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V345	qn10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V346	qn11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V347	qn12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V348	qn13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V349	qn14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V350	qn15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V351	qn16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V352	qn17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V353	qn18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V354	qn19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V355	qn20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V356	qn21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)
V357	qn22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V358	qn23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V359	qn24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V360	qn25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V361	qn26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V362	qn27	Did not have any close friends	Percentage of students who did not have any close friends
V363	qn28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V364	qn29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V365	qn30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V366	qn31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

ID	Name	Label	Question
V367	qn32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V368	qn33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V374	qn39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V375	qn40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V376	qn41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V377	qn42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V378	qn43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V384	qn49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V385	qn50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V386	qn51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V387	qn52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V388	qn53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V389	qn54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V390	qn55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V391	qn56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V392	qn57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V393	qn58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V394	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V395	qnowntg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V396	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V397	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V398	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V399	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V400	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V401	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)
V402	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V403	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V404	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V405	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V406	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V407	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V408	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V409	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V410	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V411	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V412	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V413	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V414	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V415	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V416	qnc1g	Ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk (one or more times during their life)
V417	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V418	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V419	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V420	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V421	weight		
V422	stratum		

ID	Name	Label	Question
V423	psu		

total: 120

Q1: Custom Age**Data file: bhr2016 - national****Overview**

Valid: 7137 Invalid: 4

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	188	2.6%
2	12 years old	1016	14.2%
3	13 years old	1541	21.6%
4	14 years old	1485	20.8%
5	15 years old	1313	18.4%
6	16 years old	1088	15.2%
7	17 years old	416	5.8%
8	18 years old or older	90	1.3%
Sysmiss		4	

Q10: Fast food eating**Data file: bhr2016 - national****Overview**

Valid: 7126 Invalid: 15

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1841	25.8%
2	1 day	2107	29.6%
3	2 days	1389	19.5%

4	3 days	783	11%
5	4 days	390	5.5%
6	5 days	231	3.2%
7	6 days	103	1.4%
8	7 days	282	4%
Sysmiss		15	

Q2: Sex

Data file: bhr2016 - national

Overview

Valid: 7134 Invalid: 7

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	3685	51.7%
2	Female	3449	48.3%
Sysmiss		7	

Q3: In what grade are you

Data file: bhr2016 - national

Overview

Valid: 7135 Invalid: 6

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Grade 7	1572	22%
2	Grade 8	1618	22.7%
3	Grade 9	1530	21.4%

4	Grade 10	1276	17.9%
5	Grade 11	1139	16%
6	Grade 12	0	0%
Sysmiss		6	

Q4: How tall are you

Data file: bhr2016 - national

Overview

Valid: 6948 Invalid: 193 Minimum: 1.27 Maximum: 1.98 Mean: 1.601 Standard deviation: 0.0983
Type: Continuous Decimal: 2 Width: 10 Range: 1.27 - 1.87 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: bhr2016 - national

Overview

Valid: 6948 Invalid: 193 Minimum: 22 Maximum: 161 Mean: 58.303 Standard deviation: 17.505
Type: Continuous Decimal: 2 Width: 10 Range: 28 - 116 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: bhr2016 - national

Overview

Valid: 7124 Invalid: 17
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	3220	45.2%
2	Rarely	1621	22.8%
3	Sometimes	1617	22.7%
4	Most of the time	531	7.5%
5	Always	135	1.9%
Sysmiss		17	

Q7: No fruit eating

Data file: bhr2016 - national

Overview

Valid: 7046 Invalid: 95

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	400	5.7%
2	Less than one time per day	2525	35.8%
3	1 time per day	1629	23.1%
4	2 times per day	1234	17.5%
5	3 times per day	575	8.2%
6	4 times per day	225	3.2%
7	5 or more times per day	458	6.5%
Sysmiss		95	

Q8: No vegetable eating**Data file: bhr2016 - national****Overview**

Valid: 7126 Invalid: 15

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	527	7.4%
2	Less than one time per day	2025	28.4%
3	1 time per day	1884	26.4%
4	2 times per day	1248	17.5%
5	3 times per day	643	9%
6	4 times per day	252	3.5%
7	5 or more times per day	547	7.7%
Sysmiss		15	

Q9: Soft drinks**Data file: bhr2016 - national****Overview**

Valid: 7109 Invalid: 32

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	1766	24.8%
2	Less than one time per day	3090	43.5%

3	1 time per day	1041	14.6%
4	2 times per day	584	8.2%
5	3 times per day	291	4.1%
6	4 times per day	98	1.4%
7	5 or more times per day	239	3.4%
Sysmiss		32	

Q11: Tooth brushing

Data file: bhr2016 - national

Overview

Valid: 7082 Invalid: 59

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	193	2.7%
2	Less than 1 time per day	544	7.7%
3	1 time per day	1752	24.7%
4	2 times per day	2968	41.9%
5	3 times per day	1102	15.6%
6	4 or more times per day	523	7.4%
Sysmiss		59	

Q12: Hand washing before eating

Data file: bhr2016 - national

Overview

Valid: 7103 Invalid: 38

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	158	2.2%
2	Rarely	386	5.4%
3	Sometimes	906	12.8%
4	Most of the time	1724	24.3%
5	Always	3929	55.3%
Sysmiss		38	

Q13: Hand washing after toilet

Data file: bhr2016 - national

Overview

Valid: 7097 Invalid: 44

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	93	1.3%
2	Rarely	164	2.3%
3	Sometimes	366	5.2%
4	Most of the time	873	12.3%
5	Always	5601	78.9%
Sysmiss		44	

Q14: Hand washing with soap

Data file: bhr2016 - national

Overview

Valid: 7083 Invalid: 58

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	87	1.2%
2	Rarely	215	3%
3	Sometimes	648	9.1%
4	Most of the time	1637	23.1%
5	Always	4496	63.5%
Sysmiss		58	

Q15: Physically attacked

Data file: bhr2016 - national

Overview

Valid: 7128 Invalid: 13

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	5091	71.4%
2	1 time	711	10%
3	2 or 3 times	640	9%
4	4 or 5 times	241	3.4%
5	6 or 7 times	99	1.4%
6	8 or 9 times	65	0.9%
7	10 or 11 times	46	0.6%
8	12 or more times	235	3.3%
Sysmiss		13	

Q16: Physical fighting**Data file: bhr2016 - national****Overview**

Valid: 7104 Invalid: 37

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	4239	59.7%
2	1 time	1029	14.5%
3	2 or 3 times	939	13.2%
4	4 or 5 times	323	4.5%
5	6 or 7 times	120	1.7%
6	8 or 9 times	110	1.5%
7	10 or 11 times	41	0.6%
8	12 or more times	303	4.3%
Sysmiss		37	

Q17: Seriously injured**Data file: bhr2016 - national****Overview**

Valid: 6271 Invalid: 870

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	3469	55.3%
2	1 time	1408	22.5%
3	2 or 3 times	882	14.1%
4	4 or 5 times	247	3.9%
5	6 or 7 times	86	1.4%
6	8 or 9 times	47	0.7%
7	10 or 11 times	28	0.4%
8	12 or more times	104	1.7%
Sysmiss		870	

Q18: Serious injury type

Data file: bhr2016 - national

Overview

Valid: 6426 Invalid: 715

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	4006	62.3%
2	Broken bone/dislocated joint	635	9.9%
3	I had a cut or stab wound	360	5.6%
4	Concussion/head injury	170	2.6%
5	I had a gunshot wound	47	0.7%
6	I had a bad burn	153	2.4%
7	I was poisoned	95	1.5%
8	Something else happened to me	960	14.9%
Sysmiss		715	

Q19: Serious injury cause

Data file: bhr2016 - national

Overview

Valid: 6399 Invalid: 742

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	4023	62.9%
2	Motor vehicle accident	121	1.9%
3	I fell	480	7.5%
4	Something fell on me or hit me	377	5.9%
5	I was attacked	142	2.2%
6	Was in a fire	55	0.9%
7	breathed something bad	59	0.9%
8	Something else	1142	17.8%
Sysmiss		742	

Q20: Bullied

Data file: bhr2016 - national

Overview

Valid: 6872 Invalid: 269

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	4951	72%

2	1 or 2 days	1114	16.2%
3	3 to 5 days	325	4.7%
4	6 to 9 days	148	2.2%
5	10 to 19 days	115	1.7%
6	20 to 29 days	49	0.7%
7	All 30 days	170	2.5%
Sysmiss		269	

Q21: Bullied how

Data file: bhr2016 - national

Overview

Valid: 6860 Invalid: 281

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	5247	76.5%
2	Kicked, pushed, or shoved	222	3.2%
3	Made fun of race	162	2.4%
4	Made fun because of religion	46	0.7%
5	Made fun of about sex	242	3.5%
6	Left out of activities	93	1.4%
7	Made fun of about body	299	4.4%
8	Some other way	549	8%
Sysmiss		281	

Q22: Felt lonely

Data file: bhr2016 - national

Overview

Valid: 7103 Invalid: 38

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	2557	36%
2	Rarely	1743	24.5%
3	Sometimes	1742	24.5%
4	Most of the time	782	11%
5	Always	279	3.9%
Sysmiss		38	

Q23: Could not sleep

Data file: bhr2016 - national

Overview

Valid: 7113 Invalid: 28

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	2382	33.5%
2	Rarely	1973	27.7%
3	Sometimes	1718	24.2%
4	Most of the time	772	10.9%
5	Always	268	3.8%
Sysmiss		28	

Q24: Considered suicide**Data file: bhr2016 - national****Overview**

Valid: 7010 Invalid: 131

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	953	13.6%
2	No	6057	86.4%
Sysmiss		131	

Q25: Made a suicide plan**Data file: bhr2016 - national****Overview**

Valid: 7078 Invalid: 63

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	951	13.4%
2	No	6127	86.6%
Sysmiss		63	

Q26: Attempted suicide**Data file: bhr2016 - national**

Overview

Valid: 7106 Invalid: 35

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	6284	88.4%
2	1 time	538	7.6%
3	2 or 3 times	155	2.2%
4	4 or 5 times	79	1.1%
5	6 or more times	50	0.7%
Sysmiss		35	

Q27: Close friends

Data file: bhr2016 - national

Overview

Valid: 7062 Invalid: 79

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	411	5.8%
2	1	662	9.4%
3	2	991	14%
4	3 or more	4998	70.8%
Sysmiss		79	

Q28: Initiation of cigarette use**Data file: bhr2016 - national****Overview**

Valid: 6931 Invalid: 210

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	5454	78.7%
2	7 years old or younger	197	2.8%
3	8 or 9 years old	195	2.8%
4	10 or 11 years old	311	4.5%
5	12 or 13 years old	432	6.2%
6	14 or 15 years old	281	4.1%
7	16 or 17 years old	59	0.9%
8	18 years old or older	2	0%
Sysmiss		210	

Q29: Current cigarette use**Data file: bhr2016 - national****Overview**

Valid: 7068 Invalid: 73

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	6274	88.8%
2	1 or 2 days	281	4%

3	3 to 5 days	109	1.5%
4	6 to 9 days	66	0.9%
5	10 to 19 days	70	1%
6	20 to 29 days	37	0.5%
7	All 30 days	231	3.3%
Sysmiss		73	

Q30: Other tobacco use

Data file: bhr2016 - national

Overview

Valid: 7117 Invalid: 24

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	6143	86.3%
2	1 or 2 days	444	6.2%
3	3 to 5 days	167	2.3%
4	6 to 9 days	115	1.6%
5	10 to 19 days	75	1.1%
6	20 to 29 days	43	0.6%
7	All 30 days	130	1.8%
Sysmiss		24	

Q31: Smoking cessation

Data file: bhr2016 - national

Overview

Valid: 6947 Invalid: 194

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	5733	82.5%
2	Did not smoke cigarettes	392	5.6%
3	Yes	571	8.2%
4	No	251	3.6%
Sysmiss		194	

Q32: Smoking in their presence

Data file: bhr2016 - national

Overview

Valid: 7109 Invalid: 32

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	2833	39.9%
2	1 or 2 days	1831	25.8%
3	3 or 4 days	689	9.7%
4	5 or 6 days	303	4.3%
5	All 7 days	1453	20.4%
Sysmiss		32	

Q33: Parental tobacco use

Data file: bhr2016 - national

Overview

Valid: 7082 Invalid: 59

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	5290	74.7%
2	My father or male guardian	989	14%
3	My mother or female guardian	103	1.5%
4	Both	170	2.4%
5	I do not know	530	7.5%
Sysmiss		59	

Q40: Initiation of drug use

Data file: bhr2016 - national

Overview

Valid: 6932 Invalid: 209

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	6727	97%
2	7 years old or younger	64	0.9%
3	8 or 9 years old	31	0.4%
4	10 or 11 years old	27	0.4%
5	12 or 13 years old	40	0.6%
6	14 or 15 years old	24	0.3%

7	16 or 17 years old	18	0.3%
8	18 years old or older	1	0%
Sysmiss		209	

Q41: Ever marijuana use

Data file: bhr2016 - national

Overview

Valid: 7035 Invalid: 106

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	6907	98.2%
2	1 or 2 times	52	0.7%
3	3 to 9 times	23	0.3%
4	10 to 19 times	24	0.3%
5	20 or more times	29	0.4%
Sysmiss		106	

Q42: Current marijuana use

Data file: bhr2016 - national

Overview

Valid: 7011 Invalid: 130

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	6913	98.6%
2	1 or 2 times	43	0.6%
3	3 to 9 times	18	0.3%
4	10 to 19 times	13	0.2%
5	20 or more times	24	0.3%
Sysmiss		130	

Q43: Amphetamine or methamphetamine use**Data file: bhr2016 - national****Overview**

Valid: 6997 Invalid: 144

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	6909	98.7%
2	1 or 2 times	35	0.5%
3	3 to 9 times	19	0.3%
4	10 to 19 times	9	0.1%
5	20 or more times	25	0.4%
Sysmiss		144	

Q49: Physical activity past 7 days**Data file: bhr2016 - national****Overview**

Valid: 7117 Invalid: 24

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	1453	20.4%
2	1 day	1053	14.8%
3	2 days	1083	15.2%
4	3 days	765	10.7%
5	4 days	524	7.4%
6	5 days	505	7.1%
7	6 days	259	3.6%
8	7 days	1475	20.7%
Sysmiss		24	

Q50: Walk or bike to school

Data file: bhr2016 - national

Overview

Valid: 7118 Invalid: 23

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	5511	77.4%
2	1 day	352	4.9%
3	2 days	238	3.3%
4	3 days	142	2%

5	4 days	92	1.3%
6	5 days	178	2.5%
7	6 days	49	0.7%
8	7 days	556	7.8%
Sysmiss		23	

Q51: PE attendance

Data file: bhr2016 - national

Overview

Valid: 7044 Invalid: 97

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	1185	16.8%
2	1 day	1627	23.1%
3	2 days	2103	29.9%
4	3 days	205	2.9%
5	4 days	140	2%
6	5 or more days	1784	25.3%
Sysmiss		97	

Q52: Sitting activities

Data file: bhr2016 - national

Overview

Valid: 7106 Invalid: 35

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	1105	15.6%
2	1 to 2 hours per day	1935	27.2%
3	3 to 4 hours per day	1767	24.9%
4	5 to 6 hours per day	999	14.1%
5	7 to 8 hours per day	411	5.8%
6	More than 8 hours per day	889	12.5%
Sysmiss		35	

Q53: Miss school no permission

Data file: bhr2016 - national

Overview

Valid: 7048 Invalid: 93

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	4445	63.1%
2	1 or 2 days	1767	25.1%
3	3 to 5 days	538	7.6%
4	6 to 9 days	152	2.2%
5	10 or more days	146	2.1%
Sysmiss		93	

Q54: Other students kind and helpful

Data file: bhr2016 - national

Overview

Valid: 7086 Invalid: 55

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	499	7%
2	Rarely	687	9.7%
3	Sometimes	1432	20.2%
4	Most of the time	1993	28.1%
5	Always	2475	34.9%
Sysmiss		55	

Q55: Parents check homework

Data file: bhr2016 - national

Overview

Valid: 7086 Invalid: 55

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	1257	17.7%
2	Rarely	959	13.5%
3	Sometimes	1337	18.9%
4	Most of the time	1344	19%
5	Always	2189	30.9%
Sysmiss		55	

Q56: Parents understand problems

Data file: bhr2016 - national

Overview

Valid: 7060 Invalid: 81

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	1088	15.4%
2	Rarely	935	13.2%
3	Sometimes	1314	18.6%
4	Most of the time	1363	19.3%
5	Always	2360	33.4%
Sysmiss		81	

Q57: Parents know about free time

Data file: bhr2016 - national

Overview

Valid: 7097 Invalid: 44

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	826	11.6%
2	Rarely	777	10.9%
3	Sometimes	1379	19.4%
4	Most of the time	1705	24%
5	Always	2410	34%
Sysmiss		44	

Q58: Parents go through their things**Data file: bhr2016 - national****Overview**

Valid: 7094 Invalid: 47 Mean: 1.81 Standard deviation: 1.167
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		4171	58.8%
2		1216	17.1%
3		939	13.2%
4		420	5.9%
5		348	4.9%
Sysmiss		47	

QN6: Most of the time or always went hungry**Data file: bhr2016 - national****Overview**

Valid: 7124 Invalid: 17 Mean: 1.907 Standard deviation: 0.291
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	666	9.3%
2	No	6458	90.7%
Sysmiss		17	

QN7: Did not eat fruit**Data file: bhr2016 - national****Overview**

Valid: 7046 Invalid: 95 Mean: 1.943 Standard deviation: 0.231
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	400	5.7%
2	No	6646	94.3%
Sysmiss		95	

QN8: Did not eat vegetables**Data file: bhr2016 - national****Overview**

Valid: 7126 Invalid: 15 Mean: 1.926 Standard deviation: 0.262
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	527	7.4%
2	No	6599	92.6%
Sysmiss		15	

QN9: Did not drink carbonated soft drinks**Data file: bhr2016 - national****Overview**

Valid: 7109 Invalid: 32 Mean: 1.752 Standard deviation: 0.432
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1766	24.8%
2	No	5343	75.2%
Sysmiss		32	

QN10: Did not eat food from a fast food restaurant

Data file: bhr2016 - national

Overview

Valid: 7126 Invalid: 15 Mean: 1.742 Standard deviation: 0.438
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1841	25.8%
2	No	5285	74.2%
Sysmiss		15	

QN11: Usually cleaned or brushed their teeth

Data file: bhr2016 - national

Overview

Valid: 7082 Invalid: 59 Mean: 1.104 Standard deviation: 0.305
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	6345	89.6%
2	No	737	10.4%
Sysmiss		59	

QN12: Never or rarely washed their hands before eating

Data file: bhr2016 - national

Overview

Valid: 7103 Invalid: 38 Mean: 1.923 Standard deviation: 0.266
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	544	7.7%
2	No	6559	92.3%
Sysmiss		38	

QN13: Never or rarely washed their hands after using the toilet or latrine

Data file: bhr2016 - national

Overview

Valid: 7097 Invalid: 44 Mean: 1.964 Standard deviation: 0.187
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	257	3.6%
2	No	6840	96.4%
Sysmiss		44	

QN14: Never or rarely used soap when washing their hands**Data file: bhr2016 - national****Overview**

Valid: 7083 Invalid: 58 Mean: 1.957 Standard deviation: 0.202
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	302	4.3%
2	No	6781	95.7%
Sysmiss		58	

QN15: Were physically attacked**Data file: bhr2016 - national****Overview**

Valid: 7128 Invalid: 13 Mean: 1.714 Standard deviation: 0.452
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2037	28.6%
2	No	5091	71.4%
Sysmiss		13	

QN16: Were in a physical fight**Data file: bhr2016 - national****Overview**

Valid: 7104 Invalid: 37 Mean: 1.597 Standard deviation: 0.491
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2865	40.3%
2	No	4239	59.7%
Sysmiss		37	

QN17: Were seriously injured

Data file: bhr2016 - national

Overview

Valid: 6271 Invalid: 870 Mean: 1.553 Standard deviation: 0.497
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2802	44.7%
2	No	3469	55.3%
Sysmiss		870	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: bhr2016 - national

Overview

Valid: 2420 Invalid: 4721 Mean: 1.738 Standard deviation: 0.44
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	635	26.2%
2	No	1785	73.8%
Sysmiss		4721	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: bhr2016 - national

Overview

Valid: 2376 Invalid: 4765 Mean: 1.949 Standard deviation: 0.22
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	121	5.1%
2	No	2255	94.9%
Sysmiss		4765	

QN20: Were bullied

Data file: bhr2016 - national

Overview

Valid: 6872 Invalid: 269 Mean: 1.72 Standard deviation: 0.449
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1921	28%
2	No	4951	72%
Sysmiss		269	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

Data file: bhr2016 - national

Overview

Valid: 1613 Invalid: 5528 Mean: 1.862 Standard deviation: 0.345
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	222	13.8%
2	No	1391	86.2%
Sysmiss		5528	

QN22: Most of the time or always felt lonely

Data file: bhr2016 - national

Overview

Valid: 7103 Invalid: 38 Mean: 1.851 Standard deviation: 0.356
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1061	14.9%
2	No	6042	85.1%
Sysmiss		38	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: bhr2016 - national

Overview

Valid: 7113 Invalid: 28 Mean: 1.854 Standard deviation: 0.353
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1040	14.6%
2	No	6073	85.4%
Sysmiss		28	

QN24: Seriously considered attempting suicide

Data file: bhr2016 - national

Overview

Valid: 7010 Invalid: 131 Mean: 1.864 Standard deviation: 0.343
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	953	13.6%
2	No	6057	86.4%
Sysmiss		131	

QN25: Made a plan about how they would attempt suicide

Data file: bhr2016 - national

Overview

Valid: 7078 Invalid: 63 Mean: 1.866 Standard deviation: 0.341
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	951	13.4%
2	No	6127	86.6%
Sysmiss		63	

QN26: Attempted suicide**Data file: bhr2016 - national****Overview**

Valid: 7106 Invalid: 35 Mean: 1.884 Standard deviation: 0.32
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	822	11.6%
2	No	6284	88.4%
Sysmiss		35	

QN27: Did not have any close friends**Data file: bhr2016 - national****Overview**

Valid: 7062 Invalid: 79 Mean: 1.942 Standard deviation: 0.234
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1	Yes	411	5.8%
2	No	6651	94.2%
Sysmiss		79	

QN28: Tried a cigarette before age 14 years**Data file: bhr2016 - national****Overview**

Valid: 1477 Invalid: 5664 Mean: 1.232 Standard deviation: 0.422
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1	Yes	1135	76.8%
2	No	342	23.2%
Sysmiss		5664	

QN29: Currently smoked cigarettes**Data file: bhr2016 - national****Overview**

Valid: 7068 Invalid: 73 Mean: 1.888 Standard deviation: 0.316
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	794	11.2%
2	No	6274	88.8%
Sysmiss		73	

QN30: Currently used any tobacco products other than cigarettes**Data file: bhr2016 - national****Overview**

Valid: 7117 Invalid: 24 Mean: 1.863 Standard deviation: 0.344
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	974	13.7%
2	No	6143	86.3%
Sysmiss		24	

QN31: Tried to quit smoking cigarettes

Data file: bhr2016 - national

Overview

Valid: 822 Invalid: 6319 Mean: 1.305 Standard deviation: 0.461
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	571	69.5%
2	No	251	30.5%
Sysmiss		6319	

QN32: Reported that people smoked in their presence

Data file: bhr2016 - national

Overview

Valid: 7109 Invalid: 32 Mean: 1.399 Standard deviation: 0.49
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	4276	60.1%
2	No	2833	39.9%
Sysmiss		32	

QN33: Had parents or guardians who used any form of tobacco

Data file: bhr2016 - national

Overview

Valid: 7082 Invalid: 59 Mean: 1.822 Standard deviation: 0.383
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	1262	17.8%
2	No	5820	82.2%
Sysmiss		59	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: bhr2016 - national

Overview

Valid: 0 Invalid: 7141
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QN40: Used drugs before age 14 years**Data file: bhr2016 - national****Overview**

Valid: 205 Invalid: 6936 Mean: 1.21 Standard deviation: 0.408
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1	Yes	162	79%
2	No	43	21%
Sysmiss		6936	

QN41: Ever used marijuana**Data file: bhr2016 - national****Overview**

Valid: 7035 Invalid: 106 Mean: 1.982 Standard deviation: 0.134
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	128	1.8%
2	No	6907	98.2%
Sysmiss		106	

QN42: Currently used marijuana**Data file: bhr2016 - national****Overview**

Valid: 7011 Invalid: 130 Mean: 1.986 Standard deviation: 0.117
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	98	1.4%
2	No	6913	98.6%
Sysmiss		130	

QN43: Ever used amphetamines or methamphetamines

Data file: bhr2016 - national

Overview

Valid: 6997 Invalid: 144 Mean: 1.987 Standard deviation: 0.111
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	88	1.3%
2	No	6909	98.7%
Sysmiss		144	

QN49: Were not physically active

Data file: bhr2016 - national

Overview

Valid: 7117 Invalid: 24 Mean: 1.796 Standard deviation: 0.403
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1453	20.4%
2	No	5664	79.6%
Sysmiss		24	

QN50: Did not walk or ride a bicycle to or from school

Data file: bhr2016 - national

Overview

Valid: 7118 Invalid: 23 Mean: 1.226 Standard deviation: 0.418
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	5511	77.4%
2	No	1607	22.6%
Sysmiss		23	

QN51: Did not attend physical education classes

Data file: bhr2016 - national

Overview

Valid: 7044 Invalid: 97 Mean: 1.832 Standard deviation: 0.374
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	1185	16.8%
2	No	5859	83.2%
Sysmiss		97	

QN52: Spent three or more hours per day doing sitting activities**Data file: bhr2016 - national****Overview**

Valid: 7106 Invalid: 35 Mean: 1.428 Standard deviation: 0.495
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
1	Yes	4066	57.2%
2	No	3040	42.8%
Sysmiss		35	

QN53: Missed classes or school without permission**Data file: bhr2016 - national****Overview**

Valid: 7048 Invalid: 93 Mean: 1.631 Standard deviation: 0.483
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2603	36.9%
2	No	4445	63.1%
Sysmiss		93	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful**Data file: bhr2016 - national****Overview**

Valid: 7086 Invalid: 55 Mean: 1.369 Standard deviation: 0.483
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	4468	63.1%
2	No	2618	36.9%
Sysmiss		55	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: bhr2016 - national

Overview

Valid: 7086 Invalid: 55 Mean: 1.501 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3533	49.9%
2	No	3553	50.1%
Sysmiss		55	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: bhr2016 - national

Overview

Valid: 7060 Invalid: 81 Mean: 1.473 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems

and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3723	52.7%
2	No	3337	47.3%
Sysmiss		81	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: bhr2016 - national

Overview

Valid: 7097 Invalid: 44 Mean: 1.42 Standard deviation: 0.494
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	4115	58%
2	No	2982	42%
Sysmiss		44	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: bhr2016 - national

Overview

Valid: 7094 Invalid: 47 Mean: 1.241 Standard deviation: 0.427
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	5387	75.9%

2	No	1707	24.1%
Sysmiss		47	

QNUNWTG: Were underweight

Data file: bhr2016 - national

Overview

Valid: 6948 Invalid: 193 Mean: 1.956 Standard deviation: 0.206
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	309	4.4%
2	No	6639	95.6%
Sysmiss		193	

QNOWTG: Were overweight

Data file: bhr2016 - national

Overview

Valid: 6948 Invalid: 193 Mean: 1.595 Standard deviation: 0.491
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	2815	40.5%
2	No	4133	59.5%
Sysmiss		193	

QNOBESEG: Were obese

Data file: bhr2016 - national

Overview

Valid: 6948 Invalid: 193 Mean: 1.818 Standard deviation: 0.386
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	1267	18.2%
2	No	5681	81.8%
Sysmiss		193	

QNFR1G: Usually ate fruit less than one time per day

Data file: bhr2016 - national

Overview

Valid: 7046 Invalid: 95 Mean: 1.642 Standard deviation: 0.48
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2525	35.8%
2	No	4521	64.2%
Sysmiss		95	

QNFR1G: Usually ate fruit one or more times per day

Data file: bhr2016 - national

Overview

Valid: 7046 Invalid: 95 Mean: 1.415 Standard deviation: 0.493
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	4121	58.5%
2	No	2925	41.5%
Sysmiss		95	

QNFR2G: Usually ate fruit two or more times per day**Data file: bhr2016 - national****Overview**

Valid: 7046 Invalid: 95 Mean: 1.646 Standard deviation: 0.478
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2492	35.4%
2	No	4554	64.6%
Sysmiss		95	

QNFR3G: Usually ate fruit three or more times per day**Data file: bhr2016 - national****Overview**

Valid: 7046 Invalid: 95 Mean: 1.821 Standard deviation: 0.383
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1258	17.9%
2	No	5788	82.1%
Sysmiss		95	

QNVEGLG: Usually ate vegetables less than one time per day**Data file: bhr2016 - national****Overview**

Valid: 7126 Invalid: 15 Mean: 1.716 Standard deviation: 0.451
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2025	28.4%
2	No	5101	71.6%
Sysmiss		15	

QNVEG1G: Usually ate vegetables one or more times per day**Data file: bhr2016 - national****Overview**

Valid: 7126 Invalid: 15 Mean: 1.358 Standard deviation: 0.479
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	4574	64.2%
2	No	2552	35.8%
Sysmiss		15	

QNVEG2G: Usually ate vegetables two or more times per day**Data file: bhr2016 - national****Overview**

Valid: 7126 Invalid: 15 Mean: 1.623 Standard deviation: 0.485
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2690	37.7%
2	No	4436	62.3%
Sysmiss		15	

QNVEG3G: Usually ate vegetables three or more times per day

Data file: bhr2016 - national

Overview

Valid: 7126 Invalid: 15 Mean: 1.798 Standard deviation: 0.402
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1442	20.2%
2	No	5684	79.8%
Sysmiss		15	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: bhr2016 - national

Overview

Valid: 7109 Invalid: 32 Mean: 1.565 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	3090	43.5%
2	No	4019	56.5%
Sysmiss		32	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day

Data file: bhr2016 - national

Overview

Valid: 7109 Invalid: 32 Mean: 1.683 Standard deviation: 0.465
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2253	31.7%
2	No	4856	68.3%
Sysmiss		32	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day

Data file: bhr2016 - national

Overview

Valid: 7109 Invalid: 32 Mean: 1.83 Standard deviation: 0.376
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1212	17%
2	No	5897	83%
Sysmiss		32	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day**Data file: bhr2016 - national****Overview**

Valid: 7109 Invalid: 32 Mean: 1.912 Standard deviation: 0.284
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	628	8.8%
2	No	6481	91.2%
Sysmiss		32	

QNFF1G: Ate food from a fast food restaurant one or more days**Data file: bhr2016 - national****Overview**

Valid: 7126 Invalid: 15 Mean: 1.258 Standard deviation: 0.438
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	5285	74.2%
2	No	1841	25.8%
Sysmiss		15	

QNFF2G: Ate food from a fast food restaurant two or more days**Data file: bhr2016 - national****Overview**

Valid: 7126 Invalid: 15 Mean: 1.554 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3178	44.6%
2	No	3948	55.4%
Sysmiss		15	

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: bhr2016 - national

Overview

Valid: 7126 Invalid: 15 Mean: 1.749 Standard deviation: 0.434
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1789	25.1%
2	No	5337	74.9%
Sysmiss		15	

QNC2G: Were bullied and could not sleep at night

Data file: bhr2016 - national

Overview

Valid: 984 Invalid: 6157 Mean: 1.555 Standard deviation: 0.497
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	438	44.5%
2	No	546	55.5%
Sysmiss		6157	

QNTOB2G: Currently used any tobacco product

Data file: bhr2016 - national

Overview

Valid: 7096 Invalid: 45 Mean: 1.833 Standard deviation: 0.373
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1182	16.7%
2	No	5914	83.3%
Sysmiss		45	

QNNOTB2G: Did not currently use any tobacco products

Data file: bhr2016 - national

Overview

Valid: 7053 Invalid: 88 Mean: 1.161 Standard deviation: 0.368
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	5914	83.9%
2	No	1139	16.1%
Sysmiss		88	

QNBCANYG: Used a method of birth control**Data file:** bhr2016 - national**Overview**

Valid: 0 Invalid: 7141

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk**Data file:** bhr2016 - national**Overview**

Valid: 0 Invalid: 7141

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days**Data file:** bhr2016 - national**Overview**

Valid: 7117 Invalid: 24 Mean: 1.685 Standard deviation: 0.464

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2239	31.5%
2	No	4878	68.5%
Sysmiss		24	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: bhr2016 - national

Overview

Valid: 7117 Invalid: 24 Mean: 1.793 Standard deviation: 0.405
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1475	20.7%
2	No	5642	79.3%
Sysmiss		24	

QNPE3G: Attended physical education classes on three or more days

Data file: bhr2016 - national

Overview

Valid: 7044 Invalid: 97 Mean: 1.698 Standard deviation: 0.459
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	2129	30.2%
2	No	4915	69.8%
Sysmiss		97	

QNPE5G: Attended physical education classes on five or more days

Data file: bhr2016 - national

Overview

Valid: 7044 Invalid: 97 Mean: 1.747 Standard deviation: 0.435
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	1784	25.3%
2	No	5260	74.7%
Sysmiss		97	

WEIGHT:

Data file: bhr2016 - national

Overview

Valid: 7141 Invalid: 0 Mean: 9.781 Standard deviation: 5.662
 Type: Continuous Decimal: 0 Width: 10 Range: 42.0329 - 329.5608 Format: Numeric

STRATUM:

Data file: bhr2016 - national

Overview

Valid: 7141 Invalid: 0 Mean: 201601534.991 Standard deviation: 500.464
 Type: Discrete Decimal: 0 Width: 10 Range: 201501001 - 201501019 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

201601001		181	2.5%
201601002		155	2.2%
201601003		248	3.5%
201601004		203	2.8%
201601005		212	3%
201601006		199	2.8%
201601007		242	3.4%
201601008		224	3.1%
201601009		211	3%
201601010		196	2.7%
201601011		214	3%
201601012		214	3%
201601013		208	2.9%
201601014		239	3.3%
201601015		173	2.4%
201601016		266	3.7%
201602001		777	10.9%
201602002		312	4.4%
201602003		215	3%
201602004		194	2.7%
201602005		158	2.2%
201602006		132	1.8%
201602007		166	2.3%
201602008		151	2.1%
201602009		157	2.2%
201602010		146	2%
201602011		51	0.7%
201602012		122	1.7%
201602013		104	1.5%
201602014		126	1.8%
201602015		78	1.1%
201602016		62	0.9%
201602017		82	1.1%
201602018		70	1%
201602019		59	0.8%
201602020		62	0.9%
201602021		51	0.7%
201602022		52	0.7%
201602023		87	1.2%

201602024		96	1.3%
201602025		75	1.1%
201602026		75	1.1%
201602027		96	1.3%

PSU:**Data file: bhr2016 - national****Overview**

Valid: 7141 Invalid: 0 Mean: 48.339 Standard deviation: 46.795

Type: Continuous Decimal: 0 Width: 10 Range: 1 - 38 Format: Numeric

Q1: Custom Age**Data file: bhr2016-govt****Overview**

Valid: 3381 Invalid: 4

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	17	0.5%
2	12 years old	313	9.3%
3	13 years old	691	20.4%
4	14 years old	704	20.8%
5	15 years old	677	20%
6	16 years old	640	18.9%
7	17 years old	268	7.9%
8	18 years old or older	71	2.1%
Sysmiss		4	

Q2: Sex**Data file: bhr2016-govt****Overview**

Valid: 3384 Invalid: 1

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1698	50.2%
2	Female	1686	49.8%
Sysmiss		1	

Q3: In what grade are you**Data file: bhr2016-govt****Overview**

Valid: 3382 Invalid: 3
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Grade 7	648	19.2%
2	Grade 8	789	23.3%
3	Grade 9	666	19.7%
4	Grade 10	675	20%
5	Grade 11	604	17.9%
6	Grade 12	0	0%
Sysmiss		3	

Q4: How tall are you**Data file: bhr2016-govt****Overview**

Valid: 3267 Invalid: 118 Minimum: 1.27 Maximum: 1.98 Mean: 1.606 Standard deviation: 0.0972
 Type: Continuous Decimal: 2 Width: 10 Range: 1.27 - 1.87 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh**Data file: bhr2016-govt****Overview**

Valid: 3267 Invalid: 118 Minimum: 28 Maximum: 161 Mean: 58.942 Standard deviation: 18.036
 Type: Continuous Decimal: 2 Width: 10 Range: 28 - 116 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: bhr2016-govt

Overview

Valid: 3372 Invalid: 13

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1416	42%
2	Rarely	786	23.3%
3	Sometimes	745	22.1%
4	Most of the time	328	9.7%
5	Always	97	2.9%
Sysmiss		13	

Q7: No fruit eating

Data file: bhr2016-govt

Overview

Valid: 3327 Invalid: 58

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	208	6.3%
2	Less than one time per day	1622	48.8%
3	1 time per day	506	15.2%
4	2 times per day	375	11.3%
5	3 times per day	231	6.9%
6	4 times per day	105	3.2%
7	5 or more times per day	280	8.4%
Sysmiss		58	

Q8: No vegetable eating

Data file: bhr2016-govt

Overview

Valid: 3377 Invalid: 8

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	307	9.1%
2	Less than one time per day	1347	39.9%
3	1 time per day	810	24%
4	2 times per day	368	10.9%
5	3 times per day	162	4.8%
6	4 times per day	91	2.7%
7	5 or more times per day	292	8.6%
Sysmiss		8	

Q9: Soft drinks

Data file: bhr2016-govt

Overview

Valid: 3368 Invalid: 17

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	655	19.4%
2	Less than one time per day	1462	43.4%
3	1 time per day	507	15.1%
4	2 times per day	315	9.4%
5	3 times per day	188	5.6%
6	4 times per day	68	2%
7	5 or more times per day	173	5.1%
Sysmiss		17	

Q10: Fast food eating

Data file: bhr2016-govt

Overview

Valid: 3373 Invalid: 12

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	876	26%
2	1 day	841	24.9%
3	2 days	645	19.1%
4	3 days	406	12%

5	4 days	214	6.3%
6	5 days	140	4.2%
7	6 days	61	1.8%
8	7 days	190	5.6%
Sysmiss		12	

Q11: Tooth brushing

Data file: bhr2016-govt

Overview

Valid: 3345 Invalid: 40

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	157	4.7%
2	Less than 1 time per day	418	12.5%
3	1 time per day	739	22.1%
4	2 times per day	1049	31.4%
5	3 times per day	636	19%
6	4 or more times per day	346	10.3%
Sysmiss		40	

Q12: Hand washing before eating

Data file: bhr2016-govt

Overview

Valid: 3366 Invalid: 19

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	102	3%
2	Rarely	206	6.1%
3	Sometimes	407	12.1%
4	Most of the time	689	20.5%
5	Always	1962	58.3%
Sysmiss		19	

Q13: Hand washing after toilet

Data file: bhr2016-govt

Overview

Valid: 3359 Invalid: 26

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	58	1.7%
2	Rarely	101	3%
3	Sometimes	197	5.9%
4	Most of the time	389	11.6%
5	Always	2614	77.8%
Sysmiss		26	

Q14: Hand washing with soap

Data file: bhr2016-govt

Overview

Valid: 3350 Invalid: 35

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	45	1.3%
2	Rarely	102	3%
3	Sometimes	239	7.1%
4	Most of the time	687	20.5%
5	Always	2277	68%
Sysmiss		35	

Q15: Physically attacked

Data file: bhr2016-govt

Overview

Valid: 3377 Invalid: 8

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	2519	74.6%
2	1 time	313	9.3%
3	2 or 3 times	239	7.1%
4	4 or 5 times	102	3%
5	6 or 7 times	52	1.5%
6	8 or 9 times	23	0.7%
7	10 or 11 times	15	0.4%
8	12 or more times	114	3.4%
Sysmiss		8	

Q16: Physical fighting**Data file:** bhr2016-govt**Overview**

Valid: 3359 Invalid: 26

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	1954	58.2%
2	1 time	495	14.7%
3	2 or 3 times	459	13.7%
4	4 or 5 times	150	4.5%
5	6 or 7 times	54	1.6%
6	8 or 9 times	56	1.7%
7	10 or 11 times	21	0.6%
8	12 or more times	170	5.1%
Sysmiss		26	

Q17: Seriously injured**Data file:** bhr2016-govt**Overview**

Valid: 2968 Invalid: 417

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	1641	55.3%
2	1 time	662	22.3%
3	2 or 3 times	418	14.1%
4	4 or 5 times	104	3.5%
5	6 or 7 times	43	1.4%
6	8 or 9 times	26	0.9%
7	10 or 11 times	17	0.6%
8	12 or more times	57	1.9%
Sysmiss		417	

Q18: Serious injury type

Data file: bhr2016-govt

Overview

Valid: 3022 Invalid: 363

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1854	61.4%
2	Broken bone/dislocated joint	298	9.9%
3	I had a cut or stab wound	150	5%
4	Concussion/head injury	92	3%
5	I had a gunshot wound	33	1.1%
6	I had a bad burn	84	2.8%
7	I was poisoned	68	2.3%
8	Something else happened to me	443	14.7%
Sysmiss		363	

Q19: Serious injury cause

Data file: bhr2016-govt

Overview

Valid: 3029 Invalid: 356

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1900	62.7%
2	Motor vehicle accident	64	2.1%
3	I fell	96	3.2%
4	Something fell on me or hit me	197	6.5%
5	I was attacked	74	2.4%
6	Was in a fire	20	0.7%
7	breathed something bad	33	1.1%
8	Something else	645	21.3%
Sysmiss		356	

Q20: Bullied

Data file: bhr2016-govt

Overview

Valid: 3245 Invalid: 140

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	2287	70.5%

2	1 or 2 days	560	17.3%
3	3 to 5 days	155	4.8%
4	6 to 9 days	67	2.1%
5	10 to 19 days	55	1.7%
6	20 to 29 days	21	0.6%
7	All 30 days	100	3.1%
Sysmiss		140	

Q21: Bullied how

Data file: bhr2016-govt

Overview

Valid: 3242 Invalid: 143

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	2465	76%
2	Kicked, pushed, or shoved	115	3.5%
3	Made fun of race	79	2.4%
4	Made fun because of religion	30	0.9%
5	Made fun of about sex	134	4.1%
6	Left out of activities	33	1%
7	Made fun of about body	125	3.9%
8	Some other way	261	8.1%
Sysmiss		143	

Q22: Felt lonely

Data file: bhr2016-govt

Overview

Valid: 3365 Invalid: 20

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	1209	35.9%
2	Rarely	843	25.1%
3	Sometimes	736	21.9%
4	Most of the time	424	12.6%
5	Always	153	4.5%
Sysmiss		20	

Q23: Could not sleep

Data file: bhr2016-govt

Overview

Valid: 3363 Invalid: 22

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	1025	30.5%
2	Rarely	965	28.7%
3	Sometimes	774	23%
4	Most of the time	440	13.1%
5	Always	159	4.7%
Sysmiss		22	

Q24: Considered suicide**Data file:** bhr2016-govt**Overview**

Valid: 3295 Invalid: 90

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	558	16.9%
2	No	2737	83.1%
Sysmiss		90	

Q25: Made a suicide plan**Data file:** bhr2016-govt**Overview**

Valid: 3340 Invalid: 45

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	499	14.9%
2	No	2841	85.1%
Sysmiss		45	

Q26: Attempted suicide**Data file:** bhr2016-govt

Overview

Valid: 3366 Invalid: 19

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	2877	85.5%
2	1 time	327	9.7%
3	2 or 3 times	86	2.6%
4	4 or 5 times	41	1.2%
5	6 or more times	35	1%
Sysmiss		19	

Q27: Close friends

Data file: bhr2016-govt

Overview

Valid: 3338 Invalid: 47

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	194	5.8%
2	1	285	8.5%
3	2	436	13.1%
4	3 or more	2423	72.6%
Sysmiss		47	

Q28: Initiation of cigarette use**Data file:** bhr2016-govt**Overview**

Valid: 3267 Invalid: 118

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2224	68.1%
2	7 years old or younger	138	4.2%
3	8 or 9 years old	161	4.9%
4	10 or 11 years old	229	7%
5	12 or 13 years old	304	9.3%
6	14 or 15 years old	171	5.2%
7	16 or 17 years old	38	1.2%
8	18 years old or older	2	0.1%
Sysmiss		118	

Q29: Current cigarette use**Data file:** bhr2016-govt**Overview**

Valid: 3330 Invalid: 55

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	2735	82.1%
2	1 or 2 days	184	5.5%

3	3 to 5 days	81	2.4%
4	6 to 9 days	50	1.5%
5	10 to 19 days	52	1.6%
6	20 to 29 days	26	0.8%
7	All 30 days	202	6.1%
Sysmiss		55	

Q30: Other tobacco use

Data file: bhr2016-govt

Overview

Valid: 3369 Invalid: 16

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	2705	80.3%
2	1 or 2 days	288	8.5%
3	3 to 5 days	123	3.7%
4	6 to 9 days	72	2.1%
5	10 to 19 days	54	1.6%
6	20 to 29 days	31	0.9%
7	All 30 days	96	2.8%
Sysmiss		16	

Q31: Smoking cessation

Data file: bhr2016-govt

Overview

Valid: 3270 Invalid: 115

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2418	73.9%
2	Did not smoke cigarettes	265	8.1%
3	Yes	397	12.1%
4	No	190	5.8%
Sysmiss		115	

Q32: Smoking in their presence

Data file: bhr2016-govt

Overview

Valid: 3362 Invalid: 23

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	1014	30.2%
2	1 or 2 days	845	25.1%
3	3 or 4 days	339	10.1%
4	5 or 6 days	155	4.6%
5	All 7 days	1009	30%
Sysmiss		23	

Q33: Parental tobacco use

Data file: bhr2016-govt

Overview

Valid: 3346 Invalid: 39

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	2515	75.2%
2	My father or male guardian	458	13.7%
3	My mother or female guardian	51	1.5%
4	Both	98	2.9%
5	I do not know	224	6.7%
Sysmiss		39	

Q40: Initiation of drug use

Data file: bhr2016-govt

Overview

Valid: 3254 Invalid: 131

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	3150	96.8%
2	7 years old or younger	39	1.2%
3	8 or 9 years old	16	0.5%
4	10 or 11 years old	14	0.4%
5	12 or 13 years old	23	0.7%
6	14 or 15 years old	7	0.2%

7	16 or 17 years old	4	0.1%
8	18 years old or older	1	0%
Sysmiss		131	

Q41: Ever marijuana use

Data file: bhr2016-govt

Overview

Valid: 3323 Invalid: 62

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	3243	97.6%
2	1 or 2 times	34	1%
3	3 to 9 times	12	0.4%
4	10 to 19 times	17	0.5%
5	20 or more times	17	0.5%
Sysmiss		62	

Q42: Current marijuana use

Data file: bhr2016-govt

Overview

Valid: 3302 Invalid: 83

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	3235	98%
2	1 or 2 times	28	0.8%
3	3 to 9 times	13	0.4%
4	10 to 19 times	9	0.3%
5	20 or more times	17	0.5%
Sysmiss		83	

Q43: Amphetamine or methamphetamine use**Data file:** bhr2016-govt**Overview**

Valid: 3298 Invalid: 87

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	3237	98.2%
2	1 or 2 times	24	0.7%
3	3 to 9 times	15	0.5%
4	10 to 19 times	6	0.2%
5	20 or more times	16	0.5%
Sysmiss		87	

Q49: Physical activity past 7 days**Data file:** bhr2016-govt**Overview**

Valid: 3369 Invalid: 16

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	821	24.4%
2	1 day	560	16.6%
3	2 days	560	16.6%
4	3 days	326	9.7%
5	4 days	194	5.8%
6	5 days	190	5.6%
7	6 days	82	2.4%
8	7 days	636	18.9%
Sysmiss		16	

Q50: Walk or bike to school

Data file: bhr2016-govt

Overview

Valid: 3370 Invalid: 15

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	2313	68.6%
2	1 day	222	6.6%
3	2 days	152	4.5%
4	3 days	82	2.4%

5	4 days	49	1.5%
6	5 days	113	3.4%
7	6 days	26	0.8%
8	7 days	413	12.3%
Sysmiss		15	

Q51: PE attendance

Data file: bhr2016-govt

Overview

Valid: 3320 Invalid: 65

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	306	9.2%
2	1 day	274	8.3%
3	2 days	1377	41.5%
4	3 days	92	2.8%
5	4 days	94	2.8%
6	5 or more days	1177	35.5%
Sysmiss		65	

Q52: Sitting activities

Data file: bhr2016-govt

Overview

Valid: 3362 Invalid: 23

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	558	16.6%
2	1 to 2 hours per day	811	24.1%
3	3 to 4 hours per day	736	21.9%
4	5 to 6 hours per day	503	15%
5	7 to 8 hours per day	206	6.1%
6	More than 8 hours per day	548	16.3%
Sysmiss		23	

Q53: Miss school no permission

Data file: bhr2016-govt

Overview

Valid: 3330 Invalid: 55

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	1640	49.2%
2	1 or 2 days	1136	34.1%
3	3 to 5 days	350	10.5%
4	6 to 9 days	98	2.9%
5	10 or more days	106	3.2%
Sysmiss		55	

Q54: Other students kind and helpful

Data file: bhr2016-govt

Overview

Valid: 3343 Invalid: 42

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	283	8.5%
2	Rarely	295	8.8%
3	Sometimes	526	15.7%
4	Most of the time	776	23.2%
5	Always	1463	43.8%
Sysmiss		42	

Q55: Parents check homework

Data file: bhr2016-govt

Overview

Valid: 3345 Invalid: 40

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	511	15.3%
2	Rarely	475	14.2%
3	Sometimes	562	16.8%
4	Most of the time	630	18.8%
5	Always	1167	34.9%
Sysmiss		40	

Q56: Parents understand problems

Data file: bhr2016-govt

Overview

Valid: 3337 Invalid: 48

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	574	17.2%
2	Rarely	434	13%
3	Sometimes	604	18.1%
4	Most of the time	616	18.5%
5	Always	1109	33.2%
Sysmiss		48	

Q57: Parents know about free time

Data file: bhr2016-govt

Overview

Valid: 3356 Invalid: 29

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	499	14.9%
2	Rarely	402	12%
3	Sometimes	669	19.9%
4	Most of the time	722	21.5%
5	Always	1064	31.7%
Sysmiss		29	

Q58: Parents go through their things**Data file: bhr2016-govt****Overview**

Valid: 3357 Invalid: 28 Mean: 1.596 Standard deviation: 1.074
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		2342	69.8%
2		448	13.3%
3		278	8.3%
4		160	4.8%
5		129	3.8%
Sysmiss		28	

QN6: Most of the time or always went hungry**Data file: bhr2016-govt****Overview**

Valid: 3372 Invalid: 13 Mean: 1.874 Standard deviation: 0.332
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	425	12.6%
2	No	2947	87.4%
Sysmiss		13	

QN7: Did not eat fruit**Data file:** bhr2016-govt**Overview**

Valid: 3327 Invalid: 58 Mean: 1.937 Standard deviation: 0.242
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	208	6.3%
2	No	3119	93.7%
Sysmiss		58	

QN8: Did not eat vegetables**Data file:** bhr2016-govt**Overview**

Valid: 3377 Invalid: 8 Mean: 1.909 Standard deviation: 0.288
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	307	9.1%
2	No	3070	90.9%
Sysmiss		8	

QN9: Did not drink carbonated soft drinks**Data file:** bhr2016-govt**Overview**

Valid: 3368 Invalid: 17 Mean: 1.806 Standard deviation: 0.396
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	655	19.4%
2	No	2713	80.6%
Sysmiss		17	

QN10: Did not eat food from a fast food restaurant

Data file: bhr2016-govt

Overview

Valid: 3373 Invalid: 12 Mean: 1.74 Standard deviation: 0.439
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	876	26%
2	No	2497	74%
Sysmiss		12	

QN11: Usually cleaned or brushed their teeth

Data file: bhr2016-govt

Overview

Valid: 3345 Invalid: 40 Mean: 1.172 Standard deviation: 0.377
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2770	82.8%
2	No	575	17.2%
Sysmiss		40	

QN12: Never or rarely washed their hands before eating

Data file: bhr2016-govt

Overview

Valid: 3366 Invalid: 19 Mean: 1.908 Standard deviation: 0.288
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	308	9.2%
2	No	3058	90.8%
Sysmiss		19	

QN13: Never or rarely washed their hands after using the toilet or latrine

Data file: bhr2016-govt

Overview

Valid: 3359 Invalid: 26 Mean: 1.953 Standard deviation: 0.212
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	159	4.7%
2	No	3200	95.3%
Sysmiss		26	

QN14: Never or rarely used soap when washing their hands**Data file:** bhr2016-govt**Overview**

Valid: 3350 Invalid: 35 Mean: 1.956 Standard deviation: 0.205
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	147	4.4%
2	No	3203	95.6%
Sysmiss		35	

QN15: Were physically attacked**Data file:** bhr2016-govt**Overview**

Valid: 3377 Invalid: 8 Mean: 1.746 Standard deviation: 0.435
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	858	25.4%
2	No	2519	74.6%
Sysmiss		8	

QN16: Were in a physical fight**Data file:** bhr2016-govt**Overview**

Valid: 3359 Invalid: 26 Mean: 1.582 Standard deviation: 0.493
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1405	41.8%
2	No	1954	58.2%
Sysmiss		26	

QN17: Were seriously injured

Data file: bhr2016-govt

Overview

Valid: 2968 Invalid: 417 Mean: 1.553 Standard deviation: 0.497
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1327	44.7%
2	No	1641	55.3%
Sysmiss		417	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: bhr2016-govt

Overview

Valid: 1168 Invalid: 2217 Mean: 1.745 Standard deviation: 0.436
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	298	25.5%
2	No	870	74.5%
Sysmiss		2217	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: bhr2016-govt

Overview

Valid: 1129 Invalid: 2256 Mean: 1.943 Standard deviation: 0.231
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	64	5.7%
2	No	1065	94.3%
Sysmiss		2256	

QN20: Were bullied

Data file: bhr2016-govt

Overview

Valid: 3245 Invalid: 140 Mean: 1.705 Standard deviation: 0.456
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	958	29.5%
2	No	2287	70.5%
Sysmiss		140	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

Data file: bhr2016-govt

Overview

Valid: 777 Invalid: 2608 Mean: 1.852 Standard deviation: 0.355
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	115	14.8%
2	No	662	85.2%
Sysmiss		2608	

QN22: Most of the time or always felt lonely

Data file: bhr2016-govt

Overview

Valid: 3365 Invalid: 20 Mean: 1.829 Standard deviation: 0.377
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	577	17.1%
2	No	2788	82.9%
Sysmiss		20	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: bhr2016-govt

Overview

Valid: 3363 Invalid: 22 Mean: 1.822 Standard deviation: 0.383
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	599	17.8%
2	No	2764	82.2%
Sysmiss		22	

QN24: Seriously considered attempting suicide

Data file: bhr2016-govt

Overview

Valid: 3295 Invalid: 90 Mean: 1.831 Standard deviation: 0.375
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	558	16.9%
2	No	2737	83.1%
Sysmiss		90	

QN25: Made a plan about how they would attempt suicide

Data file: bhr2016-govt

Overview

Valid: 3340 Invalid: 45 Mean: 1.851 Standard deviation: 0.357
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	499	14.9%
2	No	2841	85.1%
Sysmiss		45	

QN26: Attempted suicide**Data file:** bhr2016-govt**Overview**

Valid: 3366 Invalid: 19 Mean: 1.855 Standard deviation: 0.352
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	489	14.5%
2	No	2877	85.5%
Sysmiss		19	

QN27: Did not have any close friends**Data file:** bhr2016-govt**Overview**

Valid: 3338 Invalid: 47 Mean: 1.942 Standard deviation: 0.234
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1	Yes	194	5.8%
2	No	3144	94.2%
Sysmiss		47	

QN28: Tried a cigarette before age 14 years**Data file:** bhr2016-govt**Overview**

Valid: 1043 Invalid: 2342 Mean: 1.202 Standard deviation: 0.402
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1	Yes	832	79.8%
2	No	211	20.2%
Sysmiss		2342	

QN29: Currently smoked cigarettes**Data file:** bhr2016-govt**Overview**

Valid: 3330 Invalid: 55 Mean: 1.821 Standard deviation: 0.383
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	595	17.9%
2	No	2735	82.1%
Sysmiss		55	

QN30: Currently used any tobacco products other than cigarettes**Data file:** bhr2016-govt**Overview**

Valid: 3369 Invalid: 16 Mean: 1.803 Standard deviation: 0.398
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	664	19.7%
2	No	2705	80.3%
Sysmiss		16	

QN31: Tried to quit smoking cigarettes

Data file: bhr2016-govt

Overview

Valid: 587 Invalid: 2798 Mean: 1.324 Standard deviation: 0.468
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	397	67.6%
2	No	190	32.4%
Sysmiss		2798	

QN32: Reported that people smoked in their presence

Data file: bhr2016-govt

Overview

Valid: 3362 Invalid: 23 Mean: 1.302 Standard deviation: 0.459
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2348	69.8%
2	No	1014	30.2%
Sysmiss		23	

QN33: Had parents or guardians who used any form of tobacco

Data file: bhr2016-govt

Overview

Valid: 3346 Invalid: 39 Mean: 1.819 Standard deviation: 0.385
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	607	18.1%
2	No	2739	81.9%
Sysmiss		39	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: bhr2016-govt

Overview

Valid: 0 Invalid: 3385
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QN40: Used drugs before age 14 years**Data file:** bhr2016-govt**Overview**

Valid: 104 Invalid: 3281 Mean: 1.115 Standard deviation: 0.321
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1	Yes	92	88.5%
2	No	12	11.5%
Sysmiss		3281	

QN41: Ever used marijuana**Data file:** bhr2016-govt**Overview**

Valid: 3323 Invalid: 62 Mean: 1.976 Standard deviation: 0.153
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	80	2.4%
2	No	3243	97.6%
Sysmiss		62	

QN42: Currently used marijuana**Data file:** bhr2016-govt**Overview**

Valid: 3302 Invalid: 83 Mean: 1.98 Standard deviation: 0.141
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	67	2%
2	No	3235	98%
Sysmiss		83	

QN43: Ever used amphetamines or methamphetamines

Data file: bhr2016-govt

Overview

Valid: 3298 Invalid: 87 Mean: 1.982 Standard deviation: 0.135
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	61	1.8%
2	No	3237	98.2%
Sysmiss		87	

QN49: Were not physically active

Data file: bhr2016-govt

Overview

Valid: 3369 Invalid: 16 Mean: 1.756 Standard deviation: 0.429
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	821	24.4%
2	No	2548	75.6%
Sysmiss		16	

QN50: Did not walk or ride a bicycle to or from school

Data file: bhr2016-govt

Overview

Valid: 3370 Invalid: 15 Mean: 1.314 Standard deviation: 0.464
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2313	68.6%
2	No	1057	31.4%
Sysmiss		15	

QN51: Did not attend physical education classes

Data file: bhr2016-govt

Overview

Valid: 3320 Invalid: 65 Mean: 1.908 Standard deviation: 0.289
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	306	9.2%
2	No	3014	90.8%
Sysmiss		65	

QN52: Spent three or more hours per day doing sitting activities**Data file:** bhr2016-govt**Overview**

Valid: 3362 Invalid: 23 Mean: 1.407 Standard deviation: 0.491
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
1	Yes	1993	59.3%
2	No	1369	40.7%
Sysmiss		23	

QN53: Missed classes or school without permission**Data file:** bhr2016-govt**Overview**

Valid: 3330 Invalid: 55 Mean: 1.492 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1690	50.8%
2	No	1640	49.2%
Sysmiss		55	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful**Data file:** bhr2016-govt**Overview**

Valid: 3343 Invalid: 42 Mean: 1.33 Standard deviation: 0.47
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2239	67%
2	No	1104	33%
Sysmiss		42	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: bhr2016-govt

Overview

Valid: 3345 Invalid: 40 Mean: 1.463 Standard deviation: 0.499
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1797	53.7%
2	No	1548	46.3%
Sysmiss		40	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: bhr2016-govt

Overview

Valid: 3337 Invalid: 48 Mean: 1.483 Standard deviation: 0.5
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems

and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1725	51.7%
2	No	1612	48.3%
Sysmiss		48	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: bhr2016-govt

Overview

Valid: 3356 Invalid: 29 Mean: 1.468 Standard deviation: 0.499
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1786	53.2%
2	No	1570	46.8%
Sysmiss		29	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: bhr2016-govt

Overview

Valid: 3357 Invalid: 28 Mean: 1.169 Standard deviation: 0.375
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2790	83.1%

2	No	567	16.9%
Sysmiss		28	

QNUNWTG: Were underweight

Data file: bhr2016-govt

Overview

Valid: 3267 Invalid: 118 Mean: 1.944 Standard deviation: 0.229
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	182	5.6%
2	No	3085	94.4%
Sysmiss		118	

QNOWTG: Were overweight

Data file: bhr2016-govt

Overview

Valid: 3267 Invalid: 118 Mean: 1.616 Standard deviation: 0.487
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	1256	38.4%
2	No	2011	61.6%
Sysmiss		118	

QNOBESEG: Were obese

Data file: bhr2016-govt

Overview

Valid: 3267 Invalid: 118 Mean: 1.817 Standard deviation: 0.387
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese ($> +2SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	597	18.3%
2	No	2670	81.7%
Sysmiss		118	

QNFR1G: Usually ate fruit less than one time per day

Data file: bhr2016-govt

Overview

Valid: 3327 Invalid: 58 Mean: 1.512 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1622	48.8%
2	No	1705	51.2%
Sysmiss		58	

QNFR1G: Usually ate fruit one or more times per day

Data file: bhr2016-govt

Overview

Valid: 3327 Invalid: 58 Mean: 1.55 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1497	45%
2	No	1830	55%
Sysmiss		58	

QNFR2G: Usually ate fruit two or more times per day**Data file:** bhr2016-govt**Overview**

Valid: 3327 Invalid: 58 Mean: 1.702 Standard deviation: 0.457
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	991	29.8%
2	No	2336	70.2%
Sysmiss		58	

QNFR3G: Usually ate fruit three or more times per day**Data file:** bhr2016-govt**Overview**

Valid: 3327 Invalid: 58 Mean: 1.815 Standard deviation: 0.388
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	616	18.5%
2	No	2711	81.5%
Sysmiss		58	

QNVEGLG: Usually ate vegetables less than one time per day**Data file:** bhr2016-govt**Overview**

Valid: 3377 Invalid: 8 Mean: 1.601 Standard deviation: 0.49
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1347	39.9%
2	No	2030	60.1%
Sysmiss		8	

QNVEG1G: Usually ate vegetables one or more times per day**Data file:** bhr2016-govt**Overview**

Valid: 3377 Invalid: 8 Mean: 1.49 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1723	51%
2	No	1654	49%
Sysmiss		8	

QNVEG2G: Usually ate vegetables two or more times per day**Data file:** bhr2016-govt**Overview**

Valid: 3377 Invalid: 8 Mean: 1.73 Standard deviation: 0.444
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	913	27%
2	No	2464	73%
Sysmiss		8	

QNVEG3G: Usually ate vegetables three or more times per day

Data file: bhr2016-govt

Overview

Valid: 3377 Invalid: 8 Mean: 1.839 Standard deviation: 0.368
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	545	16.1%
2	No	2832	83.9%
Sysmiss		8	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: bhr2016-govt

Overview

Valid: 3368 Invalid: 17 Mean: 1.566 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1462	43.4%
2	No	1906	56.6%
Sysmiss		17	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day

Data file: bhr2016-govt

Overview

Valid: 3368 Invalid: 17 Mean: 1.629 Standard deviation: 0.483
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1251	37.1%
2	No	2117	62.9%
Sysmiss		17	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day

Data file: bhr2016-govt

Overview

Valid: 3368 Invalid: 17 Mean: 1.779 Standard deviation: 0.415
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	744	22.1%
2	No	2624	77.9%
Sysmiss		17	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day**Data file:** bhr2016-govt**Overview**

Valid: 3368 Invalid: 17 Mean: 1.873 Standard deviation: 0.333
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	429	12.7%
2	No	2939	87.3%
Sysmiss		17	

QNFF1G: Ate food from a fast food restaurant one or more days**Data file:** bhr2016-govt**Overview**

Valid: 3373 Invalid: 12 Mean: 1.26 Standard deviation: 0.439
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2497	74%
2	No	876	26%
Sysmiss		12	

QNFF2G: Ate food from a fast food restaurant two or more days**Data file:** bhr2016-govt**Overview**

Valid: 3373 Invalid: 12 Mean: 1.509 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1656	49.1%
2	No	1717	50.9%
Sysmiss		12	

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: bhr2016-govt

Overview

Valid: 3373 Invalid: 12 Mean: 1.7 Standard deviation: 0.458
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1011	30%
2	No	2362	70%
Sysmiss		12	

QNC2G: Were bullied and could not sleep at night

Data file: bhr2016-govt

Overview

Valid: 570 Invalid: 2815 Mean: 1.549 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	257	45.1%
2	No	313	54.9%
Sysmiss		2815	

QNTOB2G: Currently used any tobacco product

Data file: bhr2016-govt

Overview

Valid: 3350 Invalid: 35 Mean: 1.756 Standard deviation: 0.43
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	819	24.4%
2	No	2531	75.6%
Sysmiss		35	

QNNOTB2G: Did not currently use any tobacco products

Data file: bhr2016-govt

Overview

Valid: 3322 Invalid: 63 Mean: 1.238 Standard deviation: 0.426
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2531	76.2%
2	No	791	23.8%
Sysmiss		63	

QNBCANYG: Used a method of birth control**Data file:** bhr2016-govt**Overview**

Valid: 0 Invalid: 3385

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk**Data file:** bhr2016-govt**Overview**

Valid: 0 Invalid: 3385

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days**Data file:** bhr2016-govt**Overview**

Valid: 3369 Invalid: 16 Mean: 1.73 Standard deviation: 0.444

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	908	27%
2	No	2461	73%
Sysmiss		16	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: bhr2016-govt

Overview

Valid: 3369 Invalid: 16 Mean: 1.811 Standard deviation: 0.391
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	636	18.9%
2	No	2733	81.1%
Sysmiss		16	

QNPE3G: Attended physical education classes on three or more days

Data file: bhr2016-govt

Overview

Valid: 3320 Invalid: 65 Mean: 1.589 Standard deviation: 0.492
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	1363	41.1%
2	No	1957	58.9%
Sysmiss		65	

QNPE5G: Attended physical education classes on five or more days

Data file: bhr2016-govt

Overview

Valid: 3320 Invalid: 65 Mean: 1.645 Standard deviation: 0.478
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	1177	35.5%
2	No	2143	64.5%
Sysmiss		65	

WEIGHT:

Data file: bhr2016-govt

Overview

Valid: 3385 Invalid: 0 Mean: 15.421 Standard deviation: 2.489
 Type: Continuous Decimal: 0 Width: 10 Range: 42.0329 - 329.5608 Format: Numeric

STRATUM:

Data file: bhr2016-govt

Overview

Valid: 3385 Invalid: 0 Mean: 201601008.706 Standard deviation: 34.441
 Type: Discrete Decimal: 0 Width: 10 Range: 201501001 - 201501019 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

201601001		181	5.3%
201601002		155	4.6%
201601003		248	7.3%
201601004		203	6%
201601005		212	6.3%
201601006		199	5.9%
201601007		242	7.1%
201601008		224	6.6%
201601009		211	6.2%
201601010		196	5.8%
201601011		214	6.3%
201601012		214	6.3%
201601013		208	6.1%
201601014		239	7.1%
201601015		173	5.1%
201601016		266	7.9%

PSU:**Data file:** bhr2016-govt**Overview**

Valid: 3385 Invalid: 0 Mean: 16.896 Standard deviation: 9.15
 Type: Continuous Decimal: 0 Width: 10 Range: 1 - 38 Format: Numeric

Q1: Custom Age**Data file: bhr2016-private****Overview**

Valid: 3756 Invalid: 0

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	171	4.6%
2	12 years old	703	18.7%
3	13 years old	850	22.6%
4	14 years old	781	20.8%
5	15 years old	636	16.9%
6	16 years old	448	11.9%
7	17 years old	148	3.9%
8	18 years old or older	19	0.5%

Q2: Sex**Data file: bhr2016-private****Overview**

Valid: 3750 Invalid: 6

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1987	53%
2	Female	1763	47%
Sysmiss		6	

Q3: In what grade are you**Data file: bhr2016-private****Overview**

Valid: 3753 Invalid: 3

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Grade 7	924	24.6%
2	Grade 8	829	22.1%
3	Grade 9	864	23%
4	Grade 10	601	16%
5	Grade 11	535	14.3%
6	Grade 12	0	0%
Sysmiss		3	

Q4: How tall are you**Data file: bhr2016-private****Overview**

Valid: 3681 Invalid: 75 Minimum: 1.28 Maximum: 1.97 Mean: 1.598 Standard deviation: 0.0991

Type: Continuous Decimal: 2 Width: 10 Range: 1.27 - 1.87 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh**Data file: bhr2016-private****Overview**

Valid: 3681 Invalid: 75 Minimum: 22 Maximum: 156 Mean: 57.736 Standard deviation: 17.003

Type: Continuous Decimal: 2 Width: 10 Range: 28 - 116 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: bhr2016-private

Overview

Valid: 3752 Invalid: 4

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1804	48.1%
2	Rarely	835	22.3%
3	Sometimes	872	23.2%
4	Most of the time	203	5.4%
5	Always	38	1%
Sysmiss		4	

Q7: No fruit eating

Data file: bhr2016-private

Overview

Valid: 3719 Invalid: 37

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	192	5.2%
2	Less than one time per day	903	24.3%
3	1 time per day	1123	30.2%
4	2 times per day	859	23.1%
5	3 times per day	344	9.2%
6	4 times per day	120	3.2%
7	5 or more times per day	178	4.8%
Sysmiss		37	

Q8: No vegetable eating

Data file: bhr2016-private

Overview

Valid: 3749 Invalid: 7

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	220	5.9%
2	Less than one time per day	678	18.1%
3	1 time per day	1074	28.6%
4	2 times per day	880	23.5%
5	3 times per day	481	12.8%
6	4 times per day	161	4.3%
7	5 or more times per day	255	6.8%
Sysmiss		7	

Q9: Soft drinks

Data file: bhr2016-private

Overview

Valid: 3741 Invalid: 15

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	1111	29.7%
2	Less than one time per day	1628	43.5%
3	1 time per day	534	14.3%
4	2 times per day	269	7.2%
5	3 times per day	103	2.8%
6	4 times per day	30	0.8%
7	5 or more times per day	66	1.8%
Sysmiss		15	

Q10: Fast food eating

Data file: bhr2016-private

Overview

Valid: 3753 Invalid: 3

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	965	25.7%
2	1 day	1266	33.7%
3	2 days	744	19.8%
4	3 days	377	10%

5	4 days	176	4.7%
6	5 days	91	2.4%
7	6 days	42	1.1%
8	7 days	92	2.5%
Sysmiss		3	

Q11: Tooth brushing

Data file: bhr2016-private

Overview

Valid: 3737 Invalid: 19

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	36	1%
2	Less than 1 time per day	126	3.4%
3	1 time per day	1013	27.1%
4	2 times per day	1919	51.4%
5	3 times per day	466	12.5%
6	4 or more times per day	177	4.7%
Sysmiss		19	

Q12: Hand washing before eating

Data file: bhr2016-private

Overview

Valid: 3737 Invalid: 19

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	56	1.5%
2	Rarely	180	4.8%
3	Sometimes	499	13.4%
4	Most of the time	1035	27.7%
5	Always	1967	52.6%
Sysmiss		19	

Q13: Hand washing after toilet

Data file: bhr2016-private

Overview

Valid: 3738 Invalid: 18

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	35	0.9%
2	Rarely	63	1.7%
3	Sometimes	169	4.5%
4	Most of the time	484	12.9%
5	Always	2987	79.9%
Sysmiss		18	

Q14: Hand washing with soap

Data file: bhr2016-private

Overview

Valid: 3733 Invalid: 23

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	42	1.1%
2	Rarely	113	3%
3	Sometimes	409	11%
4	Most of the time	950	25.4%
5	Always	2219	59.4%
Sysmiss		23	

Q15: Physically attacked

Data file: bhr2016-private

Overview

Valid: 3751 Invalid: 5

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	2572	68.6%
2	1 time	398	10.6%
3	2 or 3 times	401	10.7%
4	4 or 5 times	139	3.7%
5	6 or 7 times	47	1.3%
6	8 or 9 times	42	1.1%
7	10 or 11 times	31	0.8%
8	12 or more times	121	3.2%
Sysmiss		5	

Q16: Physical fighting**Data file:** bhr2016-private**Overview**

Valid: 3745 Invalid: 11

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	2285	61%
2	1 time	534	14.3%
3	2 or 3 times	480	12.8%
4	4 or 5 times	173	4.6%
5	6 or 7 times	66	1.8%
6	8 or 9 times	54	1.4%
7	10 or 11 times	20	0.5%
8	12 or more times	133	3.6%
Sysmiss		11	

Q17: Seriously injured**Data file:** bhr2016-private**Overview**

Valid: 3303 Invalid: 453

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	1828	55.3%
2	1 time	746	22.6%
3	2 or 3 times	464	14%
4	4 or 5 times	143	4.3%
5	6 or 7 times	43	1.3%
6	8 or 9 times	21	0.6%
7	10 or 11 times	11	0.3%
8	12 or more times	47	1.4%
Sysmiss		453	

Q18: Serious injury type

Data file: bhr2016-private

Overview

Valid: 3404 Invalid: 352

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2152	63.2%
2	Broken bone/dislocated joint	337	9.9%
3	I had a cut or stab wound	210	6.2%
4	Concussion/head injury	78	2.3%
5	I had a gunshot wound	14	0.4%
6	I had a bad burn	69	2%
7	I was poisoned	27	0.8%
8	Something else happened to me	517	15.2%
Sysmiss		352	

Q19: Serious injury cause

Data file: bhr2016-private

Overview

Valid: 3370 Invalid: 386

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2123	63%
2	Motor vehicle accident	57	1.7%
3	I fell	384	11.4%
4	Something fell on me or hit me	180	5.3%
5	I was attacked	68	2%
6	Was in a fire	35	1%
7	breathed something bad	26	0.8%
8	Something else	497	14.7%
Sysmiss		386	

Q20: Bullied

Data file: bhr2016-private

Overview

Valid: 3627 Invalid: 129

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	2664	73.4%

2	1 or 2 days	554	15.3%
3	3 to 5 days	170	4.7%
4	6 to 9 days	81	2.2%
5	10 to 19 days	60	1.7%
6	20 to 29 days	28	0.8%
7	All 30 days	70	1.9%
Sysmiss		129	

Q21: Bullied how

Data file: bhr2016-private

Overview

Valid: 3618 Invalid: 138

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	2782	76.9%
2	Kicked, pushed, or shoved	107	3%
3	Made fun of race	83	2.3%
4	Made fun because of religion	16	0.4%
5	Made fun of about sex	108	3%
6	Left out of activities	60	1.7%
7	Made fun of about body	174	4.8%
8	Some other way	288	8%
Sysmiss		138	

Q22: Felt lonely

Data file: bhr2016-private

Overview

Valid: 3738 Invalid: 18

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	1348	36.1%
2	Rarely	900	24.1%
3	Sometimes	1006	26.9%
4	Most of the time	358	9.6%
5	Always	126	3.4%
Sysmiss		18	

Q23: Could not sleep

Data file: bhr2016-private

Overview

Valid: 3750 Invalid: 6

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	1357	36.2%
2	Rarely	1008	26.9%
3	Sometimes	944	25.2%
4	Most of the time	332	8.9%
5	Always	109	2.9%
Sysmiss		6	

Q24: Considered suicide**Data file:** bhr2016-private**Overview**

Valid: 3715 Invalid: 41

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	395	10.6%
2	No	3320	89.4%
Sysmiss		41	

Q25: Made a suicide plan**Data file:** bhr2016-private**Overview**

Valid: 3738 Invalid: 18

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	452	12.1%
2	No	3286	87.9%
Sysmiss		18	

Q26: Attempted suicide**Data file:** bhr2016-private

Overview

Valid: 3740 Invalid: 16

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	3407	91.1%
2	1 time	211	5.6%
3	2 or 3 times	69	1.8%
4	4 or 5 times	38	1%
5	6 or more times	15	0.4%
Sysmiss		16	

Q27: Close friends

Data file: bhr2016-private

Overview

Valid: 3724 Invalid: 32

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	217	5.8%
2	1	377	10.1%
3	2	555	14.9%
4	3 or more	2575	69.1%
Sysmiss		32	

Q28: Initiation of cigarette use**Data file:** bhr2016-private**Overview**

Valid: 3664 Invalid: 92

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	3230	88.2%
2	7 years old or younger	59	1.6%
3	8 or 9 years old	34	0.9%
4	10 or 11 years old	82	2.2%
5	12 or 13 years old	128	3.5%
6	14 or 15 years old	110	3%
7	16 or 17 years old	21	0.6%
8	18 years old or older	0	0%
Sysmiss		92	

Q29: Current cigarette use**Data file:** bhr2016-private**Overview**

Valid: 3738 Invalid: 18

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	3539	94.7%
2	1 or 2 days	97	2.6%

3	3 to 5 days	28	0.7%
4	6 to 9 days	16	0.4%
5	10 to 19 days	18	0.5%
6	20 to 29 days	11	0.3%
7	All 30 days	29	0.8%
Sysmiss		18	

Q30: Other tobacco use

Data file: bhr2016-private

Overview

Valid: 3748 Invalid: 8

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	3438	91.7%
2	1 or 2 days	156	4.2%
3	3 to 5 days	44	1.2%
4	6 to 9 days	43	1.1%
5	10 to 19 days	21	0.6%
6	20 to 29 days	12	0.3%
7	All 30 days	34	0.9%
Sysmiss		8	

Q31: Smoking cessation

Data file: bhr2016-private

Overview

Valid: 3677 Invalid: 79

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	3315	90.2%
2	Did not smoke cigarettes	127	3.5%
3	Yes	174	4.7%
4	No	61	1.7%
Sysmiss		79	

Q32: Smoking in their presence

Data file: bhr2016-private

Overview

Valid: 3747 Invalid: 9

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	1819	48.5%
2	1 or 2 days	986	26.3%
3	3 or 4 days	350	9.3%
4	5 or 6 days	148	3.9%
5	All 7 days	444	11.8%
Sysmiss		9	

Q33: Parental tobacco use

Data file: bhr2016-private

Overview

Valid: 3736 Invalid: 20

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	2775	74.3%
2	My father or male guardian	531	14.2%
3	My mother or female guardian	52	1.4%
4	Both	72	1.9%
5	I do not know	306	8.2%
Sysmiss		20	

Q40: Initiation of drug use

Data file: bhr2016-private

Overview

Valid: 3678 Invalid: 78

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	3577	97.3%
2	7 years old or younger	25	0.7%
3	8 or 9 years old	15	0.4%
4	10 or 11 years old	13	0.4%
5	12 or 13 years old	17	0.5%
6	14 or 15 years old	17	0.5%

7	16 or 17 years old	14	0.4%
8	18 years old or older	0	0%
Sysmiss		78	

Q41: Ever marijuana use

Data file: bhr2016-private

Overview

Valid: 3712 Invalid: 44

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	3664	98.7%
2	1 or 2 times	18	0.5%
3	3 to 9 times	11	0.3%
4	10 to 19 times	7	0.2%
5	20 or more times	12	0.3%
Sysmiss		44	

Q42: Current marijuana use

Data file: bhr2016-private

Overview

Valid: 3709 Invalid: 47

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	3678	99.2%
2	1 or 2 times	15	0.4%
3	3 to 9 times	5	0.1%
4	10 to 19 times	4	0.1%
5	20 or more times	7	0.2%
Sysmiss		47	

Q43: Amphetamine or methamphetamine use**Data file:** bhr2016-private**Overview**

Valid: 3699 Invalid: 57

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	3672	99.3%
2	1 or 2 times	11	0.3%
3	3 to 9 times	4	0.1%
4	10 to 19 times	3	0.1%
5	20 or more times	9	0.2%
Sysmiss		57	

Q49: Physical activity past 7 days**Data file:** bhr2016-private**Overview**

Valid: 3748 Invalid: 8

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	632	16.9%
2	1 day	493	13.2%
3	2 days	523	14%
4	3 days	439	11.7%
5	4 days	330	8.8%
6	5 days	315	8.4%
7	6 days	177	4.7%
8	7 days	839	22.4%
Sysmiss		8	

Q50: Walk or bike to school

Data file: bhr2016-private

Overview

Valid: 3748 Invalid: 8

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	3198	85.3%
2	1 day	130	3.5%
3	2 days	86	2.3%
4	3 days	60	1.6%

5	4 days	43	1.1%
6	5 days	65	1.7%
7	6 days	23	0.6%
8	7 days	143	3.8%
Sysmiss		8	

Q51: PE attendance

Data file: bhr2016-private

Overview

Valid: 3724 Invalid: 32

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	879	23.6%
2	1 day	1353	36.3%
3	2 days	726	19.5%
4	3 days	113	3%
5	4 days	46	1.2%
6	5 or more days	607	16.3%
Sysmiss		32	

Q52: Sitting activities

Data file: bhr2016-private

Overview

Valid: 3744 Invalid: 12

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	547	14.6%
2	1 to 2 hours per day	1124	30%
3	3 to 4 hours per day	1031	27.5%
4	5 to 6 hours per day	496	13.2%
5	7 to 8 hours per day	205	5.5%
6	More than 8 hours per day	341	9.1%
Sysmiss		12	

Q53: Miss school no permission

Data file: bhr2016-private

Overview

Valid: 3718 Invalid: 38

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	2805	75.4%
2	1 or 2 days	631	17%
3	3 to 5 days	188	5.1%
4	6 to 9 days	54	1.5%
5	10 or more days	40	1.1%
Sysmiss		38	

Q54: Other students kind and helpful

Data file: bhr2016-private

Overview

Valid: 3743 Invalid: 13

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	216	5.8%
2	Rarely	392	10.5%
3	Sometimes	906	24.2%
4	Most of the time	1217	32.5%
5	Always	1012	27%
Sysmiss		13	

Q55: Parents check homework

Data file: bhr2016-private

Overview

Valid: 3741 Invalid: 15

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	746	19.9%
2	Rarely	484	12.9%
3	Sometimes	775	20.7%
4	Most of the time	714	19.1%
5	Always	1022	27.3%
Sysmiss		15	

Q56: Parents understand problems

Data file: bhr2016-private

Overview

Valid: 3723 Invalid: 33

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	514	13.8%
2	Rarely	501	13.5%
3	Sometimes	710	19.1%
4	Most of the time	747	20.1%
5	Always	1251	33.6%
Sysmiss		33	

Q57: Parents know about free time

Data file: bhr2016-private

Overview

Valid: 3741 Invalid: 15

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	327	8.7%
2	Rarely	375	10%
3	Sometimes	710	19%
4	Most of the time	983	26.3%
5	Always	1346	36%
Sysmiss		15	

Q58: Parents go through their things**Data file: bhr2016-private****Overview**

Valid: 3737 Invalid: 19 Mean: 2.002 Standard deviation: 1.213
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		1829	48.9%
2		768	20.6%
3		661	17.7%
4		260	7%
5		219	5.9%
Sysmiss		19	

QN6: Most of the time or always went hungry**Data file: bhr2016-private****Overview**

Valid: 3752 Invalid: 4 Mean: 1.936 Standard deviation: 0.245
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	241	6.4%
2	No	3511	93.6%
Sysmiss		4	

QN7: Did not eat fruit**Data file:** bhr2016-private**Overview**

Valid: 3719 Invalid: 37 Mean: 1.948 Standard deviation: 0.221
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	192	5.2%
2	No	3527	94.8%
Sysmiss		37	

QN8: Did not eat vegetables**Data file:** bhr2016-private**Overview**

Valid: 3749 Invalid: 7 Mean: 1.941 Standard deviation: 0.235
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	220	5.9%
2	No	3529	94.1%
Sysmiss		7	

QN9: Did not drink carbonated soft drinks**Data file:** bhr2016-private**Overview**

Valid: 3741 Invalid: 15 Mean: 1.703 Standard deviation: 0.457
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1111	29.7%
2	No	2630	70.3%
Sysmiss		15	

QN10: Did not eat food from a fast food restaurant

Data file: bhr2016-private

Overview

Valid: 3753 Invalid: 3 Mean: 1.743 Standard deviation: 0.437
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	965	25.7%
2	No	2788	74.3%
Sysmiss		3	

QN11: Usually cleaned or brushed their teeth

Data file: bhr2016-private

Overview

Valid: 3737 Invalid: 19 Mean: 1.043 Standard deviation: 0.204
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3575	95.7%
2	No	162	4.3%
Sysmiss		19	

QN12: Never or rarely washed their hands before eating

Data file: bhr2016-private

Overview

Valid: 3737 Invalid: 19 Mean: 1.937 Standard deviation: 0.243
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	236	6.3%
2	No	3501	93.7%
Sysmiss		19	

QN13: Never or rarely washed their hands after using the toilet or latrine

Data file: bhr2016-private

Overview

Valid: 3738 Invalid: 18 Mean: 1.974 Standard deviation: 0.16
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	98	2.6%
2	No	3640	97.4%
Sysmiss		18	

QN14: Never or rarely used soap when washing their hands**Data file: bhr2016-private****Overview**

Valid: 3733 Invalid: 23 Mean: 1.958 Standard deviation: 0.2
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	155	4.2%
2	No	3578	95.8%
Sysmiss		23	

QN15: Were physically attacked**Data file: bhr2016-private****Overview**

Valid: 3751 Invalid: 5 Mean: 1.686 Standard deviation: 0.464
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1179	31.4%
2	No	2572	68.6%
Sysmiss		5	

QN16: Were in a physical fight**Data file: bhr2016-private****Overview**

Valid: 3745 Invalid: 11 Mean: 1.61 Standard deviation: 0.488
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1460	39%
2	No	2285	61%
Sysmiss		11	

QN17: Were seriously injured

Data file: bhr2016-private

Overview

Valid: 3303 Invalid: 453 Mean: 1.553 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1475	44.7%
2	No	1828	55.3%
Sysmiss		453	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: bhr2016-private

Overview

Valid: 1252 Invalid: 2504 Mean: 1.731 Standard deviation: 0.444
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	337	26.9%
2	No	915	73.1%
Sysmiss		2504	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: bhr2016-private

Overview

Valid: 1247 Invalid: 2509 Mean: 1.954 Standard deviation: 0.209
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	57	4.6%
2	No	1190	95.4%
Sysmiss		2509	

QN20: Were bullied

Data file: bhr2016-private

Overview

Valid: 3627 Invalid: 129 Mean: 1.734 Standard deviation: 0.442
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	963	26.6%
2	No	2664	73.4%
Sysmiss		129	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

Data file: bhr2016-private

Overview

Valid: 836 Invalid: 2920 Mean: 1.872 Standard deviation: 0.334
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	107	12.8%
2	No	729	87.2%
Sysmiss		2920	

QN22: Most of the time or always felt lonely

Data file: bhr2016-private

Overview

Valid: 3738 Invalid: 18 Mean: 1.871 Standard deviation: 0.336
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	484	12.9%
2	No	3254	87.1%
Sysmiss		18	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: bhr2016-private

Overview

Valid: 3750 Invalid: 6 Mean: 1.882 Standard deviation: 0.322
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	441	11.8%
2	No	3309	88.2%
Sysmiss		6	

QN24: Seriously considered attempting suicide

Data file: bhr2016-private

Overview

Valid: 3715 Invalid: 41 Mean: 1.894 Standard deviation: 0.308
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	395	10.6%
2	No	3320	89.4%
Sysmiss		41	

QN25: Made a plan about how they would attempt suicide

Data file: bhr2016-private

Overview

Valid: 3738 Invalid: 18 Mean: 1.879 Standard deviation: 0.326
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	452	12.1%
2	No	3286	87.9%
Sysmiss		18	

QN26: Attempted suicide

Data file: bhr2016-private

Overview

Valid: 3740 Invalid: 16 Mean: 1.911 Standard deviation: 0.285
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	333	8.9%
2	No	3407	91.1%
Sysmiss		16	

QN27: Did not have any close friends

Data file: bhr2016-private

Overview

Valid: 3724 Invalid: 32 Mean: 1.942 Standard deviation: 0.234
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1	Yes	217	5.8%
2	No	3507	94.2%
Sysmiss		32	

QN28: Tried a cigarette before age 14 years**Data file: bhr2016-private****Overview**

Valid: 434 Invalid: 3322 Mean: 1.302 Standard deviation: 0.46
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1	Yes	303	69.8%
2	No	131	30.2%
Sysmiss		3322	

QN29: Currently smoked cigarettes**Data file: bhr2016-private****Overview**

Valid: 3738 Invalid: 18 Mean: 1.947 Standard deviation: 0.225
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	199	5.3%
2	No	3539	94.7%
Sysmiss		18	

QN30: Currently used any tobacco products other than cigarettes**Data file: bhr2016-private****Overview**

Valid: 3748 Invalid: 8 Mean: 1.917 Standard deviation: 0.275
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	310	8.3%
2	No	3438	91.7%
Sysmiss		8	

QN31: Tried to quit smoking cigarettes

Data file: bhr2016-private

Overview

Valid: 235 Invalid: 3521 Mean: 1.26 Standard deviation: 0.439
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	174	74%
2	No	61	26%
Sysmiss		3521	

QN32: Reported that people smoked in their presence

Data file: bhr2016-private

Overview

Valid: 3747 Invalid: 9 Mean: 1.485 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1928	51.5%
2	No	1819	48.5%
Sysmiss		9	

QN33: Had parents or guardians who used any form of tobacco

Data file: bhr2016-private

Overview

Valid: 3736 Invalid: 20 Mean: 1.825 Standard deviation: 0.38
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	655	17.5%
2	No	3081	82.5%
Sysmiss		20	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: bhr2016-private

Overview

Valid: 0 Invalid: 3756
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QN40: Used drugs before age 14 years**Data file: bhr2016-private****Overview**

Valid: 101 Invalid: 3655 Mean: 1.307 Standard deviation: 0.464
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1	Yes	70	69.3%
2	No	31	30.7%
Sysmiss		3655	

QN41: Ever used marijuana**Data file: bhr2016-private****Overview**

Valid: 3712 Invalid: 44 Mean: 1.987 Standard deviation: 0.113
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	48	1.3%
2	No	3664	98.7%
Sysmiss		44	

QN42: Currently used marijuana**Data file: bhr2016-private****Overview**

Valid: 3709 Invalid: 47 Mean: 1.992 Standard deviation: 0.0911
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	31	0.8%
2	No	3678	99.2%
Sysmiss		47	

QN43: Ever used amphetamines or methamphetamines

Data file: bhr2016-private

Overview

Valid: 3699 Invalid: 57 Mean: 1.993 Standard deviation: 0.0851
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	27	0.7%
2	No	3672	99.3%
Sysmiss		57	

QN49: Were not physically active

Data file: bhr2016-private

Overview

Valid: 3748 Invalid: 8 Mean: 1.831 Standard deviation: 0.374
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	632	16.9%
2	No	3116	83.1%
Sysmiss		8	

QN50: Did not walk or ride a bicycle to or from school

Data file: bhr2016-private

Overview

Valid: 3748 Invalid: 8 Mean: 1.147 Standard deviation: 0.354
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3198	85.3%
2	No	550	14.7%
Sysmiss		8	

QN51: Did not attend physical education classes

Data file: bhr2016-private

Overview

Valid: 3724 Invalid: 32 Mean: 1.764 Standard deviation: 0.425
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	879	23.6%
2	No	2845	76.4%
Sysmiss		32	

QN52: Spent three or more hours per day doing sitting activities**Data file:** bhr2016-private**Overview**

Valid: 3744 Invalid: 12 Mean: 1.446 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
1	Yes	2073	55.4%
2	No	1671	44.6%
Sysmiss		12	

QN53: Missed classes or school without permission**Data file:** bhr2016-private**Overview**

Valid: 3718 Invalid: 38 Mean: 1.754 Standard deviation: 0.43
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	913	24.6%
2	No	2805	75.4%
Sysmiss		38	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful**Data file:** bhr2016-private**Overview**

Valid: 3743 Invalid: 13 Mean: 1.404 Standard deviation: 0.491
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2229	59.6%
2	No	1514	40.4%
Sysmiss		13	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: bhr2016-private

Overview

Valid: 3741 Invalid: 15 Mean: 1.536 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1736	46.4%
2	No	2005	53.6%
Sysmiss		15	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: bhr2016-private

Overview

Valid: 3723 Invalid: 33 Mean: 1.463 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems

and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1998	53.7%
2	No	1725	46.3%
Sysmiss		33	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: bhr2016-private

Overview

Valid: 3741 Invalid: 15 Mean: 1.377 Standard deviation: 0.485
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2329	62.3%
2	No	1412	37.7%
Sysmiss		15	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: bhr2016-private

Overview

Valid: 3737 Invalid: 19 Mean: 1.305 Standard deviation: 0.46
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2597	69.5%

2	No	1140	30.5%
Sysmiss		19	

QNUNWTG: Were underweight

Data file: bhr2016-private

Overview

Valid: 3681 Invalid: 75 Mean: 1.965 Standard deviation: 0.183
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	127	3.5%
2	No	3554	96.5%
Sysmiss		75	

QNOWTG: Were overweight

Data file: bhr2016-private

Overview

Valid: 3681 Invalid: 75 Mean: 1.576 Standard deviation: 0.494
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	1559	42.4%
2	No	2122	57.6%
Sysmiss		75	

QNOBESEG: Were obese

Data file: bhr2016-private

Overview

Valid: 3681 Invalid: 75 Mean: 1.818 Standard deviation: 0.386
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	670	18.2%
2	No	3011	81.8%
Sysmiss		75	

QNFRLG: Usually ate fruit less than one time per day

Data file: bhr2016-private

Overview

Valid: 3719 Invalid: 37 Mean: 1.757 Standard deviation: 0.429
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	903	24.3%
2	No	2816	75.7%
Sysmiss		37	

QNFR1G: Usually ate fruit one or more times per day

Data file: bhr2016-private

Overview

Valid: 3719 Invalid: 37 Mean: 1.294 Standard deviation: 0.456
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2624	70.6%
2	No	1095	29.4%
Sysmiss		37	

QNFR2G: Usually ate fruit two or more times per day**Data file:** bhr2016-private**Overview**

Valid: 3719 Invalid: 37 Mean: 1.596 Standard deviation: 0.491
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1501	40.4%
2	No	2218	59.6%
Sysmiss		37	

QNFR3G: Usually ate fruit three or more times per day**Data file:** bhr2016-private**Overview**

Valid: 3719 Invalid: 37 Mean: 1.827 Standard deviation: 0.378
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	642	17.3%
2	No	3077	82.7%
Sysmiss		37	

QNVEGLG: Usually ate vegetables less than one time per day**Data file: bhr2016-private****Overview**

Valid: 3749 Invalid: 7 Mean: 1.819 Standard deviation: 0.385
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	678	18.1%
2	No	3071	81.9%
Sysmiss		7	

QNVEG1G: Usually ate vegetables one or more times per day**Data file: bhr2016-private****Overview**

Valid: 3749 Invalid: 7 Mean: 1.24 Standard deviation: 0.427
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2851	76%
2	No	898	24%
Sysmiss		7	

QNVEG2G: Usually ate vegetables two or more times per day**Data file: bhr2016-private****Overview**

Valid: 3749 Invalid: 7 Mean: 1.526 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1777	47.4%
2	No	1972	52.6%
Sysmiss		7	

QNVEG3G: Usually ate vegetables three or more times per day

Data file: bhr2016-private

Overview

Valid: 3749 Invalid: 7 Mean: 1.761 Standard deviation: 0.427
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	897	23.9%
2	No	2852	76.1%
Sysmiss		7	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: bhr2016-private

Overview

Valid: 3741 Invalid: 15 Mean: 1.565 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1628	43.5%
2	No	2113	56.5%
Sysmiss		15	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day

Data file: bhr2016-private

Overview

Valid: 3741 Invalid: 15 Mean: 1.732 Standard deviation: 0.443
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1002	26.8%
2	No	2739	73.2%
Sysmiss		15	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day

Data file: bhr2016-private

Overview

Valid: 3741 Invalid: 15 Mean: 1.875 Standard deviation: 0.331
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	468	12.5%
2	No	3273	87.5%
Sysmiss		15	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day**Data file: bhr2016-private****Overview**

Valid: 3741 Invalid: 15 Mean: 1.947 Standard deviation: 0.224
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	199	5.3%
2	No	3542	94.7%
Sysmiss		15	

QNFF1G: Ate food from a fast food restaurant one or more days**Data file: bhr2016-private****Overview**

Valid: 3753 Invalid: 3 Mean: 1.257 Standard deviation: 0.437
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2788	74.3%
2	No	965	25.7%
Sysmiss		3	

QNFF2G: Ate food from a fast food restaurant two or more days**Data file: bhr2016-private****Overview**

Valid: 3753 Invalid: 3 Mean: 1.594 Standard deviation: 0.491
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1522	40.6%
2	No	2231	59.4%
Sysmiss		3	

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: bhr2016-private

Overview

Valid: 3753 Invalid: 3 Mean: 1.793 Standard deviation: 0.405
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	778	20.7%
2	No	2975	79.3%
Sysmiss		3	

QNC2G: Were bullied and could not sleep at night

Data file: bhr2016-private

Overview

Valid: 414 Invalid: 3342 Mean: 1.563 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	181	43.7%
2	No	233	56.3%
Sysmiss		3342	

QNTOB2G: Currently used any tobacco product

Data file: bhr2016-private

Overview

Valid: 3746 Invalid: 10 Mean: 1.903 Standard deviation: 0.296
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	363	9.7%
2	No	3383	90.3%
Sysmiss		10	

QNNOTB2G: Did not currently use any tobacco products

Data file: bhr2016-private

Overview

Valid: 3731 Invalid: 25 Mean: 1.093 Standard deviation: 0.291
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3383	90.7%
2	No	348	9.3%
Sysmiss		25	

QNBCANYG: Used a method of birth control**Data file:** bhr2016-private**Overview**

Valid: 0 Invalid: 3756

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk**Data file:** bhr2016-private**Overview**

Valid: 0 Invalid: 3756

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days**Data file:** bhr2016-private**Overview**

Valid: 3748 Invalid: 8 Mean: 1.645 Standard deviation: 0.479

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1331	35.5%
2	No	2417	64.5%
Sysmiss		8	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: bhr2016-private

Overview

Valid: 3748 Invalid: 8 Mean: 1.776 Standard deviation: 0.417
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	839	22.4%
2	No	2909	77.6%
Sysmiss		8	

QNPE3G: Attended physical education classes on three or more days

Data file: bhr2016-private

Overview

Valid: 3724 Invalid: 32 Mean: 1.794 Standard deviation: 0.404
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	766	20.6%
2	No	2958	79.4%
Sysmiss		32	

QNPE5G: Attended physical education classes on five or more days

Data file: bhr2016-private

Overview

Valid: 3724 Invalid: 32 Mean: 1.837 Standard deviation: 0.369
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	607	16.3%
2	No	3117	83.7%
Sysmiss		32	

WEIGHT:

Data file: bhr2016-private

Overview

Valid: 3756 Invalid: 0 Mean: 4.699 Standard deviation: 0.937
 Type: Continuous Decimal: 0 Width: 10 Range: 42.0329 - 329.5608 Format: Numeric

STRATUM:

Data file: bhr2016-private

Overview

Valid: 3756 Invalid: 0 Mean: 201602009.292 Standard deviation: 34.196
 Type: Discrete Decimal: 0 Width: 10 Range: 201501001 - 201501019 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

201602001		777	20.7%
201602002		312	8.3%
201602003		215	5.7%
201602004		194	5.2%
201602005		158	4.2%
201602006		132	3.5%
201602007		166	4.4%
201602008		151	4%
201602009		157	4.2%
201602010		146	3.9%
201602011		51	1.4%
201602012		122	3.2%
201602013		104	2.8%
201602014		126	3.4%
201602015		78	2.1%
201602016		62	1.7%
201602017		82	2.2%
201602018		70	1.9%
201602019		59	1.6%
201602020		62	1.7%
201602021		51	1.4%
201602022		52	1.4%
201602023		87	2.3%
201602024		96	2.6%
201602025		75	2%
201602026		75	2%
201602027		96	2.6%

PSU:**Data file: bhr2016-private****Overview**

Valid: 3756 Invalid: 0 Mean: 76.676 Standard deviation: 48.927

Type: Continuous Decimal: 0 Width: 10 Range: 1 - 38 Format: Numeric

study_resources

questionnaires

Questionnaire (English)

title Questionnaire (English)
filename 2016_Bahrain_GSHS_Questionnaire.pdf

Questionnaire (Arabic)

title Questionnaire (Arabic)
filename 2016_Bahrain_GSHS_Questionnaire_AR.pdf

reports

Fact Sheet (National)

title Fact Sheet (National)
filename gshs_fs_bahrain_2016.pdf

Fact Sheet (Government Schools)

title Fact Sheet (Government Schools)
filename gshs_fs_bahrain_government_2016.pdf

Fact Sheet (Private Schools)

title Fact Sheet (Private Schools)
filename gshs_fs_bahrain_private_2016.pdf

technical_documents

Codebook (National)

title Codebook (National)
filename 2016BHH_Public_Use_Codebook.pdf

Codebook (Government Schools)

title Codebook (Government Schools)
filename 2016BHAH_Public_Use_Codebook.pdf

Codebook (Private Schools)

title Codebook (Private Schools)

filename 2016BHBH_Public_Use_Codebook.pdf
