

Global School-Based Student Health Survey 2013

Ministry of Health

report_generated_on: November 9, 2023

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER
CHL_2013_GSHS_v01_M

TITLE
Global School-Based Student Health Survey 2013

COUNTRY

Name	Country code
Chile	CHL

STUDY TYPE
Other Household Survey [hh/oth]

SERIES INFORMATION
This is the second GSHS conducted by Chile.

ABSTRACT
The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA
Sample survey data [ssd]

UNIT OF ANALYSIS
Individuals

Version

VERSION DESCRIPTION
Public-use dataset

VERSION DATE
2018-08-10

Scope

NOTES
The following core modules were included in the survey:
alcohol use
dietary behaviours
drug use
physical activity
sexual behaviours
tobacco use
violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
physical activity
sexual behaviours
tobacco use
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE

National coverage

UNIVERSE

School-going adolescents aged 13-15 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
Ministry of Health

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE

The 2013 Chile GSHS was a school-based survey of students in grades 7°, 8° básico and 1° - 4° medio, which are typically attended by students aged 13 - 17 years. A two-stage cluster sample design was used to produce data representative of all

students in grades 7°,8° basico and 1°- 4° medio in Chile. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

The school response rate was 90%, the student response rate was 67%, and the overall response rate was 60%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

data_collection

DATES OF DATA COLLECTION

Start	End
2013	2013

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

alcohol use

dietary behaviours

drug use

physical activity

protective factors

sexual behaviours

tobacco use

violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

(1) to acknowledge the data source.

- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_CHL_2013_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Yue Wu		World Health Organization	Documentation of data
Melanie Cowan		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2018-08-10

DDI DOCUMENT VERSION

Identical to a metadata (CHL_2013_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
CHL2013_Public_Use Chile public-use dataset	2049	90

Data file: CHL2013_Public_Use

Chile public-use dataset

Cases: 2049

variables: 90

variables

ID	Name	Label	Question
V1	Q1	Custom Age	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER
V6	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V15	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V16	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V17	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V18	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V21	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V28	Q28	Age first smoked	How old were you when you first tried a cigarette?
V29	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?

ID	Name	Label	Question
V34	Q34	Age first alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V35	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Age first drugs	How old were you when you first used drugs?
V41	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	Q44	Ever had sex	Have you ever had sexual intercourse?
V45	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V46	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V47	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?
V51	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V59	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V60	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V61	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V62	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V63	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V68	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V69	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months

ID	Name	Label	Question
V70	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V71	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V72	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V73	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V74	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V81	QN28	Before age 14 first smoked	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V82	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V83	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V84	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V85	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V86	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	QN34	Before age 14 first alcohol	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V88	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V89	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V90	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V91	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V92	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V93	QN40	Before age 14 first drugs	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V94	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V95	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V96	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V97	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V98	QN45	Before age 14 first sex	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V99	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V100	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

ID	Name	Label	Question
V101	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse
V102	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V103	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V104	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V105	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V115	qnowtg	Overweight	Percentage of students who were overweight ($>+1SD$ from median for BMI by age and sex)
V116	qnobeseg	Obese	Percentage of students who were obese ($>+2SD$ from median for BMI by age and sex)
V117	qnunwtg	Underweight	Percentage of students who were underweight ($<-2SD$ from median for BMI by age and sex)
V118	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V119	qnanytbg	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V120	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V121	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V122	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V124	weight	Weight	
V125	stratum	Stratum	
V126	psu	Primary Sampling Unit	

total: 90

Q1: Custom Age**Data file: CHL2013_Public_Use****Overview**

Valid: 2048 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	4	0.2%
2	12 years old	207	10.1%
3	13 years old	462	22.6%
4	14 years old	412	20.1%
5	15 years old	272	13.3%
6	16 years old	280	13.7%
7	17 years old	265	12.9%
8	18 years old or older	146	7.1%
Sysmiss		1	

Q10: Ate fast food past 7 days**Data file: CHL2013_Public_Use****Overview**

Valid: 2033 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1323	65.1%
2	1 day	425	20.9%
3	2 days	178	8.8%

4	3 days	60	3%
5	4 days	24	1.2%
6	5 days	5	0.2%
7	6 days	6	0.3%
8	7 days	12	0.6%
Sysmiss		16	

Q2: Sex

Data file: CHL2013_Public_Use

Overview

Valid: 2033 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1018	50.1%
2	Female	1015	49.9%
Sysmiss		16	

Q3: In what grade are you

Data file: CHL2013_Public_Use

Overview

Valid: 2039 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	7th grade	551	27%
2	8th grade	530	26%
3	9th grade	234	11.5%

4	10th grade	230	11.3%
5	11th grade	373	18.3%
6	12th grade	121	5.9%
Sysmiss		10	

Q4: How tall are you

Data file: CHL2013_Public_Use

Overview

Valid: 1932 Invalid: 117 Minimum: 1.38 Maximum: 1.93 Mean: 1.623 Standard deviation: 0.0864
Type: Continuous Decimal: 2 Width: 4 Range: 1.28 - 1.89 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: CHL2013_Public_Use

Overview

Valid: 1932 Invalid: 117 Minimum: 30 Maximum: 125 Mean: 61.129 Standard deviation: 13.094
Type: Continuous Decimal: 2 Width: 6 Range: 28 - 162 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER

Q6: Went hungry past 30 days

Data file: CHL2013_Public_Use

Overview

Valid: 2039 Invalid: 10
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1472	72.2%
2	Rarely	401	19.7%
3	Sometimes	132	6.5%
4	Most of the time	23	1.1%
5	Always	11	0.5%
Sysmiss		10	

Q7: Eat fruit per day past 30 days

Data file: CHL2013_Public_Use

Overview

Valid: 2039 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	108	5.3%
2	Less than one time per day	424	20.8%
3	1 time per day	595	29.2%
4	2 times per day	478	23.4%
5	3 times per day	234	11.5%
6	4 times per day	82	4%
7	5 or more times per day	118	5.8%
Sysmiss		10	

Q8: Eat vegetables past 30 days**Data file: CHL2013_Public_Use****Overview**

Valid: 2025 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	83	4.1%
2	Less than one time per day	219	10.8%
3	1 time per day	672	33.2%
4	2 times per day	541	26.7%
5	3 times per day	215	10.6%
6	4 times per day	90	4.4%
7	5 or more times per day	205	10.1%
Sysmiss		24	

Q9: Drink soft drinks past 30 days**Data file: CHL2013_Public_Use****Overview**

Valid: 2040 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	204	10%
2	Less than one time per day	499	24.5%

3	1 time per day	369	18.1%
4	2 times per day	369	18.1%
5	3 times per day	263	12.9%
6	4 times per day	112	5.5%
7	5 or more times per day	224	11%
Sysmiss		9	

Q15: Times attacked past 12 mo.

Data file: CHL2013_Public_Use

Overview

Valid: 2034 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	1639	80.6%
2	1 time	182	8.9%
3	2 or 3 times	118	5.8%
4	4 or 5 times	34	1.7%
5	6 or 7 times	12	0.6%
6	8 or 9 times	7	0.3%
7	10 or 11 times	13	0.6%
8	12 or more times	29	1.4%
Sysmiss		15	

Q16: How many times in fight 12 mos

Data file: CHL2013_Public_Use

Overview

Valid: 2048 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	1494	72.9%
2	1 time	274	13.4%
3	2 or 3 times	184	9%
4	4 or 5 times	43	2.1%
5	6 or 7 times	13	0.6%
6	8 or 9 times	13	0.6%
7	10 or 11 times	3	0.1%
8	12 or more times	24	1.2%
Sysmiss		1	

Q17: How many times injured past 12 months

Data file: CHL2013_Public_Use

Overview

Valid: 1857 Invalid: 192

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	1179	63.5%
2	1 time	407	21.9%
3	2 or 3 times	200	10.8%
4	4 or 5 times	39	2.1%
5	6 or 7 times	14	0.8%
6	8 or 9 times	4	0.2%

7	10 or 11 times	4	0.2%
8	12 or more times	10	0.5%
Sysmiss		192	

Q18: What was serious injury past 12 mo.

Data file: CHL2013_Public_Use

Overview

Valid: 1883 Invalid: 166

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1325	70.4%
2	Broken bone/dislocated joint	153	8.1%
3	I had a cut or stab wound	27	1.4%
4	Concussion/head injury	33	1.8%
5	I had a gunshot wound	11	0.6%
6	I had a bad burn	7	0.4%
7	I was poisoned	3	0.2%
8	Something else happened to me	324	17.2%
Sysmiss		166	

Q19: Cause of injury past 12 mo.

Data file: CHL2013_Public_Use

Overview

Valid: 1877 Invalid: 172

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1301	69.3%
2	Motor vehicle accident	24	1.3%
3	I fell	203	10.8%
4	Something fell on me or hit me	44	2.3%
5	I was attacked	19	1%
6	Was in a fire	5	0.3%
7	breathed something bad	12	0.6%
8	Something else	269	14.3%
Sysmiss		172	

Q20: How many days bullied past 30 days

Data file: CHL2013_Public_Use

Overview

Valid: 2001 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	1724	86.2%
2	1 or 2 days	191	9.5%
3	3 to 5 days	42	2.1%
4	6 to 9 days	19	0.9%
5	10 to 19 days	12	0.6%
6	20 to 29 days	4	0.2%
7	All 30 days	9	0.4%
Sysmiss		48	

Q21: How bullied past 30 days**Data file:** CHL2013_Public_Use**Overview**

Valid: 1988 Invalid: 61

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	1751	88.1%
2	Kicked, pushed, or shoved	18	0.9%
3	Made fun of race	20	1%
4	Made fun because of religion	8	0.4%
5	Made fun of about sex	45	2.3%
6	Left out of activities	14	0.7%
7	Made fun of about body	65	3.3%
8	Some other way	67	3.4%
Sysmiss		61	

Q28: Age first smoked**Data file:** CHL2013_Public_Use**Overview**

Valid: 2007 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	1027	51.2%
2	7 years old or younger	60	3%
3	8 or 9 years old	71	3.5%
4	10 or 11 years old	181	9%
5	12 or 13 years old	371	18.5%
6	14 or 15 years old	212	10.6%
7	16 or 17 years old	77	3.8%
8	18 years old or older	8	0.4%
Sysmiss		42	

Q29: How many days smoked 30 days

Data file: CHL2013_Public_Use

Overview

Valid: 2021 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	1513	74.9%
2	1 or 2 days	195	9.6%
3	3 to 5 days	92	4.6%
4	6 to 9 days	64	3.2%
5	10 to 19 days	55	2.7%
6	20 to 29 days	43	2.1%
7	All 30 days	59	2.9%
Sysmiss		28	

Q30: Other tobacco past 30 days

Data file: CHL2013_Public_Use

Overview

Valid: 2024 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1848	91.3%
2	1 or 2 days	91	4.5%
3	3 to 5 days	34	1.7%
4	6 to 9 days	22	1.1%
5	10 to 19 days	10	0.5%
6	20 to 29 days	4	0.2%
7	All 30 days	15	0.7%
Sysmiss		25	

Q31: Try stop smoking past 12 mo.

Data file: CHL2013_Public_Use

Overview

Valid: 2017 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1200	59.5%
2	Did not smoke cigarettes	268	13.3%
3	Yes	354	17.6%
4	No	195	9.7%
Sysmiss		32	

Q32: Others present smoking past 7 days**Data file:** CHL2013_Public_Use**Overview**

Valid: 2023 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	713	35.2%
2	1 or 2 days	556	27.5%
3	3 or 4 days	293	14.5%
4	5 or 6 days	130	6.4%
5	All 7 days	331	16.4%
Sysmiss		26	

Q33: Parents who use tobacco**Data file:** CHL2013_Public_Use**Overview**

Valid: 2010 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	1161	57.8%
2	My father or male guardian	247	12.3%
3	My mother or female guardian	229	11.4%
4	Both	254	12.6%
5	I do not know	119	5.9%

Sysmiss		39	
---------	--	----	--

Q34: Age first alcohol

Data file: CHL2013_Public_Use

Overview

Valid: 1903 Invalid: 146

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	831	43.7%
2	7 years old or younger	84	4.4%
3	8 or 9 years old	83	4.4%
4	10 or 11 years old	149	7.8%
5	12 or 13 years old	363	19.1%
6	14 or 15 years old	283	14.9%
7	16 or 17 years old	105	5.5%
8	18 years old or older	5	0.3%
Sysmiss		146	

Q35: Days one drink or more past 30 days

Data file: CHL2013_Public_Use

Overview

Valid: 1976 Invalid: 73

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	1344	68%
2	1 or 2 days	332	16.8%
3	3 to 5 days	137	6.9%
4	6 to 9 days	79	4%
5	10 to 19 days	51	2.6%
6	20 to 29 days	14	0.7%
7	All 30 days	19	1%
Sysmiss		73	

Q36: Number of drinks past 30 days

Data file: CHL2013_Public_Use

Overview

Valid: 1989 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1309	65.8%
2	Less than one drink	215	10.8%
3	1 drink	115	5.8%
4	2 drinks	109	5.5%
5	3 drinks	89	4.5%
6	4 drinks	51	2.6%
7	5 or more drinks	101	5.1%
Sysmiss		60	

Q37: How got drinks past 30 days**Data file: CHL2013_Public_Use****Overview**

Valid: 1985 Invalid: 64

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1348	67.9%
2	I bought in a store	176	8.9%
3	I gave someone money to buy	41	2.1%
4	I got it from my friends	206	10.4%
5	I got it from my family	120	6%
6	I stole it	11	0.6%
7	Some other way	83	4.2%
Sysmiss		64	

Q38: Times drunk during life**Data file: CHL2013_Public_Use****Overview**

Valid: 1998 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	1537	76.9%
2	1 or 2 times	280	14%
3	3 to 9 times	113	5.7%
4	10 or more times	68	3.4%
Sysmiss		51	

Q39: Number of troubles as result of drinking

Data file: CHL2013_Public_Use

Overview

Valid: 1970 Invalid: 79

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	1808	91.8%
2	1 or 2 times	102	5.2%
3	3 to 9 times	27	1.4%
4	10 or more times	33	1.7%
Sysmiss		79	

Q40: Age first drugs

Data file: CHL2013_Public_Use

Overview

Valid: 1959 Invalid: 90

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY

SPECIFIC EXAMPLES

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1486	75.9%
2	7 years old or younger	21	1.1%
3	8 or 9 years old	19	1%
4	10 or 11 years old	35	1.8%
5	12 or 13 years old	136	6.9%
6	14 or 15 years old	166	8.5%
7	16 or 17 years old	86	4.4%
8	18 years old or older	10	0.5%
Sysmiss		90	

Q41: Times used marijuana lifetime

Data file: CHL2013_Public_Use

Overview

Valid: 1979 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	1544	78%
2	1 or 2 times	136	6.9%
3	3 to 9 times	105	5.3%
4	10 to 19 times	55	2.8%
5	20 or more times	139	7%
Sysmiss		70	

Q42: Times used marijuana past 30 days**Data file: CHL2013_Public_Use****Overview**

Valid: 1987 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	1709	86%
2	1 or 2 times	113	5.7%
3	3 to 9 times	81	4.1%
4	10 to 19 times	39	2%
5	20 or more times	45	2.3%
Sysmiss		62	

Q43: Times used amphetamines lifetime**Data file: CHL2013_Public_Use****Overview**

Valid: 2001 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	1916	95.8%
2	1 or 2 times	49	2.4%

3	3 to 9 times	16	0.8%
4	10 to 19 times	3	0.1%
5	20 or more times	17	0.8%
Sysmiss		48	

Q44: Ever had sex

Data file: CHL2013_Public_Use

Overview

Valid: 1967 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	636	32.3%
2	No	1331	67.7%
Sysmiss		82	

Q45: Age first sexual intercourse

Data file: CHL2013_Public_Use

Overview

Valid: 2007 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1464	72.9%
2	11 years old or younger	55	2.7%

3	12 years old	48	2.4%
4	13 years old	83	4.1%
5	14 years old	127	6.3%
6	15 years old	104	5.2%
7	16 or 17 years old	118	5.9%
8	18 years old or older	8	0.4%
Sysmiss		42	

Q46: How many sex partners

Data file: CHL2013_Public_Use

Overview

Valid: 2023 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1494	73.9%
2	1 person	250	12.4%
3	2 people	103	5.1%
4	3 people	62	3.1%
5	4 people	39	1.9%
6	5 people	20	1%
7	6 or more people	55	2.7%
Sysmiss		26	

Q47: Used condom at last intercourse

Data file: CHL2013_Public_Use

Overview

Valid: 1991 Invalid: 58

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1465	73.6%
2	Yes	278	14%
3	No	248	12.5%
Sysmiss		58	

Q48: Used birth control last intercourse

Data file: CHL2013_Public_Use

Overview

Valid: 1974 Invalid: 75

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1444	73.2%
2	Yes	258	13.1%
3	No	218	11%
4	I do not know	54	2.7%
Sysmiss		75	

Q49: Days active 60 min plus past 7 days

Data file: CHL2013_Public_Use

Overview

Valid: 2038 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	347	17%
2	1 day	339	16.6%
3	2 days	309	15.2%
4	3 days	288	14.1%
5	4 days	204	10%
6	5 days	163	8%
7	6 days	85	4.2%
8	7 days	303	14.9%
Sysmiss		11	

Q50: Walk or bike to school past 7 days

Data file: CHL2013_Public_Use

Overview

Valid: 2018 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	713	35.3%
2	1 day	172	8.5%
3	2 days	128	6.3%

4	3 days	99	4.9%
5	4 days	81	4%
6	5 days	276	13.7%
7	6 days	30	1.5%
8	7 days	519	25.7%
Sysmiss		31	

Q51: Days went to PE each week

Data file: CHL2013_Public_Use

Overview

Valid: 1956 Invalid: 93

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	161	8.2%
2	1 day	812	41.5%
3	2 days	360	18.4%
4	3 days	59	3%
5	4 days	37	1.9%
6	5 or more days	527	26.9%
Sysmiss		93	

Q52: Time spent sitting on usual day

Data file: CHL2013_Public_Use

Overview

Valid: 1976 Invalid: 73

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	322	16.3%
2	1 to 2 hours per day	598	30.3%
3	3 to 4 hours per day	557	28.2%
4	5 to 6 hours per day	262	13.3%
5	7 to 8 hours per day	93	4.7%
6	More than 8 hours per day	144	7.3%
Sysmiss		73	

QN6: Went hungry most of time/always past 30 days

Data file: CHL2013_Public_Use

Overview

Valid: 2039 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	34	1.7%
2	No	2005	98.3%
Sysmiss		10	

QN7: Ate fruit 2+ times per day past 30 days

Data file: CHL2013_Public_Use

Overview

Valid: 2039 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	912	44.7%
2	No	1127	55.3%
Sysmiss		10	

QN8: Ate vegetables 3+ times per day past 30 day

Data file: CHL2013_Public_Use

Overview

Valid: 2025 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	510	25.2%
2	No	1515	74.8%
Sysmiss		24	

QN9: Drank soft drinks 1+ times per day past 30 day

Data file: CHL2013_Public_Use

Overview

Valid: 2040 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1337	65.5%
2	No	703	34.5%
Sysmiss		9	

QN10: Ate fast food 3+ days past 7 day**Data file:** CHL2013_Public_Use**Overview**

Valid: 2033 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

CATEGORIES

Value	Category	Cases	
1	Yes	107	5.3%
2	No	1926	94.7%
Sysmiss		16	

QN15: Attacked 1+ times past 12 months**Data file:** CHL2013_Public_Use**Overview**

Valid: 2034 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	395	19.4%
2	No	1639	80.6%
Sysmiss		15	

QN16: In fight 1+ times past 12 months**Data file:** CHL2013_Public_Use**Overview**

Valid: 2048 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	554	27.1%
2	No	1494	72.9%
Sysmiss		1	

QN17: Seriously injured 1+ times past 12 months**Data file:** CHL2013_Public_Use**Overview**

Valid: 1857 Invalid: 192

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	678	36.5%
2	No	1179	63.5%
Sysmiss		192	

QN18: Broken bone as most serious injury**Data file:** CHL2013_Public_Use**Overview**

Valid: 558 Invalid: 1491

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

CATEGORIES

Value	Category	Cases	
1	Yes	153	27.4%
2	No	405	72.6%
Sysmiss		1491	

QN19: Motor vehicle caused most serious injury

Data file: CHL2013_Public_Use

Overview

Valid: 576 Invalid: 1473

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

CATEGORIES

Value	Category	Cases	
1	Yes	24	4.2%
2	No	552	95.8%
Sysmiss		1473	

QN20: Bullied 1+ of past 30 days

Data file: CHL2013_Public_Use

Overview

Valid: 2001 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	277	13.8%
2	No	1724	86.2%
Sysmiss		48	

QN21: Of students bullied, most often hit, kicked, etc

Data file: CHL2013_Public_Use

Overview

Valid: 237 Invalid: 1812

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

CATEGORIES

Value	Category	Cases	
1	Yes	18	7.6%
2	No	219	92.4%
Sysmiss		1812	

QN28: Before age 14 first smoked

Data file: CHL2013_Public_Use

Overview

Valid: 980 Invalid: 1069

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

CATEGORIES

Value	Category	Cases	
1	Yes	683	69.7%
2	No	297	30.3%
Sysmiss		1069	

QN29: Smoked cigarettes 1+ of past 30 days**Data file:** CHL2013_Public_Use**Overview**

Valid: 2021 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	508	25.1%
2	No	1513	74.9%
Sysmiss		28	

QN30: Used other tobacco 1+ of past 30 days**Data file:** CHL2013_Public_Use**Overview**

Valid: 2024 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	176	8.7%
2	No	1848	91.3%
Sysmiss		25	

QN31: Tried to quit smoking past 12 months**Data file:** CHL2013_Public_Use**Overview**

Valid: 549 Invalid: 1500

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	354	64.5%
2	No	195	35.5%
Sysmiss		1500	

QN32: Others present smoking 1+ of past 7 days

Data file: CHL2013_Public_Use

Overview

Valid: 2023 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	1310	64.8%
2	No	713	35.2%
Sysmiss		26	

QN33: Either/Both parents use tobacco

Data file: CHL2013_Public_Use

Overview

Valid: 2010 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	730	36.3%
2	No	1280	63.7%
Sysmiss		39	

QN34: Before age 14 first alcohol

Data file: CHL2013_Public_Use

Overview

Valid: 1072 Invalid: 977

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

CATEGORIES

Value	Category	Cases	
1	Yes	679	63.3%
2	No	393	36.7%
Sysmiss		977	

QN35: Drank 1+ days past 30 days

Data file: CHL2013_Public_Use

Overview

Valid: 1976 Invalid: 73

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	632	32%
2	No	1344	68%
Sysmiss		73	

QN36: Of current drinkers, drank 2+ drinks/day 30 days**Data file:** CHL2013_Public_Use**Overview**

Valid: 680 Invalid: 1369

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

CATEGORIES

Value	Category	Cases	
1	Yes	350	51.5%
2	No	330	48.5%
Sysmiss		1369	

QN37: Of current drinkers, got alcohol from friends**Data file:** CHL2013_Public_Use**Overview**

Valid: 637 Invalid: 1412

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

CATEGORIES

Value	Category	Cases	
1	Yes	206	32.3%
2	No	431	67.7%
Sysmiss		1412	

QN38: 1+ times drunk in lifetime**Data file:** CHL2013_Public_Use**Overview**

Valid: 1998 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	461	23.1%
2	No	1537	76.9%
Sysmiss		51	

QN39: Alcohol trouble 1+ times in lifetime

Data file: CHL2013_Public_Use

Overview

Valid: 1970 Invalid: 79

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

CATEGORIES

Value	Category	Cases	
1	Yes	162	8.2%
2	No	1808	91.8%
Sysmiss		79	

QN40: Before age 14 first drugs

Data file: CHL2013_Public_Use

Overview

Valid: 473 Invalid: 1576

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	211	44.6%
2	No	262	55.4%
Sysmiss		1576	

QN41: Marijuana 1+ times in lifetime

Data file: CHL2013_Public_Use

Overview

Valid: 1979 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	435	22%
2	No	1544	78%
Sysmiss		70	

QN42: Marijuana 1+ times p 30 days

Data file: CHL2013_Public_Use

Overview

Valid: 1987 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	278	14%
2	No	1709	86%
Sysmiss		62	

QN43: Amphetamines 1+ times lifetime**Data file:** CHL2013_Public_Use**Overview**

Valid: 2001 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	85	4.2%
2	No	1916	95.8%
Sysmiss		48	

QN47: Used condom at last sex**Data file:** CHL2013_Public_Use**Overview**

Valid: 526 Invalid: 1523

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	278	52.9%
2	No	248	47.1%
Sysmiss		1523	

QN48: Used birth control at last sex**Data file:** CHL2013_Public_Use**Overview**

Valid: 530 Invalid: 1519

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	258	48.7%
2	No	272	51.3%
Sysmiss		1519	

QN49: Active 60+ mins/day for 5+ of past 7 days

Data file: CHL2013_Public_Use

Overview

Valid: 2038 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	551	27%
2	No	1487	73%
Sysmiss		11	

QN50: Walk/Bike to/from school 0 of past 7 days

Data file: CHL2013_Public_Use

Overview

Valid: 2018 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	713	35.3%
2	No	1305	64.7%
Sysmiss		31	

QN51: 3+ days PE each week

Data file: CHL2013_Public_Use

Overview

Valid: 1956 Invalid: 93

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

CATEGORIES

Value	Category	Cases	
1	Yes	623	31.9%
2	No	1333	68.1%
Sysmiss		93	

QN52: Sitting activities 3+ hours/day of usual day

Data file: CHL2013_Public_Use

Overview

Valid: 1976 Invalid: 73

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

CATEGORIES

Value	Category	Cases	
1	Yes	1056	53.4%
2	No	920	46.6%
Sysmiss		73	

QNOWTG: Overweight**Data file:** CHL2013_Public_Use**Overview**

Valid: 1932 Invalid: 117

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	825	42.7%
2	No	1107	57.3%
Sysmiss		117	

QN44: Ever had sex**Data file:** CHL2013_Public_Use**Overview**

Valid: 1967 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	636	32.3%
2	No	1331	67.7%
Sysmiss		82	

QN45: Before age 14 first sex**Data file:** CHL2013_Public_Use**Overview**

Valid: 543 Invalid: 1506

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

CATEGORIES

Value	Category	Cases	
1	Yes	186	34.3%
2	No	357	65.7%
Sysmiss		1506	

Q46: 2+ sex partners lifetime

Data file: CHL2013_Public_Use

Overview

Valid: 2023 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

CATEGORIES

Value	Category	Cases	
1	Yes	279	13.8%
2	No	1744	86.2%
Sysmiss		26	

Q47: Obese

Data file: CHL2013_Public_Use

Overview

Valid: 1932 Invalid: 117

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	280	14.5%
2	No	1652	85.5%
Sysmiss		117	

QNUNWTG: Underweight

Data file: CHL2013_Public_Use

Overview

Valid: 1932 Invalid: 117

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	10	0.5%
2	No	1922	99.5%
Sysmiss		117	

QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: CHL2013_Public_Use

Overview

Valid: 2020 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	555	27.5%
2	No	1465	72.5%
Sysmiss		29	

QNANYTBG: Used any tobacco past 30 days**Data file:** CHL2013_Public_Use**Overview**

Valid: 2002 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	523	26.1%
2	No	1479	73.9%
Sysmiss		47	

QNPA7G: Physically active all past 7 days**Data file:** CHL2013_Public_Use**Overview**

Valid: 2038 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	303	14.9%
2	No	1735	85.1%
Sysmiss		11	

QNPE5G: Attended PE 5+ days each week**Data file:** CHL2013_Public_Use**Overview**

Valid: 1956 Invalid: 93

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

CATEGORIES

Value	Category	Cases	
1	Yes	527	26.9%
2	No	1429	73.1%
Sysmiss		93	

QNC1G: Among heavy drinkers, ever sex

Data file: CHL2013_Public_Use

Overview

Valid: 435 Invalid: 1614

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	283	65.1%
2	No	152	34.9%
Sysmiss		1614	

WEIGHT: Weight

Data file: CHL2013_Public_Use

Overview

Valid: 2049 Invalid: 0 Minimum: 312.875 Maximum: 2597.153 Mean: 677.989 Standard deviation: 396.265

Type: Continuous Decimal: 0 Width: 10 Range: 26.8444 - 111.2113 Format: Numeric Weighted: yes

STRATUM: Stratum

Data file: CHL2013_Public_Use

Overview

Valid: 2049 Invalid: 0 Minimum: 201301001 Maximum: 201301023 Mean: 201301012.038 Standard deviation: 2.828
Type: Continuous Decimal: 0 Width: 9 Range: 201301001 - 201301030 Format: Numeric

PSU: Primary Sampling Unit

Data file: CHL2013_Public_Use

Overview

Valid: 2049 Invalid: 0 Minimum: 1 Maximum: 46 Mean: 23.571 Standard deviation: 13.654
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 65 Format: Numeric

study_resources

questionnaires

Questionnaire

title Questionnaire
country Chile
filename 2012_Chile_GSHS_Questionnaire.pdf

reports

Fact Sheet

title Fact Sheet
country Chile
filename 2013_Chile_GSHS_fact_sheet.pdf

technical_documents

Codebook

title Codebook
country Chile
filename CHL2013_public_use_codebook.pdf
