

Global School-Based Student Health Survey 2015

Ministry of Health

report_generated_on: November 9, 2023

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER

COK_2015_GSHS_v01_M

TITLE

Global School-Based Student Health Survey 2015

COUNTRY

| Name | Country code |
|--------------|--------------|
| Cook Islands | COK |

STUDY TYPE

Other Household Survey [hh/oth]

SERIES INFORMATION

This is the second GSHS conducted by Cook Islands.

ABSTRACT

The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA

Sample survey data [ssd]

UNIT OF ANALYSIS

Individuals

Version

VERSION DESCRIPTION

Public-use dataset

VERSION DATE

2018-08-10

Scope

NOTES

The following core modules were included in the survey:

alcohol use

dietary behaviours

drug use

hygiene

mental health

physical activity

protective factors

tobacco use

violence and unintentional injury

TOPICS

| Topic | Vocabulary |
|--|------------|
| Global School-based Student Health Survey (GSHS) | Survey |

KEYWORDS

| Keyword |
|-----------------------------------|
| adolescents |
| school health |
| noncommunicable diseases |
| risk factors |
| protective factors |
| health surveys |
| alcohol use |
| diet |
| nutrition |
| drug use |
| hygiene |
| mental health |
| physical activity |
| tobacco use |
| violence and unintentional injury |
| overweight |
| obesity |
| bullying |

Coverage

GEOGRAPHIC COVERAGE

National coverage

UNIVERSE

School-going adolescents aged 13-17 years.

Producers and sponsors

PRIMARY INVESTIGATORS

| Name |
|--------------------|
| Ministry of Health |

FUNDING AGENCY/SPONSOR

| Name | Abbreviation |
|---|--------------|
| World Health Organization | WHO |
| US Centers for Disease Control and Prevention | CDC |

Sampling

SAMPLING PROCEDURE

The 2015 Cook Islands GSHS was a school-based survey of students in Years 8-13, which are typically attended by students aged 13-17. A two-stage cluster sample design was used to produce data representative of all students in Years 8-13 in Cook Islands. At the first stage, all schools were selected to participate. At the second stage, all classes were selected to participate and all students were eligible to participate.

RESPONSE RATE

The school response rate was 100%, the student response rate was 65%, and the overall response rate was 65%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

data_collection

DATES OF DATA COLLECTION

| Start | End |
|-------|------|
| 2015 | 2015 |

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

alcohol use

dietary behaviours

drug use

hygiene

mental health

physical activity

protective factors

tobacco use

violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

| Name | Affiliation | Email | URL |
|-----------------------|---------------------------|-----------------------|----------------------|
| NCD Surveillance Team | World Health Organization | ncdmonitoring@who.int | Link |

ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_COK_2015_GSHS_v01_M

PRODUCERS

| Name | Abbreviation | Affiliation | Role |
|----------------------------------|--------------|---------------------------|---|
| Yue Wu | | World Health Organization | Documentation of data |
| Melanie Cowan | | World Health Organization | Supervision and review of metadata and documentation of study |
| Development Economics Data Group | DECDG | The World Bank | Metadata adapted for World Bank Microdata Library |

DATE OF METADATA PRODUCTION

2018-08-10

DDI DOCUMENT VERSION

Identical to a metadata (COK_2015_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

| Data file | Cases | variables |
|--|--------------|------------------|
| 2015COK_public_use Cook Islands public-use dataset | 701 | 129 |

Data file: 2015COK_public_use

Cook Islands public-use dataset

Cases: 701

variables: 129

variables

| ID | Name | Label | Question |
|-----|------|------------------------------|--|
| V1 | Q1 | Custom Age | How old are you? |
| V2 | Q2 | Sex | What is your sex? |
| V3 | Q3 | In what grade are you | In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS |
| V4 | Q4 | How tall are you | How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER. |
| V5 | Q5 | How much do you weigh | How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER. |
| V6 | Q6 | How often went hungry | During the past 30 days, how often did you go hungry because there was not enough food in your home? |
| V7 | Q7 | No fruit eating | During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES? |
| V8 | Q8 | No vegetable eating | During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES? |
| V9 | Q9 | Soft drinks | During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.) |
| V10 | Q10 | Fast food eating | During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES? |
| V11 | Q11 | Tooth brushing | During the past 30 days, how many times per day did you usually clean or brush your teeth? |
| V12 | Q12 | Hand washing before eating | During the past 30 days, how often did you wash your hands before eating? |
| V13 | Q13 | Hand washing after toilet | During the past 30 days, how often did you wash your hands after using the toilet or latrine? |
| V14 | Q14 | Hand washing with soap | During the past 30 days, how often did you use soap when washing your hands? |
| V15 | Q15 | Physically attacked | During the past 12 months, how many times were you physically attacked? |
| V16 | Q16 | Physical fighting | During the past 12 months, how many times were you in a physical fight? |
| V17 | Q17 | Seriously injured | During the past 12 months, how many times were you seriously injured? |
| V18 | Q18 | Serious injury broken bone | During the past 12 months, what was the most serious injury that happened to you? |
| V19 | Q19 | Serious injury motor vehicle | During the past 12 months, what was the major cause of the most serious injury that happened to you? |
| V20 | Q20 | Bullied | During the past 30 days, on how many days were you bullied? |
| V21 | Q21 | Bullied by hitting | During the past 30 days, how were you bullied most often? |
| V22 | Q22 | Felt lonely | During the past 12 months, how often have you felt lonely? |
| V23 | Q23 | Could not sleep | During the past 12 months, how often have you been so worried about something that you could not sleep at night? |

| ID | Name | Label | Question |
|-----|------|------------------------------------|---|
| V24 | Q24 | Considered suicide | During the past 12 months, did you ever seriously consider attempting suicide? |
| V25 | Q25 | Made a suicide plan | During the past 12 months, did you make a plan about how you would attempt suicide? |
| V26 | Q26 | Attempted suicide | During the past 12 months, how many times did you actually attempt suicide? |
| V27 | Q27 | Close friends | How many close friends do you have? |
| V28 | Q28 | Initiation of cigarette use | How old were you when you first tried a cigarette? |
| V29 | Q29 | Current cigarette use | During the past 30 days, on how many days did you smoke cigarettes? |
| V30 | Q30 | Other tobacco use | During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES? |
| V31 | Q31 | Smoking cessation | During the past 12 months, have you ever tried to stop smoking cigarettes? |
| V32 | Q32 | Smoking in their presence | During the past 7 days, on how many days have people smoked in your presence? |
| V33 | Q33 | Parental tobacco use | Which of your parents or guardians use any form of tobacco? |
| V34 | Q34 | Initiation of alcohol use | How old were you when you had your first drink of alcohol other than a few sips? |
| V35 | Q35 | Current alcohol use | During the past 30 days, on how many days did you have at least one drink containing alcohol? |
| V36 | Q36 | Drank 2+ drinks | During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day? |
| V37 | Q37 | Source of alcohol | During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE. |
| V38 | Q38 | Really drunk | During your life, how many times did you drink so much alcohol that you were really drunk? |
| V39 | Q39 | Trouble from drinking | During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol? |
| V40 | Q40 | Initiation of drug use | How old were you when you first used drugs? |
| V41 | Q41 | Ever marijuana use | During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)? |
| V42 | Q42 | Current marijuana use | During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)? |
| V43 | Q43 | Amphetamine or methamphetamine use | During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)? |
| V49 | Q49 | Physical activity \geq 5 days | During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY. |
| V50 | Q50 | Walk or bike to school | During the past 7 days, on how many days did you walk or ride a bicycle to or from school? |
| V51 | Q51 | PE attendance | During this school year, on how many days did you go to physical education (PE) class each week? |
| V52 | Q52 | Sitting activities | How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES? |
| V53 | Q53 | Miss school no permission | During the past 30 days, on how many days did you miss classes or school without permission? |
| V54 | Q54 | Other students kind and helpful | During the past 30 days, how often were most of the students in your school kind and helpful? |

| ID | Name | Label | Question |
|-----|------|--|--|
| V55 | Q55 | Parents check homework | During the past 30 days, how often did your parents or guardians check to see if your homework was done? |
| V56 | Q56 | Parents understand problems | During the past 30 days, how often did your parents or guardians understand your problems and worries? |
| V57 | Q57 | Parents know about free time | During the past 30 days, how often did your parents or guardians really know what you were doing with your free time? |
| V58 | Q58 | Parents go through their things | During the past 30 days, how often did your parents or guardians go through your things without your approval? |
| V59 | QN6 | Most of the time or always went hungry | Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey) |
| V60 | QN7 | Did not eat fruit | Percentage of students who did not eat fruit (during the 30 days before the survey) |
| V61 | QN8 | Did not eat vegetables | Percentage of students who did not eat vegetables (during the 30 days before the survey) |
| V62 | QN9 | Did not drink carbonated soft drinks | Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey) |
| V63 | QN10 | Did not eat food from a fast food restaurant | Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey) |
| V64 | QN11 | Usually cleaned or brushed their teeth | Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey) |
| V65 | QN12 | Never or rarely washed their hands before eating | Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey) |
| V66 | QN13 | Never or rarely washed their hands after using the toilet or latrine | Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey) |
| V67 | QN14 | Never or rarely used soap when washing their hands | Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey) |
| V68 | QN15 | Were physically attacked | Percentage of students who were physically attacked (one or more times during the 12 months before the survey) |
| V69 | QN16 | Were in a physical fight | Percentage of students who were in a physical fight (one or more times during the 12 months before the survey) |
| V70 | QN17 | Were seriously injured | Percentage of students who were seriously injured (one or more times during the 12 months before the survey) |
| V71 | QN18 | Reported that their most serious injury was a broken bone or dislocated joint | Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey) |
| V72 | QN19 | Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle | Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey) |
| V73 | QN20 | Were bullied | Percentage of students who were bullied (on one or more days during the 30 days before the survey) |
| V74 | QN21 | Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors | Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey) |
| V75 | QN22 | Most of the time or always felt lonely | Percentage of students who most of the time or always felt lonely (during the 12 months before the survey) |
| V76 | QN23 | Most of the time or always were so worried about something that they could not sleep at night | Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey) |
| V77 | QN24 | Seriously considered attempting suicide | Percentage of students who seriously considered attempting suicide (during the 12 months before the survey) |
| V78 | QN25 | Made a plan about how they would attempt suicide | Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey) |

| ID | Name | Label | Question |
|------|------|---|--|
| V79 | QN26 | Attempted suicide | Percentage of students who attempted suicide (one or more times during the 12 months before the survey) |
| V80 | QN27 | Did not have any close friends | Percentage of students who did not have any close friends |
| V81 | QN28 | Tried a cigarette before age 14 years | Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes) |
| V82 | QN29 | Currently smoked cigarettes | Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey) |
| V83 | QN30 | Currently used any tobacco products other than cigarettes | Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey) |
| V84 | QN31 | Tried to quit smoking cigarettes | Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey) |
| V85 | QN32 | Reported that people smoked in their presence | Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey) |
| V86 | QN33 | Had parents or guardians who used any form of tobacco | Percentage of students who had parents or guardians who used any form of tobacco |
| V87 | QN34 | Drank alcohol before age 14 years | Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips) |
| V88 | QN35 | Currently drank alcohol | Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey) |
| V89 | QN36 | Usually drank two or more drinks per day | Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey) |
| V90 | QN37 | Usually obtained the alcohol they drank from friends | Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey) |
| V91 | QN38 | Ever drank so much alcohol that they were really drunk | Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life) |
| V92 | QN39 | Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol | Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life) |
| V93 | QN40 | Used drugs before age 14 years | Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs) |
| V94 | QN41 | Ever used marijuana | Percentage of students who ever used marijuana (one or more times during their life) |
| V95 | QN42 | Currently used marijuana | Percentage of students who currently used marijuana (one or more times during the 30 days before the survey) |
| V96 | QN43 | Ever used amphetamines or methamphetamines | Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life) |
| V102 | QN49 | Were not physically active | Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey) |
| V103 | QN50 | Did not walk or ride a bicycle to or from school | Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey) |
| V104 | QN51 | Did not attend physical education classes | Percentage of students who did not attend physical education classes (each week during this school year) |
| V105 | QN52 | Spent three or more hours per day doing sitting activities | Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day) |
| V106 | QN53 | Missed classes or school without permission | Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey) |

| ID | Name | Label | Question |
|------|----------|---|---|
| V107 | QN54 | Reported that most of the students in their school were most of the time or always kind and helpful | Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey) |
| V108 | QN55 | Reported that their parents or guardians most of the time or always checked to see if their homework was done | Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey) |
| V109 | QN56 | Reported that their parents or guardians most of the time or always understood their problems and worries | Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey) |
| V110 | QN57 | Reported that their parents or guardians most of the time or always really knew what they were doing with their free time | Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey) |
| V111 | QN58 | Reported that their parents or guardians never or rarely went through their things without their approval | Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey) |
| V115 | qnunwtg | Were underweight | Percentage of students who were underweight (<-2SD from median for BMI by age and sex) |
| V116 | qnowtg | Were overweight | Percentage of students who were overweight (>+1SD from median for BMI by age and sex) |
| V117 | qnobeseg | Were obese | Percentage of students who were obese (>+2SD from median for BMI by age and sex) |
| V118 | qnfrlg | Usually ate fruit less than one time per day | Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey) |
| V119 | qnfr1g | Usually ate fruit one or more times per day | Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey) |
| V120 | qnfr2g | Usually ate fruit two or more times per day | Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey) |
| V121 | qnfr3g | Usually ate fruit three or more times per day | Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey) |
| V122 | qnveglg | Usually ate vegetables less than one time per day | Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey) |
| V123 | qnveg1g | Usually ate vegetables one or more times per day | Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey) |
| V124 | qnveg2g | Usually ate vegetables two or more times per day | Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey) |
| V125 | qnveg3g | Usually ate vegetables three or more times per day | Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey) |
| V126 | qnsodalg | Usually drank carbonated soft drinks less than one time per day | Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey) |
| V127 | qnsoda1g | Usually drank carbonated soft drinks one or more times per day | Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey) |
| V128 | qnsoda2g | Usually drank carbonated soft drinks two or more times per day | Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey) |
| V129 | qnsoda3g | Usually drank carbonated soft drinks three or more times per day | Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey) |
| V130 | qnff1g | Ate food from a fast food restaurant one or more days | Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey) |
| V131 | qnff2g | Ate food from a fast food restaurant two or more days | Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey) |
| V132 | qnff3g | Ate food from a fast food restaurant three or more days | Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey) |

| ID | Name | Label | Question |
|------|----------|--|--|
| V133 | qnc2g | Were bullied and could not sleep at night | Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey) |
| V134 | qntob2g | Currently used any tobacco product | Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey) |
| V135 | qnnotb2g | Did not currently use any tobacco products | Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey) |
| V138 | qnpa5g | Were physically active at least 60 minutes per day on 5 or more days | Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey) |
| V139 | qnpa7g | Were physically active at least 60 minutes per day on all 7 days | Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey) |
| V140 | qnpe3g | Attended physical education classes on three or more days | Percentage of students who attended physical education classes on three or more days (each week during this school year) |
| V141 | qnpe5g | Attended physical education classes on five or more days | Percentage of students who attended physical education classes on five or more days (each week during this school year) |
| V142 | weight | | |
| V143 | stratum | | |
| V144 | psu | | |

total: 129

Q1: Custom Age**Data file:** 2015COK_public_use**Overview**

Valid: 698 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

| Value | Category | Cases | |
|---------|-------------------------|-------|-------|
| 1 | 11 years old or younger | 0 | 0% |
| 2 | 12 years old | 3 | 0.4% |
| 3 | 13 years old | 62 | 8.9% |
| 4 | 14 years old | 154 | 22.1% |
| 5 | 15 years old | 147 | 21.1% |
| 6 | 16 years old | 166 | 23.8% |
| 7 | 17 years old | 120 | 17.2% |
| 8 | 18 years old or older | 46 | 6.6% |
| Sysmiss | | 3 | |

Q10: Fast food eating**Data file:** 2015COK_public_use**Overview**

Valid: 700 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | 0 days | 233 | 33.3% |
| 2 | 1 day | 208 | 29.7% |
| 3 | 2 days | 145 | 20.7% |

| | | | |
|---------|--------|----|------|
| 4 | 3 days | 66 | 9.4% |
| 5 | 4 days | 21 | 3% |
| 6 | 5 days | 11 | 1.6% |
| 7 | 6 days | 3 | 0.4% |
| 8 | 7 days | 13 | 1.9% |
| Sysmiss | | 1 | |

Q2: Sex

Data file: 2015COK_public_use

Overview

Valid: 696 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Male | 342 | 49.1% |
| 2 | Female | 354 | 50.9% |
| Sysmiss | | 5 | |

Q3: In what grade are you

Data file: 2015COK_public_use

Overview

Valid: 699 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | M 3 | 1 | 0.1% |
| 2 | M 4 | 164 | 23.5% |
| 3 | M 5 | 155 | 22.2% |

| | | | |
|---------|-----|-----|-------|
| 4 | M 6 | 157 | 22.5% |
| 5 | M 7 | 136 | 19.5% |
| 6 | | 86 | 12.3% |
| Sysmiss | | 2 | |

Q4: How tall are you

Data file: 2015COK_public_use

Overview

Valid: 665 Invalid: 36 Minimum: 1.32 Maximum: 1.97 Mean: 1.694 Standard deviation: 0.0982
Type: Continuous Decimal: 2 Width: 5 Range: 1.27 - 1.87 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: 2015COK_public_use

Overview

Valid: 665 Invalid: 36 Minimum: 32 Maximum: 167 Mean: 77.23 Standard deviation: 21.169
Type: Continuous Decimal: 2 Width: 5 Range: 28 - 116 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: 2015COK_public_use

Overview

Valid: 697 Invalid: 4
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 216 | 31% |
| 2 | Rarely | 173 | 24.8% |
| 3 | Sometimes | 238 | 34.1% |
| 4 | Most of the time | 52 | 7.5% |
| 5 | Always | 18 | 2.6% |
| Sysmiss | | 4 | |

Q7: No fruit eating

Data file: 2015COK_public_use

Overview

Valid: 699 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

| Value | Category | Cases | |
|---------|----------------------------|-------|-------|
| 1 | Did not eat fruit | 57 | 8.2% |
| 2 | Less than one time per day | 164 | 23.5% |
| 3 | 1 time per day | 152 | 21.7% |
| 4 | 2 times per day | 135 | 19.3% |
| 5 | 3 times per day | 91 | 13% |
| 6 | 4 times per day | 33 | 4.7% |
| 7 | 5 or more times per day | 67 | 9.6% |
| Sysmiss | | 2 | |

Q8: No vegetable eating**Data file:** 2015COK_public_use**Overview**

Valid: 701 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

| Value | Category | Cases | |
|-------|----------------------------|-------|-------|
| 1 | Did not eat vegetables | 45 | 6.4% |
| 2 | Less than one time per day | 145 | 20.7% |
| 3 | 1 time per day | 169 | 24.1% |
| 4 | 2 times per day | 139 | 19.8% |
| 5 | 3 times per day | 88 | 12.6% |
| 6 | 4 times per day | 42 | 6% |
| 7 | 5 or more times per day | 73 | 10.4% |

Q9: Soft drinks**Data file:** 2015COK_public_use**Overview**

Valid: 696 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

| Value | Category | Cases | |
|-------|----------------------------|-------|-------|
| 1 | Did not drink soft drinks | 72 | 10.3% |
| 2 | Less than one time per day | 236 | 33.9% |
| 3 | 1 time per day | 130 | 18.7% |

| | | | |
|---------|-------------------------|-----|-------|
| 4 | 2 times per day | 135 | 19.4% |
| 5 | 3 times per day | 54 | 7.8% |
| 6 | 4 times per day | 30 | 4.3% |
| 7 | 5 or more times per day | 39 | 5.6% |
| Sysmiss | | 5 | |

Q11: Tooth brushing

Data file: 2015COK_public_use

Overview

Valid: 697 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

| Value | Category | Cases | |
|---------|--------------------------|-------|-------|
| 1 | Did not brush my teeth | 17 | 2.4% |
| 2 | Less than 1 time per day | 68 | 9.8% |
| 3 | 1 time per day | 165 | 23.7% |
| 4 | 2 times per day | 286 | 41% |
| 5 | 3 times per day | 95 | 13.6% |
| 6 | 4 or more times per day | 66 | 9.5% |
| Sysmiss | | 4 | |

Q12: Hand washing before eating

Data file: 2015COK_public_use

Overview

Valid: 695 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 17 | 2.4% |
| 2 | Rarely | 34 | 4.9% |
| 3 | Sometimes | 142 | 20.4% |
| 4 | Most of the time | 201 | 28.9% |
| 5 | Always | 301 | 43.3% |
| Sysmiss | | 6 | |

Q13: Hand washing after toilet

Data file: 2015COK_public_use

Overview

Valid: 698 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 20 | 2.9% |
| 2 | Rarely | 14 | 2% |
| 3 | Sometimes | 57 | 8.2% |
| 4 | Most of the time | 128 | 18.3% |
| 5 | Always | 479 | 68.6% |
| Sysmiss | | 3 | |

Q14: Hand washing with soap

Data file: 2015COK_public_use

Overview

Valid: 698 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 19 | 2.7% |
| 2 | Rarely | 23 | 3.3% |
| 3 | Sometimes | 116 | 16.6% |
| 4 | Most of the time | 193 | 27.7% |
| 5 | Always | 347 | 49.7% |
| Sysmiss | | 3 | |

Q15: Physically attacked

Data file: 2015COK_public_use

Overview

Valid: 693 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | 0 times | 457 | 65.9% |
| 2 | 1 time | 97 | 14% |
| 3 | 2 or 3 times | 59 | 8.5% |
| 4 | 4 or 5 times | 23 | 3.3% |
| 5 | 6 or 7 times | 16 | 2.3% |
| 6 | 8 or 9 times | 4 | 0.6% |
| 7 | 10 or 11 times | 8 | 1.2% |
| 8 | 12 or more times | 29 | 4.2% |
| Sysmiss | | 8 | |

Q16: Physical fighting**Data file:** 2015COK_public_use**Overview**

Valid: 700 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | 0 times | 507 | 72.4% |
| 2 | 1 time | 91 | 13% |
| 3 | 2 or 3 times | 49 | 7% |
| 4 | 4 or 5 times | 12 | 1.7% |
| 5 | 6 or 7 times | 9 | 1.3% |
| 6 | 8 or 9 times | 10 | 1.4% |
| 7 | 10 or 11 times | 1 | 0.1% |
| 8 | 12 or more times | 21 | 3% |
| Sysmiss | | 1 | |

Q17: Seriously injured**Data file:** 2015COK_public_use**Overview**

Valid: 612 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | 0 times | 278 | 45.4% |
| 2 | 1 time | 172 | 28.1% |
| 3 | 2 or 3 times | 102 | 16.7% |
| 4 | 4 or 5 times | 30 | 4.9% |
| 5 | 6 or 7 times | 17 | 2.8% |
| 6 | 8 or 9 times | 1 | 0.2% |
| 7 | 10 or 11 times | 1 | 0.2% |
| 8 | 12 or more times | 11 | 1.8% |
| Sysmiss | | 89 | |

Q18: Serious injury broken bone

Data file: 2015COK_public_use

Overview

Valid: 635 Invalid: 66

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

| Value | Category | Cases | |
|---------|-------------------------------|-------|-------|
| 1 | Not seriously injured | 372 | 58.6% |
| 2 | Broken bone/dislocated joint | 53 | 8.3% |
| 3 | I had a cut or stab wound | 33 | 5.2% |
| 4 | Concussion/head injury | 25 | 3.9% |
| 5 | I had a gunshot wound | 4 | 0.6% |
| 6 | I had a bad burn | 6 | 0.9% |
| 7 | I was poisoned | 3 | 0.5% |
| 8 | Something else happened to me | 139 | 21.9% |
| Sysmiss | | 66 | |

Q19: Serious injury motor vehicle

Data file: 2015COK_public_use

Overview

Valid: 622 Invalid: 79

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

| Value | Category | Cases | |
|---------|--------------------------------|-------|-------|
| 1 | Not seriously injured | 369 | 59.3% |
| 2 | Motor vehicle accident | 41 | 6.6% |
| 3 | I fell | 47 | 7.6% |
| 4 | Something fell on me or hit me | 25 | 4% |
| 5 | I was attacked | 17 | 2.7% |
| 6 | Was in a fire | 4 | 0.6% |
| 7 | breathed something bad | 2 | 0.3% |
| 8 | Something else | 117 | 18.8% |
| Sysmiss | | 79 | |

Q20: Bullied

Data file: 2015COK_public_use

Overview

Valid: 669 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | 0 days | 486 | 72.6% |

| | | | |
|---------|---------------|-----|------|
| 2 | 1 or 2 days | 114 | 17% |
| 3 | 3 to 5 days | 30 | 4.5% |
| 4 | 6 to 9 days | 12 | 1.8% |
| 5 | 10 to 19 days | 8 | 1.2% |
| 6 | 20 to 29 days | 6 | 0.9% |
| 7 | All 30 days | 13 | 1.9% |
| Sysmiss | | 32 | |

Q21: Bullied by hitting

Data file: 2015COK_public_use

Overview

Valid: 662 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------------------|-------|-------|
| 1 | Not bullied | 511 | 77.2% |
| 2 | Kicked, pushed, or shoved | 27 | 4.1% |
| 3 | Made fun of race | 16 | 2.4% |
| 4 | Made fun because of religion | 4 | 0.6% |
| 5 | Made fun of about sex | 22 | 3.3% |
| 6 | Left out of activities | 8 | 1.2% |
| 7 | Made fun of about body | 24 | 3.6% |
| 8 | Some other way | 50 | 7.6% |
| Sysmiss | | 39 | |

Q22: Felt lonely

Data file: 2015COK_public_use

Overview

Valid: 700 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 295 | 42.1% |
| 2 | Rarely | 151 | 21.6% |
| 3 | Sometimes | 198 | 28.3% |
| 4 | Most of the time | 38 | 5.4% |
| 5 | Always | 18 | 2.6% |
| Sysmiss | | 1 | |

Q23: Could not sleep

Data file: 2015COK_public_use

Overview

Valid: 699 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 243 | 34.8% |
| 2 | Rarely | 158 | 22.6% |
| 3 | Sometimes | 199 | 28.5% |
| 4 | Most of the time | 67 | 9.6% |
| 5 | Always | 32 | 4.6% |
| Sysmiss | | 2 | |

Q24: Considered suicide**Data file:** 2015COK_public_use**Overview**

Valid: 687 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 106 | 15.4% |
| 2 | No | 581 | 84.6% |
| Sysmiss | | 14 | |

Q25: Made a suicide plan**Data file:** 2015COK_public_use**Overview**

Valid: 693 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 104 | 15% |
| 2 | No | 589 | 85% |
| Sysmiss | | 8 | |

Q26: Attempted suicide**Data file:** 2015COK_public_use

Overview

Valid: 698 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

| Value | Category | Cases | |
|---------|-----------------|-------|------|
| 1 | 0 times | 600 | 86% |
| 2 | 1 time | 58 | 8.3% |
| 3 | 2 or 3 times | 19 | 2.7% |
| 4 | 4 or 5 times | 13 | 1.9% |
| 5 | 6 or more times | 8 | 1.1% |
| Sysmiss | | 3 | |

Q27: Close friends

Data file: 2015COK_public_use

Overview

Valid: 695 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

| Value | Category | Cases | |
|---------|-----------|-------|-------|
| 1 | 0 | 46 | 6.6% |
| 2 | 1 | 32 | 4.6% |
| 3 | 2 | 70 | 10.1% |
| 4 | 3 or more | 547 | 78.7% |
| Sysmiss | | 6 | |

Q28: Initiation of cigarette use**Data file:** 2015COK_public_use**Overview**

Valid: 680 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

| Value | Category | Cases | |
|---------|--------------------------------|-------|-------|
| 1 | I have never smoked cigarettes | 349 | 51.3% |
| 2 | 7 years old or younger | 66 | 9.7% |
| 3 | 8 or 9 years old | 64 | 9.4% |
| 4 | 10 or 11 years old | 50 | 7.4% |
| 5 | 12 or 13 years old | 61 | 9% |
| 6 | 14 or 15 years old | 50 | 7.4% |
| 7 | 16 or 17 years old | 31 | 4.6% |
| 8 | 18 years old or older | 9 | 1.3% |
| Sysmiss | | 21 | |

Q29: Current cigarette use**Data file:** 2015COK_public_use**Overview**

Valid: 690 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

| Value | Category | Cases | |
|-------|-------------|-------|-------|
| 1 | 0 days | 546 | 79.1% |
| 2 | 1 or 2 days | 95 | 13.8% |

| | | | |
|---------|---------------|----|------|
| 3 | 3 to 5 days | 12 | 1.7% |
| 4 | 6 to 9 days | 5 | 0.7% |
| 5 | 10 to 19 days | 12 | 1.7% |
| 6 | 20 to 29 days | 4 | 0.6% |
| 7 | All 30 days | 16 | 2.3% |
| Sysmiss | | 11 | |

Q30: Other tobacco use

Data file: 2015COK_public_use

Overview

Valid: 698 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

| Value | Category | Cases | |
|---------|---------------|-------|------|
| 1 | 0 days | 586 | 84% |
| 2 | 1 or 2 days | 64 | 9.2% |
| 3 | 3 to 5 days | 19 | 2.7% |
| 4 | 6 to 9 days | 6 | 0.9% |
| 5 | 10 to 19 days | 9 | 1.3% |
| 6 | 20 to 29 days | 2 | 0.3% |
| 7 | All 30 days | 12 | 1.7% |
| Sysmiss | | 3 | |

Q31: Smoking cessation

Data file: 2015COK_public_use

Overview

Valid: 681 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

| Value | Category | Cases | |
|---------|--------------------------------|-------|-------|
| 1 | I have never smoked cigarettes | 423 | 62.1% |
| 2 | Did not smoke cigarettes | 119 | 17.5% |
| 3 | Yes | 108 | 15.9% |
| 4 | No | 31 | 4.6% |
| Sysmiss | | 20 | |

Q32: Smoking in their presence

Data file: 2015COK_public_use

Overview

Valid: 696 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

| Value | Category | Cases | |
|---------|-------------|-------|-------|
| 1 | 0 days | 220 | 31.6% |
| 2 | 1 or 2 days | 157 | 22.6% |
| 3 | 3 or 4 days | 71 | 10.2% |
| 4 | 5 or 6 days | 42 | 6% |
| 5 | All 7 days | 206 | 29.6% |
| Sysmiss | | 5 | |

Q33: Parental tobacco use

Data file: 2015COK_public_use

Overview

Valid: 699 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------------------|-------|-------|
| 1 | Neither | 320 | 45.8% |
| 2 | My father or male guardian | 118 | 16.9% |
| 3 | My mother or female guardian | 80 | 11.4% |
| 4 | Both | 103 | 14.7% |
| 5 | I do not know | 78 | 11.2% |
| Sysmiss | | 2 | |

Q34: Initiation of alcohol use

Data file: 2015COK_public_use

Overview

Valid: 665 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

| Value | Category | Cases | |
|-------|------------------------|-------|-------|
| 1 | Never drank alcohol | 227 | 34.1% |
| 2 | 7 years old or younger | 69 | 10.4% |
| 3 | 8 or 9 years old | 44 | 6.6% |
| 4 | 10 or 11 years old | 50 | 7.5% |
| 5 | 12 or 13 years old | 93 | 14% |
| 6 | 14 or 15 years old | 111 | 16.7% |

| | | | |
|---------|-----------------------|----|------|
| 7 | 16 or 17 years old | 64 | 9.6% |
| 8 | 18 years old or older | 7 | 1.1% |
| Sysmiss | | 36 | |

Q35: Current alcohol use

Data file: 2015COK_public_use

Overview

Valid: 684 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

| Value | Category | Cases | |
|---------|---------------|-------|-------|
| 1 | 0 days | 437 | 63.9% |
| 2 | 1 or 2 days | 165 | 24.1% |
| 3 | 3 to 5 days | 43 | 6.3% |
| 4 | 6 to 9 days | 20 | 2.9% |
| 5 | 10 to 19 days | 9 | 1.3% |
| 6 | 20 to 29 days | 3 | 0.4% |
| 7 | All 30 days | 7 | 1% |
| Sysmiss | | 17 | |

Q36: Drank 2+ drinks

Data file: 2015COK_public_use

Overview

Valid: 692 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

| Value | Category | Cases | |
|---------|-------------------------------|-------|-------|
| 1 | Did not drink in past 30 days | 430 | 62.1% |
| 2 | Less than one drink | 73 | 10.5% |
| 3 | 1 drink | 39 | 5.6% |
| 4 | 2 drinks | 49 | 7.1% |
| 5 | 3 drinks | 28 | 4% |
| 6 | 4 drinks | 18 | 2.6% |
| 7 | 5 or more drinks | 55 | 7.9% |
| Sysmiss | | 9 | |

Q37: Source of alcohol

Data file: 2015COK_public_use

Overview

Valid: 688 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

| Value | Category | Cases | |
|---------|-------------------------------|-------|-------|
| 1 | Did not drink in past 30 days | 424 | 61.6% |
| 2 | I bought in a store | 27 | 3.9% |
| 3 | I gave someone money to buy | 25 | 3.6% |
| 4 | I got it from my friends | 127 | 18.5% |
| 5 | I got it from my family | 39 | 5.7% |
| 6 | I stole it | 6 | 0.9% |
| 7 | Some other way | 40 | 5.8% |
| Sysmiss | | 13 | |

Q38: Really drunk**Data file:** 2015COK_public_use**Overview**

Valid: 682 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | 0 times | 487 | 71.4% |
| 2 | 1 or 2 times | 110 | 16.1% |
| 3 | 3 to 9 times | 53 | 7.8% |
| 4 | 10 or more times | 32 | 4.7% |
| Sysmiss | | 19 | |

Q39: Trouble from drinking**Data file:** 2015COK_public_use**Overview**

Valid: 681 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | 0 times | 569 | 83.6% |

| | | | |
|---------|------------------|----|-------|
| 2 | 1 or 2 times | 72 | 10.6% |
| 3 | 3 to 9 times | 24 | 3.5% |
| 4 | 10 or more times | 16 | 2.3% |
| Sysmiss | | 20 | |

Q40: Initiation of drug use

Data file: 2015COK_public_use

Overview

Valid: 668 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

| Value | Category | Cases | |
|---------|-------------------------|-------|-------|
| 1 | I have never used drugs | 574 | 85.9% |
| 2 | 7 years old or younger | 17 | 2.5% |
| 3 | 8 or 9 years old | 13 | 1.9% |
| 4 | 10 or 11 years old | 8 | 1.2% |
| 5 | 12 or 13 years old | 23 | 3.4% |
| 6 | 14 or 15 years old | 16 | 2.4% |
| 7 | 16 or 17 years old | 15 | 2.2% |
| 8 | 18 years old or older | 2 | 0.3% |
| Sysmiss | | 33 | |

Q41: Ever marijuana use

Data file: 2015COK_public_use

Overview

Valid: 678 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | 0 times | 604 | 89.1% |
| 2 | 1 or 2 times | 23 | 3.4% |
| 3 | 3 to 9 times | 16 | 2.4% |
| 4 | 10 to 19 times | 9 | 1.3% |
| 5 | 20 or more times | 26 | 3.8% |
| Sysmiss | | 23 | |

Q42: Current marijuana use

Data file: 2015COK_public_use

Overview

Valid: 683 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | 0 times | 646 | 94.6% |
| 2 | 1 or 2 times | 15 | 2.2% |
| 3 | 3 to 9 times | 9 | 1.3% |
| 4 | 10 to 19 times | 6 | 0.9% |
| 5 | 20 or more times | 7 | 1% |
| Sysmiss | | 18 | |

Q43: Amphetamine or methamphetamine use

Data file: 2015COK_public_use

Overview

Valid: 682 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | 0 times | 662 | 97.1% |
| 2 | 1 or 2 times | 7 | 1% |
| 3 | 3 to 9 times | 3 | 0.4% |
| 4 | 10 to 19 times | 6 | 0.9% |
| 5 | 20 or more times | 4 | 0.6% |
| Sysmiss | | 19 | |

Q49: Physical activity \geq 5 days

Data file: 2015COK_public_use

Overview

Valid: 697 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | 0 days | 143 | 20.5% |
| 2 | 1 day | 73 | 10.5% |
| 3 | 2 days | 80 | 11.5% |
| 4 | 3 days | 94 | 13.5% |

| | | | |
|---------|--------|-----|-------|
| 5 | 4 days | 66 | 9.5% |
| 6 | 5 days | 78 | 11.2% |
| 7 | 6 days | 49 | 7% |
| 8 | 7 days | 114 | 16.4% |
| Sysmiss | | 4 | |

Q50: Walk or bike to school

Data file: 2015COK_public_use

Overview

Valid: 696 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | 0 days | 348 | 50% |
| 2 | 1 day | 49 | 7% |
| 3 | 2 days | 28 | 4% |
| 4 | 3 days | 26 | 3.7% |
| 5 | 4 days | 32 | 4.6% |
| 6 | 5 days | 107 | 15.4% |
| 7 | 6 days | 11 | 1.6% |
| 8 | 7 days | 95 | 13.6% |
| Sysmiss | | 5 | |

Q51: PE attendance

Data file: 2015COK_public_use

Overview

Valid: 694 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

| Value | Category | Cases | |
|---------|----------------|-------|-------|
| 1 | 0 days | 200 | 28.8% |
| 2 | 1 day | 143 | 20.6% |
| 3 | 2 days | 94 | 13.5% |
| 4 | 3 days | 57 | 8.2% |
| 5 | 4 days | 33 | 4.8% |
| 6 | 5 or more days | 167 | 24.1% |
| Sysmiss | | 7 | |

Q52: Sitting activities

Data file: 2015COK_public_use

Overview

Valid: 701 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

| Value | Category | Cases | |
|-------|---------------------------|-------|-------|
| 1 | Less than 1 hour per day | 206 | 29.4% |
| 2 | 1 to 2 hours per day | 191 | 27.2% |
| 3 | 3 to 4 hours per day | 154 | 22% |
| 4 | 5 to 6 hours per day | 90 | 12.8% |
| 5 | 7 to 8 hours per day | 20 | 2.9% |
| 6 | More than 8 hours per day | 40 | 5.7% |

Q53: Miss school no permission**Data file:** 2015COK_public_use**Overview**

Valid: 695 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

| Value | Category | Cases | |
|---------|-----------------|-------|------|
| 1 | 0 days | 438 | 63% |
| 2 | 1 or 2 days | 153 | 22% |
| 3 | 3 to 5 days | 52 | 7.5% |
| 4 | 6 to 9 days | 12 | 1.7% |
| 5 | 10 or more days | 40 | 5.8% |
| Sysmiss | | 6 | |

Q54: Other students kind and helpful**Data file:** 2015COK_public_use**Overview**

Valid: 701 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

| Value | Category | Cases | |
|-------|-----------|-------|-------|
| 1 | Never | 45 | 6.4% |
| 2 | Rarely | 65 | 9.3% |
| 3 | Sometimes | 253 | 36.1% |

| | | | |
|---|------------------|-----|-------|
| 4 | Most of the time | 202 | 28.8% |
| 5 | Always | 136 | 19.4% |

Q55: Parents check homework

Data file: 2015COK_public_use

Overview

Valid: 700 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 160 | 22.9% |
| 2 | Rarely | 109 | 15.6% |
| 3 | Sometimes | 217 | 31% |
| 4 | Most of the time | 122 | 17.4% |
| 5 | Always | 92 | 13.1% |
| Sysmiss | | 1 | |

Q56: Parents understand problems

Data file: 2015COK_public_use

Overview

Valid: 701 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | Never | 201 | 28.7% |

| | | | |
|---|------------------|-----|-------|
| 2 | Rarely | 103 | 14.7% |
| 3 | Sometimes | 199 | 28.4% |
| 4 | Most of the time | 117 | 16.7% |
| 5 | Always | 81 | 11.6% |

Q57: Parents know about free time

Data file: 2015COK_public_use

Overview

Valid: 699 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 132 | 18.9% |
| 2 | Rarely | 85 | 12.2% |
| 3 | Sometimes | 206 | 29.5% |
| 4 | Most of the time | 156 | 22.3% |
| 5 | Always | 120 | 17.2% |
| Sysmiss | | 2 | |

Q58: Parents go through their things

Data file: 2015COK_public_use

Overview

Valid: 701 Invalid: 0 Mean: 2.171 Standard deviation: 1.259

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | | 298 | 42.5% |
| 2 | | 139 | 19.8% |
| 3 | | 163 | 23.3% |
| 4 | | 48 | 6.8% |
| 5 | | 53 | 7.6% |

QN6: Most of the time or always went hungry

Data file: 2015COK_public_use

Overview

Valid: 697 Invalid: 4 Mean: 1.9 Standard deviation: 0.301
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 70 | 10% |
| 2 | No | 627 | 90% |
| Sysmiss | | 4 | |

QN7: Did not eat fruit

Data file: 2015COK_public_use

Overview

Valid: 699 Invalid: 2 Mean: 1.918 Standard deviation: 0.274
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 57 | 8.2% |
| 2 | No | 642 | 91.8% |
| Sysmiss | | 2 | |

QN8: Did not eat vegetables**Data file:** 2015COK_public_use**Overview**

Valid: 701 Invalid: 0 Mean: 1.936 Standard deviation: 0.245
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | Yes | 45 | 6.4% |
| 2 | No | 656 | 93.6% |

QN9: Did not drink carbonated soft drinks**Data file:** 2015COK_public_use**Overview**

Valid: 696 Invalid: 5 Mean: 1.897 Standard deviation: 0.305
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 72 | 10.3% |
| 2 | No | 624 | 89.7% |
| Sysmiss | | 5 | |

QN10: Did not eat food from a fast food restaurant**Data file:** 2015COK_public_use**Overview**

Valid: 700 Invalid: 1 Mean: 1.667 Standard deviation: 0.472
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 233 | 33.3% |
| 2 | No | 467 | 66.7% |
| Sysmiss | | 1 | |

QN11: Usually cleaned or brushed their teeth

Data file: 2015COK_public_use

Overview

Valid: 697 Invalid: 4 Mean: 1.122 Standard deviation: 0.327
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 612 | 87.8% |
| 2 | No | 85 | 12.2% |
| Sysmiss | | 4 | |

QN12: Never or rarely washed their hands before eating

Data file: 2015COK_public_use

Overview

Valid: 695 Invalid: 6 Mean: 1.927 Standard deviation: 0.261
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|--|
|-------|----------|-------|--|

| | | | |
|---------|-----|-----|-------|
| 1 | Yes | 51 | 7.3% |
| 2 | No | 644 | 92.7% |
| Sysmiss | | 6 | |

QN13: Never or rarely washed their hands after using the toilet or latrine

Data file: 2015COK_public_use

Overview

Valid: 698 Invalid: 3 Mean: 1.951 Standard deviation: 0.215
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 34 | 4.9% |
| 2 | No | 664 | 95.1% |
| Sysmiss | | 3 | |

QN14: Never or rarely used soap when washing their hands

Data file: 2015COK_public_use

Overview

Valid: 698 Invalid: 3 Mean: 1.94 Standard deviation: 0.238
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 42 | 6% |
| 2 | No | 656 | 94% |
| Sysmiss | | 3 | |

QN15: Were physically attacked**Data file:** 2015COK_public_use**Overview**

Valid: 693 Invalid: 8 Mean: 1.659 Standard deviation: 0.474
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 236 | 34.1% |
| 2 | No | 457 | 65.9% |
| Sysmiss | | 8 | |

QN16: Were in a physical fight**Data file:** 2015COK_public_use**Overview**

Valid: 700 Invalid: 1 Mean: 1.724 Standard deviation: 0.447
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 193 | 27.6% |
| 2 | No | 507 | 72.4% |
| Sysmiss | | 1 | |

QN17: Were seriously injured**Data file:** 2015COK_public_use**Overview**

Valid: 612 Invalid: 89 Mean: 1.454 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 334 | 54.6% |
| 2 | No | 278 | 45.4% |
| Sysmiss | | 89 | |

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: 2015COK_public_use

Overview

Valid: 263 Invalid: 438 Mean: 1.798 Standard deviation: 0.402
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 53 | 20.2% |
| 2 | No | 210 | 79.8% |
| Sysmiss | | 438 | |

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: 2015COK_public_use

Overview

Valid: 253 Invalid: 448 Mean: 1.838 Standard deviation: 0.369
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 41 | 16.2% |
| 2 | No | 212 | 83.8% |
| Sysmiss | | 448 | |

QN20: Were bullied

Data file: 2015COK_public_use

Overview

Valid: 669 Invalid: 32 Mean: 1.726 Standard deviation: 0.446
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 183 | 27.4% |
| 2 | No | 486 | 72.6% |
| Sysmiss | | 32 | |

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

Data file: 2015COK_public_use

Overview

Valid: 151 Invalid: 550 Mean: 1.821 Standard deviation: 0.384
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 27 | 17.9% |
| 2 | No | 124 | 82.1% |
| Sysmiss | | 550 | |

QN22: Most of the time or always felt lonely**Data file:** 2015COK_public_use**Overview**

Valid: 700 Invalid: 1 Mean: 1.92 Standard deviation: 0.271
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 56 | 8% |
| 2 | No | 644 | 92% |
| Sysmiss | | 1 | |

QN23: Most of the time or always were so worried about something that they could not sleep at night**Data file:** 2015COK_public_use**Overview**

Valid: 699 Invalid: 2 Mean: 1.858 Standard deviation: 0.349
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 99 | 14.2% |
| 2 | No | 600 | 85.8% |
| Sysmiss | | 2 | |

QN24: Seriously considered attempting suicide**Data file:** 2015COK_public_use

Overview

Valid: 687 Invalid: 14 Mean: 1.846 Standard deviation: 0.361
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 106 | 15.4% |
| 2 | No | 581 | 84.6% |
| Sysmiss | | 14 | |

QN25: Made a plan about how they would attempt suicide

Data file: 2015COK_public_use

Overview

Valid: 693 Invalid: 8 Mean: 1.85 Standard deviation: 0.357
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 104 | 15% |
| 2 | No | 589 | 85% |
| Sysmiss | | 8 | |

QN26: Attempted suicide

Data file: 2015COK_public_use

Overview

Valid: 698 Invalid: 3 Mean: 1.86 Standard deviation: 0.348
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 98 | 14% |
| 2 | No | 600 | 86% |
| Sysmiss | | 3 | |

QN27: Did not have any close friends

Data file: 2015COK_public_use

Overview

Valid: 695 Invalid: 6 Mean: 1.934 Standard deviation: 0.249
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 46 | 6.6% |
| 2 | No | 649 | 93.4% |
| Sysmiss | | 6 | |

QN28: Tried a cigarette before age 14 years

Data file: 2015COK_public_use

Overview

Valid: 331 Invalid: 370 Mean: 1.272 Standard deviation: 0.446
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 241 | 72.8% |
| 2 | No | 90 | 27.2% |
| Sysmiss | | 370 | |

QN29: Currently smoked cigarettes**Data file:** 2015COK_public_use**Overview**

Valid: 690 Invalid: 11 Mean: 1.791 Standard deviation: 0.407
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 144 | 20.9% |
| 2 | No | 546 | 79.1% |
| Sysmiss | | 11 | |

QN30: Currently used any tobacco products other than cigarettes**Data file:** 2015COK_public_use**Overview**

Valid: 698 Invalid: 3 Mean: 1.84 Standard deviation: 0.367
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 112 | 16% |
| 2 | No | 586 | 84% |
| Sysmiss | | 3 | |

QN31: Tried to quit smoking cigarettes**Data file:** 2015COK_public_use**Overview**

Valid: 139 Invalid: 562 Mean: 1.223 Standard deviation: 0.418

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 108 | 77.7% |
| 2 | No | 31 | 22.3% |
| Sysmiss | | 562 | |

QN32: Reported that people smoked in their presence

Data file: 2015COK_public_use

Overview

Valid: 696 Invalid: 5 Mean: 1.316 Standard deviation: 0.465
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 476 | 68.4% |
| 2 | No | 220 | 31.6% |
| Sysmiss | | 5 | |

QN33: Had parents or guardians who used any form of tobacco

Data file: 2015COK_public_use

Overview

Valid: 699 Invalid: 2 Mean: 1.569 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 301 | 43.1% |
| 2 | No | 398 | 56.9% |
| Sysmiss | | 2 | |

QN34: Drank alcohol before age 14 years**Data file:** 2015COK_public_use**Overview**

Valid: 438 Invalid: 263 Mean: 1.416 Standard deviation: 0.493
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 256 | 58.4% |
| 2 | No | 182 | 41.6% |
| Sysmiss | | 263 | |

QN35: Currently drank alcohol**Data file:** 2015COK_public_use**Overview**

Valid: 684 Invalid: 17 Mean: 1.639 Standard deviation: 0.481
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 247 | 36.1% |
| 2 | No | 437 | 63.9% |
| Sysmiss | | 17 | |

QN36: Usually drank two or more drinks per day**Data file:** 2015COK_public_use**Overview**

Valid: 262 Invalid: 439 Mean: 1.427 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 150 | 57.3% |
| 2 | No | 112 | 42.7% |
| Sysmiss | | 439 | |

QN37: Usually obtained the alcohol they drank from friends**Data file:** 2015COK_public_use**Overview**

Valid: 264 Invalid: 437 Mean: 1.519 Standard deviation: 0.501
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 127 | 48.1% |
| 2 | No | 137 | 51.9% |
| Sysmiss | | 437 | |

QN38: Ever drank so much alcohol that they were really drunk**Data file:** 2015COK_public_use

Overview

Valid: 682 Invalid: 19 Mean: 1.714 Standard deviation: 0.452
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 195 | 28.6% |
| 2 | No | 487 | 71.4% |
| Sysmiss | | 19 | |

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: 2015COK_public_use

Overview

Valid: 681 Invalid: 20 Mean: 1.836 Standard deviation: 0.371
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 112 | 16.4% |
| 2 | No | 569 | 83.6% |
| Sysmiss | | 20 | |

QN40: Used drugs before age 14 years

Data file: 2015COK_public_use

Overview

Valid: 94 Invalid: 607 Mean: 1.351 Standard deviation: 0.48
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 61 | 64.9% |
| 2 | No | 33 | 35.1% |
| Sysmiss | | 607 | |

QN41: Ever used marijuana

Data file: 2015COK_public_use

Overview

Valid: 678 Invalid: 23 Mean: 1.891 Standard deviation: 0.312
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 74 | 10.9% |
| 2 | No | 604 | 89.1% |
| Sysmiss | | 23 | |

QN42: Currently used marijuana

Data file: 2015COK_public_use

Overview

Valid: 683 Invalid: 18 Mean: 1.946 Standard deviation: 0.227
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|--|
|-------|----------|-------|--|

| | | | |
|---------|-----|-----|-------|
| 1 | Yes | 37 | 5.4% |
| 2 | No | 646 | 94.6% |
| Sysmiss | | 18 | |

QN49: Were not physically active

Data file: 2015COK_public_use

Overview

Valid: 697 Invalid: 4 Mean: 1.795 Standard deviation: 0.404
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 143 | 20.5% |
| 2 | No | 554 | 79.5% |
| Sysmiss | | 4 | |

QN50: Did not walk or ride a bicycle to or from school

Data file: 2015COK_public_use

Overview

Valid: 696 Invalid: 5 Mean: 1.5 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 348 | 50% |
| 2 | No | 348 | 50% |
| Sysmiss | | 5 | |

QN51: Did not attend physical education classes**Data file:** 2015COK_public_use**Overview**

Valid: 694 Invalid: 7 Mean: 1.712 Standard deviation: 0.453
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 200 | 28.8% |
| 2 | No | 494 | 71.2% |
| Sysmiss | | 7 | |

QN52: Spent three or more hours per day doing sitting activities**Data file:** 2015COK_public_use**Overview**

Valid: 701 Invalid: 0 Mean: 1.566 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | Yes | 304 | 43.4% |
| 2 | No | 397 | 56.6% |

QN53: Missed classes or school without permission**Data file:** 2015COK_public_use**Overview**

Valid: 695 Invalid: 6 Mean: 1.63 Standard deviation: 0.483
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 257 | 37% |
| 2 | No | 438 | 63% |
| Sysmiss | | 6 | |

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: 2015COK_public_use

Overview

Valid: 701 Invalid: 0 Mean: 1.518 Standard deviation: 0.5
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | Yes | 338 | 48.2% |
| 2 | No | 363 | 51.8% |

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: 2015COK_public_use

Overview

Valid: 700 Invalid: 1 Mean: 1.694 Standard deviation: 0.461
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 214 | 30.6% |
| 2 | No | 486 | 69.4% |
| Sysmiss | | 1 | |

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: 2015COK_public_use

Overview

Valid: 701 Invalid: 0 Mean: 1.718 Standard deviation: 0.451
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | Yes | 198 | 28.2% |
| 2 | No | 503 | 71.8% |

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: 2015COK_public_use

Overview

Valid: 699 Invalid: 2 Mean: 1.605 Standard deviation: 0.489
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 276 | 39.5% |
| 2 | No | 423 | 60.5% |
| Sysmiss | | 2 | |

QN43: Ever used amphetamines or methamphetamines**Data file:** 2015COK_public_use**Overview**

Valid: 682 Invalid: 19 Mean: 1.971 Standard deviation: 0.169
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 20 | 2.9% |
| 2 | No | 662 | 97.1% |
| Sysmiss | | 19 | |

QN58: Reported that their parents or guardians never or rarely went through their things without their approval**Data file:** 2015COK_public_use**Overview**

Valid: 701 Invalid: 0 Mean: 1.377 Standard deviation: 0.485
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | Yes | 437 | 62.3% |
| 2 | No | 264 | 37.7% |

QNUNWTG: Were underweight**Data file:** 2015COK_public_use**Overview**

Valid: 665 Invalid: 36 Mean: 1.992 Standard deviation: 0.0864
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight ($<-2SD$ from median for BMI by age and sex)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 5 | 0.8% |
| 2 | No | 660 | 99.2% |
| Sysmiss | | 36 | |

QNOWTG: Were overweight

Data file: 2015COK_public_use

Overview

Valid: 665 Invalid: 36 Mean: 1.362 Standard deviation: 0.481
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight ($>+1SD$ from median for BMI by age and sex)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 424 | 63.8% |
| 2 | No | 241 | 36.2% |
| Sysmiss | | 36 | |

QNOBESEG: Were obese

Data file: 2015COK_public_use

Overview

Valid: 665 Invalid: 36 Mean: 1.65 Standard deviation: 0.477
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese ($>+2SD$ from median for BMI by age and sex)

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|--|
|-------|----------|-------|--|

| | | | |
|---------|-----|-----|-----|
| 1 | Yes | 233 | 35% |
| 2 | No | 432 | 65% |
| Sysmiss | | 36 | |

QNFR1G: Usually ate fruit less than one time per day

Data file: 2015COK_public_use

Overview

Valid: 699 Invalid: 2 Mean: 1.765 Standard deviation: 0.424
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 164 | 23.5% |
| 2 | No | 535 | 76.5% |
| Sysmiss | | 2 | |

QNFR1G: Usually ate fruit one or more times per day

Data file: 2015COK_public_use

Overview

Valid: 699 Invalid: 2 Mean: 1.316 Standard deviation: 0.465
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 478 | 68.4% |
| 2 | No | 221 | 31.6% |
| Sysmiss | | 2 | |

QNFR2G: Usually ate fruit two or more times per day**Data file:** 2015COK_public_use**Overview**

Valid: 699 Invalid: 2 Mean: 1.534 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 326 | 46.6% |
| 2 | No | 373 | 53.4% |
| Sysmiss | | 2 | |

QNFR3G: Usually ate fruit three or more times per day**Data file:** 2015COK_public_use**Overview**

Valid: 699 Invalid: 2 Mean: 1.727 Standard deviation: 0.446
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 191 | 27.3% |
| 2 | No | 508 | 72.7% |
| Sysmiss | | 2 | |

QNVEGLG: Usually ate vegetables less than one time per day**Data file:** 2015COK_public_use**Overview**

Valid: 701 Invalid: 0 Mean: 1.793 Standard deviation: 0.405
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | Yes | 145 | 20.7% |
| 2 | No | 556 | 79.3% |

QNVEG1G: Usually ate vegetables one or more times per day

Data file: 2015COK_public_use

Overview

Valid: 701 Invalid: 0 Mean: 1.271 Standard deviation: 0.445
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | Yes | 511 | 72.9% |
| 2 | No | 190 | 27.1% |

QNVEG2G: Usually ate vegetables two or more times per day

Data file: 2015COK_public_use

Overview

Valid: 701 Invalid: 0 Mean: 1.512 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | Yes | 342 | 48.8% |
| 2 | No | 359 | 51.2% |

QNVEG3G: Usually ate vegetables three or more times per day**Data file: 2015COK_public_use****Overview**

Valid: 701 Invalid: 0 Mean: 1.71 Standard deviation: 0.454
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-----|
| 1 | Yes | 203 | 29% |
| 2 | No | 498 | 71% |

QNSODALG: Usually drank carbonated soft drinks less than one time per day**Data file: 2015COK_public_use****Overview**

Valid: 696 Invalid: 5 Mean: 1.661 Standard deviation: 0.474
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 236 | 33.9% |
| 2 | No | 460 | 66.1% |
| Sysmiss | | 5 | |

QNSODA1G: Usually drank carbonated soft drinks one or more times per day**Data file: 2015COK_public_use****Overview**

Valid: 696 Invalid: 5 Mean: 1.443 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 388 | 55.7% |
| 2 | No | 308 | 44.3% |
| Sysmiss | | 5 | |

QNSODA2G: Usually drank carbonated soft drinks two or more times per day

Data file: 2015COK_public_use

Overview

Valid: 696 Invalid: 5 Mean: 1.629 Standard deviation: 0.483
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 258 | 37.1% |
| 2 | No | 438 | 62.9% |
| Sysmiss | | 5 | |

QNSODA3G: Usually drank carbonated soft drinks three or more times per day

Data file: 2015COK_public_use

Overview

Valid: 696 Invalid: 5 Mean: 1.823 Standard deviation: 0.382
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 123 | 17.7% |
| 2 | No | 573 | 82.3% |
| Sysmiss | | 5 | |

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: 2015COK_public_use

Overview

Valid: 700 Invalid: 1 Mean: 1.333 Standard deviation: 0.472
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 467 | 66.7% |
| 2 | No | 233 | 33.3% |
| Sysmiss | | 1 | |

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: 2015COK_public_use

Overview

Valid: 700 Invalid: 1 Mean: 1.63 Standard deviation: 0.483
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 259 | 37% |
| 2 | No | 441 | 63% |
| Sysmiss | | 1 | |

QNFF3G: Ate food from a fast food restaurant three or more days**Data file:** 2015COK_public_use**Overview**

Valid: 700 Invalid: 1 Mean: 1.837 Standard deviation: 0.369
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 114 | 16.3% |
| 2 | No | 586 | 83.7% |
| Sysmiss | | 1 | |

QNC2G: Were bullied and could not sleep at night**Data file:** 2015COK_public_use**Overview**

Valid: 95 Invalid: 606 Mean: 1.579 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 40 | 42.1% |
| 2 | No | 55 | 57.9% |
| Sysmiss | | 606 | |

QNTOB2G: Currently used any tobacco product**Data file:** 2015COK_public_use**Overview**

Valid: 693 Invalid: 8 Mean: 1.773 Standard deviation: 0.419
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 157 | 22.7% |
| 2 | No | 536 | 77.3% |
| Sysmiss | | 8 | |

QNNOTB2G: Did not currently use any tobacco products

Data file: 2015COK_public_use

Overview

Valid: 689 Invalid: 12 Mean: 1.222 Standard deviation: 0.416
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 536 | 77.8% |
| 2 | No | 153 | 22.2% |
| Sysmiss | | 12 | |

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: 2015COK_public_use

Overview

Valid: 697 Invalid: 4 Mean: 1.654 Standard deviation: 0.476
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 241 | 34.6% |
| 2 | No | 456 | 65.4% |
| Sysmiss | | 4 | |

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: 2015COK_public_use

Overview

Valid: 697 Invalid: 4 Mean: 1.836 Standard deviation: 0.37
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 114 | 16.4% |
| 2 | No | 583 | 83.6% |
| Sysmiss | | 4 | |

QNPE3G: Attended physical education classes on three or more days

Data file: 2015COK_public_use

Overview

Valid: 694 Invalid: 7 Mean: 1.63 Standard deviation: 0.483
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 257 | 37% |
| 2 | No | 437 | 63% |
| Sysmiss | | 7 | |

QNPE5G: Attended physical education classes on five or more days**Data file: 2015COK_public_use****Overview**

Valid: 694 Invalid: 7 Mean: 1.759 Standard deviation: 0.428
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 167 | 24.1% |
| 2 | No | 527 | 75.9% |
| Sysmiss | | 7 | |

WEIGHT:**Data file: 2015COK_public_use****Overview**

Valid: 701 Invalid: 0 Mean: 1.651 Standard deviation: 0.357
 Type: Continuous Decimal: 0 Width: 10 Range: 42.0329 - 329.5608 Format: Numeric

STRATUM:**Data file: 2015COK_public_use****Overview**

Valid: 701 Invalid: 0 Mean: 201501028.297 Standard deviation: 17.443
 Type: Discrete Decimal: 0 Width: 9 Range: 201501001 - 201501019 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|-----------|----------|-------|------|
| 201501012 | | 11 | 1.6% |
| 201501015 | | 29 | 4.1% |
| 201501016 | | 2 | 0.3% |
| 201501017 | | 7 | 1% |
| 201501018 | | 12 | 1.7% |
| 201501019 | | 17 | 2.4% |
| 201501021 | | 7 | 1% |

| | | | |
|-----------|--|-----|-------|
| 201501022 | | 8 | 1.1% |
| 201501023 | | 3 | 0.4% |
| 201501024 | | 16 | 2.3% |
| 201501025 | | 40 | 5.7% |
| 201501026 | | 32 | 4.6% |
| 201501029 | | 99 | 14.1% |
| 201501030 | | 38 | 5.4% |
| 201501031 | | 290 | 41.4% |
| 201501032 | | 11 | 1.6% |
| 201501033 | | 68 | 9.7% |
| 201501034 | | 11 | 1.6% |

PSU:

Data file: 2015COK_public_use

Overview

Valid: 701 Invalid: 0 Mean: 2.94 Standard deviation: 1.453

Type: Continuous Decimal: 0 Width: 5 Range: 1 - 38 Format: Numeric

study_resources

questionnaires

Questionnaire

title Questionnaire
country Cook Isl.
filename 2015_GSHS_Cook_Islands_Questionnaire.pdf

reports

Fact Sheet

title Fact Sheet
country Cook Isl.
filename gshs_fs_cook_islands_2015.pdf

technical_documents

Codebook

title Codebook
country Cook Isl.
filename 2015COK_public_use_codebook.pdf
