

STEPwise Approach to Non-Communicable Diseases Risk Factor Surveillance 2004

Ministry of Health

report_generated_on: November 20, 2023

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER

ERI_2004_STEPS_v01_M

TITLE

STEPwise Approach to Non-Communicable Diseases Risk Factor Surveillance 2004

COUNTRY

Name	Country code
Eritrea	ERI

STUDY TYPE

Other Household Survey [hh/oth]

SERIES INFORMATION

This is the first STEPS conducted by Eritrea.

ABSTRACT

STEPS is a household-based survey to obtain core data on the established risk factors that determine the major burden of NCDs.

KIND OF DATA

Sample survey data [ssd]

UNIT OF ANALYSIS

Individuals

Version

VERSION DESCRIPTION

Public-use dataset

Scope

NOTES

The following topics were included in the survey: tobacco use, alcohol consumption, diet, physical activity, history of raised blood glucose and history of raised blood pressure. Additionally, the following measures were taken: blood pressure, height, weight and waist circumference.

TOPICS

Topic	Vocabulary
STEPS	Survey

KEYWORDS

Keyword
noncommunicable diseases
risk factors
health surveys
tobacco use
alcohol use

diet
nutrition
physical activity
blood pressure
overweight
obesity
diabetes
hypertension

Coverage

GEOGRAPHIC COVERAGE

National coverage

UNIVERSE

Adults aged 15-64 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
Ministry of Health

Sampling

SAMPLING PROCEDURE

A 2-stage stratified cluster sample design was used to produce representative data. See p. 20 of the report for more details.

RESPONSE RATE

Overall response rate: 94%

WEIGHTING

Analysis weights are not available.

data_collection

DATES OF DATA COLLECTION

Start	End
2004-07	2004-10

DATA COLLECTION MODE

Face-to-face [f2f]

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on STEPS data should cite the survey report (if available) and acknowledge the data source in the following manner:

"This paper uses data from the [country] [year] STEPS survey, implemented by [implementing agency] with the support of the World Health Organization."

ACCESS AUTHORITY

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_ERI_2004_STEPS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Yue Wu		World Health Organization	Documentation of data
Melanie Cowan		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2020-04-08

DDI DOCUMENT VERSION

Identical to a metadata (ERI_2004_STEPS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
eri2004 National public-use dataset	2319	123

Data file: eri2004

National public-use dataset

Cases: 2319

variables: 123

variables

ID	Name	Label	Question
V264	pid	ID	
V272	i8	interview language	
V274	c2	date of birth	
V275	sex	sex	
V276	age	age for analysis	
V277	x1	attended school	
V278	x2	religion	
V279	c5	ethnic group	
V280	c6	highest level of education	
V281	c7	work status	
V282	c8	adults older than 18yrs in household	
V283	x3	adults less than 18yrs in household	
V284	x4	principal source of income for household	
V285	x5	average harvest	
V286	c9a	household earnings per week	
V287	c9b	household earnings per month	
V288	c9c	household earnings per year	
V289	c9d	household earnings refused	
V290	c10bref	estimate of annual household income	
V291	t1	current smoking	
V292	t2	current daily smoking	
V293	t3	age started smoking	
V294	t4a	time since started smoking (years)	
V295	t4b	time since started smoking (months)	
V296	t4c	time since started smoking (weeks)	
V297	t5a	manufactured cigs smoked per day	
V298	t5b	hand-rolled cigs smoked per day	
V299	t5c	pipes smoked per day	
V300	t5d	cigars smoked per day	
V301	t5e	other smoked per day	
V302	t6	past daily smoking	
V303	t8a	time since quitting smoking (years)	
V304	t8b	time since quitting smoking (months)	
V305	t8c	time since quitting smoking (weeks)	
V306	t9	current smokeless tobacco use	
V307	t10	current daily smokeless tobacco use	
V308	t11a	Snuff, by mouth times per day	

ID	Name	Label	Question
V309	t11b	Snuff, by nose times per day	
V310	t11c	Chewing tobacco times per day	
V311	t11e	other smokeless product per day	
V312	t12	past daily smokeless use	
V313	a1	drank alcohol in past 12 mos	
V314	a2	freq drinking in past 12 mos	
V315	a3	average drinks during one day	
V316	a4	drank alcohol in past 30 days	
V317	a5a	number of drinks consumed last Monday	
V318	a5b	number of drinks consumed last Tuesday	
V319	a5c	number of drinks consumed last Wednesday	
V320	a5d	number of drinks consumed last Thursday	
V321	a5e	number of drinks consumed last Friday	
V322	a5f	number of drinks consumed last Saturday	
V323	a5g	number of drinks consumed last Sunday	
V324	a6	largest number drinks past 30 days	
V325	a7	times drank 5+(men) drinks in single occasion past 30 days	
V326	a8	times drank 4+(women) drinks in single occasion past 30 days	
V327	origd1	often eat fruit in year	
V328	d1	days fruit eaten per week	
V329	d2	servings fruit eaten per day	
V330	origd2	often eat veg in year	
V331	d3	days veg eaten per week	
V332	d4	servings veg eaten per day	
V333	d5	oil used most often	
V334	p1	vig activity at work	
V335	p2	vig activity at work: days per week	
V336	p3a	vig activity at work: hours per day	
V337	p3b	vig activity at work: mins per day	
V338	p4	mod activity at work	
V339	p5	mod activity at work: days per week	
V340	p6a	mod activity at work: hours per day	
V341	p6b	mod activity at work: mins per day	
V342	p7	active transport	
V343	p8	active transport: days per week	
V344	p9a	active transport: hours per day	
V345	p9b	active transport: mins per day	
V346	p10	vig leisure activity	
V347	p11	vig leisure activity: days per week	
V348	p12a	vig leisure activity: hours per day	
V349	p12b	vig leisure activity: mins per day	
V350	p13	mod leisure activity	
V351	p14	mod leisure activity: days per week	
V352	p15a	mod leisure activity: hours per day	
V353	p15b	mod leisure activity: mins per day	

ID	Name	Label	Question
V354	p16a	sedentary time: hours per day	
V355	p16b	sedentary time: mins per day	
V356	h1	BP last measured	
V357	h2	told had high BP in past 12 mos	
V358	x19	currently receiving for high BP: drugs of non-drug treatments	
V359	h3a	currently receiving for high BP: drugs	
V360	h3b	currently receiving for high BP: advice to reduce salt intake	
V361	h3c	currently receiving for high BP: advice/treatment to lose weight	
V362	h3d	currently receiving for high BP: advice/treatment to stop smoking	
V363	h3e	currently receiving for high BP: advice/treatment to exercise more	
V364	h4	seen trad'l healer for high BP in past 12 mos	
V365	h5	taking trad'l meds for high BP	
V366	x20	family history of cardiovascular disease	
V367	h6	gluc measured in past 12 mos	
V368	h7	told had high gluc in past 12 mos	
V369	x21	currently receiving for high gluc: drugs of non-drug treatments	
V370	h8a	currently receiving for high gluc: insulin	
V371	h8b	currently receiving for high gluc: drugs	
V372	h8c	currently receiving for high gluc: special diet	
V373	h8d	currently receiving for high gluc: advice/treatment to lose weight	
V374	h8e	currently receiving for high gluc: advice/treatment to stop smoking	
V375	h8f	currently receiving for high gluc: advice/treatment to exercise more	
V376	h9	seen trad'l healer for high gluc in past 12 mos	
V377	h10	taking trad'l meds for high gluc	
V378	x22	family history of diabetes	
V379	m2a	height device ID	
V380	m2b	weight device ID	
V381	m3	height (cm)	
V382	m4	weight (kg)	
V383	m5	pregnant	
V384	m6	waist device ID	
V385	m7	waist circumference (cm)	
V386	m9	BP device ID	
V387	m11a	BP reading 1: systolic	
V388	m11b	BP reading 1: diastolic	
V389	m12a	BP reading 2: systolic	
V390	m12b	BP reading 2: diastolic	
V391	m13a	BP reading 3: systolic	
V392	m13b	BP reading 3: diastolic	
V393	m14	took raised BP meds in past 2 weeks	
V394	agerange	ageranges for which survey was designed	

total: 123

PID: ID**Data file: eri2004****Overview**

Valid: 2319 Invalid: 0 Minimum: 1 Maximum: 2346 Mean: 1173.87 Standard deviation: 676.461
 Type: Continuous Decimal: 0 Width: 8 Range: 1 - 2346 Format: Numeric

I8: interview language**Data file: eri2004****Overview**

Valid: 2285 Invalid: 34
 Type: Discrete Decimal: 0 Width: 9 Range: 0 - 40 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		1	0%
1	Ttigrynia	1893	82.8%
2	Tigre	191	8.4%
3	Kunama	5	0.2%
4	Saho	50	2.2%
5	Hindareb	14	0.6%
6	Bilen	24	1.1%
7	Nara	30	1.3%
8	Afar	48	2.1%
9	Arabic	12	0.5%
10	Other	14	0.6%
16		1	0%
40		2	0.1%
Sysmiss		34	

C2: date of birth**Data file: eri2004****Overview**

Valid: 228 Invalid: 0
 Type: Discrete Width: 10 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category	Cases	
01/01/1962		1	0.4%
01/01/1975		1	0.4%
01/01/1976		1	0.4%
01/01/1986		1	0.4%
01/02/1951		1	0.4%
01/02/1964		1	0.4%
01/03/1954		1	0.4%
01/03/1968		1	0.4%
01/04/1967		1	0.4%
01/05/1952		1	0.4%
01/06/1964		1	0.4%
01/07/1968		1	0.4%
01/09/1958		2	0.9%
01/10/1973		1	0.4%
01/11/1944		1	0.4%
01/11/1976		1	0.4%
02/01/1944		1	0.4%
02/02/1944		1	0.4%
02/03/1989		1	0.4%
02/05/1942		1	0.4%
02/05/1964		1	0.4%
02/09/1964		1	0.4%
02/10/1947		1	0.4%
02/10/1949		1	0.4%
02/10/1953		1	0.4%
02/10/1978		1	0.4%
02/11/1954		1	0.4%
02/12/1968		1	0.4%
02/12/1982		1	0.4%
03/01/1945		1	0.4%
03/01/1948		1	0.4%
03/01/1977		1	0.4%
03/03/1974		1	0.4%
03/04/1989		1	0.4%
03/09/1954		1	0.4%

03/09/1984		1	0.4%
03/10/1947		1	0.4%
03/10/1981		1	0.4%
03/11/1987		1	0.4%
03/12/1982		1	0.4%
04/08/1959		1	0.4%
04/08/1979		1	0.4%
04/09/1968		1	0.4%
04/09/1971		1	0.4%
04/10/1959		1	0.4%
05/01/1951		1	0.4%
05/01/1978		1	0.4%
05/01/1982		1	0.4%
05/04/1987		1	0.4%
05/08/1957		1	0.4%
05/09/1943		1	0.4%
05/09/1974		1	0.4%
05/09/1977		1	0.4%
05/10/1950		1	0.4%
05/10/1962		1	0.4%
05/10/1974		1	0.4%
05/11/1988		1	0.4%
05/12/1952		1	0.4%
05/12/1981		1	0.4%
06/06/1979		1	0.4%
06/07/1978		1	0.4%
06/08/1984		1	0.4%
06/09/1969		1	0.4%
07/01/1974		2	0.9%
07/05/1979		1	0.4%
07/07/1945		1	0.4%
07/07/1980		1	0.4%
07/07/1984		1	0.4%
07/09/1958		1	0.4%
07/10/1964		1	0.4%
07/10/1983		1	0.4%
07/12/1955		1	0.4%
08/07/1978		1	0.4%
08/08/1981		1	0.4%

08/09/1969		2	0.9%
08/10/1982		1	0.4%
08/12/1951		1	0.4%
09/01/1976		1	0.4%
09/01/1978		1	0.4%
09/03/1976		1	0.4%
09/04/1984		1	0.4%
09/05/1977		1	0.4%
09/07/1952		1	0.4%
09/08/1989		1	0.4%
09/12/1972		1	0.4%
10/01/1952		1	0.4%
10/05/1940		1	0.4%
10/05/1945		1	0.4%
10/05/1967		1	0.4%
10/05/1983		1	0.4%
10/07/1946		1	0.4%
10/07/1950		1	0.4%
10/07/1988		1	0.4%
10/08/1985		1	0.4%
10/10/1979		1	0.4%
10/11/1959		1	0.4%
10/11/1970		1	0.4%
10/11/1973		1	0.4%
10/11/1984		1	0.4%
10/12/1968		1	0.4%
10/12/1974		1	0.4%
11/02/1965		1	0.4%
11/02/1966		1	0.4%
11/03/1989		1	0.4%
11/05/1968		1	0.4%
11/07/1959		1	0.4%
11/09/1989		1	0.4%
11/10/1979		1	0.4%
11/11/1979		1	0.4%
11/12/1974		1	0.4%
12/01/1968		1	0.4%
12/02/1957		1	0.4%
12/02/1971		1	0.4%

12/04/1965		1	0.4%
12/04/1975		1	0.4%
12/05/1942		1	0.4%
12/05/1952		1	0.4%
12/05/1986		1	0.4%
12/07/1955		1	0.4%
12/08/1958		1	0.4%
12/09/1959		1	0.4%
12/09/1988		1	0.4%
12/10/1962		1	0.4%
12/10/1963		1	0.4%
12/12/1954		1	0.4%
13/06/1973		1	0.4%
13/08/1970		1	0.4%
14/03/1974		1	0.4%
14/04/1985		1	0.4%
15/04/1959		1	0.4%
15/05/1979		1	0.4%
15/06/1954		1	0.4%
15/07/1976		1	0.4%
15/08/1983		1	0.4%
15/09/1954		1	0.4%
15/12/1949		1	0.4%
15/12/1974		1	0.4%
15/12/1984		1	0.4%
16/09/1959		1	0.4%
16/09/1989		1	0.4%
16/11/1979		1	0.4%
16/12/1980		1	0.4%
17/03/1970		1	0.4%
17/09/1948		1	0.4%
17/09/1949		1	0.4%
17/11/1988		1	0.4%
18/02/1951		1	0.4%
18/02/1984		1	0.4%
18/03/1970		1	0.4%
18/03/1988		1	0.4%
18/07/1980		1	0.4%
18/11/1971		1	0.4%

18/12/1986		1	0.4%
19/02/1984		1	0.4%
19/02/1987		1	0.4%
19/03/1960		1	0.4%
19/03/1970		1	0.4%
19/04/1947		1	0.4%
19/05/1968		1	0.4%
19/08/1987		1	0.4%
19/12/1972		1	0.4%
19/12/1978		1	0.4%
20/01/1952		1	0.4%
20/01/1989		1	0.4%
20/07/1988		1	0.4%
20/09/1954		1	0.4%
20/09/1974		1	0.4%
20/10/1964		1	0.4%
21/01/1989		1	0.4%
21/03/1979		1	0.4%
21/05/1942		1	0.4%
21/07/1984		1	0.4%
21/09/1969		1	0.4%
21/12/1979		1	0.4%
22/03/1974		1	0.4%
22/04/1964		1	0.4%
22/06/1978		1	0.4%
22/07/1967		1	0.4%
22/07/1979		1	0.4%
22/09/1963		1	0.4%
22/09/1978		1	0.4%
22/10/1986		1	0.4%
23/02/1948		1	0.4%
23/04/1973		1	0.4%
23/05/1979		1	0.4%
23/07/1988		1	0.4%
23/09/1949		1	0.4%
23/10/1980		1	0.4%
24/01/1986		1	0.4%
24/02/1942		1	0.4%
24/04/1969		1	0.4%

24/04/1986		1	0.4%
24/05/1947		1	0.4%
24/06/1967		1	0.4%
24/08/1962		1	0.4%
24/08/1980		1	0.4%
24/08/1984		1	0.4%
24/10/1974		1	0.4%
25/01/1978		1	0.4%
25/05/1943		1	0.4%
25/07/1977		1	0.4%
25/10/1972		1	0.4%
26/01/1985		1	0.4%
26/02/1983		1	0.4%
26/06/1966		1	0.4%
27/02/1973		1	0.4%
27/04/1950		1	0.4%
27/07/1966		1	0.4%
27/10/1980		1	0.4%
28/01/1956		1	0.4%
28/01/1980		1	0.4%
28/10/1982		1	0.4%
28/10/1987		1	0.4%
28/12/1985		1	0.4%
29/01/1988		1	0.4%
29/06/1956		1	0.4%
29/06/1980		1	0.4%
29/08/1977		1	0.4%
29/09/1989		1	0.4%
29/10/1981		1	0.4%
29/10/1985		1	0.4%
30/05/1986		1	0.4%
30/05/1988		1	0.4%
30/07/1975		1	0.4%
30/10/1982		1	0.4%

SEX: sex

Data file: eri2004

Overview

Valid: 2319 Invalid: 0
 Type: Discrete Width: 5 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category	Cases	
men		1147	49.5%
women		1172	50.5%

AGE: age for analysis

Data file: eri2004

Overview

Valid: 2319 Invalid: 0 Minimum: 15 Maximum: 64 Mean: 38.736 Standard deviation: 14.582
 Type: Continuous Decimal: 0 Width: 8 Range: 15 - 64 Format: Numeric

X1: attended school

Data file: eri2004

Overview

Valid: 2310 Invalid: 9
 Type: Discrete Decimal: 0 Width: 8 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	1522	65.9%
2	No	788	34.1%
Sysmiss		9	

X2: religion

Data file: eri2004

Overview

Valid: 2310 Invalid: 9
 Type: Discrete Decimal: 0 Width: 19 Range: 1 - 95 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	orthodox	1286	55.7%
2	catholic	152	6.6%
3	protestant	25	1.1%
4	muslim	839	36.3%
5	traditional beliefs	1	0%
6		1	0%
10		2	0.1%
11		1	0%
95	other	3	0.1%
Sysmiss		9	

C5: ethnic group

Data file: eri2004

Overview

Valid: 2317 Invalid: 2

Type: Discrete Decimal: 0 Width: 8 Range: 1 - 95 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Afar	83	3.6%
2	Bilen	128	5.5%
3	Hedarib	12	0.5%
4	Kunama	14	0.6%
5	Nara	59	2.5%
6	Rashaida	17	0.7%
7	Saho	139	6%
8	Tigre	374	16.1%
9	Tigrinya	1461	63.1%
18		1	0%
31		2	0.1%
38		2	0.1%
88		1	0%

91		2	0.1%
95	Others	22	0.9%
Sysmiss		2	

C6: highest level of education

Data file: eri2004

Overview

Valid: 2304 Invalid: 15

Type: Discrete Decimal: 0 Width: 23 Range: 1 - 6 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	no school	783	34%
2	primary (grades 1-6)	0	0%
3	middle (grades 7-8)	701	30.4%
4	secondary (grades 9-12)	283	12.3%
5	higher (grades >12)	435	18.9%
6		102	4.4%
Sysmiss		15	

C7: work status

Data file: eri2004

Overview

Valid: 2310 Invalid: 9

Type: Discrete Decimal: 0 Width: 18 Range: 1 - 95 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Farmer	341	14.8%
2	Local merchant	138	6%
3	Daily labourer	126	5.5%
4	Civil servant	147	6.4%
5	National service	136	5.9%
6	Military	83	3.6%

7	Student	293	12.7%
8	Housewife	718	31.1%
9	Fisherman/Herdsman	22	1%
10	Self-employed	44	1.9%
11	Retired	15	0.6%
12	Unemployed	132	5.7%
20		1	0%
95	Other	114	4.9%
Sysmiss		9	

C8: adults older than 18yrs in household

Data file: eri2004

Overview

Valid: 2313 Invalid: 6

Type: Discrete Decimal: 0 Width: 8 Range: 0 - 13 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		7	0.3%
1		256	11.1%
2		1005	43.5%
3		483	20.9%
4		294	12.7%
5		136	5.9%
6		80	3.5%
7		30	1.3%
8		10	0.4%
9		6	0.3%
10		2	0.1%
11		2	0.1%
12		1	0%
13		1	0%
Sysmiss		6	

X3: adults less than 18yrs in household**Data file: eri2004****Overview**

Valid: 2244 Invalid: 75

Type: Discrete Decimal: 0 Width: 8 Range: 0 - 13 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		373	16.6%
1		363	16.2%
2		439	19.6%
3		329	14.7%
4		314	14%
5		192	8.6%
6		125	5.6%
7		66	2.9%
8		29	1.3%
9		9	0.4%
10		3	0.1%
12		1	0%
13		1	0%
Sysmiss		75	

X4: principal source of income for household**Data file: eri2004****Overview**

Valid: 2276 Invalid: 0

Type: Discrete Width: 20 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category	Cases	
OTHER		1	0%
AID		99	4.3%
BUSENESS		1	0%
BUSINESS		114	5%

BUSINESS		1	0%
DAILY LABOUR		101	4.4%
FAMR PRODUCT		1	0%
FARM PRODIUCT		1	0%
FARM PRODUCT		5	0.2%
FARM EMPLOYMENT		2	0.1%
FARM PORDUCT		1	0%
FARM PORODUCT		1	0%
FARM PRODUCT		729	32%
FARM PROUCT		1	0%
FORMAL EMPLOYEMET		1	0%
FORMAL EMPLOYMENT		1	0%
FORMAL EMLOYMENT		1	0%
FORMAL EMMPLOYMENT		1	0%
FORMAL EMPLILYOYMENT		1	0%
FORMAL EMPLOYEMNT		1	0%
FORMAL EMPLOYEMMNT		2	0.1%
FORMAL EMPLOYMENT		854	37.5%
FORMAL EMPLOYMENT000		1	0%
FORMAL EMPLOYMET		4	0.2%
FORMAL EMPLOYMMENT		1	0%
FORMAL EMPLOYMENT		1	0%
Farm product		2	0.1%
Farm Product		1	0%
Farm product		9	0.4%
Farm production		3	0.1%
Formal employment		1	0%
MILITARY		11	0.5%
Military		1	0%
NAATIONAL SERVICE		1	0%
NATIONAL SERVICE		60	2.6%
OTHER		101	4.4%
PENSION		8	0.4%
REMINTANCE		1	0%
REMITTANCE		88	3.9%
SELF EMPLOYED		3	0.1%
SELF EMPLOYMENT		33	1.4%
SHOP		3	0.1%
STUDENT		5	0.2%

TEMPORARY EMPLOYMENT		6	0.3%
TRADER		1	0%
UNEMPLOYED		10	0.4%
WEEKLY		1	0%

X5: average harvest

Data file: eri2004

Overview

Valid: 711 Invalid: 1608 Minimum: 0 Maximum: 2400 Mean: 18.745 Standard deviation: 126.124
Type: Continuous Decimal: 0 Width: 8 Range: 0 - 2400 Format: Numeric

C9A: household earnings per week

Data file: eri2004

Overview

Valid: 101 Invalid: 2218 Minimum: 0 Maximum: 2400 Mean: 329.02 Standard deviation: 436.441
Type: Continuous Decimal: 0 Width: 8 Range: 0 - 2400 Format: Numeric

C9B: household earnings per month

Data file: eri2004

Overview

Valid: 894 Invalid: 1425 Minimum: 0 Maximum: 80000 Mean: 1077.289 Standard deviation: 2995.866
Type: Continuous Decimal: 0 Width: 12 Range: 0 - 80000 Format: Numeric

C9C: household earnings per year

Data file: eri2004

Overview

Valid: 243 Invalid: 2076 Minimum: 0 Maximum: 54000 Mean: 3634.498 Standard deviation: 5447.471
Type: Continuous Decimal: 0 Width: 12 Range: 0 - 54000 Format: Numeric

C9D: household earnings refused

Data file: eri2004

Overview

Valid: 380 Invalid: 1939
Type: Discrete Decimal: 0 Width: 8 Range: 0 - 1 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		379	99.7%
1		1	0.3%
Sysmiss		1939	

C10BREF: estimate of annual household income

Data file: eri2004

Overview

Valid: 26 Invalid: 2293

Type: Discrete Decimal: 0 Width: 18 Range: 0 - 88 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		15	57.7%
1	<=Quintile 1	11	42.3%
2	More than Q1, <=Q2	0	0%
3	More than Q2, <=Q3	0	0%
4	More than Q3, <=Q4	0	0%
5	More than Q4	0	0%
77	Don't know	0	0%
88	Refused	0	0%
Sysmiss		2293	

T1: current smoking

Data file: eri2004

Overview

Valid: 2301 Invalid: 18

Type: Discrete Decimal: 0 Width: 8 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	187	8.1%
2	No	2114	91.9%
Sysmiss		18	

T2: current daily smoking

Data file: eri2004

Overview

Valid: 182 Invalid: 2137

Type: Discrete Decimal: 0 Width: 8 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	161	88.5%
2	No	21	11.5%
Sysmiss		2137	

T3: age started smoking

Data file: eri2004

Overview

Valid: 177 Invalid: 2142 Minimum: 0 Maximum: 62 Mean: 20.073 Standard deviation: 6.593

Type: Continuous Decimal: 0 Width: 8 Range: 0 - 62 Format: Numeric

T4A: time since started smoking (years)

Data file: eri2004

Overview

Valid: 172 Invalid: 2147 Minimum: 1 Maximum: 88 Mean: 18.419 Standard deviation: 11.712

Type: Continuous Decimal: 0 Width: 8 Range: 1 - 88 Format: Numeric

T4B: time since started smoking (months)

Data file: eri2004

Overview

Valid: 10 Invalid: 2309 Minimum: 4 Maximum: 40 Mean: 15.1 Standard deviation: 13.237

Type: Continuous Decimal: 0 Width: 8 Range: 4 - 40 Format: Numeric

T4C: time since started smoking (weeks)**Data file:** eri2004**Overview**

Valid: 3 Invalid: 2316

Type: Discrete Decimal: 0 Width: 8 Range: 0 - 10 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		1	33.3%
10		2	66.7%
Sysmiss		2316	

T5A: manufactured cigs smoked per day**Data file:** eri2004**Overview**

Valid: 161 Invalid: 2158 Minimum: 0 Maximum: 50 Mean: 8.913 Standard deviation: 7.622

Type: Continuous Decimal: 0 Width: 8 Range: 0 - 50 Format: Numeric

T5B: hand-rolled cigs smoked per day**Data file:** eri2004**Overview**

Valid: 9 Invalid: 2310

Type: Discrete Decimal: 0 Width: 8 Range: 0 - 15 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4	44.4%
1		1	11.1%
2		2	22.2%
15		2	22.2%
Sysmiss		2310	

T5C: pipes smoked per day**Data file:** eri2004**Overview**

Valid: 6 Invalid: 2313

Type: Discrete Decimal: 0 Width: 8 Range: 0 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4	66.7%
1		1	16.7%
3		1	16.7%
Sysmiss		2313	

T5D: cigars smoked per day**Data file:** eri2004**Overview**

Valid: 0 Invalid: 2319

Type: Discrete Decimal: 0 Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category
Sysmiss	

T5E: other smoked per day**Data file:** eri2004**Overview**

Valid: 9 Invalid: 2310 Minimum: 0 Maximum: 22 Mean: 3.556 Standard deviation: 7.108

Type: Continuous Decimal: 0 Width: 8 Range: 0 - 22 Format: Numeric

T6: past daily smoking**Data file:** eri2004**Overview**

Valid: 2319 Invalid: 0

Type: Discrete Decimal: 0 Width: 8 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	172	7.4%
2	No	2147	92.6%

T8A: time since quitting smoking (years)

Data file: eri2004

Overview

Valid: 105 Invalid: 2214 Minimum: 0 Maximum: 31 Mean: 9.552 Standard deviation: 8.217
 Type: Continuous Decimal: 0 Width: 8 Range: 0 - 31 Format: Numeric

T8B: time since quitting smoking (months)

Data file: eri2004

Overview

Valid: 14 Invalid: 2305
 Type: Discrete Decimal: 0 Width: 8 Range: 0 - 20 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		8	57.1%
1		1	7.1%
2		2	14.3%
5		1	7.1%
6		1	7.1%
20		1	7.1%
Sysmiss		2305	

T8C: time since quitting smoking (weeks)

Data file: eri2004

Overview

Valid: 10 Invalid: 2309
 Type: Discrete Decimal: 0 Width: 8 Range: 0 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		7	70%
1		1	10%
2		1	10%
3		1	10%
Sysmiss		2309	

T9: current smokeless tobacco use

Data file: eri2004

Overview

Valid: 2248 Invalid: 71

Type: Discrete Decimal: 0 Width: 8 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	147	6.5%
2	No	2101	93.5%
Sysmiss		71	

T10: current daily smokeless tobacco use

Data file: eri2004

Overview

Valid: 2319 Invalid: 0

Type: Discrete Decimal: 0 Width: 8 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	132	5.7%
2	No	2187	94.3%

T11A: Snuff, by mouth times per day**Data file:** eri2004**Overview**

Valid: 54 Invalid: 2265 Minimum: 0 Maximum: 22 Mean: 9.63 Standard deviation: 5.966
 Type: Continuous Decimal: 0 Width: 8 Range: 0 - 22 Format: Numeric

T11B: Snuff, by nose times per day**Data file:** eri2004**Overview**

Valid: 5 Invalid: 2314 Minimum: 0 Maximum: 48 Mean: 16.2 Standard deviation: 19.215
 Type: Continuous Decimal: 0 Width: 8 Range: 0 - 48 Format: Numeric

T11C: Chewing tobacco times per day**Data file:** eri2004**Overview**

Valid: 82 Invalid: 2237 Minimum: 0 Maximum: 40 Mean: 9.463 Standard deviation: 8.793
 Type: Continuous Decimal: 0 Width: 8 Range: 0 - 40 Format: Numeric

T11E: other smokeless product per day**Data file:** eri2004**Overview**

Valid: 5 Invalid: 2314
 Type: Discrete Decimal: 0 Width: 8 Range: 0 - 10 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		1	20%
1		1	20%
5		1	20%
6		1	20%
10		1	20%
Sysmiss		2314	

T12: past daily smokeless use**Data file:** eri2004**Overview**

Valid: 2163 Invalid: 156

Type: Discrete Decimal: 0 Width: 8 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	131	6.1%
2	No	2032	93.9%
Sysmiss		156	

A1: drank alcohol in past 12 mos**Data file:** eri2004**Overview**

Valid: 2175 Invalid: 144

Type: Discrete Decimal: 0 Width: 8 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	787	36.2%
2	No	1388	63.8%
Sysmiss		144	

A2: freq drinking in past 12 mos**Data file:** eri2004**Overview**

Valid: 970 Invalid: 1349

Type: Discrete Decimal: 0 Width: 23 Range: 0 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	daily	5	0.5%

1	5 or more days per week	47	4.8%
2	1-4 days per week	113	11.6%
3	1-3 days per month	274	28.2%
4	Less than once a month	531	54.7%
Sysmiss		1349	

A3: average drinks during one day

Data file: eri2004

Overview

Valid: 979 Invalid: 1340

Type: Discrete Decimal: 0 Width: 8 Range: 0 - 99 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		5	0.5%
1		417	42.6%
2		187	19.1%
3		129	13.2%
4		70	7.2%
5		50	5.1%
6		20	2%
7		13	1.3%
8		14	1.4%
9		2	0.2%
10		14	1.4%
12		4	0.4%
13		1	0.1%
15		2	0.2%
17		1	0.1%
20		1	0.1%
25		2	0.2%
30		3	0.3%
35		1	0.1%
40		1	0.1%
99	missing	42	4.3%
Sysmiss		1340	

A4: drank alcohol in past 30 days**Data file:** eri2004**Overview**

Valid: 2175 Invalid: 144

Type: Discrete Decimal: 0 Width: 8 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	570	26.2%
2	No	1605	73.8%
Sysmiss		144	

A5A: number of drinks consumed last Monday**Data file:** eri2004**Overview**

Valid: 326 Invalid: 1993 Minimum: 0 Maximum: 99 Mean: 1.724 Standard deviation: 8.059

Type: Continuous Decimal: 0 Width: 8 Range: 0 - 99 Format: Numeric

A5B: number of drinks consumed last Tuesday**Data file:** eri2004**Overview**

Valid: 283 Invalid: 2036 Minimum: 0 Maximum: 30 Mean: 1.141 Standard deviation: 3.248

Type: Continuous Decimal: 0 Width: 8 Range: 0 - 30 Format: Numeric

A5C: number of drinks consumed last Wednesday**Data file:** eri2004**Overview**

Valid: 299 Invalid: 2020 Minimum: 0 Maximum: 30 Mean: 1.1 Standard deviation: 2.442

Type: Continuous Decimal: 0 Width: 8 Range: 0 - 30 Format: Numeric

A5D: number of drinks consumed last Thursday**Data file:** eri2004

Overview

Valid: 287 Invalid: 2032 Minimum: 0 Maximum: 30 Mean: 0.993 Standard deviation: 2.347
 Type: Continuous Decimal: 0 Width: 8 Range: 0 - 30 Format: Numeric

A5E: number of drinks consumed last Friday

Data file: eri2004

Overview

Valid: 273 Invalid: 2046 Minimum: 0 Maximum: 30 Mean: 1.216 Standard deviation: 3.152
 Type: Continuous Decimal: 0 Width: 8 Range: 0 - 30 Format: Numeric

A5F: number of drinks consumed last Saturday

Data file: eri2004

Overview

Valid: 326 Invalid: 1993 Minimum: 0 Maximum: 30 Mean: 1.457 Standard deviation: 2.542
 Type: Continuous Decimal: 0 Width: 8 Range: 0 - 30 Format: Numeric

A5G: number of drinks consumed last Sunday

Data file: eri2004

Overview

Valid: 403 Invalid: 1916 Minimum: 0 Maximum: 30 Mean: 1.541 Standard deviation: 3.044
 Type: Continuous Decimal: 0 Width: 8 Range: 0 - 30 Format: Numeric

A6: largest number drinks past 30 days

Data file: eri2004

Overview

Valid: 918 Invalid: 1401 Minimum: 0 Maximum: 98 Mean: 4.355 Standard deviation: 6.836
 Type: Continuous Decimal: 0 Width: 8 Range: 0 - 98 Format: Numeric

A7: times drank 5+(men) drinks in single occasion past 30 days

Data file: eri2004

Overview

Valid: 404 Invalid: 1915 Minimum: 0 Maximum: 90 Mean: 5.252 Standard deviation: 11.722
 Type: Continuous Decimal: 0 Width: 8 Range: 0 - 90 Format: Numeric

A8: times drank 4+(women) drinks in single occasion past 30 days**Data file: eri2004****Overview**

Valid: 351 Invalid: 1968 Minimum: 0 Maximum: 96 Mean: 0.963 Standard deviation: 5.624
 Type: Continuous Decimal: 0 Width: 8 Range: 0 - 96 Format: Numeric

ORIGD1: often eat fruit in year**Data file: eri2004****Overview**

Valid: 2238 Invalid: 0
 Type: Discrete Width: 12 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category	Cases	
Daily		41	1.8%
Infrequently		1875	83.8%
Weekly		322	14.4%

D1: days fruit eaten per week**Data file: eri2004****Overview**

Valid: 400 Invalid: 1919
 Type: Discrete Decimal: 0 Width: 8 Range: 0 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		12	3%
1		147	36.8%
2		115	28.8%
3		72	18%
4		13	3.3%
5		9	2.3%
6		2	0.5%
7		30	7.5%

Sysmiss		1919	
---------	--	------	--

D2: servings fruit eaten per day

Data file: eri2004

Overview

Valid: 492 Invalid: 1827

Type: Discrete Decimal: 0 Width: 8 Range: 0 - 15 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		2	0.4%
1		234	47.6%
2		139	28.3%
3		54	11%
4		25	5.1%
5		17	3.5%
6		9	1.8%
7		2	0.4%
8		5	1%
10		4	0.8%
15		1	0.2%
Sysmiss		1827	

ORIGD2: often eat veg in year

Data file: eri2004

Overview

Valid: 2250 Invalid: 0

Type: Discrete Width: 12 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category	Cases	
01		1	0%
Daily		151	6.7%
Infrequently		1318	58.6%

Weekly		780	34.7%
--------	--	-----	-------

D3: days veg eaten per week

Data file: eri2004

Overview

Valid: 1234 Invalid: 1085

Type: Discrete Decimal: 0 Width: 8 Range: 0 - 8 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		10	0.8%
1		372	30.1%
2		412	33.4%
3		226	18.3%
4		61	4.9%
5		36	2.9%
6		46	3.7%
7		69	5.6%
8		2	0.2%
Sysmiss		1085	

D4: servings veg eaten per day

Data file: eri2004

Overview

Valid: 1287 Invalid: 1032 Minimum: 0 Maximum: 92 Mean: 1.725 Standard deviation: 2.686

Type: Continuous Decimal: 0 Width: 8 Range: 0 - 92 Format: Numeric

D5: oil used most often

Data file: eri2004

Overview

Valid: 2297 Invalid: 22

Type: Discrete Decimal: 0 Width: 13 Range: 0 - 99 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4	0.2%
1	Vegetable oil	2154	93.8%
2	Lard	5	0.2%
3	Butter	9	0.4%
4	Margarine	5	0.2%
5	None used	5	0.2%
6		1	0%
7		1	0%
10		2	0.1%
11		2	0.1%
95	other	5	0.2%
96	combination	103	4.5%
99	don't know	1	0%
Sysmiss		22	

P1: vig activity at work

Data file: eri2004

Overview

Valid: 2277 Invalid: 42

Type: Discrete Decimal: 0 Width: 8 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	465	20.4%
2	No	1812	79.6%
Sysmiss		42	

P2: vig activity at work: days per week

Data file: eri2004

Overview

Valid: 478 Invalid: 1841 Minimum: 0 Maximum: 42 Mean: 4.992 Standard deviation: 3.034

Type: Continuous Decimal: 0 Width: 8 Range: 0 - 42 Format: Numeric

P3A: vig activity at work: hours per day**Data file: eri2004****Overview**

Valid: 455 Invalid: 1864 Minimum: 1 Maximum: 84 Mean: 6.642 Standard deviation: 6.104
 Type: Continuous Decimal: 0 Width: 8 Range: 1 - 84 Format: Numeric

P3B: vig activity at work: mins per day**Data file: eri2004****Overview**

Valid: 43 Invalid: 2276 Minimum: 0 Maximum: 45 Mean: 21.488 Standard deviation: 13.67
 Type: Continuous Decimal: 0 Width: 8 Range: 0 - 45 Format: Numeric

P4: mod activity at work**Data file: eri2004****Overview**

Valid: 2061 Invalid: 258
 Type: Discrete Decimal: 0 Width: 8 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	719	34.9%
2	No	1342	65.1%
Sysmiss		258	

P5: mod activity at work: days per week**Data file: eri2004****Overview**

Valid: 620 Invalid: 1699
 Type: Discrete Decimal: 0 Width: 8 Range: 0 - 9 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		17	2.7%
1		20	3.2%

2		50	8.1%
3		60	9.7%
4		44	7.1%
5		97	15.6%
6		92	14.8%
7		225	36.3%
8		14	2.3%
9		1	0.2%
Sysmiss		1699	

P6A: mod activity at work: hours per day

Data file: eri2004

Overview

Valid: 548 Invalid: 1771 Minimum: 1 Maximum: 96 Mean: 7.476 Standard deviation: 12.249
 Type: Continuous Decimal: 0 Width: 8 Range: 1 - 96 Format: Numeric

P6B: mod activity at work: mins per day

Data file: eri2004

Overview

Valid: 106 Invalid: 2213 Minimum: 0 Maximum: 90 Mean: 20.104 Standard deviation: 15.504
 Type: Continuous Decimal: 0 Width: 8 Range: 0 - 90 Format: Numeric

P7: active transport

Data file: eri2004

Overview

Valid: 2301 Invalid: 18
 Type: Discrete Decimal: 0 Width: 8 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	1959	85.1%
2	No	342	14.9%
Sysmiss		18	

P8: active transport: days per week**Data file:** eri2004**Overview**

Valid: 1930 Invalid: 389 Minimum: 0 Maximum: 40 Mean: 5.427 Standard deviation: 2.207
 Type: Continuous Decimal: 0 Width: 8 Range: 0 - 40 Format: Numeric

P9A: active transport: hours per day**Data file:** eri2004**Overview**

Valid: 1189 Invalid: 1130 Minimum: 0 Maximum: 84 Mean: 2.633 Standard deviation: 3.725
 Type: Continuous Decimal: 0 Width: 9 Range: 0 - 84 Format: Numeric

P9B: active transport: mins per day**Data file:** eri2004**Overview**

Valid: 882 Invalid: 1437 Minimum: 0 Maximum: 60 Mean: 26.881 Standard deviation: 9.515
 Type: Continuous Decimal: 0 Width: 8 Range: 0 - 60 Format: Numeric

P10: vig leisure activity**Data file:** eri2004**Overview**

Valid: 2271 Invalid: 48
 Type: Discrete Decimal: 0 Width: 8 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	112	4.9%
2	No	2159	95.1%
Sysmiss		48	

P11: vig leisure activity: days per week**Data file:** eri2004**Overview**

Valid: 110 Invalid: 2209
 Type: Discrete Decimal: 0 Width: 8 Range: 1 - 9 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		15	13.6%
2		27	24.5%
3		11	10%
4		6	5.5%
5		12	10.9%
6		7	6.4%
7		31	28.2%
9		1	0.9%
Sysmiss		2209	

P12A: vig leisure activity: hours per day

Data file: eri2004

Overview

Valid: 73 Invalid: 2246

Type: Discrete Decimal: 0 Width: 8 Range: 0 - 13 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		3	4.1%
1		29	39.7%
2		25	34.2%
3		5	6.8%
4		6	8.2%
6		2	2.7%
7		1	1.4%
9		1	1.4%
13		1	1.4%
Sysmiss		2246	

P12B: vig leisure activity: mins per day

Data file: eri2004

Overview

Valid: 55 Invalid: 2264 Minimum: 1 Maximum: 45 Mean: 25.473 Standard deviation: 8.293
 Type: Continuous Decimal: 0 Width: 8 Range: 1 - 45 Format: Numeric

P13: mod leisure activity

Data file: eri2004

Overview

Valid: 2252 Invalid: 67
 Type: Discrete Decimal: 0 Width: 8 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	141	6.3%
2	No	2111	93.7%
Sysmiss		67	

P14: mod leisure activity: days per week

Data file: eri2004

Overview

Valid: 185 Invalid: 2134
 Type: Discrete Decimal: 0 Width: 8 Range: 0 - 20 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		6	3.2%
1		33	17.8%
2		49	26.5%
3		30	16.2%
4		14	7.6%
5		8	4.3%
6		9	4.9%
7		34	18.4%
12		1	0.5%
20		1	0.5%
Sysmiss		2134	

P15A: mod leisure activity: hours per day**Data file:** eri2004**Overview**

Valid: 133 Invalid: 2186

Type: Discrete Decimal: 0 Width: 8 Range: 0 - 12 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		1	0.8%
1		50	37.6%
2		28	21.1%
3		23	17.3%
4		16	12%
5		3	2.3%
6		5	3.8%
7		2	1.5%
8		3	2.3%
10		1	0.8%
12		1	0.8%
Sysmiss		2186	

P15B: mod leisure activity: mins per day**Data file:** eri2004**Overview**

Valid: 88 Invalid: 2231 Minimum: 2 Maximum: 50 Mean: 26.261 Standard deviation: 10.464

Type: Continuous Decimal: 0 Width: 8 Range: 2 - 50 Format: Numeric

P16A: sedentary time: hours per day**Data file:** eri2004**Overview**

Valid: 2028 Invalid: 291 Minimum: 0 Maximum: 84 Mean: 6.845 Standard deviation: 9.773

Type: Continuous Decimal: 0 Width: 9 Range: 0 - 84 Format: Numeric

P16B: sedentary time: mins per day**Data file:** eri2004**Overview**

Valid: 427 Invalid: 1892 Minimum: 0 Maximum: 99 Mean: 24.925 Standard deviation: 13.988
 Type: Continuous Decimal: 0 Width: 8 Range: 0 - 99 Format: Numeric

H1: BP last measured**Data file:** eri2004**Overview**

Valid: 2229 Invalid: 90
 Type: Discrete Decimal: 0 Width: 23 Range: 0 - 9 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		39	1.7%
1	within past 12 months	882	39.6%
2	1-5 years ago	401	18%
3	not within past 5 years	903	40.5%
4		4	0.2%
9	don't know	0	0%
Sysmiss		90	

H2: told had high BP in past 12 mos**Data file:** eri2004**Overview**

Valid: 2291 Invalid: 28
 Type: Discrete Decimal: 0 Width: 8 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	119	5.2%
2	No	2168	94.6%
3		4	0.2%
Sysmiss		28	

X19: currently receiving for high BP: drugs of non-drug treatments**Data file:** eri2004**Overview**

Valid: 2243 Invalid: 76

Type: Discrete Decimal: 0 Width: 8 Range: 0 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	2158	96.2%
1	Yes	83	3.7%
3		2	0.1%
Sysmiss		76	

H3A: currently receiving for high BP: drugs**Data file:** eri2004**Overview**

Valid: 105 Invalid: 2214

Type: Discrete Decimal: 0 Width: 8 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	38	36.2%
2	No	67	63.8%
Sysmiss		2214	

H3B: currently receiving for high BP: advice to reduce salt intake**Data file:** eri2004**Overview**

Valid: 103 Invalid: 2216

Type: Discrete Decimal: 0 Width: 8 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	56	54.4%
2	No	46	44.7%
4		1	1%
Sysmiss		2216	

H3C: currently receiving for high BP: advice/treatment to lose weight

Data file: eri2004

Overview

Valid: 102 Invalid: 2217

Type: Discrete Decimal: 0 Width: 8 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	25	24.5%
2	No	77	75.5%
Sysmiss		2217	

H3D: currently receiving for high BP: advice/treatment to stop smoking

Data file: eri2004

Overview

Valid: 94 Invalid: 2225

Type: Discrete Decimal: 0 Width: 8 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	16	17%
2	No	77	81.9%
7		1	1.1%
Sysmiss		2225	

H3E: currently receiving for high BP: advice/treatment to exercise more**Data file:** eri2004**Overview**

Valid: 99 Invalid: 2220

Type: Discrete Decimal: 0 Width: 8 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	41	41.4%
2	No	58	58.6%
Sysmiss		2220	

H4: seen trad'l healer for high BP in past 12 mos**Data file:** eri2004**Overview**

Valid: 2168 Invalid: 151

Type: Discrete Decimal: 0 Width: 8 Range: 1 - 6 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	16	0.7%
2	No	2150	99.2%
3		1	0%
6		1	0%
Sysmiss		151	

H5: taking trad'l meds for high BP**Data file:** eri2004**Overview**

Valid: 2173 Invalid: 146

Type: Discrete Decimal: 0 Width: 8 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	15	0.7%
2	No	2158	99.3%
Sysmiss		146	

X20: family history of cardiovascular disease

Data file: eri2004

Overview

Valid: 2291 Invalid: 28

Type: Discrete Decimal: 0 Width: 8 Range: 0 - 5 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1908	83.3%
1	Yes	382	16.7%
5		1	0%
Sysmiss		28	

H6: gluc measured in past 12 mos

Data file: eri2004

Overview

Valid: 2307 Invalid: 12

Type: Discrete Decimal: 0 Width: 8 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	147	6.4%
2	No	2159	93.6%
3		1	0%
Sysmiss		12	

H7: told had high gluc in past 12 mos**Data file:** eri2004**Overview**

Valid: 2276 Invalid: 43

Type: Discrete Decimal: 0 Width: 8 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	52	2.3%
2	No	2224	97.7%
Sysmiss		43	

X21: currently receiving for high gluc: drugs of non-drug treatments**Data file:** eri2004**Overview**

Valid: 2231 Invalid: 88

Type: Discrete Decimal: 0 Width: 8 Range: 0 - 1 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	2177	97.6%
1	Yes	54	2.4%
Sysmiss		88	

H8A: currently receiving for high gluc: insulin**Data file:** eri2004**Overview**

Valid: 50 Invalid: 2269

Type: Discrete Decimal: 0 Width: 8 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	14	28%
2	No	36	72%
Sysmiss		2269	

H8B: currently receiving for high gluc: drugs

Data file: eri2004

Overview

Valid: 54 Invalid: 2265

Type: Discrete Decimal: 0 Width: 8 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	32	59.3%
2	No	22	40.7%
Sysmiss		2265	

H8C: currently receiving for high gluc: special diet

Data file: eri2004

Overview

Valid: 58 Invalid: 2261

Type: Discrete Decimal: 0 Width: 8 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	39	67.2%
2	No	19	32.8%
Sysmiss		2261	

H8D: currently receiving for high gluc: advice/treatment to lose weight

Data file: eri2004

Overview

Valid: 58 Invalid: 2261

Type: Discrete Decimal: 0 Width: 8 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	24	41.4%
2	No	34	58.6%
Sysmiss		2261	

H8E: currently receiving for high gluc: advice/treatment to stop smoking

Data file: eri2004

Overview

Valid: 49 Invalid: 2270

Type: Discrete Decimal: 0 Width: 8 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	15	30.6%
2	No	33	67.3%
7		1	2%
Sysmiss		2270	

H8F: currently receiving for high gluc: advice/treatment to exercise more

Data file: eri2004

Overview

Valid: 63 Invalid: 2256

Type: Discrete Decimal: 0 Width: 8 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	36	57.1%
2	No	27	42.9%
Sysmiss		2256	

H9: seen trad'l healer for high gluc in past 12 mos**Data file:** eri2004**Overview**

Valid: 2176 Invalid: 143

Type: Discrete Decimal: 0 Width: 8 Range: 1 - 9 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	5	0.2%
2	No	2169	99.7%
5		1	0%
9		1	0%
Sysmiss		143	

H10: taking trad'l meds for high gluc**Data file:** eri2004**Overview**

Valid: 2133 Invalid: 186

Type: Discrete Decimal: 0 Width: 8 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	9	0.4%
2	No	2124	99.6%
Sysmiss		186	

X22: family history of diabetes**Data file:** eri2004**Overview**

Valid: 2253 Invalid: 66

Type: Discrete Decimal: 0 Width: 8 Range: 0 - 1 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	2020	89.7%
1	Yes	233	10.3%
Sysmiss		66	

M2A: height device ID

Data file: eri2004

Overview

Valid: 2147 Invalid: 0

Type: Discrete Width: 3 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category	Cases	
C08		1	0%
C21		2	0.1%
H0		1	0%
H01		133	6.2%
H02		98	4.6%
H03		124	5.8%
H04		111	5.2%
H05		5	0.2%
H06		255	11.9%
H07		72	3.4%
H08		95	4.4%
H09		87	4.1%
H1		1	0%
H10		88	4.1%
H11		3	0.1%
H13		49	2.3%
H14		47	2.2%
H15		84	3.9%
H16		109	5.1%
H18		198	9.2%

H19		79	3.7%
H20		74	3.4%
H21		110	5.1%
H22		95	4.4%
H23		39	1.8%
H24		78	3.6%
H25		101	4.7%
M01		1	0%
P07		1	0%
P12		2	0.1%
W06		1	0%
h01		2	0.1%
h02		1	0%

M2B: weight device ID

Data file: eri2004

Overview

Valid: 2298 Invalid: 0

Type: Discrete Width: 3 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category	Cases	
165		1	0%
C21		2	0.1%
H01		1	0%
P07		1	0%
P18		1	0%
P23		1	0%
W01		135	5.9%
W02		98	4.3%
W03		122	5.3%
W04		112	4.9%
W05		170	7.4%
W06		127	5.5%
W07		38	1.7%
W08		93	4%

W09		89	3.9%
W0W		1	0%
W1		1	0%
W10		88	3.8%
W11		84	3.7%
W12		69	3%
W13		49	2.1%
W14		47	2%
W15		83	3.6%
W16		110	4.8%
W18		197	8.6%
W19		77	3.4%
W20		76	3.3%
W21		110	4.8%
W22		95	4.1%
W23		40	1.7%
W24		76	3.3%
W25		101	4.4%
w01		1	0%
w02		1	0%
w03		1	0%

M3: height (cm)

Data file: eri2004

Overview

Valid: 2286 Invalid: 33 Minimum: 4 Maximum: 200 Mean: 161.842 Standard deviation: 13.558
 Type: Continuous Decimal: 0 Width: 9 Range: 4 - 200 Format: Numeric

M4: weight (kg)

Data file: eri2004

Overview

Valid: 2305 Invalid: 14 Minimum: 0 Maximum: 98 Mean: 55.004 Standard deviation: 11.771
 Type: Continuous Decimal: 0 Width: 9 Range: 0 - 98 Format: Numeric

M5: pregnant

Data file: eri2004

Overview

Valid: 1054 Invalid: 1265

Type: Discrete Decimal: 0 Width: 8 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	64	6.1%
2	No	990	93.9%
Sysmiss		1265	

M6: waist device ID

Data file: eri2004

Overview

Valid: 2137 Invalid: 0

Type: Discrete Width: 3 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category	Cases	
286		1	0%
61		1	0%
66		2	0.1%
69		1	0%
71		1	0%
92		1	0%
C01		133	6.2%
C02		99	4.6%
C03		119	5.6%
C04		108	5.1%
C05		71	3.3%
C06		35	1.6%
C07		232	10.9%
C08		96	4.5%
C09		89	4.2%
C10		84	3.9%
C13		28	1.3%

C14		49	2.3%
C15		84	3.9%
C16		108	5.1%
C18		197	9.2%
C19		80	3.7%
C20		72	3.4%
C21		111	5.2%
C22		96	4.5%
C23		41	1.9%
C24		73	3.4%
C25		101	4.7%
H13		1	0%
H24		2	0.1%
P10		1	0%
W03		1	0%
W13		10	0.5%
W14		6	0.3%
W23		1	0%
WC4		1	0%
c01		1	0%

M7: waist circumference (cm)

Data file: eri2004

Overview

Valid: 2277 Invalid: 42 Minimum: 1 Maximum: 690 Mean: 77.938 Standard deviation: 25.646
 Type: Continuous Decimal: 0 Width: 9 Range: 1 - 690 Format: Numeric

M9: BP device ID

Data file: eri2004

Overview

Valid: 2289 Invalid: 0
 Type: Discrete Width: 3 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category	Cases	
016		1	0%

113		1	0%
119		1	0%
126		1	0%
94		1	0%
B21		6	0.3%
C03		1	0%
C05		1	0%
C08		1	0%
C10		1	0%
C15		1	0%
C18		1	0%
C21		1	0%
C24		1	0%
P01		136	5.9%
P02		99	4.3%
P03		122	5.3%
P04		111	4.8%
P05		156	6.8%
P06		3	0.1%
P07		174	7.6%
P08		95	4.2%
P09		86	3.8%
P10		86	3.8%
P11		69	3%
P12		80	3.5%
P13		44	1.9%
P14		51	2.2%
P15		80	3.5%
P16		108	4.7%
P18		196	8.6%
P19		72	3.1%
P20		80	3.5%
P21		102	4.5%
P22		96	4.2%
P23		42	1.8%
P24		74	3.2%
P25		101	4.4%
P29		1	0%
P5		1	0%

P6		1	0%
PO7		1	0%
PO9		1	0%
p01		1	0%
p02		1	0%

M11A: BP reading 1: systolic**Data file:** eri2004**Overview**

Valid: 2312 Invalid: 7 Minimum: 15 Maximum: 619 Mean: 121.945 Standard deviation: 24.759
 Type: Continuous Decimal: 0 Width: 8 Range: 15 - 619 Format: Numeric

M11B: BP reading 1: diastolic**Data file:** eri2004**Overview**

Valid: 2309 Invalid: 10 Minimum: 0 Maximum: 951 Mean: 81.337 Standard deviation: 52.484
 Type: Continuous Decimal: 0 Width: 8 Range: 0 - 951 Format: Numeric

M12A: BP reading 2: systolic**Data file:** eri2004**Overview**

Valid: 2288 Invalid: 31 Minimum: 10 Maximum: 936 Mean: 118.773 Standard deviation: 26.658
 Type: Continuous Decimal: 0 Width: 8 Range: 10 - 936 Format: Numeric

M12B: BP reading 2: diastolic**Data file:** eri2004**Overview**

Valid: 2270 Invalid: 49 Minimum: 0 Maximum: 146 Mean: 76.618 Standard deviation: 12.265
 Type: Continuous Decimal: 0 Width: 8 Range: 0 - 146 Format: Numeric

M13A: BP reading 3: systolic**Data file:** eri2004**Overview**

Valid: 609 Invalid: 1710 Minimum: 0 Maximum: 214 Mean: 119.419 Standard deviation: 22.43
 Type: Continuous Decimal: 0 Width: 8 Range: 0 - 214 Format: Numeric

M13B: BP reading 3: diastolic**Data file:** eri2004**Overview**

Valid: 589 Invalid: 1730 Minimum: 0 Maximum: 930 Mean: 78.903 Standard deviation: 37.068
 Type: Continuous Decimal: 0 Width: 8 Range: 0 - 930 Format: Numeric

M14: took raised BP meds in past 2 weeks**Data file:** eri2004**Overview**

Valid: 1940 Invalid: 379
 Type: Discrete Decimal: 0 Width: 8 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	25	1.3%
2	No	1915	98.7%
Sysmiss		379	

AGERANGE: ageranges for which survey was designed**Data file:** eri2004**Overview**

Valid: 2319 Invalid: 0
 Type: Discrete Width: 5 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category	Cases	
15-24		494	21.3%
25-34		464	20%
35-44		467	20.1%
45-54		457	19.7%
55-64		437	18.8%

study_resources

questionnaires

Questionnaire

title Questionnaire
country Eritrea
filename STEPS_Eritrea_2004_Questionnaire.pdf

reports

Fact Sheet

title Fact Sheet
country Eritrea
filename STEPS_Eritrea_2004_FactSheet.pdf

Report

title Report
country Eritrea
filename STEPS_Eritrea_2004_Report.pdf

technical_documents

Generic STEPS Questionnaire (version 1.4)

title Generic STEPS Questionnaire (version 1.4)
filename STEPS_Instrument_v1_4.pdf
