

# Global School-Based Student Health Survey 2015

**World Health Organization**

report\_generated\_on: December 15, 2023

visit\_data\_catalog\_at: <http://catalog.ihsn.org/>

## Identification

### SURVEY ID NUMBER

GTM\_2015\_GSHS\_v01\_M

### TITLE

Global School-Based Student Health Survey 2015

### COUNTRY

Name	Country code
Guatemala	GTM

### STUDY TYPE

Other Household Survey [hh/oth]

### SERIES INFORMATION

This is the second GSHS conducted by Guatemala.

### ABSTRACT

The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

### KIND OF DATA

Sample survey data [ssd]

### UNIT OF ANALYSIS

Individuals

## Version

### VERSION DESCRIPTION

Public-use dataset

### VERSION DATE

2018-08-14

## Scope

### NOTES

The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- sexual behaviours
- violence and unintentional injury

### TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

### KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
hygiene
mental health
physical activity
sexual behaviours
violence and unintentional injury
overweight
obesity
bullying

## Coverage

### GEOGRAPHIC COVERAGE

National, capity city official, capital city private and rest of country

### UNIVERSE

School-going adolescents aged 13-17 years.

## Producers and sponsors

### PRIMARY INVESTIGATORS

Name
World Health Organization

### FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

## Sampling

### SAMPLING PROCEDURE

The 2015 Guatemala GSHS was a school-based survey of students in Primero, Segundo, and Tercero basico, which are

typically attended by students aged 13-17. A two-stage cluster sample design was used to produce data representative of all students in Primero, Segundo, and Tercero basico in Guatemala. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

#### RESPONSE RATE

National: The school response rate was 96%, the student response rate was 85%, and the overall response rate was 82%. Capital city official: The school response rate was 100%, the student response rate was 81%, and the overall response rate was 81%.

Capital city private: The school response rate was 97%, the student response rate was 87%, and the overall response rate was 84%.

Rest of country: The school response rate was 93%, the student response rate was 89%, and the overall response rate was 83%.

#### WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

## data\_collection

#### DATES OF DATA COLLECTION

Start	End
2015-12	2015-12

#### DATA COLLECTION MODE

self-administered

## questionnaires

#### QUESTIONNAIRES

The following core modules were included in the survey:

alcohol use

dietary behaviours

drug use

hygiene

mental health

physical activity

sexual behaviours

violence and unintentional injury

## data\_processing

#### DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

## Access policy

#### CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	<a href="#">Link</a>

**ACCESS CONDITIONS**

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

**CITATION REQUIREMENTS**

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

## Disclaimer and copyrights

---

**DISCLAIMER**

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

## Metadata production

---

**DDI DOCUMENT ID**

DDI\_GTM\_2015\_GSHS\_v01\_M

**PRODUCERS**

Name	Abbreviation	Affiliation	Role
Yue Wu		World Health Organization	Documentation of data
Melanie Cowan		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

**DATE OF METADATA PRODUCTION**

2018-08-14

**DDI DOCUMENT VERSION**

Identical to a metadata (GTM\_2015\_GSHS\_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

**data\_dictionary**

<b>Data file</b>	<b>Cases</b>	<b>variables</b>
<b>GTM2015_Public_Use_national</b> Guatemala public-use dataset	4374	109
<b>GTM2015_Public_Use_capitalcityofficial</b> Guatemala capital city official public-use dataset	1872	109
<b>GTM2015_Public_Use_capitalcityprivate</b> Guatemala capity city private public-use dataset	1472	109
<b>GTM2015_Public_Use_rest of country</b> Guatemala rest of country public-use dataset	1030	109



**Data file: GTM2015\_Public\_Use\_national**

Guatemala public-use dataset

Cases: 4374

variables: 109

**variables**

ID	Name	Label	Question
V1	Q1	Custom Age	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V16	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V17	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V20	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V21	Q21	Bullied by hitting	During the past 30 days, how were you bullied most often?
V22	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V23	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V24	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?

ID	Name	Label	Question
V26	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Close friends	How many close friends do you have?
V35	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Initiation of drug use	How old were you when you first used drugs?
V41	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V45	Q45	Sex before 14 years	How old were you when you had sexual intercourse for the first time?
V46	Q46	Multiple sex partners	During your life, with how many people have you had sexual intercourse?
V47	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Physical activity $\geq 5$ days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?
V51	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V59	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V60	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V61	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V62	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V63	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V64	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

ID	Name	Label	Question
V65	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V66	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V67	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V68	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V69	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V70	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V73	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V74	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )
V75	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V76	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V77	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V78	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V79	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V80	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V88	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V89	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V90	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V91	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V92	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V93	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V94	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V95	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V96	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V97	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse

ID	Name	Label	Question
V98	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)
V99	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V100	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V101	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V102	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V103	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V104	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V105	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V115	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V116	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V117	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V118	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V119	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V120	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V121	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V122	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)
V123	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V124	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V125	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V126	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V127	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V128	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V129	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V130	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

ID	Name	Label	Question
V131	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V132	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V133	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V136	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V137	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V138	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V139	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey )
V140	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V141	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V142	weight		
V143	stratum		
V144	psu		

total: 109

**Data file: GTM2015\_Public\_Use\_capitalcityofficial**

Guatemala capital city official public-use dataset

Cases: 1872

variables: 109

**variables**

ID	Name	Label	Question
V145	Q1	Custom Age	How old are you?
V146	Q2	Sex	What is your sex?
V147	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V148	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V149	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V150	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V151	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V152	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V153	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V154	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V155	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V156	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V157	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V158	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V159	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V160	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V161	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V164	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V165	Q21	Bullied by hitting	During the past 30 days, how were you bullied most often?
V166	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V167	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V168	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V169	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?

ID	Name	Label	Question
V170	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V171	Q27	Close friends	How many close friends do you have?
V179	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V180	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V181	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V182	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V183	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V184	Q40	Initiation of drug use	How old were you when you first used drugs?
V185	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V186	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V187	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V188	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V189	Q45	Sex before 14 years	How old were you when you had sexual intercourse for the first time?
V190	Q46	Multiple sex partners	During your life, with how many people have you had sexual intercourse?
V191	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V192	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V193	Q49	Physical activity $\geq 5$ days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V194	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?
V195	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V196	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V203	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V204	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V205	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V206	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V207	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V208	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

ID	Name	Label	Question
V209	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V210	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V211	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V212	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V213	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V214	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V217	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V218	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )
V219	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V220	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V221	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V222	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V223	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V224	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V232	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V233	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V234	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V235	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V236	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V237	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V238	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V239	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V240	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V241	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse

ID	Name	Label	Question
V242	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)
V243	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V244	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V245	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V246	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V247	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V248	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V249	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V259	qnunwtg	Were underweight	Percentage of students who were underweight ( $<-2SD$ from median for BMI by age and sex)
V260	qnowtg	Were overweight	Percentage of students who were overweight ( $>+1SD$ from median for BMI by age and sex)
V261	qnobeseg	Were obese	Percentage of students who were obese ( $>+2SD$ from median for BMI by age and sex)
V262	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V263	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V264	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V265	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V266	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)
V267	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V268	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V269	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V270	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V271	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V272	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V273	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V274	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

ID	Name	Label	Question
V275	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V276	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V277	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V280	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V281	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V282	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V283	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey )
V284	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V285	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V286	weight		
V287	stratum		
V288	psu		

total: 109

**Data file: GTM2015\_Public\_Use\_capitalcityprivate**

Guatemala capity city private public-use dataset

Cases: 1472

variables: 109

**variables**

ID	Name	Label	Question
V289	Q1	Custom Age	How old are you?
V290	Q2	Sex	What is your sex?
V291	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V292	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V293	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V294	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V295	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V296	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V297	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V298	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V299	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V300	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V301	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V302	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V303	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V304	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V305	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V308	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V309	Q21	Bullied by hitting	During the past 30 days, how were you bullied most often?
V310	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V311	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V312	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V313	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?

ID	Name	Label	Question
V314	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V315	Q27	Close friends	How many close friends do you have?
V323	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V324	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V325	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V326	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V327	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V328	Q40	Initiation of drug use	How old were you when you first used drugs?
V329	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V330	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V331	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V332	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V333	Q45	Sex before 14 years	How old were you when you had sexual intercourse for the first time?
V334	Q46	Multiple sex partners	During your life, with how many people have you had sexual intercourse?
V335	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V336	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V337	Q49	Physical activity $\geq 5$ days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V338	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?
V339	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V340	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V347	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V348	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V349	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V350	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V351	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V352	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

ID	Name	Label	Question
V353	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V354	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V355	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V356	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V357	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V358	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V361	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V362	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )
V363	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V364	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V365	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V366	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V367	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V368	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V376	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V377	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V378	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V379	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V380	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V381	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V382	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V383	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V384	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V385	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse

ID	Name	Label	Question
V386	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)
V387	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V388	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V389	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V390	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V391	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V392	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V393	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V403	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V404	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V405	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V406	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V407	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V408	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V409	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V410	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)
V411	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V412	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V413	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V414	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V415	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V416	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V417	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V418	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

ID	Name	Label	Question
V419	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V420	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V421	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V424	qnbcanvg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V425	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V426	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V427	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey )
V428	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V429	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V430	weight		
V431	stratum		
V432	psu		

total: 109

**Data file: GTM2015\_Public\_Use\_rest of country**

Guatemala rest of country public-use dataset

Cases: 1030

variables: 109

**variables**

ID	Name	Label	Question
V433	q1	Custom Age	How old are you?
V434	q2	Sex	What is your sex?
V435	q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V436	q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V437	q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V438	q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V439	q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V440	q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V441	q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V442	q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V443	q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V444	q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V445	q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V446	q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V447	q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V448	q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V449	q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V452	q20	Bullied	During the past 30 days, on how many days were you bullied?
V453	q21	Bullied by hitting	During the past 30 days, how were you bullied most often?
V454	q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V455	q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V456	q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V457	q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?

ID	Name	Label	Question
V458	q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V459	q27	Close friends	How many close friends do you have?
V467	q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V468	q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V469	q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V470	q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V471	q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V472	q40	Initiation of drug use	How old were you when you first used drugs?
V473	q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V474	q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V475	q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V476	q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V477	q45	Sex before 14 years	How old were you when you had sexual intercourse for the first time?
V478	q46	Multiple sex partners	During your life, with how many people have you had sexual intercourse?
V479	q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V480	q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V481	q49	Physical activity $\geq$ 5 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V482	q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?
V483	q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V484	q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V491	qn6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V492	qn7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V493	qn8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V494	qn9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V495	qn10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V496	qn11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

ID	Name	Label	Question
V497	qn12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V498	qn13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V499	qn14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V500	qn15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V501	qn16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V502	qn17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V505	qn20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V506	qn21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )
V507	qn22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V508	qn23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V509	qn24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V510	qn25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V511	qn26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V512	qn27	Did not have any close friends	Percentage of students who did not have any close friends
V520	qn35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V521	qn36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V522	qn37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V523	qn38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V524	qn39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V525	qn40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V526	qn41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V527	qn42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V528	qn43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V529	qn44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse

ID	Name	Label	Question
V530	qn45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)
V531	qn46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V532	qn47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V533	qn48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V534	qn49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V535	qn50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V536	qn51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V537	qn52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V544	qnunwtg	Were underweight	Percentage of students who were underweight ( $<-2SD$ from median for BMI by age and sex)
V545	qnowtg	Were overweight	Percentage of students who were overweight ( $>+1SD$ from median for BMI by age and sex)
V546	qnobeseg	Were obese	Percentage of students who were obese ( $>+2SD$ from median for BMI by age and sex)
V547	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V548	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V549	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V550	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V551	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)
V552	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V553	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V554	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V555	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V556	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V557	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V558	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V559	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

ID	Name	Label	Question
V560	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V561	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V562	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V565	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V566	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V567	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V568	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey )
V569	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V570	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V571	weight		
V572	stratum		
V573	psu		

total: 109



**Q1: Custom Age****Data file: GTM2015\_Public\_Use\_national****Overview**

Valid: 4319 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	22	0.5%
2	12 years old	167	3.9%
3	13 years old	917	21.2%
4	14 years old	1278	29.6%
5	15 years old	1249	28.9%
6	16 years old	486	11.3%
7	17 years old	145	3.4%
8	18 years old or older	55	1.3%
Sysmiss		55	

**Q10: Fast food eating****Data file: GTM2015\_Public\_Use\_national****Overview**

Valid: 4333 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

## LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	1545	35.7%
2	1 day	1362	31.4%
3	2 days	685	15.8%

4	3 days	355	8.2%
5	4 days	161	3.7%
6	5 days	90	2.1%
7	6 days	30	0.7%
8	7 days	105	2.4%
Sysmiss		41	

## Q2: Sex

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4290 Invalid: 84

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

What is your sex?

#### CATEGORIES

Value	Category	Cases	
1	Male	2120	49.4%
2	Female	2170	50.6%
Sysmiss		84	

## Q3: In what grade are you

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4254 Invalid: 120

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

#### CATEGORIES

Value	Category	Cases	
1	M 3	1591	37.4%
2	M 4	1351	31.8%
3	M 5	1312	30.8%

4	M 6	0	0%
5	M 7	0	0%
Sysmiss		120	

#### Q4: How tall are you

Data file: GTM2015\_Public\_Use\_national

##### Overview

Valid: 3992 Invalid: 382 Minimum: 1.3 Maximum: 1.88 Mean: 1.565 Standard deviation: 0.0875  
Type: Continuous Decimal: 2 Width: 4 Range: 1.27 - 1.87 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

###### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

#### Q5: How much do you weigh

Data file: GTM2015\_Public\_Use\_national

##### Overview

Valid: 3992 Invalid: 382 Minimum: 28 Maximum: 129 Mean: 53.596 Standard deviation: 11.35  
Type: Continuous Decimal: 2 Width: 6 Range: 28 - 116 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

###### LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

#### Q6: How often went hungry

Data file: GTM2015\_Public\_Use\_national

##### Overview

Valid: 4318 Invalid: 56  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

### CATEGORIES

Value	Category	Cases	
1	Never	2660	61.6%
2	Rarely	1069	24.8%
3	Sometimes	477	11%
4	Most of the time	55	1.3%
5	Always	57	1.3%
Sysmiss		56	

## Q7: No fruit eating

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4332 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	390	9%
2	Less than one time per day	739	17.1%
3	1 time per day	1353	31.2%
4	2 times per day	819	18.9%
5	3 times per day	506	11.7%
6	4 times per day	168	3.9%
7	5 or more times per day	357	8.2%
Sysmiss		42	

**Q8: No vegetable eating****Data file: GTM2015\_Public\_Use\_national****Overview**

Valid: 4268 Invalid: 106

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about what you might eat and drink.

**LITERAL QUESTION**

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

**CATEGORIES**

Value	Category	Cases	
1	Did not eat vegetables	308	7.2%
2	Less than one time per day	711	16.7%
3	1 time per day	1435	33.6%
4	2 times per day	850	19.9%
5	3 times per day	462	10.8%
6	4 times per day	133	3.1%
7	5 or more times per day	369	8.6%
Sysmiss		106	

**Q9: Soft drinks****Data file: GTM2015\_Public\_Use\_national****Overview**

Valid: 4348 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about what you might eat and drink.

**LITERAL QUESTION**

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

**CATEGORIES**

Value	Category	Cases	
1	Did not drink soft drinks	550	12.6%
2	Less than one time per day	1192	27.4%

3	1 time per day	1188	27.3%
4	2 times per day	681	15.7%
5	3 times per day	350	8%
6	4 times per day	118	2.7%
7	5 or more times per day	269	6.2%
Sysmiss		26	

## Q11: Tooth brushing

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4304 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	138	3.2%
2	Less than 1 time per day	139	3.2%
3	1 time per day	262	6.1%
4	2 times per day	857	19.9%
5	3 times per day	2140	49.7%
6	4 or more times per day	768	17.8%
Sysmiss		70	

## Q12: Hand washing before eating

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4309 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

## LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

## CATEGORIES

Value	Category	Cases	
1	Never	118	2.7%
2	Rarely	244	5.7%
3	Sometimes	513	11.9%
4	Most of the time	1076	25%
5	Always	2358	54.7%
Sysmiss		65	

### Q13: Hand washing after toilet

Data file: GTM2015\_Public\_Use\_national

#### Overview

Valid: 4290 Invalid: 84

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

## LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

## CATEGORIES

Value	Category	Cases	
1	Never	88	2.1%
2	Rarely	122	2.8%
3	Sometimes	185	4.3%
4	Most of the time	637	14.8%
5	Always	3258	75.9%
Sysmiss		84	

### Q14: Hand washing with soap

Data file: GTM2015\_Public\_Use\_national

#### Overview

Valid: 4247 Invalid: 127

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

### CATEGORIES

Value	Category	Cases	
1	Never	103	2.4%
2	Rarely	276	6.5%
3	Sometimes	488	11.5%
4	Most of the time	867	20.4%
5	Always	2513	59.2%
Sysmiss		127	

## Q15: Physically attacked

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4318 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

### CATEGORIES

Value	Category	Cases	
1	0 times	3251	75.3%
2	1 time	556	12.9%
3	2 or 3 times	281	6.5%
4	4 or 5 times	72	1.7%
5	6 or 7 times	35	0.8%
6	8 or 9 times	26	0.6%
7	10 or 11 times	13	0.3%
8	12 or more times	84	1.9%
Sysmiss		56	

**Q16: Physical fighting****Data file:** GTM2015\_Public\_Use\_national**Overview**

Valid: 4328 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

**LITERAL QUESTION**

During the past 12 months, how many times were you in a physical fight?

**CATEGORIES**

Value	Category	Cases	
1	0 times	3214	74.3%
2	1 time	627	14.5%
3	2 or 3 times	278	6.4%
4	4 or 5 times	70	1.6%
5	6 or 7 times	43	1%
6	8 or 9 times	19	0.4%
7	10 or 11 times	7	0.2%
8	12 or more times	70	1.6%
Sysmiss		46	

**Q17: Seriously injured****Data file:** GTM2015\_Public\_Use\_national**Overview**

Valid: 4348 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

**LITERAL QUESTION**

During the past 12 months, how many times were you seriously injured?

**CATEGORIES**

Value	Category	Cases	
1	0 times	2867	65.9%
2	1 time	1057	24.3%
3	2 or 3 times	308	7.1%
4	4 or 5 times	52	1.2%
5	6 or 7 times	30	0.7%
6	8 or 9 times	12	0.3%
7	10 or 11 times	1	0%
8	12 or more times	21	0.5%
Sysmiss		26	

## Q20: Bullied

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4082 Invalid: 292

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

#### CATEGORIES

Value	Category	Cases	
1	0 days	3198	78.3%
2	1 or 2 days	576	14.1%
3	3 to 5 days	140	3.4%
4	6 to 9 days	70	1.7%
5	10 to 19 days	40	1%
6	20 to 29 days	7	0.2%
7	All 30 days	51	1.2%
Sysmiss		292	

## Q21: Bullied by hitting

Data file: GTM2015\_Public\_Use\_national

## Overview

Valid: 4144 Invalid: 230

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

### CATEGORIES

Value	Category	Cases	
1	Not bullied	3440	83%
2	Kicked, pushed, or shoved	118	2.8%
3	Made fun of race	80	1.9%
4	Made fun because of religion	19	0.5%
5	Made fun of about sex	102	2.5%
6	Left out of activities	65	1.6%
7	Made fun of about body	110	2.7%
8	Some other way	210	5.1%
Sysmiss		230	

## Q22: Felt lonely

Data file: GTM2015\_Public\_Use\_national

## Overview

Valid: 4307 Invalid: 67

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

### CATEGORIES

Value	Category	Cases	
1	Never	1737	40.3%
2	Rarely	1294	30%

3	Sometimes	829	19.2%
4	Most of the time	275	6.4%
5	Always	172	4%
Sysmiss		67	

### Q23: Could not sleep

Data file: GTM2015\_Public\_Use\_national

#### Overview

Valid: 4223 Invalid: 151

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

##### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

##### CATEGORIES

Value	Category	Cases	
1	Never	1548	36.7%
2	Rarely	1379	32.7%
3	Sometimes	936	22.2%
4	Most of the time	257	6.1%
5	Always	103	2.4%
Sysmiss		151	

### Q24: Considered suicide

Data file: GTM2015\_Public\_Use\_national

#### Overview

Valid: 4190 Invalid: 184

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

##### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

##### CATEGORIES

Value	Category	Cases	
1	Yes	869	20.7%
2	No	3321	79.3%
Sysmiss		184	

## Q25: Made a suicide plan

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4216 Invalid: 158

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	Yes	700	16.6%
2	No	3516	83.4%
Sysmiss		158	

## Q26: Attempted suicide

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4264 Invalid: 110

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	3498	82%
2	1 time	505	11.8%

3	2 or 3 times	137	3.2%
4	4 or 5 times	72	1.7%
5	6 or more times	52	1.2%
Sysmiss		110	

## Q27: Close friends

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4258 Invalid: 116

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	386	9.1%
2	1	446	10.5%
3	2	614	14.4%
4	3 or more	2812	66%
Sysmiss		116	

## Q35: Current alcohol use

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4272 Invalid: 102

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

#### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 days	3319	77.7%
2	1 or 2 days	584	13.7%
3	3 to 5 days	164	3.8%
4	6 to 9 days	80	1.9%
5	10 to 19 days	58	1.4%
6	20 to 29 days	37	0.9%
7	All 30 days	30	0.7%
Sysmiss		102	

**Q36: Drank 2+ drinks****Data file: GTM2015\_Public\_Use\_national****Overview**

Valid: 4305 Invalid: 69

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

## CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	3255	75.6%
2	Less than one drink	300	7%
3	1 drink	247	5.7%
4	2 drinks	138	3.2%
5	3 drinks	86	2%
6	4 drinks	81	1.9%
7	5 or more drinks	198	4.6%
Sysmiss		69	

**Q37: Source of alcohol****Data file: GTM2015\_Public\_Use\_national**

## Overview

Valid: 4286 Invalid: 88

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	3227	75.3%
2	I bought in a store	379	8.8%
3	I gave someone money to buy	109	2.5%
4	I got it from my friends	259	6%
5	I got it from my family	133	3.1%
6	I stole it	32	0.7%
7	Some other way	147	3.4%
Sysmiss		88	

## Q38: Really drunk

Data file: GTM2015\_Public\_Use\_national

## Overview

Valid: 4287 Invalid: 87

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

### LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

### CATEGORIES

Value	Category	Cases	
1	0 times	3533	82.4%

2	1 or 2 times	488	11.4%
3	3 to 9 times	170	4%
4	10 or more times	96	2.2%
Sysmiss		87	

### Q39: Trouble from drinking

Data file: GTM2015\_Public\_Use\_national

#### Overview

Valid: 4284 Invalid: 90

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

##### CATEGORIES

Value	Category	Cases	
1	0 times	3724	86.9%
2	1 or 2 times	406	9.5%
3	3 to 9 times	95	2.2%
4	10 or more times	59	1.4%
Sysmiss		90	

### Q40: Initiation of drug use

Data file: GTM2015\_Public\_Use\_national

#### Overview

Valid: 4089 Invalid: 285

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

##### LITERAL QUESTION

How old were you when you first used drugs?

#### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	3465	84.7%
2	7 years old or younger	116	2.8%
3	8 or 9 years old	84	2.1%
4	10 or 11 years old	68	1.7%
5	12 or 13 years old	187	4.6%
6	14 or 15 years old	146	3.6%
7	16 or 17 years old	21	0.5%
8	18 years old or older	2	0%
Sysmiss		285	

### Q41: Ever marijuana use

Data file: GTM2015\_Public\_Use\_national

#### Overview

Valid: 4122 Invalid: 252

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

#### CATEGORIES

Value	Category	Cases	
1	0 times	3705	89.9%
2	1 or 2 times	191	4.6%
3	3 to 9 times	99	2.4%
4	10 to 19 times	49	1.2%
5	20 or more times	78	1.9%
Sysmiss		252	

### Q42: Current marijuana use

Data file: GTM2015\_Public\_Use\_national

## Overview

Valid: 4177 Invalid: 197

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	3855	92.3%
2	1 or 2 times	171	4.1%
3	3 to 9 times	80	1.9%
4	10 to 19 times	30	0.7%
5	20 or more times	41	1%
Sysmiss		197	

## Q43: Amphetamine or methamphetamine use

Data file: GTM2015\_Public\_Use\_national

## Overview

Valid: 4182 Invalid: 192

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

### CATEGORIES

Value	Category	Cases	
1	0 times	4012	95.9%
2	1 or 2 times	96	2.3%
3	3 to 9 times	39	0.9%
4	10 to 19 times	10	0.2%

5	20 or more times	25	0.6%
Sysmiss		192	

#### Q44: Ever sexual intercourse

Data file: GTM2015\_Public\_Use\_national

##### Overview

Valid: 3902 Invalid: 472

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

###### LITERAL QUESTION

Have you ever had sexual intercourse?

###### CATEGORIES

Value	Category	Cases	
1	Yes	797	20.4%
2	No	3105	79.6%
Sysmiss		472	

#### Q45: Sex before 14 years

Data file: GTM2015\_Public\_Use\_national

##### Overview

Valid: 4071 Invalid: 303

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

###### LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

###### CATEGORIES

Value	Category	Cases	
1	Never had sex	3510	86.2%
2	11 years old or younger	128	3.1%
3	12 years old	84	2.1%
4	13 years old	89	2.2%

5	14 years old	109	2.7%
6	15 years old	108	2.7%
7	16 or 17 years old	41	1%
8	18 years old or older	2	0%
Sysmiss		303	

## Q46: Multiple sex partners

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4183 Invalid: 191

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	3604	86.2%
2	1 person	257	6.1%
3	2 people	122	2.9%
4	3 people	59	1.4%
5	4 people	51	1.2%
6	5 people	18	0.4%
7	6 or more people	72	1.7%
Sysmiss		191	

## Q47: Condom use

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4057 Invalid: 317

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	3491	86%
2	Yes	348	8.6%
3	No	218	5.4%
Sysmiss		317	

**Q48: Birth control used**

Data file: GTM2015\_Public\_Use\_national

**Overview**

Valid: 4012 Invalid: 362

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	3469	86.5%
2	Yes	173	4.3%
3	No	288	7.2%
4	I do not know	82	2%
Sysmiss		362	

**Q49: Physical activity >= 5 days**

Data file: GTM2015\_Public\_Use\_national

**Overview**

Valid: 4222 Invalid: 152

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

#### CATEGORIES

Value	Category	Cases	
1	0 days	1162	27.5%
2	1 day	953	22.6%
3	2 days	550	13%
4	3 days	429	10.2%
5	4 days	238	5.6%
6	5 days	211	5%
7	6 days	91	2.2%
8	7 days	588	13.9%
Sysmiss		152	

### Q50: Walk or bike to school

Data file: GTM2015\_Public\_Use\_national

#### Overview

Valid: 4187 Invalid: 187

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

#### CATEGORIES

Value	Category	Cases	
1	0 days	1856	44.3%
2	1 day	474	11.3%
3	2 days	225	5.4%
4	3 days	143	3.4%
5	4 days	116	2.8%
6	5 days	485	11.6%
7	6 days	41	1%

8	7 days	847	20.2%
Sysmiss		187	

## Q51: PE attendance

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4083 Invalid: 291

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

#### CATEGORIES

Value	Category	Cases	
1	0 days	526	12.9%
2	1 day	1673	41%
3	2 days	682	16.7%
4	3 days	115	2.8%
5	4 days	91	2.2%
6	5 or more days	996	24.4%
Sysmiss		291	

## Q52: Sitting activities

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4066 Invalid: 308

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

#### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	1636	40.2%
2	1 to 2 hours per day	1109	27.3%
3	3 to 4 hours per day	659	16.2%
4	5 to 6 hours per day	286	7%
5	7 to 8 hours per day	114	2.8%
6	More than 8 hours per day	262	6.4%
Sysmiss		308	

**QN6: Most of the time or always went hungry****Data file:** GTM2015\_Public\_Use\_national**Overview**

Valid: 4318   Invalid: 56   Mean: 1.974   Standard deviation: 0.159  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	112	2.6%
2	No	4206	97.4%
Sysmiss		56	

**QN7: Did not eat fruit****Data file:** GTM2015\_Public\_Use\_national**Overview**

Valid: 4332   Invalid: 42   Mean: 1.91   Standard deviation: 0.286  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	390	9%
2	No	3942	91%
Sysmiss		42	

**QN8: Did not eat vegetables****Data file:** GTM2015\_Public\_Use\_national**Overview**

Valid: 4268   Invalid: 106   Mean: 1.928   Standard deviation: 0.259  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	308	7.2%
2	No	3960	92.8%
Sysmiss		106	

**QN9: Did not drink carbonated soft drinks****Data file:** GTM2015\_Public\_Use\_national**Overview**

Valid: 4348   Invalid: 26   Mean: 1.874   Standard deviation: 0.332  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	550	12.6%
2	No	3798	87.4%
Sysmiss		26	

**QN10: Did not eat food from a fast food restaurant****Data file:** GTM2015\_Public\_Use\_national**Overview**

Valid: 4333   Invalid: 41   Mean: 1.643   Standard deviation: 0.479  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	1545	35.7%
2	No	2788	64.3%
Sysmiss		41	

**QN11: Usually cleaned or brushed their teeth****Data file:** GTM2015\_Public\_Use\_national**Overview**

Valid: 4304   Invalid: 70   Mean: 1.064   Standard deviation: 0.245  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	4027	93.6%
2	No	277	6.4%
Sysmiss		70	

**QN12: Never or rarely washed their hands before eating****Data file:** GTM2015\_Public\_Use\_national**Overview**

Valid: 4309   Invalid: 65   Mean: 1.916   Standard deviation: 0.277  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	362	8.4%
2	No	3947	91.6%
Sysmiss		65	

## QN13: Never or rarely washed their hands after using the toilet or latrine

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4290 Invalid: 84 Mean: 1.951 Standard deviation: 0.216  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	210	4.9%
2	No	4080	95.1%
Sysmiss		84	

## QN14: Never or rarely used soap when washing their hands

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4247 Invalid: 127 Mean: 1.911 Standard deviation: 0.285  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	379	8.9%
2	No	3868	91.1%
Sysmiss		127	

### QN15: Were physically attacked

Data file: GTM2015\_Public\_Use\_national

#### Overview

Valid: 4318   Invalid: 56   Mean: 1.753   Standard deviation: 0.431  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	1067	24.7%
2	No	3251	75.3%
Sysmiss		56	

### QN16: Were in a physical fight

Data file: GTM2015\_Public\_Use\_national

#### Overview

Valid: 4328   Invalid: 46   Mean: 1.743   Standard deviation: 0.437  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	1114	25.7%
2	No	3214	74.3%
Sysmiss		46	

**QN17: Were seriously injured****Data file:** GTM2015\_Public\_Use\_national**Overview**

Valid: 4348   Invalid: 26   Mean: 1.659   Standard deviation: 0.474  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	1481	34.1%
2	No	2867	65.9%
Sysmiss		26	

**QN20: Were bullied****Data file:** GTM2015\_Public\_Use\_national**Overview**

Valid: 4082   Invalid: 292   Mean: 1.783   Standard deviation: 0.412  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	884	21.7%
2	No	3198	78.3%
Sysmiss		292	

**QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors****Data file:** GTM2015\_Public\_Use\_national**Overview**

Valid: 704   Invalid: 3670   Mean: 1.832   Standard deviation: 0.374  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )

### CATEGORIES

Value	Category	Cases	
1	Yes	118	16.8%
2	No	586	83.2%
Sysmiss		3670	

## QN22: Most of the time or always felt lonely

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4307 Invalid: 67 Mean: 1.896 Standard deviation: 0.305  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	447	10.4%
2	No	3860	89.6%
Sysmiss		67	

## QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4223 Invalid: 151 Mean: 1.915 Standard deviation: 0.279  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	360	8.5%
2	No	3863	91.5%
Sysmiss		151	

## QN24: Seriously considered attempting suicide

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4190 Invalid: 184 Mean: 1.793 Standard deviation: 0.405  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

#### CATEGORIES

Value	Category	Cases	
1	Yes	869	20.7%
2	No	3321	79.3%
Sysmiss		184	

## QN25: Made a plan about how they would attempt suicide

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4216 Invalid: 158 Mean: 1.834 Standard deviation: 0.372  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

#### CATEGORIES

Value	Category	Cases	
1	Yes	700	16.6%
2	No	3516	83.4%
Sysmiss		158	

**QN26: Attempted suicide****Data file: GTM2015\_Public\_Use\_national****Overview**

Valid: 4264   Invalid: 110   Mean: 1.82   Standard deviation: 0.384  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	766	18%
2	No	3498	82%
Sysmiss		110	

**QN27: Did not have any close friends****Data file: GTM2015\_Public\_Use\_national****Overview**

Valid: 4258   Invalid: 116   Mean: 1.909   Standard deviation: 0.287  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who did not have any close friends

## CATEGORIES

Value	Category	Cases	
1	Yes	386	9.1%
2	No	3872	90.9%
Sysmiss		116	

**QN35: Currently drank alcohol****Data file: GTM2015\_Public\_Use\_national****Overview**

Valid: 4272   Invalid: 102   Mean: 1.777   Standard deviation: 0.416  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	953	22.3%
2	No	3319	77.7%
Sysmiss		102	

### QN36: Usually drank two or more drinks per day

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 1050 Invalid: 3324 Mean: 1.521 Standard deviation: 0.5  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	503	47.9%
2	No	547	52.1%
Sysmiss		3324	

### QN37: Usually obtained the alcohol they drank from friends

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 1059 Invalid: 3315 Mean: 1.755 Standard deviation: 0.43  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	259	24.5%
2	No	800	75.5%
Sysmiss		3315	

### QN38: Ever drank so much alcohol that they were really drunk

Data file: GTM2015\_Public\_Use\_national

#### Overview

Valid: 4287    Invalid: 87    Mean: 1.824    Standard deviation: 0.381  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

##### CATEGORIES

Value	Category	Cases	
1	Yes	754	17.6%
2	No	3533	82.4%
Sysmiss		87	

### QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: GTM2015\_Public\_Use\_national

#### Overview

Valid: 4284    Invalid: 90    Mean: 1.869    Standard deviation: 0.337  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

##### CATEGORIES

Value	Category	Cases	
1	Yes	560	13.1%
2	No	3724	86.9%
Sysmiss		90	

**QN40: Used drugs before age 14 years****Data file:** GTM2015\_Public\_Use\_national**Overview**

Valid: 624    Invalid: 3750    Mean: 1.271    Standard deviation: 0.445  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

**CATEGORIES**

Value	Category	Cases	
1	Yes	455	72.9%
2	No	169	27.1%
Sysmiss		3750	

**QN41: Ever used marijuana****Data file:** GTM2015\_Public\_Use\_national**Overview**

Valid: 4122    Invalid: 252    Mean: 1.899    Standard deviation: 0.302  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who ever used marijuana (one or more times during their life)

**CATEGORIES**

Value	Category	Cases	
1	Yes	417	10.1%
2	No	3705	89.9%
Sysmiss		252	

**QN47: Used a condom****Data file:** GTM2015\_Public\_Use\_national**Overview**

Valid: 566    Invalid: 3808    Mean: 1.385    Standard deviation: 0.487  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

### CATEGORIES

Value	Category	Cases	
1	Yes	348	61.5%
2	No	218	38.5%
Sysmiss		3808	

## QN48: Used a method of birth control other than condoms

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 543 Invalid: 3831 Mean: 1.681 Standard deviation: 0.466  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

### CATEGORIES

Value	Category	Cases	
1	Yes	173	31.9%
2	No	370	68.1%
Sysmiss		3831	

## QN49: Were not physically active

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4222 Invalid: 152 Mean: 1.725 Standard deviation: 0.447  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	1162	27.5%
2	No	3060	72.5%
Sysmiss		152	

## QN50: Did not walk or ride a bicycle to or from school

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4187   Invalid: 187   Mean: 1.557   Standard deviation: 0.497  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

#### CATEGORIES

Value	Category	Cases	
1	Yes	1856	44.3%
2	No	2331	55.7%
Sysmiss		187	

## QN51: Did not attend physical education classes

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4083   Invalid: 291   Mean: 1.871   Standard deviation: 0.335  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

#### CATEGORIES

Value	Category	Cases	
1	Yes	526	12.9%
2	No	3557	87.1%
Sysmiss		291	

**QN42: Currently used marijuana****Data file: GTM2015\_Public\_Use\_national****Overview**

Valid: 4177   Invalid: 197   Mean: 1.923   Standard deviation: 0.267  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	322	7.7%
2	No	3855	92.3%
Sysmiss		197	

**QN43: Ever used amphetamines or methamphetamines****Data file: GTM2015\_Public\_Use\_national****Overview**

Valid: 4182   Invalid: 192   Mean: 1.959   Standard deviation: 0.198  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

## CATEGORIES

Value	Category	Cases	
1	Yes	170	4.1%
2	No	4012	95.9%
Sysmiss		192	

**QN44: Ever had sexual intercourse****Data file: GTM2015\_Public\_Use\_national****Overview**

Valid: 3902   Invalid: 472   Mean: 1.796   Standard deviation: 0.403  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ever had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	797	20.4%
2	No	3105	79.6%
Sysmiss		472	

## QN45: Had sexual intercourse before age 14 years

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 561    Invalid: 3813    Mean: 1.463    Standard deviation: 0.499  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

### CATEGORIES

Value	Category	Cases	
1	Yes	301	53.7%
2	No	260	46.3%
Sysmiss		3813	

## QN46: Had sexual intercourse with two or more persons

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4183    Invalid: 191    Mean: 1.923    Standard deviation: 0.267  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	322	7.7%
2	No	3861	92.3%
Sysmiss		191	

## QN52: Spent three or more hours per day doing sitting activities

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4066 Invalid: 308 Mean: 1.675 Standard deviation: 0.468  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

#### CATEGORIES

Value	Category	Cases	
1	Yes	1321	32.5%
2	No	2745	67.5%
Sysmiss		308	

## QNUNWTG: Were underweight

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 3992 Invalid: 382 Mean: 1.985 Standard deviation: 0.123  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

#### CATEGORIES

Value	Category	Cases	
1	Yes	61	1.5%
2	No	3931	98.5%
Sysmiss		382	

**QNOWTG: Were overweight****Data file: GTM2015\_Public\_Use\_national****Overview**

Valid: 3992   Invalid: 382   Mean: 1.686   Standard deviation: 0.464  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were overweight (&gt;+1SD from median for BMI by age and sex)

## CATEGORIES

Value	Category	Cases	
1	Yes	1254	31.4%
2	No	2738	68.6%
Sysmiss		382	

**QNOBESEG: Were obese****Data file: GTM2015\_Public\_Use\_national****Overview**

Valid: 3992   Invalid: 382   Mean: 1.913   Standard deviation: 0.281  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were obese (&gt;+2SD from median for BMI by age and sex)

## CATEGORIES

Value	Category	Cases	
1	Yes	346	8.7%
2	No	3646	91.3%
Sysmiss		382	

**QNFRLG: Usually ate fruit less than one time per day****Data file: GTM2015\_Public\_Use\_national****Overview**

Valid: 4332   Invalid: 42   Mean: 1.829   Standard deviation: 0.376  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	739	17.1%
2	No	3593	82.9%
Sysmiss		42	

## QNFR1G: Usually ate fruit one or more times per day

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4332 Invalid: 42 Mean: 1.261 Standard deviation: 0.439  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	3203	73.9%
2	No	1129	26.1%
Sysmiss		42	

## QNFR2G: Usually ate fruit two or more times per day

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4332 Invalid: 42 Mean: 1.573 Standard deviation: 0.495  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1850	42.7%
2	No	2482	57.3%
Sysmiss		42	

### QNFR3G: Usually ate fruit three or more times per day

Data file: GTM2015\_Public\_Use\_national

#### Overview

Valid: 4332 Invalid: 42 Mean: 1.762 Standard deviation: 0.426  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	1031	23.8%
2	No	3301	76.2%
Sysmiss		42	

### QNVEGLG: Usually ate vegetables less than one time per day

Data file: GTM2015\_Public\_Use\_national

#### Overview

Valid: 4268 Invalid: 106 Mean: 1.833 Standard deviation: 0.373  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	711	16.7%
2	No	3557	83.3%
Sysmiss		106	

**QNVEG1G: Usually ate vegetables one or more times per day****Data file: GTM2015\_Public\_Use\_national****Overview**

Valid: 4268   Invalid: 106   Mean: 1.239   Standard deviation: 0.426  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	3249	76.1%
2	No	1019	23.9%
Sysmiss		106	

**QNVEG2G: Usually ate vegetables two or more times per day****Data file: GTM2015\_Public\_Use\_national****Overview**

Valid: 4268   Invalid: 106   Mean: 1.575   Standard deviation: 0.494  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	1814	42.5%
2	No	2454	57.5%
Sysmiss		106	

**QNVEG3G: Usually ate vegetables three or more times per day****Data file: GTM2015\_Public\_Use\_national****Overview**

Valid: 4268   Invalid: 106   Mean: 1.774   Standard deviation: 0.418  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	964	22.6%
2	No	3304	77.4%
Sysmiss		106	

## QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4348 Invalid: 26 Mean: 1.726 Standard deviation: 0.446  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	1192	27.4%
2	No	3156	72.6%
Sysmiss		26	

## QNSODA1G: Usually drank carbonated soft drinks one or more times per day

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4348 Invalid: 26 Mean: 1.401 Standard deviation: 0.49  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	2606	59.9%
2	No	1742	40.1%
Sysmiss		26	

## QNSODA2G: Usually drank carbonated soft drinks two or more times per day

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4348   Invalid: 26   Mean: 1.674   Standard deviation: 0.469  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

#### CATEGORIES

Value	Category	Cases	
1	Yes	1418	32.6%
2	No	2930	67.4%
Sysmiss		26	

## QNSODA3G: Usually drank carbonated soft drinks three or more times per day

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4348   Invalid: 26   Mean: 1.83   Standard deviation: 0.375  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

#### CATEGORIES

Value	Category	Cases	
1	Yes	737	17%
2	No	3611	83%
Sysmiss		26	

**QNFF1G: Ate food from a fast food restaurant one or more days****Data file:** GTM2015\_Public\_Use\_national**Overview**

Valid: 4333   Invalid: 41   Mean: 1.357   Standard deviation: 0.479  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1	Yes	2788	64.3%
2	No	1545	35.7%
Sysmiss		41	

**QNFF2G: Ate food from a fast food restaurant two or more days****Data file:** GTM2015\_Public\_Use\_national**Overview**

Valid: 4333   Invalid: 41   Mean: 1.671   Standard deviation: 0.47  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1	Yes	1426	32.9%
2	No	2907	67.1%
Sysmiss		41	

**QNFF3G: Ate food from a fast food restaurant three or more days****Data file:** GTM2015\_Public\_Use\_national**Overview**

Valid: 4333   Invalid: 41   Mean: 1.829   Standard deviation: 0.377  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	741	17.1%
2	No	3592	82.9%
Sysmiss		41	

## ■ QNC2G: Were bullied and could not sleep at night

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 331    Invalid: 4043    Mean: 1.61    Standard deviation: 0.488  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	129	39%
2	No	202	61%
Sysmiss		4043	

## ■ QNBCANYG: Used a method of birth control

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 474    Invalid: 3900    Mean: 1.245    Standard deviation: 0.43  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

### CATEGORIES

Value	Category	Cases	
1	Yes	358	75.5%
2	No	116	24.5%
Sysmiss		3900	

### QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: GTM2015\_Public\_Use\_national

#### Overview

Valid: 623 Invalid: 3751 Mean: 1.607 Standard deviation: 0.489  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

##### CATEGORIES

Value	Category	Cases	
1	Yes	245	39.3%
2	No	378	60.7%
Sysmiss		3751	

### QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: GTM2015\_Public\_Use\_national

#### Overview

Valid: 4222 Invalid: 152 Mean: 1.789 Standard deviation: 0.408  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	890	21.1%
2	No	3332	78.9%
Sysmiss		152	

**QNPA7G: Were physically active at least 60 minutes per day on all 7 days****Data file: GTM2015\_Public\_Use\_national****Overview**

Valid: 4222    Invalid: 152    Mean: 1.861    Standard deviation: 0.346  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey )

**CATEGORIES**

Value	Category	Cases	
1	Yes	588	13.9%
2	No	3634	86.1%
Sysmiss		152	

**QNPE3G: Attended physical education classes on three or more days****Data file: GTM2015\_Public\_Use\_national****Overview**

Valid: 4083    Invalid: 291    Mean: 1.706    Standard deviation: 0.456  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who attended physical education classes on three or more days (each week during this school year)

**CATEGORIES**

Value	Category	Cases	
1	Yes	1202	29.4%
2	No	2881	70.6%
Sysmiss		291	

**QNPE5G: Attended physical education classes on five or more days****Data file: GTM2015\_Public\_Use\_national****Overview**

Valid: 4083    Invalid: 291    Mean: 1.756    Standard deviation: 0.43

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

### CATEGORIES

Value	Category	Cases	
1	Yes	996	24.4%
2	No	3087	75.6%
Sysmiss		291	

### WEIGHT:

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4374    Invalid: 0    Mean: 152.743    Standard deviation: 264.59  
 Type: Continuous    Decimal: 0    Width: 10    Range: 42.0329 - 329.5608    Format: Numeric

### STRATUM:

Data file: GTM2015\_Public\_Use\_national

### Overview

Valid: 4374    Invalid: 0    Mean: 201502199.098    Standard deviation: 791.572  
 Type: Discrete    Decimal: 0    Width: 9    Range: 201501001 - 201501019    Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
201501001		40	0.9%
201501002		42	1%
201501003		261	6%
201501004		57	1.3%
201501005		78	1.8%
201501006		38	0.9%
201501007		55	1.3%
201501008		41	0.9%
201501009		34	0.8%
201501010		50	1.1%
201501011		97	2.2%

201501012		237	5.4%
201502001		243	5.6%
201502002		117	2.7%
201502003		151	3.5%
201502004		130	3%
201502005		77	1.8%
201502006		79	1.8%
201502007		110	2.5%
201502008		101	2.3%
201502009		88	2%
201502010		91	2.1%
201502011		58	1.3%
201502012		76	1.7%
201502013		49	1.1%
201502014		102	2.3%
201503001		108	2.5%
201503002		195	4.5%
201503003		182	4.2%
201503004		98	2.2%
201503005		122	2.8%
201503006		190	4.3%
201503007		192	4.4%
201503008		171	3.9%
201503009		146	3.3%
201503010		126	2.9%
201503011		153	3.5%
201503012		143	3.3%
201503013		46	1.1%

**PSU:****Data file: GTM2015\_Public\_Use\_national****Overview**

Valid: 4374   Invalid: 0   Mean: 13.12   Standard deviation: 7.858  
 Type: Continuous   Decimal: 0   Width: 5   Range: 1 - 38   Format: Numeric

**Q1: Custom Age****Data file:** GTM2015\_Public\_Use\_capitalcityofficial**Overview**

Valid: 1846 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	10	0.5%
2	12 years old	36	2%
3	13 years old	383	20.7%
4	14 years old	577	31.3%
5	15 years old	569	30.8%
6	16 years old	190	10.3%
7	17 years old	66	3.6%
8	18 years old or older	15	0.8%
Sysmiss		26	

**Q2: Sex****Data file:** GTM2015\_Public\_Use\_capitalcityofficial**Overview**

Valid: 1830 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	875	47.8%
2	Female	955	52.2%
Sysmiss		42	

**Q3: In what grade are you****Data file: GTM2015\_Public\_Use\_capitalcityofficial****Overview**

Valid: 1808 Invalid: 64

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

## CATEGORIES

Value	Category	Cases	
1	M 3	661	36.6%
2	M 4	626	34.6%
3	M 5	521	28.8%
4	M 6	0	0%
5	M 7	0	0%
Sysmiss		64	

**Q4: How tall are you****Data file: GTM2015\_Public\_Use\_capitalcityofficial****Overview**

Valid: 1746 Invalid: 126 Minimum: 1.3 Maximum: 1.88 Mean: 1.568 Standard deviation: 0.0856

Type: Continuous Decimal: 2 Width: 5 Range: 1.27 - 1.87 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q5: How much do you weigh****Data file: GTM2015\_Public\_Use\_capitalcityofficial****Overview**

Valid: 1746 Invalid: 126 Minimum: 28 Maximum: 106 Mean: 53.272 Standard deviation: 10.54

Type: Continuous Decimal: 2 Width: 5 Range: 28 - 116 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q6: How often went hungry

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1845 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

### CATEGORIES

Value	Category	Cases	
1	Never	1101	59.7%
2	Rarely	498	27%
3	Sometimes	191	10.4%
4	Most of the time	24	1.3%
5	Always	31	1.7%
Sysmiss		27	

## Q7: No fruit eating

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1853 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	184	9.9%
2	Less than one time per day	339	18.3%
3	1 time per day	542	29.2%
4	2 times per day	314	16.9%
5	3 times per day	212	11.4%
6	4 times per day	84	4.5%
7	5 or more times per day	178	9.6%
Sysmiss		19	

### Q8: No vegetable eating

Data file: GTM2015\_Public\_Use\_capitalcityofficial

#### Overview

Valid: 1820 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

##### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	140	7.7%
2	Less than one time per day	315	17.3%
3	1 time per day	582	32%
4	2 times per day	331	18.2%
5	3 times per day	191	10.5%
6	4 times per day	67	3.7%
7	5 or more times per day	194	10.7%
Sysmiss		52	

### Q9: Soft drinks

Data file: GTM2015\_Public\_Use\_capitalcityofficial

## Overview

Valid: 1860 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	181	9.7%
2	Less than one time per day	481	25.9%
3	1 time per day	517	27.8%
4	2 times per day	332	17.8%
5	3 times per day	159	8.5%
6	4 times per day	57	3.1%
7	5 or more times per day	133	7.2%
Sysmiss		12	

## Q10: Fast food eating

Data file: GTM2015\_Public\_Use\_capitalcityofficial

## Overview

Valid: 1851 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	635	34.3%
2	1 day	591	31.9%
3	2 days	297	16%
4	3 days	148	8%

5	4 days	66	3.6%
6	5 days	41	2.2%
7	6 days	20	1.1%
8	7 days	53	2.9%
Sysmiss		21	

## Q11: Tooth brushing

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1838 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	65	3.5%
2	Less than 1 time per day	65	3.5%
3	1 time per day	132	7.2%
4	2 times per day	387	21.1%
5	3 times per day	884	48.1%
6	4 or more times per day	305	16.6%
Sysmiss		34	

## Q12: Hand washing before eating

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1840 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
1	Never	57	3.1%
2	Rarely	126	6.8%
3	Sometimes	237	12.9%
4	Most of the time	495	26.9%
5	Always	925	50.3%
Sysmiss		32	

### Q13: Hand washing after toilet

Data file: GTM2015\_Public\_Use\_capitalcityofficial

#### Overview

Valid: 1834 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

#### CATEGORIES

Value	Category	Cases	
1	Never	48	2.6%
2	Rarely	58	3.2%
3	Sometimes	91	5%
4	Most of the time	296	16.1%
5	Always	1341	73.1%
Sysmiss		38	

### Q14: Hand washing with soap

Data file: GTM2015\_Public\_Use\_capitalcityofficial

#### Overview

Valid: 1822 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

### CATEGORIES

Value	Category	Cases	
1	Never	53	2.9%
2	Rarely	143	7.8%
3	Sometimes	219	12%
4	Most of the time	377	20.7%
5	Always	1030	56.5%
Sysmiss		50	

## Q15: Physically attacked

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1844 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

### CATEGORIES

Value	Category	Cases	
1	0 times	1360	73.8%
2	1 time	258	14%
3	2 or 3 times	126	6.8%
4	4 or 5 times	32	1.7%
5	6 or 7 times	16	0.9%
6	8 or 9 times	8	0.4%
7	10 or 11 times	5	0.3%
8	12 or more times	39	2.1%
Sysmiss		28	

**Q16: Physical fighting****Data file:** GTM2015\_Public\_Use\_capitalcityofficial**Overview**

Valid: 1854 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

**LITERAL QUESTION**

During the past 12 months, how many times were you in a physical fight?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1340	72.3%
2	1 time	282	15.2%
3	2 or 3 times	129	7%
4	4 or 5 times	37	2%
5	6 or 7 times	16	0.9%
6	8 or 9 times	8	0.4%
7	10 or 11 times	5	0.3%
8	12 or more times	37	2%
Sysmiss		18	

**Q17: Seriously injured****Data file:** GTM2015\_Public\_Use\_capitalcityofficial**Overview**

Valid: 1861 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

**LITERAL QUESTION**

During the past 12 months, how many times were you seriously injured?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1211	65.1%
2	1 time	470	25.3%
3	2 or 3 times	126	6.8%
4	4 or 5 times	22	1.2%
5	6 or 7 times	15	0.8%
6	8 or 9 times	7	0.4%
7	10 or 11 times	1	0.1%
8	12 or more times	9	0.5%
Sysmiss		11	

## Q20: Bullied

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1732 Invalid: 140

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

#### CATEGORIES

Value	Category	Cases	
1	0 days	1374	79.3%
2	1 or 2 days	222	12.8%
3	3 to 5 days	59	3.4%
4	6 to 9 days	34	2%
5	10 to 19 days	13	0.8%
6	20 to 29 days	6	0.3%
7	All 30 days	24	1.4%
Sysmiss		140	

## Q21: Bullied by hitting

Data file: GTM2015\_Public\_Use\_capitalcityofficial

## Overview

Valid: 1767 Invalid: 105

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

### CATEGORIES

Value	Category	Cases	
1	Not bullied	1483	83.9%
2	Kicked, pushed, or shoved	55	3.1%
3	Made fun of race	32	1.8%
4	Made fun because of religion	10	0.6%
5	Made fun of about sex	45	2.5%
6	Left out of activities	25	1.4%
7	Made fun of about body	37	2.1%
8	Some other way	80	4.5%
Sysmiss		105	

## Q22: Felt lonely

Data file: GTM2015\_Public\_Use\_capitalcityofficial

## Overview

Valid: 1843 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

### CATEGORIES

Value	Category	Cases	
1	Never	749	40.6%
2	Rarely	552	30%

3	Sometimes	342	18.6%
4	Most of the time	115	6.2%
5	Always	85	4.6%
Sysmiss		29	

### Q23: Could not sleep

Data file: GTM2015\_Public\_Use\_capitalcityofficial

#### Overview

Valid: 1797 Invalid: 75

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

##### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

##### CATEGORIES

Value	Category	Cases	
1	Never	628	34.9%
2	Rarely	577	32.1%
3	Sometimes	427	23.8%
4	Most of the time	119	6.6%
5	Always	46	2.6%
Sysmiss		75	

### Q24: Considered suicide

Data file: GTM2015\_Public\_Use\_capitalcityofficial

#### Overview

Valid: 1795 Invalid: 77

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

##### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

##### CATEGORIES

Value	Category	Cases	
1	Yes	424	23.6%
2	No	1371	76.4%
Sysmiss		77	

## Q25: Made a suicide plan

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1792 Invalid: 80

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	Yes	346	19.3%
2	No	1446	80.7%
Sysmiss		80	

## Q26: Attempted suicide

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1818 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1473	81%
2	1 time	208	11.4%

3	2 or 3 times	70	3.9%
4	4 or 5 times	39	2.1%
5	6 or more times	28	1.5%
Sysmiss		54	

## Q27: Close friends

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1817 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	181	10%
2	1	191	10.5%
3	2	268	14.7%
4	3 or more	1177	64.8%
Sysmiss		55	

## Q35: Current alcohol use

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1823 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

#### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 days	1376	75.5%
2	1 or 2 days	260	14.3%
3	3 to 5 days	83	4.6%
4	6 to 9 days	40	2.2%
5	10 to 19 days	27	1.5%
6	20 to 29 days	21	1.2%
7	All 30 days	16	0.9%
Sysmiss		49	

**Q36: Drank 2+ drinks**

Data file: GTM2015\_Public\_Use\_capitalcityofficial

**Overview**

Valid: 1837 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

## CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1361	74.1%
2	Less than one drink	132	7.2%
3	1 drink	110	6%
4	2 drinks	56	3%
5	3 drinks	36	2%
6	4 drinks	37	2%
7	5 or more drinks	105	5.7%
Sysmiss		35	

**Q37: Source of alcohol**

Data file: GTM2015\_Public\_Use\_capitalcityofficial

## Overview

Valid: 1832 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1342	73.3%
2	I bought in a store	199	10.9%
3	I gave someone money to buy	50	2.7%
4	I got it from my friends	111	6.1%
5	I got it from my family	55	3%
6	I stole it	19	1%
7	Some other way	56	3.1%
Sysmiss		40	

## Q38: Really drunk

Data file: GTM2015\_Public\_Use\_capitalcityofficial

## Overview

Valid: 1830 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

### LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

### CATEGORIES

Value	Category	Cases	
1	0 times	1479	80.8%

2	1 or 2 times	237	13%
3	3 to 9 times	74	4%
4	10 or more times	40	2.2%
Sysmiss		42	

### Q39: Trouble from drinking

Data file: GTM2015\_Public\_Use\_capitalcityofficial

#### Overview

Valid: 1827 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

##### CATEGORIES

Value	Category	Cases	
1	0 times	1557	85.2%
2	1 or 2 times	191	10.5%
3	3 to 9 times	48	2.6%
4	10 or more times	31	1.7%
Sysmiss		45	

### Q40: Initiation of drug use

Data file: GTM2015\_Public\_Use\_capitalcityofficial

#### Overview

Valid: 1737 Invalid: 135

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

##### LITERAL QUESTION

How old were you when you first used drugs?

#### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1408	81.1%
2	7 years old or younger	68	3.9%
3	8 or 9 years old	42	2.4%
4	10 or 11 years old	38	2.2%
5	12 or 13 years old	102	5.9%
6	14 or 15 years old	72	4.1%
7	16 or 17 years old	5	0.3%
8	18 years old or older	2	0.1%
Sysmiss		135	

### Q41: Ever marijuana use

Data file: GTM2015\_Public\_Use\_capitalcityofficial

#### Overview

Valid: 1735 Invalid: 137

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1521	87.7%
2	1 or 2 times	93	5.4%
3	3 to 9 times	53	3.1%
4	10 to 19 times	25	1.4%
5	20 or more times	43	2.5%
Sysmiss		137	

### Q42: Current marijuana use

Data file: GTM2015\_Public\_Use\_capitalcityofficial

## Overview

Valid: 1780 Invalid: 92

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	1603	90.1%
2	1 or 2 times	101	5.7%
3	3 to 9 times	40	2.2%
4	10 to 19 times	13	0.7%
5	20 or more times	23	1.3%
Sysmiss		92	

## Q43: Amphetamine or methamphetamine use

Data file: GTM2015\_Public\_Use\_capitalcityofficial

## Overview

Valid: 1776 Invalid: 96

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

### CATEGORIES

Value	Category	Cases	
1	0 times	1688	95%
2	1 or 2 times	48	2.7%
3	3 to 9 times	20	1.1%
4	10 to 19 times	8	0.5%

5	20 or more times	12	0.7%
Sysmiss		96	

## Q44: Ever sexual intercourse

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1633 Invalid: 239

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

Have you ever had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Yes	347	21.2%
2	No	1286	78.8%
Sysmiss		239	

## Q45: Sex before 14 years

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1704 Invalid: 168

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	1454	85.3%
2	11 years old or younger	64	3.8%
3	12 years old	35	2.1%
4	13 years old	38	2.2%

5	14 years old	49	2.9%
6	15 years old	44	2.6%
7	16 or 17 years old	19	1.1%
8	18 years old or older	1	0.1%
Sysmiss		168	

## Q46: Multiple sex partners

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1765 Invalid: 107

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	1503	85.2%
2	1 person	117	6.6%
3	2 people	56	3.2%
4	3 people	20	1.1%
5	4 people	24	1.4%
6	5 people	7	0.4%
7	6 or more people	38	2.2%
Sysmiss		107	

## Q47: Condom use

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1706 Invalid: 166

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	1458	85.5%
2	Yes	155	9.1%
3	No	93	5.5%
Sysmiss		166	

**Q48: Birth control used**

Data file: GTM2015\_Public\_Use\_capitalcityofficial

**Overview**

Valid: 1686 Invalid: 186

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	1443	85.6%
2	Yes	75	4.4%
3	No	121	7.2%
4	I do not know	47	2.8%
Sysmiss		186	

**Q49: Physical activity >= 5 days**

Data file: GTM2015\_Public\_Use\_capitalcityofficial

**Overview**

Valid: 1788 Invalid: 84

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

#### CATEGORIES

Value	Category	Cases	
1	0 days	504	28.2%
2	1 day	431	24.1%
3	2 days	248	13.9%
4	3 days	169	9.5%
5	4 days	87	4.9%
6	5 days	68	3.8%
7	6 days	39	2.2%
8	7 days	242	13.5%
Sysmiss		84	

### Q50: Walk or bike to school

Data file: GTM2015\_Public\_Use\_capitalcityofficial

#### Overview

Valid: 1776 Invalid: 96

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

#### CATEGORIES

Value	Category	Cases	
1	0 days	746	42%
2	1 day	232	13.1%
3	2 days	104	5.9%
4	3 days	63	3.5%
5	4 days	46	2.6%
6	5 days	196	11%
7	6 days	18	1%

8	7 days	371	20.9%
Sysmiss		96	

## Q51: PE attendance

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1726 Invalid: 146

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

#### CATEGORIES

Value	Category	Cases	
1	0 days	247	14.3%
2	1 day	718	41.6%
3	2 days	274	15.9%
4	3 days	59	3.4%
5	4 days	29	1.7%
6	5 or more days	399	23.1%
Sysmiss		146	

## Q52: Sitting activities

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1719 Invalid: 153

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

#### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	641	37.3%
2	1 to 2 hours per day	493	28.7%
3	3 to 4 hours per day	295	17.2%
4	5 to 6 hours per day	119	6.9%
5	7 to 8 hours per day	55	3.2%
6	More than 8 hours per day	116	6.7%
Sysmiss		153	

**QN6: Most of the time or always went hungry****Data file:** GTM2015\_Public\_Use\_capitalcityofficial**Overview**

Valid: 1845   Invalid: 27   Mean: 1.97   Standard deviation: 0.17  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	55	3%
2	No	1790	97%
Sysmiss		27	

**QN7: Did not eat fruit****Data file:** GTM2015\_Public\_Use\_capitalcityofficial**Overview**

Valid: 1853   Invalid: 19   Mean: 1.901   Standard deviation: 0.299  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	184	9.9%
2	No	1669	90.1%
Sysmiss		19	

**QN8: Did not eat vegetables****Data file:** GTM2015\_Public\_Use\_capitalcityofficial**Overview**

Valid: 1820   Invalid: 52   Mean: 1.923   Standard deviation: 0.267  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	140	7.7%
2	No	1680	92.3%
Sysmiss		52	

**QN9: Did not drink carbonated soft drinks****Data file:** GTM2015\_Public\_Use\_capitalcityofficial**Overview**

Valid: 1860   Invalid: 12   Mean: 1.903   Standard deviation: 0.296  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	181	9.7%
2	No	1679	90.3%
Sysmiss		12	

**QN10: Did not eat food from a fast food restaurant****Data file:** GTM2015\_Public\_Use\_capitalcityofficial**Overview**

Valid: 1851   Invalid: 21   Mean: 1.657   Standard deviation: 0.475  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	635	34.3%
2	No	1216	65.7%
Sysmiss		21	

**QN11: Usually cleaned or brushed their teeth****Data file:** GTM2015\_Public\_Use\_capitalcityofficial**Overview**

Valid: 1838   Invalid: 34   Mean: 1.071   Standard deviation: 0.256  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	1708	92.9%
2	No	130	7.1%
Sysmiss		34	

**QN12: Never or rarely washed their hands before eating****Data file:** GTM2015\_Public\_Use\_capitalcityofficial**Overview**

Valid: 1840   Invalid: 32   Mean: 1.901   Standard deviation: 0.299  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	183	9.9%
2	No	1657	90.1%
Sysmiss		32	

## QN13: Never or rarely washed their hands after using the toilet or latrine

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1834 Invalid: 38 Mean: 1.942 Standard deviation: 0.233  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	106	5.8%
2	No	1728	94.2%
Sysmiss		38	

## QN14: Never or rarely used soap when washing their hands

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1822 Invalid: 50 Mean: 1.892 Standard deviation: 0.31  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	196	10.8%
2	No	1626	89.2%
Sysmiss		50	

### QN15: Were physically attacked

Data file: GTM2015\_Public\_Use\_capitalcityofficial

#### Overview

Valid: 1844 Invalid: 28 Mean: 1.738 Standard deviation: 0.44  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	484	26.2%
2	No	1360	73.8%
Sysmiss		28	

### QN16: Were in a physical fight

Data file: GTM2015\_Public\_Use\_capitalcityofficial

#### Overview

Valid: 1854 Invalid: 18 Mean: 1.723 Standard deviation: 0.448  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	514	27.7%
2	No	1340	72.3%
Sysmiss		18	

**QN17: Were seriously injured****Data file:** GTM2015\_Public\_Use\_capitalcityofficial**Overview**

Valid: 1861   Invalid: 11   Mean: 1.651   Standard deviation: 0.477  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	650	34.9%
2	No	1211	65.1%
Sysmiss		11	

**QN20: Were bullied****Data file:** GTM2015\_Public\_Use\_capitalcityofficial**Overview**

Valid: 1732   Invalid: 140   Mean: 1.793   Standard deviation: 0.405  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	358	20.7%
2	No	1374	79.3%
Sysmiss		140	

**QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors****Data file:** GTM2015\_Public\_Use\_capitalcityofficial**Overview**

Valid: 284   Invalid: 1588   Mean: 1.806   Standard deviation: 0.396  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )

### CATEGORIES

Value	Category	Cases	
1	Yes	55	19.4%
2	No	229	80.6%
Sysmiss		1588	

## QN22: Most of the time or always felt lonely

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1843 Invalid: 29 Mean: 1.891 Standard deviation: 0.311  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	200	10.9%
2	No	1643	89.1%
Sysmiss		29	

## QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1797 Invalid: 75 Mean: 1.908 Standard deviation: 0.289  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	165	9.2%
2	No	1632	90.8%
Sysmiss		75	

## QN24: Seriously considered attempting suicide

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1795    Invalid: 77    Mean: 1.764    Standard deviation: 0.425  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

#### CATEGORIES

Value	Category	Cases	
1	Yes	424	23.6%
2	No	1371	76.4%
Sysmiss		77	

## QN25: Made a plan about how they would attempt suicide

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1792    Invalid: 80    Mean: 1.807    Standard deviation: 0.395  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

#### CATEGORIES

Value	Category	Cases	
1	Yes	346	19.3%
2	No	1446	80.7%
Sysmiss		80	

**QN26: Attempted suicide****Data file:** GTM2015\_Public\_Use\_capitalcityofficial**Overview**

Valid: 1818   Invalid: 54   Mean: 1.81   Standard deviation: 0.392  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	345	19%
2	No	1473	81%
Sysmiss		54	

**QN27: Did not have any close friends****Data file:** GTM2015\_Public\_Use\_capitalcityofficial**Overview**

Valid: 1817   Invalid: 55   Mean: 1.9   Standard deviation: 0.3  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who did not have any close friends

## CATEGORIES

Value	Category	Cases	
1	Yes	181	10%
2	No	1636	90%
Sysmiss		55	

**QN35: Currently drank alcohol****Data file:** GTM2015\_Public\_Use\_capitalcityofficial**Overview**

Valid: 1823   Invalid: 49   Mean: 1.755   Standard deviation: 0.43  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	447	24.5%
2	No	1376	75.5%
Sysmiss		49	

### QN36: Usually drank two or more drinks per day

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 476 Invalid: 1396 Mean: 1.508 Standard deviation: 0.5  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	234	49.2%
2	No	242	50.8%
Sysmiss		1396	

### QN37: Usually obtained the alcohol they drank from friends

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 490 Invalid: 1382 Mean: 1.773 Standard deviation: 0.419  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	111	22.7%
2	No	379	77.3%
Sysmiss		1382	

### QN38: Ever drank so much alcohol that they were really drunk

Data file: GTM2015\_Public\_Use\_capitalcityofficial

#### Overview

Valid: 1830   Invalid: 42   Mean: 1.808   Standard deviation: 0.394  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

##### CATEGORIES

Value	Category	Cases	
1	Yes	351	19.2%
2	No	1479	80.8%
Sysmiss		42	

### QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: GTM2015\_Public\_Use\_capitalcityofficial

#### Overview

Valid: 1827   Invalid: 45   Mean: 1.852   Standard deviation: 0.355  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

##### CATEGORIES

Value	Category	Cases	
1	Yes	270	14.8%
2	No	1557	85.2%
Sysmiss		45	

**QN40: Used drugs before age 14 years****Data file: GTM2015\_Public\_Use\_capitalcityofficial****Overview**

Valid: 329    Invalid: 1543    Mean: 1.24    Standard deviation: 0.428  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

**CATEGORIES**

Value	Category	Cases	
1	Yes	250	76%
2	No	79	24%
Sysmiss		1543	

**QN41: Ever used marijuana****Data file: GTM2015\_Public\_Use\_capitalcityofficial****Overview**

Valid: 1735    Invalid: 137    Mean: 1.877    Standard deviation: 0.329  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who ever used marijuana (one or more times during their life)

**CATEGORIES**

Value	Category	Cases	
1	Yes	214	12.3%
2	No	1521	87.7%
Sysmiss		137	

**QN42: Currently used marijuana****Data file: GTM2015\_Public\_Use\_capitalcityofficial****Overview**

Valid: 1780    Invalid: 92    Mean: 1.901    Standard deviation: 0.299  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	177	9.9%
2	No	1603	90.1%
Sysmiss		92	

## QN43: Ever used amphetamines or methamphetamines

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1776 Invalid: 96 Mean: 1.95 Standard deviation: 0.217  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

### CATEGORIES

Value	Category	Cases	
1	Yes	88	5%
2	No	1688	95%
Sysmiss		96	

## QN44: Ever had sexual intercourse

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1633 Invalid: 239 Mean: 1.788 Standard deviation: 0.409  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ever had sexual intercourse

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	347	21.2%
2	No	1286	78.8%
Sysmiss		239	

### QN45: Had sexual intercourse before age 14 years

Data file: GTM2015\_Public\_Use\_capitalcityofficial

#### Overview

Valid: 250    Invalid: 1622    Mean: 1.452    Standard deviation: 0.499  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

##### CATEGORIES

Value	Category	Cases	
1	Yes	137	54.8%
2	No	113	45.2%
Sysmiss		1622	

### QN46: Had sexual intercourse with two or more persons

Data file: GTM2015\_Public\_Use\_capitalcityofficial

#### Overview

Valid: 1765    Invalid: 107    Mean: 1.918    Standard deviation: 0.275  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

##### CATEGORIES

Value	Category	Cases	
1	Yes	145	8.2%
2	No	1620	91.8%
Sysmiss		107	

**QN47: Used a condom****Data file: GTM2015\_Public\_Use\_capitalcityofficial****Overview**

Valid: 248    Invalid: 1624    Mean: 1.375    Standard deviation: 0.485  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

## CATEGORIES

Value	Category	Cases	
1	Yes	155	62.5%
2	No	93	37.5%
Sysmiss		1624	

**QN48: Used a method of birth control other than condoms****Data file: GTM2015\_Public\_Use\_capitalcityofficial****Overview**

Valid: 243    Invalid: 1629    Mean: 1.691    Standard deviation: 0.463  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

## CATEGORIES

Value	Category	Cases	
1	Yes	75	30.9%
2	No	168	69.1%
Sysmiss		1629	

**QN49: Were not physically active****Data file: GTM2015\_Public\_Use\_capitalcityofficial****Overview**

Valid: 1788    Invalid: 84    Mean: 1.718    Standard deviation: 0.45  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	504	28.2%
2	No	1284	71.8%
Sysmiss		84	

## QN50: Did not walk or ride a bicycle to or from school

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1776 Invalid: 96 Mean: 1.58 Standard deviation: 0.494  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	746	42%
2	No	1030	58%
Sysmiss		96	

## QN51: Did not attend physical education classes

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1726 Invalid: 146 Mean: 1.857 Standard deviation: 0.35  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	247	14.3%
2	No	1479	85.7%
Sysmiss		146	

## QN52: Spent three or more hours per day doing sitting activities

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1719 Invalid: 153 Mean: 1.66 Standard deviation: 0.474  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

#### CATEGORIES

Value	Category	Cases	
1	Yes	585	34%
2	No	1134	66%
Sysmiss		153	

## QNUNWTG: Were underweight

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1746 Invalid: 126 Mean: 1.979 Standard deviation: 0.142  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

#### CATEGORIES

Value	Category	Cases	
1	Yes	36	2.1%
2	No	1710	97.9%
Sysmiss		126	

**QNOWTG: Were overweight****Data file: GTM2015\_Public\_Use\_capitalcityofficial****Overview**

Valid: 1746   Invalid: 126   Mean: 1.701   Standard deviation: 0.458  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were overweight (&gt;+1SD from median for BMI by age and sex)

## CATEGORIES

Value	Category	Cases	
1	Yes	522	29.9%
2	No	1224	70.1%
Sysmiss		126	

**QNOBESEG: Were obese****Data file: GTM2015\_Public\_Use\_capitalcityofficial****Overview**

Valid: 1746   Invalid: 126   Mean: 1.927   Standard deviation: 0.261  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were obese (&gt;+2SD from median for BMI by age and sex)

## CATEGORIES

Value	Category	Cases	
1	Yes	128	7.3%
2	No	1618	92.7%
Sysmiss		126	

**QNFRLG: Usually ate fruit less than one time per day****Data file: GTM2015\_Public\_Use\_capitalcityofficial****Overview**

Valid: 1853   Invalid: 19   Mean: 1.817   Standard deviation: 0.387  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	339	18.3%
2	No	1514	81.7%
Sysmiss		19	

## QNFR1G: Usually ate fruit one or more times per day

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1853 Invalid: 19 Mean: 1.282 Standard deviation: 0.45  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	1330	71.8%
2	No	523	28.2%
Sysmiss		19	

## QNFR2G: Usually ate fruit two or more times per day

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1853 Invalid: 19 Mean: 1.575 Standard deviation: 0.495  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	788	42.5%
2	No	1065	57.5%
Sysmiss		19	

### QNFR3G: Usually ate fruit three or more times per day

Data file: GTM2015\_Public\_Use\_capitalcityofficial

#### Overview

Valid: 1853 Invalid: 19 Mean: 1.744 Standard deviation: 0.436  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	474	25.6%
2	No	1379	74.4%
Sysmiss		19	

### QNVEGLG: Usually ate vegetables less than one time per day

Data file: GTM2015\_Public\_Use\_capitalcityofficial

#### Overview

Valid: 1820 Invalid: 52 Mean: 1.827 Standard deviation: 0.378  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	315	17.3%
2	No	1505	82.7%
Sysmiss		52	

**QNVEG1G: Usually ate vegetables one or more times per day****Data file: GTM2015\_Public\_Use\_capitalcityofficial****Overview**

Valid: 1820   Invalid: 52   Mean: 1.25   Standard deviation: 0.433  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	1365	75%
2	No	455	25%
Sysmiss		52	

**QNVEG2G: Usually ate vegetables two or more times per day****Data file: GTM2015\_Public\_Use\_capitalcityofficial****Overview**

Valid: 1820   Invalid: 52   Mean: 1.57   Standard deviation: 0.495  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	783	43%
2	No	1037	57%
Sysmiss		52	

**QNVEG3G: Usually ate vegetables three or more times per day****Data file: GTM2015\_Public\_Use\_capitalcityofficial****Overview**

Valid: 1820   Invalid: 52   Mean: 1.752   Standard deviation: 0.432  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	452	24.8%
2	No	1368	75.2%
Sysmiss		52	

## QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1860 Invalid: 12 Mean: 1.741 Standard deviation: 0.438  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	481	25.9%
2	No	1379	74.1%
Sysmiss		12	

## QNSODA1G: Usually drank carbonated soft drinks one or more times per day

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1860 Invalid: 12 Mean: 1.356 Standard deviation: 0.479  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	1198	64.4%
2	No	662	35.6%
Sysmiss		12	

## QNSODA2G: Usually drank carbonated soft drinks two or more times per day

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1860 Invalid: 12 Mean: 1.634 Standard deviation: 0.482  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

#### CATEGORIES

Value	Category	Cases	
1	Yes	681	36.6%
2	No	1179	63.4%
Sysmiss		12	

## QNSODA3G: Usually drank carbonated soft drinks three or more times per day

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1860 Invalid: 12 Mean: 1.812 Standard deviation: 0.391  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

#### CATEGORIES

Value	Category	Cases	
1	Yes	349	18.8%
2	No	1511	81.2%
Sysmiss		12	

**QNFF1G: Ate food from a fast food restaurant one or more days****Data file:** GTM2015\_Public\_Use\_capitalcityofficial**Overview**

Valid: 1851   Invalid: 21   Mean: 1.343   Standard deviation: 0.475  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1	Yes	1216	65.7%
2	No	635	34.3%
Sysmiss		21	

**QNFF2G: Ate food from a fast food restaurant two or more days****Data file:** GTM2015\_Public\_Use\_capitalcityofficial**Overview**

Valid: 1851   Invalid: 21   Mean: 1.662   Standard deviation: 0.473  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1	Yes	625	33.8%
2	No	1226	66.2%
Sysmiss		21	

**QNFF3G: Ate food from a fast food restaurant three or more days****Data file:** GTM2015\_Public\_Use\_capitalcityofficial**Overview**

Valid: 1851   Invalid: 21   Mean: 1.823   Standard deviation: 0.382  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	328	17.7%
2	No	1523	82.3%
Sysmiss		21	

## QNC2G: Were bullied and could not sleep at night

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 154 Invalid: 1718 Mean: 1.636 Standard deviation: 0.483  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	56	36.4%
2	No	98	63.6%
Sysmiss		1718	

## QNBCANYG: Used a method of birth control

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 201 Invalid: 1671 Mean: 1.219 Standard deviation: 0.415  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

### CATEGORIES

Value	Category	Cases	
1	Yes	157	78.1%
2	No	44	21.9%
Sysmiss		1671	

### QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: GTM2015\_Public\_Use\_capitalcityofficial

#### Overview

Valid: 280 Invalid: 1592 Mean: 1.646 Standard deviation: 0.479  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

##### CATEGORIES

Value	Category	Cases	
1	Yes	99	35.4%
2	No	181	64.6%
Sysmiss		1592	

### QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: GTM2015\_Public\_Use\_capitalcityofficial

#### Overview

Valid: 1788 Invalid: 84 Mean: 1.805 Standard deviation: 0.396  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	349	19.5%
2	No	1439	80.5%
Sysmiss		84	

**QNPA7G: Were physically active at least 60 minutes per day on all 7 days****Data file: GTM2015\_Public\_Use\_capitalcityofficial****Overview**

Valid: 1788   Invalid: 84   Mean: 1.865   Standard deviation: 0.342  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey )

**CATEGORIES**

Value	Category	Cases	
1	Yes	242	13.5%
2	No	1546	86.5%
Sysmiss		84	

**QNPE3G: Attended physical education classes on three or more days****Data file: GTM2015\_Public\_Use\_capitalcityofficial****Overview**

Valid: 1726   Invalid: 146   Mean: 1.718   Standard deviation: 0.45  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who attended physical education classes on three or more days (each week during this school year)

**CATEGORIES**

Value	Category	Cases	
1	Yes	487	28.2%
2	No	1239	71.8%
Sysmiss		146	

**QNPE5G: Attended physical education classes on five or more days****Data file: GTM2015\_Public\_Use\_capitalcityofficial****Overview**

Valid: 1726   Invalid: 146   Mean: 1.769   Standard deviation: 0.422

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

### CATEGORIES

Value	Category	Cases	
1	Yes	399	23.1%
2	No	1327	76.9%
Sysmiss		146	

### WEIGHT:

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1872    Invalid: 0    Mean: 12.456    Standard deviation: 2.954

Type: Continuous    Decimal: 0    Width: 10    Range: 42.0329 - 329.5608    Format: Numeric

### STRATUM:

Data file: GTM2015\_Public\_Use\_capitalcityofficial

### Overview

Valid: 1872    Invalid: 0    Mean: 201503006.661    Standard deviation: 4.185

Type: Discrete    Decimal: 0    Width: 9    Range: 201501001 - 201501019    Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
201503001		108	5.8%
201503002		195	10.4%
201503003		182	9.7%
201503004		98	5.2%
201503005		122	6.5%
201503006		190	10.1%
201503007		192	10.3%
201503008		171	9.1%
201503009		146	7.8%
201503010		126	6.7%
201503011		153	8.2%

201503012		143	7.6%
201503013		46	2.5%

**PSU:****Data file: GTM2015\_Public\_Use\_capitalcityofficial****Overview**

Valid: 1872   Invalid: 0   Mean: 13.805   Standard deviation: 7.011  
 Type: Continuous   Decimal: 0   Width: 5   Range: 1 - 38   Format: Numeric

**Q1: Custom Age****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 1460 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	4	0.3%
2	12 years old	55	3.8%
3	13 years old	308	21.1%
4	14 years old	405	27.7%
5	15 years old	422	28.9%
6	16 years old	193	13.2%
7	17 years old	51	3.5%
8	18 years old or older	22	1.5%
Sysmiss		12	

**Q2: Sex****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 1454 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	742	51%
2	Female	712	49%
Sysmiss		18	

**Q3: In what grade are you****Data file: GTM2015\_Public\_Use\_capitalcityprivate****Overview**

Valid: 1452 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

## CATEGORIES

Value	Category	Cases	
1	M 3	554	38.2%
2	M 4	395	27.2%
3	M 5	503	34.6%
4	M 6	0	0%
5	M 7	0	0%
Sysmiss		20	

**Q4: How tall are you****Data file: GTM2015\_Public\_Use\_capitalcityprivate****Overview**

Valid: 1399 Invalid: 73 Minimum: 1.31 Maximum: 1.84 Mean: 1.58 Standard deviation: 0.0856

Type: Continuous Decimal: 2 Width: 5 Range: 1.27 - 1.87 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q5: How much do you weigh****Data file: GTM2015\_Public\_Use\_capitalcityprivate****Overview**

Valid: 1399 Invalid: 73 Minimum: 30 Maximum: 129 Mean: 55.504 Standard deviation: 11.829

Type: Continuous Decimal: 2 Width: 5 Range: 28 - 116 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q6: How often went hungry

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1455 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

### CATEGORIES

Value	Category	Cases	
1	Never	903	62.1%
2	Rarely	341	23.4%
3	Sometimes	183	12.6%
4	Most of the time	17	1.2%
5	Always	11	0.8%
Sysmiss		17	

## Q7: No fruit eating

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1461 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	108	7.4%
2	Less than one time per day	260	17.8%
3	1 time per day	500	34.2%
4	2 times per day	295	20.2%
5	3 times per day	173	11.8%
6	4 times per day	46	3.1%
7	5 or more times per day	79	5.4%
Sysmiss		11	

### Q8: No vegetable eating

Data file: GTM2015\_Public\_Use\_capitalcityprivate

#### Overview

Valid: 1436 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

##### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	95	6.6%
2	Less than one time per day	228	15.9%
3	1 time per day	513	35.7%
4	2 times per day	307	21.4%
5	3 times per day	161	11.2%
6	4 times per day	35	2.4%
7	5 or more times per day	97	6.8%
Sysmiss		36	

### Q9: Soft drinks

Data file: GTM2015\_Public\_Use\_capitalcityprivate

## Overview

Valid: 1464 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	253	17.3%
2	Less than one time per day	427	29.2%
3	1 time per day	335	22.9%
4	2 times per day	213	14.5%
5	3 times per day	117	8%
6	4 times per day	41	2.8%
7	5 or more times per day	78	5.3%
Sysmiss		8	

## Q10: Fast food eating

Data file: GTM2015\_Public\_Use\_capitalcityprivate

## Overview

Valid: 1461 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	478	32.7%
2	1 day	460	31.5%
3	2 days	258	17.7%
4	3 days	135	9.2%

5	4 days	63	4.3%
6	5 days	34	2.3%
7	6 days	5	0.3%
8	7 days	28	1.9%
Sysmiss		11	

## Q11: Tooth brushing

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1451 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	48	3.3%
2	Less than 1 time per day	38	2.6%
3	1 time per day	72	5%
4	2 times per day	325	22.4%
5	3 times per day	698	48.1%
6	4 or more times per day	270	18.6%
Sysmiss		21	

## Q12: Hand washing before eating

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1445 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
1	Never	44	3%
2	Rarely	81	5.6%
3	Sometimes	204	14.1%
4	Most of the time	376	26%
5	Always	740	51.2%
Sysmiss		27	

### Q13: Hand washing after toilet

Data file: GTM2015\_Public\_Use\_capitalcityprivate

#### Overview

Valid: 1439 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

#### CATEGORIES

Value	Category	Cases	
1	Never	29	2%
2	Rarely	44	3.1%
3	Sometimes	57	4%
4	Most of the time	208	14.5%
5	Always	1101	76.5%
Sysmiss		33	

### Q14: Hand washing with soap

Data file: GTM2015\_Public\_Use\_capitalcityprivate

#### Overview

Valid: 1411 Invalid: 61

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

### CATEGORIES

Value	Category	Cases	
1	Never	33	2.3%
2	Rarely	88	6.2%
3	Sometimes	156	11.1%
4	Most of the time	301	21.3%
5	Always	833	59%
Sysmiss		61	

## Q15: Physically attacked

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1450 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

### CATEGORIES

Value	Category	Cases	
1	0 times	1104	76.1%
2	1 time	175	12.1%
3	2 or 3 times	91	6.3%
4	4 or 5 times	21	1.4%
5	6 or 7 times	11	0.8%
6	8 or 9 times	13	0.9%
7	10 or 11 times	5	0.3%
8	12 or more times	30	2.1%
Sysmiss		22	

**Q16: Physical fighting****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 1454 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

**LITERAL QUESTION**

During the past 12 months, how many times were you in a physical fight?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1084	74.6%
2	1 time	210	14.4%
3	2 or 3 times	91	6.3%
4	4 or 5 times	20	1.4%
5	6 or 7 times	17	1.2%
6	8 or 9 times	7	0.5%
7	10 or 11 times	2	0.1%
8	12 or more times	23	1.6%
Sysmiss		18	

**Q17: Seriously injured****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 1460 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

**LITERAL QUESTION**

During the past 12 months, how many times were you seriously injured?

**CATEGORIES**

Value	Category	Cases	
1	0 times	955	65.4%
2	1 time	351	24%
3	2 or 3 times	122	8.4%
4	4 or 5 times	19	1.3%
5	6 or 7 times	9	0.6%
6	8 or 9 times	2	0.1%
7	10 or 11 times	0	0%
8	12 or more times	2	0.1%
Sysmiss		12	

## Q20: Bullied

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1373 Invalid: 99

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

#### CATEGORIES

Value	Category	Cases	
1	0 days	1080	78.7%
2	1 or 2 days	190	13.8%
3	3 to 5 days	51	3.7%
4	6 to 9 days	21	1.5%
5	10 to 19 days	14	1%
6	20 to 29 days	0	0%
7	All 30 days	17	1.2%
Sysmiss		99	

## Q21: Bullied by hitting

Data file: GTM2015\_Public\_Use\_capitalcityprivate

## Overview

Valid: 1385 Invalid: 87

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

### CATEGORIES

Value	Category	Cases	
1	Not bullied	1151	83.1%
2	Kicked, pushed, or shoved	35	2.5%
3	Made fun of race	20	1.4%
4	Made fun because of religion	4	0.3%
5	Made fun of about sex	34	2.5%
6	Left out of activities	28	2%
7	Made fun of about body	43	3.1%
8	Some other way	70	5.1%
Sysmiss		87	

## Q22: Felt lonely

Data file: GTM2015\_Public\_Use\_capitalcityprivate

## Overview

Valid: 1444 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

### CATEGORIES

Value	Category	Cases	
1	Never	559	38.7%
2	Rarely	430	29.8%

3	Sometimes	306	21.2%
4	Most of the time	96	6.6%
5	Always	53	3.7%
Sysmiss		28	

## Q23: Could not sleep

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1426 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	508	35.6%
2	Rarely	478	33.5%
3	Sometimes	314	22%
4	Most of the time	91	6.4%
5	Always	35	2.5%
Sysmiss		46	

## Q24: Considered suicide

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1395 Invalid: 77

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

#### CATEGORIES

Value	Category	Cases	
1	Yes	264	18.9%
2	No	1131	81.1%
Sysmiss		77	

## Q25: Made a suicide plan

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1421 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	Yes	217	15.3%
2	No	1204	84.7%
Sysmiss		51	

## Q26: Attempted suicide

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1430 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1179	82.4%
2	1 time	180	12.6%

3	2 or 3 times	32	2.2%
4	4 or 5 times	23	1.6%
5	6 or more times	16	1.1%
Sysmiss		42	

## Q27: Close friends

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1429 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	133	9.3%
2	1	143	10%
3	2	207	14.5%
4	3 or more	946	66.2%
Sysmiss		43	

## Q35: Current alcohol use

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1436 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

#### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 days	1105	76.9%
2	1 or 2 days	205	14.3%
3	3 to 5 days	51	3.6%
4	6 to 9 days	31	2.2%
5	10 to 19 days	20	1.4%
6	20 to 29 days	13	0.9%
7	All 30 days	11	0.8%
Sysmiss		36	

**Q36: Drank 2+ drinks**

Data file: GTM2015\_Public\_Use\_capitalcityprivate

**Overview**

Valid: 1445 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

## CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1083	74.9%
2	Less than one drink	104	7.2%
3	1 drink	83	5.7%
4	2 drinks	51	3.5%
5	3 drinks	37	2.6%
6	4 drinks	28	1.9%
7	5 or more drinks	59	4.1%
Sysmiss		27	

**Q37: Source of alcohol**

Data file: GTM2015\_Public\_Use\_capitalcityprivate

## Overview

Valid: 1440 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1078	74.9%
2	I bought in a store	120	8.3%
3	I gave someone money to buy	33	2.3%
4	I got it from my friends	84	5.8%
5	I got it from my family	56	3.9%
6	I stole it	8	0.6%
7	Some other way	61	4.2%
Sysmiss		32	

## Q38: Really drunk

Data file: GTM2015\_Public\_Use\_capitalcityprivate

## Overview

Valid: 1442 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

### LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

### CATEGORIES

Value	Category	Cases	
1	0 times	1165	80.8%

2	1 or 2 times	175	12.1%
3	3 to 9 times	61	4.2%
4	10 or more times	41	2.8%
Sysmiss		30	

### Q39: Trouble from drinking

Data file: GTM2015\_Public\_Use\_capitalcityprivate

#### Overview

Valid: 1441 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

##### CATEGORIES

Value	Category	Cases	
1	0 times	1254	87%
2	1 or 2 times	136	9.4%
3	3 to 9 times	32	2.2%
4	10 or more times	19	1.3%
Sysmiss		31	

### Q40: Initiation of drug use

Data file: GTM2015\_Public\_Use\_capitalcityprivate

#### Overview

Valid: 1360 Invalid: 112

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

##### LITERAL QUESTION

How old were you when you first used drugs?

#### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1145	84.2%
2	7 years old or younger	35	2.6%
3	8 or 9 years old	27	2%
4	10 or 11 years old	24	1.8%
5	12 or 13 years old	62	4.6%
6	14 or 15 years old	53	3.9%
7	16 or 17 years old	14	1%
8	18 years old or older	0	0%
Sysmiss		112	

### Q41: Ever marijuana use

Data file: GTM2015\_Public\_Use\_capitalcityprivate

#### Overview

Valid: 1385 Invalid: 87

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

##### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1231	88.9%
2	1 or 2 times	77	5.6%
3	3 to 9 times	36	2.6%
4	10 to 19 times	13	0.9%
5	20 or more times	28	2%
Sysmiss		87	

### Q42: Current marijuana use

Data file: GTM2015\_Public\_Use\_capitalcityprivate

## Overview

Valid: 1393 Invalid: 79

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	1286	92.3%
2	1 or 2 times	52	3.7%
3	3 to 9 times	31	2.2%
4	10 to 19 times	11	0.8%
5	20 or more times	13	0.9%
Sysmiss		79	

## Q43: Amphetamine or methamphetamine use

Data file: GTM2015\_Public\_Use\_capitalcityprivate

## Overview

Valid: 1401 Invalid: 71

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

### CATEGORIES

Value	Category	Cases	
1	0 times	1354	96.6%
2	1 or 2 times	30	2.1%
3	3 to 9 times	8	0.6%
4	10 to 19 times	0	0%

5	20 or more times	9	0.6%
Sysmiss		71	

## Q44: Ever sexual intercourse

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1334 Invalid: 138

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

Have you ever had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Yes	288	21.6%
2	No	1046	78.4%
Sysmiss		138	

## Q45: Sex before 14 years

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1391 Invalid: 81

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	1194	85.8%
2	11 years old or younger	47	3.4%
3	12 years old	26	1.9%
4	13 years old	30	2.2%

5	14 years old	37	2.7%
6	15 years old	43	3.1%
7	16 or 17 years old	13	0.9%
8	18 years old or older	1	0.1%
Sysmiss		81	

## Q46: Multiple sex partners

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1416 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	1219	86.1%
2	1 person	93	6.6%
3	2 people	40	2.8%
4	3 people	22	1.6%
5	4 people	17	1.2%
6	5 people	4	0.3%
7	6 or more people	21	1.5%
Sysmiss		56	

## Q47: Condom use

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1373 Invalid: 99

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	1179	85.9%
2	Yes	125	9.1%
3	No	69	5%
Sysmiss		99	

**Q48: Birth control used**

Data file: GTM2015\_Public\_Use\_capitalcityprivate

**Overview**

Valid: 1361 Invalid: 111

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	1174	86.3%
2	Yes	59	4.3%
3	No	110	8.1%
4	I do not know	18	1.3%
Sysmiss		111	

**Q49: Physical activity >= 5 days**

Data file: GTM2015\_Public\_Use\_capitalcityprivate

**Overview**

Valid: 1422 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

#### CATEGORIES

Value	Category	Cases	
1	0 days	334	23.5%
2	1 day	282	19.8%
3	2 days	184	12.9%
4	3 days	161	11.3%
5	4 days	96	6.8%
6	5 days	96	6.8%
7	6 days	35	2.5%
8	7 days	234	16.5%
Sysmiss		50	

### Q50: Walk or bike to school

Data file: GTM2015\_Public\_Use\_capitalcityprivate

#### Overview

Valid: 1412 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

#### CATEGORIES

Value	Category	Cases	
1	0 days	676	47.9%
2	1 day	116	8.2%
3	2 days	67	4.7%
4	3 days	41	2.9%
5	4 days	41	2.9%
6	5 days	157	11.1%
7	6 days	16	1.1%

8	7 days	298	21.1%
Sysmiss		60	

## Q51: PE attendance

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1373 Invalid: 99

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

#### CATEGORIES

Value	Category	Cases	
1	0 days	172	12.5%
2	1 day	567	41.3%
3	2 days	268	19.5%
4	3 days	25	1.8%
5	4 days	23	1.7%
6	5 or more days	318	23.2%
Sysmiss		99	

## Q52: Sitting activities

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1376 Invalid: 96

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

#### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	504	36.6%
2	1 to 2 hours per day	352	25.6%
3	3 to 4 hours per day	245	17.8%
4	5 to 6 hours per day	129	9.4%
5	7 to 8 hours per day	49	3.6%
6	More than 8 hours per day	97	7%
Sysmiss		96	

**QN6: Most of the time or always went hungry****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 1455   Invalid: 17   Mean: 1.981   Standard deviation: 0.137  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	28	1.9%
2	No	1427	98.1%
Sysmiss		17	

**QN7: Did not eat fruit****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 1461   Invalid: 11   Mean: 1.926   Standard deviation: 0.262  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	108	7.4%
2	No	1353	92.6%
Sysmiss		11	

### QN8: Did not eat vegetables

Data file: GTM2015\_Public\_Use\_capitalcityprivate

#### Overview

Valid: 1436 Invalid: 36 Mean: 1.934 Standard deviation: 0.249  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	95	6.6%
2	No	1341	93.4%
Sysmiss		36	

### QN9: Did not drink carbonated soft drinks

Data file: GTM2015\_Public\_Use\_capitalcityprivate

#### Overview

Valid: 1464 Invalid: 8 Mean: 1.827 Standard deviation: 0.378  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	253	17.3%
2	No	1211	82.7%
Sysmiss		8	

**QN10: Did not eat food from a fast food restaurant****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 1461   Invalid: 11   Mean: 1.673   Standard deviation: 0.469  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1	Yes	478	32.7%
2	No	983	67.3%
Sysmiss		11	

**QN11: Usually cleaned or brushed their teeth****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 1451   Invalid: 21   Mean: 1.059   Standard deviation: 0.236  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1	Yes	1365	94.1%
2	No	86	5.9%
Sysmiss		21	

**QN12: Never or rarely washed their hands before eating****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 1445   Invalid: 27   Mean: 1.913   Standard deviation: 0.281  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	125	8.7%
2	No	1320	91.3%
Sysmiss		27	

## QN13: Never or rarely washed their hands after using the toilet or latrine

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1439 Invalid: 33 Mean: 1.949 Standard deviation: 0.22  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	73	5.1%
2	No	1366	94.9%
Sysmiss		33	

## QN14: Never or rarely used soap when washing their hands

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1411 Invalid: 61 Mean: 1.914 Standard deviation: 0.28  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	121	8.6%
2	No	1290	91.4%
Sysmiss		61	

### QN15: Were physically attacked

Data file: GTM2015\_Public\_Use\_capitalcityprivate

#### Overview

Valid: 1450 Invalid: 22 Mean: 1.761 Standard deviation: 0.426  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	346	23.9%
2	No	1104	76.1%
Sysmiss		22	

### QN16: Were in a physical fight

Data file: GTM2015\_Public\_Use\_capitalcityprivate

#### Overview

Valid: 1454 Invalid: 18 Mean: 1.746 Standard deviation: 0.436  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	370	25.4%
2	No	1084	74.6%
Sysmiss		18	

**QN17: Were seriously injured****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 1460   Invalid: 12   Mean: 1.654   Standard deviation: 0.476  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	505	34.6%
2	No	955	65.4%
Sysmiss		12	

**QN20: Were bullied****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 1373   Invalid: 99   Mean: 1.787   Standard deviation: 0.41  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	293	21.3%
2	No	1080	78.7%
Sysmiss		99	

**QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 234   Invalid: 1238   Mean: 1.85   Standard deviation: 0.357  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )

### CATEGORIES

Value	Category	Cases	
1	Yes	35	15%
2	No	199	85%
Sysmiss		1238	

## QN22: Most of the time or always felt lonely

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1444 Invalid: 28 Mean: 1.897 Standard deviation: 0.304  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	149	10.3%
2	No	1295	89.7%
Sysmiss		28	

## QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1426 Invalid: 46 Mean: 1.912 Standard deviation: 0.284  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	126	8.8%
2	No	1300	91.2%
Sysmiss		46	

## QN24: Seriously considered attempting suicide

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1395   Invalid: 77   Mean: 1.811   Standard deviation: 0.392  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

#### CATEGORIES

Value	Category	Cases	
1	Yes	264	18.9%
2	No	1131	81.1%
Sysmiss		77	

## QN25: Made a plan about how they would attempt suicide

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1421   Invalid: 51   Mean: 1.847   Standard deviation: 0.36  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

#### CATEGORIES

Value	Category	Cases	
1	Yes	217	15.3%
2	No	1204	84.7%
Sysmiss		51	

**QN26: Attempted suicide****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 1430   Invalid: 42   Mean: 1.824   Standard deviation: 0.381  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	251	17.6%
2	No	1179	82.4%
Sysmiss		42	

**QN27: Did not have any close friends****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 1429   Invalid: 43   Mean: 1.907   Standard deviation: 0.291  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who did not have any close friends

## CATEGORIES

Value	Category	Cases	
1	Yes	133	9.3%
2	No	1296	90.7%
Sysmiss		43	

**QN35: Currently drank alcohol****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 1436   Invalid: 36   Mean: 1.769   Standard deviation: 0.421  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	331	23.1%
2	No	1105	76.9%
Sysmiss		36	

### QN36: Usually drank two or more drinks per day

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 362 Invalid: 1110 Mean: 1.517 Standard deviation: 0.5  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

### LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	175	48.3%
2	No	187	51.7%
Sysmiss		1110	

### QN37: Usually obtained the alcohol they drank from friends

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 362 Invalid: 1110 Mean: 1.768 Standard deviation: 0.423  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

### LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	84	23.2%
2	No	278	76.8%
Sysmiss		1110	

### QN38: Ever drank so much alcohol that they were really drunk

Data file: GTM2015\_Public\_Use\_capitalcityprivate

#### Overview

Valid: 1442   Invalid: 30   Mean: 1.808   Standard deviation: 0.394  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

##### CATEGORIES

Value	Category	Cases	
1	Yes	277	19.2%
2	No	1165	80.8%
Sysmiss		30	

### QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: GTM2015\_Public\_Use\_capitalcityprivate

#### Overview

Valid: 1441   Invalid: 31   Mean: 1.87   Standard deviation: 0.336  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

##### CATEGORIES

Value	Category	Cases	
1	Yes	187	13%
2	No	1254	87%
Sysmiss		31	

**QN40: Used drugs before age 14 years****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 215    Invalid: 1257    Mean: 1.312    Standard deviation: 0.464  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

**CATEGORIES**

Value	Category	Cases	
1	Yes	148	68.8%
2	No	67	31.2%
Sysmiss		1257	

**QN41: Ever used marijuana****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 1385    Invalid: 87    Mean: 1.889    Standard deviation: 0.314  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who ever used marijuana (one or more times during their life)

**CATEGORIES**

Value	Category	Cases	
1	Yes	154	11.1%
2	No	1231	88.9%
Sysmiss		87	

**QN42: Currently used marijuana****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 1393    Invalid: 79    Mean: 1.923    Standard deviation: 0.266  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	107	7.7%
2	No	1286	92.3%
Sysmiss		79	

## QN43: Ever used amphetamines or methamphetamines

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1401 Invalid: 71 Mean: 1.966 Standard deviation: 0.18  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

### CATEGORIES

Value	Category	Cases	
1	Yes	47	3.4%
2	No	1354	96.6%
Sysmiss		71	

## QN44: Ever had sexual intercourse

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1334 Invalid: 138 Mean: 1.784 Standard deviation: 0.412  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ever had sexual intercourse

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	288	21.6%
2	No	1046	78.4%
Sysmiss		138	

### QN45: Had sexual intercourse before age 14 years

Data file: GTM2015\_Public\_Use\_capitalcityprivate

#### Overview

Valid: 197    Invalid: 1275    Mean: 1.477    Standard deviation: 0.501  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

##### CATEGORIES

Value	Category	Cases	
1	Yes	103	52.3%
2	No	94	47.7%
Sysmiss		1275	

### QN46: Had sexual intercourse with two or more persons

Data file: GTM2015\_Public\_Use\_capitalcityprivate

#### Overview

Valid: 1416    Invalid: 56    Mean: 1.927    Standard deviation: 0.261  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

##### CATEGORIES

Value	Category	Cases	
1	Yes	104	7.3%
2	No	1312	92.7%
Sysmiss		56	

**QN47: Used a condom****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 194    Invalid: 1278    Mean: 1.356    Standard deviation: 0.48  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

## CATEGORIES

Value	Category	Cases	
1	Yes	125	64.4%
2	No	69	35.6%
Sysmiss		1278	

**QN48: Used a method of birth control other than condoms****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 187    Invalid: 1285    Mean: 1.684    Standard deviation: 0.466  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

## CATEGORIES

Value	Category	Cases	
1	Yes	59	31.6%
2	No	128	68.4%
Sysmiss		1285	

**QN49: Were not physically active****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 1422    Invalid: 50    Mean: 1.765    Standard deviation: 0.424  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	334	23.5%
2	No	1088	76.5%
Sysmiss		50	

## QN50: Did not walk or ride a bicycle to or from school

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1412 Invalid: 60 Mean: 1.521 Standard deviation: 0.5  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	676	47.9%
2	No	736	52.1%
Sysmiss		60	

## QN51: Did not attend physical education classes

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1373 Invalid: 99 Mean: 1.875 Standard deviation: 0.331  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	172	12.5%
2	No	1201	87.5%
Sysmiss		99	

## QN52: Spent three or more hours per day doing sitting activities

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1376 Invalid: 96 Mean: 1.622 Standard deviation: 0.485  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

#### CATEGORIES

Value	Category	Cases	
1	Yes	520	37.8%
2	No	856	62.2%
Sysmiss		96	

## QNUNWTG: Were underweight

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1399 Invalid: 73 Mean: 1.991 Standard deviation: 0.0923  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

#### CATEGORIES

Value	Category	Cases	
1	Yes	12	0.9%
2	No	1387	99.1%
Sysmiss		73	

**QNOWTG: Were overweight****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 1399   Invalid: 73   Mean: 1.651   Standard deviation: 0.477  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were overweight (&gt;+1SD from median for BMI by age and sex)

## CATEGORIES

Value	Category	Cases	
1	Yes	488	34.9%
2	No	911	65.1%
Sysmiss		73	

**QNOBESEG: Were obese****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 1399   Invalid: 73   Mean: 1.896   Standard deviation: 0.305  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were obese (&gt;+2SD from median for BMI by age and sex)

## CATEGORIES

Value	Category	Cases	
1	Yes	145	10.4%
2	No	1254	89.6%
Sysmiss		73	

**QNFRLG: Usually ate fruit less than one time per day****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 1461   Invalid: 11   Mean: 1.822   Standard deviation: 0.383  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	260	17.8%
2	No	1201	82.2%
Sysmiss		11	

## QNFR1G: Usually ate fruit one or more times per day

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1461 Invalid: 11 Mean: 1.252 Standard deviation: 0.434  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	1093	74.8%
2	No	368	25.2%
Sysmiss		11	

## QNFR2G: Usually ate fruit two or more times per day

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1461 Invalid: 11 Mean: 1.594 Standard deviation: 0.491  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	593	40.6%
2	No	868	59.4%
Sysmiss		11	

### QNFR3G: Usually ate fruit three or more times per day

Data file: GTM2015\_Public\_Use\_capitalcityprivate

#### Overview

Valid: 1461 Invalid: 11 Mean: 1.796 Standard deviation: 0.403  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	298	20.4%
2	No	1163	79.6%
Sysmiss		11	

### QNVEGLG: Usually ate vegetables less than one time per day

Data file: GTM2015\_Public\_Use\_capitalcityprivate

#### Overview

Valid: 1436 Invalid: 36 Mean: 1.841 Standard deviation: 0.366  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	228	15.9%
2	No	1208	84.1%
Sysmiss		36	

**QNVEG1G: Usually ate vegetables one or more times per day****Data file: GTM2015\_Public\_Use\_capitalcityprivate****Overview**

Valid: 1436   Invalid: 36   Mean: 1.225   Standard deviation: 0.418  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	1113	77.5%
2	No	323	22.5%
Sysmiss		36	

**QNVEG2G: Usually ate vegetables two or more times per day****Data file: GTM2015\_Public\_Use\_capitalcityprivate****Overview**

Valid: 1436   Invalid: 36   Mean: 1.582   Standard deviation: 0.493  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	600	41.8%
2	No	836	58.2%
Sysmiss		36	

**QNVEG3G: Usually ate vegetables three or more times per day****Data file: GTM2015\_Public\_Use\_capitalcityprivate****Overview**

Valid: 1436   Invalid: 36   Mean: 1.796   Standard deviation: 0.403  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	293	20.4%
2	No	1143	79.6%
Sysmiss		36	

## QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1464 Invalid: 8 Mean: 1.708 Standard deviation: 0.455  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	427	29.2%
2	No	1037	70.8%
Sysmiss		8	

## QNSODA1G: Usually drank carbonated soft drinks one or more times per day

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1464 Invalid: 8 Mean: 1.464 Standard deviation: 0.499  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	784	53.6%
2	No	680	46.4%
Sysmiss		8	

## QNSODA2G: Usually drank carbonated soft drinks two or more times per day

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1464   Invalid: 8   Mean: 1.693   Standard deviation: 0.461  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

#### CATEGORIES

Value	Category	Cases	
1	Yes	449	30.7%
2	No	1015	69.3%
Sysmiss		8	

## QNSODA3G: Usually drank carbonated soft drinks three or more times per day

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1464   Invalid: 8   Mean: 1.839   Standard deviation: 0.368  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

#### CATEGORIES

Value	Category	Cases	
1	Yes	236	16.1%
2	No	1228	83.9%
Sysmiss		8	

**QNFF1G: Ate food from a fast food restaurant one or more days****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 1461   Invalid: 11   Mean: 1.327   Standard deviation: 0.469  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1	Yes	983	67.3%
2	No	478	32.7%
Sysmiss		11	

**QNFF2G: Ate food from a fast food restaurant two or more days****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 1461   Invalid: 11   Mean: 1.642   Standard deviation: 0.48  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1	Yes	523	35.8%
2	No	938	64.2%
Sysmiss		11	

**QNFF3G: Ate food from a fast food restaurant three or more days****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 1461   Invalid: 11   Mean: 1.819   Standard deviation: 0.385  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	265	18.1%
2	No	1196	81.9%
Sysmiss		11	

## QNC2G: Were bullied and could not sleep at night

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 117    Invalid: 1355    Mean: 1.615    Standard deviation: 0.489  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	45	38.5%
2	No	72	61.5%
Sysmiss		1355	

## QNBCANYG: Used a method of birth control

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 170    Invalid: 1302    Mean: 1.265    Standard deviation: 0.442  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

### CATEGORIES

Value	Category	Cases	
1	Yes	125	73.5%
2	No	45	26.5%
Sysmiss		1302	

### QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: GTM2015\_Public\_Use\_capitalcityprivate

#### Overview

Valid: 237    Invalid: 1235    Mean: 1.582    Standard deviation: 0.494  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

##### CATEGORIES

Value	Category	Cases	
1	Yes	99	41.8%
2	No	138	58.2%
Sysmiss		1235	

### QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: GTM2015\_Public\_Use\_capitalcityprivate

#### Overview

Valid: 1422    Invalid: 50    Mean: 1.743    Standard deviation: 0.437  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	365	25.7%
2	No	1057	74.3%
Sysmiss		50	

**QNPA7G: Were physically active at least 60 minutes per day on all 7 days****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 1422   Invalid: 50   Mean: 1.835   Standard deviation: 0.371  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey )

**CATEGORIES**

Value	Category	Cases	
1	Yes	234	16.5%
2	No	1188	83.5%
Sysmiss		50	

**QNPE3G: Attended physical education classes on three or more days****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 1373   Invalid: 99   Mean: 1.733   Standard deviation: 0.442  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who attended physical education classes on three or more days (each week during this school year)

**CATEGORIES**

Value	Category	Cases	
1	Yes	366	26.7%
2	No	1007	73.3%
Sysmiss		99	

**QNPE5G: Attended physical education classes on five or more days****Data file:** GTM2015\_Public\_Use\_capitalcityprivate**Overview**

Valid: 1373   Invalid: 99   Mean: 1.768   Standard deviation: 0.422

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

### CATEGORIES

Value	Category	Cases	
1	Yes	318	23.2%
2	No	1055	76.8%
Sysmiss		99	

### WEIGHT:

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1472    Invalid: 0    Mean: 27.816    Standard deviation: 6.885

Type: Continuous    Decimal: 0    Width: 10    Range: 42.0329 - 329.5608    Format: Numeric

### STRATUM:

Data file: GTM2015\_Public\_Use\_capitalcityprivate

### Overview

Valid: 1472    Invalid: 0    Mean: 201502006.253    Standard deviation: 12.926

Type: Discrete    Decimal: 0    Width: 9    Range: 201501001 - 201501019    Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
201502001		243	16.5%
201502002		117	7.9%
201502003		151	10.3%
201502004		130	8.8%
201502005		77	5.2%
201502006		79	5.4%
201502007		110	7.5%
201502008		101	6.9%
201502009		88	6%
201502010		91	6.2%
201502011		58	3.9%

201502012		76	5.2%
201502013		49	3.3%
201502014		102	6.9%

**PSU:****Data file: GTM2015\_Public\_Use\_capitalcityprivate****Overview**

Valid: 1472   Invalid: 0   Mean: 11.936   Standard deviation: 8.441  
 Type: Continuous   Decimal: 0   Width: 5   Range: 1 - 38   Format: Numeric

**Q1: Custom Age****Data file: GTM2015\_Public\_Use\_rest of country****Overview**

Valid: 1013 Invalid: 17

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	8	0.8%
2	12 years old	76	7.5%
3	13 years old	226	22.3%
4	14 years old	296	29.2%
5	15 years old	258	25.5%
6	16 years old	103	10.2%
7	17 years old	28	2.8%
8	18 years old or older	18	1.8%
Sysmiss		17	

**Q2: Sex****Data file: GTM2015\_Public\_Use\_rest of country****Overview**

Valid: 1006 Invalid: 24

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	503	50%
2	Female	503	50%
Sysmiss		24	

**Q3: In what grade are you****Data file:** GTM2015\_Public\_Use\_rest of country**Overview**

Valid: 994 Invalid: 36

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

## CATEGORIES

Value	Category	Cases	
1	M 3	376	37.8%
2	M 4	330	33.2%
3	M 5	288	29%
4	M 6	0	0%
5	M 7	0	0%
Sysmiss		36	

**Q4: How tall are you****Data file:** GTM2015\_Public\_Use\_rest of country**Overview**

Valid: 847 Invalid: 183 Minimum: 1.3 Maximum: 1.88 Mean: 1.536 Standard deviation: 0.0874

Type: Continuous Decimal: 2 Range: 1.27 - 1.87 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q5: How much do you weigh****Data file:** GTM2015\_Public\_Use\_rest of country**Overview**

Valid: 847 Invalid: 183 Minimum: 29 Maximum: 111 Mean: 51.115 Standard deviation: 11.616

Type: Continuous Decimal: 2 Range: 28 - 116 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q6: How often went hungry

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 1018 Invalid: 12

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

### CATEGORIES

Value	Category	Cases	
1	Never	656	64.4%
2	Rarely	230	22.6%
3	Sometimes	103	10.1%
4	Most of the time	14	1.4%
5	Always	15	1.5%
Sysmiss		12	

## Q7: No fruit eating

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 1018 Invalid: 12

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	98	9.6%
2	Less than one time per day	140	13.8%
3	1 time per day	311	30.6%
4	2 times per day	210	20.6%
5	3 times per day	121	11.9%
6	4 times per day	38	3.7%
7	5 or more times per day	100	9.8%
Sysmiss		12	

### Q8: No vegetable eating

Data file: GTM2015\_Public\_Use\_rest of country

#### Overview

Valid: 1012 Invalid: 18

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	73	7.2%
2	Less than one time per day	168	16.6%
3	1 time per day	340	33.6%
4	2 times per day	212	20.9%
5	3 times per day	110	10.9%
6	4 times per day	31	3.1%
7	5 or more times per day	78	7.7%
Sysmiss		18	

### Q9: Soft drinks

Data file: GTM2015\_Public\_Use\_rest of country

## Overview

Valid: 1024    Invalid: 6  
 Type: Discrete    Decimal: 0    Range: 1 - 7    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	116	11.3%
2	Less than one time per day	284	27.7%
3	1 time per day	336	32.8%
4	2 times per day	136	13.3%
5	3 times per day	74	7.2%
6	4 times per day	20	2%
7	5 or more times per day	58	5.7%
Sysmiss		6	

## Q10: Fast food eating

Data file: GTM2015\_Public\_Use\_rest of country

## Overview

Valid: 1021    Invalid: 9  
 Type: Discrete    Decimal: 0    Range: 1 - 8    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	432	42.3%
2	1 day	311	30.5%
3	2 days	130	12.7%
4	3 days	72	7.1%

5	4 days	32	3.1%
6	5 days	15	1.5%
7	6 days	5	0.5%
8	7 days	24	2.4%
Sysmiss		9	

## Q11: Tooth brushing

**Data file:** GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 1015 Invalid: 15

Type: Discrete Decimal: 0 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	25	2.5%
2	Less than 1 time per day	36	3.5%
3	1 time per day	58	5.7%
4	2 times per day	145	14.3%
5	3 times per day	558	55%
6	4 or more times per day	193	19%
Sysmiss		15	

## Q12: Hand washing before eating

**Data file:** GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 1024 Invalid: 6

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
1	Never	17	1.7%
2	Rarely	37	3.6%
3	Sometimes	72	7%
4	Most of the time	205	20%
5	Always	693	67.7%
Sysmiss		6	

### Q13: Hand washing after toilet

Data file: GTM2015\_Public\_Use\_rest of country

#### Overview

Valid: 1017 Invalid: 13

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

#### CATEGORIES

Value	Category	Cases	
1	Never	11	1.1%
2	Rarely	20	2%
3	Sometimes	37	3.6%
4	Most of the time	133	13.1%
5	Always	816	80.2%
Sysmiss		13	

### Q14: Hand washing with soap

Data file: GTM2015\_Public\_Use\_rest of country

#### Overview

Valid: 1014 Invalid: 16

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

### CATEGORIES

Value	Category	Cases	
1	Never	17	1.7%
2	Rarely	45	4.4%
3	Sometimes	113	11.1%
4	Most of the time	189	18.6%
5	Always	650	64.1%
Sysmiss		16	

## Q15: Physically attacked

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 1024 Invalid: 6

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

### CATEGORIES

Value	Category	Cases	
1	0 times	787	76.9%
2	1 time	123	12%
3	2 or 3 times	64	6.3%
4	4 or 5 times	19	1.9%
5	6 or 7 times	8	0.8%
6	8 or 9 times	5	0.5%
7	10 or 11 times	3	0.3%
8	12 or more times	15	1.5%
Sysmiss		6	

**Q16: Physical fighting****Data file:** GTM2015\_Public\_Use\_rest of country**Overview**

Valid: 1020 Invalid: 10

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

**LITERAL QUESTION**

During the past 12 months, how many times were you in a physical fight?

**CATEGORIES**

Value	Category	Cases	
1	0 times	790	77.5%
2	1 time	135	13.2%
3	2 or 3 times	58	5.7%
4	4 or 5 times	13	1.3%
5	6 or 7 times	10	1%
6	8 or 9 times	4	0.4%
7	10 or 11 times	0	0%
8	12 or more times	10	1%
Sysmiss		10	

**Q17: Seriously injured****Data file:** GTM2015\_Public\_Use\_rest of country**Overview**

Valid: 1027 Invalid: 3

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

**LITERAL QUESTION**

During the past 12 months, how many times were you seriously injured?

**CATEGORIES**

Value	Category	Cases	
1	0 times	701	68.3%
2	1 time	236	23%
3	2 or 3 times	60	5.8%
4	4 or 5 times	11	1.1%
5	6 or 7 times	6	0.6%
6	8 or 9 times	3	0.3%
7	10 or 11 times	0	0%
8	12 or more times	10	1%
Sysmiss		3	

## Q20: Bullied

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 977 Invalid: 53

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

#### CATEGORIES

Value	Category	Cases	
1	0 days	744	76.2%
2	1 or 2 days	164	16.8%
3	3 to 5 days	30	3.1%
4	6 to 9 days	15	1.5%
5	10 to 19 days	13	1.3%
6	20 to 29 days	1	0.1%
7	All 30 days	10	1%
Sysmiss		53	

## Q21: Bullied by hitting

Data file: GTM2015\_Public\_Use\_rest of country

## Overview

Valid: 992 Invalid: 38

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

### CATEGORIES

Value	Category	Cases	
1	Not bullied	806	81.3%
2	Kicked, pushed, or shoved	28	2.8%
3	Made fun of race	28	2.8%
4	Made fun because of religion	5	0.5%
5	Made fun of about sex	23	2.3%
6	Left out of activities	12	1.2%
7	Made fun of about body	30	3%
8	Some other way	60	6%
Sysmiss		38	

## Q22: Felt lonely

Data file: GTM2015\_Public\_Use\_rest of country

## Overview

Valid: 1020 Invalid: 10

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

### CATEGORIES

Value	Category	Cases	
1	Never	429	42.1%
2	Rarely	312	30.6%

3	Sometimes	181	17.7%
4	Most of the time	64	6.3%
5	Always	34	3.3%
Sysmiss		10	

### Q23: Could not sleep

Data file: GTM2015\_Public\_Use\_rest of country

#### Overview

Valid: 1000 Invalid: 30

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

##### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

##### CATEGORIES

Value	Category	Cases	
1	Never	412	41.2%
2	Rarely	324	32.4%
3	Sometimes	195	19.5%
4	Most of the time	47	4.7%
5	Always	22	2.2%
Sysmiss		30	

### Q24: Considered suicide

Data file: GTM2015\_Public\_Use\_rest of country

#### Overview

Valid: 1000 Invalid: 30

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

##### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

##### CATEGORIES

Value	Category	Cases	
1	Yes	181	18.1%
2	No	819	81.9%
Sysmiss		30	

## Q25: Made a suicide plan

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 1003 Invalid: 27

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	Yes	137	13.7%
2	No	866	86.3%
Sysmiss		27	

## Q26: Attempted suicide

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 1016 Invalid: 14

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	846	83.3%
2	1 time	117	11.5%

3	2 or 3 times	35	3.4%
4	4 or 5 times	10	1%
5	6 or more times	8	0.8%
Sysmiss		14	

## Q27: Close friends

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 1012 Invalid: 18

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	72	7.1%
2	1	112	11.1%
3	2	139	13.7%
4	3 or more	689	68.1%
Sysmiss		18	

## Q35: Current alcohol use

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 1013 Invalid: 17

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

#### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 days	838	82.7%
2	1 or 2 days	119	11.7%
3	3 to 5 days	30	3%
4	6 to 9 days	9	0.9%
5	10 to 19 days	11	1.1%
6	20 to 29 days	3	0.3%
7	All 30 days	3	0.3%
Sysmiss		17	

**Q36: Drank 2+ drinks****Data file:** GTM2015\_Public\_Use\_rest of country**Overview**

Valid: 1023 Invalid: 7

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

## CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	811	79.3%
2	Less than one drink	64	6.3%
3	1 drink	54	5.3%
4	2 drinks	31	3%
5	3 drinks	13	1.3%
6	4 drinks	16	1.6%
7	5 or more drinks	34	3.3%
Sysmiss		7	

**Q37: Source of alcohol****Data file:** GTM2015\_Public\_Use\_rest of country

## Overview

Valid: 1014 Invalid: 16  
 Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	807	79.6%
2	I bought in a store	60	5.9%
3	I gave someone money to buy	26	2.6%
4	I got it from my friends	64	6.3%
5	I got it from my family	22	2.2%
6	I stole it	5	0.5%
7	Some other way	30	3%
Sysmiss		16	

## Q38: Really drunk

Data file: GTM2015\_Public\_Use\_rest of country

## Overview

Valid: 1015 Invalid: 15  
 Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

### LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

### CATEGORIES

Value	Category	Cases	
1	0 times	889	87.6%

2	1 or 2 times	76	7.5%
3	3 to 9 times	35	3.4%
4	10 or more times	15	1.5%
Sysmiss		15	

### Q39: Trouble from drinking

Data file: GTM2015\_Public\_Use\_rest of country

#### Overview

Valid: 1016 Invalid: 14

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

##### CATEGORIES

Value	Category	Cases	
1	0 times	913	89.9%
2	1 or 2 times	79	7.8%
3	3 to 9 times	15	1.5%
4	10 or more times	9	0.9%
Sysmiss		14	

### Q40: Initiation of drug use

Data file: GTM2015\_Public\_Use\_rest of country

#### Overview

Valid: 992 Invalid: 38

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

##### LITERAL QUESTION

How old were you when you first used drugs?

#### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	912	91.9%
2	7 years old or younger	13	1.3%
3	8 or 9 years old	15	1.5%
4	10 or 11 years old	6	0.6%
5	12 or 13 years old	23	2.3%
6	14 or 15 years old	21	2.1%
7	16 or 17 years old	2	0.2%
8	18 years old or older	0	0%
Sysmiss		38	

### Q41: Ever marijuana use

Data file: GTM2015\_Public\_Use\_rest of country

#### Overview

Valid: 1002 Invalid: 28

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

#### CATEGORIES

Value	Category	Cases	
1	0 times	953	95.1%
2	1 or 2 times	21	2.1%
3	3 to 9 times	10	1%
4	10 to 19 times	11	1.1%
5	20 or more times	7	0.7%
Sysmiss		28	

### Q42: Current marijuana use

Data file: GTM2015\_Public\_Use\_rest of country

## Overview

Valid: 1004    Invalid: 26  
 Type: Discrete    Decimal: 0    Range: 1 - 5    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	966	96.2%
2	1 or 2 times	18	1.8%
3	3 to 9 times	9	0.9%
4	10 to 19 times	6	0.6%
5	20 or more times	5	0.5%
Sysmiss		26	

## Q43: Amphetamine or methamphetamine use

Data file: GTM2015\_Public\_Use\_rest of country

## Overview

Valid: 1005    Invalid: 25  
 Type: Discrete    Decimal: 0    Range: 1 - 5    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

### CATEGORIES

Value	Category	Cases	
1	0 times	970	96.5%
2	1 or 2 times	18	1.8%
3	3 to 9 times	11	1.1%
4	10 to 19 times	2	0.2%

5	20 or more times	4	0.4%
Sysmiss		25	

#### Q44: Ever sexual intercourse

Data file: GTM2015\_Public\_Use\_rest of country

##### Overview

Valid: 935 Invalid: 95

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

###### LITERAL QUESTION

Have you ever had sexual intercourse?

###### CATEGORIES

Value	Category	Cases	
1	Yes	162	17.3%
2	No	773	82.7%
Sysmiss		95	

#### Q45: Sex before 14 years

Data file: GTM2015\_Public\_Use\_rest of country

##### Overview

Valid: 976 Invalid: 54

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

###### LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

###### CATEGORIES

Value	Category	Cases	
1	Never had sex	862	88.3%
2	11 years old or younger	17	1.7%
3	12 years old	23	2.4%
4	13 years old	21	2.2%

5	14 years old	23	2.4%
6	15 years old	21	2.2%
7	16 or 17 years old	9	0.9%
8	18 years old or older	0	0%
Sysmiss		54	

#### Q46: Multiple sex partners

Data file: GTM2015\_Public\_Use\_rest of country

##### Overview

Valid: 1002 Invalid: 28

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

###### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

###### CATEGORIES

Value	Category	Cases	
1	Never had sex	882	88%
2	1 person	47	4.7%
3	2 people	26	2.6%
4	3 people	17	1.7%
5	4 people	10	1%
6	5 people	7	0.7%
7	6 or more people	13	1.3%
Sysmiss		28	

#### Q47: Condom use

Data file: GTM2015\_Public\_Use\_rest of country

##### Overview

Valid: 978 Invalid: 52

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	854	87.3%
2	Yes	68	7%
3	No	56	5.7%
Sysmiss		52	

**Q48: Birth control used**

**Data file:** GTM2015\_Public\_Use\_rest of country

**Overview**

Valid: 965 Invalid: 65

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	852	88.3%
2	Yes	39	4%
3	No	57	5.9%
4	I do not know	17	1.8%
Sysmiss		65	

**Q49: Physical activity >= 5 days**

**Data file:** GTM2015\_Public\_Use\_rest of country

**Overview**

Valid: 1012 Invalid: 18

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

#### CATEGORIES

Value	Category	Cases	
1	0 days	324	32%
2	1 day	240	23.7%
3	2 days	118	11.7%
4	3 days	99	9.8%
5	4 days	55	5.4%
6	5 days	47	4.6%
7	6 days	17	1.7%
8	7 days	112	11.1%
Sysmiss		18	

### Q50: Walk or bike to school

Data file: GTM2015\_Public\_Use\_rest of country

#### Overview

Valid: 999 Invalid: 31

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

#### CATEGORIES

Value	Category	Cases	
1	0 days	434	43.4%
2	1 day	126	12.6%
3	2 days	54	5.4%
4	3 days	39	3.9%
5	4 days	29	2.9%
6	5 days	132	13.2%
7	6 days	7	0.7%

8	7 days	178	17.8%
Sysmiss		31	

## Q51: PE attendance

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 984 Invalid: 46

Type: Discrete Decimal: 0 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

#### CATEGORIES

Value	Category	Cases	
1	0 days	107	10.9%
2	1 day	388	39.4%
3	2 days	140	14.2%
4	3 days	31	3.2%
5	4 days	39	4%
6	5 or more days	279	28.4%
Sysmiss		46	

## Q52: Sitting activities

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 971 Invalid: 59

Type: Discrete Decimal: 0 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

#### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	491	50.6%
2	1 to 2 hours per day	264	27.2%
3	3 to 4 hours per day	119	12.3%
4	5 to 6 hours per day	38	3.9%
5	7 to 8 hours per day	10	1%
6	More than 8 hours per day	49	5%
Sysmiss		59	

**QN6: Most of the time or always went hungry**

Data file: GTM2015\_Public\_Use\_rest of country

**Overview**

Valid: 1018 Invalid: 12 Mean: 1.972 Standard deviation: 0.166  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	29	2.8%
2	No	989	97.2%
Sysmiss		12	

**QN7: Did not eat fruit**

Data file: GTM2015\_Public\_Use\_rest of country

**Overview**

Valid: 1018 Invalid: 12 Mean: 1.904 Standard deviation: 0.295  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	98	9.6%
2	No	920	90.4%
Sysmiss		12	

### QN8: Did not eat vegetables

Data file: GTM2015\_Public\_Use\_rest of country

#### Overview

Valid: 1012   Invalid: 18   Mean: 1.928   Standard deviation: 0.259  
 Type: Discrete   Decimal: 0   Range: 1 - 2   Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	73	7.2%
2	No	939	92.8%
Sysmiss		18	

### QN9: Did not drink carbonated soft drinks

Data file: GTM2015\_Public\_Use\_rest of country

#### Overview

Valid: 1024   Invalid: 6   Mean: 1.887   Standard deviation: 0.317  
 Type: Discrete   Decimal: 0   Range: 1 - 2   Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	116	11.3%
2	No	908	88.7%
Sysmiss		6	

**QN10: Did not eat food from a fast food restaurant****Data file: GTM2015\_Public\_Use\_rest of country****Overview**

Valid: 1021 Invalid: 9 Mean: 1.577 Standard deviation: 0.494

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1	Yes	432	42.3%
2	No	589	57.7%
Sysmiss		9	

**QN11: Usually cleaned or brushed their teeth****Data file: GTM2015\_Public\_Use\_rest of country****Overview**

Valid: 1015 Invalid: 15 Mean: 1.06 Standard deviation: 0.238

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1	Yes	954	94%
2	No	61	6%
Sysmiss		15	

**QN12: Never or rarely washed their hands before eating****Data file: GTM2015\_Public\_Use\_rest of country****Overview**

Valid: 1024 Invalid: 6 Mean: 1.947 Standard deviation: 0.224

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	54	5.3%
2	No	970	94.7%
Sysmiss		6	

## QN13: Never or rarely washed their hands after using the toilet or latrine

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 1017 Invalid: 13 Mean: 1.97 Standard deviation: 0.172

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	31	3%
2	No	986	97%
Sysmiss		13	

## QN14: Never or rarely used soap when washing their hands

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 1014 Invalid: 16 Mean: 1.939 Standard deviation: 0.24

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	62	6.1%
2	No	952	93.9%
Sysmiss		16	

### QN15: Were physically attacked

Data file: GTM2015\_Public\_Use\_rest of country

#### Overview

Valid: 1024 Invalid: 6 Mean: 1.769 Standard deviation: 0.422  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	237	23.1%
2	No	787	76.9%
Sysmiss		6	

### QN16: Were in a physical fight

Data file: GTM2015\_Public\_Use\_rest of country

#### Overview

Valid: 1020 Invalid: 10 Mean: 1.775 Standard deviation: 0.418  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	230	22.5%
2	No	790	77.5%
Sysmiss		10	

**QN17: Were seriously injured****Data file:** GTM2015\_Public\_Use\_rest of country**Overview**

Valid: 1027 Invalid: 3 Mean: 1.683 Standard deviation: 0.466

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	326	31.7%
2	No	701	68.3%
Sysmiss		3	

**QN20: Were bullied****Data file:** GTM2015\_Public\_Use\_rest of country**Overview**

Valid: 977 Invalid: 53 Mean: 1.762 Standard deviation: 0.426

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	233	23.8%
2	No	744	76.2%
Sysmiss		53	

**QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors****Data file:** GTM2015\_Public\_Use\_rest of country**Overview**

Valid: 186 Invalid: 844 Mean: 1.849 Standard deviation: 0.359

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )

### CATEGORIES

Value	Category	Cases	
1	Yes	28	15.1%
2	No	158	84.9%
Sysmiss		844	

## QN22: Most of the time or always felt lonely

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 1020 Invalid: 10 Mean: 1.904 Standard deviation: 0.295  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	98	9.6%
2	No	922	90.4%
Sysmiss		10	

## QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 1000 Invalid: 30 Mean: 1.931 Standard deviation: 0.254  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	69	6.9%
2	No	931	93.1%
Sysmiss		30	

## QN24: Seriously considered attempting suicide

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 1000 Invalid: 30 Mean: 1.819 Standard deviation: 0.385  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

#### CATEGORIES

Value	Category	Cases	
1	Yes	181	18.1%
2	No	819	81.9%
Sysmiss		30	

## QN25: Made a plan about how they would attempt suicide

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 1003 Invalid: 27 Mean: 1.863 Standard deviation: 0.344  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

#### CATEGORIES

Value	Category	Cases	
1	Yes	137	13.7%
2	No	866	86.3%
Sysmiss		27	

**QN26: Attempted suicide****Data file: GTM2015\_Public\_Use\_rest of country****Overview**

Valid: 1016   Invalid: 14   Mean: 1.833   Standard deviation: 0.373  
 Type: Discrete   Decimal: 0   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	170	16.7%
2	No	846	83.3%
Sysmiss		14	

**QN27: Did not have any close friends****Data file: GTM2015\_Public\_Use\_rest of country****Overview**

Valid: 1012   Invalid: 18   Mean: 1.929   Standard deviation: 0.257  
 Type: Discrete   Decimal: 0   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who did not have any close friends

## CATEGORIES

Value	Category	Cases	
1	Yes	72	7.1%
2	No	940	92.9%
Sysmiss		18	

**QN35: Currently drank alcohol****Data file: GTM2015\_Public\_Use\_rest of country****Overview**

Valid: 1013   Invalid: 17   Mean: 1.827   Standard deviation: 0.378  
 Type: Discrete   Decimal: 0   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	175	17.3%
2	No	838	82.7%
Sysmiss		17	

### QN36: Usually drank two or more drinks per day

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 212 Invalid: 818 Mean: 1.557 Standard deviation: 0.498  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	94	44.3%
2	No	118	55.7%
Sysmiss		818	

### QN37: Usually obtained the alcohol they drank from friends

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 207 Invalid: 823 Mean: 1.691 Standard deviation: 0.463  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	64	30.9%
2	No	143	69.1%
Sysmiss		823	

### QN38: Ever drank so much alcohol that they were really drunk

Data file: GTM2015\_Public\_Use\_rest of country

#### Overview

Valid: 1015 Invalid: 15 Mean: 1.876 Standard deviation: 0.33

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

##### CATEGORIES

Value	Category	Cases	
1	Yes	126	12.4%
2	No	889	87.6%
Sysmiss		15	

### QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: GTM2015\_Public\_Use\_rest of country

#### Overview

Valid: 1016 Invalid: 14 Mean: 1.899 Standard deviation: 0.302

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

##### CATEGORIES

Value	Category	Cases	
1	Yes	103	10.1%
2	No	913	89.9%
Sysmiss		14	

**QN40: Used drugs before age 14 years****Data file:** GTM2015\_Public\_Use\_rest of country**Overview**

Valid: 80 Invalid: 950 Mean: 1.288 Standard deviation: 0.455

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

**CATEGORIES**

Value	Category	Cases	
1	Yes	57	71.3%
2	No	23	28.8%
Sysmiss		950	

**QN41: Ever used marijuana****Data file:** GTM2015\_Public\_Use\_rest of country**Overview**

Valid: 1002 Invalid: 28 Mean: 1.951 Standard deviation: 0.216

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who ever used marijuana (one or more times during their life)

**CATEGORIES**

Value	Category	Cases	
1	Yes	49	4.9%
2	No	953	95.1%
Sysmiss		28	

**QN42: Currently used marijuana****Data file:** GTM2015\_Public\_Use\_rest of country**Overview**

Valid: 1004 Invalid: 26 Mean: 1.962 Standard deviation: 0.191

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	38	3.8%
2	No	966	96.2%
Sysmiss		26	

## QN43: Ever used amphetamines or methamphetamines

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 1005 Invalid: 25 Mean: 1.965 Standard deviation: 0.183  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

### CATEGORIES

Value	Category	Cases	
1	Yes	35	3.5%
2	No	970	96.5%
Sysmiss		25	

## QN44: Ever had sexual intercourse

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 935 Invalid: 95 Mean: 1.827 Standard deviation: 0.379  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ever had sexual intercourse

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	162	17.3%
2	No	773	82.7%
Sysmiss		95	

### QN45: Had sexual intercourse before age 14 years

Data file: GTM2015\_Public\_Use\_rest of country

#### Overview

Valid: 114    Invalid: 916    Mean: 1.465    Standard deviation: 0.501  
 Type: Discrete    Decimal: 0    Range: 1 - 2    Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

##### CATEGORIES

Value	Category	Cases	
1	Yes	61	53.5%
2	No	53	46.5%
Sysmiss		916	

### QN46: Had sexual intercourse with two or more persons

Data file: GTM2015\_Public\_Use\_rest of country

#### Overview

Valid: 1002    Invalid: 28    Mean: 1.927    Standard deviation: 0.26  
 Type: Discrete    Decimal: 0    Range: 1 - 2    Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

##### CATEGORIES

Value	Category	Cases	
1	Yes	73	7.3%
2	No	929	92.7%
Sysmiss		28	

**QN47: Used a condom****Data file:** GTM2015\_Public\_Use\_rest of country**Overview**

Valid: 124   Invalid: 906   Mean: 1.452   Standard deviation: 0.5

Type: Discrete   Decimal: 0   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

## CATEGORIES

Value	Category	Cases	
1	Yes	68	54.8%
2	No	56	45.2%
Sysmiss		906	

**QN48: Used a method of birth control other than condoms****Data file:** GTM2015\_Public\_Use\_rest of country**Overview**

Valid: 113   Invalid: 917   Mean: 1.655   Standard deviation: 0.478

Type: Discrete   Decimal: 0   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

## CATEGORIES

Value	Category	Cases	
1	Yes	39	34.5%
2	No	74	65.5%
Sysmiss		917	

**QN49: Were not physically active****Data file:** GTM2015\_Public\_Use\_rest of country**Overview**

Valid: 1012   Invalid: 18   Mean: 1.68   Standard deviation: 0.467

Type: Discrete   Decimal: 0   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	324	32%
2	No	688	68%
Sysmiss		18	

### QN50: Did not walk or ride a bicycle to or from school

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 999 Invalid: 31 Mean: 1.566 Standard deviation: 0.496  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	434	43.4%
2	No	565	56.6%
Sysmiss		31	

### QN51: Did not attend physical education classes

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 984 Invalid: 46 Mean: 1.891 Standard deviation: 0.311  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	107	10.9%
2	No	877	89.1%
Sysmiss		46	

## QN52: Spent three or more hours per day doing sitting activities

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 971 Invalid: 59 Mean: 1.778 Standard deviation: 0.416  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

#### CATEGORIES

Value	Category	Cases	
1	Yes	216	22.2%
2	No	755	77.8%
Sysmiss		59	

## QNUNWTG: Were underweight

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 847 Invalid: 183 Mean: 1.985 Standard deviation: 0.123  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

#### CATEGORIES

Value	Category	Cases	
1	Yes	13	1.5%
2	No	834	98.5%
Sysmiss		183	

**QNOWTG: Were overweight****Data file:** GTM2015\_Public\_Use\_rest of country**Overview**

Valid: 847    Invalid: 183    Mean: 1.712    Standard deviation: 0.453  
 Type: Discrete    Decimal: 0    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were overweight (&gt;+1SD from median for BMI by age and sex)

## CATEGORIES

Value	Category	Cases	
1	Yes	244	28.8%
2	No	603	71.2%
Sysmiss		183	

**QNOBESEG: Were obese****Data file:** GTM2015\_Public\_Use\_rest of country**Overview**

Valid: 847    Invalid: 183    Mean: 1.914    Standard deviation: 0.281  
 Type: Discrete    Decimal: 0    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were obese (&gt;+2SD from median for BMI by age and sex)

## CATEGORIES

Value	Category	Cases	
1	Yes	73	8.6%
2	No	774	91.4%
Sysmiss		183	

**QNFRLG: Usually ate fruit less than one time per day****Data file:** GTM2015\_Public\_Use\_rest of country**Overview**

Valid: 1018    Invalid: 12    Mean: 1.862    Standard deviation: 0.345  
 Type: Discrete    Decimal: 0    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	140	13.8%
2	No	878	86.2%
Sysmiss		12	

## QNFR1G: Usually ate fruit one or more times per day

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 1018 Invalid: 12 Mean: 1.234 Standard deviation: 0.423  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	780	76.6%
2	No	238	23.4%
Sysmiss		12	

## QNFR2G: Usually ate fruit two or more times per day

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 1018 Invalid: 12 Mean: 1.539 Standard deviation: 0.499  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	469	46.1%
2	No	549	53.9%
Sysmiss		12	

### QNFR3G: Usually ate fruit three or more times per day

Data file: GTM2015\_Public\_Use\_rest of country

#### Overview

Valid: 1018 Invalid: 12 Mean: 1.746 Standard deviation: 0.436  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	259	25.4%
2	No	759	74.6%
Sysmiss		12	

### QNVEGLG: Usually ate vegetables less than one time per day

Data file: GTM2015\_Public\_Use\_rest of country

#### Overview

Valid: 1012 Invalid: 18 Mean: 1.834 Standard deviation: 0.372  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	168	16.6%
2	No	844	83.4%
Sysmiss		18	

**QNVEG1G: Usually ate vegetables one or more times per day****Data file: GTM2015\_Public\_Use\_rest of country****Overview**

Valid: 1012   Invalid: 18   Mean: 1.238   Standard deviation: 0.426  
 Type: Discrete   Decimal: 0   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	771	76.2%
2	No	241	23.8%
Sysmiss		18	

**QNVEG2G: Usually ate vegetables two or more times per day****Data file: GTM2015\_Public\_Use\_rest of country****Overview**

Valid: 1012   Invalid: 18   Mean: 1.574   Standard deviation: 0.495  
 Type: Discrete   Decimal: 0   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	431	42.6%
2	No	581	57.4%
Sysmiss		18	

**QNVEG3G: Usually ate vegetables three or more times per day****Data file: GTM2015\_Public\_Use\_rest of country****Overview**

Valid: 1012   Invalid: 18   Mean: 1.784   Standard deviation: 0.412  
 Type: Discrete   Decimal: 0   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	219	21.6%
2	No	793	78.4%
Sysmiss		18	

## QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 1024 Invalid: 6 Mean: 1.723 Standard deviation: 0.448  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	284	27.7%
2	No	740	72.3%
Sysmiss		6	

## QNSODA1G: Usually drank carbonated soft drinks one or more times per day

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 1024 Invalid: 6 Mean: 1.391 Standard deviation: 0.488  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	624	60.9%
2	No	400	39.1%
Sysmiss		6	

### QNSODA2G: Usually drank carbonated soft drinks two or more times per day

Data file: GTM2015\_Public\_Use\_rest of country

#### Overview

Valid: 1024 Invalid: 6 Mean: 1.719 Standard deviation: 0.45

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	288	28.1%
2	No	736	71.9%
Sysmiss		6	

### QNSODA3G: Usually drank carbonated soft drinks three or more times per day

Data file: GTM2015\_Public\_Use\_rest of country

#### Overview

Valid: 1024 Invalid: 6 Mean: 1.852 Standard deviation: 0.356

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	152	14.8%
2	No	872	85.2%
Sysmiss		6	

**QNFF1G: Ate food from a fast food restaurant one or more days****Data file:** GTM2015\_Public\_Use\_rest of country**Overview**

Valid: 1021 Invalid: 9 Mean: 1.423 Standard deviation: 0.494

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1	Yes	589	57.7%
2	No	432	42.3%
Sysmiss		9	

**QNFF2G: Ate food from a fast food restaurant two or more days****Data file:** GTM2015\_Public\_Use\_rest of country**Overview**

Valid: 1021 Invalid: 9 Mean: 1.728 Standard deviation: 0.445

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1	Yes	278	27.2%
2	No	743	72.8%
Sysmiss		9	

**QNFF3G: Ate food from a fast food restaurant three or more days****Data file:** GTM2015\_Public\_Use\_rest of country**Overview**

Valid: 1021 Invalid: 9 Mean: 1.855 Standard deviation: 0.352

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	148	14.5%
2	No	873	85.5%
Sysmiss		9	

## QNC2G: Were bullied and could not sleep at night

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 60 Invalid: 970 Mean: 1.533 Standard deviation: 0.503  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	28	46.7%
2	No	32	53.3%
Sysmiss		970	

## QNBCANYG: Used a method of birth control

Data file: GTM2015\_Public\_Use\_rest of country

### Overview

Valid: 103 Invalid: 927 Mean: 1.262 Standard deviation: 0.442  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

### CATEGORIES

Value	Category	Cases	
1	Yes	76	73.8%
2	No	27	26.2%
Sysmiss		927	

### QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: GTM2015\_Public\_Use\_rest of country

#### Overview

Valid: 106    Invalid: 924    Mean: 1.557    Standard deviation: 0.499  
 Type: Discrete    Decimal: 0    Range: 1 - 2    Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

##### CATEGORIES

Value	Category	Cases	
1	Yes	47	44.3%
2	No	59	55.7%
Sysmiss		924	

### QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: GTM2015\_Public\_Use\_rest of country

#### Overview

Valid: 1012    Invalid: 18    Mean: 1.826    Standard deviation: 0.379  
 Type: Discrete    Decimal: 0    Range: 1 - 2    Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	176	17.4%
2	No	836	82.6%
Sysmiss		18	

**QNPA7G: Were physically active at least 60 minutes per day on all 7 days****Data file:** GTM2015\_Public\_Use\_rest of country**Overview**

Valid: 1012   Invalid: 18   Mean: 1.889   Standard deviation: 0.314  
 Type: Discrete   Decimal: 0   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey )

**CATEGORIES**

Value	Category	Cases	
1	Yes	112	11.1%
2	No	900	88.9%
Sysmiss		18	

**QNPE3G: Attended physical education classes on three or more days****Data file:** GTM2015\_Public\_Use\_rest of country**Overview**

Valid: 984   Invalid: 46   Mean: 1.645   Standard deviation: 0.479  
 Type: Discrete   Decimal: 0   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who attended physical education classes on three or more days (each week during this school year)

**CATEGORIES**

Value	Category	Cases	
1	Yes	349	35.5%
2	No	635	64.5%
Sysmiss		46	

**QNPE5G: Attended physical education classes on five or more days****Data file:** GTM2015\_Public\_Use\_rest of country**Overview**

Valid: 984   Invalid: 46   Mean: 1.716   Standard deviation: 0.451

Type: Discrete    Decimal: 0    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

## CATEGORIES

Value	Category	Cases	
1	Yes	279	28.4%
2	No	705	71.6%
Sysmiss		46	

**WEIGHT:****Data file:** GTM2015\_Public\_Use\_rest of country**Overview**

Valid: 1030    Invalid: 0    Mean: 586.247    Standard deviation: 226.263  
 Type: Continuous    Decimal: 0    Range: 42.0329 - 329.5608    Format: Numeric

**STRATUM:****Data file:** GTM2015\_Public\_Use\_rest of country**Overview**

Valid: 1030    Invalid: 0    Mean: 201501006.974    Standard deviation: 9.358  
 Type: Discrete    Decimal: 0    Range: 201501001 - 201501019    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
201501001		40	3.9%
201501002		42	4.1%
201501003		261	25.3%
201501004		57	5.5%
201501005		78	7.6%
201501006		38	3.7%
201501007		55	5.3%
201501008		41	4%
201501009		34	3.3%
201501010		50	4.9%
201501011		97	9.4%

201501012		237	23%
-----------	--	-----	-----

**PSU:****Data file: GTM2015\_Public\_Use\_rest of country****Overview**

Valid: 1030   Invalid: 0   Mean: 13.569   Standard deviation: 8.251  
Type: Continuous   Decimal: 0   Range: 1 - 38   Format: Numeric

# study\_resources

## questionnaires

### Questionnaire

---

title Questionnaire  
filename 2015\_GSHS\_Guatemala\_Questionnaire\_ES.pdf

---

## reports

### National Fact Sheet

---

title National Fact Sheet  
filename gshs\_fs\_guatemala\_2015\_national.pdf

---

### Rest of Country Fact Sheet

---

title Rest of Country Fact Sheet  
filename gshs\_fs\_guatemala\_rest\_of\_country\_2015.pdf

---

### Capital City (Oficial) Fact Sheet

---

title Capital City (Oficial) Fact Sheet  
filename gshs\_fs\_guatemala\_capital\_city\_oficial\_2015.pdf

---

### Capital City (Private) Fact Sheet

---

title Capital City (Private) Fact Sheet  
filename gshs\_fs\_guatemala\_capital\_city\_private\_2015.pdf

---

## technical\_documents

### Capital City (Oficial) Codebook

---

title Capital City (Oficial) Codebook  
filename GTM2015\_public\_use\_codebook\_capitalcityofficial.pdf

---

### Capital City (Private) Codebook

---

title Capital City (Private) Codebook  
filename GTM2015\_public\_use\_codebook\_capitalcityprivate.pdf

---

### National Codebook

---

title National Codebook

filename GTM2015\_public\_use\_codebook\_national.pdf

---

## **Rest of Country Codebook**

---

title Rest of Country Codebook

filename GTM2015\_public\_use\_codebook\_restofcountry.pdf

---