

Global School-Based Student Health Survey 2013

Ministry of Health, Ministry of Education

report_generated_on: January 26, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER
KHM_2013_GSHS_v01_M

TITLE
Global School-Based Student Health Survey 2013

COUNTRY

Name	Country code
Cambodia	KHM

STUDY TYPE
Other Household Survey [hh/oth]

SERIES INFORMATION
This is the first GSHS conducted by Cambodia.

ABSTRACT
The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA
Sample survey data [ssd]

UNIT OF ANALYSIS
Individuals

Version

VERSION DESCRIPTION
Public-use dataset

VERSION DATE
2018-08-09

Scope

NOTES
The following core modules were included in the survey:
alcohol use
dietary behaviours
drug use
hygiene
mental health
physical activity
sexual behaviours
tobacco use
violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
hygiene
mental health
physical activity
sexual behaviours
tobacco use
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE

National coverage plus urban and rural

UNIVERSE

School-going adolescents aged 13-17 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
Ministry of Health
Ministry of Education

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE

The 2012 Cambodia GSHS was a school-based survey of students in grades 7 - 12, which are typically attended by students aged 13 - 17 years. A two-stage cluster sample design was used to produce data representative of all students in grades 7 - 12 in Cambodia. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

National: The school response rate was 100%, the student response rate was 85%, and the overall response rate was 85%.
 Rural: The school response rate was 100%, the student response rate was 86%, and the overall response rate was 86%.
 Urban: The school response rate was 100%, the student response rate was 84%, and the overall response rate was 84%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

data_collection

DATES OF DATA COLLECTION

Start	End
2013-03	2013-03

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

alcohol use

dietary behaviours

drug use

hygiene

mental health

physical activity

sexual behaviours

tobacco use

violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_KHM_2013_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Yue Wu		World Health Organization	Documentation of data
Melanie Cowan		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2018-08-09

DDI DOCUMENT VERSION

Identical to a metadata (KHM_2013_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
KHM2013_national_Public_Use National public-use dataset	3806	111
KHM2013_rural_Public_Use Rural public-use dataset	1936	111
KHM2013_urban_Public_Use Urban public-use dataset	1870	111

Data file: KHM2013_national_Public_Use

National public-use dataset

Cases: 3806

variables: 111

variables

ID	Name	Label	Question
V1	Q1	Custom Age	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER
V6	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V16	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V17	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V18	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V21	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V22	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V23	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V24	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Number close friends	How many close friends do you have?
V28	Q28	Age first smoked	How old were you when you first tried a cigarette?
V29	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V34	Q34	Age first alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V35	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Age first drugs	How old were you when you first used drugs?
V41	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	Q44	Ever had sex	Have you ever had sexual intercourse?
V45	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V46	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V47	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V51	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V59	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V60	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V61	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V62	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V63	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V64	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V65	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V66	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V67	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V68	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V69	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V70	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V71	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V72	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V73	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V74	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V75	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months
V76	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V77	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V78	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V79	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V80	QN27	No close friends	Percentage of students who had no close friends
V81	QN28	Before age 14 first smoked	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

ID	Name	Label	Question
V82	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V83	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V84	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V85	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V86	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	QN34	Before age 14 first alcohol	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V88	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V89	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V90	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V91	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V92	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V93	QN40	Before age 14 first drugs	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V94	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V95	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V96	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V97	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V98	QN45	Before age 14 first sex	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V99	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V100	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse
V101	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse
V102	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V103	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V104	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V105	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V115	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V116	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)

ID	Name	Label	Question
V117	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V118	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V119	qnanytbg	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V120	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V121	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V122	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V123	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V124	weight	Weight	
V125	stratum	Stratum	
V126	psu	Primary Sampling Unit	

total: 111

Data file: KHM2013_rural_Public_Use

Rural public-use dataset

Cases: 1936

variables: 111

variables

ID	Name	Label	Question
V127	Q1	Custom Age	How old are you?
V128	Q2	Sex	What is your sex?
V129	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V130	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V131	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER
V132	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V133	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V134	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V135	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V136	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V137	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V138	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V139	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V140	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V141	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V142	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V143	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V144	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V145	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V146	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V147	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V148	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V149	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V150	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V151	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V152	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V153	Q27	Number close friends	How many close friends do you have?
V154	Q28	Age first smoked	How old were you when you first tried a cigarette?
V155	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V156	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V157	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V158	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V159	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V160	Q34	Age first alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V161	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V162	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V163	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V164	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V165	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V166	Q40	Age first drugs	How old were you when you first used drugs?
V167	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V168	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V169	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V170	Q44	Ever had sex	Have you ever had sexual intercourse?
V171	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V172	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V173	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V174	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V175	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V176	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V177	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V178	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V185	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V186	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V187	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V188	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V189	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V190	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V191	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V192	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V193	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V194	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V195	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V196	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V197	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V198	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V199	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V200	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V201	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months
V202	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V203	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V204	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V205	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V206	QN27	No close friends	Percentage of students who had no close friends
V207	QN28	Before age 14 first smoked	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

ID	Name	Label	Question
V208	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V209	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V210	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V211	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V212	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V213	QN34	Before age 14 first alcohol	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V214	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V215	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V216	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V217	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V218	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V219	QN40	Before age 14 first drugs	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V220	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V221	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V222	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V223	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V224	QN45	Before age 14 first sex	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V225	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V226	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse
V227	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse
V228	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V229	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V230	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V231	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V241	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V242	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)

ID	Name	Label	Question
V243	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V244	qnfrvvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V245	qnanytbg	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V246	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V247	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V248	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V249	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V250	weight	Weight	
V251	stratum	Stratum	
V252	psu	Primary Sampling Unit	

total: 111

Data file: KHM2013_urban_Public_Use

Urban public-use dataset

Cases: 1870

variables: 111

variables

ID	Name	Label	Question
V253	Q1	Custom Age	How old are you?
V254	Q2	Sex	What is your sex?
V255	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V256	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V257	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER
V258	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V259	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V260	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V261	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V262	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V263	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V264	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V265	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V266	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V267	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V268	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V269	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V270	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V271	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V272	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V273	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V274	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V275	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V276	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V277	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V278	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V279	Q27	Number close friends	How many close friends do you have?
V280	Q28	Age first smoked	How old were you when you first tried a cigarette?
V281	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V282	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V283	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V284	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V285	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V286	Q34	Age first alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V287	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V288	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V289	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V290	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V291	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V292	Q40	Age first drugs	How old were you when you first used drugs?
V293	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V294	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V295	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V296	Q44	Ever had sex	Have you ever had sexual intercourse?
V297	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V298	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V299	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V300	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V301	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V302	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V303	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V304	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V311	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V312	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V313	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V314	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V315	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V316	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V317	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V318	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V319	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V320	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V321	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V322	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V323	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V324	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V325	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V326	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V327	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months
V328	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V329	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V330	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V331	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V332	QN27	No close friends	Percentage of students who had no close friends
V333	QN28	Before age 14 first smoked	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

ID	Name	Label	Question
V334	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V335	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V336	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V337	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V338	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V339	QN34	Before age 14 first alcohol	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V340	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V341	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V342	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V343	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V344	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V345	QN40	Before age 14 first drugs	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V346	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V347	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V348	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V349	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V350	QN45	Before age 14 first sex	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V351	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V352	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse
V353	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse
V354	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V355	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V356	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V357	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V367	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V368	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)

ID	Name	Label	Question
V369	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V370	qnfrvvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V371	qnanytbg	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V372	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V373	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V374	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V375	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V376	weight	Weight	
V377	stratum	Stratum	
V378	psu	Primary Sampling Unit	

total: 111

Q1: Custom Age**Data file: KHM2013_national_Public_Use****Overview**

Valid: 3798 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	12	0.3%
2	12 years old	78	2.1%
3	13 years old	451	11.9%
4	14 years old	643	16.9%
5	15 years old	640	16.9%
6	16 years old	521	13.7%
7	17 years old	585	15.4%
8	18 years old or older	868	22.9%
Sysmiss		8	

Q10: Ate fast food past 7 days**Data file: KHM2013_national_Public_Use****Overview**

Valid: 3786 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	2812	74.3%
2	1 day	681	18%
3	2 days	154	4.1%

4	3 days	86	2.3%
5	4 days	14	0.4%
6	5 days	8	0.2%
7	6 days	4	0.1%
8	7 days	27	0.7%
Sysmiss		20	

Q2: Sex

Data file: KHM2013_national_Public_Use

Overview

Valid: 3794 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1791	47.2%
2	Female	2003	52.8%
Sysmiss		12	

Q3: In what grade are you

Data file: KHM2013_national_Public_Use

Overview

Valid: 3788 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	7th grade	893	23.6%
2	8th grade	685	18.1%
3	9th grade	586	15.5%

4	10th grade	455	12%
5	11th grade	540	14.3%
6	12th grade	629	16.6%
Sysmiss		18	

Q4: How tall are you

Data file: KHM2013_national_Public_Use

Overview

Valid: 3650 Invalid: 156 Minimum: 1.23 Maximum: 1.85 Mean: 1.556 Standard deviation: 0.0862
Type: Continuous Decimal: 2 Width: 5 Range: 1.28 - 1.89 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: KHM2013_national_Public_Use

Overview

Valid: 3650 Invalid: 156 Minimum: 23 Maximum: 107 Mean: 45.909 Standard deviation: 9.059
Type: Continuous Decimal: 2 Width: 5 Range: 28 - 162 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER

Q6: Went hungry past 30 days

Data file: KHM2013_national_Public_Use

Overview

Valid: 3799 Invalid: 7
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1730	45.5%
2	Rarely	715	18.8%
3	Sometimes	1124	29.6%
4	Most of the time	138	3.6%
5	Always	92	2.4%
Sysmiss		7	

Q7: Eat fruit per day past 30 days

Data file: KHM2013_national_Public_Use

Overview

Valid: 3798 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	301	7.9%
2	Less than one time per day	1443	38%
3	1 time per day	1192	31.4%
4	2 times per day	569	15%
5	3 times per day	202	5.3%
6	4 times per day	30	0.8%
7	5 or more times per day	61	1.6%
Sysmiss		8	

Q8: Eat vegetables past 30 days**Data file: KHM2013_national_Public_Use****Overview**

Valid: 3792 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	94	2.5%
2	Less than one time per day	736	19.4%
3	1 time per day	1176	31%
4	2 times per day	1286	33.9%
5	3 times per day	406	10.7%
6	4 times per day	38	1%
7	5 or more times per day	56	1.5%
Sysmiss		14	

Q9: Drink soft drinks past 30 days**Data file: KHM2013_national_Public_Use****Overview**

Valid: 3799 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	507	13.3%
2	Less than one time per day	1571	41.4%

3	1 time per day	1041	27.4%
4	2 times per day	454	12%
5	3 times per day	135	3.6%
6	4 times per day	41	1.1%
7	5 or more times per day	50	1.3%
Sysmiss		7	

Q11: How many times per day brush teeth

Data file: KHM2013_national_Public_Use

Overview

Valid: 3804 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	32	0.8%
2	Less than 1 time per day	86	2.3%
3	1 time per day	535	14.1%
4	2 times per day	1652	43.4%
5	3 times per day	1432	37.6%
6	4 or more times per day	67	1.8%
Sysmiss		2	

Q12: Wash hands before eating past 30 days

Data file: KHM2013_national_Public_Use

Overview

Valid: 3780 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	27	0.7%
2	Rarely	42	1.1%
3	Sometimes	450	11.9%
4	Most of the time	1755	46.4%
5	Always	1506	39.8%
Sysmiss		26	

Q13: Wash hands after toilet past 30 day

Data file: KHM2013_national_Public_Use

Overview

Valid: 3785 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	32	0.8%
2	Rarely	48	1.3%
3	Sometimes	307	8.1%
4	Most of the time	1472	38.9%
5	Always	1926	50.9%
Sysmiss		21	

Q14: Used soap on hands past 30 days

Data file: KHM2013_national_Public_Use

Overview

Valid: 3799 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	37	1%
2	Rarely	55	1.4%
3	Sometimes	725	19.1%
4	Most of the time	1706	44.9%
5	Always	1276	33.6%
Sysmiss		7	

Q15: Times attacked past 12 mo.

Data file: KHM2013_national_Public_Use

Overview

Valid: 3779 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	3129	82.8%
2	1 time	294	7.8%
3	2 or 3 times	227	6%
4	4 or 5 times	51	1.3%
5	6 or 7 times	21	0.6%
6	8 or 9 times	11	0.3%
7	10 or 11 times	8	0.2%
8	12 or more times	38	1%
Sysmiss		27	

Q16: How many times in fight 12 mos**Data file: KHM2013_national_Public_Use****Overview**

Valid: 3802 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	3388	89.1%
2	1 time	245	6.4%
3	2 or 3 times	105	2.8%
4	4 or 5 times	30	0.8%
5	6 or 7 times	10	0.3%
6	8 or 9 times	7	0.2%
7	10 or 11 times	1	0%
8	12 or more times	16	0.4%
Sysmiss		4	

Q17: How many times injured past 12 months**Data file: KHM2013_national_Public_Use****Overview**

Valid: 3390 Invalid: 416

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	2714	80.1%
2	1 time	461	13.6%
3	2 or 3 times	165	4.9%
4	4 or 5 times	25	0.7%
5	6 or 7 times	9	0.3%
6	8 or 9 times	7	0.2%
7	10 or 11 times	4	0.1%
8	12 or more times	5	0.1%
Sysmiss		416	

Q18: What was serious injury past 12 mo.

Data file: KHM2013_national_Public_Use

Overview

Valid: 3526 Invalid: 280

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	3104	88%
2	Broken bone/dislocated joint	96	2.7%
3	I had a cut or stab wound	22	0.6%
4	Concussion/head injury	131	3.7%
5	I had a gunshot wound	5	0.1%
6	I had a bad burn	20	0.6%
7	I was poisoned	21	0.6%
8	Something else happened to me	127	3.6%
Sysmiss		280	

Q19: Cause of injury past 12 mo.

Data file: KHM2013_national_Public_Use

Overview

Valid: 3500 Invalid: 306
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	3045	87%
2	Motor vehicle accident	165	4.7%
3	I fell	107	3.1%
4	Something fell on me or hit me	27	0.8%
5	I was attacked	10	0.3%
6	Was in a fire	16	0.5%
7	breathed something bad	26	0.7%
8	Something else	104	3%
Sysmiss		306	

Q20: How many days bullied past 30 days

Data file: KHM2013_national_Public_Use

Overview

Valid: 3669 Invalid: 137
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	2802	76.4%

2	1 or 2 days	677	18.5%
3	3 to 5 days	116	3.2%
4	6 to 9 days	31	0.8%
5	10 to 19 days	11	0.3%
6	20 to 29 days	8	0.2%
7	All 30 days	24	0.7%
Sysmiss		137	

Q21: How bullied past 30 days

Data file: KHM2013_national_Public_Use

Overview

Valid: 3652 Invalid: 154

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	3158	86.5%
2	Kicked, pushed, or shoved	40	1.1%
3	Made fun of race	113	3.1%
4	Made fun because of religion	24	0.7%
5	Made fun of about sex	56	1.5%
6	Left out of activities	67	1.8%
7	Made fun of about body	146	4%
8	Some other way	48	1.3%
Sysmiss		154	

Q22: Times felt lonely past 12 mo.

Data file: KHM2013_national_Public_Use

Overview

Valid: 3774 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	957	25.4%
2	Rarely	695	18.4%
3	Sometimes	1859	49.3%
4	Most of the time	217	5.7%
5	Always	46	1.2%
Sysmiss		32	

Q23: Times could not sleep past 12 mo.

Data file: KHM2013_national_Public_Use

Overview

Valid: 3798 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	1021	26.9%
2	Rarely	872	23%
3	Sometimes	1629	42.9%
4	Most of the time	229	6%
5	Always	47	1.2%
Sysmiss		8	

Q24: Ever considered suicide 12 mos**Data file:** KHM2013_national_Public_Use**Overview**

Valid: 3743 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	249	6.7%
2	No	3494	93.3%
Sysmiss		63	

Q25: Ever make suicide plan 12 mos**Data file:** KHM2013_national_Public_Use**Overview**

Valid: 3773 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	324	8.6%
2	No	3449	91.4%
Sysmiss		33	

Q26: Times attempted suicide 12 mos.**Data file:** KHM2013_national_Public_Use

Overview

Valid: 3789 Invalid: 17
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	3525	93%
2	1 time	149	3.9%
3	2 or 3 times	69	1.8%
4	4 or 5 times	33	0.9%
5	6 or more times	13	0.3%
Sysmiss		17	

Q27: Number close friends

Data file: KHM2013_national_Public_Use

Overview

Valid: 3773 Invalid: 33
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	202	5.4%
2	1	419	11.1%
3	2	625	16.6%
4	3 or more	2527	67%
Sysmiss		33	

Q28: Age first smoked**Data file: KHM2013_national_Public_Use****Overview**

Valid: 3535 Invalid: 271

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	3311	93.7%
2	7 years old or younger	35	1%
3	8 or 9 years old	21	0.6%
4	10 or 11 years old	25	0.7%
5	12 or 13 years old	30	0.8%
6	14 or 15 years old	39	1.1%
7	16 or 17 years old	38	1.1%
8	18 years old or older	36	1%
Sysmiss		271	

Q29: How many days smoked 30 days**Data file: KHM2013_national_Public_Use****Overview**

Valid: 3786 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	3684	97.3%
2	1 or 2 days	61	1.6%

3	3 to 5 days	14	0.4%
4	6 to 9 days	11	0.3%
5	10 to 19 days	7	0.2%
6	20 to 29 days	2	0.1%
7	All 30 days	7	0.2%
Sysmiss		20	

Q30: Other tobacco past 30 days

Data file: KHM2013_national_Public_Use

Overview

Valid: 3799 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	3724	98%
2	1 or 2 days	43	1.1%
3	3 to 5 days	11	0.3%
4	6 to 9 days	9	0.2%
5	10 to 19 days	4	0.1%
6	20 to 29 days	2	0.1%
7	All 30 days	6	0.2%
Sysmiss		7	

Q31: Try stop smoking past 12 mo.

Data file: KHM2013_national_Public_Use

Overview

Valid: 3573 Invalid: 233

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	3440	96.3%
2	Did not smoke cigarettes	49	1.4%
3	Yes	62	1.7%
4	No	22	0.6%
Sysmiss		233	

Q32: Others present smoking past 7 days

Data file: KHM2013_national_Public_Use

Overview

Valid: 3795 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	1936	51%
2	1 or 2 days	1416	37.3%
3	3 or 4 days	240	6.3%
4	5 or 6 days	64	1.7%
5	All 7 days	139	3.7%
Sysmiss		11	

Q33: Parents who use tobacco

Data file: KHM2013_national_Public_Use

Overview

Valid: 3787 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	2425	64%
2	My father or male guardian	1171	30.9%
3	My mother or female guardian	59	1.6%
4	Both	72	1.9%
5	I do not know	60	1.6%
Sysmiss		19	

Q34: Age first alcohol

Data file: KHM2013_national_Public_Use

Overview

Valid: 3264 Invalid: 542

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	2368	72.5%
2	7 years old or younger	37	1.1%
3	8 or 9 years old	30	0.9%
4	10 or 11 years old	29	0.9%
5	12 or 13 years old	66	2%
6	14 or 15 years old	171	5.2%

7	16 or 17 years old	292	8.9%
8	18 years old or older	271	8.3%
Sysmiss		542	

Q35: Days one drink or more past 30 days

Data file: KHM2013_national_Public_Use

Overview

Valid: 3713 Invalid: 93

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	3302	88.9%
2	1 or 2 days	294	7.9%
3	3 to 5 days	51	1.4%
4	6 to 9 days	18	0.5%
5	10 to 19 days	17	0.5%
6	20 to 29 days	20	0.5%
7	All 30 days	11	0.3%
Sysmiss		93	

Q36: Number of drinks past 30 days

Data file: KHM2013_national_Public_Use

Overview

Valid: 3712 Invalid: 94

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	3023	81.4%
2	Less than one drink	335	9%
3	1 drink	119	3.2%
4	2 drinks	53	1.4%
5	3 drinks	47	1.3%
6	4 drinks	28	0.8%
7	5 or more drinks	107	2.9%
Sysmiss		94	

Q37: How got drinks past 30 days

Data file: KHM2013_national_Public_Use

Overview

Valid: 3633 Invalid: 173

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	3094	85.2%
2	I bought in a store	240	6.6%
3	I gave someone money to buy	42	1.2%
4	I got it from my friends	112	3.1%
5	I got it from my family	99	2.7%
6	I stole it	3	0.1%
7	Some other way	43	1.2%
Sysmiss		173	

Q38: Times drunk during life**Data file: KHM2013_national_Public_Use****Overview**

Valid: 3662 Invalid: 144

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	3228	88.1%
2	1 or 2 times	341	9.3%
3	3 to 9 times	55	1.5%
4	10 or more times	38	1%
Sysmiss		144	

Q39: Number of troubles as result of drinking**Data file: KHM2013_national_Public_Use****Overview**

Valid: 3617 Invalid: 189

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	3512	97.1%

2	1 or 2 times	73	2%
3	3 to 9 times	9	0.2%
4	10 or more times	23	0.6%
Sysmiss		189	

Q40: Age first drugs

Data file: KHM2013_national_Public_Use

Overview

Valid: 3664 Invalid: 142

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	3531	96.4%
2	7 years old or younger	21	0.6%
3	8 or 9 years old	21	0.6%
4	10 or 11 years old	10	0.3%
5	12 or 13 years old	10	0.3%
6	14 or 15 years old	18	0.5%
7	16 or 17 years old	23	0.6%
8	18 years old or older	30	0.8%
Sysmiss		142	

Q41: Times used marijuana lifetime

Data file: KHM2013_national_Public_Use

Overview

Valid: 3694 Invalid: 112

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	3654	98.9%
2	1 or 2 times	20	0.5%
3	3 to 9 times	9	0.2%
4	10 to 19 times	9	0.2%
5	20 or more times	2	0.1%
Sysmiss		112	

Q42: Times used marijuana past 30 days

Data file: KHM2013_national_Public_Use

Overview

Valid: 3741 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	3707	99.1%
2	1 or 2 times	21	0.6%
3	3 to 9 times	8	0.2%
4	10 to 19 times	4	0.1%
5	20 or more times	1	0%
Sysmiss		65	

Q43: Times used amphetamines lifetime

Data file: KHM2013_national_Public_Use

Overview

Valid: 3755 Invalid: 51
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	3725	99.2%
2	1 or 2 times	18	0.5%
3	3 to 9 times	8	0.2%
4	10 to 19 times	3	0.1%
5	20 or more times	1	0%
Sysmiss		51	

Q44: Ever had sex

Data file: KHM2013_national_Public_Use

Overview

Valid: 3571 Invalid: 235
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	423	11.8%
2	No	3148	88.2%
Sysmiss		235	

Q45: Age first sexual intercourse**Data file: KHM2013_national_Public_Use****Overview**

Valid: 3747 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	3661	97.7%
2	11 years old or younger	25	0.7%
3	12 years old	7	0.2%
4	13 years old	7	0.2%
5	14 years old	5	0.1%
6	15 years old	5	0.1%
7	16 or 17 years old	9	0.2%
8	18 years old or older	28	0.7%
Sysmiss		59	

Q46: How many sex partners**Data file: KHM2013_national_Public_Use****Overview**

Valid: 3739 Invalid: 67

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	3655	97.8%
2	1 person	43	1.2%

3	2 people	21	0.6%
4	3 people	7	0.2%
5	4 people	5	0.1%
6	5 people	2	0.1%
7	6 or more people	6	0.2%
Sysmiss		67	

Q47: Used condom at last intercourse

Data file: KHM2013_national_Public_Use

Overview

Valid: 3672 Invalid: 134

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	3591	97.8%
2	Yes	49	1.3%
3	No	32	0.9%
Sysmiss		134	

Q48: Used birth control last intercourse

Data file: KHM2013_national_Public_Use

Overview

Valid: 3672 Invalid: 134

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	3589	97.7%
2	Yes	25	0.7%
3	No	38	1%
4	I do not know	20	0.5%
Sysmiss		134	

Q49: Days active 60 min plus past 7 days

Data file: KHM2013_national_Public_Use

Overview

Valid: 3775 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	1435	38%
2	1 day	1171	31%
3	2 days	420	11.1%
4	3 days	212	5.6%
5	4 days	99	2.6%
6	5 days	83	2.2%
7	6 days	52	1.4%
8	7 days	303	8%
Sysmiss		31	

Q50: Walk or bike to school past 7 days

Data file: KHM2013_national_Public_Use

Overview

Valid: 3788 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	1129	29.8%
2	1 day	390	10.3%
3	2 days	212	5.6%
4	3 days	121	3.2%
5	4 days	112	3%
6	5 days	80	2.1%
7	6 days	678	17.9%
8	7 days	1066	28.1%
Sysmiss		18	

Q51: Days went to PE each week

Data file: KHM2013_national_Public_Use

Overview

Valid: 3762 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	1485	39.5%
2	1 day	1404	37.3%
3	2 days	503	13.4%

4	3 days	118	3.1%
5	4 days	55	1.5%
6	5 or more days	197	5.2%
Sysmiss		44	

Q52: Time spent sitting on usual day

Data file: KHM2013_national_Public_Use

Overview

Valid: 3766 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	2084	55.3%
2	1 to 2 hours per day	1130	30%
3	3 to 4 hours per day	286	7.6%
4	5 to 6 hours per day	105	2.8%
5	7 to 8 hours per day	57	1.5%
6	More than 8 hours per day	104	2.8%
Sysmiss		40	

QN6: Went hungry most of time/always past 30 days

Data file: KHM2013_national_Public_Use

Overview

Valid: 3799 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	230	6.1%
2	No	3569	93.9%
Sysmiss		7	

QN7: Ate fruit 2+ times per day past 30 days

Data file: KHM2013_national_Public_Use

Overview

Valid: 3798 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	862	22.7%
2	No	2936	77.3%
Sysmiss		8	

QN8: Ate vegetables 3+ times per day past 30 day

Data file: KHM2013_national_Public_Use

Overview

Valid: 3792 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	500	13.2%
2	No	3292	86.8%
Sysmiss		14	

QN9: Drank soft drinks 1+ times per day past 30 day**Data file: KHM2013_national_Public_Use****Overview**

Valid: 3799 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1721	45.3%
2	No	2078	54.7%
Sysmiss		7	

QN10: Ate fast food 3+ days past 7 day**Data file: KHM2013_national_Public_Use****Overview**

Valid: 3786 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

CATEGORIES

Value	Category	Cases	
1	Yes	139	3.7%
2	No	3647	96.3%
Sysmiss		20	

QN11: Cleaned/brushed teeth <1 time/day past 30 days**Data file: KHM2013_national_Public_Use****Overview**

Valid: 3804 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	118	3.1%
2	No	3686	96.9%
Sysmiss		2	

QN12: Never/rarely wash hands before eating past 30 days

Data file: KHM2013_national_Public_Use

Overview

Valid: 3780 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	69	1.8%
2	No	3711	98.2%
Sysmiss		26	

QN13: Never/rarely wash hands after toilet past 30 days

Data file: KHM2013_national_Public_Use

Overview

Valid: 3785 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	80	2.1%
2	No	3705	97.9%
Sysmiss		21	

QN14: Never/rarely use soap on hands past 30 days

Data file: KHM2013_national_Public_Use

Overview

Valid: 3799 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	92	2.4%
2	No	3707	97.6%
Sysmiss		7	

QN15: Attacked 1+ times past 12 months

Data file: KHM2013_national_Public_Use

Overview

Valid: 3779 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	650	17.2%
2	No	3129	82.8%
Sysmiss		27	

QN16: In fight 1+ times past 12 months**Data file: KHM2013_national_Public_Use****Overview**

Valid: 3802 Invalid: 4
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	414	10.9%
2	No	3388	89.1%
Sysmiss		4	

QN17: Seriously injured 1+ times past 12 months**Data file: KHM2013_national_Public_Use****Overview**

Valid: 3390 Invalid: 416
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	676	19.9%
2	No	2714	80.1%
Sysmiss		416	

QN18: Broken bone as most serious injury**Data file: KHM2013_national_Public_Use****Overview**

Valid: 422 Invalid: 3384
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

CATEGORIES

Value	Category	Cases	
1	Yes	96	22.7%
2	No	326	77.3%
Sysmiss		3384	

QN19: Motor vehicle caused most serious injury

Data file: KHM2013_national_Public_Use

Overview

Valid: 455 Invalid: 3351

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

CATEGORIES

Value	Category	Cases	
1	Yes	165	36.3%
2	No	290	63.7%
Sysmiss		3351	

QN20: Bullied 1+ of past 30 days

Data file: KHM2013_national_Public_Use

Overview

Valid: 3669 Invalid: 137

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	867	23.6%
2	No	2802	76.4%
Sysmiss		137	

QN21: Of students bullied, most often hit, kicked, etc

Data file: KHM2013_national_Public_Use

Overview

Valid: 494 Invalid: 3312

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

CATEGORIES

Value	Category	Cases	
1	Yes	40	8.1%
2	No	454	91.9%
Sysmiss		3312	

QN22: Lonely most times/always past 12 months

Data file: KHM2013_national_Public_Use

Overview

Valid: 3774 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	263	7%
2	No	3511	93%
Sysmiss		32	

QN23: Worry prevented sleep most time/always past 12 mos**Data file: KHM2013_national_Public_Use****Overview**

Valid: 3798 Invalid: 8
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	276	7.3%
2	No	3522	92.7%
Sysmiss		8	

QN24: Considered suicide past 12 months**Data file: KHM2013_national_Public_Use****Overview**

Valid: 3743 Invalid: 63
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	249	6.7%
2	No	3494	93.3%
Sysmiss		63	

QN25: Made suicide plan past 12 months**Data file: KHM2013_national_Public_Use****Overview**

Valid: 3773 Invalid: 33
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	324	8.6%
2	No	3449	91.4%
Sysmiss		33	

QN26: 1+ times attempt suicide 12 mos.

Data file: KHM2013_national_Public_Use

Overview

Valid: 3789 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	264	7%
2	No	3525	93%
Sysmiss		17	

QN27: No close friends

Data file: KHM2013_national_Public_Use

Overview

Valid: 3773 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had no close friends

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	202	5.4%
2	No	3571	94.6%
Sysmiss		33	

QN28: Before age 14 first smoked

Data file: KHM2013_national_Public_Use

Overview

Valid: 224 Invalid: 3582

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

CATEGORIES

Value	Category	Cases	
1	Yes	111	49.6%
2	No	113	50.4%
Sysmiss		3582	

QN29: Smoked cigarettes 1+ of past 30 days

Data file: KHM2013_national_Public_Use

Overview

Valid: 3786 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	102	2.7%
2	No	3684	97.3%
Sysmiss		20	

QN30: Used other tobacco 1+ of past 30 days**Data file:** KHM2013_national_Public_Use**Overview**

Valid: 3799 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	75	2%
2	No	3724	98%
Sysmiss		7	

QN31: Tried to quit smoking past 12 months**Data file:** KHM2013_national_Public_Use**Overview**

Valid: 84 Invalid: 3722

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	62	73.8%
2	No	22	26.2%
Sysmiss		3722	

QN32: Others present smoking 1+ of past 7 days**Data file:** KHM2013_national_Public_Use**Overview**

Valid: 3795 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	1859	49%
2	No	1936	51%
Sysmiss		11	

QN33: Either/Both parents use tobacco

Data file: KHM2013_national_Public_Use

Overview

Valid: 3787 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	1302	34.4%
2	No	2485	65.6%
Sysmiss		19	

QN34: Before age 14 first alcohol

Data file: KHM2013_national_Public_Use

Overview

Valid: 896 Invalid: 2910

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	162	18.1%
2	No	734	81.9%
Sysmiss		2910	

QN35: Drank 1+ days past 30 days

Data file: KHM2013_national_Public_Use

Overview

Valid: 3713 Invalid: 93

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	411	11.1%
2	No	3302	88.9%
Sysmiss		93	

QN36: Of current drinkers, drank 2+ drinks/day 30 days

Data file: KHM2013_national_Public_Use

Overview

Valid: 689 Invalid: 3117

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

CATEGORIES

Value	Category	Cases	
1	Yes	235	34.1%
2	No	454	65.9%
Sysmiss		3117	

QN37: Of current drinkers, got alcohol from friends**Data file: KHM2013_national_Public_Use****Overview**

Valid: 539 Invalid: 3267

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

CATEGORIES

Value	Category	Cases	
1	Yes	112	20.8%
2	No	427	79.2%
Sysmiss		3267	

QN38: 1+ times drunk in lifetime**Data file: KHM2013_national_Public_Use****Overview**

Valid: 3662 Invalid: 144

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	434	11.9%
2	No	3228	88.1%
Sysmiss		144	

QN39: Alcohol trouble 1+ times in lifetime**Data file: KHM2013_national_Public_Use****Overview**

Valid: 3617 Invalid: 189

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

CATEGORIES

Value	Category	Cases	
1	Yes	105	2.9%
2	No	3512	97.1%
Sysmiss		189	

QN40: Before age 14 first drugs

Data file: KHM2013_national_Public_Use

Overview

Valid: 133 Invalid: 3673

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

CATEGORIES

Value	Category	Cases	
1	Yes	62	46.6%
2	No	71	53.4%
Sysmiss		3673	

QN41: Marijuana 1+ times in lifetime

Data file: KHM2013_national_Public_Use

Overview

Valid: 3694 Invalid: 112

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	40	1.1%
2	No	3654	98.9%
Sysmiss		112	

QN42: Marijuana 1+ times p 30 days

Data file: KHM2013_national_Public_Use

Overview

Valid: 3741 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	34	0.9%
2	No	3707	99.1%
Sysmiss		65	

QN43: Amphetamines 1+ times lifetime

Data file: KHM2013_national_Public_Use

Overview

Valid: 3755 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	30	0.8%
2	No	3725	99.2%
Sysmiss		51	

QN47: Used condom at last sex**Data file: KHM2013_national_Public_Use****Overview**

Valid: 81 Invalid: 3725

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	49	60.5%
2	No	32	39.5%
Sysmiss		3725	

QN48: Used birth control at last sex**Data file: KHM2013_national_Public_Use****Overview**

Valid: 83 Invalid: 3723

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	25	30.1%
2	No	58	69.9%
Sysmiss		3723	

QN49: Active 60+ mins/day for 5+ of past 7 days**Data file: KHM2013_national_Public_Use****Overview**

Valid: 3775 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	438	11.6%
2	No	3337	88.4%
Sysmiss		31	

QN50: Walk/Bike to/from school 0 of past 7 days

Data file: KHM2013_national_Public_Use

Overview

Valid: 3788 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	1129	29.8%
2	No	2659	70.2%
Sysmiss		18	

QN51: 3+ days PE each week

Data file: KHM2013_national_Public_Use

Overview

Valid: 3762 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	370	9.8%
2	No	3392	90.2%
Sysmiss		44	

QN52: Sitting activities 3+ hours/day of usual day

Data file: KHM2013_national_Public_Use

Overview

Valid: 3766 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

CATEGORIES

Value	Category	Cases	
1	Yes	552	14.7%
2	No	3214	85.3%
Sysmiss		40	

QNOWTG: Overweight

Data file: KHM2013_national_Public_Use

Overview

Valid: 3650 Invalid: 156

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	154	4.2%
2	No	3496	95.8%
Sysmiss		156	

QN44: Ever had sex**Data file: KHM2013_national_Public_Use****Overview**

Valid: 3571 Invalid: 235

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	423	11.8%
2	No	3148	88.2%
Sysmiss		235	

QN45: Before age 14 first sex**Data file: KHM2013_national_Public_Use****Overview**

Valid: 86 Invalid: 3720

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

CATEGORIES

Value	Category	Cases	
1	Yes	39	45.3%
2	No	47	54.7%
Sysmiss		3720	

QN46: 2+ sex partners lifetime**Data file: KHM2013_national_Public_Use****Overview**

Valid: 3739 Invalid: 67

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

CATEGORIES

Value	Category	Cases	
1	Yes	41	1.1%
2	No	3698	98.9%
Sysmiss		67	

QNOBESEG: Obese

Data file: KHM2013_national_Public_Use

Overview

Valid: 3650 Invalid: 156

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	21	0.6%
2	No	3629	99.4%
Sysmiss		156	

QNUNWTG: Underweight

Data file: KHM2013_national_Public_Use

Overview

Valid: 3650 Invalid: 156

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	450	12.3%
2	No	3200	87.7%
Sysmiss		156	

QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: KHM2013_national_Public_Use

Overview

Valid: 3787 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	404	10.7%
2	No	3383	89.3%
Sysmiss		19	

QNANYTBG: Used any tobacco past 30 days

Data file: KHM2013_national_Public_Use

Overview

Valid: 3782 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	127	3.4%
2	No	3655	96.6%
Sysmiss		24	

QNPA7G: Physically active all past 7 days**Data file: KHM2013_national_Public_Use****Overview**

Valid: 3775 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	303	8%
2	No	3472	92%
Sysmiss		31	

QNPE5G: Attended PE 5+ days each week**Data file: KHM2013_national_Public_Use****Overview**

Valid: 3762 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

CATEGORIES

Value	Category	Cases	
1	Yes	197	5.2%
2	No	3565	94.8%
Sysmiss		44	

QNC1G: Among heavy drinkers, ever sex**Data file: KHM2013_national_Public_Use****Overview**

Valid: 398 Invalid: 3408

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	73	18.3%
2	No	325	81.7%
Sysmiss		3408	

QNC2G: Among those worried, currently bullied

Data file: KHM2013_national_Public_Use

Overview

Valid: 256 Invalid: 3550

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	123	48%
2	No	133	52%
Sysmiss		3550	

WEIGHT: Weight

Data file: KHM2013_national_Public_Use

Overview

Valid: 3806 Invalid: 0 Minimum: 65.704 Maximum: 1421.08 Mean: 225.778 Standard deviation: 145.519

Type: Continuous Decimal: 0 Width: 10 Range: 26.8444 - 111.2113 Format: Numeric Weighted: yes

STRATUM: Stratum

Data file: KHM2013_national_Public_Use

Overview

Valid: 3806 Invalid: 0 Minimum: 201301001 Maximum: 201302012 Mean: 201301515.118 Standard deviation: 500.07
Type: Continuous Decimal: 0 Width: 9 Range: 201301001 - 201301030 Format: Numeric

PSU: Primary Sampling Unit

Data file: KHM2013_national_Public_Use

Overview

Valid: 3806 Invalid: 0 Minimum: 1 Maximum: 25 Mean: 12.446 Standard deviation: 7.177
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 65 Format: Numeric

Q1: Custom Age**Data file: KHM2013_rural_Public_Use****Overview**

Valid: 1932 Invalid: 4
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	9	0.5%
2	12 years old	39	2%
3	13 years old	233	12.1%
4	14 years old	374	19.4%
5	15 years old	353	18.3%
6	16 years old	253	13.1%
7	17 years old	272	14.1%
8	18 years old or older	399	20.7%
Sysmiss		4	

Q2: Sex**Data file: KHM2013_rural_Public_Use****Overview**

Valid: 1928 Invalid: 8
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	878	45.5%
2	Female	1050	54.5%
Sysmiss		8	

Q3: In what grade are you**Data file: KHM2013_rural_Public_Use****Overview**

Valid: 1931 Invalid: 5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	7th grade	521	27%
2	8th grade	443	22.9%
3	9th grade	177	9.2%
4	10th grade	286	14.8%
5	11th grade	246	12.7%
6	12th grade	258	13.4%
Sysmiss		5	

Q4: How tall are you**Data file: KHM2013_rural_Public_Use****Overview**

Valid: 1837 Invalid: 99 Minimum: 1.23 Maximum: 1.85 Mean: 1.548 Standard deviation: 0.0859
 Type: Continuous Decimal: 2 Width: 5 Range: 1.28 - 1.89 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh**Data file: KHM2013_rural_Public_Use****Overview**

Valid: 1837 Invalid: 99 Minimum: 23 Maximum: 99 Mean: 44.71 Standard deviation: 8.36
 Type: Continuous Decimal: 2 Width: 5 Range: 28 - 162 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER

Q6: Went hungry past 30 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1932 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	886	45.9%
2	Rarely	379	19.6%
3	Sometimes	547	28.3%
4	Most of the time	73	3.8%
5	Always	47	2.4%
Sysmiss		4	

Q7: Eat fruit per day past 30 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1933 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	165	8.5%
2	Less than one time per day	735	38%
3	1 time per day	634	32.8%
4	2 times per day	280	14.5%
5	3 times per day	81	4.2%
6	4 times per day	10	0.5%
7	5 or more times per day	28	1.4%
Sysmiss		3	

Q8: Eat vegetables past 30 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1931 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	51	2.6%
2	Less than one time per day	396	20.5%
3	1 time per day	596	30.9%
4	2 times per day	683	35.4%
5	3 times per day	164	8.5%
6	4 times per day	16	0.8%
7	5 or more times per day	25	1.3%
Sysmiss		5	

Q9: Drink soft drinks past 30 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1933 Invalid: 3
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	344	17.8%
2	Less than one time per day	812	42%
3	1 time per day	503	26%
4	2 times per day	194	10%
5	3 times per day	46	2.4%
6	4 times per day	18	0.9%
7	5 or more times per day	16	0.8%
Sysmiss		3	

Q10: Ate fast food past 7 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1926 Invalid: 10
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1586	82.3%
2	1 day	234	12.1%
3	2 days	56	2.9%
4	3 days	33	1.7%

5	4 days	5	0.3%
6	5 days	1	0.1%
7	6 days	0	0%
8	7 days	11	0.6%
Sysmiss		10	

Q11: How many times per day brush teeth

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1934 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	23	1.2%
2	Less than 1 time per day	62	3.2%
3	1 time per day	344	17.8%
4	2 times per day	874	45.2%
5	3 times per day	614	31.7%
6	4 or more times per day	17	0.9%
Sysmiss		2	

Q12: Wash hands before eating past 30 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1926 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	14	0.7%
2	Rarely	24	1.2%
3	Sometimes	213	11.1%
4	Most of the time	905	47%
5	Always	770	40%
Sysmiss		10	

Q13: Wash hands after toilet past 30 day

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1925 Invalid: 11
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	25	1.3%
2	Rarely	27	1.4%
3	Sometimes	188	9.8%
4	Most of the time	737	38.3%
5	Always	948	49.2%
Sysmiss		11	

Q14: Used soap on hands past 30 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1934 Invalid: 2
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	26	1.3%
2	Rarely	29	1.5%
3	Sometimes	416	21.5%
4	Most of the time	855	44.2%
5	Always	608	31.4%
Sysmiss		2	

Q15: Times attacked past 12 mo.

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1926 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	1626	84.4%
2	1 time	150	7.8%
3	2 or 3 times	101	5.2%
4	4 or 5 times	17	0.9%
5	6 or 7 times	9	0.5%
6	8 or 9 times	6	0.3%
7	10 or 11 times	4	0.2%
8	12 or more times	13	0.7%
Sysmiss		10	

Q16: How many times in fight 12 mos**Data file: KHM2013_rural_Public_Use****Overview**

Valid: 1934 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	1752	90.6%
2	1 time	103	5.3%
3	2 or 3 times	52	2.7%
4	4 or 5 times	15	0.8%
5	6 or 7 times	4	0.2%
6	8 or 9 times	2	0.1%
7	10 or 11 times	0	0%
8	12 or more times	6	0.3%
Sysmiss		2	

Q17: How many times injured past 12 months**Data file: KHM2013_rural_Public_Use****Overview**

Valid: 1719 Invalid: 217

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	1377	80.1%
2	1 time	242	14.1%
3	2 or 3 times	74	4.3%
4	4 or 5 times	16	0.9%
5	6 or 7 times	2	0.1%
6	8 or 9 times	3	0.2%
7	10 or 11 times	3	0.2%
8	12 or more times	2	0.1%
Sysmiss		217	

Q18: What was serious injury past 12 mo.

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1783 Invalid: 153

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1564	87.7%
2	Broken bone/dislocated joint	41	2.3%
3	I had a cut or stab wound	14	0.8%
4	Concussion/head injury	74	4.2%
5	I had a gunshot wound	3	0.2%
6	I had a bad burn	15	0.8%
7	I was poisoned	7	0.4%
8	Something else happened to me	65	3.6%
Sysmiss		153	

Q19: Cause of injury past 12 mo.

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1781 Invalid: 155

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1544	86.7%
2	Motor vehicle accident	73	4.1%
3	I fell	68	3.8%
4	Something fell on me or hit me	16	0.9%
5	I was attacked	4	0.2%
6	Was in a fire	9	0.5%
7	breathed something bad	11	0.6%
8	Something else	56	3.1%
Sysmiss		155	

Q20: How many days bullied past 30 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1855 Invalid: 81

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	1465	79%

2	1 or 2 days	304	16.4%
3	3 to 5 days	55	3%
4	6 to 9 days	18	1%
5	10 to 19 days	3	0.2%
6	20 to 29 days	2	0.1%
7	All 30 days	8	0.4%
Sysmiss		81	

Q21: How bullied past 30 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1850 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	1630	88.1%
2	Kicked, pushed, or shoved	16	0.9%
3	Made fun of race	57	3.1%
4	Made fun because of religion	6	0.3%
5	Made fun of about sex	22	1.2%
6	Left out of activities	30	1.6%
7	Made fun of about body	70	3.8%
8	Some other way	19	1%
Sysmiss		86	

Q22: Times felt lonely past 12 mo.

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1923 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	521	27.1%
2	Rarely	358	18.6%
3	Sometimes	945	49.1%
4	Most of the time	84	4.4%
5	Always	15	0.8%
Sysmiss		13	

Q23: Times could not sleep past 12 mo.

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1932 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	538	27.8%
2	Rarely	462	23.9%
3	Sometimes	821	42.5%
4	Most of the time	94	4.9%
5	Always	17	0.9%
Sysmiss		4	

Q24: Ever considered suicide 12 mos**Data file:** KHM2013_rural_Public_Use**Overview**

Valid: 1909 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	117	6.1%
2	No	1792	93.9%
Sysmiss		27	

Q25: Ever make suicide plan 12 mos**Data file:** KHM2013_rural_Public_Use**Overview**

Valid: 1916 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	163	8.5%
2	No	1753	91.5%
Sysmiss		20	

Q26: Times attempted suicide 12 mos.**Data file:** KHM2013_rural_Public_Use

Overview

Valid: 1931 Invalid: 5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	1801	93.3%
2	1 time	82	4.2%
3	2 or 3 times	23	1.2%
4	4 or 5 times	18	0.9%
5	6 or more times	7	0.4%
Sysmiss		5	

Q27: Number close friends

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1920 Invalid: 16
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	89	4.6%
2	1	218	11.4%
3	2	333	17.3%
4	3 or more	1280	66.7%
Sysmiss		16	

Q28: Age first smoked**Data file: KHM2013_rural_Public_Use****Overview**

Valid: 1760 Invalid: 176

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1672	95%
2	7 years old or younger	11	0.6%
3	8 or 9 years old	10	0.6%
4	10 or 11 years old	10	0.6%
5	12 or 13 years old	10	0.6%
6	14 or 15 years old	18	1%
7	16 or 17 years old	15	0.9%
8	18 years old or older	14	0.8%
Sysmiss		176	

Q29: How many days smoked 30 days**Data file: KHM2013_rural_Public_Use****Overview**

Valid: 1926 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	1879	97.6%
2	1 or 2 days	30	1.6%

3	3 to 5 days	8	0.4%
4	6 to 9 days	4	0.2%
5	10 to 19 days	1	0.1%
6	20 to 29 days	1	0.1%
7	All 30 days	3	0.2%
Sysmiss		10	

Q30: Other tobacco past 30 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1932 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1883	97.5%
2	1 or 2 days	28	1.4%
3	3 to 5 days	6	0.3%
4	6 to 9 days	7	0.4%
5	10 to 19 days	3	0.2%
6	20 to 29 days	2	0.1%
7	All 30 days	3	0.2%
Sysmiss		4	

Q31: Try stop smoking past 12 mo.

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1787 Invalid: 149

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1733	97%
2	Did not smoke cigarettes	19	1.1%
3	Yes	25	1.4%
4	No	10	0.6%
Sysmiss		149	

Q32: Others present smoking past 7 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1931 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	947	49%
2	1 or 2 days	746	38.6%
3	3 or 4 days	130	6.7%
4	5 or 6 days	41	2.1%
5	All 7 days	67	3.5%
Sysmiss		5	

Q33: Parents who use tobacco

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1929 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	1165	60.4%
2	My father or male guardian	655	34%
3	My mother or female guardian	38	2%
4	Both	48	2.5%
5	I do not know	23	1.2%
Sysmiss		7	

Q34: Age first alcohol

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1646 Invalid: 290

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	1238	75.2%
2	7 years old or younger	23	1.4%
3	8 or 9 years old	14	0.9%
4	10 or 11 years old	12	0.7%
5	12 or 13 years old	30	1.8%
6	14 or 15 years old	76	4.6%

7	16 or 17 years old	131	8%
8	18 years old or older	122	7.4%
Sysmiss		290	

Q35: Days one drink or more past 30 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1902 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	1728	90.9%
2	1 or 2 days	121	6.4%
3	3 to 5 days	27	1.4%
4	6 to 9 days	7	0.4%
5	10 to 19 days	7	0.4%
6	20 to 29 days	7	0.4%
7	All 30 days	5	0.3%
Sysmiss		34	

Q36: Number of drinks past 30 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1889 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1553	82.2%
2	Less than one drink	180	9.5%
3	1 drink	58	3.1%
4	2 drinks	24	1.3%
5	3 drinks	24	1.3%
6	4 drinks	8	0.4%
7	5 or more drinks	42	2.2%
Sysmiss		47	

Q37: How got drinks past 30 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1849 Invalid: 87

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1603	86.7%
2	I bought in a store	115	6.2%
3	I gave someone money to buy	20	1.1%
4	I got it from my friends	49	2.7%
5	I got it from my family	41	2.2%
6	I stole it	1	0.1%
7	Some other way	20	1.1%
Sysmiss		87	

Q38: Times drunk during life**Data file:** KHM2013_rural_Public_Use**Overview**

Valid: 1872 Invalid: 64

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	1673	89.4%
2	1 or 2 times	160	8.5%
3	3 to 9 times	27	1.4%
4	10 or more times	12	0.6%
Sysmiss		64	

Q39: Number of troubles as result of drinking**Data file:** KHM2013_rural_Public_Use**Overview**

Valid: 1837 Invalid: 99

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	1786	97.2%

2	1 or 2 times	36	2%
3	3 to 9 times	5	0.3%
4	10 or more times	10	0.5%
Sysmiss		99	

Q40: Age first drugs

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1854 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1791	96.6%
2	7 years old or younger	6	0.3%
3	8 or 9 years old	13	0.7%
4	10 or 11 years old	3	0.2%
5	12 or 13 years old	7	0.4%
6	14 or 15 years old	6	0.3%
7	16 or 17 years old	11	0.6%
8	18 years old or older	17	0.9%
Sysmiss		82	

Q41: Times used marijuana lifetime

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1877 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	1857	98.9%
2	1 or 2 times	12	0.6%
3	3 to 9 times	3	0.2%
4	10 to 19 times	4	0.2%
5	20 or more times	1	0.1%
Sysmiss		59	

Q42: Times used marijuana past 30 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1897 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	1882	99.2%
2	1 or 2 times	12	0.6%
3	3 to 9 times	2	0.1%
4	10 to 19 times	1	0.1%
5	20 or more times	0	0%
Sysmiss		39	

Q43: Times used amphetamines lifetime

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1910 Invalid: 26
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	1896	99.3%
2	1 or 2 times	10	0.5%
3	3 to 9 times	3	0.2%
4	10 to 19 times	1	0.1%
5	20 or more times	0	0%
Sysmiss		26	

Q44: Ever had sex

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1797 Invalid: 139
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	219	12.2%
2	No	1578	87.8%
Sysmiss		139	

Q45: Age first sexual intercourse**Data file: KHM2013_rural_Public_Use****Overview**

Valid: 1904 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1868	98.1%
2	11 years old or younger	14	0.7%
3	12 years old	1	0.1%
4	13 years old	3	0.2%
5	14 years old	2	0.1%
6	15 years old	3	0.2%
7	16 or 17 years old	1	0.1%
8	18 years old or older	12	0.6%
Sysmiss		32	

Q46: How many sex partners**Data file: KHM2013_rural_Public_Use****Overview**

Valid: 1899 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1859	97.9%
2	1 person	18	0.9%

3	2 people	9	0.5%
4	3 people	5	0.3%
5	4 people	3	0.2%
6	5 people	2	0.1%
7	6 or more people	3	0.2%
Sysmiss		37	

Q47: Used condom at last intercourse

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1867 Invalid: 69

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1832	98.1%
2	Yes	24	1.3%
3	No	11	0.6%
Sysmiss		69	

Q48: Used birth control last intercourse

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1854 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1816	98%
2	Yes	12	0.6%
3	No	14	0.8%
4	I do not know	12	0.6%
Sysmiss		82	

Q49: Days active 60 min plus past 7 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1925 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	752	39.1%
2	1 day	600	31.2%
3	2 days	228	11.8%
4	3 days	101	5.2%
5	4 days	57	3%
6	5 days	27	1.4%
7	6 days	27	1.4%
8	7 days	133	6.9%
Sysmiss		11	

Q50: Walk or bike to school past 7 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1930 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	525	27.2%
2	1 day	183	9.5%
3	2 days	105	5.4%
4	3 days	58	3%
5	4 days	57	3%
6	5 days	33	1.7%
7	6 days	381	19.7%
8	7 days	588	30.5%
Sysmiss		6	

Q51: Days went to PE each week

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1912 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	668	34.9%
2	1 day	734	38.4%
3	2 days	312	16.3%

4	3 days	71	3.7%
5	4 days	28	1.5%
6	5 or more days	99	5.2%
Sysmiss		24	

Q52: Time spent sitting on usual day

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1916 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	1214	63.4%
2	1 to 2 hours per day	522	27.2%
3	3 to 4 hours per day	98	5.1%
4	5 to 6 hours per day	26	1.4%
5	7 to 8 hours per day	21	1.1%
6	More than 8 hours per day	35	1.8%
Sysmiss		20	

QN6: Went hungry most of time/always past 30 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1932 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	120	6.2%
2	No	1812	93.8%
Sysmiss		4	

QN7: Ate fruit 2+ times per day past 30 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1933 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	399	20.6%
2	No	1534	79.4%
Sysmiss		3	

QN8: Ate vegetables 3+ times per day past 30 day

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1931 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	205	10.6%
2	No	1726	89.4%
Sysmiss		5	

QN9: Drank soft drinks 1+ times per day past 30 day**Data file: KHM2013_rural_Public_Use****Overview**

Valid: 1933 Invalid: 3
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	777	40.2%
2	No	1156	59.8%
Sysmiss		3	

QN10: Ate fast food 3+ days past 7 day**Data file: KHM2013_rural_Public_Use****Overview**

Valid: 1926 Invalid: 10
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

CATEGORIES

Value	Category	Cases	
1	Yes	50	2.6%
2	No	1876	97.4%
Sysmiss		10	

QN11: Cleaned/brushed teeth <1 time/day past 30 days**Data file: KHM2013_rural_Public_Use****Overview**

Valid: 1934 Invalid: 2
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	85	4.4%
2	No	1849	95.6%
Sysmiss		2	

QN12: Never/rarely wash hands before eating past 30 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1926 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	38	2%
2	No	1888	98%
Sysmiss		10	

QN13: Never/rarely wash hands after toilet past 30 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1925 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	52	2.7%
2	No	1873	97.3%
Sysmiss		11	

QN14: Never/rarely use soap on hands past 30 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1934 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	55	2.8%
2	No	1879	97.2%
Sysmiss		2	

QN15: Attacked 1+ times past 12 months

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1926 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	300	15.6%
2	No	1626	84.4%
Sysmiss		10	

QN16: In fight 1+ times past 12 months**Data file: KHM2013_rural_Public_Use****Overview**

Valid: 1934 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	182	9.4%
2	No	1752	90.6%
Sysmiss		2	

QN17: Seriously injured 1+ times past 12 months**Data file: KHM2013_rural_Public_Use****Overview**

Valid: 1719 Invalid: 217

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	342	19.9%
2	No	1377	80.1%
Sysmiss		217	

QN18: Broken bone as most serious injury**Data file: KHM2013_rural_Public_Use****Overview**

Valid: 219 Invalid: 1717

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

CATEGORIES

Value	Category	Cases	
1	Yes	41	18.7%
2	No	178	81.3%
Sysmiss		1717	

QN19: Motor vehicle caused most serious injury

Data file: KHM2013_rural_Public_Use

Overview

Valid: 237 Invalid: 1699

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

CATEGORIES

Value	Category	Cases	
1	Yes	73	30.8%
2	No	164	69.2%
Sysmiss		1699	

QN20: Bullied 1+ of past 30 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1855 Invalid: 81

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	390	21%
2	No	1465	79%
Sysmiss		81	

QN21: Of students bullied, most often hit, kicked, etc

Data file: KHM2013_rural_Public_Use

Overview

Valid: 220 Invalid: 1716

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

CATEGORIES

Value	Category	Cases	
1	Yes	16	7.3%
2	No	204	92.7%
Sysmiss		1716	

QN22: Lonely most times/always past 12 months

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1923 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	99	5.1%
2	No	1824	94.9%
Sysmiss		13	

QN23: Worry prevented sleep most time/always past 12 mos**Data file: KHM2013_rural_Public_Use****Overview**

Valid: 1932 Invalid: 4
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	111	5.7%
2	No	1821	94.3%
Sysmiss		4	

QN24: Considered suicide past 12 months**Data file: KHM2013_rural_Public_Use****Overview**

Valid: 1909 Invalid: 27
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	117	6.1%
2	No	1792	93.9%
Sysmiss		27	

QN25: Made suicide plan past 12 months**Data file: KHM2013_rural_Public_Use****Overview**

Valid: 1916 Invalid: 20
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	163	8.5%
2	No	1753	91.5%
Sysmiss		20	

QN26: 1+ times attempt suicide 12 mos.

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1931 Invalid: 5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	130	6.7%
2	No	1801	93.3%
Sysmiss		5	

QN27: No close friends

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1920 Invalid: 16
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had no close friends

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	89	4.6%
2	No	1831	95.4%
Sysmiss		16	

QN28: Before age 14 first smoked

Data file: KHM2013_rural_Public_Use

Overview

Valid: 88 Invalid: 1848

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

CATEGORIES

Value	Category	Cases	
1	Yes	41	46.6%
2	No	47	53.4%
Sysmiss		1848	

QN29: Smoked cigarettes 1+ of past 30 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1926 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	47	2.4%
2	No	1879	97.6%
Sysmiss		10	

QN30: Used other tobacco 1+ of past 30 days**Data file:** KHM2013_rural_Public_Use**Overview**

Valid: 1932 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	49	2.5%
2	No	1883	97.5%
Sysmiss		4	

QN31: Tried to quit smoking past 12 months**Data file:** KHM2013_rural_Public_Use**Overview**

Valid: 35 Invalid: 1901

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	25	71.4%
2	No	10	28.6%
Sysmiss		1901	

QN32: Others present smoking 1+ of past 7 days**Data file:** KHM2013_rural_Public_Use**Overview**

Valid: 1931 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	984	51%
2	No	947	49%
Sysmiss		5	

QN33: Either/Both parents use tobacco

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1929 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	741	38.4%
2	No	1188	61.6%
Sysmiss		7	

QN34: Before age 14 first alcohol

Data file: KHM2013_rural_Public_Use

Overview

Valid: 408 Invalid: 1528

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	79	19.4%
2	No	329	80.6%
Sysmiss		1528	

QN35: Drank 1+ days past 30 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1902 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	174	9.1%
2	No	1728	90.9%
Sysmiss		34	

QN36: Of current drinkers, drank 2+ drinks/day 30 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 336 Invalid: 1600

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

CATEGORIES

Value	Category	Cases	
1	Yes	98	29.2%
2	No	238	70.8%
Sysmiss		1600	

QN37: Of current drinkers, got alcohol from friends**Data file:** KHM2013_rural_Public_Use**Overview**

Valid: 246 Invalid: 1690

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

CATEGORIES

Value	Category	Cases	
1	Yes	49	19.9%
2	No	197	80.1%
Sysmiss		1690	

QN38: 1+ times drunk in lifetime**Data file:** KHM2013_rural_Public_Use**Overview**

Valid: 1872 Invalid: 64

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	199	10.6%
2	No	1673	89.4%
Sysmiss		64	

QN39: Alcohol trouble 1+ times in lifetime**Data file:** KHM2013_rural_Public_Use**Overview**

Valid: 1837 Invalid: 99

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

CATEGORIES

Value	Category	Cases	
1	Yes	51	2.8%
2	No	1786	97.2%
Sysmiss		99	

QN40: Before age 14 first drugs

Data file: KHM2013_rural_Public_Use

Overview

Valid: 63 Invalid: 1873

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

CATEGORIES

Value	Category	Cases	
1	Yes	29	46%
2	No	34	54%
Sysmiss		1873	

QN41: Marijuana 1+ times in lifetime

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1877 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	20	1.1%
2	No	1857	98.9%
Sysmiss		59	

QN42: Marijuana 1+ times p 30 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1897 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	15	0.8%
2	No	1882	99.2%
Sysmiss		39	

QN43: Amphetamines 1+ times lifetime

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1910 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	14	0.7%
2	No	1896	99.3%
Sysmiss		26	

QN44: Ever had sex**Data file:** KHM2013_rural_Public_Use**Overview**

Valid: 1797 Invalid: 139

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	219	12.2%
2	No	1578	87.8%
Sysmiss		139	

QN45: Before age 14 first sex**Data file:** KHM2013_rural_Public_Use**Overview**

Valid: 36 Invalid: 1900

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

CATEGORIES

Value	Category	Cases	
1	Yes	18	50%
2	No	18	50%
Sysmiss		1900	

QN46: 2+ sex partners lifetime**Data file:** KHM2013_rural_Public_Use**Overview**

Valid: 1899 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

CATEGORIES

Value	Category	Cases	
1	Yes	22	1.2%
2	No	1877	98.8%
Sysmiss		37	

QN47: Used condom at last sex

Data file: KHM2013_rural_Public_Use

Overview

Valid: 35 Invalid: 1901

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	24	68.6%
2	No	11	31.4%
Sysmiss		1901	

QN48: Used birth control at last sex

Data file: KHM2013_rural_Public_Use

Overview

Valid: 38 Invalid: 1898

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	12	31.6%
2	No	26	68.4%
Sysmiss		1898	

QN49: Active 60+ mins/day for 5+ of past 7 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1925 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	187	9.7%
2	No	1738	90.3%
Sysmiss		11	

QN50: Walk/Bike to/from school 0 of past 7 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1930 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	525	27.2%
2	No	1405	72.8%
Sysmiss		6	

QN51: 3+ days PE each week**Data file:** KHM2013_rural_Public_Use**Overview**

Valid: 1912 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

CATEGORIES

Value	Category	Cases	
1	Yes	198	10.4%
2	No	1714	89.6%
Sysmiss		24	

QN52: Sitting activities 3+ hours/day of usual day**Data file:** KHM2013_rural_Public_Use**Overview**

Valid: 1916 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

CATEGORIES

Value	Category	Cases	
1	Yes	180	9.4%
2	No	1736	90.6%
Sysmiss		20	

QNOWTG: Overweight**Data file:** KHM2013_rural_Public_Use**Overview**

Valid: 1837 Invalid: 99

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	45	2.4%
2	No	1792	97.6%
Sysmiss		99	

QNOBESEG: Obese

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1837 Invalid: 99

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	4	0.2%
2	No	1833	99.8%
Sysmiss		99	

QNUNWTG: Underweight

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1837 Invalid: 99

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	228	12.4%
2	No	1609	87.6%
Sysmiss		99	

QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1930 Invalid: 6
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	168	8.7%
2	No	1762	91.3%
Sysmiss		6	

QNANYTBG: Used any tobacco past 30 days

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1924 Invalid: 12
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	68	3.5%
2	No	1856	96.5%
Sysmiss		12	

QNPA7G: Physically active all past 7 days**Data file:** KHM2013_rural_Public_Use**Overview**

Valid: 1925 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	133	6.9%
2	No	1792	93.1%
Sysmiss		11	

QNPE5G: Attended PE 5+ days each week**Data file:** KHM2013_rural_Public_Use**Overview**

Valid: 1912 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

CATEGORIES

Value	Category	Cases	
1	Yes	99	5.2%
2	No	1813	94.8%
Sysmiss		24	

QNC1G: Among heavy drinkers, ever sex**Data file:** KHM2013_rural_Public_Use**Overview**

Valid: 180 Invalid: 1756

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	24	13.3%
2	No	156	86.7%
Sysmiss		1756	

QNC2G: Among those worried, currently bullied

Data file: KHM2013_rural_Public_Use

Overview

Valid: 99 Invalid: 1837

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	44	44.4%
2	No	55	55.6%
Sysmiss		1837	

WEIGHT: Weight

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1936 Invalid: 0 Minimum: 160.838 Maximum: 1421.08 Mean: 327.904 Standard deviation: 137.307

Type: Continuous Decimal: 0 Width: 10 Range: 26.8444 - 111.2113 Format: Numeric Weighted: yes

STRATUM: Stratum

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1936 Invalid: 0 Minimum: 201302001 Maximum: 201302012 Mean: 201302006.279 Standard deviation: 9.202
Type: Continuous Decimal: 0 Width: 9 Range: 201301001 - 201301030 Format: Numeric

PSU: Primary Sampling Unit

Data file: KHM2013_rural_Public_Use

Overview

Valid: 1936 Invalid: 0 Minimum: 1 Maximum: 25 Mean: 12.133 Standard deviation: 7.136
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 65 Format: Numeric

Q1: Custom Age**Data file: KHM2013_urban_Public_Use****Overview**

Valid: 1866 Invalid: 4
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	3	0.2%
2	12 years old	39	2.1%
3	13 years old	218	11.7%
4	14 years old	269	14.4%
5	15 years old	287	15.4%
6	16 years old	268	14.4%
7	17 years old	313	16.8%
8	18 years old or older	469	25.1%
Sysmiss		4	

Q2: Sex**Data file: KHM2013_urban_Public_Use****Overview**

Valid: 1866 Invalid: 4
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	913	48.9%
2	Female	953	51.1%
Sysmiss		4	

Q3: In what grade are you**Data file: KHM2013_urban_Public_Use****Overview**

Valid: 1857 Invalid: 13
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	7th grade	372	20%
2	8th grade	242	13%
3	9th grade	409	22%
4	10th grade	169	9.1%
5	11th grade	294	15.8%
6	12th grade	371	20%
Sysmiss		13	

Q4: How tall are you**Data file: KHM2013_urban_Public_Use****Overview**

Valid: 1813 Invalid: 57 Minimum: 1.29 Maximum: 1.84 Mean: 1.564 Standard deviation: 0.0859
 Type: Continuous Decimal: 2 Width: 5 Range: 1.28 - 1.89 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh**Data file: KHM2013_urban_Public_Use****Overview**

Valid: 1813 Invalid: 57 Minimum: 25 Maximum: 107 Mean: 47.124 Standard deviation: 9.566
 Type: Continuous Decimal: 2 Width: 5 Range: 28 - 162 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER

Q6: Went hungry past 30 days

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1867 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	844	45.2%
2	Rarely	336	18%
3	Sometimes	577	30.9%
4	Most of the time	65	3.5%
5	Always	45	2.4%
Sysmiss		3	

Q7: Eat fruit per day past 30 days

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1865 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	136	7.3%
2	Less than one time per day	708	38%
3	1 time per day	558	29.9%
4	2 times per day	289	15.5%
5	3 times per day	121	6.5%
6	4 times per day	20	1.1%
7	5 or more times per day	33	1.8%
Sysmiss		5	

Q8: Eat vegetables past 30 days

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1861 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	43	2.3%
2	Less than one time per day	340	18.3%
3	1 time per day	580	31.2%
4	2 times per day	603	32.4%
5	3 times per day	242	13%
6	4 times per day	22	1.2%
7	5 or more times per day	31	1.7%
Sysmiss		9	

Q9: Drink soft drinks past 30 days

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1866 Invalid: 4
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	163	8.7%
2	Less than one time per day	759	40.7%
3	1 time per day	538	28.8%
4	2 times per day	260	13.9%
5	3 times per day	89	4.8%
6	4 times per day	23	1.2%
7	5 or more times per day	34	1.8%
Sysmiss		4	

Q10: Ate fast food past 7 days

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1860 Invalid: 10
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1226	65.9%
2	1 day	447	24%
3	2 days	98	5.3%
4	3 days	53	2.8%

5	4 days	9	0.5%
6	5 days	7	0.4%
7	6 days	4	0.2%
8	7 days	16	0.9%
Sysmiss		10	

Q11: How many times per day brush teeth

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1870 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	9	0.5%
2	Less than 1 time per day	24	1.3%
3	1 time per day	191	10.2%
4	2 times per day	778	41.6%
5	3 times per day	818	43.7%
6	4 or more times per day	50	2.7%

Q12: Wash hands before eating past 30 days

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1854 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	13	0.7%
2	Rarely	18	1%
3	Sometimes	237	12.8%
4	Most of the time	850	45.8%
5	Always	736	39.7%
Sysmiss		16	

Q13: Wash hands after toilet past 30 day

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1860 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	7	0.4%
2	Rarely	21	1.1%
3	Sometimes	119	6.4%
4	Most of the time	735	39.5%
5	Always	978	52.6%
Sysmiss		10	

Q14: Used soap on hands past 30 days

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1865 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	11	0.6%
2	Rarely	26	1.4%
3	Sometimes	309	16.6%
4	Most of the time	851	45.6%
5	Always	668	35.8%
Sysmiss		5	

Q15: Times attacked past 12 mo.

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1853 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	1503	81.1%
2	1 time	144	7.8%
3	2 or 3 times	126	6.8%
4	4 or 5 times	34	1.8%
5	6 or 7 times	12	0.6%
6	8 or 9 times	5	0.3%
7	10 or 11 times	4	0.2%
8	12 or more times	25	1.3%
Sysmiss		17	

Q16: How many times in fight 12 mos**Data file: KHM2013_urban_Public_Use****Overview**

Valid: 1868 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	1636	87.6%
2	1 time	142	7.6%
3	2 or 3 times	53	2.8%
4	4 or 5 times	15	0.8%
5	6 or 7 times	6	0.3%
6	8 or 9 times	5	0.3%
7	10 or 11 times	1	0.1%
8	12 or more times	10	0.5%
Sysmiss		2	

Q17: How many times injured past 12 months**Data file: KHM2013_urban_Public_Use****Overview**

Valid: 1671 Invalid: 199

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	0 times	1337	80%
2	1 time	219	13.1%
3	2 or 3 times	91	5.4%
4	4 or 5 times	9	0.5%
5	6 or 7 times	7	0.4%
6	8 or 9 times	4	0.2%
7	10 or 11 times	1	0.1%
8	12 or more times	3	0.2%
Sysmiss		199	

Q18: What was serious injury past 12 mo.

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1743 Invalid: 127

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1540	88.4%
2	Broken bone/dislocated joint	55	3.2%
3	I had a cut or stab wound	8	0.5%
4	Concussion/head injury	57	3.3%
5	I had a gunshot wound	2	0.1%
6	I had a bad burn	5	0.3%
7	I was poisoned	14	0.8%
8	Something else happened to me	62	3.6%
Sysmiss		127	

Q19: Cause of injury past 12 mo.

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1719 Invalid: 151

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1501	87.3%
2	Motor vehicle accident	92	5.4%
3	I fell	39	2.3%
4	Something fell on me or hit me	11	0.6%
5	I was attacked	6	0.3%
6	Was in a fire	7	0.4%
7	breathed something bad	15	0.9%
8	Something else	48	2.8%
Sysmiss		151	

Q20: How many days bullied past 30 days

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1814 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	1337	73.7%

2	1 or 2 days	373	20.6%
3	3 to 5 days	61	3.4%
4	6 to 9 days	13	0.7%
5	10 to 19 days	8	0.4%
6	20 to 29 days	6	0.3%
7	All 30 days	16	0.9%
Sysmiss		56	

Q21: How bullied past 30 days

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1802 Invalid: 68

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	1528	84.8%
2	Kicked, pushed, or shoved	24	1.3%
3	Made fun of race	56	3.1%
4	Made fun because of religion	18	1%
5	Made fun of about sex	34	1.9%
6	Left out of activities	37	2.1%
7	Made fun of about body	76	4.2%
8	Some other way	29	1.6%
Sysmiss		68	

Q22: Times felt lonely past 12 mo.

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1851 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	436	23.6%
2	Rarely	337	18.2%
3	Sometimes	914	49.4%
4	Most of the time	133	7.2%
5	Always	31	1.7%
Sysmiss		19	

Q23: Times could not sleep past 12 mo.

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1866 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	483	25.9%
2	Rarely	410	22%
3	Sometimes	808	43.3%
4	Most of the time	135	7.2%
5	Always	30	1.6%
Sysmiss		4	

Q24: Ever considered suicide 12 mos**Data file:** KHM2013_urban_Public_Use**Overview**

Valid: 1834 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	132	7.2%
2	No	1702	92.8%
Sysmiss		36	

Q25: Ever make suicide plan 12 mos**Data file:** KHM2013_urban_Public_Use**Overview**

Valid: 1857 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	161	8.7%
2	No	1696	91.3%
Sysmiss		13	

Q26: Times attempted suicide 12 mos.**Data file:** KHM2013_urban_Public_Use

Overview

Valid: 1858 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	1724	92.8%
2	1 time	67	3.6%
3	2 or 3 times	46	2.5%
4	4 or 5 times	15	0.8%
5	6 or more times	6	0.3%
Sysmiss		12	

Q27: Number close friends

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1853 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	113	6.1%
2	1	201	10.8%
3	2	292	15.8%
4	3 or more	1247	67.3%
Sysmiss		17	

Q28: Age first smoked**Data file: KHM2013_urban_Public_Use****Overview**

Valid: 1775 Invalid: 95

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1639	92.3%
2	7 years old or younger	24	1.4%
3	8 or 9 years old	11	0.6%
4	10 or 11 years old	15	0.8%
5	12 or 13 years old	20	1.1%
6	14 or 15 years old	21	1.2%
7	16 or 17 years old	23	1.3%
8	18 years old or older	22	1.2%
Sysmiss		95	

Q29: How many days smoked 30 days**Data file: KHM2013_urban_Public_Use****Overview**

Valid: 1860 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	1805	97%
2	1 or 2 days	31	1.7%

3	3 to 5 days	6	0.3%
4	6 to 9 days	7	0.4%
5	10 to 19 days	6	0.3%
6	20 to 29 days	1	0.1%
7	All 30 days	4	0.2%
Sysmiss		10	

Q30: Other tobacco past 30 days

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1867 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1841	98.6%
2	1 or 2 days	15	0.8%
3	3 to 5 days	5	0.3%
4	6 to 9 days	2	0.1%
5	10 to 19 days	1	0.1%
6	20 to 29 days	0	0%
7	All 30 days	3	0.2%
Sysmiss		3	

Q31: Try stop smoking past 12 mo.

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1786 Invalid: 84

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1707	95.6%
2	Did not smoke cigarettes	30	1.7%
3	Yes	37	2.1%
4	No	12	0.7%
Sysmiss		84	

Q32: Others present smoking past 7 days

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1864 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	989	53.1%
2	1 or 2 days	670	35.9%
3	3 or 4 days	110	5.9%
4	5 or 6 days	23	1.2%
5	All 7 days	72	3.9%
Sysmiss		6	

Q33: Parents who use tobacco

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1858 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	1260	67.8%
2	My father or male guardian	516	27.8%
3	My mother or female guardian	21	1.1%
4	Both	24	1.3%
5	I do not know	37	2%
Sysmiss		12	

Q34: Age first alcohol

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1618 Invalid: 252

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	1130	69.8%
2	7 years old or younger	14	0.9%
3	8 or 9 years old	16	1%
4	10 or 11 years old	17	1.1%
5	12 or 13 years old	36	2.2%
6	14 or 15 years old	95	5.9%

7	16 or 17 years old	161	10%
8	18 years old or older	149	9.2%
Sysmiss		252	

Q35: Days one drink or more past 30 days

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1811 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	1574	86.9%
2	1 or 2 days	173	9.6%
3	3 to 5 days	24	1.3%
4	6 to 9 days	11	0.6%
5	10 to 19 days	10	0.6%
6	20 to 29 days	13	0.7%
7	All 30 days	6	0.3%
Sysmiss		59	

Q36: Number of drinks past 30 days

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1823 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1470	80.6%
2	Less than one drink	155	8.5%
3	1 drink	61	3.3%
4	2 drinks	29	1.6%
5	3 drinks	23	1.3%
6	4 drinks	20	1.1%
7	5 or more drinks	65	3.6%
Sysmiss		47	

Q37: How got drinks past 30 days

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1784 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1491	83.6%
2	I bought in a store	125	7%
3	I gave someone money to buy	22	1.2%
4	I got it from my friends	63	3.5%
5	I got it from my family	58	3.3%
6	I stole it	2	0.1%
7	Some other way	23	1.3%
Sysmiss		86	

Q38: Times drunk during life**Data file:** KHM2013_urban_Public_Use**Overview**

Valid: 1790 Invalid: 80

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	1555	86.9%
2	1 or 2 times	181	10.1%
3	3 to 9 times	28	1.6%
4	10 or more times	26	1.5%
Sysmiss		80	

Q39: Number of troubles as result of drinking**Data file:** KHM2013_urban_Public_Use**Overview**

Valid: 1780 Invalid: 90

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	1726	97%

2	1 or 2 times	37	2.1%
3	3 to 9 times	4	0.2%
4	10 or more times	13	0.7%
Sysmiss		90	

Q40: Age first drugs

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1810 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1740	96.1%
2	7 years old or younger	15	0.8%
3	8 or 9 years old	8	0.4%
4	10 or 11 years old	7	0.4%
5	12 or 13 years old	3	0.2%
6	14 or 15 years old	12	0.7%
7	16 or 17 years old	12	0.7%
8	18 years old or older	13	0.7%
Sysmiss		60	

Q41: Times used marijuana lifetime

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1817 Invalid: 53

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	1797	98.9%
2	1 or 2 times	8	0.4%
3	3 to 9 times	6	0.3%
4	10 to 19 times	5	0.3%
5	20 or more times	1	0.1%
Sysmiss		53	

Q42: Times used marijuana past 30 days

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1844 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	1825	99%
2	1 or 2 times	9	0.5%
3	3 to 9 times	6	0.3%
4	10 to 19 times	3	0.2%
5	20 or more times	1	0.1%
Sysmiss		26	

Q43: Times used amphetamines lifetime

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1845 Invalid: 25
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	1829	99.1%
2	1 or 2 times	8	0.4%
3	3 to 9 times	5	0.3%
4	10 to 19 times	2	0.1%
5	20 or more times	1	0.1%
Sysmiss		25	

Q44: Ever had sex

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1774 Invalid: 96
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	204	11.5%
2	No	1570	88.5%
Sysmiss		96	

Q45: Age first sexual intercourse**Data file: KHM2013_urban_Public_Use****Overview**

Valid: 1843 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1793	97.3%
2	11 years old or younger	11	0.6%
3	12 years old	6	0.3%
4	13 years old	4	0.2%
5	14 years old	3	0.2%
6	15 years old	2	0.1%
7	16 or 17 years old	8	0.4%
8	18 years old or older	16	0.9%
Sysmiss		27	

Q46: How many sex partners**Data file: KHM2013_urban_Public_Use****Overview**

Valid: 1840 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1796	97.6%
2	1 person	25	1.4%

3	2 people	12	0.7%
4	3 people	2	0.1%
5	4 people	2	0.1%
6	5 people	0	0%
7	6 or more people	3	0.2%
Sysmiss		30	

Q47: Used condom at last intercourse

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1805 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1759	97.5%
2	Yes	25	1.4%
3	No	21	1.2%
Sysmiss		65	

Q48: Used birth control last intercourse

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1818 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1773	97.5%
2	Yes	13	0.7%
3	No	24	1.3%
4	I do not know	8	0.4%
Sysmiss		52	

Q49: Days active 60 min plus past 7 days

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1850 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	683	36.9%
2	1 day	571	30.9%
3	2 days	192	10.4%
4	3 days	111	6%
5	4 days	42	2.3%
6	5 days	56	3%
7	6 days	25	1.4%
8	7 days	170	9.2%
Sysmiss		20	

Q50: Walk or bike to school past 7 days

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1858 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	604	32.5%
2	1 day	207	11.1%
3	2 days	107	5.8%
4	3 days	63	3.4%
5	4 days	55	3%
6	5 days	47	2.5%
7	6 days	297	16%
8	7 days	478	25.7%
Sysmiss		12	

Q51: Days went to PE each week

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1850 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	817	44.2%
2	1 day	670	36.2%
3	2 days	191	10.3%

4	3 days	47	2.5%
5	4 days	27	1.5%
6	5 or more days	98	5.3%
Sysmiss		20	

Q52: Time spent sitting on usual day

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1850 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	870	47%
2	1 to 2 hours per day	608	32.9%
3	3 to 4 hours per day	188	10.2%
4	5 to 6 hours per day	79	4.3%
5	7 to 8 hours per day	36	1.9%
6	More than 8 hours per day	69	3.7%
Sysmiss		20	

QN6: Went hungry most of time/always past 30 days

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1867 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	110	5.9%
2	No	1757	94.1%
Sysmiss		3	

QN7: Ate fruit 2+ times per day past 30 days

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1865 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	463	24.8%
2	No	1402	75.2%
Sysmiss		5	

QN8: Ate vegetables 3+ times per day past 30 day

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1861 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	295	15.9%
2	No	1566	84.1%
Sysmiss		9	

QN9: Drank soft drinks 1+ times per day past 30 day**Data file: KHM2013_urban_Public_Use****Overview**

Valid: 1866 Invalid: 4
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	944	50.6%
2	No	922	49.4%
Sysmiss		4	

QN10: Ate fast food 3+ days past 7 day**Data file: KHM2013_urban_Public_Use****Overview**

Valid: 1860 Invalid: 10
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

CATEGORIES

Value	Category	Cases	
1	Yes	89	4.8%
2	No	1771	95.2%
Sysmiss		10	

QN11: Cleaned/brushed teeth <1 time/day past 30 days**Data file: KHM2013_urban_Public_Use****Overview**

Valid: 1870 Invalid: 0
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	33	1.8%
2	No	1837	98.2%

QN12: Never/rarely wash hands before eating past 30 days

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1854 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	31	1.7%
2	No	1823	98.3%
Sysmiss		16	

QN13: Never/rarely wash hands after toilet past 30 days

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1860 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	28	1.5%

2	No	1832	98.5%
Sysmiss		10	

QN14: Never/rarely use soap on hands past 30 days

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1865 Invalid: 5
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	37	2%
2	No	1828	98%
Sysmiss		5	

QN15: Attacked 1+ times past 12 months

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1853 Invalid: 17
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	350	18.9%
2	No	1503	81.1%
Sysmiss		17	

QN16: In fight 1+ times past 12 months

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1868 Invalid: 2
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	232	12.4%
2	No	1636	87.6%
Sysmiss		2	

QN17: Seriously injured 1+ times past 12 months

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1671 Invalid: 199
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	334	20%
2	No	1337	80%
Sysmiss		199	

QN18: Broken bone as most serious injury

Data file: KHM2013_urban_Public_Use

Overview

Valid: 203 Invalid: 1667
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a

broken bone or dislocated joint

CATEGORIES

Value	Category	Cases	
1	Yes	55	27.1%
2	No	148	72.9%
Sysmiss		1667	

QN19: Motor vehicle caused most serious injury

Data file: KHM2013_urban_Public_Use

Overview

Valid: 218 Invalid: 1652

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

CATEGORIES

Value	Category	Cases	
1	Yes	92	42.2%
2	No	126	57.8%
Sysmiss		1652	

QN20: Bullied 1+ of past 30 days

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1814 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	477	26.3%
2	No	1337	73.7%
Sysmiss		56	

QN21: Of students bullied, most often hit, kicked, etc

Data file: KHM2013_urban_Public_Use

Overview

Valid: 274 Invalid: 1596

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

CATEGORIES

Value	Category	Cases	
1	Yes	24	8.8%
2	No	250	91.2%
Sysmiss		1596	

QN22: Lonely most times/always past 12 months

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1851 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	164	8.9%
2	No	1687	91.1%
Sysmiss		19	

QN23: Worry prevented sleep most time/always past 12 mos

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1866 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	165	8.8%
2	No	1701	91.2%
Sysmiss		4	

QN24: Considered suicide past 12 months

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1834 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	132	7.2%
2	No	1702	92.8%
Sysmiss		36	

QN25: Made suicide plan past 12 months

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1857 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	161	8.7%
2	No	1696	91.3%
Sysmiss		13	

QN26: 1+ times attempt suicide 12 mos.

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1858 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	134	7.2%
2	No	1724	92.8%
Sysmiss		12	

QN27: No close friends

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1853 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had no close friends

CATEGORIES

Value	Category	Cases	
1	Yes	113	6.1%
2	No	1740	93.9%
Sysmiss		17	

QN28: Before age 14 first smoked**Data file:** KHM2013_urban_Public_Use**Overview**

Valid: 136 Invalid: 1734

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

CATEGORIES

Value	Category	Cases	
1	Yes	70	51.5%
2	No	66	48.5%
Sysmiss		1734	

QN29: Smoked cigarettes 1+ of past 30 days**Data file:** KHM2013_urban_Public_Use**Overview**

Valid: 1860 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	55	3%
2	No	1805	97%
Sysmiss		10	

QN30: Used other tobacco 1+ of past 30 days**Data file:** KHM2013_urban_Public_Use**Overview**

Valid: 1867 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	26	1.4%
2	No	1841	98.6%
Sysmiss		3	

QN31: Tried to quit smoking past 12 months

Data file: KHM2013_urban_Public_Use

Overview

Valid: 49 Invalid: 1821

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	37	75.5%
2	No	12	24.5%
Sysmiss		1821	

QN32: Others present smoking 1+ of past 7 days

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1864 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	875	46.9%
2	No	989	53.1%
Sysmiss		6	

QN33: Either/Both parents use tobacco

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1858 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	561	30.2%
2	No	1297	69.8%
Sysmiss		12	

QN34: Before age 14 first alcohol

Data file: KHM2013_urban_Public_Use

Overview

Valid: 488 Invalid: 1382

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

CATEGORIES

Value	Category	Cases	
1	Yes	83	17%
2	No	405	83%
Sysmiss		1382	

QN35: Drank 1+ days past 30 days**Data file: KHM2013_urban_Public_Use****Overview**

Valid: 1811 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	237	13.1%
2	No	1574	86.9%
Sysmiss		59	

QN36: Of current drinkers, drank 2+ drinks/day 30 days**Data file: KHM2013_urban_Public_Use****Overview**

Valid: 353 Invalid: 1517

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

CATEGORIES

Value	Category	Cases	
1	Yes	137	38.8%
2	No	216	61.2%
Sysmiss		1517	

QN37: Of current drinkers, got alcohol from friends**Data file: KHM2013_urban_Public_Use****Overview**

Valid: 293 Invalid: 1577

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

CATEGORIES

Value	Category	Cases	
1	Yes	63	21.5%
2	No	230	78.5%
Sysmiss		1577	

QN38: 1+ times drunk in lifetime

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1790 Invalid: 80

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	235	13.1%
2	No	1555	86.9%
Sysmiss		80	

QN39: Alcohol trouble 1+ times in lifetime

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1780 Invalid: 90

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

CATEGORIES

Value	Category	Cases	
1	Yes	54	3%
2	No	1726	97%
Sysmiss		90	

QN40: Before age 14 first drugs

Data file: KHM2013_urban_Public_Use

Overview

Valid: 70 Invalid: 1800

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

CATEGORIES

Value	Category	Cases	
1	Yes	33	47.1%
2	No	37	52.9%
Sysmiss		1800	

QN41: Marijuana 1+ times in lifetime

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1817 Invalid: 53

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	20	1.1%
2	No	1797	98.9%
Sysmiss		53	

QN42: Marijuana 1+ times p 30 days**Data file: KHM2013_urban_Public_Use****Overview**

Valid: 1844 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	19	1%
2	No	1825	99%
Sysmiss		26	

QN43: Amphetamines 1+ times lifetime**Data file: KHM2013_urban_Public_Use****Overview**

Valid: 1845 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	16	0.9%
2	No	1829	99.1%
Sysmiss		25	

QN44: Ever had sex**Data file: KHM2013_urban_Public_Use****Overview**

Valid: 1774 Invalid: 96

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	204	11.5%
2	No	1570	88.5%
Sysmiss		96	

QN45: Before age 14 first sex

Data file: KHM2013_urban_Public_Use

Overview

Valid: 50 Invalid: 1820

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

CATEGORIES

Value	Category	Cases	
1	Yes	21	42%
2	No	29	58%
Sysmiss		1820	

QN46: 2+ sex partners lifetime

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1840 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	19	1%
2	No	1821	99%
Sysmiss		30	

QN47: Used condom at last sex

Data file: KHM2013_urban_Public_Use

Overview

Valid: 46 Invalid: 1824

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	25	54.3%
2	No	21	45.7%
Sysmiss		1824	

QN48: Used birth control at last sex

Data file: KHM2013_urban_Public_Use

Overview

Valid: 45 Invalid: 1825

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	13	28.9%
2	No	32	71.1%
Sysmiss		1825	

QN49: Active 60+ mins/day for 5+ of past 7 days**Data file:** KHM2013_urban_Public_Use**Overview**

Valid: 1850 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	251	13.6%
2	No	1599	86.4%
Sysmiss		20	

QN50: Walk/Bike to/from school 0 of past 7 days**Data file:** KHM2013_urban_Public_Use**Overview**

Valid: 1858 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	604	32.5%
2	No	1254	67.5%
Sysmiss		12	

QN51: 3+ days PE each week**Data file:** KHM2013_urban_Public_Use**Overview**

Valid: 1850 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

CATEGORIES

Value	Category	Cases	
1	Yes	172	9.3%
2	No	1678	90.7%
Sysmiss		20	

QN52: Sitting activities 3+ hours/day of usual day

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1850 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

CATEGORIES

Value	Category	Cases	
1	Yes	372	20.1%
2	No	1478	79.9%
Sysmiss		20	

QNOWTG: Overweight

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1813 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	109	6%
2	No	1704	94%
Sysmiss		57	

QNOBESEG: Obese

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1813 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	17	0.9%
2	No	1796	99.1%
Sysmiss		57	

QNUNWTG: Underweight

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1813 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	222	12.2%
2	No	1591	87.8%
Sysmiss		57	

QNFRVGG: Ate 5+ fruits/vegetables 30 days**Data file: KHM2013_urban_Public_Use****Overview**

Valid: 1857 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	236	12.7%
2	No	1621	87.3%
Sysmiss		13	

QNANYTBG: Used any tobacco past 30 days**Data file: KHM2013_urban_Public_Use****Overview**

Valid: 1858 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	59	3.2%
2	No	1799	96.8%
Sysmiss		12	

QNPA7G: Physically active all past 7 days**Data file: KHM2013_urban_Public_Use****Overview**

Valid: 1850 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	170	9.2%
2	No	1680	90.8%
Sysmiss		20	

QNPE5G: Attended PE 5+ days each week

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1850 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

CATEGORIES

Value	Category	Cases	
1	Yes	98	5.3%
2	No	1752	94.7%
Sysmiss		20	

QNC1G: Among heavy drinkers, ever sex

Data file: KHM2013_urban_Public_Use

Overview

Valid: 218 Invalid: 1652

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	49	22.5%
2	No	169	77.5%
Sysmiss		1652	

QNC2G: Among those worried, currently bullied

Data file: KHM2013_urban_Public_Use

Overview

Valid: 157 Invalid: 1713

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	79	50.3%
2	No	78	49.7%
Sysmiss		1713	

WEIGHT: Weight

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1870 Invalid: 0 Minimum: 65.704 Maximum: 307.433 Mean: 120.048 Standard deviation: 40.035

Type: Continuous Decimal: 0 Width: 10 Range: 26.8444 - 111.2113 Format: Numeric Weighted: yes

STRATUM: Stratum

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1870 Invalid: 0 Minimum: 201301001 Maximum: 201301012 Mean: 201301006.621 Standard deviation: 24.415

Type: Continuous Decimal: 0 Width: 9 Range: 201301001 - 201301030 Format: Numeric

PSU: Primary Sampling Unit

Data file: KHM2013_urban_Public_Use

Overview

Valid: 1870 Invalid: 0 Minimum: 1 Maximum: 25 Mean: 12.77 Standard deviation: 7.208
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 65 Format: Numeric

study_resources

questionnaires

Questionnaire (English)

title Questionnaire (English)
country Cambodia
filename 2012_Cambodia_GSHS_Questionnaire_EN.pdf

Questionnaire (Khmer)

title Questionnaire (Khmer)
country Cambodia
filename Cambodia_2013_GSHS_Questionnaire_Khmer.pdf

reports

National Fact Sheet

title National Fact Sheet
country Cambodia
filename 2013_Cambodia_GSHS_Fact_Sheet.pdf

Urban Fact Sheet

title Urban Fact Sheet
country Cambodia
filename 2013_Cambodia_Urban_GSHS_Fact_Sheet.pdf

Rural Fact Sheet

title Rural Fact Sheet
country Cambodia
filename 2013_Cambodia_Rural_GSHS_Fact_Sheet.pdf

Country Report

title Country Report
country Cambodia
filename Cambodia_2013_GSHS_Report.pdf

technical_documents

Codebook

title Codebook
country Cambodia
filename KHM2013_national_public_use_codebook.pdf
