

Global School-Based Student Health Survey 2015

Ministry of Health

report_generated_on: February 14, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER

LAO_2015_GSHS_v01_M

TITLE

Global School-Based Student Health Survey 2015

COUNTRY

Name	Country code
Lao PDR	LAO

STUDY TYPE

Other Household Survey [hh/oth]

SERIES INFORMATION

This is the first GSHS conducted by Lao People's Democratic Republic.

ABSTRACT

The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA

Sample survey data [ssd]

UNIT OF ANALYSIS

Individuals

Version

VERSION DESCRIPTION

Public-use dataset

VERSION DATE

2018-08-10

Scope

NOTES

The following core modules were included in the survey:

alcohol use

dietary behaviours

drug use

hygiene

mental health

physical activity

protective factors

sexual behaviours

tobacco use

violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
hygiene
mental health
physical activity
sexual behaviours
tobacco use
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE

National coverage

UNIVERSE

School-going adolescents aged 13-17 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
Ministry of Health

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE

The 2015 Laos GSHS was a school-based survey of students in Grades M 3 - M 7, which are typically attended by students aged 13-17. A two-stage cluster sample design was used to produce data representative of all students in Grades M 3 - M 7 in Laos. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

The school response rate was 97%, the student response rate was 72%, and the overall response rate was 70%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

data_collection

DATES OF DATA COLLECTION

Start	End
2015	2015

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

alcohol use

dietary behaviours

drug use

hygiene

mental health

physical activity

protective factors

sexual behaviours

tobacco use

violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_LAO_2015_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Yue Wu		World Health Organization	Documentation of data
Melanie Cowan		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2018-08-10

DDI DOCUMENT VERSION

Identical to a metadata (LAO_2015_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
LAO2015_Public_Use Laos public-use dataset	3683	141

Data file: LAO2015_Public_Use

Laos public-use dataset

Cases: 3683

variables: 141

variables

ID	Name	Label	Question
V1	Q1	Custom Age	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V16	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V17	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V18	Q18	Serious injury broken bone	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Serious injury motor vehicle	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V21	Q21	Bullied by hitting	During the past 30 days, how were you bullied most often?
V22	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V23	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V24	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Close friends	How many close friends do you have?
V28	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V29	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V34	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V35	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Initiation of drug use	How old were you when you first used drugs?
V41	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V45	Q45	Sex before 14 years	How old were you when you had sexual intercourse for the first time?
V46	Q46	Multiple sex partners	During your life, with how many people have you had sexual intercourse?
V47	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Physical activity \geq 5 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V51	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V54	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V60	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V61	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V62	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V63	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V64	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V65	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V66	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V67	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V68	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V69	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V70	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V71	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V72	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V73	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V74	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V75	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V76	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V77	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V78	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V79	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V80	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V81	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V82	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V83	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V84	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V85	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V86	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V88	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V89	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V90	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V91	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V92	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V93	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V94	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V95	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V96	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V97	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V98	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V99	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V100	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V101	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V102	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V103	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V104	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V105	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V106	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V107	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V108	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V109	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V110	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V111	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V115	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V116	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V117	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V118	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V119	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V120	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V121	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V122	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V123	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V124	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V125	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V126	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V127	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V128	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V129	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V130	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V131	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V132	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V133	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V134	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V135	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V136	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V137	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V138	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V139	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V140	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V141	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V142	weight		
V143	stratum		
V144	psu		

total: 141

Q1: Custom Age**Data file: LAO2015_Public_Use****Overview**

Valid: 3663 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	8	0.2%
2	12 years old	4	0.1%
3	13 years old	182	5%
4	14 years old	478	13%
5	15 years old	980	26.8%
6	16 years old	898	24.5%
7	17 years old	1079	29.5%
8	18 years old or older	34	0.9%
Sysmiss		20	

Q10: Fast food eating**Data file: LAO2015_Public_Use****Overview**

Valid: 3669 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	2141	58.4%
2	1 day	925	25.2%
3	2 days	320	8.7%

4	3 days	161	4.4%
5	4 days	41	1.1%
6	5 days	33	0.9%
7	6 days	13	0.4%
8	7 days	35	1%
Sysmiss		14	

Q2: Sex

Data file: LAO2015_Public_Use

Overview

Valid: 3658 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1668	45.6%
2	Female	1990	54.4%
Sysmiss		25	

Q3: In what grade are you

Data file: LAO2015_Public_Use

Overview

Valid: 3655 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	M 3	1066	29.2%
2	M 4	1080	29.5%
3	M 5	820	22.4%

4	M 6	336	9.2%
5	M 7	353	9.7%
Sysmiss		28	

Q4: How tall are you

Data file: LAO2015_Public_Use

Overview

Valid: 3537 Invalid: 146 Minimum: 1.27 Maximum: 1.87 Mean: 1.554 Standard deviation: 0.0846
Type: Continuous Decimal: 2 Width: 5 Range: 1.27 - 1.87 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: LAO2015_Public_Use

Overview

Valid: 3537 Invalid: 146 Minimum: 28 Maximum: 116 Mean: 49.155 Standard deviation: 8.713
Type: Continuous Decimal: 2 Width: 5 Range: 28 - 116 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: LAO2015_Public_Use

Overview

Valid: 3672 Invalid: 11
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1847	50.3%
2	Rarely	613	16.7%
3	Sometimes	1160	31.6%
4	Most of the time	39	1.1%
5	Always	13	0.4%
Sysmiss		11	

Q7: No fruit eating

Data file: LAO2015_Public_Use

Overview

Valid: 3674 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	232	6.3%
2	Less than one time per day	1095	29.8%
3	1 time per day	1391	37.9%
4	2 times per day	576	15.7%
5	3 times per day	229	6.2%
6	4 times per day	38	1%
7	5 or more times per day	113	3.1%
Sysmiss		9	

Q8: No vegetable eating**Data file: LAO2015_Public_Use****Overview**

Valid: 3665 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	92	2.5%
2	Less than one time per day	693	18.9%
3	1 time per day	1184	32.3%
4	2 times per day	899	24.5%
5	3 times per day	608	16.6%
6	4 times per day	32	0.9%
7	5 or more times per day	157	4.3%
Sysmiss		18	

Q9: Soft drinks**Data file: LAO2015_Public_Use****Overview**

Valid: 3671 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	493	13.4%
2	Less than one time per day	1282	34.9%

3	1 time per day	936	25.5%
4	2 times per day	483	13.2%
5	3 times per day	260	7.1%
6	4 times per day	74	2%
7	5 or more times per day	143	3.9%
Sysmiss		12	

Q11: Tooth brushing

Data file: LAO2015_Public_Use

Overview

Valid: 3672 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	15	0.4%
2	Less than 1 time per day	63	1.7%
3	1 time per day	332	9%
4	2 times per day	1719	46.8%
5	3 times per day	1432	39%
6	4 or more times per day	111	3%
Sysmiss		11	

Q12: Hand washing before eating

Data file: LAO2015_Public_Use

Overview

Valid: 3653 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	15	0.4%
2	Rarely	52	1.4%
3	Sometimes	294	8%
4	Most of the time	795	21.8%
5	Always	2497	68.4%
Sysmiss		30	

Q13: Hand washing after toilet

Data file: LAO2015_Public_Use

Overview

Valid: 3673 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	40	1.1%
2	Rarely	80	2.2%
3	Sometimes	270	7.4%
4	Most of the time	686	18.7%
5	Always	2597	70.7%
Sysmiss		10	

Q14: Hand washing with soap

Data file: LAO2015_Public_Use

Overview

Valid: 3663 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	45	1.2%
2	Rarely	251	6.9%
3	Sometimes	1279	34.9%
4	Most of the time	937	25.6%
5	Always	1151	31.4%
Sysmiss		20	

Q15: Physically attacked

Data file: LAO2015_Public_Use

Overview

Valid: 3673 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	3089	84.1%
2	1 time	282	7.7%
3	2 or 3 times	190	5.2%
4	4 or 5 times	54	1.5%
5	6 or 7 times	15	0.4%
6	8 or 9 times	2	0.1%
7	10 or 11 times	1	0%
8	12 or more times	40	1.1%
Sysmiss		10	

Q16: Physical fighting**Data file: LAO2015_Public_Use****Overview**

Valid: 3678 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	3411	92.7%
2	1 time	171	4.6%
3	2 or 3 times	70	1.9%
4	4 or 5 times	7	0.2%
5	6 or 7 times	5	0.1%
6	8 or 9 times	3	0.1%
7	10 or 11 times	1	0%
8	12 or more times	10	0.3%
Sysmiss		5	

Q17: Seriously injured**Data file: LAO2015_Public_Use****Overview**

Valid: 3349 Invalid: 334

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	2778	83%
2	1 time	449	13.4%
3	2 or 3 times	98	2.9%
4	4 or 5 times	16	0.5%
5	6 or 7 times	3	0.1%
6	8 or 9 times	0	0%
7	10 or 11 times	0	0%
8	12 or more times	5	0.1%
Sysmiss		334	

Q18: Serious injury broken bone

Data file: LAO2015_Public_Use

Overview

Valid: 3504 Invalid: 179

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	3221	91.9%
2	Broken bone/dislocated joint	48	1.4%
3	I had a cut or stab wound	41	1.2%
4	Concussion/head injury	28	0.8%
5	I had a gunshot wound	2	0.1%
6	I had a bad burn	2	0.1%
7	I was poisoned	2	0.1%
8	Something else happened to me	160	4.6%
Sysmiss		179	

Q19: Serious injury motor vehicle

Data file: LAO2015_Public_Use

Overview

Valid: 3414 Invalid: 269

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	3101	90.8%
2	Motor vehicle accident	99	2.9%
3	I fell	39	1.1%
4	Something fell on me or hit me	19	0.6%
5	I was attacked	15	0.4%
6	Was in a fire	1	0%
7	breathed something bad	6	0.2%
8	Something else	134	3.9%
Sysmiss		269	

Q20: Bullied

Data file: LAO2015_Public_Use

Overview

Valid: 3442 Invalid: 241

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	3037	88.2%

2	1 or 2 days	326	9.5%
3	3 to 5 days	45	1.3%
4	6 to 9 days	8	0.2%
5	10 to 19 days	10	0.3%
6	20 to 29 days	2	0.1%
7	All 30 days	14	0.4%
Sysmiss		241	

Q21: Bullied by hitting

Data file: LAO2015_Public_Use

Overview

Valid: 3435 Invalid: 248

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	3149	91.7%
2	Kicked, pushed, or shoved	79	2.3%
3	Made fun of race	31	0.9%
4	Made fun because of religion	7	0.2%
5	Made fun of about sex	17	0.5%
6	Left out of activities	4	0.1%
7	Made fun of about body	57	1.7%
8	Some other way	91	2.6%
Sysmiss		248	

Q22: Felt lonely

Data file: LAO2015_Public_Use

Overview

Valid: 3679 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	1440	39.1%
2	Rarely	1022	27.8%
3	Sometimes	1069	29.1%
4	Most of the time	108	2.9%
5	Always	40	1.1%
Sysmiss		4	

Q23: Could not sleep

Data file: LAO2015_Public_Use

Overview

Valid: 3669 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	1257	34.3%
2	Rarely	1159	31.6%
3	Sometimes	1078	29.4%
4	Most of the time	132	3.6%
5	Always	43	1.2%
Sysmiss		14	

Q24: Considered suicide**Data file: LAO2015_Public_Use****Overview**

Valid: 3665 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	112	3.1%
2	No	3553	96.9%
Sysmiss		18	

Q25: Made a suicide plan**Data file: LAO2015_Public_Use****Overview**

Valid: 3664 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	159	4.3%
2	No	3505	95.7%
Sysmiss		19	

Q26: Attempted suicide**Data file: LAO2015_Public_Use**

Overview

Valid: 3669 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	3473	94.7%
2	1 time	140	3.8%
3	2 or 3 times	30	0.8%
4	4 or 5 times	17	0.5%
5	6 or more times	9	0.2%
Sysmiss		14	

Q27: Close friends

Data file: LAO2015_Public_Use

Overview

Valid: 3662 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	169	4.6%
2	1	332	9.1%
3	2	429	11.7%
4	3 or more	2732	74.6%
Sysmiss		21	

Q28: Initiation of cigarette use**Data file: LAO2015_Public_Use****Overview**

Valid: 3581 Invalid: 102

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	3255	90.9%
2	7 years old or younger	39	1.1%
3	8 or 9 years old	26	0.7%
4	10 or 11 years old	38	1.1%
5	12 or 13 years old	45	1.3%
6	14 or 15 years old	105	2.9%
7	16 or 17 years old	73	2%
8	18 years old or older	0	0%
Sysmiss		102	

Q29: Current cigarette use**Data file: LAO2015_Public_Use****Overview**

Valid: 3655 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	3494	95.6%
2	1 or 2 days	96	2.6%

3	3 to 5 days	21	0.6%
4	6 to 9 days	15	0.4%
5	10 to 19 days	11	0.3%
6	20 to 29 days	6	0.2%
7	All 30 days	12	0.3%
Sysmiss		28	

Q30: Other tobacco use

Data file: LAO2015_Public_Use

Overview

Valid: 3680 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	3636	98.8%
2	1 or 2 days	29	0.8%
3	3 to 5 days	5	0.1%
4	6 to 9 days	5	0.1%
5	10 to 19 days	1	0%
6	20 to 29 days	1	0%
7	All 30 days	3	0.1%
Sysmiss		3	

Q31: Smoking cessation

Data file: LAO2015_Public_Use

Overview

Valid: 3616 Invalid: 67

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	3384	93.6%
2	Did not smoke cigarettes	77	2.1%
3	Yes	127	3.5%
4	No	28	0.8%
Sysmiss		67	

Q32: Smoking in their presence

Data file: LAO2015_Public_Use

Overview

Valid: 3678 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	3543	96.3%
2	1 or 2 days	92	2.5%
3	3 or 4 days	20	0.5%
4	5 or 6 days	7	0.2%
5	All 7 days	16	0.4%
Sysmiss		5	

Q33: Parental tobacco use

Data file: LAO2015_Public_Use

Overview

Valid: 3671 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	1922	52.4%
2	My father or male guardian	1577	43%
3	My mother or female guardian	29	0.8%
4	Both	85	2.3%
5	I do not know	58	1.6%
Sysmiss		12	

Q34: Initiation of alcohol use

Data file: LAO2015_Public_Use

Overview

Valid: 3359 Invalid: 324

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	1362	40.5%
2	7 years old or younger	46	1.4%
3	8 or 9 years old	64	1.9%
4	10 or 11 years old	93	2.8%
5	12 or 13 years old	346	10.3%
6	14 or 15 years old	979	29.1%

7	16 or 17 years old	468	13.9%
8	18 years old or older	1	0%
Sysmiss		324	

Q35: Current alcohol use

Data file: LAO2015_Public_Use

Overview

Valid: 3588 Invalid: 95

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	2638	73.5%
2	1 or 2 days	741	20.7%
3	3 to 5 days	127	3.5%
4	6 to 9 days	41	1.1%
5	10 to 19 days	16	0.4%
6	20 to 29 days	14	0.4%
7	All 30 days	11	0.3%
Sysmiss		95	

Q36: Drank 2+ drinks

Data file: LAO2015_Public_Use

Overview

Valid: 3635 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	2286	62.9%
2	Less than one drink	469	12.9%
3	1 drink	236	6.5%
4	2 drinks	124	3.4%
5	3 drinks	84	2.3%
6	4 drinks	60	1.7%
7	5 or more drinks	376	10.3%
Sysmiss		48	

Q37: Source of alcohol

Data file: LAO2015_Public_Use

Overview

Valid: 3617 Invalid: 66

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	2517	69.6%
2	I bought in a store	765	21.2%
3	I gave someone money to buy	24	0.7%
4	I got it from my friends	225	6.2%
5	I got it from my family	50	1.4%
6	I stole it	6	0.2%
7	Some other way	30	0.8%
Sysmiss		66	

Q38: Really drunk**Data file:** LAO2015_Public_Use**Overview**

Valid: 3612 Invalid: 71

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	2913	80.6%
2	1 or 2 times	626	17.3%
3	3 to 9 times	53	1.5%
4	10 or more times	20	0.6%
Sysmiss		71	

Q39: Trouble from drinking**Data file:** LAO2015_Public_Use**Overview**

Valid: 3585 Invalid: 98

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	3363	93.8%

2	1 or 2 times	191	5.3%
3	3 to 9 times	21	0.6%
4	10 or more times	10	0.3%
Sysmiss		98	

Q40: Initiation of drug use

Data file: LAO2015_Public_Use

Overview

Valid: 3634 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	3561	98%
2	7 years old or younger	11	0.3%
3	8 or 9 years old	5	0.1%
4	10 or 11 years old	5	0.1%
5	12 or 13 years old	14	0.4%
6	14 or 15 years old	25	0.7%
7	16 or 17 years old	13	0.4%
8	18 years old or older	0	0%
Sysmiss		49	

Q41: Ever marijuana use

Data file: LAO2015_Public_Use

Overview

Valid: 3651 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	3633	99.5%
2	1 or 2 times	12	0.3%
3	3 to 9 times	5	0.1%
4	10 to 19 times	0	0%
5	20 or more times	1	0%
Sysmiss		32	

Q42: Current marijuana use

Data file: LAO2015_Public_Use

Overview

Valid: 3647 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	3634	99.6%
2	1 or 2 times	5	0.1%
3	3 to 9 times	4	0.1%
4	10 to 19 times	3	0.1%
5	20 or more times	1	0%
Sysmiss		36	

Q43: Amphetamine or methamphetamine use

Data file: LAO2015_Public_Use

Overview

Valid: 3664 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	3628	99%
2	1 or 2 times	20	0.5%
3	3 to 9 times	3	0.1%
4	10 to 19 times	4	0.1%
5	20 or more times	9	0.2%
Sysmiss		19	

Q44: Ever sexual intercourse

Data file: LAO2015_Public_Use

Overview

Valid: 3497 Invalid: 186

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	453	13%
2	No	3044	87%
Sysmiss		186	

Q45: Sex before 14 years**Data file: LAO2015_Public_Use****Overview**

Valid: 3612 Invalid: 71

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	3401	94.2%
2	11 years old or younger	18	0.5%
3	12 years old	12	0.3%
4	13 years old	11	0.3%
5	14 years old	30	0.8%
6	15 years old	54	1.5%
7	16 or 17 years old	85	2.4%
8	18 years old or older	1	0%
Sysmiss		71	

Q46: Multiple sex partners**Data file: LAO2015_Public_Use****Overview**

Valid: 3642 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	3434	94.3%
2	1 person	95	2.6%

3	2 people	52	1.4%
4	3 people	20	0.5%
5	4 people	9	0.2%
6	5 people	8	0.2%
7	6 or more people	24	0.7%
Sysmiss		41	

Q47: Condom use

Data file: LAO2015_Public_Use

Overview

Valid: 3577 Invalid: 106

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	3348	93.6%
2	Yes	143	4%
3	No	86	2.4%
Sysmiss		106	

Q48: Birth control used

Data file: LAO2015_Public_Use

Overview

Valid: 3560 Invalid: 123

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	3331	93.6%
2	Yes	137	3.8%
3	No	42	1.2%
4	I do not know	50	1.4%
Sysmiss		123	

Q49: Physical activity \geq 5 days**Data file:** LAO2015_Public_Use**Overview**

Valid: 3658 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	893	24.4%
2	1 day	1159	31.7%
3	2 days	436	11.9%
4	3 days	303	8.3%
5	4 days	115	3.1%
6	5 days	158	4.3%
7	6 days	40	1.1%
8	7 days	554	15.1%
Sysmiss		25	

Q50: Walk or bike to school**Data file:** LAO2015_Public_Use**Overview**

Valid: 3673 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	1828	49.8%
2	1 day	317	8.6%
3	2 days	154	4.2%
4	3 days	203	5.5%
5	4 days	72	2%
6	5 days	564	15.4%
7	6 days	14	0.4%
8	7 days	521	14.2%
Sysmiss		10	

Q51: PE attendance**Data file:** LAO2015_Public_Use**Overview**

Valid: 3661 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	1134	31%
2	1 day	2046	55.9%
3	2 days	90	2.5%

4	3 days	33	0.9%
5	4 days	34	0.9%
6	5 or more days	324	8.9%
Sysmiss		22	

Q52: Sitting activities

Data file: LAO2015_Public_Use

Overview

Valid: 3671 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	1600	43.6%
2	1 to 2 hours per day	1342	36.6%
3	3 to 4 hours per day	478	13%
4	5 to 6 hours per day	107	2.9%
5	7 to 8 hours per day	35	1%
6	More than 8 hours per day	109	3%
Sysmiss		12	

Q53: Miss school no permission

Data file: LAO2015_Public_Use

Overview

Valid: 3669 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	2233	60.9%
2	1 or 2 days	1191	32.5%
3	3 to 5 days	158	4.3%
4	6 to 9 days	29	0.8%
5	10 or more days	58	1.6%
Sysmiss		14	

Q54: Other students kind and helpful

Data file: LAO2015_Public_Use

Overview

Valid: 3653 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	363	9.9%
2	Rarely	955	26.1%
3	Sometimes	1608	44%
4	Most of the time	475	13%
5	Always	252	6.9%
Sysmiss		30	

Q55: Parents check homework

Data file: LAO2015_Public_Use

Overview

Valid: 3668 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	903	24.6%
2	Rarely	684	18.6%
3	Sometimes	1377	37.5%
4	Most of the time	541	14.7%
5	Always	163	4.4%
Sysmiss		15	

Q56: Parents understand problems

Data file: LAO2015_Public_Use

Overview

Valid: 3663 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	1223	33.4%
2	Rarely	738	20.1%
3	Sometimes	1085	29.6%
4	Most of the time	292	8%
5	Always	325	8.9%
Sysmiss		20	

Q57: Parents know about free time

Data file: LAO2015_Public_Use

Overview

Valid: 3667 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	654	17.8%
2	Rarely	576	15.7%
3	Sometimes	1279	34.9%
4	Most of the time	638	17.4%
5	Always	520	14.2%
Sysmiss		16	

Q58: Parents go through their things

Data file: LAO2015_Public_Use

Overview

Valid: 3674 Invalid: 9 Mean: 1.287 Standard deviation: 0.7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		3026	82.4%
2		331	9%
3		259	7%
4		28	0.8%
5		30	0.8%
Sysmiss		9	

QN6: Most of the time or always went hungry**Data file:** LAO2015_Public_Use**Overview**

Valid: 3672 Invalid: 11 Mean: 1.986 Standard deviation: 0.118
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	52	1.4%
2	No	3620	98.6%
Sysmiss		11	

QN7: Did not eat fruit**Data file:** LAO2015_Public_Use**Overview**

Valid: 3674 Invalid: 9 Mean: 1.937 Standard deviation: 0.243
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	232	6.3%
2	No	3442	93.7%
Sysmiss		9	

QN8: Did not eat vegetables**Data file:** LAO2015_Public_Use**Overview**

Valid: 3665 Invalid: 18 Mean: 1.975 Standard deviation: 0.156

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	92	2.5%
2	No	3573	97.5%
Sysmiss		18	

QN9: Did not drink carbonated soft drinks

Data file: LAO2015_Public_Use

Overview

Valid: 3671 Invalid: 12 Mean: 1.866 Standard deviation: 0.341
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	493	13.4%
2	No	3178	86.6%
Sysmiss		12	

QN10: Did not eat food from a fast food restaurant

Data file: LAO2015_Public_Use

Overview

Valid: 3669 Invalid: 14 Mean: 1.416 Standard deviation: 0.493
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2141	58.4%
2	No	1528	41.6%
Sysmiss		14	

QN11: Usually cleaned or brushed their teeth

Data file: LAO2015_Public_Use

Overview

Valid: 3672 Invalid: 11 Mean: 1.021 Standard deviation: 0.144
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3594	97.9%
2	No	78	2.1%
Sysmiss		11	

QN12: Never or rarely washed their hands before eating

Data file: LAO2015_Public_Use

Overview

Valid: 3653 Invalid: 30 Mean: 1.982 Standard deviation: 0.134
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	67	1.8%
2	No	3586	98.2%
Sysmiss		30	

QN13: Never or rarely washed their hands after using the toilet or latrine**Data file:** LAO2015_Public_Use**Overview**

Valid: 3673 Invalid: 10 Mean: 1.967 Standard deviation: 0.178
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	120	3.3%
2	No	3553	96.7%
Sysmiss		10	

QN14: Never or rarely used soap when washing their hands**Data file:** LAO2015_Public_Use**Overview**

Valid: 3663 Invalid: 20 Mean: 1.919 Standard deviation: 0.273
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	296	8.1%
2	No	3367	91.9%
Sysmiss		20	

QN15: Were physically attacked**Data file:** LAO2015_Public_Use**Overview**

Valid: 3673 Invalid: 10 Mean: 1.841 Standard deviation: 0.366
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	584	15.9%
2	No	3089	84.1%
Sysmiss		10	

QN16: Were in a physical fight

Data file: LAO2015_Public_Use

Overview

Valid: 3678 Invalid: 5 Mean: 1.927 Standard deviation: 0.26
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	267	7.3%
2	No	3411	92.7%
Sysmiss		5	

QN17: Were seriously injured

Data file: LAO2015_Public_Use

Overview

Valid: 3349 Invalid: 334 Mean: 1.83 Standard deviation: 0.376
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	571	17%
2	No	2778	83%
Sysmiss		334	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: LAO2015_Public_Use

Overview

Valid: 283 Invalid: 3400 Mean: 1.83 Standard deviation: 0.376
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	48	17%
2	No	235	83%
Sysmiss		3400	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: LAO2015_Public_Use

Overview

Valid: 313 Invalid: 3370 Mean: 1.684 Standard deviation: 0.466
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	99	31.6%
2	No	214	68.4%
Sysmiss		3370	

QN20: Were bullied**Data file:** LAO2015_Public_Use**Overview**

Valid: 3442 Invalid: 241 Mean: 1.882 Standard deviation: 0.322
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	405	11.8%
2	No	3037	88.2%
Sysmiss		241	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors**Data file:** LAO2015_Public_Use**Overview**

Valid: 286 Invalid: 3397 Mean: 1.724 Standard deviation: 0.448
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	79	27.6%
2	No	207	72.4%
Sysmiss		3397	

QN22: Most of the time or always felt lonely**Data file:** LAO2015_Public_Use**Overview**

Valid: 3679 Invalid: 4 Mean: 1.96 Standard deviation: 0.197
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	148	4%
2	No	3531	96%
Sysmiss		4	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: LAO2015_Public_Use

Overview

Valid: 3669 Invalid: 14 Mean: 1.952 Standard deviation: 0.213
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	175	4.8%
2	No	3494	95.2%
Sysmiss		14	

QN24: Seriously considered attempting suicide

Data file: LAO2015_Public_Use

Overview

Valid: 3665 Invalid: 18 Mean: 1.969 Standard deviation: 0.172
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	112	3.1%
2	No	3553	96.9%
Sysmiss		18	

QN25: Made a plan about how they would attempt suicide

Data file: LAO2015_Public_Use

Overview

Valid: 3664 Invalid: 19 Mean: 1.957 Standard deviation: 0.204
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	159	4.3%
2	No	3505	95.7%
Sysmiss		19	

QN26: Attempted suicide

Data file: LAO2015_Public_Use

Overview

Valid: 3669 Invalid: 14 Mean: 1.947 Standard deviation: 0.225
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	196	5.3%
2	No	3473	94.7%
Sysmiss		14	

QN27: Did not have any close friends**Data file: LAO2015_Public_Use****Overview**

Valid: 3662 Invalid: 21 Mean: 1.954 Standard deviation: 0.21
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1	Yes	169	4.6%
2	No	3493	95.4%
Sysmiss		21	

QN28: Tried a cigarette before age 14 years**Data file: LAO2015_Public_Use****Overview**

Valid: 326 Invalid: 3357 Mean: 1.546 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1	Yes	148	45.4%
2	No	178	54.6%
Sysmiss		3357	

QN29: Currently smoked cigarettes**Data file: LAO2015_Public_Use****Overview**

Valid: 3655 Invalid: 28 Mean: 1.956 Standard deviation: 0.205
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	161	4.4%
2	No	3494	95.6%
Sysmiss		28	

QN30: Currently used any tobacco products other than cigarettes

Data file: LAO2015_Public_Use

Overview

Valid: 3680 Invalid: 3 Mean: 1.988 Standard deviation: 0.109
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	44	1.2%
2	No	3636	98.8%
Sysmiss		3	

QN31: Tried to quit smoking cigarettes

Data file: LAO2015_Public_Use

Overview

Valid: 155 Invalid: 3528 Mean: 1.181 Standard deviation: 0.386
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	127	81.9%
2	No	28	18.1%
Sysmiss		3528	

QN32: Reported that people smoked in their presence

Data file: LAO2015_Public_Use

Overview

Valid: 3678 Invalid: 5 Mean: 1.963 Standard deviation: 0.188
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	135	3.7%
2	No	3543	96.3%
Sysmiss		5	

QN33: Had parents or guardians who used any form of tobacco

Data file: LAO2015_Public_Use

Overview

Valid: 3671 Invalid: 12 Mean: 1.539 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	1691	46.1%
2	No	1980	53.9%
Sysmiss		12	

QN34: Drank alcohol before age 14 years**Data file: LAO2015_Public_Use****Overview**

Valid: 1997 Invalid: 1686 Mean: 1.725 Standard deviation: 0.447
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category	Cases	
1	Yes	549	27.5%
2	No	1448	72.5%
Sysmiss		1686	

QN35: Currently drank alcohol**Data file: LAO2015_Public_Use****Overview**

Valid: 3588 Invalid: 95 Mean: 1.735 Standard deviation: 0.441
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	950	26.5%
2	No	2638	73.5%
Sysmiss		95	

QN36: Usually drank two or more drinks per day**Data file: LAO2015_Public_Use****Overview**

Valid: 1349 Invalid: 2334 Mean: 1.523 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	644	47.7%
2	No	705	52.3%
Sysmiss		2334	

QN37: Usually obtained the alcohol they drank from friends

Data file: LAO2015_Public_Use

Overview

Valid: 1100 Invalid: 2583 Mean: 1.795 Standard deviation: 0.404
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	225	20.5%
2	No	875	79.5%
Sysmiss		2583	

QN47: Used a condom

Data file: LAO2015_Public_Use

Overview

Valid: 229 Invalid: 3454 Mean: 1.376 Standard deviation: 0.485
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	143	62.4%
2	No	86	37.6%
Sysmiss		3454	

QN38: Ever drank so much alcohol that they were really drunk

Data file: LAO2015_Public_Use

Overview

Valid: 3612 Invalid: 71 Mean: 1.806 Standard deviation: 0.395
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	699	19.4%
2	No	2913	80.6%
Sysmiss		71	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: LAO2015_Public_Use

Overview

Valid: 3585 Invalid: 98 Mean: 1.938 Standard deviation: 0.241
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	222	6.2%
2	No	3363	93.8%
Sysmiss		98	

QN40: Used drugs before age 14 years**Data file:** LAO2015_Public_Use**Overview**

Valid: 73 Invalid: 3610 Mean: 1.521 Standard deviation: 0.503
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1	Yes	35	47.9%
2	No	38	52.1%
Sysmiss		3610	

QN41: Ever used marijuana**Data file:** LAO2015_Public_Use**Overview**

Valid: 3651 Invalid: 32 Mean: 1.995 Standard deviation: 0.0701
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	18	0.5%
2	No	3633	99.5%
Sysmiss		32	

QN42: Currently used marijuana**Data file:** LAO2015_Public_Use**Overview**

Valid: 3647 Invalid: 36 Mean: 1.996 Standard deviation: 0.0596
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	13	0.4%
2	No	3634	99.6%
Sysmiss		36	

QN43: Ever used amphetamines or methamphetamines

Data file: LAO2015_Public_Use

Overview

Valid: 3664 Invalid: 19 Mean: 1.99 Standard deviation: 0.0986
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	36	1%
2	No	3628	99%
Sysmiss		19	

QN44: Ever had sexual intercourse

Data file: LAO2015_Public_Use

Overview

Valid: 3497 Invalid: 186 Mean: 1.87 Standard deviation: 0.336
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	453	13%
2	No	3044	87%
Sysmiss		186	

QN45: Had sexual intercourse before age 14 years

Data file: LAO2015_Public_Use

Overview

Valid: 211 Invalid: 3472 Mean: 1.806 Standard deviation: 0.397
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	41	19.4%
2	No	170	80.6%
Sysmiss		3472	

QN46: Had sexual intercourse with two or more persons

Data file: LAO2015_Public_Use

Overview

Valid: 3642 Invalid: 41 Mean: 1.969 Standard deviation: 0.173
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	113	3.1%
2	No	3529	96.9%
Sysmiss		41	

QN48: Used a method of birth control other than condoms**Data file: LAO2015_Public_Use****Overview**

Valid: 229 Invalid: 3454 Mean: 1.402 Standard deviation: 0.491
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	137	59.8%
2	No	92	40.2%
Sysmiss		3454	

QN49: Were not physically active**Data file: LAO2015_Public_Use****Overview**

Valid: 3658 Invalid: 25 Mean: 1.756 Standard deviation: 0.43
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	893	24.4%
2	No	2765	75.6%
Sysmiss		25	

QN50: Did not walk or ride a bicycle to or from school**Data file: LAO2015_Public_Use****Overview**

Valid: 3673 Invalid: 10 Mean: 1.502 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1828	49.8%
2	No	1845	50.2%
Sysmiss		10	

Q51: Did not attend physical education classes

Data file: LAO2015_Public_Use

Overview

Valid: 3661 Invalid: 22 Mean: 1.69 Standard deviation: 0.462
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	1134	31%
2	No	2527	69%
Sysmiss		22	

Q52: Spent three or more hours per day doing sitting activities

Data file: LAO2015_Public_Use

Overview

Valid: 3671 Invalid: 12 Mean: 1.801 Standard deviation: 0.399
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	729	19.9%
2	No	2942	80.1%
Sysmiss		12	

QN53: Missed classes or school without permission

Data file: LAO2015_Public_Use

Overview

Valid: 3669 Invalid: 14 Mean: 1.609 Standard deviation: 0.488
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1436	39.1%
2	No	2233	60.9%
Sysmiss		14	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: LAO2015_Public_Use

Overview

Valid: 3653 Invalid: 30 Mean: 1.801 Standard deviation: 0.399
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	727	19.9%
2	No	2926	80.1%
Sysmiss		30	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: LAO2015_Public_Use

Overview

Valid: 3668 Invalid: 15 Mean: 1.808 Standard deviation: 0.394
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	704	19.2%
2	No	2964	80.8%
Sysmiss		15	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: LAO2015_Public_Use

Overview

Valid: 3663 Invalid: 20 Mean: 1.832 Standard deviation: 0.374
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	617	16.8%
2	No	3046	83.2%
Sysmiss		20	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: LAO2015_Public_Use

Overview

Valid: 3667 Invalid: 16 Mean: 1.684 Standard deviation: 0.465
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1158	31.6%
2	No	2509	68.4%
Sysmiss		16	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: LAO2015_Public_Use

Overview

Valid: 3674 Invalid: 9 Mean: 1.086 Standard deviation: 0.281
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3357	91.4%
2	No	317	8.6%
Sysmiss		9	

QNUNWTG: Were underweight

Data file: LAO2015_Public_Use

Overview

Valid: 3537 Invalid: 146 Mean: 1.947 Standard deviation: 0.223
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight ($<-2SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	186	5.3%
2	No	3351	94.7%
Sysmiss		146	

QNOWTG: Were overweight

Data file: LAO2015_Public_Use

Overview

Valid: 3537 Invalid: 146 Mean: 1.893 Standard deviation: 0.309
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight ($>+1SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	379	10.7%
2	No	3158	89.3%
Sysmiss		146	

QNOBESEG: Were obese

Data file: LAO2015_Public_Use

Overview

Valid: 3537 Invalid: 146 Mean: 1.985 Standard deviation: 0.123
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese ($>+2SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	54	1.5%
2	No	3483	98.5%
Sysmiss		146	

QNFR1G: Usually ate fruit less than one time per day

Data file: LAO2015_Public_Use

Overview

Valid: 3674 Invalid: 9 Mean: 1.702 Standard deviation: 0.457
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1095	29.8%
2	No	2579	70.2%
Sysmiss		9	

QNFR1G: Usually ate fruit one or more times per day

Data file: LAO2015_Public_Use

Overview

Valid: 3674 Invalid: 9 Mean: 1.361 Standard deviation: 0.48
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2347	63.9%
2	No	1327	36.1%
Sysmiss		9	

QNFR2G: Usually ate fruit two or more times per day**Data file:** LAO2015_Public_Use**Overview**

Valid: 3674 Invalid: 9 Mean: 1.74 Standard deviation: 0.439
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	956	26%
2	No	2718	74%
Sysmiss		9	

QNFR3G: Usually ate fruit three or more times per day**Data file:** LAO2015_Public_Use**Overview**

Valid: 3674 Invalid: 9 Mean: 1.897 Standard deviation: 0.305
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	380	10.3%
2	No	3294	89.7%
Sysmiss		9	

QNVEGLG: Usually ate vegetables less than one time per day**Data file:** LAO2015_Public_Use**Overview**

Valid: 3665 Invalid: 18 Mean: 1.811 Standard deviation: 0.392
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	693	18.9%
2	No	2972	81.1%
Sysmiss		18	

QNVEG1G: Usually ate vegetables one or more times per day

Data file: LAO2015_Public_Use

Overview

Valid: 3665 Invalid: 18 Mean: 1.214 Standard deviation: 0.41
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2880	78.6%
2	No	785	21.4%
Sysmiss		18	

QNVEG2G: Usually ate vegetables two or more times per day

Data file: LAO2015_Public_Use

Overview

Valid: 3665 Invalid: 18 Mean: 1.537 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1696	46.3%
2	No	1969	53.7%
Sysmiss		18	

QNVEG3G: Usually ate vegetables three or more times per day

Data file: LAO2015_Public_Use

Overview

Valid: 3665 Invalid: 18 Mean: 1.783 Standard deviation: 0.413
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	797	21.7%
2	No	2868	78.3%
Sysmiss		18	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: LAO2015_Public_Use

Overview

Valid: 3671 Invalid: 12 Mean: 1.651 Standard deviation: 0.477
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1282	34.9%
2	No	2389	65.1%
Sysmiss		12	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day**Data file:** LAO2015_Public_Use**Overview**

Valid: 3671 Invalid: 12 Mean: 1.484 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1896	51.6%
2	No	1775	48.4%
Sysmiss		12	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day**Data file:** LAO2015_Public_Use**Overview**

Valid: 3671 Invalid: 12 Mean: 1.738 Standard deviation: 0.44
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	960	26.2%
2	No	2711	73.8%
Sysmiss		12	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day**Data file:** LAO2015_Public_Use**Overview**

Valid: 3671 Invalid: 12 Mean: 1.87 Standard deviation: 0.336
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	477	13%
2	No	3194	87%
Sysmiss		12	

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: LAO2015_Public_Use

Overview

Valid: 3669 Invalid: 14 Mean: 1.584 Standard deviation: 0.493
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1528	41.6%
2	No	2141	58.4%
Sysmiss		14	

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: LAO2015_Public_Use

Overview

Valid: 3669 Invalid: 14 Mean: 1.836 Standard deviation: 0.371
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	603	16.4%
2	No	3066	83.6%
Sysmiss		14	

QNF3G: Ate food from a fast food restaurant three or more days

Data file: LAO2015_Public_Use

Overview

Valid: 3669 Invalid: 14 Mean: 1.923 Standard deviation: 0.267
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	283	7.7%
2	No	3386	92.3%
Sysmiss		14	

QNC2G: Were bullied and could not sleep at night

Data file: LAO2015_Public_Use

Overview

Valid: 147 Invalid: 3536 Mean: 1.748 Standard deviation: 0.435
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	37	25.2%
2	No	110	74.8%
Sysmiss		3536	

QNTOB2G: Currently used any tobacco product**Data file: LAO2015_Public_Use****Overview**

Valid: 3659 Invalid: 24 Mean: 1.952 Standard deviation: 0.213
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	175	4.8%
2	No	3484	95.2%
Sysmiss		24	

QNNOTB2G: Did not currently use any tobacco products**Data file: LAO2015_Public_Use****Overview**

Valid: 3655 Invalid: 28 Mean: 1.047 Standard deviation: 0.211
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3484	95.3%
2	No	171	4.7%
Sysmiss		28	

QNBCANYG: Used a method of birth control**Data file: LAO2015_Public_Use****Overview**

Valid: 190 Invalid: 3493 Mean: 1.058 Standard deviation: 0.234
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	179	94.2%
2	No	11	5.8%
Sysmiss		3493	

QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: LAO2015_Public_Use

Overview

Valid: 664 Invalid: 3019 Mean: 1.748 Standard deviation: 0.434
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	167	25.2%
2	No	497	74.8%
Sysmiss		3019	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: LAO2015_Public_Use

Overview

Valid: 3658 Invalid: 25 Mean: 1.794 Standard deviation: 0.404
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	752	20.6%
2	No	2906	79.4%
Sysmiss		25	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: LAO2015_Public_Use

Overview

Valid: 3658 Invalid: 25 Mean: 1.849 Standard deviation: 0.359
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	554	15.1%
2	No	3104	84.9%
Sysmiss		25	

QNPE3G: Attended physical education classes on three or more days

Data file: LAO2015_Public_Use

Overview

Valid: 3661 Invalid: 22 Mean: 1.893 Standard deviation: 0.309
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	391	10.7%
2	No	3270	89.3%
Sysmiss		22	

QNPE5G: Attended physical education classes on five or more days**Data file: LAO2015_Public_Use****Overview**

Valid: 3661 Invalid: 22 Mean: 1.911 Standard deviation: 0.284
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	324	8.9%
2	No	3337	91.1%
Sysmiss		22	

WEIGHT:**Data file: LAO2015_Public_Use****Overview**

Valid: 3683 Invalid: 0 Mean: 81.213 Standard deviation: 37.76
 Type: Continuous Decimal: 0 Width: 10 Range: 42.0329 - 329.5608 Format: Numeric

STRATUM:**Data file: LAO2015_Public_Use****Overview**

Valid: 3683 Invalid: 0 Mean: 201501010.346 Standard deviation: 14.615
 Type: Discrete Decimal: 0 Width: 9 Range: 201501001 - 201501019 Format: Numeric

Questions and instructions**CATEGORIES**

Value	Category	Cases	
201501001		115	3.1%
201501002		128	3.5%
201501003		165	4.5%
201501004		159	4.3%
201501005		235	6.4%

201501006		324	8.8%
201501007		127	3.4%
201501008		186	5.1%
201501009		215	5.8%
201501010		191	5.2%
201501011		281	7.6%
201501012		154	4.2%
201501013		242	6.6%
201501014		106	2.9%
201501015		204	5.5%
201501016		211	5.7%
201501017		368	10%
201501018		166	4.5%
201501019		106	2.9%

PSU:**Data file: LAO2015_Public_Use****Overview**

Valid: 3683 Invalid: 0 Mean: 20.211 Standard deviation: 10.374
 Type: Continuous Decimal: 0 Width: 5 Range: 1 - 38 Format: Numeric

study_resources

questionnaires

Questionnaire

title Questionnaire
country Lao PDR
filename 2014_GSHS_Lao_PDR_Questionnaire.pdf

reports

Fact Sheet

title Fact Sheet
country Lao PDR
filename 2015_Laos_GSHS_FactSheet.pdf

technical_documents

Codebook

title Codebook
country Lao PDR
filename LAO2015_public_use_codebook.pdf
