

Global School-Based Student Health Survey 2007

Ministry of Health

report_generated_on: February 16, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER

LCA_2007_GSHS_v01_M

TITLE

Global School-Based Student Health Survey 2007

COUNTRY

Name	Country code
St. Lucia	LCA

STUDY TYPE

Other Household Survey [hh/oth]

SERIES INFORMATION

This is the first GSHS conducted by St. Lucia

ABSTRACT

The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA

Sample survey data [ssd]

UNIT OF ANALYSIS

Individuals

Version

VERSION DESCRIPTION

Public-use dataset

VERSION DATE

2018-07-25

Scope

NOTES

The following core modules were included in the survey:

alcohol use
 dietary behaviours
 drug use
 hygiene
 mental health
 physical activity
 protective factors
 sexual behaviours
 tobacco use
 violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
hygiene
mental health
physical activity
sexual behaviours
tobacco use
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE

National coverage

UNIVERSE

School-going adolescents aged 13-15 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
Ministry of Health

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE

The 2006 Saint Lucia GSHS was a school-based survey of students in Form 1, Form 2, Form 3, and Form 4. A two stage cluster sample design was used to produce data representative of all students in Form 1, Form 2, Form 3, and Form 4 in Saint Lucia. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

The school response rate was 100%, the student response rate was 82%, and the overall response rate was 82%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

data_collection

DATES OF DATA COLLECTION

Start	End
2007-04	2007-04

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

alcohol use

dietary behaviours

drug use

hygiene

mental health

physical activity

protective factors

sexual behaviours

tobacco use

violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_LCA_2007_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Yue Wu		World Health Organization	Documentation of data
Melanie Cowan		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2018-07-25

DDI DOCUMENT VERSION

Identical to a metadata (LCA_2007_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
LCA2007_Public_Use National public-use dataset	1276	110

Data file: LCA2007_Public_Use

National public-use dataset

Cases: 1276

variables: 110

variables

ID	Name	Label	Question
V253	Q1	How old are you	How old are you?
V254	Q2	Sex	What is your sex?
V255	Q3	In what grade are you	In what grade are you?
V256	Q4	How tall are you	How tall are you without your shoes on?
V257	Q5	How much do you weigh	How much do you weigh without your shoes on?
V258	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V259	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V260	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V261	Q9	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V262	Q10	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V263	Q11	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V264	Q12	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V265	Q13	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V266	Q14	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V267	Q15	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V268	Q16	Doing what during injury past 12 mo.	During the past 12 months, what were you doing when the most serious injury happened to you?
V269	Q17	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V270	Q18	How injury happened past 12 mo.	During the past 12 months, how did the most serious injury happen to you?
V271	Q19	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V272	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V273	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V274	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?
V275	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V276	Q24	Sad and hopeless past 12 mo.	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing your usual activities?

ID	Name	Label	Question
V277	Q25	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V278	Q26	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V279	Q27	Number close friends	How many close friends do you have?
V280	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V281	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V282	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?
V283	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V284	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V285	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V286	Q34	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V287	Q35	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V288	Q36	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank?
V289	Q37	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V290	Q38	Number of troubles as result of drinking	During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V291	Q39	Number times drug use during life	During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?
V292	Q40	Ever had sex	Have you ever had sexual intercourse?
V293	Q41	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V294	Q42	How many sex partners	During your life, with how many people have you had sexual intercourse?
V295	Q43	Sexual intercourse past 12 mo.	During the past 12 months, have you had sexual intercourse?
V296	Q44	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V297	Q45	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?
V298	Q46	Active 60 min plus per day usual week	During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?
V299	Q47	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?
V300	Q48	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to and from school?
V301	Q49	How long to from school past 7 days	During the past 7 days, how long did it usually take for you to get to and from school each day?
V302	Q50	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V303	Q51	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V304	Q52	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?

ID	Name	Label	Question
V305	Q53	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V306	Q54	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V307	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home
V308	QN7	Ate fruit 1+ times per day past 30 days	Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V309	QN8	Ate vegetables 1+ times per day past 30 day	Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V310	QN9	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who did not clean or brush their teeth during the past 30 days
V311	QN10	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V312	QN11	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V313	QN12	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V314	QN13	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V315	QN14	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V316	QN15	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V317	QN16	Playing sport caused most serious injury past 12mo	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport
V318	QN17	Falling caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall
V319	QN18	Accident caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident
V320	QN19	Broken bone as most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury
V321	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V322	QN21	Of students bullied, most often hit, kicked, etc	Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V323	QN22	Lonely most times/always past 12 months	Percentage of students who felt lonely most of the time or always during the past 12 months
V324	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months
V325	QN24	Sad/Hopeless everyday 2+ weeks past 12 months	Percentage of students who felt sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months
V326	QN25	Considered suicide past 12 months	Percentage of students who seriously considered attempting suicide during the past 12 months
V327	QN26	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V328	QN27	No close friends	Percentage of students who have no close friends

ID	Name	Label	Question
V329	QN28	Of current smokers, age first cigarette before 13	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger
V330	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V331	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days
V332	QN31	Tried to quit smoking past 12 months	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months
V333	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoking in their presence on one or more of the past seven days
V334	QN33	Either/Both parents use tobacco	Percentage of students who have a parent or guardian who uses any form of tobacco
V335	QN34	Drank 1+ days past 30 days	Percentage of students who drank alcohol on one or more of the past 30 days
V336	QN35	Of current drinkers, drank 2+ drinks/day 30 days	Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days
V337	QN36	Of current drinkers, bought alcohol in store	Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days
V338	QN37	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V339	QN38	Alcohol trouble 1+ times in lifetime	Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life
V340	QN39	Used drugs 1+ times in lifetime	Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life
V341	QN40	Ever had sex	Percentage of students who have ever had sexual intercourse
V342	QN41	Age first sexual intercourse 12 or younger	Percentage of students who had sexual intercourse for the first time before age 13
V343	QN42	2+ sex partners lifetime	Percentage of students who have had sexual intercourse with two or more people during their life time
V344	QN43	Sexual intercourse past 12 months	Percentage of students who had sexual intercourse during the past 12 months
V345	QN44	Of sexually active 12 mos, use condoms at last sex	Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse
V346	QN45	Active 60+ mins/day for all of past 7 days	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days
V347	QN46	Active 60+ min/day all 7 days of usual week	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week
V348	QN47	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day
V349	QN48	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to and from school during the past seven days
V350	QN49	Less than 29 minutes to/from school past 7 days	Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days
V351	QN50	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V352	QN51	Students never/rarely kind/helpful past 30 days	Percentage of students who reported that most of the students in their school were kind and helpful most of the time or always during the past 30 days

ID	Name	Label	Question
V353	QN52	Parents never/rarely check homework past 30 days	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V354	QN53	Parents never/rarely understand problems past 30	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V355	QN54	Parents never/rarely know about free time past 30	Percentage of students whose parents or guardians knew what they were doing with their free time most of the time or always during the past 30 days
V358	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days
V359	qnanytbg	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days of the past 30 days
V360	qnminpag	Exercised 60 min/day <=5 days	Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average
V361	qnwkrdg	Walked/biked <2.5 hrs 7 days	Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days
V362	weight	Weight	
V363	psu	Primary Sampling Unit	
V364	stratum	Stratum	

total: 110

Q1: How old are you**Data file:** LCA2007_Public_Use**Overview**

Valid: 1273 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	3	0.2%
2	12 years old	208	16.3%
3	13 years old	272	21.4%
4	14 years old	286	22.5%
5	15 years old	306	24%
6	16 years old or older	198	15.6%
Sysmiss		3	

Q2: Sex**Data file:** LCA2007_Public_Use**Overview**

Valid: 1269 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	539	42.5%
2	Female	730	57.5%
Sysmiss		7	

Q3: In what grade are you**Data file:** LCA2007_Public_Use

Overview

Valid: 1273 Invalid: 3
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade are you?

CATEGORIES

Value	Category	Cases	
1	1er media or 8vo EGB	367	28.8%
2	2do media or 9no EGB	342	26.9%
3	3ero media or 1ro polimodal	238	18.7%
4	12th grade	326	25.6%
5	Ungraded or other grade	0	0%
Sysmiss		3	

Q4: How tall are you

Data file: LCA2007_Public_Use

Overview

Valid: 77 Invalid: 1199 Minimum: 1.32 Maximum: 2.1
 Type: Continuous Decimal: 0 Width: 4 Range: 1.3 - 1.98 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on?

description

DEFINITION

(Note:
 Data are in meters.)

Q5: How much do you weigh

Data file: LCA2007_Public_Use

Overview

Valid: 77 Invalid: 1199 Minimum: 30 Maximum: 170
 Type: Continuous Decimal: 0 Width: 3 Range: 31 - 170 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on?

description

DEFINITION

(Note: Data are in kilograms.)

Q6: Went hungry past 30 days

Data file: LCA2007_Public_Use

Overview

Valid: 1273 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	708	55.6%
2	Rarely	220	17.3%
3	Sometimes	262	20.6%
4	Most of the time	64	5%
5	Always	19	1.5%
Sysmiss		3	

Q7: Eat fruit per day past 30 days

Data file: LCA2007_Public_Use

Overview

Valid: 1268 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	127	10%
2	Less than one time per day	281	22.2%
3	1 time per day	322	25.4%
4	2 times per day	263	20.7%
5	3 times per day	123	9.7%
6	4 times per day	41	3.2%
7	5 or more times per day	111	8.8%
Sysmiss		8	

Q8: Eat vegetables past 30 days

Data file: LCA2007_Public_Use

Overview

Valid: 1250 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	106	8.5%
2	Less than one time per day	223	17.8%
3	1 time per day	420	33.6%
4	2 times per day	253	20.2%
5	3 times per day	112	9%
6	4 times per day	31	2.5%
7	5 or more times per day	105	8.4%
Sysmiss		26	

Q9: How many times per day brush teeth**Data file:** LCA2007_Public_Use**Overview**

Valid: 1262 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	16	1.3%
2	Less than 1 time per day	24	1.9%
3	1 time per day	165	13.1%
4	2 times per day	631	50%
5	3 times per day	344	27.3%
6	4 or more times per day	82	6.5%
Sysmiss		14	

Q10: Wash hands before eating past 30 days**Data file:** LCA2007_Public_Use**Overview**

Valid: 1274 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	47	3.7%
2	Rarely	156	12.2%

3	Sometimes	397	31.2%
4	Most of the time	389	30.5%
5	Always	285	22.4%
Sysmiss		2	

Q11: Wash hands after toilet past 30 day

Data file: LCA2007_Public_Use

Overview

Valid: 1271 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	14	1.1%
2	Rarely	42	3.3%
3	Sometimes	104	8.2%
4	Most of the time	242	19%
5	Always	869	68.4%
Sysmiss		5	

Q12: Used soap on hands past 30 days

Data file: LCA2007_Public_Use

Overview

Valid: 1259 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	45	3.6%
2	Rarely	90	7.1%
3	Sometimes	261	20.7%
4	Most of the time	400	31.8%
5	Always	463	36.8%
Sysmiss		17	

Q13: Times attacked past 12 mo.

Data file: LCA2007_Public_Use

Overview

Valid: 1273 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	832	65.4%
2	1 time	138	10.8%
3	2 or 3 times	134	10.5%
4	4 or 5 times	61	4.8%
5	6 or 7 times	20	1.6%
6	8 or 9 times	28	2.2%
7	10 or 11 times	5	0.4%
8	12 or more times	55	4.3%
Sysmiss		3	

Q14: How many times in fight 12 mos

Data file: LCA2007_Public_Use

Overview

Valid: 1274 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two or more students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	772	60.6%
2	1 time	202	15.9%
3	2 or 3 times	157	12.3%
4	4 or 5 times	55	4.3%
5	6 or 7 times	28	2.2%
6	8 or 9 times	11	0.9%
7	10 or 11 times	13	1%
8	12 or more times	36	2.8%
Sysmiss		2	

Q15: How many times injured past 12 months

Data file: LCA2007_Public_Use

Overview

Valid: 1149 Invalid: 127

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	619	53.9%
2	1 time	265	23.1%

3	2 or 3 times	169	14.7%
4	4 or 5 times	49	4.3%
5	6 or 7 times	17	1.5%
6	8 or 9 times	6	0.5%
7	10 or 11 times	3	0.3%
8	12 or more times	21	1.8%
Sysmiss		127	

Q16: Doing what during injury past 12 mo.

Data file: LCA2007_Public_Use

Overview

Valid: 1197 Invalid: 79

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what were you doing when the most serious injury happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	694	58%
2	Playing a sport	108	9%
3	Walking/running	72	6%
4	Riding a bicycle or scooter	56	4.7%
5	Riding/driving motor vehicle	11	0.9%
6	Doing work	42	3.5%
7	Nothing	41	3.4%
8	Something else	173	14.5%
Sysmiss		79	

Q17: Cause of injury past 12 mo.

Data file: LCA2007_Public_Use

Overview

Valid: 1203 Invalid: 73

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	710	59%
2	Motor vehicle accident	21	1.7%
3	I fell	175	14.5%
4	Something fell on me or hit me	30	2.5%
5	I was fighting with someone	28	2.3%
6	Attacked or assaulted	12	1%
7	Was in a fire	5	0.4%
8	Something else	222	18.5%
Sysmiss		73	

Q18: How injury happened past 12 mo.

Data file: LCA2007_Public_Use

Overview

Valid: 1167 Invalid: 109

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how did the most serious injury happen to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	723	62%
2	I hurt myself by accident	235	20.1%
3	Someone hurt me by accident	107	9.2%
4	I hurt myself on purpose	20	1.7%
5	Someone hurt me on purpose	82	7%

Sysmiss		109	
---------	--	-----	--

Q19: What was serious injury past 12 mo.

Data file: LCA2007_Public_Use

Overview

Valid: 1202 Invalid: 74

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	726	60.4%
2	Broken bone/dislocated joint	100	8.3%
3	Cut, puncture, stab wound	115	9.6%
4	Concussion/head injury	32	2.7%
5	I had a gunshot wound	7	0.6%
6	I had a bad burn	19	1.6%
7	Lost foot, leg, hand, or arm	1	0.1%
8	Something else happened to me	202	16.8%
Sysmiss		74	

Q20: How many days bullied past 30 days

Data file: LCA2007_Public_Use

Overview

Valid: 1219 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	903	74.1%
2	1 or 2 days	171	14%
3	3 to 5 days	74	6.1%
4	6 to 9 days	20	1.6%
5	10 to 19 days	19	1.6%
6	20 to 29 days	4	0.3%
7	All 30 days	28	2.3%
Sysmiss		57	

Q21: How bullied past 30 days

Data file: LCA2007_Public_Use

Overview

Valid: 1194 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	887	74.3%
2	Kicked, pushed, or shoved	37	3.1%
3	Made fun because of race/color	15	1.3%
4	Made fun because of religion	12	1%
5	Made fun of about sex	39	3.3%
6	Left out of activities	18	1.5%
7	Made fun of about body	64	5.4%
8	Some other way	122	10.2%
Sysmiss		82	

Q22: Times felt lonely past 12 mo.**Data file: LCA2007_Public_Use****Overview**

Valid: 1249 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	440	35.2%
2	Rarely	240	19.2%
3	Sometimes	367	29.4%
4	Most of the time	159	12.7%
5	Always	43	3.4%
Sysmiss		27	

Q23: Times could not sleep past 12 mo.**Data file: LCA2007_Public_Use****Overview**

Valid: 1273 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	518	40.7%
2	Rarely	288	22.6%
3	Sometimes	320	25.1%
4	Most of the time	110	8.6%
5	Always	37	2.9%

Sysmiss

3

Q24: Sad and hopeless past 12 mo.**Data file:** LCA2007_Public_Use**Overview**

Valid: 1253 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing your usual activities?

CATEGORIES

Value	Category	Cases	
1	Yes	305	24.3%
2	No	948	75.7%
Sysmiss		23	

Q25: Ever considered suicide 12 mos**Data file:** LCA2007_Public_Use**Overview**

Valid: 1237 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	234	18.9%
2	No	1003	81.1%
Sysmiss		39	

Q26: Ever make suicide plan 12 mos**Data file:** LCA2007_Public_Use**Overview**

Valid: 1235 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	209	16.9%
2	No	1026	83.1%
Sysmiss		41	

Q27: Number close friends**Data file:** LCA2007_Public_Use**Overview**

Valid: 1249 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	121	9.7%
2	1	153	12.2%
3	2	184	14.7%
4	3 or more	791	63.3%
Sysmiss		27	

Q28: Age first tried cigarette**Data file:** LCA2007_Public_Use**Overview**

Valid: 1155 Invalid: 121

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	804	69.6%
2	7 years old or younger	75	6.5%
3	8 or 9 years old	62	5.4%
4	10 or 11 years old	83	7.2%
5	12 or 13 years old	78	6.8%
6	14 or 15 years old	46	4%
7	16 years old or older	7	0.6%
Sysmiss		121	

Q29: How many days smoked 30 days**Data file:** LCA2007_Public_Use**Overview**

Valid: 1232 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	1135	92.1%

2	1 or 2 days	54	4.4%
3	3 to 5 days	21	1.7%
4	6 to 9 days	11	0.9%
5	10 to 19 days	5	0.4%
6	20 to 29 days	0	0%
7	All 30 days	6	0.5%
Sysmiss		44	

Q30: Other tobacco past 30 days

Data file: LCA2007_Public_Use

Overview

Valid: 1273 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1172	92.1%
2	1 or 2 days	53	4.2%
3	3 to 5 days	25	2%
4	6 to 9 days	6	0.5%
5	10 to 19 days	8	0.6%
6	20 to 29 days	3	0.2%
7	All 30 days	6	0.5%
Sysmiss		3	

Q31: Try stop smoking past 12 mo.

Data file: LCA2007_Public_Use

Overview

Valid: 1147 Invalid: 129

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	785	68.4%
2	Did not smoke cigarettes	189	16.5%
3	Yes	110	9.6%
4	No	63	5.5%
Sysmiss		129	

Q32: Others present smoking past 7 days

Data file: LCA2007_Public_Use

Overview

Valid: 1274 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	448	35.2%
2	1 or 2 days	380	29.8%
3	3 or 4 days	158	12.4%
4	5 or 6 days	43	3.4%
5	All 7 days	245	19.2%
Sysmiss		2	

Q33: Parents who use tobacco

Data file: LCA2007_Public_Use

Overview

Valid: 1266 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	888	70.1%
2	My father or male guardian	211	16.7%
3	My mother or female guardian	24	1.9%
4	Both	26	2.1%
5	I do not know	117	9.2%
Sysmiss		10	

Q34: Days one drink or more past 30 days

Data file: LCA2007_Public_Use

Overview

Valid: 1126 Invalid: 150

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	506	44.9%
2	1 or 2 days	367	32.6%
3	3 to 5 days	123	10.9%
4	6 to 9 days	64	5.7%
5	10 to 19 days	46	4.1%
6	20 to 29 days	10	0.9%

7	All 30 days	10	0.9%
Sysmiss		150	

Q35: Number of drinks past 30 days

Data file: LCA2007_Public_Use

Overview

Valid: 1133 Invalid: 143

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	498	44%
2	Less than one drink	210	18.5%
3	1 drink	187	16.5%
4	2 drinks	111	9.8%
5	3 drinks	59	5.2%
6	4 drinks	25	2.2%
7	5 or more drinks	43	3.8%
Sysmiss		143	

Q36: How got drinks past 30 days

Data file: LCA2007_Public_Use

Overview

Valid: 1115 Invalid: 161

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	497	44.6%
2	I bought in a store	67	6%
3	I gave someone money to buy	19	1.7%
4	I got it from my friends	128	11.5%
5	I got it from home	272	24.4%
6	I stole it	10	0.9%
7	I made it myself	0	0%
8	I got it some other way	122	10.9%
Sysmiss		161	

Q37: Times drunk during life**Data file:** LCA2007_Public_Use**Overview**

Valid: 1253 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	814	65%
2	1 or 2 times	297	23.7%
3	3 to 9 times	91	7.3%
4	10 or more times	51	4.1%
Sysmiss		23	

Q38: Number of troubles as result of drinking**Data file:** LCA2007_Public_Use**Overview**

Valid: 1269 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	1089	85.8%
2	1 or 2 times	112	8.8%
3	3 to 9 times	39	3.1%
4	10 or more times	29	2.3%
Sysmiss		7	

Q39: Number times drug use during life

Data file: LCA2007_Public_Use

Overview

Valid: 1243 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about drugs.

LITERAL QUESTION

During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 times	981	78.9%
2	1 or 2 times	137	11%
3	3 to 9 times	65	5.2%
4	10 or more times	60	4.8%
Sysmiss		33	

Q40: Ever had sex

Data file: LCA2007_Public_Use

Overview

Valid: 1182 Invalid: 94

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	320	27.1%
2	No	862	72.9%
Sysmiss		94	

Q41: Age first sexual intercourse

Data file: LCA2007_Public_Use

Overview

Valid: 1229 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	848	69%
2	11 years old or younger	151	12.3%
3	12 years old	49	4%
4	13 years old	60	4.9%
5	14 years old	57	4.6%
6	15 years old	44	3.6%
7	16 years old or older	20	1.6%
Sysmiss		47	

Q42: How many sex partners**Data file:** LCA2007_Public_Use**Overview**

Valid: 1216 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	841	69.2%
2	1 person	138	11.3%
3	2 people	60	4.9%
4	3 people	64	5.3%
5	4 people	24	2%
6	5 people	26	2.1%
7	6 or more people	63	5.2%
Sysmiss		60	

Q43: Sexual intercourse past 12 mo.**Data file:** LCA2007_Public_Use**Overview**

Valid: 1259 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During the past 12 months, have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	282	22.4%
2	No	977	77.6%
Sysmiss		17	

Q44: Used condom at last intercourse**Data file:** LCA2007_Public_Use**Overview**

Valid: 1195 Invalid: 81

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	814	68.1%
2	Yes	211	17.7%
3	No	170	14.2%
Sysmiss		81	

Q45: Days active 60 min plus past 7 days**Data file:** LCA2007_Public_Use**Overview**

Valid: 1256 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?

CATEGORIES

Value	Category	Cases	
1	0 days	452	36%
2	1 day	164	13.1%
3	2 days	126	10%

4	3 days	119	9.5%
5	4 days	91	7.2%
6	5 days	81	6.4%
7	6 days	31	2.5%
8	7 days	192	15.3%
Sysmiss		20	

Q46: Active 60 min plus per day usual week

Data file: LCA2007_Public_Use

Overview

Valid: 1231 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?

CATEGORIES

Value	Category	Cases	
1	0 days	466	37.9%
2	1 day	184	14.9%
3	2 days	136	11%
4	3 days	93	7.6%
5	4 days	72	5.8%
6	5 days	83	6.7%
7	6 days	27	2.2%
8	7 days	170	13.8%
Sysmiss		45	

Q47: Time spent sitting on usual day

Data file: LCA2007_Public_Use

Overview

Valid: 1256 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	287	22.9%
2	1 to 2 hours per day	302	24%
3	3 to 4 hours per day	317	25.2%
4	5 to 6 hours per day	143	11.4%
5	7 to 8 hours per day	52	4.1%
6	More than 8 hours per day	155	12.3%
Sysmiss		20	

Q48: Walk or bike to school past 7 days

Data file: LCA2007_Public_Use

Overview

Valid: 1256 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to and from school?

CATEGORIES

Value	Category	Cases	
1	0 days	927	73.8%
2	1 day	54	4.3%
3	2 days	44	3.5%
4	3 days	21	1.7%
5	4 days	18	1.4%
6	5 days	68	5.4%
7	6 days	6	0.5%
8	7 days	118	9.4%

Sysmiss		20	
---------	--	----	--

Q49: How long to from school past 7 days

Data file: LCA2007_Public_Use

Overview

Valid: 1215 Invalid: 61

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

LITERAL QUESTION

During the past 7 days, how long did it usually take for you to get to and from school each day?

CATEGORIES

Value	Category	Cases	
1	Less than 10 minutes per day	223	18.4%
2	10 to 19 minutes per day	266	21.9%
3	20 to 29 minutes per day	196	16.1%
4	30 to 39 minutes per day	159	13.1%
5	40 to 49 minutes per day	80	6.6%
6	50 to 59 minutes per day	48	4%
7	60 or more minutes per day	243	20%
Sysmiss		61	

Q50: Miss school no permission past 30 days

Data file: LCA2007_Public_Use

Overview

Valid: 1247 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	0 days	869	69.7%
2	1 or 2 days	211	16.9%
3	3 to 5 days	87	7%
4	6 to 9 days	36	2.9%
5	10 or more days	44	3.5%
Sysmiss		29	

Q51: Others helpful in school past 30 days

Data file: LCA2007_Public_Use

Overview

Valid: 1219 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	154	12.6%
2	Rarely	235	19.3%
3	Sometimes	510	41.8%
4	Most of the time	226	18.5%
5	Always	94	7.7%
Sysmiss		57	

Q52: Parents check homework past 30 days

Data file: LCA2007_Public_Use

Overview

Valid: 1254 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	400	31.9%
2	Rarely	173	13.8%
3	Sometimes	265	21.1%
4	Most of the time	168	13.4%
5	Always	248	19.8%
Sysmiss		22	

Q53: Parent understand troubles past 30 days

Data file: LCA2007_Public_Use

Overview

Valid: 1247 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	370	29.7%
2	Rarely	177	14.2%
3	Sometimes	271	21.7%
4	Most of the time	186	14.9%
5	Always	243	19.5%
Sysmiss		29	

Q54: Parent know what you do past 30 days

Data file: LCA2007_Public_Use

Overview

Valid: 1239 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	249	20.1%
2	Rarely	141	11.4%
3	Sometimes	280	22.6%
4	Most of the time	253	20.4%
5	Always	316	25.5%
Sysmiss		37	

QN6: Went hungry most of time/always past 30 days

Data file: LCA2007_Public_Use

Overview

Valid: 1273 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home

CATEGORIES

Value	Category	Cases	
1	Yes	83	6.5%
2	No	1190	93.5%
Sysmiss		3	

QN7: Ate fruit 1+ times per day past 30 days

Data file: LCA2007_Public_Use

Overview

Valid: 1268 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	860	67.8%
2	No	408	32.2%
Sysmiss		8	

QN8: Ate vegetables 1+ times per day past 30 day

Data file: LCA2007_Public_Use

Overview

Valid: 1250 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	921	73.7%
2	No	329	26.3%
Sysmiss		26	

QN9: Cleaned/brushed teeth <1 time/day past 30 days

Data file: LCA2007_Public_Use

Overview

Valid: 1262 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not clean or brush their teeth during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	40	3.2%
2	No	1222	96.8%
Sysmiss		14	

QN10: Never/rarely wash hands before eating past 30 days

Data file: LCA2007_Public_Use

Overview

Valid: 1274 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	203	15.9%
2	No	1071	84.1%
Sysmiss		2	

QN11: Never/rarely wash hands after toilet past 30 days

Data file: LCA2007_Public_Use

Overview

Valid: 1271 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	56	4.4%
2	No	1215	95.6%
Sysmiss		5	

QN12: Never/rarely use soap on hands past 30 days**Data file:** LCA2007_Public_Use**Overview**

Valid: 1259 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	135	10.7%
2	No	1124	89.3%
Sysmiss		17	

QN13: Attacked 1+ times past 12 months**Data file:** LCA2007_Public_Use**Overview**

Valid: 1273 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	441	34.6%
2	No	832	65.4%
Sysmiss		3	

QN14: In fight 1+ times past 12 months**Data file:** LCA2007_Public_Use**Overview**

Valid: 1274 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	502	39.4%
2	No	772	60.6%
Sysmiss		2	

QN15: Seriously injured 1+ times past 12 months

Data file: LCA2007_Public_Use

Overview

Valid: 1149 Invalid: 127

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	530	46.1%
2	No	619	53.9%
Sysmiss		127	

QN16: Playing sport caused most serious injury past 12mo

Data file: LCA2007_Public_Use

Overview

Valid: 528 Invalid: 748

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	105	19.9%
2	No	423	80.1%
Sysmiss		748	

QN17: Falling caused most serious injury past 12 months

Data file: LCA2007_Public_Use

Overview

Valid: 525 Invalid: 751

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall

CATEGORIES

Value	Category	Cases	
1	Yes	172	32.8%
2	No	353	67.2%
Sysmiss		751	

QN18: Accident caused most serious injury past 12 months

Data file: LCA2007_Public_Use

Overview

Valid: 498 Invalid: 778

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident

CATEGORIES

Value	Category	Cases	
1	Yes	233	46.8%
2	No	265	53.2%
Sysmiss		778	

QN19: Broken bone as most serious injury past 12 months**Data file:** LCA2007_Public_Use**Overview**

Valid: 528 Invalid: 748

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury

CATEGORIES

Value	Category	Cases	
1	Yes	96	18.2%
2	No	432	81.8%
Sysmiss		748	

QN20: Bullied 1+ of past 30 days**Data file:** LCA2007_Public_Use**Overview**

Valid: 1219 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	316	25.9%
2	No	903	74.1%
Sysmiss		57	

QN21: Of students bullied, most often hit, kicked, etc**Data file:** LCA2007_Public_Use**Overview**

Valid: 307 Invalid: 969

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

CATEGORIES

Value	Category	Cases	
1	Yes	37	12.1%
2	No	270	87.9%
Sysmiss		969	

QN22: Lonely most times/always past 12 months

Data file: LCA2007_Public_Use

Overview

Valid: 1249 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who felt lonely most of the time or always during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	202	16.2%
2	No	1047	83.8%
Sysmiss		27	

QN23: Worry prevented sleep most time/always past 12 mos

Data file: LCA2007_Public_Use

Overview

Valid: 1273 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	147	11.5%
2	No	1126	88.5%
Sysmiss		3	

QN24: Sad/Hopeless everyday 2+ weeks past 12 months

Data file: LCA2007_Public_Use

Overview

Valid: 1253 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who felt sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	305	24.3%
2	No	948	75.7%
Sysmiss		23	

QN25: Considered suicide past 12 months

Data file: LCA2007_Public_Use

Overview

Valid: 1237 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	234	18.9%
2	No	1003	81.1%
Sysmiss		39	

QN26: Made suicide plan past 12 months**Data file:** LCA2007_Public_Use**Overview**

Valid: 1235 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	209	16.9%
2	No	1026	83.1%
Sysmiss		41	

QN27: No close friends**Data file:** LCA2007_Public_Use**Overview**

Valid: 1249 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who have no close friends

CATEGORIES

Value	Category	Cases	
1	Yes	121	9.7%
2	No	1128	90.3%
Sysmiss		27	

QN28: Of current smokers, age first cigarette before 13**Data file:** LCA2007_Public_Use**Overview**

Valid: 95 Invalid: 1181

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger

CATEGORIES

Value	Category	Cases	
1	Yes	79	83.2%
2	No	16	16.8%
Sysmiss		1181	

QN29: Smoked cigarettes 1+ of past 30 days

Data file: LCA2007_Public_Use

Overview

Valid: 1232 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	97	7.9%
2	No	1135	92.1%
Sysmiss		44	

QN30: Used other tobacco 1+ of past 30 days

Data file: LCA2007_Public_Use

Overview

Valid: 1273 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	101	7.9%
2	No	1172	92.1%
Sysmiss		3	

QN31: Tried to quit smoking past 12 months

Data file: LCA2007_Public_Use

Overview

Valid: 173 Invalid: 1103

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	110	63.6%
2	No	63	36.4%
Sysmiss		1103	

QN32: Others present smoking 1+ of past 7 days

Data file: LCA2007_Public_Use

Overview

Valid: 1274 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported people smoking in their presence on one or more of the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	826	64.8%
2	No	448	35.2%
Sysmiss		2	

QN33: Either/Both parents use tobacco**Data file:** LCA2007_Public_Use**Overview**

Valid: 1266 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who have a parent or guardian who uses any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	261	20.6%
2	No	1005	79.4%
Sysmiss		10	

QN34: Drank 1+ days past 30 days**Data file:** LCA2007_Public_Use**Overview**

Valid: 1126 Invalid: 150

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	620	55.1%
2	No	506	44.9%
Sysmiss		150	

QN35: Of current drinkers, drank 2+ drinks/day 30 days**Data file:** LCA2007_Public_Use**Overview**

Valid: 620 Invalid: 656

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	236	38.1%
2	No	384	61.9%
Sysmiss		656	

QN36: Of current drinkers, bought alcohol in store

Data file: LCA2007_Public_Use

Overview

Valid: 615 Invalid: 661

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	67	10.9%
2	No	548	89.1%
Sysmiss		661	

QN37: 1+ times drunk in lifetime

Data file: LCA2007_Public_Use

Overview

Valid: 1253 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	439	35%
2	No	814	65%
Sysmiss		23	

QN38: Alcohol trouble 1+ times in lifetime

Data file: LCA2007_Public_Use

Overview

Valid: 1269 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	180	14.2%
2	No	1089	85.8%
Sysmiss		7	

QN39: Used drugs 1+ times in lifetime

Data file: LCA2007_Public_Use

Overview

Valid: 1243 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	262	21.1%
2	No	981	78.9%
Sysmiss		33	

QN40: Ever had sex**Data file:** LCA2007_Public_Use**Overview**

Valid: 1182 Invalid: 94

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who have ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	320	27.1%
2	No	862	72.9%
Sysmiss		94	

QN41: Age first sexual intercourse 12 or younger**Data file:** LCA2007_Public_Use**Overview**

Valid: 1229 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse for the first time before age 13

CATEGORIES

Value	Category	Cases	
1	Yes	200	16.3%
2	No	1029	83.7%
Sysmiss		47	

QN42: 2+ sex partners lifetime**Data file:** LCA2007_Public_Use**Overview**

Valid: 1216 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who have had sexual intercourse with two or more people during their life time

CATEGORIES

Value	Category	Cases	
1	Yes	237	19.5%
2	No	979	80.5%
Sysmiss		60	

Q43: Sexual intercourse past 12 months

Data file: LCA2007_Public_Use

Overview

Valid: 1259 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	282	22.4%
2	No	977	77.6%
Sysmiss		17	

Q44: Of sexually active 12 mos, use condoms at last sex

Data file: LCA2007_Public_Use

Overview

Valid: 216 Invalid: 1060

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	128	59.3%
2	No	88	40.7%
Sysmiss		1060	

QN45: Active 60+ mins/day for all of past 7 days

Data file: LCA2007_Public_Use

Overview

Valid: 1256 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	192	15.3%
2	No	1064	84.7%
Sysmiss		20	

QN46: Active 60+ min/day all 7 days of usual week

Data file: LCA2007_Public_Use

Overview

Valid: 1231 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week

CATEGORIES

Value	Category	Cases	
1	Yes	170	13.8%
2	No	1061	86.2%
Sysmiss		45	

QN47: Sitting activities 3+ hours/day of usual day**Data file:** LCA2007_Public_Use**Overview**

Valid: 1256 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day

CATEGORIES

Value	Category	Cases	
1	Yes	667	53.1%
2	No	589	46.9%
Sysmiss		20	

QN48: Walk/Bike to/from school 0 of past 7 days**Data file:** LCA2007_Public_Use**Overview**

Valid: 1256 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to and from school during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	927	73.8%
2	No	329	26.2%
Sysmiss		20	

QN49: Less than 29 minutes to/from school past 7 days**Data file:** LCA2007_Public_Use**Overview**

Valid: 1215 Invalid: 61

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	685	56.4%
2	No	530	43.6%
Sysmiss		61	

QN50: Miss school no permission 1+ of past 30 days

Data file: LCA2007_Public_Use

Overview

Valid: 1247 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	378	30.3%
2	No	869	69.7%
Sysmiss		29	

QN51: Students never/rarely kind/helpful past 30 days

Data file: LCA2007_Public_Use

Overview

Valid: 1219 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were kind and helpful most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	389	31.9%
2	No	830	68.1%
Sysmiss		57	

QN52: Parents never/rarely check homework past 30 days

Data file: LCA2007_Public_Use

Overview

Valid: 1254 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	573	45.7%
2	No	681	54.3%
Sysmiss		22	

QN53: Parents never/rarely understand problems past 30

Data file: LCA2007_Public_Use

Overview

Valid: 1247 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	547	43.9%
2	No	700	56.1%
Sysmiss		29	

QN54: Parents never/rarely know about free time past 30**Data file:** LCA2007_Public_Use**Overview**

Valid: 1239 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians knew what they were doing with their free time most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	390	31.5%
2	No	849	68.5%
Sysmiss		37	

QNFRVGG: Ate 5+ fruits/vegetables 30 days**Data file:** LCA2007_Public_Use**Overview**

Valid: 1246 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	319	25.6%
2	No	927	74.4%
Sysmiss		30	

QNANYTBG: Used any tobacco past 30 days**Data file:** LCA2007_Public_Use**Overview**

Valid: 1230 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used any tobacco on one or more days of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	140	11.4%
2	No	1090	88.6%
Sysmiss		46	

QNMNIPAG: Exercised 60 min/day ≤5 days

Data file: LCA2007_Public_Use

Overview

Valid: 1224 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average

CATEGORIES

Value	Category	Cases	
1	Yes	974	79.6%
2	No	250	20.4%
Sysmiss		52	

QNWKRDG: Walked/biked <2.5 hrs 7 days

Data file: LCA2007_Public_Use

Overview

Valid: 1208 Invalid: 68

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	1102	91.2%
2	No	106	8.8%
Sysmiss		68	

WEIGHT: Weight**Data file:** LCA2007_Public_Use**Overview**

Valid: 1276 Invalid: 0

Type: Continuous Decimal: 0 Width: 7 Range: 492.8664 - 2426.6785 Format: Numeric Weighted: yes

PSU: Primary Sampling Unit**Data file:** LCA2007_Public_Use**Overview**

Valid: 1276 Invalid: 0

Type: Continuous Decimal: 0 Width: 2 Range: 1 - 47 Format: Numeric

STRATUM: Stratum**Data file:** LCA2007_Public_Use**Overview**

Valid: 1276 Invalid: 0

Type: Continuous Decimal: 0 Width: 9 Range: 200701001 - 200701023 Format: Numeric

study_resources

questionnaires

Questionnaire

title Questionnaire
country St. Lucia
filename 2006_Saint_Lucia_GSHS_Questionnaire.pdf

reports

Fact Sheet

title Fact Sheet
country St. Lucia
filename St_Lucia_2007_fact_sheet.pdf

technical_documents

Codebook

title Codebook
country St. Lucia
filename LCA2007_public_use_codebook.pdf
