

STEPwise Survey for Non Communicable Diseases Risk Factor 2012

Ministry of Health

report_generated_on: February 16, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER

LSO_2012_STEPS_v01_M

TITLE

STEPwise Survey for Non Communicable Diseases Risk Factor 2012

COUNTRY

Name	Country code
Lesotho	LSO

STUDY TYPE

Other Household Survey [hh/oth]

SERIES INFORMATION

This is the first STEPS conducted by Lesotho.

ABSTRACT

STEPS is a household-based survey to obtain core data on the established risk factors that determine the major burden of NCDs.

KIND OF DATA

Sample survey data [ssd]

UNIT OF ANALYSIS

Individuals

Version

VERSION DESCRIPTION

Public-use dataset

Scope

NOTES

The following topics were included in the survey: tobacco use, alcohol consumption, diet, physical activity, history of raised blood glucose, history of raised blood pressure and lifestyle advice. Additionally, the following measures were taken: blood pressure, height, weight, waist circumference, hip circumference, heart rate, fasting blood glucose, total cholesterol and HDL cholesterol. Finally, the following optional modules were included: tobacco policy and violence and injury.

TOPICS

Topic	Vocabulary
STEPS	Survey

KEYWORDS

Keyword
noncommunicable diseases
risk factors
health surveys
tobacco use

alcohol use
diet
nutrition
physical activity
blood pressure
overweight
obesity
diabetes
hypertension
blood glucose
cholesterol
HDL cholesterol
tobacco policy
violence and injury

Coverage

GEOGRAPHIC COVERAGE

National coverage

UNIVERSE

Adults aged 25-64 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
Ministry of Health

Sampling

SAMPLING PROCEDURE

A multi-stage cluster sample of households. One individual within the age range of the survey was selected per household.

RESPONSE RATE

The overall response rate was 80%.

WEIGHTING

Analysis weights were calculated by taking the inverse of the probability of selection of each participant. These weights were adjusted for differences in the age-sex composition of the sample population as compared to the target population.

Different weight variables are available per Step:

wStep1 - for interview data

wStep2 - for physical measures

wStep3 - for biochemical measures

This allows for differences in the weight calculation for each Step of the survey as the age-sex composition of the respondents to each Step can differ slightly due to refusal or drop out. Additionally, some countries perform subsampling for Step 2 and/or Step 3. When no subsampling is done and response rates do not differ across Steps of the survey, the 3 weight

variables will be the same.

data_collection

DATES OF DATA COLLECTION

Start	End
2012-04	2012-05

DATA COLLECTION MODE

Face-to-face [f2f]

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on STEPS data should cite the survey report (if available) and acknowledge the data source in the following manner:

"This paper uses data from the [country] [year] STEPS survey, implemented by [implementing agency] with the support of the World Health Organization."

ACCESS AUTHORITY

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_LSO_2012_STEPS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Melanie Cowan		World Health Organization	Documentation of data
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION
2019-07-01

DDI DOCUMENT VERSION

Identical to a metadata (LSO_2012_STEPS_v01) published on WHO NCD microdata repository
(<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
Iso2012 National public-use dataset	2310	188

Data file: Iso2012

National public-use dataset

Cases: 2310

variables: 188

variables

ID	Name	Label	Question
V1	pid	participant ID - unique record ID	
V2	i6	interview language	
V3	sex	sex	
V4	age	age for analysis	
V5	c4	yrs of education	
V6	c5	highest level of education	
V7	c7	marital status	
V8	c8	work status	
V9	c9	adults older than 18yrs in household	
V10	c10a	household earnings per week	
V11	c10b	household earnings per month	
V12	c10c	household earnings per year	
V13	c10d	household earnings refused	
V14	c11	estimated household income (range)	
V15	t1a	ever smoked	
V16	t1	current smoking	
V17	t2	current daily smoking	
V18	t3	age started smoking	
V19	t4a	time since started smoking (years)	
V20	t4b	time since started smoking (months)	
V21	t4c	time since started smoking (weeks)	
V22	t5a	manufactured cigs smoked per day	
V23	t5aw	manufactured cigs smoked per week	
V24	t5b	hand-rolled cigs smoked per day	
V25	t5bw	hand-rolled cigs smoked per week	
V26	t5c	pipes smoked per day	
V27	t5cw	pipes smoked per week	
V28	t5d	cigars smoked per day	
V29	t5dw	cigars smoked per week	
V30	t5f	other smoked per day	
V31	t5fw	other smoked per week	
V32	t5other	specify other product smoked	
V33	t6a	tried to stop smoking in past 12 mos	
V34	t6b	advised to quit in past 12 mos	
V35	t6	past daily smoking	
V36	t7	age quit smoking	
V37	t8a	time since quitting smoking (years)	

ID	Name	Label	Question
V38	t8b	time since quitting smoking (months)	
V39	t8c	time since quitting smoking (days)	
V40	t9a	ever smokeless tobacco use	
V41	t9	current smokeless tobacco use	
V42	t10	current daily smokeless tobacco use	
V43	t11a	Snuff, by mouth times per day	
V44	t11aw	Snuff, by mouth times per week	
V45	t11b	Snuff, by nose times per day	
V46	t11bw	Snuff, by nose times per week	
V47	t11c	Chewing tobacco times per day	
V48	t11cw	Chewing tobacco times per week	
V49	t11e	other smokeless product per day	
V50	t11ew	other smokeless product per week	
V51	t11other	specify other tobacco product used	
V52	t12	past daily smokeless use	
V53	t13	days exposed to smoke in home last 7 days	
V54	t14	days exposed to smoke at work last 7 days	
V55	a1a	ever drank alcohol	
V56	a1b	drank alcohol in past 12 mos	
V57	a2	freq drinking in past 12 mos	
V58	a3	drank alcohol in past 30 days	
V59	a4	number drinking occasions past 30 days	
V60	a5	average number drinks per occasion past 30 days	
V61	a6	largest number drinks past 30 days	
V62	a7	times drank 5+(men)/4+(women) drinks in single occasion past 30 days	
V63	a8	drinking with meals in past 30 days	
V64	a9a	number of drinks consumed last Monday	
V65	a9b	number of drinks consumed last Tuesday	
V66	a9c	number of drinks consumed last Wednesday	
V67	a9d	number of drinks consumed last Thursday	
V68	a9e	number of drinks consumed last Friday	
V69	a9f	number of drinks consumed last Saturday	
V70	a9g	number of drinks consumed last Sunday	
V71	d1	days fruit eaten per week	
V72	d2	servings fruit eaten per day	
V73	d3	days veg eaten per week	
V74	d4	servings veg eaten per day	
V75	d5	oil used most often	
V76	d5other	specify other oil used	
V77	d6	meals per week eaten outside home	
V78	p1	vig activity at work	
V79	p2	vig activity at work: days per week	
V80	p3a	vig activity at work: hours per day	
V81	p3b	vig activity at work: mins per day	
V82	p4	mod activity at work	

ID	Name	Label	Question
V83	p5	mod activity at work: days per week	
V84	p6a	mod activity at work: hours per day	
V85	p6b	mod activity at work: mins per day	
V86	p7	active transport	
V87	p8	active transport: days per week	
V88	p9a	active transport: hours per day	
V89	p9b	active transport: mins per day	
V90	p10	vig leisure activity	
V91	p11	vig leisure activity: days per week	
V92	p12a	vig leisure activity: hours per day	
V93	p12b	vig leisure activity: mins per day	
V94	p13	mod leisure activity	
V95	p14	mod leisure activity: days per week	
V96	p15a	mod leisure activity: hours per day	
V97	p15b	mod leisure activity: mins per day	
V98	p16a	sedentary time: hours per day	
V99	p16b	sedentary time: mins per day	
V100	h1	BP ever measured	
V101	h2a	ever told had high BP	
V102	h2b	told had high BP in past 12 mos	
V103	h3a	currently receiving for high BP: drugs	
V104	h3b	currently receiving for high BP: advice to reduce salt intake	
V105	h3c	currently receiving for high BP: advice/treatment to lose weight	
V106	h3d	currently receiving for high BP: advice/treatment to stop smoking	
V107	h3e	currently receiving for high BP: advice/treatment to exercise more	
V108	h4	ever seen trad'l healer for high BP	
V109	h5	taking trad'l meds for high BP	
V110	h6	ever had gluc measured	
V111	h7a	ever told had high gluc	
V112	h7b	told had high gluc in past 12 mos	
V113	h8a	currently receiving for high gluc: insulin	
V114	h8b	currently receiving for high gluc: drugs	
V115	h8c	currently receiving for high gluc: special diet	
V116	h8d	currently receiving for high gluc: advice/treatment to lose weight	
V117	h8e	currently receiving for high gluc: advice/treatment to stop smoking	
V118	h8f	currently receiving for high gluc: advice/treatment to exercise more	
V119	h9	seen trad'l healer for high gluc in past 12 mos	
V120	h10	taking trad'l meds for high gluc	
V121	m2a	height device ID	
V122	m2b	weight device ID	
V123	m3	height (cm)	
V124	m4	weight (kg)	
V125	m5	pregnant	
V126	m6	waist circumference device ID	
V127	m7	waist circumference (cm)	

ID	Name	Label	Question
V128	m9	BP device ID	
V129	m10	cuff size	
V130	m11a	BP reading 1: systolic	
V131	m11b	BP reading 1: diastolic	
V132	m12a	BP reading 2: systolic	
V133	m12b	BP reading 2: diastolic	
V134	m13a	BP reading 3: systolic	
V135	m13b	BP reading 3: diastolic	
V136	m14	took raised BP meds in past 2 weeks	
V137	m15	hip circumference (cm)	
V138	m16a	heart rate reading 1	
V139	m16b	heart rate reading 2	
V140	m16c	heart rate reading 3	
V141	v1	seat belt use in past 30 days	
V142	v2	helmet use on motorcycle or scooter in past 30 days	
V143	v3	in road traffic accident in past 12 mos	
V144	v4	injured and required medical attention in accident	
V145	v5	injured and required medical attention in incident other than road traffic accid	
V146	v6	cause of non-road traffic accident injury	
V147	v6other	specify other cause	
V148	v7	location of non-road traffic accident injurt	
V149	v7other	specify other location	
V150	v8	helmet use on bike in past 30 days	
V151	v9	driven after 2+ drinks in past 30 days	
V152	v10	in past 30 days ridden in vehicle with driver that had 2+ drinks	
V153	v11	injured in violent incident in past 12 mos	
V154	v12	cause of most serious injury in past 12 mos	
V155	v13	relationship to person causing serious injury	
V156	v13other	specify other relationship	
V157	v14	childhood physical abuse	
V158	v15	childhood sexual abuse	
V159	v16	adult sexual abuse	
V160	v17	frightened because of threats to you or family in past 12 mos	
V161	v18	person who frightened you	
V162	v18other	specify other person	
V163	v19	carried loaded firearm outside of home in past 30 days	
V164	tp1	notice info on dangers of smoking in newspapers or magazines	
V165	tp2	notice info on dangers of smoking in television	
V166	tp3	notice ads or signs promoting cigarettes in stores	
V167	tp4a	notice cig promos: free samples	
V168	tp4b	notice cig promos: cigs on sale	
V169	tp4c	notice cig promos: coupons	
V170	tp4d	notice cig promos: free gifts	
V171	tp4e	notice cig promos: branded clothing	
V172	tp4f	notice cig promos: in the mail	

ID	Name	Label	Question
V173	tp5	noticed health warnings on cig packs	
V174	tp6	thought about quitting due to health warning	
V175	tp7	number of cigs bought last purchase	
V176	tp8	price paid for last cig purchase	
V177	b1	ate/drank in past 12 hours (fasting status)	
V178	b5	fasting blood glucose (mmol/l)	
V179	b6	took insulin today	
V180	b8	total cholesterol (mmol/l)	
V181	b9	chol meds taken in past 2 weeks	
V182	b11	HDL cholesterol (mmol/l)	
V183	agerange	ageranges for which survey was designed	
V184	wstep1	final analysis weight for step 1 (interview)	
V185	wstep2	final analysis weight for step 2 (physical measures)	
V186	wstep3	final analysis weight for step 3 (biochemical measures)	
V187	stratum	stratum	
V188	psu	psu	

total: 188

PID: participant ID - unique record ID**Data file: Iso2012****Overview**

Valid: 2310 Invalid: 0 Minimum: 3 Maximum: 980014 Mean: 33763.482 Standard deviation: 50257.41
 Type: Continuous Decimal: 0 Width: 12 Range: 3 - 980014 Format: Numeric

C10A: household earnings per week**Data file: Iso2012****Overview**

Valid: 203 Invalid: 2107 Minimum: 0 Maximum: 15000 Mean: 253.059 Standard deviation: 1169.164
 Type: Continuous Decimal: 0 Width: 6 Range: 0 - 15000 Format: Numeric

I6: interview language**Data file: Iso2012****Overview**

Valid: 2310 Invalid: 0
 Type: Discrete Decimal: 0 Width: 7 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	sesotho	2286	99%
2	english	24	1%

SEX: sex**Data file: Iso2012****Overview**

Valid: 2310 Invalid: 0
 Type: Discrete Width: 5 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category	Cases	
Men		774	33.5%
Women		1536	66.5%

AGE: age for analysis**Data file: Iso2012****Overview**

Valid: 2310 Invalid: 0 Minimum: 25 Maximum: 64 Mean: 42.942 Standard deviation: 12.058
 Type: Continuous Decimal: 0 Width: 9 Range: 25 - 64 Format: Numeric

C4: yrs of education**Data file: Iso2012****Overview**

Valid: 2309 Invalid: 1 Minimum: 0 Maximum: 77 Mean: 8.06 Standard deviation: 9.584
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

C5: highest level of education**Data file: Iso2012****Overview**

Valid: 2309 Invalid: 1
 Type: Discrete Decimal: 0 Width: 28 Range: 1 - 88 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	No formal schooling	254	11%
2	Less than primary school	789	34.2%
3	Primary school completed	775	33.6%
4	Secondary school completed	241	10.4%
5	High school completed	145	6.3%
6	College/University completed	84	3.6%
7	Post graduate degree	21	0.9%
88	Refused	0	0%
Sysmiss		1	

C7: marital status**Data file: Iso2012**

Overview

Valid: 2309 Invalid: 1

Type: Discrete Decimal: 0 Width: 17 Range: 1 - 88 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Never married	234	10.1%
2	Currently married	1430	61.9%
3	Separated	138	6%
4	Divorced	29	1.3%
5	Widowed	470	20.4%
6	Cohabitation	8	0.3%
88	Refused	0	0%
Sysmiss		1	

C8: work status**Data file: Iso2012****Overview**

Valid: 2308 Invalid: 2

Type: Discrete Decimal: 0 Width: 27 Range: 1 - 88 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Government employee	130	5.6%
2	Non-government employee	230	10%
3	Self-employed	309	13.4%
4	Non-paid	23	1%
5	Student	12	0.5%
6	Housewife	615	26.6%
7	Retired	31	1.3%
8	Unemployed (able to work)	866	37.5%
9	Unemployed (unable to work)	89	3.9%
88	Refused	3	0.1%
Sysmiss		2	

C9: adults older than 18yrs in household**Data file: Iso2012****Overview**

Valid: 2308 Invalid: 2

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 77 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		626	27.1%
2		975	42.2%
3		405	17.5%
4		176	7.6%
5		67	2.9%
6		29	1.3%
7		13	0.6%
8		7	0.3%
9		1	0%
18		4	0.2%
24		1	0%
28		1	0%
30		1	0%
77	don't know	2	0.1%
Sysmiss		2	

C10B: household earnings per month**Data file: Iso2012****Overview**

Valid: 1524 Invalid: 786 Minimum: 0 Maximum: 18500 Mean: 1075.641 Standard deviation: 1802.123

Type: Continuous Decimal: 0 Width: 6 Range: 0 - 18500 Format: Numeric

C10C: household earnings per year**Data file: Iso2012****Overview**

Valid: 234 Invalid: 2076 Minimum: 0 Maximum: 360000 Mean: 8931.103 Standard deviation: 35865.066

Type: Continuous Decimal: 0 Width: 6 Range: 0 - 360000 Format: Numeric

C10D: household earnings refused**Data file: Iso2012****Overview**

Valid: 2306 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 0 - 1 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		1963	85.1%
1		343	14.9%
Sysmiss		4	

C11: estimated household income (range)**Data file: Iso2012****Overview**

Valid: 346 Invalid: 1964

Type: Discrete Decimal: 0 Width: 12 Range: 1 - 88 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	<500LSL	163	47.1%
2	500-999LSL	48	13.9%
3	1000-1499LSL	18	5.2%
4	1500-2000LSL	7	2%
5	>2000LSL	6	1.7%
77	Don't Know	62	17.9%
88	Refused	42	12.1%
Sysmiss		1964	

T1A: ever smoked**Data file: Iso2012**

Overview

Valid: 2307 Invalid: 3
 Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	543	23.5%
2	no	1764	76.5%
Sysmiss		3	

T1: current smoking

Data file: Iso2012

Overview

Valid: 543 Invalid: 1767
 Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	367	67.6%
2	no	176	32.4%
Sysmiss		1767	

T2: current daily smoking

Data file: Iso2012

Overview

Valid: 367 Invalid: 1943
 Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	317	86.4%
2	no	50	13.6%
Sysmiss		1943	

T3: age started smoking**Data file: Iso2012****Overview**

Valid: 317 Invalid: 1993 Minimum: 8 Maximum: 77 Mean: 31.397 Standard deviation: 22.772
 Type: Continuous Decimal: 0 Width: 2 Range: 8 - 77 Format: Numeric

T4A: time since started smoking (years)**Data file: Iso2012****Overview**

Valid: 60 Invalid: 2250 Minimum: 1 Maximum: 77 Mean: 46.683 Standard deviation: 31.351
 Type: Continuous Decimal: 0 Width: 2 Range: 1 - 77 Format: Numeric

T4B: time since started smoking (months)**Data file: Iso2012****Overview**

Valid: 30 Invalid: 2280
 Type: Discrete Decimal: 0 Width: 2 Range: 77 - 77 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
77		30	100%
Sysmiss		2280	

T4C: time since started smoking (weeks)**Data file: Iso2012****Overview**

Valid: 30 Invalid: 2280
 Type: Discrete Decimal: 0 Width: 2 Range: 77 - 77 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
77		30	100%

Sysmiss

2280

T5A: manufactured cigs smoked per day**Data file: Iso2012****Overview**

Valid: 317 Invalid: 1993 Minimum: 0 Maximum: 77 Mean: 4.145 Standard deviation: 14.13
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

T5AW: manufactured cigs smoked per week**Data file: Iso2012****Overview**

Valid: 151 Invalid: 2159 Minimum: 0 Maximum: 777 Mean: 124.132 Standard deviation: 284.763
 Type: Continuous Decimal: 0 Width: 3 Range: 0 - 777 Format: Numeric

T5B: hand-rolled cigs smoked per day**Data file: Iso2012****Overview**

Valid: 317 Invalid: 1993 Minimum: 0 Maximum: 77 Mean: 10.293 Standard deviation: 21.806
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

T5BW: hand-rolled cigs smoked per week**Data file: Iso2012****Overview**

Valid: 116 Invalid: 2194 Minimum: 0 Maximum: 777 Mean: 169.103 Standard deviation: 320.035
 Type: Continuous Decimal: 0 Width: 3 Range: 0 - 777 Format: Numeric

T5C: pipes smoked per day**Data file: Iso2012****Overview**

Valid: 317 Invalid: 1993 Minimum: 0 Maximum: 77 Mean: 1.438 Standard deviation: 9.697
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

T5CW: pipes smoked per week**Data file: Iso2012**

Overview

Valid: 172 Invalid: 2138 Minimum: 0 Maximum: 777 Mean: 24.849 Standard deviation: 133.241
 Type: Continuous Decimal: 0 Width: 3 Range: 0 - 777 Format: Numeric

T5D: cigars smoked per day**Data file: Iso2012****Overview**

Valid: 317 Invalid: 1993 Minimum: 0 Maximum: 77 Mean: 0.984 Standard deviation: 8.61
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

T5DW: cigars smoked per week**Data file: Iso2012****Overview**

Valid: 175 Invalid: 2135 Minimum: 0 Maximum: 777 Mean: 17.92 Standard deviation: 116.449
 Type: Continuous Decimal: 0 Width: 3 Range: 0 - 777 Format: Numeric

T5F: other smoked per day**Data file: Iso2012****Overview**

Valid: 317 Invalid: 1993 Minimum: 0 Maximum: 77 Mean: 2.192 Standard deviation: 12.808
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

T5FW: other smoked per week**Data file: Iso2012****Overview**

Valid: 162 Invalid: 2148 Minimum: 0 Maximum: 777 Mean: 47.969 Standard deviation: 187.572
 Type: Continuous Decimal: 0 Width: 3 Range: 0 - 777 Format: Numeric

T5OTHER: specify other product smoked**Data file: Iso2012****Overview**

Valid: 1 Invalid: 0
 Type: Discrete Width: 20 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category	Cases	
do not know		1	100%

T6A: tried to stop smoking in past 12 mos**Data file: Iso2012****Overview**

Valid: 368 Invalid: 1942

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	165	44.8%
2	no	203	55.2%
Sysmiss		1942	

T6B: advised to quit in past 12 mos**Data file: Iso2012****Overview**

Valid: 368 Invalid: 1942

Type: Discrete Decimal: 0 Width: 23 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	59	16%
2	no	199	54.1%
3	no visit in past 12 mos	110	29.9%
Sysmiss		1942	

T6: past daily smoking**Data file: Iso2012****Overview**

Valid: 226 Invalid: 2084

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	135	59.7%
2	no	91	40.3%
Sysmiss		2084	

T7: age quit smoking

Data file: Iso2012

Overview

Valid: 135 Invalid: 2175 Minimum: 1 Maximum: 77 Mean: 40.43 Standard deviation: 21.543
Type: Continuous Decimal: 0 Width: 2 Range: 1 - 77 Format: Numeric

T8A: time since quitting smoking (years)

Data file: Iso2012

Overview

Valid: 24 Invalid: 2286 Minimum: 2 Maximum: 77 Mean: 49.25 Standard deviation: 34.097
Type: Continuous Decimal: 0 Width: 2 Range: 2 - 77 Format: Numeric

T8B: time since quitting smoking (months)

Data file: Iso2012

Overview

Valid: 16 Invalid: 2294 Minimum: 11 Maximum: 77 Mean: 72.875 Standard deviation: 16.5
Type: Continuous Decimal: 0 Width: 2 Range: 11 - 77 Format: Numeric

T8C: time since quitting smoking (days)

Data file: Iso2012

Overview

Valid: 15 Invalid: 2295
Type: Discrete Decimal: 0 Width: 2 Range: 77 - 77 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

77		15	100%
Sysmiss		2295	

T9A: ever smokeless tobacco use

Data file: Iso2012

Overview

Valid: 2307 Invalid: 3

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	588	25.5%
2	no	1719	74.5%
Sysmiss		3	

T9: current smokeless tobacco use

Data file: Iso2012

Overview

Valid: 588 Invalid: 1722

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	382	65%
2	no	206	35%
Sysmiss		1722	

T10: current daily smokeless tobacco use

Data file: Iso2012

Overview

Valid: 382 Invalid: 1928

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	292	76.4%
2	no	90	23.6%
Sysmiss		1928	

T11A: Snuff, by mouth times per day

Data file: Iso2012

Overview

Valid: 292 Invalid: 2018 Minimum: 0 Maximum: 77 Mean: 3.675 Standard deviation: 15.293
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

T11AW: Snuff, by mouth times per week

Data file: Iso2012

Overview

Valid: 222 Invalid: 2088 Minimum: 0 Maximum: 777 Mean: 38.784 Standard deviation: 168.947
 Type: Continuous Decimal: 0 Width: 3 Range: 0 - 777 Format: Numeric

T11B: Snuff, by nose times per day

Data file: Iso2012

Overview

Valid: 292 Invalid: 2018 Minimum: 0 Maximum: 77 Mean: 11.644 Standard deviation: 22.82
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

T11BW: Snuff, by nose times per week

Data file: Iso2012

Overview

Valid: 138 Invalid: 2172 Minimum: 0 Maximum: 777 Mean: 204.507 Standard deviation: 341.363
 Type: Continuous Decimal: 0 Width: 3 Range: 0 - 777 Format: Numeric

T11C: Chewing tobacco times per day

Data file: Iso2012

Overview

Valid: 292 Invalid: 2018 Minimum: 0 Maximum: 77 Mean: 1.192 Standard deviation: 9
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

T11CW: Chewing tobacco times per week

Data file: Iso2012

Overview

Valid: 198 Invalid: 2112 Minimum: 0 Maximum: 777 Mean: 12.126 Standard deviation: 95.241
 Type: Continuous Decimal: 0 Width: 3 Range: 0 - 777 Format: Numeric

T11E: other smokeless product per day

Data file: Iso2012

Overview

Valid: 292 Invalid: 2018 Minimum: 0 Maximum: 77 Mean: 1.14 Standard deviation: 8.988
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

T11EW: other smokeless product per week

Data file: Iso2012

Overview

Valid: 194 Invalid: 2116 Minimum: 0 Maximum: 777 Mean: 20.16 Standard deviation: 123.428
 Type: Continuous Decimal: 0 Width: 3 Range: 0 - 777 Format: Numeric

T11OTHER: specify other tobacco product used

Data file: Iso2012

Overview

Valid: 8 Invalid: 0
 Type: Discrete Width: 20 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category	Cases	
'o		1	12.5%
Mohlothi		1	12.5%
do not		1	12.5%
do not know		2	25%
none		2	25%

sesotho		1	12.5%
---------	--	---	-------

T12: past daily smokeless use

Data file: Iso2012

Overview

Valid: 296 Invalid: 2014

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	160	54.1%
2	no	136	45.9%
Sysmiss		2014	

T13: days exposed to smoke in home last 7 days

Data file: Iso2012

Overview

Valid: 2307 Invalid: 3 Minimum: 0 Maximum: 77 Mean: 6.027 Standard deviation: 17.872

Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

T14: days exposed to smoke at work last 7 days

Data file: Iso2012

Overview

Valid: 2307 Invalid: 3 Minimum: 0 Maximum: 77 Mean: 35.691 Standard deviation: 37.771

Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

A1A: ever drank alcohol

Data file: Iso2012

Overview

Valid: 2307 Invalid: 3

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	1119	48.5%
2	no	1188	51.5%
Sysmiss		3	

A1B: drank alcohol in past 12 mos

Data file: Iso2012

Overview

Valid: 1119 Invalid: 1191

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	849	75.9%
2	no	270	24.1%
Sysmiss		1191	

A2: freq drinking in past 12 mos

Data file: Iso2012

Overview

Valid: 849 Invalid: 1461

Type: Discrete Decimal: 0 Width: 22 Range: 1 - 88 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Daily	49	5.8%
2	5-6 days per week	36	4.2%
3	1-4 days per week	196	23.1%
4	1-3 days per month	280	33%
5	less than once a month	282	33.2%
88	Refused	6	0.7%
Sysmiss		1461	

A3: drank alcohol in past 30 days**Data file: Iso2012****Overview**

Valid: 849 Invalid: 1461

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	646	76.1%
2	no	203	23.9%
Sysmiss		1461	

A4: number drinking occasions past 30 days**Data file: Iso2012****Overview**

Valid: 646 Invalid: 1664 Minimum: 1 Maximum: 77 Mean: 13.118 Standard deviation: 25.183

Type: Continuous Decimal: 0 Width: 2 Range: 1 - 77 Format: Numeric

A5: average number drinks per occasion past 30 days**Data file: Iso2012****Overview**

Valid: 646 Invalid: 1664 Minimum: 1 Maximum: 77 Mean: 17.526 Standard deviation: 27.793

Type: Continuous Decimal: 0 Width: 2 Range: 1 - 77 Format: Numeric

A6: largest number drinks past 30 days**Data file: Iso2012****Overview**

Valid: 646 Invalid: 1664 Minimum: 1 Maximum: 77 Mean: 18.071 Standard deviation: 27.486

Type: Continuous Decimal: 0 Width: 2 Range: 1 - 77 Format: Numeric

A7: times drank 5+(men)/4+(women) drinks in single occasion past 30 days**Data file: Iso2012****Overview**

Valid: 646 Invalid: 1664 Minimum: 0 Maximum: 77 Mean: 8.159 Standard deviation: 20.63

Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

A8: drinking with meals in past 30 days**Data file:** Iso2012**Overview**

Valid: 646 Invalid: 1664

Type: Discrete Decimal: 0 Width: 20 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	usually with meals	401	62.1%
2	sometimes with meals	141	21.8%
3	rarely with meals	24	3.7%
4	never with meals	80	12.4%
Sysmiss		1664	

A9A: number of drinks consumed last Monday**Data file:** Iso2012**Overview**

Valid: 646 Invalid: 1664 Minimum: 0 Maximum: 77 Mean: 7.429 Standard deviation: 21.621

Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

A9B: number of drinks consumed last Tuesday**Data file:** Iso2012**Overview**

Valid: 646 Invalid: 1664 Minimum: 0 Maximum: 77 Mean: 7.396 Standard deviation: 21.811

Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

A9C: number of drinks consumed last Wednesday**Data file:** Iso2012**Overview**

Valid: 646 Invalid: 1664 Minimum: 0 Maximum: 77 Mean: 7.201 Standard deviation: 21.447

Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

A9D: number of drinks consumed last Thursday**Data file: Iso2012****Overview**

Valid: 646 Invalid: 1664 Minimum: 0 Maximum: 77 Mean: 7.997 Standard deviation: 22.63
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

A9E: number of drinks consumed last Friday**Data file: Iso2012****Overview**

Valid: 646 Invalid: 1664 Minimum: 0 Maximum: 77 Mean: 8.529 Standard deviation: 22.723
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

A9F: number of drinks consumed last Saturday**Data file: Iso2012****Overview**

Valid: 646 Invalid: 1664 Minimum: 0 Maximum: 77 Mean: 9.067 Standard deviation: 22.43
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

A9G: number of drinks consumed last Sunday**Data file: Iso2012****Overview**

Valid: 646 Invalid: 1664 Minimum: 0 Maximum: 77 Mean: 8.83 Standard deviation: 23.214
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

D1: days fruit eaten per week**Data file: Iso2012****Overview**

Valid: 2307 Invalid: 3 Minimum: 0 Maximum: 77 Mean: 4.572 Standard deviation: 14.925
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

D2: servings fruit eaten per day**Data file: Iso2012****Overview**

Valid: 1142 Invalid: 1168 Minimum: 1 Maximum: 77 Mean: 6.238 Standard deviation: 17.602
 Type: Continuous Decimal: 0 Width: 2 Range: 1 - 77 Format: Numeric

D3: days veg eaten per week**Data file: Iso2012****Overview**

Valid: 2307 Invalid: 3 Minimum: 0 Maximum: 77 Mean: 5.786 Standard deviation: 6.687
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

D4: servings veg eaten per day**Data file: Iso2012****Overview**

Valid: 2242 Invalid: 68 Minimum: 1 Maximum: 77 Mean: 3.15 Standard deviation: 5.443
 Type: Continuous Decimal: 0 Width: 2 Range: 1 - 77 Format: Numeric

D5: oil used most often**Data file: Iso2012****Overview**

Valid: 2307 Invalid: 3
 Type: Discrete Decimal: 0 Width: 18 Range: 1 - 77 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Vegetable oil	2172	94.1%
2	lard or suet	46	2%
3	Butter	1	0%
4	Margarine	1	0%
5	Other	61	2.6%
6	None in particular	16	0.7%
7	None used	9	0.4%
77	Don't know	1	0%
Sysmiss		3	

D5OTHER: specify other oil used**Data file: Iso2012**

Overview

Valid: 61 Invalid: 0

Type: Discrete Width: 20 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category	Cases	
Cooking oil		1	1.6%
cookin oil		1	1.6%
cooking oil		57	93.4%
cookingoil		1	1.6%
holsam		1	1.6%

D6: meals per week eaten outside home**Data file: Iso2012****Overview**

Valid: 2307 Invalid: 3 Minimum: 0 Maximum: 77 Mean: 3.164 Standard deviation: 13.723

Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

P1: vig activity at work**Data file: Iso2012****Overview**

Valid: 2307 Invalid: 3

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	1020	44.2%
2	no	1287	55.8%
Sysmiss		3	

P2: vig activity at work: days per week**Data file: Iso2012**

Overview

Valid: 1020 Invalid: 1290 Minimum: 1 Maximum: 77 Mean: 8.346 Standard deviation: 16.995
 Type: Continuous Decimal: 0 Width: 2 Range: 1 - 77 Format: Numeric

P3A: vig activity at work: hours per day

Data file: Iso2012

Overview

Valid: 962 Invalid: 1348 Minimum: 0 Maximum: 77 Mean: 8.8 Standard deviation: 18.456
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

P3B: vig activity at work: mins per day

Data file: Iso2012

Overview

Valid: 962 Invalid: 1348 Minimum: 0 Maximum: 77 Mean: 10.552 Standard deviation: 21.542
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

P4: mod activity at work

Data file: Iso2012

Overview

Valid: 2307 Invalid: 3
 Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	2089	90.6%
2	no	218	9.4%
Sysmiss		3	

P5: mod activity at work: days per week

Data file: Iso2012

Overview

Valid: 2089 Invalid: 221 Minimum: 1 Maximum: 77 Mean: 8.575 Standard deviation: 16.059
 Type: Continuous Decimal: 0 Width: 2 Range: 1 - 77 Format: Numeric

P6A: mod activity at work: hours per day**Data file: Iso2012****Overview**

Valid: 1982 Invalid: 328 Minimum: 0 Maximum: 77 Mean: 11.199 Standard deviation: 23.726
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

P6B: mod activity at work: mins per day**Data file: Iso2012****Overview**

Valid: 1982 Invalid: 328 Minimum: 0 Maximum: 77 Mean: 15.391 Standard deviation: 25.579
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

P7: active transport**Data file: Iso2012****Overview**

Valid: 2307 Invalid: 3
 Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	2009	87.1%
2	no	298	12.9%
Sysmiss		3	

P8: active transport: days per week**Data file: Iso2012****Overview**

Valid: 2009 Invalid: 301 Minimum: 1 Maximum: 77 Mean: 8.823 Standard deviation: 17.627
 Type: Continuous Decimal: 0 Width: 2 Range: 1 - 77 Format: Numeric

P9A: active transport: hours per day**Data file: Iso2012****Overview**

Valid: 1885 Invalid: 425 Minimum: 0 Maximum: 77 Mean: 8.38 Standard deviation: 21.709
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

P9B: active transport: mins per day**Data file: Iso2012****Overview**

Valid: 1885 Invalid: 425 Minimum: 0 Maximum: 77 Mean: 19.098 Standard deviation: 23.629
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

P10: vig leisure activity**Data file: Iso2012****Overview**

Valid: 2307 Invalid: 3
 Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	460	19.9%
2	no	1847	80.1%
Sysmiss		3	

H1: BP ever measured**Data file: Iso2012****Overview**

Valid: 2307 Invalid: 3
 Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	1485	64.4%
2	no	822	35.6%
Sysmiss		3	

P11: vig leisure activity: days per week**Data file: Iso2012**

Overview

Valid: 460 Invalid: 1850 Minimum: 1 Maximum: 77 Mean: 8.693 Standard deviation: 20.034
 Type: Continuous Decimal: 0 Width: 2 Range: 1 - 77 Format: Numeric

P12A: vig leisure activity: hours per day

Data file: Iso2012

Overview

Valid: 424 Invalid: 1886 Minimum: 0 Maximum: 77 Mean: 6.071 Standard deviation: 17.867
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

P12B: vig leisure activity: mins per day

Data file: Iso2012

Overview

Valid: 424 Invalid: 1886 Minimum: 0 Maximum: 77 Mean: 15.677 Standard deviation: 21.708
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

P13: mod leisure activity

Data file: Iso2012

Overview

Valid: 2307 Invalid: 3
 Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	483	20.9%
2	no	1824	79.1%
Sysmiss		3	

P14: mod leisure activity: days per week

Data file: Iso2012

Overview

Valid: 483 Invalid: 1827 Minimum: 1 Maximum: 77 Mean: 9.433 Standard deviation: 20.977
 Type: Continuous Decimal: 0 Width: 2 Range: 1 - 77 Format: Numeric

P15A: mod leisure activity: hours per day**Data file: Iso2012****Overview**

Valid: 441 Invalid: 1869 Minimum: 0 Maximum: 77 Mean: 4.853 Standard deviation: 15.056
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

P15B: mod leisure activity: mins per day**Data file: Iso2012****Overview**

Valid: 441 Invalid: 1869 Minimum: 0 Maximum: 77 Mean: 13.499 Standard deviation: 19.749
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

P16A: sedentary time: hours per day**Data file: Iso2012****Overview**

Valid: 2307 Invalid: 3 Minimum: 0 Maximum: 77 Mean: 12.133 Standard deviation: 24.973
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

P16B: sedentary time: mins per day**Data file: Iso2012****Overview**

Valid: 2307 Invalid: 3 Minimum: 0 Maximum: 77 Mean: 16.065 Standard deviation: 26.304
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 77 Format: Numeric

H2A: ever told had high BP**Data file: Iso2012****Overview**

Valid: 1484 Invalid: 826
 Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	433	29.2%
2	no	1051	70.8%
Sysmiss		826	

H2B: told had high BP in past 12 mos**Data file: Iso2012****Overview**

Valid: 433 Invalid: 1877

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	277	64%
2	no	156	36%
Sysmiss		1877	

H3A: currently receiving for high BP: drugs**Data file: Iso2012****Overview**

Valid: 433 Invalid: 1877

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	196	45.3%
2	no	237	54.7%
Sysmiss		1877	

H3B: currently receiving for high BP: advice to reduce salt intake**Data file: Iso2012****Overview**

Valid: 433 Invalid: 1877

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	251	58%
2	no	182	42%
Sysmiss		1877	

H3C: currently receiving for high BP: advice/treatment to lose weight

Data file: Iso2012

Overview

Valid: 433 Invalid: 1877

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	124	28.6%
2	no	309	71.4%
Sysmiss		1877	

H3D: currently receiving for high BP: advice/treatment to stop smoking

Data file: Iso2012

Overview

Valid: 433 Invalid: 1877

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	98	22.6%
2	no	335	77.4%
Sysmiss		1877	

H3E: currently receiving for high BP: advice/treatment to exercise more

Data file: Iso2012

Overview

Valid: 433 Invalid: 1877

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	166	38.3%
2	no	267	61.7%
Sysmiss		1877	

H4: ever seen trad'l healer for high BP

Data file: Iso2012

Overview

Valid: 433 Invalid: 1877

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	54	12.5%
2	no	379	87.5%
Sysmiss		1877	

H5: taking trad'l meds for high BP

Data file: Iso2012

Overview

Valid: 433 Invalid: 1877

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	80	18.5%
2	no	353	81.5%
Sysmiss		1877	

H6: ever had gluc measured**Data file: Iso2012****Overview**

Valid: 2307 Invalid: 3

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	444	19.2%
2	no	1863	80.8%
Sysmiss		3	

H7A: ever told had high gluc**Data file: Iso2012****Overview**

Valid: 445 Invalid: 1865

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	62	13.9%
2	no	383	86.1%
Sysmiss		1865	

H7B: told had high gluc in past 12 mos**Data file: Iso2012****Overview**

Valid: 63 Invalid: 2247

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	41	65.1%

2	no	22	34.9%
Sysmiss		2247	

H8A: currently receiving for high gluc: insulin

Data file: Iso2012

Overview

Valid: 63 Invalid: 2247

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	13	20.6%
2	no	50	79.4%
Sysmiss		2247	

H8B: currently receiving for high gluc: drugs

Data file: Iso2012

Overview

Valid: 63 Invalid: 2247

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	41	65.1%
2	no	22	34.9%
Sysmiss		2247	

H8C: currently receiving for high gluc: special diet

Data file: Iso2012

Overview

Valid: 63 Invalid: 2247

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	40	63.5%
2	no	23	36.5%
Sysmiss		2247	

H8D: currently receiving for high gluc: advice/treatment to lose weight

Data file: Iso2012

Overview

Valid: 63 Invalid: 2247

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	28	44.4%
2	no	35	55.6%
Sysmiss		2247	

H8E: currently receiving for high gluc: advice/treatment to stop smoking

Data file: Iso2012

Overview

Valid: 63 Invalid: 2247

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	20	31.7%
2	no	43	68.3%
Sysmiss		2247	

H8F: currently receiving for high gluc: advice/treatment to exercise more**Data file: Iso2012****Overview**

Valid: 63 Invalid: 2247

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	33	52.4%
2	no	30	47.6%
Sysmiss		2247	

H9: seen trad'l healer for high gluc in past 12 mos**Data file: Iso2012****Overview**

Valid: 63 Invalid: 2247

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	11	17.5%
2	no	52	82.5%
Sysmiss		2247	

H10: taking trad'l meds for high gluc**Data file: Iso2012****Overview**

Valid: 63 Invalid: 2247

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	18	28.6%

2	no	45	71.4%
Sysmiss		2247	

M2A: height device ID**Data file: Iso2012****Overview**

Valid: 2240 Invalid: 70 Minimum: 0 Maximum: 888 Mean: 19.231 Standard deviation: 50.555
 Type: Continuous Decimal: 0 Width: 3 Range: 0 - 888 Format: Numeric

M2B: weight device ID**Data file: Iso2012****Overview**

Valid: 2239 Invalid: 71 Minimum: 0 Maximum: 888 Mean: 23.852 Standard deviation: 60.018
 Type: Continuous Decimal: 0 Width: 3 Range: 0 - 888 Format: Numeric

M3: height (cm)**Data file: Iso2012****Overview**

Valid: 2224 Invalid: 86 Minimum: 102 Maximum: 888.8 Mean: 162.862 Standard deviation: 49.78
 Type: Continuous Decimal: 1 Width: 5 Range: 102 - 888.8 Format: Numeric

M4: weight (kg)**Data file: Iso2012****Overview**

Valid: 2223 Invalid: 87 Minimum: 21.5 Maximum: 888.8 Mean: 68.459 Standard deviation: 37.119
 Type: Continuous Decimal: 1 Width: 5 Range: 21.5 - 888.8 Format: Numeric

M5: pregnant**Data file: Iso2012****Overview**

Valid: 1503 Invalid: 807
 Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

Value	Category	Cases	
1	yes	41	2.7%
2	no	1462	97.3%
Sysmiss		807	

M6: waist circumference device ID

Data file: Iso2012

Overview

Valid: 2188 Invalid: 122 Minimum: 0 Maximum: 99 Mean: 16.093 Standard deviation: 14.187
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 99 Format: Numeric

M7: waist circumference (cm)

Data file: Iso2012

Overview

Valid: 2169 Invalid: 141 Minimum: 31 Maximum: 888.8 Mean: 86.974 Standard deviation: 37.248
 Type: Continuous Decimal: 1 Width: 5 Range: 31 - 888.8 Format: Numeric

M9: BP device ID

Data file: Iso2012

Overview

Valid: 2277 Invalid: 33 Minimum: 0 Maximum: 88 Mean: 14.798 Standard deviation: 10.683
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 88 Format: Numeric

M10: cuff size

Data file: Iso2012

Overview

Valid: 2274 Invalid: 36
 Type: Discrete Decimal: 0 Width: 7 Range: 1 - 88 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Small	7	0.3%
2	Medium	2255	99.2%
3	Large	11	0.5%

88	Refused	1	0%
Sysmiss		36	

M11A: BP reading 1: systolic**Data file: Iso2012****Overview**

Valid: 2240 Invalid: 70 Minimum: 57 Maximum: 282 Mean: 134.965 Standard deviation: 25.742
 Type: Continuous Decimal: 0 Width: 3 Range: 57 - 282 Format: Numeric

M11B: BP reading 1: diastolic**Data file: Iso2012****Overview**

Valid: 2241 Invalid: 69 Minimum: 2 Maximum: 180 Mean: 86.724 Standard deviation: 14.588
 Type: Continuous Decimal: 0 Width: 3 Range: 2 - 180 Format: Numeric

M12A: BP reading 2: systolic**Data file: Iso2012****Overview**

Valid: 2240 Invalid: 70 Minimum: 76 Maximum: 257 Mean: 131.058 Standard deviation: 24.209
 Type: Continuous Decimal: 0 Width: 3 Range: 76 - 257 Format: Numeric

M12B: BP reading 2: diastolic**Data file: Iso2012****Overview**

Valid: 2240 Invalid: 70 Minimum: 30 Maximum: 195 Mean: 85.72 Standard deviation: 14.259
 Type: Continuous Decimal: 0 Width: 3 Range: 30 - 195 Format: Numeric

M13A: BP reading 3: systolic**Data file: Iso2012****Overview**

Valid: 2240 Invalid: 70 Minimum: 79 Maximum: 300 Mean: 129.57 Standard deviation: 23.859
 Type: Continuous Decimal: 0 Width: 3 Range: 79 - 300 Format: Numeric

M13B: BP reading 3: diastolic**Data file:** Iso2012**Overview**

Valid: 2240 Invalid: 70 Minimum: 46 Maximum: 166 Mean: 84.861 Standard deviation: 13.83
 Type: Continuous Decimal: 0 Width: 3 Range: 46 - 166 Format: Numeric

M14: took raised BP meds in past 2 weeks**Data file:** Iso2012**Overview**

Valid: 2241 Invalid: 69
 Type: Discrete Decimal: 0 Width: 3 Range: 1 - 77 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	175	7.8%
2	no	2062	92%
77		4	0.2%
Sysmiss		69	

M15: hip circumference (cm)**Data file:** Iso2012**Overview**

Valid: 2169 Invalid: 141 Minimum: 45 Maximum: 888.8 Mean: 102.021 Standard deviation: 44.046
 Type: Continuous Decimal: 1 Width: 5 Range: 45 - 888.8 Format: Numeric

M16A: heart rate reading 1**Data file:** Iso2012**Overview**

Valid: 2240 Invalid: 70 Minimum: 36 Maximum: 126 Mean: 74.622 Standard deviation: 13.046
 Type: Continuous Decimal: 0 Width: 3 Range: 36 - 126 Format: Numeric

M16B: heart rate reading 2**Data file:** Iso2012

Overview

Valid: 2240 Invalid: 70 Minimum: 37 Maximum: 179 Mean: 74.308 Standard deviation: 13.019
 Type: Continuous Decimal: 0 Width: 3 Range: 37 - 179 Format: Numeric

M16C: heart rate reading 3

Data file: Iso2012

Overview

Valid: 2240 Invalid: 70 Minimum: 5 Maximum: 131 Mean: 74.368 Standard deviation: 12.822
 Type: Continuous Decimal: 0 Width: 3 Range: 5 - 131 Format: Numeric

V1: seat belt use in past 30 days

Data file: Iso2012

Overview

Valid: 2306 Invalid: 4
 Type: Discrete Decimal: 0 Width: 42 Range: 1 - 88 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	All of the time	232	10.1%
2	Sometimes	519	22.5%
3	Never	617	26.8%
4	Have not been in a vehicle in past 30 days	501	21.7%
5	No seat belt in the car I usually am in	429	18.6%
77	Don't Know	8	0.3%
88	Refused	0	0%
Sysmiss		4	

V2: helmet use on motorcycle or scooter in past 30 days

Data file: Iso2012

Overview

Valid: 2306 Invalid: 4
 Type: Discrete Decimal: 0 Width: 56 Range: 1 - 88 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	All of the time	5	0.2%
2	Sometimes	14	0.6%
3	Never	888	38.5%
4	Have not been on a motorcycle or scooter in past 30 days	1378	59.8%
5	Do not have a helmet	19	0.8%
77	Don't Know	2	0.1%
88	Refused	0	0%
Sysmiss		4	

V3: in road traffic accident in past 12 mos

Data file: Iso2012

Overview

Valid: 2306 Invalid: 4

Type: Discrete Decimal: 0 Width: 19 Range: 1 - 88 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes (as driver)	10	0.4%
2	Yes (as passenger)	33	1.4%
3	Yes (as pedestrian)	10	0.4%
4	Yes (as a cyclist)	1	0%
5	No	2230	96.7%
77	Don't know	22	1%
88	Refused	0	0%
Sysmiss		4	

V4: injured and required medical attention in accident

Data file: Iso2012

Overview

Valid: 54 Invalid: 2256

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 88 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	24	44.4%
2	no	30	55.6%
77	don't know	0	0%
88	refused	0	0%
Sysmiss		2256	

V5: injured and required medical attention in incident other than road traffic accid

Data file: Iso2012

Overview

Valid: 2306 Invalid: 4

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 88 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	187	8.1%
2	no	2111	91.5%
77	don't know	8	0.3%
88	refused	0	0%
Sysmiss		4	

V6: cause of non-road traffic accident injury

Data file: Iso2012

Overview

Valid: 187 Invalid: 2123

Type: Discrete Decimal: 0 Width: 15 Range: 1 - 88 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Fall	63	33.7%
2	Burn	19	10.2%
3	Poisoning	0	0%
4	Cut	42	22.5%
5	Near-drowning	2	1.1%

6	Animal bite	10	5.3%
7	Other (specify)	49	26.2%
77	Don't know	2	1.1%
88	Refused	0	0%
Sysmiss		2123	

V6OTHER: specify other cause

Data file: Iso2012

Overview

Valid: 49 Invalid: 0

Type: Discrete Width: 20 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category	Cases	
ASSAULT		6	12.2%
Assault		8	16.3%
Assaulted		1	2%
CAR ACCIDENT		1	2%
Fell down and cut		1	2%
HIT BY A BRICK		1	2%
Hitted by a cow		1	2%
Spinalcord injury		1	2%
Stab wound		1	2%
Whipped		1	2%
accidental fall		1	2%
assault		5	10.2%
assaulted		1	2%
assaulted with stick		1	2%
beaten		1	2%
car accident		1	2%
crush-by-iron-bar		1	2%
fainting		1	2%
fell from the horse		1	2%
fracture		1	2%
head injury		5	10.2%
hit by a boy friend		1	2%

hit by a car		1	2%
hit by bucket		1	2%
hit by hummer		1	2%
knee bend		1	2%
stab wound		1	2%
studed wound		1	2%
twisted		1	2%

V7: location of non-road traffic accident injurt

Data file: Iso2012

Overview

Valid: 187 Invalid: 2123

Type: Discrete Decimal: 0 Width: 20 Range: 1 - 88 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Home	113	60.4%
2	School	2	1.1%
3	Workplace	23	12.3%
4	Road/Street/Highway	30	16%
5	Farm	9	4.8%
6	Sports/athletic area	1	0.5%
7	Other (specify)	8	4.3%
77	Don't know	1	0.5%
88	Refused	0	0%
Sysmiss		2123	

V7OTHER: specify other location

Data file: Iso2012

Overview

Valid: 8 Invalid: 0

Type: Discrete Width: 20 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category	Cases	
Dog bite		1	12.5%
collecting wood		1	12.5%
from the fields		1	12.5%
from town		1	12.5%
home		1	12.5%
in a turven		1	12.5%
on the way		1	12.5%
sheeben		1	12.5%

V8: helmet use on bike in past 30 days

Data file: Iso2012

Overview

Valid: 2306 Invalid: 4
 Type: Discrete Decimal: 0 Width: 32 Range: 1 - 88 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Always	4	0.2%
2	Sometimes	3	0.1%
3	Never	929	40.3%
4	Did not ride in the past 30 days	1350	58.5%
77	Don't Know	20	0.9%
88	Refused	0	0%
Sysmiss		4	

V9: driven after 2+ drinks in past 30 days

Data file: Iso2012

Overview

Valid: 2306 Invalid: 4 Minimum: 0 Maximum: 88 Mean: 5.33 Standard deviation: 19.546
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 88 Format: Numeric

V10: in past 30 days ridden in vehicle with driver that had 2+ drinks

Data file: Iso2012

Overview

Valid: 2306 Invalid: 4 Minimum: 0 Maximum: 88 Mean: 9.69 Standard deviation: 25.366
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 88 Format: Numeric

V11: injured in violent incident in past 12 mos

Data file: Iso2012

Overview

Valid: 2306 Invalid: 4
 Type: Discrete Decimal: 0 Width: 25 Range: 1 - 88 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Never	2206	95.7%
2	Rarely (1- 2 times)	89	3.9%
3	Sometimes (3 - 5 times)	7	0.3%
4	Often (6 or more times)	2	0.1%
77	Don't know	2	0.1%
88	Refused	0	0%
Sysmiss		4	

V12: cause of most serious injury in past 12 mos

Data file: Iso2012

Overview

Valid: 98 Invalid: 2212
 Type: Discrete Decimal: 0 Width: 70 Range: 1 - 88 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Being shot with a firearm	2	2%
2	A weapon (other than a firearm) was used by the person who injured me	55	56.1%
3	Being injured without any weapon (slapped, pushed, etc.)	33	33.7%
77	Don't know	8	8.2%
88	Refused	0	0%
Sysmiss		2212	

V13: relationship to person causing serious injury**Data file:** Iso2012**Overview**

Valid: 98 Invalid: 2212

Type: Discrete Decimal: 0 Width: 34 Range: 1 - 88 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Intimate partner	23	23.5%
2	Parent	0	0%
3	Child, sibling, or other relative	6	6.1%
4	Friend or acquaintance	9	9.2%
5	Unrelated caregiver	5	5.1%
6	Stranger	30	30.6%
7	Official or legal authorities	2	2%
8	Other (specify)	21	21.4%
88	Refused	2	2%
Sysmiss		2212	

V13OTHER: specify other relationship**Data file:** Iso2012**Overview**

Valid: 21 Invalid: 0

Type: Discrete Width: 20 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category	Cases	
Accidentally injured		1	4.8%
Fall		1	4.8%
Fall dawn		1	4.8%
NEIBOUR		1	4.8%
NEIGHBOUR		1	4.8%
Neighbor		1	4.8%

Neighbour		1	4.8%
Slippery		1	4.8%
Taxidriver		1	4.8%
Villageman		1	4.8%
Villagers		1	4.8%
cut by a sharp stone		1	4.8%
knife cut		1	4.8%
mine stones		1	4.8%
neighbour		1	4.8%
neighbour		3	14.3%
no body		1	4.8%
piece of wood		1	4.8%
self		1	4.8%

V14: childhood physical abuse

Data file: Iso2012

Overview

Valid: 2306 Invalid: 4

Type: Discrete Decimal: 0 Width: 12 Range: 1 - 88 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Never	759	32.9%
2	Very rarely	943	40.9%
3	Once a month	279	12.1%
4	Once a week	170	7.4%
5	Almost daily	111	4.8%
77	Don't know	44	1.9%
88	Refused	0	0%
Sysmiss		4	

V15: childhood sexual abuse

Data file: Iso2012

Overview

Valid: 2305 Invalid: 5

Type: Discrete Decimal: 0 Width: 7 Range: 1 - 88 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	108	4.7%
2	no	2195	95.2%
88	refused	2	0.1%
Sysmiss		5	

V16: adult sexual abuse

Data file: Iso2012

Overview

Valid: 2305 Invalid: 5

Type: Discrete Decimal: 0 Width: 28 Range: 1 - 88 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Never	2158	93.6%
2	Once	84	3.6%
3	A few times (2 to 3 times)	43	1.9%
4	Many times (4 or more times)	12	0.5%
77	Donâ€™t know	5	0.2%
88	Refused	3	0.1%
Sysmiss		5	

V17: frightened because of threats to you or family in past 12 mos

Data file: Iso2012

Overview

Valid: 2305 Invalid: 5

Type: Discrete Decimal: 0 Width: 7 Range: 1 - 88 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	287	12.5%

2	no	2018	87.5%
88	refused	0	0%
Sysmiss		5	

V18: person who frightened you

Data file: Iso2012

Overview

Valid: 287 Invalid: 2023

Type: Discrete Decimal: 0 Width: 34 Range: 1 - 88 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Intimate partner	37	12.9%
2	Parent	6	2.1%
3	Child, sibling, or other relative	46	16%
4	Friend or acquaintance	19	6.6%
5	Unrelated caregiver	14	4.9%
6	Stranger	105	36.6%
7	Official or legal authority	10	3.5%
8	Other (specify)	49	17.1%
77		1	0.3%
88	Refused	0	0%
Sysmiss		2023	

V18OTHER: specify other person

Data file: Iso2012

Overview

Valid: 49 Invalid: 0

Type: Discrete Width: 20 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category	Cases	
COMMUNITY		1	2%
COWORKER		1	2%

Enemies		1	2%
MAHOKELA(VILLAGE MEN		2	4.1%
MANAGER AT WORK		1	2%
NEIGHBOURS		1	2%
NEIGHBOR		1	2%
NEIGHBOUR		3	6.1%
NIEGHBOUR		1	2%
Neighbor		3	6.1%
Neighbour		2	4.1%
Police Man		1	2%
VILLAGE MEN		1	2%
VILLAGE PEOPLE		1	2%
Workmade		1	2%
a neighbour		1	2%
colleague		2	4.1%
herd boy		1	2%
mahokela a motseng		1	2%
management		1	2%
my boss		1	2%
neiber		1	2%
neighbour		3	6.1%
neighbor		2	4.1%
neighbor		2	4.1%
neighbour		9	18.4%
neighbours		1	2%
villager		1	2%
villagers		2	4.1%

V19: carried loaded firearm outside of home in past 30 days

Data file: Iso2012

Overview

Valid: 2305 Invalid: 5

Type: Discrete Decimal: 0 Width: 45 Range: 1 - 88 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	No	2260	98%
2	Yes, for protection	25	1.1%
3	Yes, for work	14	0.6%
4	Yes, for sport (e.g. hunting target practice)	4	0.2%
88	Refused	2	0.1%
Sysmiss		5	

TP1: notice info on dangers of smoking in newspapers or magazines

Data file: Iso2012

Overview

Valid: 2305 Invalid: 5

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 77 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	870	37.7%
2	no	1401	60.8%
77	don't know	34	1.5%
Sysmiss		5	

TP2: notice info on dangers of smoking in television

Data file: Iso2012

Overview

Valid: 2305 Invalid: 5

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 77 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	600	26%
2	no	1669	72.4%
77	don't know	36	1.6%
Sysmiss		5	

TP3: notice ads or signs promoting cigarettes in stores**Data file: Iso2012****Overview**

Valid: 2305 Invalid: 5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 77 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	351	15.2%
2	no	1914	83%
77	don't know	40	1.7%
Sysmiss		5	

TP4A: notice cig promos: free samples**Data file: Iso2012****Overview**

Valid: 2305 Invalid: 5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 77 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	19	0.8%
2	no	2234	96.9%
77	don't know	52	2.3%
Sysmiss		5	

TP4B: notice cig promos: cigs on sale**Data file: Iso2012****Overview**

Valid: 2305 Invalid: 5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 77 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	48	2.1%
2	no	2203	95.6%
77	don't know	54	2.3%
Sysmiss		5	

TP4C: notice cig promos: coupons

Data file: Iso2012

Overview

Valid: 2305 Invalid: 5

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 77 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	12	0.5%
2	no	2228	96.7%
77	don't know	65	2.8%
Sysmiss		5	

TP4D: notice cig promos: free gifts

Data file: Iso2012

Overview

Valid: 2305 Invalid: 5

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 77 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	11	0.5%
2	no	2234	96.9%
77	don't know	60	2.6%
Sysmiss		5	

TP4E: notice cig promos: branded clothing**Data file: Iso2012****Overview**

Valid: 2305 Invalid: 5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 77 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	113	4.9%
2	no	2129	92.4%
77	don't know	63	2.7%
Sysmiss		5	

TP4F: notice cig promos: in the mail**Data file: Iso2012****Overview**

Valid: 2305 Invalid: 5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 77 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	13	0.6%
2	no	2225	96.5%
77	don't know	67	2.9%
Sysmiss		5	

TP5: noticed health warnings on cig packs**Data file: Iso2012****Overview**

Valid: 2130 Invalid: 180
 Type: Discrete Decimal: 0 Width: 34 Range: 1 - 77 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	699	32.8%
2	No	1024	48.1%
3	Did not see any cigarette packages	378	17.7%
77	Don't know	29	1.4%
Sysmiss		180	

TP6: thought about quitting due to health warning

Data file: Iso2012

Overview

Valid: 701 Invalid: 1609

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 77 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	304	43.4%
2	no	331	47.2%
77	don't know	66	9.4%
Sysmiss		1609	

TP7: number of cigs bought last purchase

Data file: Iso2012

Overview

Valid: 2130 Invalid: 180 Minimum: 1 Maximum: 7777 Mean: 7130.558 Standard deviation: 2145.3

Type: Continuous Decimal: 0 Width: 4 Range: 1 - 7777 Format: Numeric

TP8: price paid for last cig purchase

Data file: Iso2012

Overview

Valid: 179 Invalid: 2131 Minimum: 1 Maximum: 7777 Mean: 425.531 Standard deviation: 1699.173

Type: Continuous Decimal: 0 Width: 4 Range: 1 - 7777 Format: Numeric

B1: ate/drank in past 12 hours (fasting status)

Data file: Iso2012

Overview

Valid: 2134 Invalid: 176

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	87	4.1%
2	no	2047	95.9%
Sysmiss		176	

B5: fasting blood glucose (mmol/l)**Data file: Iso2012****Overview**

Valid: 2020 Invalid: 290 Minimum: 1.11 Maximum: 77.7 Mean: 4.62 Standard deviation: 2.144

Type: Continuous Decimal: 2 Width: 5 Range: 1.11 - 77.7 Format: Numeric

B6: took insulin today**Data file: Iso2012****Overview**

Valid: 2018 Invalid: 292

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	20	1%
2	no	1998	99%
Sysmiss		292	

B8: total cholesterol (mmol/l)**Data file: Iso2012****Overview**

Valid: 2103 Invalid: 207 Minimum: 2.15 Maximum: 77.77 Mean: 4.989 Standard deviation: 10.174

Type: Continuous Decimal: 2 Width: 5 Range: 2.15 - 77.77 Format: Numeric

B9: chol meds taken in past 2 weeks**Data file:** Iso2012**Overview**

Valid: 2104 Invalid: 206

Type: Discrete Decimal: 0 Width: 3 Range: 1 - 77 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	7	0.3%
2	no	2092	99.4%
77		5	0.2%
Sysmiss		206	

B11: HDL cholesterol (mmol/l)**Data file:** Iso2012**Overview**

Valid: 2102 Invalid: 208 Minimum: 0.39 Maximum: 77.77 Mean: 1.976 Standard deviation: 7.445

Type: Continuous Decimal: 2 Width: 5 Range: 0.39 - 77.77 Format: Numeric

AGERANGE: ageranges for which survey was designed**Data file:** Iso2012**Overview**

Valid: 2310 Invalid: 0

Type: Discrete Width: 5 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category	Cases	
25-34		730	31.6%
35-44		551	23.9%
45-54		493	21.3%
55-64		536	23.2%

WSTEP1: final analysis weight for step 1 (interview)**Data file: Iso2012****Overview**

Valid: 2310 Invalid: 0 Minimum: 8.456 Maximum: 1670.775 Mean: 150.911 Standard deviation: 164.765
 Type: Continuous Decimal: 0 Width: 9 Range: 8.45561599731445 - 1670.775390625 Format: Numeric
 Weighted: yes

WSTEP2: final analysis weight for step 2 (physical measures)**Data file: Iso2012****Overview**

Valid: 2310 Invalid: 0 Minimum: 8.456 Maximum: 1670.775 Mean: 150.911 Standard deviation: 164.765
 Type: Continuous Decimal: 0 Width: 9 Range: 8.45561599731445 - 1670.775390625 Format: Numeric
 Weighted: yes

WSTEP3: final analysis weight for step 3 (biochemical measures)**Data file: Iso2012****Overview**

Valid: 2310 Invalid: 0 Minimum: 8.456 Maximum: 1670.775 Mean: 150.911 Standard deviation: 164.765
 Type: Continuous Decimal: 0 Width: 9 Range: 8.45561599731445 - 1670.775390625 Format: Numeric
 Weighted: yes

STRATUM: stratum**Data file: Iso2012****Overview**

Valid: 2310 Invalid: 0
 Type: Discrete Decimal: 0 Width: 9 Range: 1 - 1 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		2310	100%

PSU: psu**Data file: Iso2012****Overview**

Valid: 2310 Invalid: 0 Minimum: 1 Maximum: 144 Mean: 76.512 Standard deviation: 41.883
 Type: Continuous Decimal: 0 Width: 9 Range: 1 - 144 Format: Numeric

study_resources

questionnaires

Questionnaire

title Questionnaire
filename Lesotho_STEPS_Instrument_FINAL.pdf

reports

Fact Sheet

title Fact Sheet
filename Lesotho_2012_STEPS_fact_sheet.pdf

technical_documents

Generic STEPS Questionnaire (version 2.1)

title Generic STEPS Questionnaire (version 2.1)
filename STEPS_Instrument_v2_1.pdf
