

Global School-Based Student Health Survey 2016

Ministry of Health

report_generated_on: February 21, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER
MAR_2016_GSHS_v01_M

TITLE
Global School-Based Student Health Survey 2016

COUNTRY

Name	Country code
Morocco	MAR

STUDY TYPE
Other Household Survey [hh/oth]

SERIES INFORMATION
This is the third GSHS conducted by Morocco.

ABSTRACT
The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA
Sample survey data [ssd]

UNIT OF ANALYSIS
Individuals

Version

VERSION DESCRIPTION
Public-use dataset

Scope

NOTES
The following core modules were included in the survey:
dietary behaviours
drug use
hygiene
mental health
physical activity
protective factors
tobacco use
violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword
adolescents

school health
noncommunicable diseases
risk factors
protective factors
health surveys
diet
nutrition
drug use
hygiene
mental health
physical activity
tobacco use
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE

National plus urban and rural

UNIVERSE

School-going adolescents aged 13-17 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
Ministry of Health

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE

A two-stage cluster sample design was used to produce data representative of all students in Grades 1 ASC - 2nd yr Bac in Morocco. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

The school response rate was 98%, the student response rate was 93%, and the overall response rate was 91%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

data_collection

DATES OF DATA COLLECTION

Start	End
2016	2016

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

dietary behaviours

drug use

hygiene

mental health

physical activity

protective factors

tobacco use

violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

(1) to acknowledge the data source.

(2) to share any planned publications with WHO prior to publication.

(3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.

(4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_MAR_2016_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Melanie Cowan		World Health Organization	Documentation of data
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2020-02-12

DDI DOCUMENT VERSION

Identical to a metadata (MAR_2016_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
2016MAR (National)	6745	141
2016MAR (Rural)	3452	141
2016MAR (Urban)	3293	141

Data file: 2016MAR (National)

Cases: 6745

variables: 141

variables

ID	Name	Label	Question
V1	Q1	Custom Age	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V16	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V17	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V18	Q18	Serious injury type	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Serious injury cause	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V21	Q21	Bullied how	During the past 30 days, how were you bullied most often?
V22	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V23	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V24	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Close friends	How many close friends do you have?
V28	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V29	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V34	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V35	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Initiation of drug use	How old were you when you first used drugs?
V41	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V45	Q45	Age first had sex	How old were you when you had sexual intercourse for the first time?
V46	Q46	Number of sex partners	During your life, with how many people have you had sexual intercourse?
V47	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Physical activity past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V51	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V54	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V60	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V61	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V62	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V63	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V64	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V65	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V66	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V67	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V68	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V69	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V70	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V71	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V72	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V73	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V74	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V75	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V76	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V77	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V78	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V79	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V80	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V81	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V82	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V83	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V84	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V85	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V86	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V88	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V89	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V90	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V91	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V92	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V93	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V94	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V95	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V96	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V97	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V98	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V99	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V100	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V101	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V102	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V103	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V104	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V105	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V106	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V107	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V108	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V109	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V110	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V111	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V115	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V116	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V117	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V118	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V119	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V120	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V121	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V122	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V123	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V124	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V125	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V126	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V127	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V128	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V129	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V130	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V131	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V132	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V133	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V134	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V135	qnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V136	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V137	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V138	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V139	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V140	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V141	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V142	weight		
V143	stratum		
V144	psu		

total: 141

Data file: 2016MAR (Rural)

Cases:	3452
variables:	141

variables

ID	Name	Label	Question
V145	Q1	Custom Age	How old are you?
V146	Q2	Sex	What is your sex?
V147	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V148	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V149	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V150	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V151	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V152	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V153	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V154	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V155	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V156	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V157	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V158	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V159	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V160	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V161	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V162	Q18	Serious injury type	During the past 12 months, what was the most serious injury that happened to you?
V163	Q19	Serious injury cause	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V164	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V165	Q21	Bullied how	During the past 30 days, how were you bullied most often?
V166	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V167	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V168	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V169	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V170	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V171	Q27	Close friends	How many close friends do you have?
V172	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V173	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V174	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V175	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V176	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V177	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V178	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V179	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V180	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V181	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V182	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V183	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V184	Q40	Initiation of drug use	How old were you when you first used drugs?
V185	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V186	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V187	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V188	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V189	Q45	Age first had sex	How old were you when you had sexual intercourse for the first time?
V190	Q46	Number of sex partners	During your life, with how many people have you had sexual intercourse?
V191	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V192	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V193	Q49	Physical activity past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V194	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V195	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V196	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V197	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V198	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V199	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V200	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V201	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V202	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V203	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V204	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V205	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V206	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V207	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V208	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V209	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V210	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V211	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V212	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V213	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V214	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V215	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V216	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V217	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V218	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V219	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V220	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V221	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V222	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V223	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V224	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V225	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V226	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V227	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V228	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V229	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V230	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V231	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V232	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V233	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V234	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V235	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V236	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V237	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V238	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V239	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V240	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V241	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V242	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V243	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V244	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V245	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V246	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V247	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V248	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V249	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V250	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V251	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V252	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V253	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V254	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V255	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V259	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V260	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V261	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V262	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V263	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V264	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V265	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V266	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V267	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V268	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V269	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V270	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V271	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V272	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V273	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V274	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V275	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V276	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V277	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V278	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V279	qnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V280	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V281	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V282	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V283	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V284	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V285	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V286	weight		
V287	stratum		
V288	psu		

total: 141

Data file: 2016MAR (Urban)

Cases: 3293

variables: 141

variables

ID	Name	Label	Question
V289	Q1	Custom Age	How old are you?
V290	Q2	Sex	What is your sex?
V291	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V292	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V293	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V294	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V295	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V296	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V297	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V298	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V299	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V300	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V301	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V302	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V303	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V304	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V305	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V306	Q18	Serious injury type	During the past 12 months, what was the most serious injury that happened to you?
V307	Q19	Serious injury cause	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V308	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V309	Q21	Bullied how	During the past 30 days, how were you bullied most often?
V310	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V311	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V312	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V313	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V314	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V315	Q27	Close friends	How many close friends do you have?
V316	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V317	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V318	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V319	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V320	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V321	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V322	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V323	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V324	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V325	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V326	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V327	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V328	Q40	Initiation of drug use	How old were you when you first used drugs?
V329	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V330	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V331	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V332	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V333	Q45	Age first had sex	How old were you when you had sexual intercourse for the first time?
V334	Q46	Number of sex partners	During your life, with how many people have you had sexual intercourse?
V335	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V336	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V337	Q49	Physical activity past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V338	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V339	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V340	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V341	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V342	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V343	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V344	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V345	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V346	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V347	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V348	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V349	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V350	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V351	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V352	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V353	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V354	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V355	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V356	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V357	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V358	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V359	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V360	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V361	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V362	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V363	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V364	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V365	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V366	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V367	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V368	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V369	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V370	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V371	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V372	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V373	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V374	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V375	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V376	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V377	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V378	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V379	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V380	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V381	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V382	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V383	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V384	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V385	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V386	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V387	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V388	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V389	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V390	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V391	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V392	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V393	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V394	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V395	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V396	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V397	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V398	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V399	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V403	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V404	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V405	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V406	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V407	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V408	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V409	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V410	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V411	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V412	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V413	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V414	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V415	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V416	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V417	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V418	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V419	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V420	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V421	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V422	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V423	qnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V424	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V425	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V426	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V427	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V428	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V429	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V430	weight		
V431	stratum		
V432	psu		

total: 141

Q1: Custom Age**Data file: 2016MAR (National)****Overview**

Valid: 6633 Invalid: 112

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	100	1.5%
2	12 years old	713	10.7%
3	13 years old	1050	15.8%
4	14 years old	1147	17.3%
5	15 years old	1065	16.1%
6	16 years old	1152	17.4%
7	17 years old	713	10.7%
8	18 years old or older	693	10.4%
Sysmiss		112	

Q10: Fast food eating**Data file: 2016MAR (National)****Overview**

Valid: 6682 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	2486	37.2%
2	1 day	1579	23.6%
3	2 days	899	13.5%

4	3 days	581	8.7%
5	4 days	318	4.8%
6	5 days	225	3.4%
7	6 days	128	1.9%
8	7 days	466	7%
Sysmiss		63	

Q2: Sex

Data file: 2016MAR (National)

Overview

Valid: 6573 Invalid: 172

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	3488	53.1%
2	Female	3085	46.9%
Sysmiss		172	

Q3: In what grade are you

Data file: 2016MAR (National)

Overview

Valid: 6545 Invalid: 200

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	1 ASC	1600	24.4%
2	2 ASC	1322	20.2%
3	3 ASC	1459	22.3%

4	Common Core	761	11.6%
5	1st year Bac	697	10.6%
6	2nd year Bac	706	10.8%
Sysmiss		200	

Q4: How tall are you

Data file: 2016MAR (National)

Overview

Valid: 6048 Invalid: 697 Minimum: 1.14 Maximum: 2 Mean: 1.605 Standard deviation: 0.116
 Type: Continuous Decimal: 2 Width: 4 Range: 1.27 - 1.87 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: 2016MAR (National)

Overview

Valid: 6048 Invalid: 697 Minimum: 24 Maximum: 150 Mean: 50.943 Standard deviation: 11.597
 Type: Continuous Decimal: 2 Width: 6 Range: 28 - 116 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: 2016MAR (National)

Overview

Valid: 6539 Invalid: 206
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	4288	65.6%
2	Rarely	706	10.8%
3	Sometimes	865	13.2%
4	Most of the time	472	7.2%
5	Always	208	3.2%
Sysmiss		206	

Q7: No fruit eating

Data file: 2016MAR (National)

Overview

Valid: 6617 Invalid: 128

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	420	6.3%
2	Less than one time per day	1384	20.9%
3	1 time per day	1857	28.1%
4	2 times per day	1118	16.9%
5	3 times per day	576	8.7%
6	4 times per day	253	3.8%
7	5 or more times per day	1009	15.2%
Sysmiss		128	

Q8: No vegetable eating**Data file: 2016MAR (National)****Overview**

Valid: 6606 Invalid: 139

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	299	4.5%
2	Less than one time per day	865	13.1%
3	1 time per day	2260	34.2%
4	2 times per day	1339	20.3%
5	3 times per day	462	7%
6	4 times per day	245	3.7%
7	5 or more times per day	1136	17.2%
Sysmiss		139	

Q9: Soft drinks**Data file: 2016MAR (National)****Overview**

Valid: 6650 Invalid: 95

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	2343	35.2%
2	Less than one time per day	2145	32.3%

3	1 time per day	1033	15.5%
4	2 times per day	423	6.4%
5	3 times per day	222	3.3%
6	4 times per day	119	1.8%
7	5 or more times per day	365	5.5%
Sysmiss		95	

Q11: Tooth brushing

Data file: 2016MAR (National)

Overview

Valid: 6675 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	1216	18.2%
2	Less than 1 time per day	1192	17.9%
3	1 time per day	1424	21.3%
4	2 times per day	1061	15.9%
5	3 times per day	931	13.9%
6	4 or more times per day	851	12.7%
Sysmiss		70	

Q12: Hand washing before eating

Data file: 2016MAR (National)

Overview

Valid: 6614 Invalid: 131

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	127	1.9%
2	Rarely	233	3.5%
3	Sometimes	437	6.6%
4	Most of the time	698	10.6%
5	Always	5119	77.4%
Sysmiss		131	

Q13: Hand washing after toilet

Data file: 2016MAR (National)

Overview

Valid: 6591 Invalid: 154

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	238	3.6%
2	Rarely	226	3.4%
3	Sometimes	459	7%
4	Most of the time	605	9.2%
5	Always	5063	76.8%
Sysmiss		154	

Q14: Hand washing with soap

Data file: 2016MAR (National)

Overview

Valid: 6660 Invalid: 85

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	356	5.3%
2	Rarely	461	6.9%
3	Sometimes	1252	18.8%
4	Most of the time	1436	21.6%
5	Always	3155	47.4%
Sysmiss		85	

Q15: Physically attacked

Data file: 2016MAR (National)

Overview

Valid: 6668 Invalid: 77

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	5080	76.2%
2	1 time	795	11.9%
3	2 or 3 times	382	5.7%
4	4 or 5 times	153	2.3%
5	6 or 7 times	61	0.9%
6	8 or 9 times	32	0.5%
7	10 or 11 times	23	0.3%
8	12 or more times	142	2.1%
Sysmiss		77	

Q16: Physical fighting**Data file: 2016MAR (National)****Overview**

Valid: 6626 Invalid: 119

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	4251	64.2%
2	1 time	1222	18.4%
3	2 or 3 times	607	9.2%
4	4 or 5 times	197	3%
5	6 or 7 times	86	1.3%
6	8 or 9 times	49	0.7%
7	10 or 11 times	32	0.5%
8	12 or more times	182	2.7%
Sysmiss		119	

Q17: Seriously injured**Data file: 2016MAR (National)****Overview**

Valid: 6192 Invalid: 553

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	4251	68.7%
2	1 time	1206	19.5%
3	2 or 3 times	444	7.2%
4	4 or 5 times	125	2%
5	6 or 7 times	57	0.9%
6	8 or 9 times	28	0.5%
7	10 or 11 times	12	0.2%
8	12 or more times	69	1.1%
Sysmiss		553	

Q18: Serious injury type

Data file: 2016MAR (National)

Overview

Valid: 0 Invalid: 6745

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category
1	Not seriously injured
2	Broken bone/dislocated joint
3	I had a cut or stab wound
4	Concussion/head injury
5	I had a gunshot wound
6	I had a bad burn
7	I was poisoned
8	Something else happened to me
Sysmiss	

Q19: Serious injury cause

Data file: 2016MAR (National)

Overview

Valid: 6117 Invalid: 628

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	4622	75.6%
2	Motor vehicle accident	178	2.9%
3	I fell	440	7.2%
4	Something fell on me or hit me	174	2.8%
5	I was attacked	126	2.1%
6	Was in a fire	23	0.4%
7	breathed something bad	107	1.7%
8	Something else	447	7.3%
Sysmiss		628	

Q20: Bullied

Data file: 2016MAR (National)

Overview

Valid: 6335 Invalid: 410

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	3869	61.1%

2	1 or 2 days	1511	23.9%
3	3 to 5 days	426	6.7%
4	6 to 9 days	147	2.3%
5	10 to 19 days	113	1.8%
6	20 to 29 days	62	1%
7	All 30 days	207	3.3%
Sysmiss		410	

Q21: Bullied how

Data file: 2016MAR (National)

Overview

Valid: 6307 Invalid: 438

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	4525	71.7%
2	Kicked, pushed, or shoved	299	4.7%
3	Made fun of race	207	3.3%
4	Made fun because of religion	93	1.5%
5	Made fun of about sex	353	5.6%
6	Left out of activities	91	1.4%
7	Made fun of about body	142	2.3%
8	Some other way	597	9.5%
Sysmiss		438	

Q22: Felt lonely

Data file: 2016MAR (National)

Overview

Valid: 6557 Invalid: 188

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	2464	37.6%
2	Rarely	1182	18%
3	Sometimes	1594	24.3%
4	Most of the time	825	12.6%
5	Always	492	7.5%
Sysmiss		188	

Q23: Could not sleep

Data file: 2016MAR (National)

Overview

Valid: 6660 Invalid: 85

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	2695	40.5%
2	Rarely	1324	19.9%
3	Sometimes	1470	22.1%
4	Most of the time	841	12.6%
5	Always	330	5%
Sysmiss		85	

Q24: Considered suicide**Data file: 2016MAR (National)****Overview**

Valid: 6427 Invalid: 318

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	1031	16%
2	No	5396	84%
Sysmiss		318	

Q25: Made a suicide plan**Data file: 2016MAR (National)****Overview**

Valid: 6384 Invalid: 361

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	932	14.6%
2	No	5452	85.4%
Sysmiss		361	

Q26: Attempted suicide**Data file: 2016MAR (National)**

Overview

Valid: 6623 Invalid: 122

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	5684	85.8%
2	1 time	519	7.8%
3	2 or 3 times	216	3.3%
4	4 or 5 times	109	1.6%
5	6 or more times	95	1.4%
Sysmiss		122	

Q27: Close friends

Data file: 2016MAR (National)

Overview

Valid: 6538 Invalid: 207

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	698	10.7%
2	1	1189	18.2%
3	2	1163	17.8%
4	3 or more	3488	53.3%
Sysmiss		207	

Q28: Initiation of cigarette use**Data file: 2016MAR (National)****Overview**

Valid: 6228 Invalid: 517

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	5391	86.6%
2	7 years old or younger	264	4.2%
3	8 or 9 years old	97	1.6%
4	10 or 11 years old	95	1.5%
5	12 or 13 years old	126	2%
6	14 or 15 years old	136	2.2%
7	16 or 17 years old	94	1.5%
8	18 years old or older	25	0.4%
Sysmiss		517	

Q29: Current cigarette use**Data file: 2016MAR (National)****Overview**

Valid: 6447 Invalid: 298

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	5913	91.7%
2	1 or 2 days	196	3%

3	3 to 5 days	110	1.7%
4	6 to 9 days	83	1.3%
5	10 to 19 days	39	0.6%
6	20 to 29 days	35	0.5%
7	All 30 days	71	1.1%
Sysmiss		298	

Q30: Other tobacco use

Data file: 2016MAR (National)

Overview

Valid: 6613 Invalid: 132

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	5888	89%
2	1 or 2 days	307	4.6%
3	3 to 5 days	167	2.5%
4	6 to 9 days	91	1.4%
5	10 to 19 days	60	0.9%
6	20 to 29 days	35	0.5%
7	All 30 days	65	1%
Sysmiss		132	

Q31: Smoking cessation

Data file: 2016MAR (National)

Overview

Valid: 6275 Invalid: 470

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	5740	91.5%
2	Did not smoke cigarettes	171	2.7%
3	Yes	251	4%
4	No	113	1.8%
Sysmiss		470	

Q32: Smoking in their presence

Data file: 2016MAR (National)

Overview

Valid: 6592 Invalid: 153

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	3908	59.3%
2	1 or 2 days	1349	20.5%
3	3 or 4 days	517	7.8%
4	5 or 6 days	238	3.6%
5	All 7 days	580	8.8%
Sysmiss		153	

Q33: Parental tobacco use

Data file: 2016MAR (National)

Overview

Valid: 6539 Invalid: 206

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	4950	75.7%
2	My father or male guardian	1095	16.7%
3	My mother or female guardian	129	2%
4	Both	99	1.5%
5	I do not know	266	4.1%
Sysmiss		206	

Q34: Initiation of alcohol use

Data file: 2016MAR (National)

Overview

Valid: 0 Invalid: 6745

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category
1	Never drank alcohol
2	7 years old or younger
3	8 or 9 years old
4	10 or 11 years old
5	12 or 13 years old
6	14 or 15 years old

7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q35: Current alcohol use

Data file: 2016MAR (National)

Overview

Valid: 0 Invalid: 6745

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category
1	0 days
2	1 or 2 days
3	3 to 5 days
4	6 to 9 days
5	10 to 19 days
6	20 to 29 days
7	All 30 days
Sysmiss	

Q36: Drank 2+ drinks

Data file: 2016MAR (National)

Overview

Valid: 0 Invalid: 6745

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category
1	Did not drink in past 30 days
2	Less than one drink
3	1 drink
4	2 drinks
5	3 drinks
6	4 drinks
7	5 or more drinks
Sysmiss	

Q37: Source of alcohol

Data file: 2016MAR (National)

Overview

Valid: 0 Invalid: 6745

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category
1	Did not drink in past 30 days
2	I bought in a store
3	I gave someone money to buy
4	I got it from my friends
5	I got it from my family
6	I stole it
7	Some other way
Sysmiss	

Q38: Really drunk**Data file: 2016MAR (National)****Overview**

Valid: 0 Invalid: 6745

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 or more times
Sysmiss	

Q39: Trouble from drinking**Data file: 2016MAR (National)****Overview**

Valid: 0 Invalid: 6745

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category
1	0 times

2	1 or 2 times
3	3 to 9 times
4	10 or more times
Sysmiss	

Q40: Initiation of drug use

Data file: 2016MAR (National)

Overview

Valid: 5596 Invalid: 1149

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	4764	85.1%
2	7 years old or younger	217	3.9%
3	8 or 9 years old	122	2.2%
4	10 or 11 years old	157	2.8%
5	12 or 13 years old	97	1.7%
6	14 or 15 years old	120	2.1%
7	16 or 17 years old	92	1.6%
8	18 years old or older	27	0.5%
Sysmiss		1149	

Q41: Ever marijuana use

Data file: 2016MAR (National)

Overview

Valid: 6404 Invalid: 341

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	5951	92.9%
2	1 or 2 times	198	3.1%
3	3 to 9 times	119	1.9%
4	10 to 19 times	59	0.9%
5	20 or more times	77	1.2%
Sysmiss		341	

Q42: Current marijuana use

Data file: 2016MAR (National)

Overview

Valid: 6376 Invalid: 369

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	5923	92.9%
2	1 or 2 times	193	3%
3	3 to 9 times	119	1.9%
4	10 to 19 times	76	1.2%
5	20 or more times	65	1%
Sysmiss		369	

Q43: Amphetamine or methamphetamine use

Data file: 2016MAR (National)

Overview

Valid: 5740 Invalid: 1005
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	5276	91.9%
2	1 or 2 times	178	3.1%
3	3 to 9 times	123	2.1%
4	10 to 19 times	80	1.4%
5	20 or more times	83	1.4%
Sysmiss		1005	

Q44: Ever sexual intercourse

Data file: 2016MAR (National)

Overview

Valid: 0 Invalid: 6745
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

Q45: Age first had sex**Data file: 2016MAR (National)****Overview**

Valid: 0 Invalid: 6745

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category
1	Never had sex
2	11 years old or younger
3	12 years old
4	13 years old
5	14 years old
6	15 years old
7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q46: Number of sex partners**Data file: 2016MAR (National)****Overview**

Valid: 0 Invalid: 6745

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category
1	Never had sex
2	1 person

3	2 people
4	3 people
5	4 people
6	5 people
7	6 or more people
Sysmiss	

Q47: Condom use

Data file: 2016MAR (National)

Overview

Valid: 0 Invalid: 6745

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category
1	Never had sex
2	Yes
3	No
Sysmiss	

Q48: Birth control used

Data file: 2016MAR (National)

Overview

Valid: 0 Invalid: 6745

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category
1	Never had sex
2	Yes
3	No
4	I do not know
Sysmiss	

Q49: Physical activity past 7 days**Data file: 2016MAR (National)****Overview**

Valid: 6598 Invalid: 147

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	1653	25.1%
2	1 day	1307	19.8%
3	2 days	1790	27.1%
4	3 days	571	8.7%
5	4 days	299	4.5%
6	5 days	159	2.4%
7	6 days	104	1.6%
8	7 days	715	10.8%
Sysmiss		147	

Q50: Walk or bike to school**Data file: 2016MAR (National)****Overview**

Valid: 6537 Invalid: 208

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	2123	32.5%
2	1 day	638	9.8%
3	2 days	509	7.8%
4	3 days	258	3.9%
5	4 days	154	2.4%
6	5 days	182	2.8%
7	6 days	427	6.5%
8	7 days	2246	34.4%
Sysmiss		208	

Q51: PE attendance

Data file: 2016MAR (National)

Overview

Valid: 6352 Invalid: 393

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	1467	23.1%
2	1 day	886	13.9%
3	2 days	1921	30.2%

4	3 days	280	4.4%
5	4 days	190	3%
6	5 or more days	1608	25.3%
Sysmiss		393	

Q52: Sitting activities

Data file: 2016MAR (National)

Overview

Valid: 6465 Invalid: 280

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	2438	37.7%
2	1 to 2 hours per day	2136	33%
3	3 to 4 hours per day	1100	17%
4	5 to 6 hours per day	356	5.5%
5	7 to 8 hours per day	129	2%
6	More than 8 hours per day	306	4.7%
Sysmiss		280	

Q53: Miss school no permission

Data file: 2016MAR (National)

Overview

Valid: 6545 Invalid: 200

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	4584	70%
2	1 or 2 days	1317	20.1%
3	3 to 5 days	360	5.5%
4	6 to 9 days	131	2%
5	10 or more days	153	2.3%
Sysmiss		200	

Q54: Other students kind and helpful

Data file: 2016MAR (National)

Overview

Valid: 6496 Invalid: 249

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	1773	27.3%
2	Rarely	1312	20.2%
3	Sometimes	1592	24.5%
4	Most of the time	918	14.1%
5	Always	901	13.9%
Sysmiss		249	

Q55: Parents check homework

Data file: 2016MAR (National)

Overview

Valid: 6411 Invalid: 334

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	2029	31.6%
2	Rarely	825	12.9%
3	Sometimes	1046	16.3%
4	Most of the time	804	12.5%
5	Always	1707	26.6%
Sysmiss		334	

Q56: Parents understand problems

Data file: 2016MAR (National)

Overview

Valid: 6488 Invalid: 257

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	3152	48.6%
2	Rarely	911	14%
3	Sometimes	936	14.4%
4	Most of the time	629	9.7%
5	Always	860	13.3%
Sysmiss		257	

Q57: Parents know about free time

Data file: 2016MAR (National)

Overview

Valid: 6470 Invalid: 275
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	2414	37.3%
2	Rarely	907	14%
3	Sometimes	983	15.2%
4	Most of the time	721	11.1%
5	Always	1445	22.3%
Sysmiss		275	

Q58: Parents go through their things

Data file: 2016MAR (National)

Overview

Valid: 6460 Invalid: 285 Mean: 1.826 Standard deviation: 1.251
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		3990	61.8%
2		876	13.6%
3		776	12%
4		365	5.7%
5		453	7%
Sysmiss		285	

QN6: Most of the time or always went hungry**Data file: 2016MAR (National)****Overview**

Valid: 6539 Invalid: 206 Mean: 1.896 Standard deviation: 0.305
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		680	10.4%
2		5859	89.6%
Sysmiss		206	

QN7: Did not eat fruit**Data file: 2016MAR (National)****Overview**

Valid: 6617 Invalid: 128 Mean: 1.937 Standard deviation: 0.244
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		420	6.3%
2		6197	93.7%
Sysmiss		128	

QN8: Did not eat vegetables**Data file: 2016MAR (National)****Overview**

Valid: 6606 Invalid: 139 Mean: 1.955 Standard deviation: 0.208

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		299	4.5%
2		6307	95.5%
Sysmiss		139	

QN9: Did not drink carbonated soft drinks**Data file: 2016MAR (National)****Overview**Valid: 6650 Invalid: 95 Mean: 1.648 Standard deviation: 0.478
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric**Questions and instructions**

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2343	35.2%
2		4307	64.8%
Sysmiss		95	

QN10: Did not eat food from a fast food restaurant**Data file: 2016MAR (National)****Overview**Valid: 6682 Invalid: 63 Mean: 1.628 Standard deviation: 0.483
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric**Questions and instructions**

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2486	37.2%
2		4196	62.8%
Sysmiss		63	

QN11: Usually cleaned or brushed their teeth

Data file: 2016MAR (National)

Overview

Valid: 6675 Invalid: 70 Mean: 1.361 Standard deviation: 0.48
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		4267	63.9%
2		2408	36.1%
Sysmiss		70	

QN12: Never or rarely washed their hands before eating

Data file: 2016MAR (National)

Overview

Valid: 6614 Invalid: 131 Mean: 1.946 Standard deviation: 0.227
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		360	5.4%
2		6254	94.6%
Sysmiss		131	

QN13: Never or rarely washed their hands after using the toilet or latrine**Data file: 2016MAR (National)****Overview**

Valid: 6591 Invalid: 154 Mean: 1.93 Standard deviation: 0.256
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		464	7%
2		6127	93%
Sysmiss		154	

QN14: Never or rarely used soap when washing their hands**Data file: 2016MAR (National)****Overview**

Valid: 6660 Invalid: 85 Mean: 1.877 Standard deviation: 0.328
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		817	12.3%
2		5843	87.7%
Sysmiss		85	

QN15: Were physically attacked**Data file: 2016MAR (National)****Overview**

Valid: 6668 Invalid: 77 Mean: 1.762 Standard deviation: 0.426
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		1588	23.8%
2		5080	76.2%
Sysmiss		77	

QN16: Were in a physical fight

Data file: 2016MAR (National)

Overview

Valid: 6626 Invalid: 119 Mean: 1.642 Standard deviation: 0.48
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		2375	35.8%
2		4251	64.2%
Sysmiss		119	

QN17: Were seriously injured

Data file: 2016MAR (National)

Overview

Valid: 6192 Invalid: 553 Mean: 1.687 Standard deviation: 0.464
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		1941	31.3%
2		4251	68.7%
Sysmiss		553	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: 2016MAR (National)

Overview

Valid: 0 Invalid: 6745

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: 2016MAR (National)

Overview

Valid: 1495 Invalid: 5250 Mean: 1.881 Standard deviation: 0.324

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		178	11.9%
2		1317	88.1%
Sysmiss		5250	

QN20: Were bullied**Data file: 2016MAR (National)****Overview**

Valid: 6335 Invalid: 410 Mean: 1.611 Standard deviation: 0.488
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2466	38.9%
2		3869	61.1%
Sysmiss		410	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors**Data file: 2016MAR (National)****Overview**

Valid: 1782 Invalid: 4963 Mean: 1.832 Standard deviation: 0.374
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		299	16.8%
2		1483	83.2%
Sysmiss		4963	

QN22: Most of the time or always felt lonely**Data file: 2016MAR (National)****Overview**

Valid: 6557 Invalid: 188 Mean: 1.799 Standard deviation: 0.401
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		1317	20.1%
2		5240	79.9%
Sysmiss		188	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: 2016MAR (National)

Overview

Valid: 6660 Invalid: 85 Mean: 1.824 Standard deviation: 0.381
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		1171	17.6%
2		5489	82.4%
Sysmiss		85	

QN24: Seriously considered attempting suicide

Data file: 2016MAR (National)

Overview

Valid: 6427 Invalid: 318 Mean: 1.84 Standard deviation: 0.367
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		1031	16%
2		5396	84%
Sysmiss		318	

QN25: Made a plan about how they would attempt suicide

Data file: 2016MAR (National)

Overview

Valid: 6384 Invalid: 361 Mean: 1.854 Standard deviation: 0.353
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		932	14.6%
2		5452	85.4%
Sysmiss		361	

QN26: Attempted suicide

Data file: 2016MAR (National)

Overview

Valid: 6623 Invalid: 122 Mean: 1.858 Standard deviation: 0.349
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		939	14.2%
2		5684	85.8%
Sysmiss		122	

QN27: Did not have any close friends**Data file: 2016MAR (National)****Overview**

Valid: 6538 Invalid: 207 Mean: 1.893 Standard deviation: 0.309
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1		698	10.7%
2		5840	89.3%
Sysmiss		207	

QN28: Tried a cigarette before age 14 years**Data file: 2016MAR (National)****Overview**

Valid: 837 Invalid: 5908 Mean: 1.305 Standard deviation: 0.461
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1		582	69.5%
2		255	30.5%
Sysmiss		5908	

QN29: Currently smoked cigarettes**Data file: 2016MAR (National)****Overview**

Valid: 6447 Invalid: 298 Mean: 1.917 Standard deviation: 0.276
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		534	8.3%
2		5913	91.7%
Sysmiss		298	

QN30: Currently used any tobacco products other than cigarettes

Data file: 2016MAR (National)

Overview

Valid: 6613 Invalid: 132 Mean: 1.89 Standard deviation: 0.312
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		725	11%
2		5888	89%
Sysmiss		132	

QN31: Tried to quit smoking cigarettes

Data file: 2016MAR (National)

Overview

Valid: 364 Invalid: 6381 Mean: 1.31 Standard deviation: 0.463
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		251	69%
2		113	31%
Sysmiss		6381	

QN32: Reported that people smoked in their presence

Data file: 2016MAR (National)

Overview

Valid: 6592 Invalid: 153 Mean: 1.593 Standard deviation: 0.491
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2684	40.7%
2		3908	59.3%
Sysmiss		153	

QN33: Had parents or guardians who used any form of tobacco

Data file: 2016MAR (National)

Overview

Valid: 6539 Invalid: 206 Mean: 1.798 Standard deviation: 0.402
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1		1323	20.2%
2		5216	79.8%
Sysmiss		206	

QN34: Drank alcohol before age 14 years**Data file: 2016MAR (National)****Overview**

Valid: 0 Invalid: 6745

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category
Sysmiss	

QN35: Currently drank alcohol**Data file: 2016MAR (National)****Overview**

Valid: 0 Invalid: 6745

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN36: Usually drank two or more drinks per day**Data file: 2016MAR (National)****Overview**

Valid: 0 Invalid: 6745

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN37: Usually obtained the alcohol they drank from friends**Data file: 2016MAR (National)****Overview**

Valid: 0 Invalid: 6745

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN47: Used a condom**Data file: 2016MAR (National)****Overview**

Valid: 0 Invalid: 6745

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN38: Ever drank so much alcohol that they were really drunk**Data file: 2016MAR (National)****Overview**

Valid: 0 Invalid: 6745

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: 2016MAR (National)

Overview

Valid: 0 Invalid: 6745

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QN40: Used drugs before age 14 years

Data file: 2016MAR (National)

Overview

Valid: 832 Invalid: 5913 Mean: 1.287 Standard deviation: 0.453

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1		593	71.3%
2		239	28.7%
Sysmiss		5913	

QN41: Ever used marijuana**Data file: 2016MAR (National)****Overview**

Valid: 6404 Invalid: 341 Mean: 1.929 Standard deviation: 0.256
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		453	7.1%
2		5951	92.9%
Sysmiss		341	

QN42: Currently used marijuana**Data file: 2016MAR (National)****Overview**

Valid: 6376 Invalid: 369 Mean: 1.929 Standard deviation: 0.257
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		453	7.1%
2		5923	92.9%
Sysmiss		369	

QN43: Ever used amphetamines or methamphetamines**Data file: 2016MAR (National)****Overview**

Valid: 5740 Invalid: 1005 Mean: 1.919 Standard deviation: 0.273
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		464	8.1%
2		5276	91.9%
Sysmiss		1005	

QN44: Ever had sexual intercourse

Data file: 2016MAR (National)

Overview

Valid: 0 Invalid: 6745

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category
Sysmiss	

QN45: Had sexual intercourse before age 14 years

Data file: 2016MAR (National)

Overview

Valid: 0 Invalid: 6745

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN46: Had sexual intercourse with two or more persons**Data file: 2016MAR (National)****Overview**

Valid: 0 Invalid: 6745
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category
Sysmiss	

QN48: Used a method of birth control other than condoms**Data file: 2016MAR (National)****Overview**

Valid: 0 Invalid: 6745
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN49: Were not physically active**Data file: 2016MAR (National)****Overview**

Valid: 6598 Invalid: 147 Mean: 1.749 Standard deviation: 0.433
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1653	25.1%
2		4945	74.9%
Sysmiss		147	

QN50: Did not walk or ride a bicycle to or from school

Data file: 2016MAR (National)

Overview

Valid: 6537 Invalid: 208 Mean: 1.675 Standard deviation: 0.468
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2123	32.5%
2		4414	67.5%
Sysmiss		208	

QN51: Did not attend physical education classes

Data file: 2016MAR (National)

Overview

Valid: 6352 Invalid: 393 Mean: 1.769 Standard deviation: 0.421
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		1467	23.1%
2		4885	76.9%
Sysmiss		393	

QN52: Spent three or more hours per day doing sitting activities**Data file: 2016MAR (National)****Overview**

Valid: 6465 Invalid: 280 Mean: 1.708 Standard deviation: 0.455
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
1		1891	29.2%
2		4574	70.8%
Sysmiss		280	

QN53: Missed classes or school without permission**Data file: 2016MAR (National)****Overview**

Valid: 6545 Invalid: 200 Mean: 1.7 Standard deviation: 0.458
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1961	30%
2		4584	70%
Sysmiss		200	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful**Data file: 2016MAR (National)**

Overview

Valid: 6496 Invalid: 249 Mean: 1.72 Standard deviation: 0.449
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1819	28%
2		4677	72%
Sysmiss		249	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: 2016MAR (National)

Overview

Valid: 6411 Invalid: 334 Mean: 1.608 Standard deviation: 0.488
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2511	39.2%
2		3900	60.8%
Sysmiss		334	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: 2016MAR (National)

Overview

Valid: 6488 Invalid: 257 Mean: 1.77 Standard deviation: 0.421
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1489	23%
2		4999	77%
Sysmiss		257	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: 2016MAR (National)

Overview

Valid: 6470 Invalid: 275 Mean: 1.665 Standard deviation: 0.472
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2166	33.5%
2		4304	66.5%
Sysmiss		275	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: 2016MAR (National)

Overview

Valid: 6460 Invalid: 285 Mean: 1.247 Standard deviation: 0.431
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their

approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		4866	75.3%
2		1594	24.7%
Sysmiss		285	

QNUNWTG: Were underweight

Data file: 2016MAR (National)

Overview

Valid: 6048 Invalid: 697 Mean: 1.916 Standard deviation: 0.277
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		507	8.4%
2		5541	91.6%
Sysmiss		697	

QNOWTG: Were overweight

Data file: 2016MAR (National)

Overview

Valid: 6048 Invalid: 697 Mean: 1.871 Standard deviation: 0.335
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		780	12.9%
2		5268	87.1%
Sysmiss		697	

QNOBESEG: Were obese**Data file: 2016MAR (National)****Overview**

Valid: 6048 Invalid: 697 Mean: 1.974 Standard deviation: 0.158
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		155	2.6%
2		5893	97.4%
Sysmiss		697	

QNFRLG: Usually ate fruit less than one time per day**Data file: 2016MAR (National)****Overview**

Valid: 6617 Invalid: 128 Mean: 1.791 Standard deviation: 0.407
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1384	20.9%
2		5233	79.1%
Sysmiss		128	

QNFR1G: Usually ate fruit one or more times per day**Data file: 2016MAR (National)****Overview**

Valid: 6617 Invalid: 128 Mean: 1.273 Standard deviation: 0.445
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		4813	72.7%
2		1804	27.3%
Sysmiss		128	

QNFR2G: Usually ate fruit two or more times per day

Data file: 2016MAR (National)

Overview

Valid: 6617 Invalid: 128 Mean: 1.553 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2956	44.7%
2		3661	55.3%
Sysmiss		128	

QNFR3G: Usually ate fruit three or more times per day

Data file: 2016MAR (National)

Overview

Valid: 6617 Invalid: 128 Mean: 1.722 Standard deviation: 0.448
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		1838	27.8%
2		4779	72.2%
Sysmiss		128	

QNVEGLG: Usually ate vegetables less than one time per day

Data file: 2016MAR (National)

Overview

Valid: 6606 Invalid: 139 Mean: 1.869 Standard deviation: 0.337
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		865	13.1%
2		5741	86.9%
Sysmiss		139	

QNVEG1G: Usually ate vegetables one or more times per day

Data file: 2016MAR (National)

Overview

Valid: 6606 Invalid: 139 Mean: 1.176 Standard deviation: 0.381
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		5442	82.4%
2		1164	17.6%
Sysmiss		139	

QNVEG2G: Usually ate vegetables two or more times per day**Data file: 2016MAR (National)****Overview**

Valid: 6606 Invalid: 139 Mean: 1.518 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		3182	48.2%
2		3424	51.8%
Sysmiss		139	

QNVEG3G: Usually ate vegetables three or more times per day**Data file: 2016MAR (National)****Overview**

Valid: 6606 Invalid: 139 Mean: 1.721 Standard deviation: 0.449
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1843	27.9%
2		4763	72.1%
Sysmiss		139	

QNSODALG: Usually drank carbonated soft drinks less than one time per day**Data file: 2016MAR (National)****Overview**

Valid: 6650 Invalid: 95 Mean: 1.677 Standard deviation: 0.467
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2145	32.3%
2		4505	67.7%
Sysmiss		95	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day

Data file: 2016MAR (National)

Overview

Valid: 6650 Invalid: 95 Mean: 1.675 Standard deviation: 0.468
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2162	32.5%
2		4488	67.5%
Sysmiss		95	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day

Data file: 2016MAR (National)

Overview

Valid: 6650 Invalid: 95 Mean: 1.83 Standard deviation: 0.375
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1129	17%
2		5521	83%
Sysmiss		95	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day

Data file: 2016MAR (National)

Overview

Valid: 6650 Invalid: 95 Mean: 1.894 Standard deviation: 0.308
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		706	10.6%
2		5944	89.4%
Sysmiss		95	

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: 2016MAR (National)

Overview

Valid: 6682 Invalid: 63 Mean: 1.372 Standard deviation: 0.483
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		4196	62.8%
2		2486	37.2%
Sysmiss		63	

QNFF2G: Ate food from a fast food restaurant two or more days**Data file: 2016MAR (National)****Overview**

Valid: 6682 Invalid: 63 Mean: 1.608 Standard deviation: 0.488
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2617	39.2%
2		4065	60.8%
Sysmiss		63	

QNFF3G: Ate food from a fast food restaurant three or more days**Data file: 2016MAR (National)****Overview**

Valid: 6682 Invalid: 63 Mean: 1.743 Standard deviation: 0.437
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1718	25.7%
2		4964	74.3%
Sysmiss		63	

QNC2G: Were bullied and could not sleep at night**Data file: 2016MAR (National)****Overview**

Valid: 1096 Invalid: 5649 Mean: 1.46 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		592	54%
2		504	46%
Sysmiss		5649	

QNTOB2G: Currently used any tobacco product

Data file: 2016MAR (National)

Overview

Valid: 6550 Invalid: 195 Mean: 1.861 Standard deviation: 0.346
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		913	13.9%
2		5637	86.1%
Sysmiss		195	

QNNOTB2G: Did not currently use any tobacco products

Data file: 2016MAR (National)

Overview

Valid: 6392 Invalid: 353 Mean: 1.118 Standard deviation: 0.323
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		5637	88.2%
2		755	11.8%
Sysmiss		353	

QNBCANYG: Used a method of birth control

Data file: 2016MAR (National)

Overview

Valid: 0 Invalid: 6745

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QNC1G: Ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk

Data file: 2016MAR (National)

Overview

Valid: 0 Invalid: 6745

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: 2016MAR (National)

Overview

Valid: 6598 Invalid: 147 Mean: 1.852 Standard deviation: 0.355
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		978	14.8%
2		5620	85.2%
Sysmiss		147	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: 2016MAR (National)

Overview

Valid: 6598 Invalid: 147 Mean: 1.892 Standard deviation: 0.311
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		715	10.8%
2		5883	89.2%
Sysmiss		147	

QNPE3G: Attended physical education classes on three or more days

Data file: 2016MAR (National)

Overview

Valid: 6352 Invalid: 393 Mean: 1.673 Standard deviation: 0.469
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		2078	32.7%
2		4274	67.3%
Sysmiss		393	

QNPE5G: Attended physical education classes on five or more days

Data file: 2016MAR (National)

Overview

Valid: 6352 Invalid: 393 Mean: 1.747 Standard deviation: 0.435
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		1608	25.3%
2		4744	74.7%
Sysmiss		393	

WEIGHT:

Data file: 2016MAR (National)

Overview

Valid: 6745 Invalid: 0 Mean: 383.527 Standard deviation: 230.496
 Type: Continuous Decimal: 0 Width: 10 Range: 42.0329 - 329.5608 Format: Numeric

STRATUM:

Data file: 2016MAR (National)

Overview

Valid: 6745 Invalid: 0 Mean: 201601496.347 Standard deviation: 500.24
 Type: Discrete Decimal: 0 Width: 9 Range: 201501001 - 201501019 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
201601001		202	3%
201601002		119	1.8%
201601003		237	3.5%
201601004		235	3.5%
201601005		225	3.3%
201601006		187	2.8%
201601007		209	3.1%
201601008		183	2.7%
201601009		238	3.5%
201601010		222	3.3%
201601011		185	2.7%
201601012		227	3.4%
201601013		206	3.1%
201601014		311	4.6%
201601015		227	3.4%
201601016		239	3.5%
201602001		239	3.5%
201602002		223	3.3%
201602003		251	3.7%
201602004		275	4.1%
201602005		170	2.5%
201602006		268	4%
201602007		330	4.9%
201602008		218	3.2%
201602009		285	4.2%
201602010		197	2.9%
201602011		213	3.2%
201602012		213	3.2%
201602013		154	2.3%
201602014		125	1.9%
201602015		132	2%

PSU:

Data file: 2016MAR (National)

Overview

Valid: 6745 Invalid: 0 Mean: 15.828 Standard deviation: 8.834
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 38 Format: Numeric

Q1: Custom Age**Data file: 2016MAR (Rural)****Overview**

Valid: 3388 Invalid: 64

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	46	1.4%
2	12 years old	323	9.5%
3	13 years old	603	17.8%
4	14 years old	639	18.9%
5	15 years old	595	17.6%
6	16 years old	536	15.8%
7	17 years old	314	9.3%
8	18 years old or older	332	9.8%
Sysmiss		64	

Q2: Sex**Data file: 2016MAR (Rural)****Overview**

Valid: 3349 Invalid: 103

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1900	56.7%
2	Female	1449	43.3%
Sysmiss		103	

Q3: In what grade are you**Data file: 2016MAR (Rural)****Overview**

Valid: 3340 Invalid: 112

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	1 ASC	828	24.8%
2	2 ASC	910	27.2%
3	3 ASC	746	22.3%
4	Common Core	340	10.2%
5	1st year Bac	249	7.5%
6	2nd year Bac	267	8%
Sysmiss		112	

Q4: How tall are you**Data file: 2016MAR (Rural)****Overview**

Valid: 3135 Invalid: 317 Minimum: 1.27 Maximum: 2 Mean: 1.603 Standard deviation: 0.118

Type: Continuous Decimal: 2 Width: 4 Range: 1.27 - 1.87 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh**Data file: 2016MAR (Rural)****Overview**

Valid: 3135 Invalid: 317 Minimum: 28 Maximum: 150 Mean: 50.096 Standard deviation: 11.295

Type: Continuous Decimal: 2 Width: 6 Range: 28 - 116 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: 2016MAR (Rural)

Overview

Valid: 3315 Invalid: 137

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	2148	64.8%
2	Rarely	292	8.8%
3	Sometimes	459	13.8%
4	Most of the time	286	8.6%
5	Always	130	3.9%
Sysmiss		137	

Q7: No fruit eating

Data file: 2016MAR (Rural)

Overview

Valid: 3366 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	221	6.6%
2	Less than one time per day	724	21.5%
3	1 time per day	960	28.5%
4	2 times per day	515	15.3%
5	3 times per day	299	8.9%
6	4 times per day	117	3.5%
7	5 or more times per day	530	15.7%
Sysmiss		86	

Q8: No vegetable eating

Data file: 2016MAR (Rural)

Overview

Valid: 3357 Invalid: 95

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	180	5.4%
2	Less than one time per day	458	13.6%
3	1 time per day	1137	33.9%
4	2 times per day	643	19.2%
5	3 times per day	233	6.9%
6	4 times per day	115	3.4%
7	5 or more times per day	591	17.6%
Sysmiss		95	

Q9: Soft drinks

Data file: 2016MAR (Rural)

Overview

Valid: 3385 Invalid: 67
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	1235	36.5%
2	Less than one time per day	1036	30.6%
3	1 time per day	542	16%
4	2 times per day	197	5.8%
5	3 times per day	108	3.2%
6	4 times per day	66	1.9%
7	5 or more times per day	201	5.9%
Sysmiss		67	

Q10: Fast food eating

Data file: 2016MAR (Rural)

Overview

Valid: 3407 Invalid: 45
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1368	40.2%
2	1 day	766	22.5%
3	2 days	442	13%
4	3 days	272	8%

5	4 days	133	3.9%
6	5 days	96	2.8%
7	6 days	82	2.4%
8	7 days	248	7.3%
Sysmiss		45	

Q11: Tooth brushing

Data file: 2016MAR (Rural)

Overview

Valid: 3407 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	819	24%
2	Less than 1 time per day	642	18.8%
3	1 time per day	702	20.6%
4	2 times per day	408	12%
5	3 times per day	390	11.4%
6	4 or more times per day	446	13.1%
Sysmiss		45	

Q12: Hand washing before eating

Data file: 2016MAR (Rural)

Overview

Valid: 3371 Invalid: 81

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	71	2.1%
2	Rarely	129	3.8%
3	Sometimes	209	6.2%
4	Most of the time	286	8.5%
5	Always	2676	79.4%
Sysmiss		81	

Q13: Hand washing after toilet

Data file: 2016MAR (Rural)

Overview

Valid: 3363 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	154	4.6%
2	Rarely	143	4.3%
3	Sometimes	276	8.2%
4	Most of the time	310	9.2%
5	Always	2480	73.7%
Sysmiss		89	

Q14: Hand washing with soap

Data file: 2016MAR (Rural)

Overview

Valid: 3397 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	232	6.8%
2	Rarely	292	8.6%
3	Sometimes	722	21.3%
4	Most of the time	736	21.7%
5	Always	1415	41.7%
Sysmiss		55	

Q15: Physically attacked

Data file: 2016MAR (Rural)

Overview

Valid: 3408 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	2556	75%
2	1 time	421	12.4%
3	2 or 3 times	206	6%
4	4 or 5 times	82	2.4%
5	6 or 7 times	38	1.1%
6	8 or 9 times	13	0.4%
7	10 or 11 times	17	0.5%
8	12 or more times	75	2.2%
Sysmiss		44	

Q16: Physical fighting**Data file: 2016MAR (Rural)****Overview**

Valid: 3383 Invalid: 69
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	2171	64.2%
2	1 time	641	18.9%
3	2 or 3 times	302	8.9%
4	4 or 5 times	96	2.8%
5	6 or 7 times	42	1.2%
6	8 or 9 times	27	0.8%
7	10 or 11 times	19	0.6%
8	12 or more times	85	2.5%
Sysmiss		69	

Q17: Seriously injured**Data file: 2016MAR (Rural)****Overview**

Valid: 3145 Invalid: 307
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	2144	68.2%
2	1 time	618	19.7%
3	2 or 3 times	212	6.7%
4	4 or 5 times	82	2.6%
5	6 or 7 times	35	1.1%
6	8 or 9 times	10	0.3%
7	10 or 11 times	6	0.2%
8	12 or more times	38	1.2%
Sysmiss		307	

Q18: Serious injury type

Data file: 2016MAR (Rural)

Overview

Valid: 0 Invalid: 3452

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category
1	Not seriously injured
2	Broken bone/dislocated joint
3	I had a cut or stab wound
4	Concussion/head injury
5	I had a gunshot wound
6	I had a bad burn
7	I was poisoned
8	Something else happened to me
Sysmiss	

Q19: Serious injury cause

Data file: 2016MAR (Rural)

Overview

Valid: 3103 Invalid: 349
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2368	76.3%
2	Motor vehicle accident	97	3.1%
3	I fell	239	7.7%
4	Something fell on me or hit me	81	2.6%
5	I was attacked	65	2.1%
6	Was in a fire	9	0.3%
7	breathed something bad	51	1.6%
8	Something else	193	6.2%
Sysmiss		349	

Q20: Bullied

Data file: 2016MAR (Rural)

Overview

Valid: 3198 Invalid: 254
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	1921	60.1%

2	1 or 2 days	768	24%
3	3 to 5 days	239	7.5%
4	6 to 9 days	75	2.3%
5	10 to 19 days	62	1.9%
6	20 to 29 days	36	1.1%
7	All 30 days	97	3%
Sysmiss		254	

Q21: Bullied how

Data file: 2016MAR (Rural)

Overview

Valid: 3184 Invalid: 268

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	2321	72.9%
2	Kicked, pushed, or shoved	183	5.7%
3	Made fun of race	120	3.8%
4	Made fun because of religion	53	1.7%
5	Made fun of about sex	150	4.7%
6	Left out of activities	40	1.3%
7	Made fun of about body	58	1.8%
8	Some other way	259	8.1%
Sysmiss		268	

Q22: Felt lonely

Data file: 2016MAR (Rural)

Overview

Valid: 3352 Invalid: 100

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	1295	38.6%
2	Rarely	565	16.9%
3	Sometimes	811	24.2%
4	Most of the time	425	12.7%
5	Always	256	7.6%
Sysmiss		100	

Q23: Could not sleep

Data file: 2016MAR (Rural)

Overview

Valid: 3396 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	1434	42.2%
2	Rarely	600	17.7%
3	Sometimes	731	21.5%
4	Most of the time	457	13.5%
5	Always	174	5.1%
Sysmiss		56	

Q24: Considered suicide**Data file: 2016MAR (Rural)****Overview**

Valid: 3232 Invalid: 220

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	513	15.9%
2	No	2719	84.1%
Sysmiss		220	

Q25: Made a suicide plan**Data file: 2016MAR (Rural)****Overview**

Valid: 3207 Invalid: 245

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	505	15.7%
2	No	2702	84.3%
Sysmiss		245	

Q26: Attempted suicide**Data file: 2016MAR (Rural)**

Overview

Valid: 3376 Invalid: 76

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	2862	84.8%
2	1 time	283	8.4%
3	2 or 3 times	119	3.5%
4	4 or 5 times	63	1.9%
5	6 or more times	49	1.5%
Sysmiss		76	

Q27: Close friends

Data file: 2016MAR (Rural)

Overview

Valid: 3315 Invalid: 137

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	376	11.3%
2	1	598	18%
3	2	536	16.2%
4	3 or more	1805	54.4%
Sysmiss		137	

Q28: Initiation of cigarette use**Data file: 2016MAR (Rural)****Overview**

Valid: 3088 Invalid: 364

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2624	85%
2	7 years old or younger	181	5.9%
3	8 or 9 years old	67	2.2%
4	10 or 11 years old	54	1.7%
5	12 or 13 years old	58	1.9%
6	14 or 15 years old	55	1.8%
7	16 or 17 years old	40	1.3%
8	18 years old or older	9	0.3%
Sysmiss		364	

Q29: Current cigarette use**Data file: 2016MAR (Rural)****Overview**

Valid: 3253 Invalid: 199

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	2944	90.5%
2	1 or 2 days	109	3.4%

3	3 to 5 days	67	2.1%
4	6 to 9 days	51	1.6%
5	10 to 19 days	25	0.8%
6	20 to 29 days	24	0.7%
7	All 30 days	33	1%
Sysmiss		199	

Q30: Other tobacco use

Data file: 2016MAR (Rural)

Overview

Valid: 3382 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	2970	87.8%
2	1 or 2 days	153	4.5%
3	3 to 5 days	108	3.2%
4	6 to 9 days	59	1.7%
5	10 to 19 days	39	1.2%
6	20 to 29 days	20	0.6%
7	All 30 days	33	1%
Sysmiss		70	

Q31: Smoking cessation

Data file: 2016MAR (Rural)

Overview

Valid: 3130 Invalid: 322

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2843	90.8%
2	Did not smoke cigarettes	90	2.9%
3	Yes	126	4%
4	No	71	2.3%
Sysmiss		322	

Q32: Smoking in their presence

Data file: 2016MAR (Rural)

Overview

Valid: 3357 Invalid: 95

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	1964	58.5%
2	1 or 2 days	683	20.3%
3	3 or 4 days	283	8.4%
4	5 or 6 days	137	4.1%
5	All 7 days	290	8.6%
Sysmiss		95	

Q33: Parental tobacco use

Data file: 2016MAR (Rural)

Overview

Valid: 3325 Invalid: 127

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	2440	73.4%
2	My father or male guardian	561	16.9%
3	My mother or female guardian	93	2.8%
4	Both	64	1.9%
5	I do not know	167	5%
Sysmiss		127	

Q34: Initiation of alcohol use

Data file: 2016MAR (Rural)

Overview

Valid: 0 Invalid: 3452

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category
1	Never drank alcohol
2	7 years old or younger
3	8 or 9 years old
4	10 or 11 years old
5	12 or 13 years old
6	14 or 15 years old

7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q35: Current alcohol use

Data file: 2016MAR (Rural)

Overview

Valid: 0 Invalid: 3452

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category
1	0 days
2	1 or 2 days
3	3 to 5 days
4	6 to 9 days
5	10 to 19 days
6	20 to 29 days
7	All 30 days
Sysmiss	

Q36: Drank 2+ drinks

Data file: 2016MAR (Rural)

Overview

Valid: 0 Invalid: 3452

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category
1	Did not drink in past 30 days
2	Less than one drink
3	1 drink
4	2 drinks
5	3 drinks
6	4 drinks
7	5 or more drinks
Sysmiss	

Q37: Source of alcohol

Data file: 2016MAR (Rural)

Overview

Valid: 0 Invalid: 3452

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category
1	Did not drink in past 30 days
2	I bought in a store
3	I gave someone money to buy
4	I got it from my friends
5	I got it from my family
6	I stole it
7	Some other way
Sysmiss	

Q38: Really drunk**Data file: 2016MAR (Rural)****Overview**

Valid: 0 Invalid: 3452

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 or more times
Sysmiss	

Q39: Trouble from drinking**Data file: 2016MAR (Rural)****Overview**

Valid: 0 Invalid: 3452

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category
1	0 times

2	1 or 2 times
3	3 to 9 times
4	10 or more times
Sysmiss	

Q40: Initiation of drug use

Data file: 2016MAR (Rural)

Overview

Valid: 2835 Invalid: 617

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	2350	82.9%
2	7 years old or younger	159	5.6%
3	8 or 9 years old	84	3%
4	10 or 11 years old	94	3.3%
5	12 or 13 years old	52	1.8%
6	14 or 15 years old	49	1.7%
7	16 or 17 years old	39	1.4%
8	18 years old or older	8	0.3%
Sysmiss		617	

Q41: Ever marijuana use

Data file: 2016MAR (Rural)

Overview

Valid: 3234 Invalid: 218

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	2956	91.4%
2	1 or 2 times	120	3.7%
3	3 to 9 times	77	2.4%
4	10 to 19 times	38	1.2%
5	20 or more times	43	1.3%
Sysmiss		218	

Q42: Current marijuana use

Data file: 2016MAR (Rural)

Overview

Valid: 3198 Invalid: 254

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	2908	90.9%
2	1 or 2 times	127	4%
3	3 to 9 times	76	2.4%
4	10 to 19 times	47	1.5%
5	20 or more times	40	1.3%
Sysmiss		254	

Q43: Amphetamine or methamphetamine use

Data file: 2016MAR (Rural)

Overview

Valid: 2941 Invalid: 511
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	2668	90.7%
2	1 or 2 times	97	3.3%
3	3 to 9 times	79	2.7%
4	10 to 19 times	52	1.8%
5	20 or more times	45	1.5%
Sysmiss		511	

Q44: Ever sexual intercourse

Data file: 2016MAR (Rural)

Overview

Valid: 0 Invalid: 3452
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

Q45: Age first had sex**Data file: 2016MAR (Rural)****Overview**

Valid: 0 Invalid: 3452

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category
1	Never had sex
2	11 years old or younger
3	12 years old
4	13 years old
5	14 years old
6	15 years old
7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q46: Number of sex partners**Data file: 2016MAR (Rural)****Overview**

Valid: 0 Invalid: 3452

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category
1	Never had sex
2	1 person

3	2 people
4	3 people
5	4 people
6	5 people
7	6 or more people
Sysmiss	

Q47: Condom use

Data file: 2016MAR (Rural)

Overview

Valid: 0 Invalid: 3452

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category
1	Never had sex
2	Yes
3	No
Sysmiss	

Q48: Birth control used

Data file: 2016MAR (Rural)

Overview

Valid: 0 Invalid: 3452

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category
1	Never had sex
2	Yes
3	No
4	I do not know
Sysmiss	

Q49: Physical activity past 7 days**Data file: 2016MAR (Rural)****Overview**

Valid: 3370 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	959	28.5%
2	1 day	686	20.4%
3	2 days	863	25.6%
4	3 days	237	7%
5	4 days	131	3.9%
6	5 days	59	1.8%
7	6 days	49	1.5%
8	7 days	386	11.5%
Sysmiss		82	

Q50: Walk or bike to school**Data file: 2016MAR (Rural)****Overview**

Valid: 3327 Invalid: 125

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	1138	34.2%
2	1 day	402	12.1%
3	2 days	297	8.9%
4	3 days	144	4.3%
5	4 days	77	2.3%
6	5 days	72	2.2%
7	6 days	151	4.5%
8	7 days	1046	31.4%
Sysmiss		125	

Q51: PE attendance

Data file: 2016MAR (Rural)

Overview

Valid: 3257 Invalid: 195

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	896	27.5%
2	1 day	495	15.2%
3	2 days	886	27.2%

4	3 days	145	4.5%
5	4 days	100	3.1%
6	5 or more days	735	22.6%
Sysmiss		195	

Q52: Sitting activities

Data file: 2016MAR (Rural)

Overview

Valid: 3282 Invalid: 170

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	1462	44.5%
2	1 to 2 hours per day	1024	31.2%
3	3 to 4 hours per day	473	14.4%
4	5 to 6 hours per day	142	4.3%
5	7 to 8 hours per day	64	2%
6	More than 8 hours per day	117	3.6%
Sysmiss		170	

Q53: Miss school no permission

Data file: 2016MAR (Rural)

Overview

Valid: 3325 Invalid: 127

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	2341	70.4%
2	1 or 2 days	652	19.6%
3	3 to 5 days	180	5.4%
4	6 to 9 days	73	2.2%
5	10 or more days	79	2.4%
Sysmiss		127	

Q54: Other students kind and helpful

Data file: 2016MAR (Rural)

Overview

Valid: 3291 Invalid: 161

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	1005	30.5%
2	Rarely	671	20.4%
3	Sometimes	820	24.9%
4	Most of the time	416	12.6%
5	Always	379	11.5%
Sysmiss		161	

Q55: Parents check homework

Data file: 2016MAR (Rural)

Overview

Valid: 3247 Invalid: 205

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	1151	35.4%
2	Rarely	453	14%
3	Sometimes	526	16.2%
4	Most of the time	345	10.6%
5	Always	772	23.8%
Sysmiss		205	

Q56: Parents understand problems

Data file: 2016MAR (Rural)

Overview

Valid: 3310 Invalid: 142

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	1741	52.6%
2	Rarely	444	13.4%
3	Sometimes	461	13.9%
4	Most of the time	290	8.8%
5	Always	374	11.3%
Sysmiss		142	

Q57: Parents know about free time

Data file: 2016MAR (Rural)

Overview

Valid: 3305 Invalid: 147
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	1364	41.3%
2	Rarely	483	14.6%
3	Sometimes	511	15.5%
4	Most of the time	318	9.6%
5	Always	629	19%
Sysmiss		147	

Q58: Parents go through their things

Data file: 2016MAR (Rural)

Overview

Valid: 3297 Invalid: 155 Mean: 1.795 Standard deviation: 1.241
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		2087	63.3%
2		427	13%
3		387	11.7%
4		164	5%
5		232	7%
Sysmiss		155	

QN6: Most of the time or always went hungry**Data file: 2016MAR (Rural)****Overview**

Valid: 3315 Invalid: 137 Mean: 1.875 Standard deviation: 0.331
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		416	12.5%
2		2899	87.5%
Sysmiss		137	

QN7: Did not eat fruit**Data file: 2016MAR (Rural)****Overview**

Valid: 3366 Invalid: 86 Mean: 1.934 Standard deviation: 0.248
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		221	6.6%
2		3145	93.4%
Sysmiss		86	

QN8: Did not eat vegetables**Data file: 2016MAR (Rural)****Overview**

Valid: 3357 Invalid: 95 Mean: 1.946 Standard deviation: 0.225

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		180	5.4%
2		3177	94.6%
Sysmiss		95	

QN9: Did not drink carbonated soft drinks**Data file: 2016MAR (Rural)****Overview**Valid: 3385 Invalid: 67 Mean: 1.635 Standard deviation: 0.481
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric**Questions and instructions**

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1235	36.5%
2		2150	63.5%
Sysmiss		67	

QN10: Did not eat food from a fast food restaurant**Data file: 2016MAR (Rural)****Overview**Valid: 3407 Invalid: 45 Mean: 1.598 Standard deviation: 0.49
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric**Questions and instructions**

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1368	40.2%
2		2039	59.8%
Sysmiss		45	

QN11: Usually cleaned or brushed their teeth

Data file: 2016MAR (Rural)

Overview

Valid: 3407 Invalid: 45 Mean: 1.429 Standard deviation: 0.495
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1946	57.1%
2		1461	42.9%
Sysmiss		45	

QN12: Never or rarely washed their hands before eating

Data file: 2016MAR (Rural)

Overview

Valid: 3371 Invalid: 81 Mean: 1.941 Standard deviation: 0.236
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		200	5.9%
2		3171	94.1%
Sysmiss		81	

QN13: Never or rarely washed their hands after using the toilet or latrine**Data file: 2016MAR (Rural)****Overview**

Valid: 3363 Invalid: 89 Mean: 1.912 Standard deviation: 0.284
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		297	8.8%
2		3066	91.2%
Sysmiss		89	

QN14: Never or rarely used soap when washing their hands**Data file: 2016MAR (Rural)****Overview**

Valid: 3397 Invalid: 55 Mean: 1.846 Standard deviation: 0.361
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		524	15.4%
2		2873	84.6%
Sysmiss		55	

QN15: Were physically attacked**Data file: 2016MAR (Rural)****Overview**

Valid: 3408 Invalid: 44 Mean: 1.75 Standard deviation: 0.433
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		852	25%
2		2556	75%
Sysmiss		44	

QN16: Were in a physical fight

Data file: 2016MAR (Rural)

Overview

Valid: 3383 Invalid: 69 Mean: 1.642 Standard deviation: 0.48
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		1212	35.8%
2		2171	64.2%
Sysmiss		69	

QN17: Were seriously injured

Data file: 2016MAR (Rural)

Overview

Valid: 3145 Invalid: 307 Mean: 1.682 Standard deviation: 0.466
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		1001	31.8%
2		2144	68.2%
Sysmiss		307	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: 2016MAR (Rural)

Overview

Valid: 0 Invalid: 3452

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: 2016MAR (Rural)

Overview

Valid: 735 Invalid: 2717 Mean: 1.868 Standard deviation: 0.339

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		97	13.2%
2		638	86.8%
Sysmiss		2717	

QN20: Were bullied**Data file: 2016MAR (Rural)****Overview**

Valid: 3198 Invalid: 254 Mean: 1.601 Standard deviation: 0.49
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1277	39.9%
2		1921	60.1%
Sysmiss		254	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors**Data file: 2016MAR (Rural)****Overview**

Valid: 863 Invalid: 2589 Mean: 1.788 Standard deviation: 0.409
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		183	21.2%
2		680	78.8%
Sysmiss		2589	

QN22: Most of the time or always felt lonely**Data file: 2016MAR (Rural)****Overview**

Valid: 3352 Invalid: 100 Mean: 1.797 Standard deviation: 0.402
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		681	20.3%
2		2671	79.7%
Sysmiss		100	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: 2016MAR (Rural)

Overview

Valid: 3396 Invalid: 56 Mean: 1.814 Standard deviation: 0.389
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		631	18.6%
2		2765	81.4%
Sysmiss		56	

QN24: Seriously considered attempting suicide

Data file: 2016MAR (Rural)

Overview

Valid: 3232 Invalid: 220 Mean: 1.841 Standard deviation: 0.365
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		513	15.9%
2		2719	84.1%
Sysmiss		220	

QN25: Made a plan about how they would attempt suicide

Data file: 2016MAR (Rural)

Overview

Valid: 3207 Invalid: 245 Mean: 1.843 Standard deviation: 0.364
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		505	15.7%
2		2702	84.3%
Sysmiss		245	

QN26: Attempted suicide

Data file: 2016MAR (Rural)

Overview

Valid: 3376 Invalid: 76 Mean: 1.848 Standard deviation: 0.359
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		514	15.2%
2		2862	84.8%
Sysmiss		76	

QN27: Did not have any close friends**Data file: 2016MAR (Rural)****Overview**

Valid: 3315 Invalid: 137 Mean: 1.887 Standard deviation: 0.317
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1		376	11.3%
2		2939	88.7%
Sysmiss		137	

QN28: Tried a cigarette before age 14 years**Data file: 2016MAR (Rural)****Overview**

Valid: 464 Invalid: 2988 Mean: 1.224 Standard deviation: 0.417
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1		360	77.6%
2		104	22.4%
Sysmiss		2988	

QN29: Currently smoked cigarettes**Data file: 2016MAR (Rural)****Overview**

Valid: 3253 Invalid: 199 Mean: 1.905 Standard deviation: 0.293
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		309	9.5%
2		2944	90.5%
Sysmiss		199	

QN30: Currently used any tobacco products other than cigarettes

Data file: 2016MAR (Rural)

Overview

Valid: 3382 Invalid: 70 Mean: 1.878 Standard deviation: 0.327
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		412	12.2%
2		2970	87.8%
Sysmiss		70	

QN31: Tried to quit smoking cigarettes

Data file: 2016MAR (Rural)

Overview

Valid: 197 Invalid: 3255 Mean: 1.36 Standard deviation: 0.481
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		126	64%
2		71	36%
Sysmiss		3255	

QN32: Reported that people smoked in their presence

Data file: 2016MAR (Rural)

Overview

Valid: 3357 Invalid: 95 Mean: 1.585 Standard deviation: 0.493
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1393	41.5%
2		1964	58.5%
Sysmiss		95	

QN33: Had parents or guardians who used any form of tobacco

Data file: 2016MAR (Rural)

Overview

Valid: 3325 Invalid: 127 Mean: 1.784 Standard deviation: 0.412
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1		718	21.6%
2		2607	78.4%
Sysmiss		127	

QN34: Drank alcohol before age 14 years**Data file: 2016MAR (Rural)****Overview**

Valid: 0 Invalid: 3452

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category
Sysmiss	

QN35: Currently drank alcohol**Data file: 2016MAR (Rural)****Overview**

Valid: 0 Invalid: 3452

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN36: Usually drank two or more drinks per day**Data file: 2016MAR (Rural)****Overview**

Valid: 0 Invalid: 3452

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN37: Usually obtained the alcohol they drank from friends**Data file: 2016MAR (Rural)****Overview**

Valid: 0 Invalid: 3452

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN38: Ever drank so much alcohol that they were really drunk**Data file: 2016MAR (Rural)****Overview**

Valid: 0 Invalid: 3452

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol**Data file: 2016MAR (Rural)****Overview**

Valid: 0 Invalid: 3452

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QN40: Used drugs before age 14 years

Data file: 2016MAR (Rural)

Overview

Valid: 485 Invalid: 2967 Mean: 1.198 Standard deviation: 0.399
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1		389	80.2%
2		96	19.8%
Sysmiss		2967	

QN41: Ever used marijuana

Data file: 2016MAR (Rural)

Overview

Valid: 3234 Invalid: 218 Mean: 1.914 Standard deviation: 0.28
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		278	8.6%
2		2956	91.4%

Sysmiss		218	
---------	--	-----	--

QN42: Currently used marijuana

Data file: 2016MAR (Rural)

Overview

Valid: 3198 Invalid: 254 Mean: 1.909 Standard deviation: 0.287
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		290	9.1%
2		2908	90.9%
Sysmiss		254	

QN43: Ever used amphetamines or methamphetamines

Data file: 2016MAR (Rural)

Overview

Valid: 2941 Invalid: 511 Mean: 1.907 Standard deviation: 0.29
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		273	9.3%
2		2668	90.7%
Sysmiss		511	

QN44: Ever had sexual intercourse

Data file: 2016MAR (Rural)

Overview

Valid: 0 Invalid: 3452

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category
Sysmiss	

QN45: Had sexual intercourse before age 14 years**Data file: 2016MAR (Rural)****Overview**

Valid: 0 Invalid: 3452

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN46: Had sexual intercourse with two or more persons**Data file: 2016MAR (Rural)****Overview**

Valid: 0 Invalid: 3452

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category
Sysmiss	

QN47: Used a condom**Data file: 2016MAR (Rural)****Overview**

Valid: 0 Invalid: 3452

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN48: Used a method of birth control other than condoms**Data file: 2016MAR (Rural)****Overview**

Valid: 0 Invalid: 3452

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN49: Were not physically active**Data file: 2016MAR (Rural)****Overview**

Valid: 3370 Invalid: 82 Mean: 1.715 Standard deviation: 0.451

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		959	28.5%
2		2411	71.5%
Sysmiss		82	

QN50: Did not walk or ride a bicycle to or from school

Data file: 2016MAR (Rural)

Overview

Valid: 3327 Invalid: 125 Mean: 1.658 Standard deviation: 0.474
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1138	34.2%
2		2189	65.8%
Sysmiss		125	

QN51: Did not attend physical education classes

Data file: 2016MAR (Rural)

Overview

Valid: 3257 Invalid: 195 Mean: 1.725 Standard deviation: 0.447
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		896	27.5%
2		2361	72.5%
Sysmiss		195	

QN52: Spent three or more hours per day doing sitting activities

Data file: 2016MAR (Rural)

Overview

Valid: 3282 Invalid: 170 Mean: 1.757 Standard deviation: 0.429
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
1		796	24.3%
2		2486	75.7%
Sysmiss		170	

QN53: Missed classes or school without permission

Data file: 2016MAR (Rural)

Overview

Valid: 3325 Invalid: 127 Mean: 1.704 Standard deviation: 0.457
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		984	29.6%
2		2341	70.4%
Sysmiss		127	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: 2016MAR (Rural)

Overview

Valid: 3291 Invalid: 161 Mean: 1.758 Standard deviation: 0.428
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		795	24.2%
2		2496	75.8%
Sysmiss		161	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: 2016MAR (Rural)

Overview

Valid: 3247 Invalid: 205 Mean: 1.656 Standard deviation: 0.475
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1117	34.4%
2		2130	65.6%
Sysmiss		205	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: 2016MAR (Rural)

Overview

Valid: 3310 Invalid: 142 Mean: 1.799 Standard deviation: 0.401
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		664	20.1%
2		2646	79.9%
Sysmiss		142	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: 2016MAR (Rural)

Overview

Valid: 3305 Invalid: 147 Mean: 1.713 Standard deviation: 0.452
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		947	28.7%
2		2358	71.3%
Sysmiss		147	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: 2016MAR (Rural)

Overview

Valid: 3297 Invalid: 155 Mean: 1.237 Standard deviation: 0.426
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2514	76.3%
2		783	23.7%
Sysmiss		155	

QNUNWTG: Were underweight

Data file: 2016MAR (Rural)

Overview

Valid: 3135 Invalid: 317 Mean: 1.905 Standard deviation: 0.293
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		298	9.5%
2		2837	90.5%
Sysmiss		317	

QNOWTG: Were overweight

Data file: 2016MAR (Rural)

Overview

Valid: 3135 Invalid: 317 Mean: 1.888 Standard deviation: 0.316
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		352	11.2%
2		2783	88.8%
Sysmiss		317	

QNOBESEG: Were obese

Data file: 2016MAR (Rural)

Overview

Valid: 3135 Invalid: 317 Mean: 1.979 Standard deviation: 0.145
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		67	2.1%
2		3068	97.9%
Sysmiss		317	

QNFRLG: Usually ate fruit less than one time per day

Data file: 2016MAR (Rural)

Overview

Valid: 3366 Invalid: 86 Mean: 1.785 Standard deviation: 0.411
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		724	21.5%
2		2642	78.5%
Sysmiss		86	

QNFR1G: Usually ate fruit one or more times per day**Data file: 2016MAR (Rural)****Overview**

Valid: 3366 Invalid: 86 Mean: 1.281 Standard deviation: 0.449
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2421	71.9%
2		945	28.1%
Sysmiss		86	

QNFR2G: Usually ate fruit two or more times per day**Data file: 2016MAR (Rural)****Overview**

Valid: 3366 Invalid: 86 Mean: 1.566 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1461	43.4%
2		1905	56.6%
Sysmiss		86	

QNFR3G: Usually ate fruit three or more times per day**Data file: 2016MAR (Rural)****Overview**

Valid: 3366 Invalid: 86 Mean: 1.719 Standard deviation: 0.45
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		946	28.1%
2		2420	71.9%
Sysmiss		86	

QNVEGLG: Usually ate vegetables less than one time per day

Data file: 2016MAR (Rural)

Overview

Valid: 3357 Invalid: 95 Mean: 1.864 Standard deviation: 0.343
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		458	13.6%
2		2899	86.4%
Sysmiss		95	

QNVEG1G: Usually ate vegetables one or more times per day

Data file: 2016MAR (Rural)

Overview

Valid: 3357 Invalid: 95 Mean: 1.19 Standard deviation: 0.392
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		2719	81%
2		638	19%
Sysmiss		95	

QNVEG2G: Usually ate vegetables two or more times per day

Data file: 2016MAR (Rural)

Overview

Valid: 3357 Invalid: 95 Mean: 1.529 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1582	47.1%
2		1775	52.9%
Sysmiss		95	

QNVEG3G: Usually ate vegetables three or more times per day

Data file: 2016MAR (Rural)

Overview

Valid: 3357 Invalid: 95 Mean: 1.72 Standard deviation: 0.449
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		939	28%
2		2418	72%
Sysmiss		95	

QNSODALG: Usually drank carbonated soft drinks less than one time per day**Data file: 2016MAR (Rural)****Overview**

Valid: 3385 Invalid: 67 Mean: 1.694 Standard deviation: 0.461
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1036	30.6%
2		2349	69.4%
Sysmiss		67	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day**Data file: 2016MAR (Rural)****Overview**

Valid: 3385 Invalid: 67 Mean: 1.671 Standard deviation: 0.47
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1114	32.9%
2		2271	67.1%
Sysmiss		67	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day**Data file: 2016MAR (Rural)****Overview**

Valid: 3385 Invalid: 67 Mean: 1.831 Standard deviation: 0.375
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		572	16.9%
2		2813	83.1%
Sysmiss		67	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day

Data file: 2016MAR (Rural)

Overview

Valid: 3385 Invalid: 67 Mean: 1.889 Standard deviation: 0.314
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		375	11.1%
2		3010	88.9%
Sysmiss		67	

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: 2016MAR (Rural)

Overview

Valid: 3407 Invalid: 45 Mean: 1.402 Standard deviation: 0.49
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2039	59.8%
2		1368	40.2%
Sysmiss		45	

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: 2016MAR (Rural)

Overview

Valid: 3407 Invalid: 45 Mean: 1.626 Standard deviation: 0.484
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1273	37.4%
2		2134	62.6%
Sysmiss		45	

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: 2016MAR (Rural)

Overview

Valid: 3407 Invalid: 45 Mean: 1.756 Standard deviation: 0.43
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		831	24.4%
2		2576	75.6%
Sysmiss		45	

QNC2G: Were bullied and could not sleep at night**Data file: 2016MAR (Rural)****Overview**

Valid: 585 Invalid: 2867 Mean: 1.47 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		310	53%
2		275	47%
Sysmiss		2867	

QNTOB2G: Currently used any tobacco product**Data file: 2016MAR (Rural)****Overview**

Valid: 3338 Invalid: 114 Mean: 1.843 Standard deviation: 0.364
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		523	15.7%
2		2815	84.3%
Sysmiss		114	

QNNOTB2G: Did not currently use any tobacco products**Data file: 2016MAR (Rural)****Overview**

Valid: 3223 Invalid: 229 Mean: 1.127 Standard deviation: 0.333
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2815	87.3%
2		408	12.7%
Sysmiss		229	

QNBCANYG: Used a method of birth control

Data file: 2016MAR (Rural)

Overview

Valid: 0 Invalid: 3452

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QNC1G: Ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk

Data file: 2016MAR (Rural)

Overview

Valid: 0 Invalid: 3452

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category
-------	----------

Sysmiss

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days**Data file: 2016MAR (Rural)****Overview**

Valid: 3370 Invalid: 82 Mean: 1.853 Standard deviation: 0.354
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		494	14.7%
2		2876	85.3%
Sysmiss		82	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days**Data file: 2016MAR (Rural)****Overview**

Valid: 3370 Invalid: 82 Mean: 1.885 Standard deviation: 0.319
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		386	11.5%
2		2984	88.5%
Sysmiss		82	

QNPE3G: Attended physical education classes on three or more days**Data file: 2016MAR (Rural)**

Overview

Valid: 3257 Invalid: 195 Mean: 1.699 Standard deviation: 0.459
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		980	30.1%
2		2277	69.9%
Sysmiss		195	

QNPE5G: Attended physical education classes on five or more days

Data file: 2016MAR (Rural)

Overview

Valid: 3257 Invalid: 195 Mean: 1.774 Standard deviation: 0.418
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		735	22.6%
2		2522	77.4%
Sysmiss		195	

WEIGHT:

Data file: 2016MAR (Rural)

Overview

Valid: 3452 Invalid: 0 Mean: 176.362 Standard deviation: 35.958
 Type: Continuous Decimal: 0 Width: 10 Range: 42.0329 - 329.5608 Format: Numeric

STRATUM:

Data file: 2016MAR (Rural)

Overview

Valid: 3452 Invalid: 0 Mean: 201601008.878 Standard deviation: 43.524
 Type: Discrete Decimal: 0 Width: 9 Range: 201501001 - 201501019 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
201601001		202	5.9%
201601002		119	3.4%
201601003		237	6.9%
201601004		235	6.8%
201601005		225	6.5%
201601006		187	5.4%
201601007		209	6.1%
201601008		183	5.3%
201601009		238	6.9%
201601010		222	6.4%
201601011		185	5.4%
201601012		227	6.6%
201601013		206	6%
201601014		311	9%
201601015		227	6.6%
201601016		239	6.9%

PSU:

Data file: 2016MAR (Rural)

Overview

Valid: 3452 Invalid: 0 Mean: 17.338 Standard deviation: 9.197
 Type: Continuous Decimal: 0 Width: 5 Range: 1 - 38 Format: Numeric

Q1: Custom Age**Data file: 2016MAR (Urban)****Overview**

Valid: 3245 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	54	1.7%
2	12 years old	390	12%
3	13 years old	447	13.8%
4	14 years old	508	15.7%
5	15 years old	470	14.5%
6	16 years old	616	19%
7	17 years old	399	12.3%
8	18 years old or older	361	11.1%
Sysmiss		48	

Q2: Sex**Data file: 2016MAR (Urban)****Overview**

Valid: 3224 Invalid: 69

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1588	49.3%
2	Female	1636	50.7%
Sysmiss		69	

Q3: In what grade are you**Data file: 2016MAR (Urban)****Overview**

Valid: 3205 Invalid: 88

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	1 ASC	772	24.1%
2	2 ASC	412	12.9%
3	3 ASC	713	22.2%
4	Common Core	421	13.1%
5	1st year Bac	448	14%
6	2nd year Bac	439	13.7%
Sysmiss		88	

Q4: How tall are you**Data file: 2016MAR (Urban)****Overview**

Valid: 2913 Invalid: 380 Minimum: 1.14 Maximum: 1.91 Mean: 1.607 Standard deviation: 0.114

Type: Continuous Decimal: 2 Width: 4 Range: 1.27 - 1.87 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh**Data file: 2016MAR (Urban)****Overview**

Valid: 2913 Invalid: 380 Minimum: 24 Maximum: 136 Mean: 51.855 Standard deviation: 11.847

Type: Continuous Decimal: 2 Width: 6 Range: 28 - 116 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: 2016MAR (Urban)

Overview

Valid: 3224 Invalid: 69

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	2140	66.4%
2	Rarely	414	12.8%
3	Sometimes	406	12.6%
4	Most of the time	186	5.8%
5	Always	78	2.4%
Sysmiss		69	

Q7: No fruit eating

Data file: 2016MAR (Urban)

Overview

Valid: 3251 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	199	6.1%
2	Less than one time per day	660	20.3%
3	1 time per day	897	27.6%
4	2 times per day	603	18.5%
5	3 times per day	277	8.5%
6	4 times per day	136	4.2%
7	5 or more times per day	479	14.7%
Sysmiss		42	

Q8: No vegetable eating

Data file: 2016MAR (Urban)

Overview

Valid: 3249 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	119	3.7%
2	Less than one time per day	407	12.5%
3	1 time per day	1123	34.6%
4	2 times per day	696	21.4%
5	3 times per day	229	7%
6	4 times per day	130	4%
7	5 or more times per day	545	16.8%
Sysmiss		44	

Q9: Soft drinks

Data file: 2016MAR (Urban)

Overview

Valid: 3265 Invalid: 28
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	1108	33.9%
2	Less than one time per day	1109	34%
3	1 time per day	491	15%
4	2 times per day	226	6.9%
5	3 times per day	114	3.5%
6	4 times per day	53	1.6%
7	5 or more times per day	164	5%
Sysmiss		28	

Q10: Fast food eating

Data file: 2016MAR (Urban)

Overview

Valid: 3275 Invalid: 18
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1118	34.1%
2	1 day	813	24.8%
3	2 days	457	14%
4	3 days	309	9.4%

5	4 days	185	5.6%
6	5 days	129	3.9%
7	6 days	46	1.4%
8	7 days	218	6.7%
Sysmiss		18	

Q11: Tooth brushing

Data file: 2016MAR (Urban)

Overview

Valid: 3268 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	397	12.1%
2	Less than 1 time per day	550	16.8%
3	1 time per day	722	22.1%
4	2 times per day	653	20%
5	3 times per day	541	16.6%
6	4 or more times per day	405	12.4%
Sysmiss		25	

Q12: Hand washing before eating

Data file: 2016MAR (Urban)

Overview

Valid: 3243 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	56	1.7%
2	Rarely	104	3.2%
3	Sometimes	228	7%
4	Most of the time	412	12.7%
5	Always	2443	75.3%
Sysmiss		50	

Q13: Hand washing after toilet

Data file: 2016MAR (Urban)

Overview

Valid: 3228 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	84	2.6%
2	Rarely	83	2.6%
3	Sometimes	183	5.7%
4	Most of the time	295	9.1%
5	Always	2583	80%
Sysmiss		65	

Q14: Hand washing with soap

Data file: 2016MAR (Urban)

Overview

Valid: 3263 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	124	3.8%
2	Rarely	169	5.2%
3	Sometimes	530	16.2%
4	Most of the time	700	21.5%
5	Always	1740	53.3%
Sysmiss		30	

Q15: Physically attacked

Data file: 2016MAR (Urban)

Overview

Valid: 3260 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	2524	77.4%
2	1 time	374	11.5%
3	2 or 3 times	176	5.4%
4	4 or 5 times	71	2.2%
5	6 or 7 times	23	0.7%
6	8 or 9 times	19	0.6%
7	10 or 11 times	6	0.2%
8	12 or more times	67	2.1%
Sysmiss		33	

Q16: Physical fighting**Data file: 2016MAR (Urban)****Overview**

Valid: 3243 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	2080	64.1%
2	1 time	581	17.9%
3	2 or 3 times	305	9.4%
4	4 or 5 times	101	3.1%
5	6 or 7 times	44	1.4%
6	8 or 9 times	22	0.7%
7	10 or 11 times	13	0.4%
8	12 or more times	97	3%
Sysmiss		50	

Q17: Seriously injured**Data file: 2016MAR (Urban)****Overview**

Valid: 3047 Invalid: 246

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	2107	69.1%
2	1 time	588	19.3%
3	2 or 3 times	232	7.6%
4	4 or 5 times	43	1.4%
5	6 or 7 times	22	0.7%
6	8 or 9 times	18	0.6%
7	10 or 11 times	6	0.2%
8	12 or more times	31	1%
Sysmiss		246	

Q18: Serious injury type

Data file: 2016MAR (Urban)

Overview

Valid: 0 Invalid: 3293

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category
1	Not seriously injured
2	Broken bone/dislocated joint
3	I had a cut or stab wound
4	Concussion/head injury
5	I had a gunshot wound
6	I had a bad burn
7	I was poisoned
8	Something else happened to me
Sysmiss	

Q19: Serious injury cause

Data file: 2016MAR (Urban)

Overview

Valid: 3014 Invalid: 279
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2254	74.8%
2	Motor vehicle accident	81	2.7%
3	I fell	201	6.7%
4	Something fell on me or hit me	93	3.1%
5	I was attacked	61	2%
6	Was in a fire	14	0.5%
7	breathed something bad	56	1.9%
8	Something else	254	8.4%
Sysmiss		279	

Q20: Bullied

Data file: 2016MAR (Urban)

Overview

Valid: 3137 Invalid: 156
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	1948	62.1%

2	1 or 2 days	743	23.7%
3	3 to 5 days	187	6%
4	6 to 9 days	72	2.3%
5	10 to 19 days	51	1.6%
6	20 to 29 days	26	0.8%
7	All 30 days	110	3.5%
Sysmiss		156	

Q21: Bullied how

Data file: 2016MAR (Urban)

Overview

Valid: 3123 Invalid: 170

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	2204	70.6%
2	Kicked, pushed, or shoved	116	3.7%
3	Made fun of race	87	2.8%
4	Made fun because of religion	40	1.3%
5	Made fun of about sex	203	6.5%
6	Left out of activities	51	1.6%
7	Made fun of about body	84	2.7%
8	Some other way	338	10.8%
Sysmiss		170	

Q22: Felt lonely

Data file: 2016MAR (Urban)

Overview

Valid: 3205 Invalid: 88

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	1169	36.5%
2	Rarely	617	19.3%
3	Sometimes	783	24.4%
4	Most of the time	400	12.5%
5	Always	236	7.4%
Sysmiss		88	

Q23: Could not sleep**Data file: 2016MAR (Urban)****Overview**

Valid: 3264 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	1261	38.6%
2	Rarely	724	22.2%
3	Sometimes	739	22.6%
4	Most of the time	384	11.8%
5	Always	156	4.8%
Sysmiss		29	

Q24: Considered suicide**Data file: 2016MAR (Urban)****Overview**

Valid: 3195 Invalid: 98

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	518	16.2%
2	No	2677	83.8%
Sysmiss		98	

Q25: Made a suicide plan**Data file: 2016MAR (Urban)****Overview**

Valid: 3177 Invalid: 116

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	427	13.4%
2	No	2750	86.6%
Sysmiss		116	

Q26: Attempted suicide**Data file: 2016MAR (Urban)**

Overview

Valid: 3247 Invalid: 46
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	2822	86.9%
2	1 time	236	7.3%
3	2 or 3 times	97	3%
4	4 or 5 times	46	1.4%
5	6 or more times	46	1.4%
Sysmiss		46	

Q27: Close friends

Data file: 2016MAR (Urban)

Overview

Valid: 3223 Invalid: 70
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	322	10%
2	1	591	18.3%
3	2	627	19.5%
4	3 or more	1683	52.2%
Sysmiss		70	

Q28: Initiation of cigarette use**Data file: 2016MAR (Urban)****Overview**

Valid: 3140 Invalid: 153

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2767	88.1%
2	7 years old or younger	83	2.6%
3	8 or 9 years old	30	1%
4	10 or 11 years old	41	1.3%
5	12 or 13 years old	68	2.2%
6	14 or 15 years old	81	2.6%
7	16 or 17 years old	54	1.7%
8	18 years old or older	16	0.5%
Sysmiss		153	

Q29: Current cigarette use**Data file: 2016MAR (Urban)****Overview**

Valid: 3194 Invalid: 99

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	2969	93%
2	1 or 2 days	87	2.7%

3	3 to 5 days	43	1.3%
4	6 to 9 days	32	1%
5	10 to 19 days	14	0.4%
6	20 to 29 days	11	0.3%
7	All 30 days	38	1.2%
Sysmiss		99	

Q30: Other tobacco use

Data file: 2016MAR (Urban)

Overview

Valid: 3231 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	2918	90.3%
2	1 or 2 days	154	4.8%
3	3 to 5 days	59	1.8%
4	6 to 9 days	32	1%
5	10 to 19 days	21	0.6%
6	20 to 29 days	15	0.5%
7	All 30 days	32	1%
Sysmiss		62	

Q31: Smoking cessation

Data file: 2016MAR (Urban)

Overview

Valid: 3145 Invalid: 148

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2897	92.1%
2	Did not smoke cigarettes	81	2.6%
3	Yes	125	4%
4	No	42	1.3%
Sysmiss		148	

Q32: Smoking in their presence

Data file: 2016MAR (Urban)

Overview

Valid: 3235 Invalid: 58

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	1944	60.1%
2	1 or 2 days	666	20.6%
3	3 or 4 days	234	7.2%
4	5 or 6 days	101	3.1%
5	All 7 days	290	9%
Sysmiss		58	

Q33: Parental tobacco use

Data file: 2016MAR (Urban)

Overview

Valid: 3214 Invalid: 79

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	2510	78.1%
2	My father or male guardian	534	16.6%
3	My mother or female guardian	36	1.1%
4	Both	35	1.1%
5	I do not know	99	3.1%
Sysmiss		79	

Q34: Initiation of alcohol use

Data file: 2016MAR (Urban)

Overview

Valid: 0 Invalid: 3293

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category
1	Never drank alcohol
2	7 years old or younger
3	8 or 9 years old
4	10 or 11 years old
5	12 or 13 years old
6	14 or 15 years old

7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q35: Current alcohol use

Data file: 2016MAR (Urban)

Overview

Valid: 0 Invalid: 3293

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category
1	0 days
2	1 or 2 days
3	3 to 5 days
4	6 to 9 days
5	10 to 19 days
6	20 to 29 days
7	All 30 days
Sysmiss	

Q36: Drank 2+ drinks

Data file: 2016MAR (Urban)

Overview

Valid: 0 Invalid: 3293

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category
1	Did not drink in past 30 days
2	Less than one drink
3	1 drink
4	2 drinks
5	3 drinks
6	4 drinks
7	5 or more drinks
Sysmiss	

Q37: Source of alcohol

Data file: 2016MAR (Urban)

Overview

Valid: 0 Invalid: 3293

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category
1	Did not drink in past 30 days
2	I bought in a store
3	I gave someone money to buy
4	I got it from my friends
5	I got it from my family
6	I stole it
7	Some other way
Sysmiss	

Q38: Really drunk**Data file: 2016MAR (Urban)****Overview**

Valid: 0 Invalid: 3293

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 or more times
Sysmiss	

Q39: Trouble from drinking**Data file: 2016MAR (Urban)****Overview**

Valid: 0 Invalid: 3293

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category
1	0 times

2	1 or 2 times
3	3 to 9 times
4	10 or more times
Sysmiss	

Q40: Initiation of drug use

Data file: 2016MAR (Urban)

Overview

Valid: 2761 Invalid: 532

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	2414	87.4%
2	7 years old or younger	58	2.1%
3	8 or 9 years old	38	1.4%
4	10 or 11 years old	63	2.3%
5	12 or 13 years old	45	1.6%
6	14 or 15 years old	71	2.6%
7	16 or 17 years old	53	1.9%
8	18 years old or older	19	0.7%
Sysmiss		532	

Q41: Ever marijuana use

Data file: 2016MAR (Urban)

Overview

Valid: 3170 Invalid: 123

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	2995	94.5%
2	1 or 2 times	78	2.5%
3	3 to 9 times	42	1.3%
4	10 to 19 times	21	0.7%
5	20 or more times	34	1.1%
Sysmiss		123	

Q42: Current marijuana use

Data file: 2016MAR (Urban)

Overview

Valid: 3178 Invalid: 115

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	3015	94.9%
2	1 or 2 times	66	2.1%
3	3 to 9 times	43	1.4%
4	10 to 19 times	29	0.9%
5	20 or more times	25	0.8%
Sysmiss		115	

Q43: Amphetamine or methamphetamine use

Data file: 2016MAR (Urban)

Overview

Valid: 2799 Invalid: 494
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	2608	93.2%
2	1 or 2 times	81	2.9%
3	3 to 9 times	44	1.6%
4	10 to 19 times	28	1%
5	20 or more times	38	1.4%
Sysmiss		494	

Q44: Ever sexual intercourse

Data file: 2016MAR (Urban)

Overview

Valid: 0 Invalid: 3293
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

Q45: Age first had sex**Data file: 2016MAR (Urban)****Overview**

Valid: 0 Invalid: 3293

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category
1	Never had sex
2	11 years old or younger
3	12 years old
4	13 years old
5	14 years old
6	15 years old
7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q46: Number of sex partners**Data file: 2016MAR (Urban)****Overview**

Valid: 0 Invalid: 3293

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category
1	Never had sex
2	1 person

3	2 people
4	3 people
5	4 people
6	5 people
7	6 or more people
Sysmiss	

Q47: Condom use

Data file: 2016MAR (Urban)

Overview

Valid: 0 Invalid: 3293

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category
1	Never had sex
2	Yes
3	No
Sysmiss	

Q48: Birth control used

Data file: 2016MAR (Urban)

Overview

Valid: 0 Invalid: 3293

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category
1	Never had sex
2	Yes
3	No
4	I do not know
Sysmiss	

Q49: Physical activity past 7 days**Data file: 2016MAR (Urban)****Overview**

Valid: 3228 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	694	21.5%
2	1 day	621	19.2%
3	2 days	927	28.7%
4	3 days	334	10.3%
5	4 days	168	5.2%
6	5 days	100	3.1%
7	6 days	55	1.7%
8	7 days	329	10.2%
Sysmiss		65	

Q50: Walk or bike to school**Data file: 2016MAR (Urban)****Overview**

Valid: 3210 Invalid: 83

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	985	30.7%
2	1 day	236	7.4%
3	2 days	212	6.6%
4	3 days	114	3.6%
5	4 days	77	2.4%
6	5 days	110	3.4%
7	6 days	276	8.6%
8	7 days	1200	37.4%
Sysmiss		83	

Q51: PE attendance

Data file: 2016MAR (Urban)

Overview

Valid: 3095 Invalid: 198

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	571	18.4%
2	1 day	391	12.6%
3	2 days	1035	33.4%

4	3 days	135	4.4%
5	4 days	90	2.9%
6	5 or more days	873	28.2%
Sysmiss		198	

Q52: Sitting activities

Data file: 2016MAR (Urban)

Overview

Valid: 3183 Invalid: 110

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	976	30.7%
2	1 to 2 hours per day	1112	34.9%
3	3 to 4 hours per day	627	19.7%
4	5 to 6 hours per day	214	6.7%
5	7 to 8 hours per day	65	2%
6	More than 8 hours per day	189	5.9%
Sysmiss		110	

Q53: Miss school no permission

Data file: 2016MAR (Urban)

Overview

Valid: 3220 Invalid: 73

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	2243	69.7%
2	1 or 2 days	665	20.7%
3	3 to 5 days	180	5.6%
4	6 to 9 days	58	1.8%
5	10 or more days	74	2.3%
Sysmiss		73	

Q54: Other students kind and helpful

Data file: 2016MAR (Urban)

Overview

Valid: 3205 Invalid: 88

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	768	24%
2	Rarely	641	20%
3	Sometimes	772	24.1%
4	Most of the time	502	15.7%
5	Always	522	16.3%
Sysmiss		88	

Q55: Parents check homework

Data file: 2016MAR (Urban)

Overview

Valid: 3164 Invalid: 129

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	878	27.7%
2	Rarely	372	11.8%
3	Sometimes	520	16.4%
4	Most of the time	459	14.5%
5	Always	935	29.6%
Sysmiss		129	

Q56: Parents understand problems

Data file: 2016MAR (Urban)

Overview

Valid: 3178 Invalid: 115

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	1411	44.4%
2	Rarely	467	14.7%
3	Sometimes	475	14.9%
4	Most of the time	339	10.7%
5	Always	486	15.3%
Sysmiss		115	

Q57: Parents know about free time

Data file: 2016MAR (Urban)

Overview

Valid: 3165 Invalid: 128

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	1050	33.2%
2	Rarely	424	13.4%
3	Sometimes	472	14.9%
4	Most of the time	403	12.7%
5	Always	816	25.8%
Sysmiss		128	

Q58: Parents go through their things

Data file: 2016MAR (Urban)

Overview

Valid: 3163 Invalid: 130 Mean: 1.858 Standard deviation: 1.26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		1903	60.2%
2		449	14.2%
3		389	12.3%
4		201	6.4%
5		221	7%
Sysmiss		130	

QN6: Most of the time or always went hungry**Data file: 2016MAR (Urban)****Overview**

Valid: 3224 Invalid: 69 Mean: 1.918 Standard deviation: 0.274
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		264	8.2%
2		2960	91.8%
Sysmiss		69	

QN7: Did not eat fruit**Data file: 2016MAR (Urban)****Overview**

Valid: 3251 Invalid: 42 Mean: 1.939 Standard deviation: 0.24
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		199	6.1%
2		3052	93.9%
Sysmiss		42	

QN8: Did not eat vegetables**Data file: 2016MAR (Urban)****Overview**

Valid: 3249 Invalid: 44 Mean: 1.963 Standard deviation: 0.188

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		119	3.7%
2		3130	96.3%
Sysmiss		44	

QN9: Did not drink carbonated soft drinks

Data file: 2016MAR (Urban)

Overview

Valid: 3265 Invalid: 28 Mean: 1.661 Standard deviation: 0.474
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1108	33.9%
2		2157	66.1%
Sysmiss		28	

QN10: Did not eat food from a fast food restaurant

Data file: 2016MAR (Urban)

Overview

Valid: 3275 Invalid: 18 Mean: 1.659 Standard deviation: 0.474
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1118	34.1%
2		2157	65.9%
Sysmiss		18	

QN11: Usually cleaned or brushed their teeth

Data file: 2016MAR (Urban)

Overview

Valid: 3268 Invalid: 25 Mean: 1.29 Standard deviation: 0.454
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2321	71%
2		947	29%
Sysmiss		25	

QN12: Never or rarely washed their hands before eating

Data file: 2016MAR (Urban)

Overview

Valid: 3243 Invalid: 50 Mean: 1.951 Standard deviation: 0.217
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		160	4.9%
2		3083	95.1%
Sysmiss		50	

QN13: Never or rarely washed their hands after using the toilet or latrine**Data file: 2016MAR (Urban)****Overview**

Valid: 3228 Invalid: 65 Mean: 1.948 Standard deviation: 0.222
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		167	5.2%
2		3061	94.8%
Sysmiss		65	

QN14: Never or rarely used soap when washing their hands**Data file: 2016MAR (Urban)****Overview**

Valid: 3263 Invalid: 30 Mean: 1.91 Standard deviation: 0.286
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		293	9%
2		2970	91%
Sysmiss		30	

QN15: Were physically attacked**Data file: 2016MAR (Urban)****Overview**

Valid: 3260 Invalid: 33 Mean: 1.774 Standard deviation: 0.418
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		736	22.6%
2		2524	77.4%
Sysmiss		33	

QN16: Were in a physical fight

Data file: 2016MAR (Urban)

Overview

Valid: 3243 Invalid: 50 Mean: 1.641 Standard deviation: 0.48
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		1163	35.9%
2		2080	64.1%
Sysmiss		50	

QN17: Were seriously injured

Data file: 2016MAR (Urban)

Overview

Valid: 3047 Invalid: 246 Mean: 1.691 Standard deviation: 0.462
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		940	30.9%
2		2107	69.1%
Sysmiss		246	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: 2016MAR (Urban)

Overview

Valid: 0 Invalid: 3293

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: 2016MAR (Urban)

Overview

Valid: 760 Invalid: 2533 Mean: 1.893 Standard deviation: 0.309

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		81	10.7%
2		679	89.3%
Sysmiss		2533	

QN20: Were bullied**Data file: 2016MAR (Urban)****Overview**

Valid: 3137 Invalid: 156 Mean: 1.621 Standard deviation: 0.485
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1189	37.9%
2		1948	62.1%
Sysmiss		156	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors**Data file: 2016MAR (Urban)****Overview**

Valid: 919 Invalid: 2374 Mean: 1.874 Standard deviation: 0.332
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		116	12.6%
2		803	87.4%
Sysmiss		2374	

QN22: Most of the time or always felt lonely**Data file: 2016MAR (Urban)****Overview**

Valid: 3205 Invalid: 88 Mean: 1.802 Standard deviation: 0.399
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		636	19.8%
2		2569	80.2%
Sysmiss		88	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: 2016MAR (Urban)

Overview

Valid: 3264 Invalid: 29 Mean: 1.835 Standard deviation: 0.372
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		540	16.5%
2		2724	83.5%
Sysmiss		29	

QN24: Seriously considered attempting suicide

Data file: 2016MAR (Urban)

Overview

Valid: 3195 Invalid: 98 Mean: 1.838 Standard deviation: 0.369
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		518	16.2%
2		2677	83.8%
Sysmiss		98	

QN25: Made a plan about how they would attempt suicide

Data file: 2016MAR (Urban)

Overview

Valid: 3177 Invalid: 116 Mean: 1.866 Standard deviation: 0.341
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		427	13.4%
2		2750	86.6%
Sysmiss		116	

QN26: Attempted suicide

Data file: 2016MAR (Urban)

Overview

Valid: 3247 Invalid: 46 Mean: 1.869 Standard deviation: 0.337
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		425	13.1%
2		2822	86.9%
Sysmiss		46	

QN27: Did not have any close friends**Data file: 2016MAR (Urban)****Overview**

Valid: 3223 Invalid: 70 Mean: 1.9 Standard deviation: 0.3
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1		322	10%
2		2901	90%
Sysmiss		70	

QN28: Tried a cigarette before age 14 years**Data file: 2016MAR (Urban)****Overview**

Valid: 373 Invalid: 2920 Mean: 1.405 Standard deviation: 0.492
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1		222	59.5%
2		151	40.5%
Sysmiss		2920	

QN29: Currently smoked cigarettes**Data file: 2016MAR (Urban)****Overview**

Valid: 3194 Invalid: 99 Mean: 1.93 Standard deviation: 0.256
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		225	7%
2		2969	93%
Sysmiss		99	

QN30: Currently used any tobacco products other than cigarettes

Data file: 2016MAR (Urban)

Overview

Valid: 3231 Invalid: 62 Mean: 1.903 Standard deviation: 0.296
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		313	9.7%
2		2918	90.3%
Sysmiss		62	

QN31: Tried to quit smoking cigarettes

Data file: 2016MAR (Urban)

Overview

Valid: 167 Invalid: 3126 Mean: 1.251 Standard deviation: 0.435
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		125	74.9%
2		42	25.1%
Sysmiss		3126	

QN32: Reported that people smoked in their presence

Data file: 2016MAR (Urban)

Overview

Valid: 3235 Invalid: 58 Mean: 1.601 Standard deviation: 0.49
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1291	39.9%
2		1944	60.1%
Sysmiss		58	

QN33: Had parents or guardians who used any form of tobacco

Data file: 2016MAR (Urban)

Overview

Valid: 3214 Invalid: 79 Mean: 1.812 Standard deviation: 0.391
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1		605	18.8%
2		2609	81.2%
Sysmiss		79	

QN34: Drank alcohol before age 14 years**Data file: 2016MAR (Urban)****Overview**

Valid: 0 Invalid: 3293

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category
Sysmiss	

QN35: Currently drank alcohol**Data file: 2016MAR (Urban)****Overview**

Valid: 0 Invalid: 3293

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN36: Usually drank two or more drinks per day**Data file: 2016MAR (Urban)****Overview**

Valid: 0 Invalid: 3293

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN37: Usually obtained the alcohol they drank from friends**Data file: 2016MAR (Urban)****Overview**

Valid: 0 Invalid: 3293

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN38: Ever drank so much alcohol that they were really drunk**Data file: 2016MAR (Urban)****Overview**

Valid: 0 Invalid: 3293

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol**Data file: 2016MAR (Urban)****Overview**

Valid: 0 Invalid: 3293

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QN40: Used drugs before age 14 years

Data file: 2016MAR (Urban)

Overview

Valid: 347 Invalid: 2946 Mean: 1.412 Standard deviation: 0.493
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1		204	58.8%
2		143	41.2%
Sysmiss		2946	

QN41: Ever used marijuana

Data file: 2016MAR (Urban)

Overview

Valid: 3170 Invalid: 123 Mean: 1.945 Standard deviation: 0.228
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		175	5.5%
2		2995	94.5%

Sysmiss		123	
---------	--	-----	--

QN42: Currently used marijuana

Data file: 2016MAR (Urban)

Overview

Valid: 3178 Invalid: 115 Mean: 1.949 Standard deviation: 0.221
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		163	5.1%
2		3015	94.9%
Sysmiss		115	

QN43: Ever used amphetamines or methamphetamines

Data file: 2016MAR (Urban)

Overview

Valid: 2799 Invalid: 494 Mean: 1.932 Standard deviation: 0.252
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		191	6.8%
2		2608	93.2%
Sysmiss		494	

QN44: Ever had sexual intercourse

Data file: 2016MAR (Urban)

Overview

Valid: 0 Invalid: 3293
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category
Sysmiss	

QN45: Had sexual intercourse before age 14 years

Data file: 2016MAR (Urban)

Overview

Valid: 0 Invalid: 3293
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN46: Had sexual intercourse with two or more persons

Data file: 2016MAR (Urban)

Overview

Valid: 0 Invalid: 3293
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category
Sysmiss	

QN47: Used a condom**Data file: 2016MAR (Urban)****Overview**

Valid: 0 Invalid: 3293

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN48: Used a method of birth control other than condoms**Data file: 2016MAR (Urban)****Overview**

Valid: 0 Invalid: 3293

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN49: Were not physically active**Data file: 2016MAR (Urban)****Overview**

Valid: 3228 Invalid: 65 Mean: 1.785 Standard deviation: 0.411

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		694	21.5%
2		2534	78.5%
Sysmiss		65	

QN50: Did not walk or ride a bicycle to or from school

Data file: 2016MAR (Urban)

Overview

Valid: 3210 Invalid: 83 Mean: 1.693 Standard deviation: 0.461
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		985	30.7%
2		2225	69.3%
Sysmiss		83	

QN51: Did not attend physical education classes

Data file: 2016MAR (Urban)

Overview

Valid: 3095 Invalid: 198 Mean: 1.816 Standard deviation: 0.388
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		571	18.4%
2		2524	81.6%
Sysmiss		198	

QN52: Spent three or more hours per day doing sitting activities

Data file: 2016MAR (Urban)

Overview

Valid: 3183 Invalid: 110 Mean: 1.656 Standard deviation: 0.475
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
1		1095	34.4%
2		2088	65.6%
Sysmiss		110	

QN53: Missed classes or school without permission

Data file: 2016MAR (Urban)

Overview

Valid: 3220 Invalid: 73 Mean: 1.697 Standard deviation: 0.46
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		977	30.3%
2		2243	69.7%
Sysmiss		73	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: 2016MAR (Urban)

Overview

Valid: 3205 Invalid: 88 Mean: 1.68 Standard deviation: 0.466
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1024	32%
2		2181	68%
Sysmiss		88	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: 2016MAR (Urban)

Overview

Valid: 3164 Invalid: 129 Mean: 1.559 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1394	44.1%
2		1770	55.9%
Sysmiss		129	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: 2016MAR (Urban)

Overview

Valid: 3178 Invalid: 115 Mean: 1.74 Standard deviation: 0.438
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		825	26%
2		2353	74%
Sysmiss		115	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: 2016MAR (Urban)

Overview

Valid: 3165 Invalid: 128 Mean: 1.615 Standard deviation: 0.487
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1219	38.5%
2		1946	61.5%
Sysmiss		128	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: 2016MAR (Urban)

Overview

Valid: 3163 Invalid: 130 Mean: 1.256 Standard deviation: 0.437
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2352	74.4%
2		811	25.6%
Sysmiss		130	

QNUNWTG: Were underweight

Data file: 2016MAR (Urban)

Overview

Valid: 2913 Invalid: 380 Mean: 1.928 Standard deviation: 0.258
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		209	7.2%
2		2704	92.8%
Sysmiss		380	

QNOWTG: Were overweight

Data file: 2016MAR (Urban)

Overview

Valid: 2913 Invalid: 380 Mean: 1.853 Standard deviation: 0.354
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		428	14.7%
2		2485	85.3%
Sysmiss		380	

QNOBESEG: Were obese

Data file: 2016MAR (Urban)

Overview

Valid: 2913 Invalid: 380 Mean: 1.97 Standard deviation: 0.171
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		88	3%
2		2825	97%
Sysmiss		380	

QNFRLG: Usually ate fruit less than one time per day

Data file: 2016MAR (Urban)

Overview

Valid: 3251 Invalid: 42 Mean: 1.797 Standard deviation: 0.402
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		660	20.3%
2		2591	79.7%
Sysmiss		42	

QNFR1G: Usually ate fruit one or more times per day**Data file: 2016MAR (Urban)****Overview**

Valid: 3251 Invalid: 42 Mean: 1.264 Standard deviation: 0.441
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2392	73.6%
2		859	26.4%
Sysmiss		42	

QNFR2G: Usually ate fruit two or more times per day**Data file: 2016MAR (Urban)****Overview**

Valid: 3251 Invalid: 42 Mean: 1.54 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1495	46%
2		1756	54%
Sysmiss		42	

QNFR3G: Usually ate fruit three or more times per day**Data file: 2016MAR (Urban)****Overview**

Valid: 3251 Invalid: 42 Mean: 1.726 Standard deviation: 0.446
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		892	27.4%
2		2359	72.6%
Sysmiss		42	

QNVEGLG: Usually ate vegetables less than one time per day

Data file: 2016MAR (Urban)

Overview

Valid: 3249 Invalid: 44 Mean: 1.875 Standard deviation: 0.331
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		407	12.5%
2		2842	87.5%
Sysmiss		44	

QNVEG1G: Usually ate vegetables one or more times per day

Data file: 2016MAR (Urban)

Overview

Valid: 3249 Invalid: 44 Mean: 1.162 Standard deviation: 0.368
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		2723	83.8%
2		526	16.2%
Sysmiss		44	

QNVEG2G: Usually ate vegetables two or more times per day

Data file: 2016MAR (Urban)

Overview

Valid: 3249 Invalid: 44 Mean: 1.508 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1600	49.2%
2		1649	50.8%
Sysmiss		44	

QNVEG3G: Usually ate vegetables three or more times per day

Data file: 2016MAR (Urban)

Overview

Valid: 3249 Invalid: 44 Mean: 1.722 Standard deviation: 0.448
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		904	27.8%
2		2345	72.2%
Sysmiss		44	

QNSODALG: Usually drank carbonated soft drinks less than one time per day**Data file: 2016MAR (Urban)****Overview**

Valid: 3265 Invalid: 28 Mean: 1.66 Standard deviation: 0.474
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1109	34%
2		2156	66%
Sysmiss		28	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day**Data file: 2016MAR (Urban)****Overview**

Valid: 3265 Invalid: 28 Mean: 1.679 Standard deviation: 0.467
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1048	32.1%
2		2217	67.9%
Sysmiss		28	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day**Data file: 2016MAR (Urban)****Overview**

Valid: 3265 Invalid: 28 Mean: 1.829 Standard deviation: 0.376
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		557	17.1%
2		2708	82.9%
Sysmiss		28	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day

Data file: 2016MAR (Urban)

Overview

Valid: 3265 Invalid: 28 Mean: 1.899 Standard deviation: 0.302
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		331	10.1%
2		2934	89.9%
Sysmiss		28	

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: 2016MAR (Urban)

Overview

Valid: 3275 Invalid: 18 Mean: 1.341 Standard deviation: 0.474
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2157	65.9%
2		1118	34.1%
Sysmiss		18	

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: 2016MAR (Urban)

Overview

Valid: 3275 Invalid: 18 Mean: 1.59 Standard deviation: 0.492
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1344	41%
2		1931	59%
Sysmiss		18	

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: 2016MAR (Urban)

Overview

Valid: 3275 Invalid: 18 Mean: 1.729 Standard deviation: 0.444
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		887	27.1%
2		2388	72.9%
Sysmiss		18	

QNC2G: Were bullied and could not sleep at night**Data file: 2016MAR (Urban)****Overview**

Valid: 511 Invalid: 2782 Mean: 1.448 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		282	55.2%
2		229	44.8%
Sysmiss		2782	

QNTOB2G: Currently used any tobacco product**Data file: 2016MAR (Urban)****Overview**

Valid: 3212 Invalid: 81 Mean: 1.879 Standard deviation: 0.327
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		390	12.1%
2		2822	87.9%
Sysmiss		81	

QNNOTB2G: Did not currently use any tobacco products**Data file: 2016MAR (Urban)****Overview**

Valid: 3169 Invalid: 124 Mean: 1.109 Standard deviation: 0.312
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2822	89.1%
2		347	10.9%
Sysmiss		124	

QNBCANYG: Used a method of birth control

Data file: 2016MAR (Urban)

Overview

Valid: 0 Invalid: 3293

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QNC1G: Ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk

Data file: 2016MAR (Urban)

Overview

Valid: 0 Invalid: 3293

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category
-------	----------

Sysmiss

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days**Data file: 2016MAR (Urban)****Overview**

Valid: 3228 Invalid: 65 Mean: 1.85 Standard deviation: 0.357
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		484	15%
2		2744	85%
Sysmiss		65	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days**Data file: 2016MAR (Urban)****Overview**

Valid: 3228 Invalid: 65 Mean: 1.898 Standard deviation: 0.303
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		329	10.2%
2		2899	89.8%
Sysmiss		65	

QNPE3G: Attended physical education classes on three or more days**Data file: 2016MAR (Urban)**

Overview

Valid: 3095 Invalid: 198 Mean: 1.645 Standard deviation: 0.479
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		1098	35.5%
2		1997	64.5%
Sysmiss		198	

QNPE5G: Attended physical education classes on five or more days

Data file: 2016MAR (Urban)

Overview

Valid: 3095 Invalid: 198 Mean: 1.718 Standard deviation: 0.45
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		873	28.2%
2		2222	71.8%
Sysmiss		198	

WEIGHT:

Data file: 2016MAR (Urban)

Overview

Valid: 3293 Invalid: 0 Mean: 600.694 Standard deviation: 123.712
 Type: Continuous Decimal: 0 Width: 10 Range: 42.0329 - 329.5608 Format: Numeric

STRATUM:

Data file: 2016MAR (Urban)

Overview

Valid: 3293 Invalid: 0 Mean: 201602007.354 Standard deviation: 15.131
 Type: Discrete Decimal: 0 Width: 9 Range: 201501001 - 201501019 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
201602001		239	7.3%
201602002		223	6.8%
201602003		251	7.6%
201602004		275	8.4%
201602005		170	5.2%
201602006		268	8.1%
201602007		330	10%
201602008		218	6.6%
201602009		285	8.7%
201602010		197	6%
201602011		213	6.5%
201602012		213	6.5%
201602013		154	4.7%
201602014		125	3.8%
201602015		132	4%

PSU:

Data file: 2016MAR (Urban)

Overview

Valid: 3293 Invalid: 0 Mean: 14.244 Standard deviation: 8.142
 Type: Continuous Decimal: 0 Width: 5 Range: 1 - 38 Format: Numeric

study_resources

questionnaires

Questionnaire (English)

title Questionnaire (English)
filename 2016_GSHS_Morocco_Questionnaire_EN.pdf

Questionnaire (Arabic)

title Questionnaire (Arabic)
filename 2016_GSHS_Morocco_Questionnaire_AR.pdf

Questionnaire (French)

title Questionnaire (French)
filename 2016_GSHS_Morocco_Questionnaire_FR.pdf

reports

Fact Sheet (National)

title Fact Sheet (National)
filename Morocco_2016_GSHS_FS.pdf

Fact Sheet (Rural)

title Fact Sheet (Rural)
filename Morocco_2016_GSHS_FS_rural.pdf

Fact Sheet (Urban)

title Fact Sheet (Urban)
filename Morocco_2016_GSHS_FS_urban.pdf

technical_documents

Codebook (National)

title Codebook (National)
filename 2016MRH_Public_Use_Codebook.pdf

Codebook (Rural)

title Codebook (Rural)

filename 2016MRAH_Public_Use_Codebook.pdf

Codebook (Urban)

title Codebook (Urban)

filename 2016MRBH_Public_Use_Codebook.pdf
