

Global School-Based Student Health Survey 2015

UNESCO, Mozambique

report_generated_on: March 19, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER

MOZ_2015_GSHS_v01_M

TITLE

Global School-Based Student Health Survey 2015

COUNTRY

Name	Country code
Mozambique	MOZ

STUDY TYPE

Other Household Survey [hh/oth]

SERIES INFORMATION

This is the first GSHS conducted by Mozambique.

ABSTRACT

The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA

Sample survey data [ssd]

UNIT OF ANALYSIS

Individuals

Version

VERSION DESCRIPTION

Public-use dataset

VERSION DATE

2018-08-10

Scope

NOTES

The following core modules were included in the survey:

alcohol use
 dietary behaviours
 drug use
 hygiene
 mental health
 physical activity
 protective factors
 sexual behaviours
 tobacco use
 violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
hygiene
mental health
physical activity
sexual behaviours
tobacco use
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE

National coverage

UNIVERSE

School-going adolescents aged 13-17 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
UNESCO, Mozambique

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE

The 2015 Mozambique GSHS was a school-based survey of students in Classe 8-12, which are typically attended by students aged 13-17. A two-stage cluster sample design was used to produce data representative of all students in Classe 8-12 in Mozambique. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

The school response rate was 97%, the student response rate was 83%, and the overall response rate was 80%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

data_collection

DATES OF DATA COLLECTION

Start	End
2015-07	2015-07

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

alcohol use

dietary behaviours

drug use

hygiene

mental health

physical activity

protective factors

sexual behaviours

tobacco use

violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_MOZ_2015_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Yue Wu		World Health Organization	Documentation of data
Melanie Cowan		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2018-08-10

DDI DOCUMENT VERSION

Identical to a metadata (MOZ_2015_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
MOZ2015_Public_Use Mozambique public-use dataset	1918	141

Data file: MOZ2015_Public_Use

Mozambique public-use dataset

Cases: 1918

variables: 141

variables

ID	Name	Label	Question
V1	Q1	Custom Age	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V16	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V17	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V18	Q18	Serious injury broken bone	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Serious injury motor vehicle	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V21	Q21	Bullied by hitting	During the past 30 days, how were you bullied most often?
V22	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V23	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V24	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Close friends	How many close friends do you have?
V28	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V29	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V34	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V35	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Initiation of drug use	How old were you when you first used drugs?
V41	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V45	Q45	Sex before 14 years	How old were you when you had sexual intercourse for the first time?
V46	Q46	Multiple sex partners	During your life, with how many people have you had sexual intercourse?
V47	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Physical activity ≥ 5 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V51	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V54	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V60	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V61	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V62	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V63	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V64	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V65	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V66	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V67	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V68	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V69	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V70	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V71	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V72	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V73	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V74	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V75	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V76	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V77	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V78	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V79	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V80	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V81	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V82	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V83	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V84	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V85	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V86	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V88	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V89	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V90	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V91	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V92	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V93	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V94	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V95	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V96	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V97	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V98	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V99	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V100	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V101	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V102	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V103	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V104	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V105	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V106	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V107	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V108	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V109	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V110	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V111	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V115	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V116	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V117	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V118	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V119	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V120	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V121	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V122	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V123	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V124	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V125	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V126	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V127	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V128	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V129	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V130	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V131	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V132	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V133	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V134	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V135	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V136	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V137	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V138	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V139	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V140	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V141	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V142	weight		
V143	stratum		
V144	psu		

total: 141

Q1: Custom Age**Data file: MOZ2015_Public_Use****Overview**

Valid: 1889 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	72	3.8%
2	12 years old	33	1.7%
3	13 years old	107	5.7%
4	14 years old	162	8.6%
5	15 years old	366	19.4%
6	16 years old	343	18.2%
7	17 years old	309	16.4%
8	18 years old or older	497	26.3%
Sysmiss		29	

Q10: Fast food eating**Data file: MOZ2015_Public_Use****Overview**

Valid: 1885 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	794	42.1%
2	1 day	451	23.9%
3	2 days	244	12.9%

4	3 days	130	6.9%
5	4 days	72	3.8%
6	5 days	42	2.2%
7	6 days	28	1.5%
8	7 days	124	6.6%
Sysmiss		33	

Q2: Sex

Data file: MOZ2015_Public_Use

Overview

Valid: 1864 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	994	53.3%
2	Female	870	46.7%
Sysmiss		54	

Q3: In what grade are you

Data file: MOZ2015_Public_Use

Overview

Valid: 1890 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	8th classe	295	15.6%
2	9th classe	197	10.4%
3	10th classe	901	47.7%

4	11th classe	271	14.3%
5	12th classe	226	12%
Sysmiss		28	

Q4: How tall are you

Data file: MOZ2015_Public_Use

Overview

Valid: 462 Invalid: 1456 Minimum: 1.22 Maximum: 1.9 Mean: 1.605 Standard deviation: 0.115
Type: Continuous Decimal: 2 Width: 5 Range: 1.22 - 1.9 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: MOZ2015_Public_Use

Overview

Valid: 462 Invalid: 1456 Minimum: 31 Maximum: 148 Mean: 56.476 Standard deviation: 14.933
Type: Continuous Decimal: 2 Width: 5 Range: 31 - 148 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: MOZ2015_Public_Use

Overview

Valid: 1868 Invalid: 50
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	985	52.7%
2	Rarely	206	11%
3	Sometimes	477	25.5%
4	Most of the time	83	4.4%
5	Always	117	6.3%
Sysmiss		50	

Q7: No fruit eating

Data file: MOZ2015_Public_Use

Overview

Valid: 1871 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	224	12%
2	Less than one time per day	421	22.5%
3	1 time per day	555	29.7%
4	2 times per day	295	15.8%
5	3 times per day	156	8.3%
6	4 times per day	57	3%
7	5 or more times per day	163	8.7%
Sysmiss		47	

Q8: No vegetable eating**Data file: MOZ2015_Public_Use****Overview**

Valid: 1884 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	172	9.1%
2	Less than one time per day	449	23.8%
3	1 time per day	682	36.2%
4	2 times per day	315	16.7%
5	3 times per day	88	4.7%
6	4 times per day	38	2%
7	5 or more times per day	140	7.4%
Sysmiss		34	

Q9: Soft drinks**Data file: MOZ2015_Public_Use****Overview**

Valid: 1893 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	322	17%
2	Less than one time per day	490	25.9%

3	1 time per day	550	29.1%
4	2 times per day	268	14.2%
5	3 times per day	108	5.7%
6	4 times per day	45	2.4%
7	5 or more times per day	110	5.8%
Sysmiss		25	

Q11: Tooth brushing

Data file: MOZ2015_Public_Use

Overview

Valid: 1879 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	36	1.9%
2	Less than 1 time per day	62	3.3%
3	1 time per day	261	13.9%
4	2 times per day	617	32.8%
5	3 times per day	610	32.5%
6	4 or more times per day	293	15.6%
Sysmiss		39	

Q12: Hand washing before eating

Data file: MOZ2015_Public_Use

Overview

Valid: 1841 Invalid: 77

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	58	3.2%
2	Rarely	89	4.8%
3	Sometimes	122	6.6%
4	Most of the time	238	12.9%
5	Always	1334	72.5%
Sysmiss		77	

Q13: Hand washing after toilet

Data file: MOZ2015_Public_Use

Overview

Valid: 1869 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	40	2.1%
2	Rarely	68	3.6%
3	Sometimes	96	5.1%
4	Most of the time	194	10.4%
5	Always	1471	78.7%
Sysmiss		49	

Q14: Hand washing with soap

Data file: MOZ2015_Public_Use

Overview

Valid: 1878 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	79	4.2%
2	Rarely	108	5.8%
3	Sometimes	346	18.4%
4	Most of the time	410	21.8%
5	Always	935	49.8%
Sysmiss		40	

Q15: Physically attacked

Data file: MOZ2015_Public_Use

Overview

Valid: 1875 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	1262	67.3%
2	1 time	301	16.1%
3	2 or 3 times	160	8.5%
4	4 or 5 times	64	3.4%
5	6 or 7 times	31	1.7%
6	8 or 9 times	12	0.6%
7	10 or 11 times	9	0.5%
8	12 or more times	36	1.9%
Sysmiss		43	

Q16: Physical fighting**Data file: MOZ2015_Public_Use****Overview**

Valid: 1881 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	1329	70.7%
2	1 time	286	15.2%
3	2 or 3 times	140	7.4%
4	4 or 5 times	38	2%
5	6 or 7 times	37	2%
6	8 or 9 times	10	0.5%
7	10 or 11 times	11	0.6%
8	12 or more times	30	1.6%
Sysmiss		37	

Q17: Seriously injured**Data file: MOZ2015_Public_Use****Overview**

Valid: 1635 Invalid: 283

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	759	46.4%
2	1 time	477	29.2%
3	2 or 3 times	223	13.6%
4	4 or 5 times	80	4.9%
5	6 or 7 times	17	1%
6	8 or 9 times	17	1%
7	10 or 11 times	17	1%
8	12 or more times	45	2.8%
Sysmiss		283	

Q18: Serious injury broken bone

Data file: MOZ2015_Public_Use

Overview

Valid: 1692 Invalid: 226

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1182	69.9%
2	Broken bone/dislocated joint	139	8.2%
3	I had a cut or stab wound	128	7.6%
4	Concussion/head injury	39	2.3%
5	I had a gunshot wound	34	2%
6	I had a bad burn	40	2.4%
7	I was poisoned	7	0.4%
8	Something else happened to me	123	7.3%
Sysmiss		226	

Q19: Serious injury motor vehicle

Data file: MOZ2015_Public_Use

Overview

Valid: 1698 Invalid: 220

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1198	70.6%
2	Motor vehicle accident	123	7.2%
3	I fell	115	6.8%
4	Something fell on me or hit me	44	2.6%
5	I was attacked	58	3.4%
6	Was in a fire	29	1.7%
7	breathed something bad	117	6.9%
8	Something else	14	0.8%
Sysmiss		220	

Q20: Bullied

Data file: MOZ2015_Public_Use

Overview

Valid: 1737 Invalid: 181

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	961	55.3%

2	1 or 2 days	540	31.1%
3	3 to 5 days	134	7.7%
4	6 to 9 days	35	2%
5	10 to 19 days	27	1.6%
6	20 to 29 days	8	0.5%
7	All 30 days	32	1.8%
Sysmiss		181	

Q21: Bullied by hitting

Data file: MOZ2015_Public_Use

Overview

Valid: 1727 Invalid: 191

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	1193	69.1%
2	Kicked, pushed, or shoved	151	8.7%
3	Made fun of race	70	4.1%
4	Made fun because of religion	46	2.7%
5	Made fun of about sex	64	3.7%
6	Left out of activities	37	2.1%
7	Made fun of about body	37	2.1%
8	Some other way	129	7.5%
Sysmiss		191	

Q22: Felt lonely

Data file: MOZ2015_Public_Use

Overview

Valid: 1881 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	742	39.4%
2	Rarely	359	19.1%
3	Sometimes	575	30.6%
4	Most of the time	117	6.2%
5	Always	88	4.7%
Sysmiss		37	

Q23: Could not sleep

Data file: MOZ2015_Public_Use

Overview

Valid: 1871 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	655	35%
2	Rarely	393	21%
3	Sometimes	614	32.8%
4	Most of the time	142	7.6%
5	Always	67	3.6%
Sysmiss		47	

Q24: Considered suicide**Data file: MOZ2015_Public_Use****Overview**

Valid: 1826 Invalid: 92

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	339	18.6%
2	No	1487	81.4%
Sysmiss		92	

Q25: Made a suicide plan**Data file: MOZ2015_Public_Use****Overview**

Valid: 1824 Invalid: 94

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	376	20.6%
2	No	1448	79.4%
Sysmiss		94	

Q26: Attempted suicide**Data file: MOZ2015_Public_Use**

Overview

Valid: 1861 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	1506	80.9%
2	1 time	222	11.9%
3	2 or 3 times	77	4.1%
4	4 or 5 times	26	1.4%
5	6 or more times	30	1.6%
Sysmiss		57	

Q27: Close friends

Data file: MOZ2015_Public_Use

Overview

Valid: 1833 Invalid: 85

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	162	8.8%
2	1	348	19%
3	2	347	18.9%
4	3 or more	976	53.2%
Sysmiss		85	

Q28: Initiation of cigarette use**Data file: MOZ2015_Public_Use****Overview**

Valid: 1800 Invalid: 118

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1699	94.4%
2	7 years old or younger	38	2.1%
3	8 or 9 years old	14	0.8%
4	10 or 11 years old	18	1%
5	12 or 13 years old	8	0.4%
6	14 or 15 years old	8	0.4%
7	16 or 17 years old	6	0.3%
8	18 years old or older	9	0.5%
Sysmiss		118	

Q29: Current cigarette use**Data file: MOZ2015_Public_Use****Overview**

Valid: 1854 Invalid: 64

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	1809	97.6%
2	1 or 2 days	21	1.1%

3	3 to 5 days	6	0.3%
4	6 to 9 days	9	0.5%
5	10 to 19 days	5	0.3%
6	20 to 29 days	1	0.1%
7	All 30 days	3	0.2%
Sysmiss		64	

Q30: Other tobacco use

Data file: MOZ2015_Public_Use

Overview

Valid: 1873 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1800	96.1%
2	1 or 2 days	36	1.9%
3	3 to 5 days	8	0.4%
4	6 to 9 days	12	0.6%
5	10 to 19 days	6	0.3%
6	20 to 29 days	4	0.2%
7	All 30 days	7	0.4%
Sysmiss		45	

Q31: Smoking cessation

Data file: MOZ2015_Public_Use

Overview

Valid: 1818 Invalid: 100

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1769	97.3%
2	Did not smoke cigarettes	19	1%
3	Yes	18	1%
4	No	12	0.7%
Sysmiss		100	

Q32: Smoking in their presence

Data file: MOZ2015_Public_Use

Overview

Valid: 1881 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	910	48.4%
2	1 or 2 days	520	27.6%
3	3 or 4 days	157	8.3%
4	5 or 6 days	92	4.9%
5	All 7 days	202	10.7%
Sysmiss		37	

Q33: Parental tobacco use

Data file: MOZ2015_Public_Use

Overview

Valid: 1869 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	1510	80.8%
2	My father or male guardian	175	9.4%
3	My mother or female guardian	27	1.4%
4	Both	29	1.6%
5	I do not know	128	6.8%
Sysmiss		49	

Q34: Initiation of alcohol use

Data file: MOZ2015_Public_Use

Overview

Valid: 1614 Invalid: 304

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	1079	66.9%
2	7 years old or younger	89	5.5%
3	8 or 9 years old	41	2.5%
4	10 or 11 years old	50	3.1%
5	12 or 13 years old	100	6.2%
6	14 or 15 years old	132	8.2%

7	16 or 17 years old	83	5.1%
8	18 years old or older	40	2.5%
Sysmiss		304	

Q35: Current alcohol use

Data file: MOZ2015_Public_Use

Overview

Valid: 1775 Invalid: 143

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	1538	86.6%
2	1 or 2 days	171	9.6%
3	3 to 5 days	34	1.9%
4	6 to 9 days	13	0.7%
5	10 to 19 days	12	0.7%
6	20 to 29 days	3	0.2%
7	All 30 days	4	0.2%
Sysmiss		143	

Q36: Drank 2+ drinks

Data file: MOZ2015_Public_Use

Overview

Valid: 1833 Invalid: 85

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1563	85.3%
2	Less than one drink	105	5.7%
3	1 drink	113	6.2%
4	2 drinks	28	1.5%
5	3 drinks	10	0.5%
6	4 drinks	8	0.4%
7	5 or more drinks	6	0.3%
Sysmiss		85	

Q37: Source of alcohol

Data file: MOZ2015_Public_Use

Overview

Valid: 1813 Invalid: 105

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1612	88.9%
2	I bought in a store	53	2.9%
3	I gave someone money to buy	17	0.9%
4	I got it from my friends	61	3.4%
5	I got it from my family	47	2.6%
6	I stole it	8	0.4%
7	Some other way	15	0.8%
Sysmiss		105	

Q38: Really drunk**Data file: MOZ2015_Public_Use****Overview**

Valid: 1833 Invalid: 85

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	1663	90.7%
2	1 or 2 times	146	8%
3	3 to 9 times	18	1%
4	10 or more times	6	0.3%
Sysmiss		85	

Q39: Trouble from drinking**Data file: MOZ2015_Public_Use****Overview**

Valid: 1769 Invalid: 149

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	1708	96.6%

2	1 or 2 times	49	2.8%
3	3 to 9 times	5	0.3%
4	10 or more times	7	0.4%
Sysmiss		149	

Q40: Initiation of drug use

Data file: MOZ2015_Public_Use

Overview

Valid: 1783 Invalid: 135

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1704	95.6%
2	7 years old or younger	22	1.2%
3	8 or 9 years old	12	0.7%
4	10 or 11 years old	5	0.3%
5	12 or 13 years old	14	0.8%
6	14 or 15 years old	10	0.6%
7	16 or 17 years old	11	0.6%
8	18 years old or older	5	0.3%
Sysmiss		135	

Q41: Ever marijuana use

Data file: MOZ2015_Public_Use

Overview

Valid: 1841 Invalid: 77

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	1815	98.6%
2	1 or 2 times	11	0.6%
3	3 to 9 times	5	0.3%
4	10 to 19 times	6	0.3%
5	20 or more times	4	0.2%
Sysmiss		77	

Q42: Current marijuana use

Data file: MOZ2015_Public_Use

Overview

Valid: 1804 Invalid: 114

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	1779	98.6%
2	1 or 2 times	15	0.8%
3	3 to 9 times	4	0.2%
4	10 to 19 times	2	0.1%
5	20 or more times	4	0.2%
Sysmiss		114	

Q43: Amphetamine or methamphetamine use

Data file: MOZ2015_Public_Use

Overview

Valid: 1832 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	1809	98.7%
2	1 or 2 times	16	0.9%
3	3 to 9 times	3	0.2%
4	10 to 19 times	3	0.2%
5	20 or more times	1	0.1%
Sysmiss		86	

Q44: Ever sexual intercourse

Data file: MOZ2015_Public_Use

Overview

Valid: 1634 Invalid: 284

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	993	60.8%
2	No	641	39.2%
Sysmiss		284	

Q45: Sex before 14 years**Data file: MOZ2015_Public_Use****Overview**

Valid: 1716 Invalid: 202

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	934	54.4%
2	11 years old or younger	143	8.3%
3	12 years old	59	3.4%
4	13 years old	82	4.8%
5	14 years old	95	5.5%
6	15 years old	149	8.7%
7	16 or 17 years old	168	9.8%
8	18 years old or older	86	5%
Sysmiss		202	

Q46: Multiple sex partners**Data file: MOZ2015_Public_Use****Overview**

Valid: 1765 Invalid: 153

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	962	54.5%
2	1 person	317	18%

3	2 people	162	9.2%
4	3 people	82	4.6%
5	4 people	62	3.5%
6	5 people	42	2.4%
7	6 or more people	138	7.8%
Sysmiss		153	

Q47: Condom use

Data file: MOZ2015_Public_Use

Overview

Valid: 1742 Invalid: 176

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	949	54.5%
2	Yes	596	34.2%
3	No	197	11.3%
Sysmiss		176	

Q48: Birth control used

Data file: MOZ2015_Public_Use

Overview

Valid: 1735 Invalid: 183

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	966	55.7%
2	Yes	374	21.6%
3	No	282	16.3%
4	I do not know	113	6.5%
Sysmiss		183	

Q49: Physical activity \geq 5 days**Data file:** MOZ2015_Public_Use**Overview**

Valid: 1859 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	391	21%
2	1 day	479	25.8%
3	2 days	368	19.8%
4	3 days	167	9%
5	4 days	77	4.1%
6	5 days	65	3.5%
7	6 days	43	2.3%
8	7 days	269	14.5%
Sysmiss		59	

Q50: Walk or bike to school**Data file:** MOZ2015_Public_Use**Overview**

Valid: 1883 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	997	52.9%
2	1 day	234	12.4%
3	2 days	145	7.7%
4	3 days	75	4%
5	4 days	63	3.3%
6	5 days	91	4.8%
7	6 days	181	9.6%
8	7 days	97	5.2%
Sysmiss		35	

Q51: PE attendance**Data file: MOZ2015_Public_Use****Overview**

Valid: 1869 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	197	10.5%
2	1 day	713	38.1%
3	2 days	616	33%

4	3 days	98	5.2%
5	4 days	90	4.8%
6	5 or more days	155	8.3%
Sysmiss		49	

Q52: Sitting activities

Data file: MOZ2015_Public_Use

Overview

Valid: 1870 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	579	31%
2	1 to 2 hours per day	630	33.7%
3	3 to 4 hours per day	349	18.7%
4	5 to 6 hours per day	126	6.7%
5	7 to 8 hours per day	80	4.3%
6	More than 8 hours per day	106	5.7%
Sysmiss		48	

Q53: Miss school no permission

Data file: MOZ2015_Public_Use

Overview

Valid: 1875 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	1384	73.8%
2	1 or 2 days	358	19.1%
3	3 to 5 days	95	5.1%
4	6 to 9 days	18	1%
5	10 or more days	20	1.1%
Sysmiss		43	

Q54: Other students kind and helpful

Data file: MOZ2015_Public_Use

Overview

Valid: 1847 Invalid: 71

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	379	20.5%
2	Rarely	360	19.5%
3	Sometimes	477	25.8%
4	Most of the time	264	14.3%
5	Always	367	19.9%
Sysmiss		71	

Q55: Parents check homework

Data file: MOZ2015_Public_Use

Overview

Valid: 1874 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	434	23.2%
2	Rarely	284	15.2%
3	Sometimes	332	17.7%
4	Most of the time	206	11%
5	Always	618	33%
Sysmiss		44	

Q56: Parents understand problems

Data file: MOZ2015_Public_Use

Overview

Valid: 1864 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	347	18.6%
2	Rarely	313	16.8%
3	Sometimes	373	20%
4	Most of the time	241	12.9%
5	Always	590	31.7%
Sysmiss		54	

Q57: Parents know about free time

Data file: MOZ2015_Public_Use

Overview

Valid: 1840 Invalid: 78

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	441	24%
2	Rarely	305	16.6%
3	Sometimes	425	23.1%
4	Most of the time	201	10.9%
5	Always	468	25.4%
Sysmiss		78	

Q58: Parents go through their things

Data file: MOZ2015_Public_Use

Overview

Valid: 1867 Invalid: 51 Mean: 1.625 Standard deviation: 1.117

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		1299	69.6%
2		222	11.9%
3		190	10.2%
4		60	3.2%
5		96	5.1%
Sysmiss		51	

QN6: Most of the time or always went hungry**Data file: MOZ2015_Public_Use****Overview**

Valid: 1868 Invalid: 50 Mean: 1.893 Standard deviation: 0.309
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	200	10.7%
2	No	1668	89.3%
Sysmiss		50	

QN7: Did not eat fruit**Data file: MOZ2015_Public_Use****Overview**

Valid: 1871 Invalid: 47 Mean: 1.88 Standard deviation: 0.325
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	224	12%
2	No	1647	88%
Sysmiss		47	

QN8: Did not eat vegetables**Data file: MOZ2015_Public_Use****Overview**

Valid: 1884 Invalid: 34 Mean: 1.909 Standard deviation: 0.288

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	172	9.1%
2	No	1712	90.9%
Sysmiss		34	

QN9: Did not drink carbonated soft drinks

Data file: MOZ2015_Public_Use

Overview

Valid: 1893 Invalid: 25 Mean: 1.83 Standard deviation: 0.376
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	322	17%
2	No	1571	83%
Sysmiss		25	

QN10: Did not eat food from a fast food restaurant

Data file: MOZ2015_Public_Use

Overview

Valid: 1885 Invalid: 33 Mean: 1.579 Standard deviation: 0.494
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	794	42.1%
2	No	1091	57.9%
Sysmiss		33	

QN11: Usually cleaned or brushed their teeth

Data file: MOZ2015_Public_Use

Overview

Valid: 1879 Invalid: 39 Mean: 1.052 Standard deviation: 0.222
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1781	94.8%
2	No	98	5.2%
Sysmiss		39	

QN12: Never or rarely washed their hands before eating

Data file: MOZ2015_Public_Use

Overview

Valid: 1841 Invalid: 77 Mean: 1.92 Standard deviation: 0.271
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	147	8%
2	No	1694	92%
Sysmiss		77	

QN13: Never or rarely washed their hands after using the toilet or latrine**Data file: MOZ2015_Public_Use****Overview**

Valid: 1869 Invalid: 49 Mean: 1.942 Standard deviation: 0.233
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	108	5.8%
2	No	1761	94.2%
Sysmiss		49	

QN14: Never or rarely used soap when washing their hands**Data file: MOZ2015_Public_Use****Overview**

Valid: 1878 Invalid: 40 Mean: 1.9 Standard deviation: 0.3
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	187	10%
2	No	1691	90%
Sysmiss		40	

QN15: Were physically attacked**Data file: MOZ2015_Public_Use****Overview**

Valid: 1875 Invalid: 43 Mean: 1.673 Standard deviation: 0.469
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	613	32.7%
2	No	1262	67.3%
Sysmiss		43	

QN16: Were in a physical fight

Data file: MOZ2015_Public_Use

Overview

Valid: 1881 Invalid: 37 Mean: 1.707 Standard deviation: 0.455
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	552	29.3%
2	No	1329	70.7%
Sysmiss		37	

QN17: Were seriously injured

Data file: MOZ2015_Public_Use

Overview

Valid: 1635 Invalid: 283 Mean: 1.464 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	876	53.6%
2	No	759	46.4%
Sysmiss		283	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: MOZ2015_Public_Use

Overview

Valid: 510 Invalid: 1408 Mean: 1.727 Standard deviation: 0.446
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	139	27.3%
2	No	371	72.7%
Sysmiss		1408	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: MOZ2015_Public_Use

Overview

Valid: 500 Invalid: 1418 Mean: 1.754 Standard deviation: 0.431
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	123	24.6%
2	No	377	75.4%
Sysmiss		1418	

QN20: Were bullied**Data file: MOZ2015_Public_Use****Overview**

Valid: 1737 Invalid: 181 Mean: 1.553 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	776	44.7%
2	No	961	55.3%
Sysmiss		181	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors**Data file: MOZ2015_Public_Use****Overview**

Valid: 534 Invalid: 1384 Mean: 1.717 Standard deviation: 0.451
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	151	28.3%
2	No	383	71.7%
Sysmiss		1384	

QN22: Most of the time or always felt lonely**Data file: MOZ2015_Public_Use****Overview**

Valid: 1881 Invalid: 37 Mean: 1.891 Standard deviation: 0.312
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	205	10.9%
2	No	1676	89.1%
Sysmiss		37	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: MOZ2015_Public_Use

Overview

Valid: 1871 Invalid: 47 Mean: 1.888 Standard deviation: 0.315
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	209	11.2%
2	No	1662	88.8%
Sysmiss		47	

QN24: Seriously considered attempting suicide

Data file: MOZ2015_Public_Use

Overview

Valid: 1826 Invalid: 92 Mean: 1.814 Standard deviation: 0.389
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	339	18.6%
2	No	1487	81.4%
Sysmiss		92	

QN25: Made a plan about how they would attempt suicide

Data file: MOZ2015_Public_Use

Overview

Valid: 1824 Invalid: 94 Mean: 1.794 Standard deviation: 0.405
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	376	20.6%
2	No	1448	79.4%
Sysmiss		94	

QN26: Attempted suicide

Data file: MOZ2015_Public_Use

Overview

Valid: 1861 Invalid: 57 Mean: 1.809 Standard deviation: 0.393
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	355	19.1%
2	No	1506	80.9%
Sysmiss		57	

QN27: Did not have any close friends**Data file: MOZ2015_Public_Use****Overview**

Valid: 1833 Invalid: 85 Mean: 1.912 Standard deviation: 0.284
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1	Yes	162	8.8%
2	No	1671	91.2%
Sysmiss		85	

QN28: Tried a cigarette before age 14 years**Data file: MOZ2015_Public_Use****Overview**

Valid: 101 Invalid: 1817 Mean: 1.228 Standard deviation: 0.421
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1	Yes	78	77.2%
2	No	23	22.8%
Sysmiss		1817	

QN29: Currently smoked cigarettes**Data file: MOZ2015_Public_Use****Overview**

Valid: 1854 Invalid: 64 Mean: 1.976 Standard deviation: 0.154
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	45	2.4%
2	No	1809	97.6%
Sysmiss		64	

QN30: Currently used any tobacco products other than cigarettes

Data file: MOZ2015_Public_Use

Overview

Valid: 1873 Invalid: 45 Mean: 1.961 Standard deviation: 0.194
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	73	3.9%
2	No	1800	96.1%
Sysmiss		45	

QN31: Tried to quit smoking cigarettes

Data file: MOZ2015_Public_Use

Overview

Valid: 30 Invalid: 1888 Mean: 1.4 Standard deviation: 0.498
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	18	60%
2	No	12	40%
Sysmiss		1888	

QN32: Reported that people smoked in their presence

Data file: MOZ2015_Public_Use

Overview

Valid: 1881 Invalid: 37 Mean: 1.484 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	971	51.6%
2	No	910	48.4%
Sysmiss		37	

QN33: Had parents or guardians who used any form of tobacco

Data file: MOZ2015_Public_Use

Overview

Valid: 1869 Invalid: 49 Mean: 1.876 Standard deviation: 0.329
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	231	12.4%
2	No	1638	87.6%
Sysmiss		49	

QN34: Drank alcohol before age 14 years**Data file: MOZ2015_Public_Use****Overview**

Valid: 535 Invalid: 1383 Mean: 1.477 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category	Cases	
1	Yes	280	52.3%
2	No	255	47.7%
Sysmiss		1383	

QN35: Currently drank alcohol**Data file: MOZ2015_Public_Use****Overview**

Valid: 1775 Invalid: 143 Mean: 1.866 Standard deviation: 0.34
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	237	13.4%
2	No	1538	86.6%
Sysmiss		143	

QN36: Usually drank two or more drinks per day**Data file: MOZ2015_Public_Use****Overview**

Valid: 270 Invalid: 1648 Mean: 1.807 Standard deviation: 0.395
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	52	19.3%
2	No	218	80.7%
Sysmiss		1648	

QN37: Usually obtained the alcohol they drank from friends

Data file: MOZ2015_Public_Use

Overview

Valid: 201 Invalid: 1717 Mean: 1.697 Standard deviation: 0.461
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	61	30.3%
2	No	140	69.7%
Sysmiss		1717	

QN47: Used a condom

Data file: MOZ2015_Public_Use

Overview

Valid: 793 Invalid: 1125 Mean: 1.248 Standard deviation: 0.432
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	596	75.2%
2	No	197	24.8%
Sysmiss		1125	

QN38: Ever drank so much alcohol that they were really drunk

Data file: MOZ2015_Public_Use

Overview

Valid: 1833 Invalid: 85 Mean: 1.907 Standard deviation: 0.29
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	170	9.3%
2	No	1663	90.7%
Sysmiss		85	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: MOZ2015_Public_Use

Overview

Valid: 1769 Invalid: 149 Mean: 1.966 Standard deviation: 0.183
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	61	3.4%
2	No	1708	96.6%
Sysmiss		149	

QN40: Used drugs before age 14 years**Data file: MOZ2015_Public_Use****Overview**

Valid: 79 Invalid: 1839 Mean: 1.329 Standard deviation: 0.473
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1	Yes	53	67.1%
2	No	26	32.9%
Sysmiss		1839	

QN41: Ever used marijuana**Data file: MOZ2015_Public_Use****Overview**

Valid: 1841 Invalid: 77 Mean: 1.986 Standard deviation: 0.118
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	26	1.4%
2	No	1815	98.6%
Sysmiss		77	

QN42: Currently used marijuana**Data file: MOZ2015_Public_Use****Overview**

Valid: 1804 Invalid: 114 Mean: 1.986 Standard deviation: 0.117
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	25	1.4%
2	No	1779	98.6%
Sysmiss		114	

QN43: Ever used amphetamines or methamphetamines

Data file: MOZ2015_Public_Use

Overview

Valid: 1832 Invalid: 86 Mean: 1.987 Standard deviation: 0.111
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	23	1.3%
2	No	1809	98.7%
Sysmiss		86	

QN44: Ever had sexual intercourse

Data file: MOZ2015_Public_Use

Overview

Valid: 1634 Invalid: 284 Mean: 1.392 Standard deviation: 0.488
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	993	60.8%
2	No	641	39.2%
Sysmiss		284	

QN45: Had sexual intercourse before age 14 years

Data file: MOZ2015_Public_Use

Overview

Valid: 782 Invalid: 1136 Mean: 1.637 Standard deviation: 0.481
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	284	36.3%
2	No	498	63.7%
Sysmiss		1136	

QN46: Had sexual intercourse with two or more persons

Data file: MOZ2015_Public_Use

Overview

Valid: 1765 Invalid: 153 Mean: 1.725 Standard deviation: 0.447
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	486	27.5%
2	No	1279	72.5%
Sysmiss		153	

QN48: Used a method of birth control other than condoms**Data file: MOZ2015_Public_Use****Overview**

Valid: 769 Invalid: 1149 Mean: 1.514 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	374	48.6%
2	No	395	51.4%
Sysmiss		1149	

QN49: Were not physically active**Data file: MOZ2015_Public_Use****Overview**

Valid: 1859 Invalid: 59 Mean: 1.79 Standard deviation: 0.408
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	391	21%
2	No	1468	79%
Sysmiss		59	

QN50: Did not walk or ride a bicycle to or from school**Data file: MOZ2015_Public_Use****Overview**

Valid: 1883 Invalid: 35 Mean: 1.471 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	997	52.9%
2	No	886	47.1%
Sysmiss		35	

QN51: Did not attend physical education classes

Data file: MOZ2015_Public_Use

Overview

Valid: 1869 Invalid: 49 Mean: 1.895 Standard deviation: 0.307
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	197	10.5%
2	No	1672	89.5%
Sysmiss		49	

QN52: Spent three or more hours per day doing sitting activities

Data file: MOZ2015_Public_Use

Overview

Valid: 1870 Invalid: 48 Mean: 1.647 Standard deviation: 0.478
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	661	35.3%
2	No	1209	64.7%
Sysmiss		48	

QN53: Missed classes or school without permission

Data file: MOZ2015_Public_Use

Overview

Valid: 1875 Invalid: 43 Mean: 1.738 Standard deviation: 0.44
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	491	26.2%
2	No	1384	73.8%
Sysmiss		43	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: MOZ2015_Public_Use

Overview

Valid: 1847 Invalid: 71 Mean: 1.658 Standard deviation: 0.474
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	631	34.2%
2	No	1216	65.8%
Sysmiss		71	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: MOZ2015_Public_Use

Overview

Valid: 1874 Invalid: 44 Mean: 1.56 Standard deviation: 0.496
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	824	44%
2	No	1050	56%
Sysmiss		44	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: MOZ2015_Public_Use

Overview

Valid: 1864 Invalid: 54 Mean: 1.554 Standard deviation: 0.497
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	831	44.6%
2	No	1033	55.4%
Sysmiss		54	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: MOZ2015_Public_Use

Overview

Valid: 1840 Invalid: 78 Mean: 1.636 Standard deviation: 0.481
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	669	36.4%
2	No	1171	63.6%
Sysmiss		78	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: MOZ2015_Public_Use

Overview

Valid: 1867 Invalid: 51 Mean: 1.185 Standard deviation: 0.389
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1521	81.5%
2	No	346	18.5%
Sysmiss		51	

QNUNWTG: Were underweight

Data file: MOZ2015_Public_Use

Overview

Valid: 0 Invalid: 1918
 Type: Discrete Decimal: 0 Width: 1 Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight ($<-2SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QNOWTG: Were overweight

Data file: MOZ2015_Public_Use

Overview

Valid: 0 Invalid: 1918

Type: Discrete Decimal: 0 Width: 1 Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight ($>+1SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QNOBESEG: Were obese

Data file: MOZ2015_Public_Use

Overview

Valid: 0 Invalid: 1918

Type: Discrete Decimal: 0 Width: 1 Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese ($>+2SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category
-------	----------

1	Yes
2	No
Sysmiss	

QNFR1G: Usually ate fruit less than one time per day

Data file: MOZ2015_Public_Use

Overview

Valid: 1871 Invalid: 47 Mean: 1.775 Standard deviation: 0.418
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	421	22.5%
2	No	1450	77.5%
Sysmiss		47	

QNFR1G: Usually ate fruit one or more times per day

Data file: MOZ2015_Public_Use

Overview

Valid: 1871 Invalid: 47 Mean: 1.345 Standard deviation: 0.475
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1226	65.5%
2	No	645	34.5%
Sysmiss		47	

QNFR2G: Usually ate fruit two or more times per day**Data file: MOZ2015_Public_Use****Overview**

Valid: 1871 Invalid: 47 Mean: 1.641 Standard deviation: 0.48
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	671	35.9%
2	No	1200	64.1%
Sysmiss		47	

QNFR3G: Usually ate fruit three or more times per day**Data file: MOZ2015_Public_Use****Overview**

Valid: 1871 Invalid: 47 Mean: 1.799 Standard deviation: 0.401
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	376	20.1%
2	No	1495	79.9%
Sysmiss		47	

QNVEGLG: Usually ate vegetables less than one time per day**Data file: MOZ2015_Public_Use****Overview**

Valid: 1884 Invalid: 34 Mean: 1.762 Standard deviation: 0.426
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	449	23.8%
2	No	1435	76.2%
Sysmiss		34	

QNVEG1G: Usually ate vegetables one or more times per day

Data file: MOZ2015_Public_Use

Overview

Valid: 1884 Invalid: 34 Mean: 1.33 Standard deviation: 0.47
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1263	67%
2	No	621	33%
Sysmiss		34	

QNVEG2G: Usually ate vegetables two or more times per day

Data file: MOZ2015_Public_Use

Overview

Valid: 1884 Invalid: 34 Mean: 1.692 Standard deviation: 0.462
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	581	30.8%
2	No	1303	69.2%
Sysmiss		34	

QNVEG3G: Usually ate vegetables three or more times per day

Data file: MOZ2015_Public_Use

Overview

Valid: 1884 Invalid: 34 Mean: 1.859 Standard deviation: 0.348
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	266	14.1%
2	No	1618	85.9%
Sysmiss		34	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: MOZ2015_Public_Use

Overview

Valid: 1893 Invalid: 25 Mean: 1.741 Standard deviation: 0.438
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	490	25.9%
2	No	1403	74.1%
Sysmiss		25	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day**Data file: MOZ2015_Public_Use****Overview**

Valid: 1893 Invalid: 25 Mean: 1.429 Standard deviation: 0.495
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1081	57.1%
2	No	812	42.9%
Sysmiss		25	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day**Data file: MOZ2015_Public_Use****Overview**

Valid: 1893 Invalid: 25 Mean: 1.719 Standard deviation: 0.449
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	531	28.1%
2	No	1362	71.9%
Sysmiss		25	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day**Data file: MOZ2015_Public_Use****Overview**

Valid: 1893 Invalid: 25 Mean: 1.861 Standard deviation: 0.346
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	263	13.9%
2	No	1630	86.1%
Sysmiss		25	

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: MOZ2015_Public_Use

Overview

Valid: 1885 Invalid: 33 Mean: 1.421 Standard deviation: 0.494
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1091	57.9%
2	No	794	42.1%
Sysmiss		33	

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: MOZ2015_Public_Use

Overview

Valid: 1885 Invalid: 33 Mean: 1.66 Standard deviation: 0.474
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	640	34%
2	No	1245	66%
Sysmiss		33	

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: MOZ2015_Public_Use

Overview

Valid: 1885 Invalid: 33 Mean: 1.79 Standard deviation: 0.407
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	396	21%
2	No	1489	79%
Sysmiss		33	

QNC2G: Were bullied and could not sleep at night

Data file: MOZ2015_Public_Use

Overview

Valid: 183 Invalid: 1735 Mean: 1.35 Standard deviation: 0.478
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	119	65%
2	No	64	35%
Sysmiss		1735	

QNTOB2G: Currently used any tobacco product**Data file: MOZ2015_Public_Use****Overview**

Valid: 1841 Invalid: 77 Mean: 1.953 Standard deviation: 0.212
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	87	4.7%
2	No	1754	95.3%
Sysmiss		77	

QNNOTB2G: Did not currently use any tobacco products**Data file: MOZ2015_Public_Use****Overview**

Valid: 1824 Invalid: 94 Mean: 1.038 Standard deviation: 0.192
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1754	96.2%
2	No	70	3.8%
Sysmiss		94	

QNBCANYG: Used a method of birth control**Data file: MOZ2015_Public_Use****Overview**

Valid: 669 Invalid: 1249 Mean: 1.16 Standard deviation: 0.367
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	562	84%
2	No	107	16%
Sysmiss		1249	

QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: MOZ2015_Public_Use

Overview

Valid: 150 Invalid: 1768 Mean: 1.187 Standard deviation: 0.391
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	122	81.3%
2	No	28	18.7%
Sysmiss		1768	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: MOZ2015_Public_Use

Overview

Valid: 1859 Invalid: 59 Mean: 1.797 Standard deviation: 0.402
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	377	20.3%
2	No	1482	79.7%
Sysmiss		59	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: MOZ2015_Public_Use

Overview

Valid: 1859 Invalid: 59 Mean: 1.855 Standard deviation: 0.352
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	269	14.5%
2	No	1590	85.5%
Sysmiss		59	

QNPE3G: Attended physical education classes on three or more days

Data file: MOZ2015_Public_Use

Overview

Valid: 1869 Invalid: 49 Mean: 1.816 Standard deviation: 0.387
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	343	18.4%
2	No	1526	81.6%
Sysmiss		49	

QNPE5G: Attended physical education classes on five or more days**Data file: MOZ2015_Public_Use****Overview**

Valid: 1869 Invalid: 49 Mean: 1.917 Standard deviation: 0.276
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	155	8.3%
2	No	1714	91.7%
Sysmiss		49	

WEIGHT:**Data file: MOZ2015_Public_Use****Overview**

Valid: 1918 Invalid: 0 Mean: 439.251 Standard deviation: 315.492
 Type: Continuous Decimal: 0 Width: 10 Range: 202.4539 - 1518.99 Format: Numeric

STRATUM:**Data file: MOZ2015_Public_Use****Overview**

Valid: 1918 Invalid: 0 Mean: 201501008.428 Standard deviation: 25.149
 Type: Discrete Decimal: 0 Width: 9 Range: 201501001 - 201501015 Format: Numeric

Questions and instructions**CATEGORIES**

Value	Category	Cases	
201501001		109	5.7%
201501002		139	7.2%
201501003		89	4.6%
201501004		120	6.3%
201501005		81	4.2%

201501006		150	7.8%
201501007		115	6%
201501008		145	7.6%
201501009		124	6.5%
201501010		114	5.9%
201501011		163	8.5%
201501012		142	7.4%
201501013		148	7.7%
201501014		102	5.3%
201501015		177	9.2%

PSU:**Data file: MOZ2015_Public_Use****Overview**

Valid: 1918 Invalid: 0 Mean: 16.433 Standard deviation: 8.702

Type: Continuous Decimal: 0 Width: 5 Range: 1 - 31 Format: Numeric

study_resources

questionnaires

Questionnaire (English)

title Questionnaire (English)
country Mozambique
filename 2013_Mozambique_GSHS_Questionnaire.pdf

Questionnaire (Portuguese)

title Questionnaire (Portuguese)
country Mozambique
filename 2013_Mozambique_GSHS_Questionnaire_Portuguese.pdf

reports

Fact Sheet

title Fact Sheet
country Mozambique
filename gshs_fs_mozambique_2015.pdf

technical_documents

Codebook

title Codebook
country Mozambique
filename MOZ2015_public_use_codebook.pdf
