

Global School-Based Student Health Survey 2017

Ministry of Health

report_generated_on: March 19, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER

MUS_2017_GSHS_v01_M

TITLE

Global School-Based Student Health Survey 2017

COUNTRY

Name	Country code
Mauritius	MUS

STUDY TYPE

Other Household Survey [hh/oth]

SERIES INFORMATION

This is the third GSHS conducted by Mauritius.

ABSTRACT

The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA

Sample survey data [ssd]

UNIT OF ANALYSIS

Individuals

Version

VERSION DESCRIPTION

Public-use dataset

Scope

NOTES

The following core modules were included in the survey:

alcohol use
 dietary behaviours
 drug use
 hygiene
 mental health
 physical activity
 protective factors
 sexual behaviours
 tobacco use
 violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
hygiene
mental health
physical activity
sexual behaviours
HIV
tobacco use
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE

National

UNIVERSE

School-going adolescents aged 13-17 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
Ministry of Health

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE

A two-stage cluster sample design was used to produce data representative of all students in grades 8-12 in Mauritius. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

The school response rate was 100%, the student response rate was 84%, and the overall response rate was 84%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

data_collection

DATES OF DATA COLLECTION

Start	End
2017	2017

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

alcohol use

dietary behaviours

drug use

hygiene

mental health

physical activity

protective factors

sexual behaviours

tobacco use

violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_MUS_2017_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Melanie Cowan		World Health Organization	Documentation of data
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2020-02-25

DDI DOCUMENT VERSION

Identical to a metadata (MUS_2017_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
MUBH2017_GSHS_Data_Public_Use	3012	141

Data file: MUBH2017_GSHS_Data_Public_Use

Cases: 3012

variables: 141

variables

ID	Name	Label	Question
V1	Q1	Custom Age	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V16	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V17	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V18	Q18	Serious injury broken bone	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Serious injury motor vehicle	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V21	Q21	Bullied by hitting	During the past 30 days, how were you bullied most often?
V22	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V23	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V24	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Close friends	How many close friends do you have?
V28	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V29	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V34	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V35	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Initiation of drug use	How old were you when you first used drugs?
V41	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V45	Q45	Sex before 14 years	How old were you when you had sexual intercourse for the first time?
V46	Q46	Multiple sex partners	During your life, with how many people have you had sexual intercourse?
V47	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Physical activity ≥ 5 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V51	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V54	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V60	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V61	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V62	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V63	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V64	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V65	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V66	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V67	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V68	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V69	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V70	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V71	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V72	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V73	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V74	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V75	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V76	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V77	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V78	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V79	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V80	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V81	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V82	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V83	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V84	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V85	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V86	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V88	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V89	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V90	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V91	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V92	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V93	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V94	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V95	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V96	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V97	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V98	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V99	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V100	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V101	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V102	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V103	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V104	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V105	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V106	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V107	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V108	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V109	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V110	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V111	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V115	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V116	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V117	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V118	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V119	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V120	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V121	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V122	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V123	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V124	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V125	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V126	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V127	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V128	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V129	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V130	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V131	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V132	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V133	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V134	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V135	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V136	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V137	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V138	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V139	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V140	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V141	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V142	weight	Overall Analysis Weight	
V143	stratum	Sampling Strata	
V144	psu	Primary Sampling Unit	

total: 141

Q1: Custom Age**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 3009 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	2	0.1%
2	12 years old	8	0.3%
3	13 years old	608	20.2%
4	14 years old	700	23.3%
5	15 years old	639	21.2%
6	16 years old	578	19.2%
7	17 years old	437	14.5%
8	18 years old or older	37	1.2%
Sysmiss		3	

Q10: Fast food eating**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 3007 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1273	42.3%
2	1 day	970	32.3%
3	2 days	442	14.7%

4	3 days	179	6%
5	4 days	67	2.2%
6	5 days	36	1.2%
7	6 days	10	0.3%
8	7 days	30	1%
Sysmiss		5	

Q2: Sex

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2998 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1414	47.2%
2	Female	1584	52.8%
Sysmiss		14	

Q3: In what grade are you

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2979 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Grade 8	439	14.7%
2	Grade 9	757	25.4%
3	Grade 10	807	27.1%

4	Grade 11	780	26.2%
5	Grade 12	196	6.6%
Sysmiss		33	

Q4: How tall are you

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2931 Invalid: 81 Minimum: 1.25 Maximum: 1.92 Mean: 1.625 Standard deviation: 0.0865
Type: Continuous Decimal: 2 Width: 5 Range: 1.25 - 1.92 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2931 Invalid: 81 Minimum: 24 Maximum: 156 Mean: 55.026 Standard deviation: 15.314
Type: Continuous Decimal: 2 Width: 5 Range: 24 - 156 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2974 Invalid: 38
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1714	57.6%
2	Rarely	548	18.4%
3	Sometimes	497	16.7%
4	Most of the time	141	4.7%
5	Always	74	2.5%
Sysmiss		38	

Q7: No fruit eating

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2995 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	389	13%
2	Less than one time per day	773	25.8%
3	1 time per day	1031	34.4%
4	2 times per day	462	15.4%
5	3 times per day	172	5.7%
6	4 times per day	66	2.2%
7	5 or more times per day	102	3.4%
Sysmiss		17	

Q8: No vegetable eating**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 2979 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	73	2.5%
2	Less than one time per day	303	10.2%
3	1 time per day	755	25.3%
4	2 times per day	817	27.4%
5	3 times per day	463	15.5%
6	4 times per day	160	5.4%
7	5 or more times per day	408	13.7%
Sysmiss		33	

Q9: Soft drinks**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 2996 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	561	18.7%
2	Less than one time per day	1206	40.3%

3	1 time per day	584	19.5%
4	2 times per day	312	10.4%
5	3 times per day	173	5.8%
6	4 times per day	59	2%
7	5 or more times per day	101	3.4%
Sysmiss		16	

Q11: Tooth brushing

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 3005 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	23	0.8%
2	Less than 1 time per day	54	1.8%
3	1 time per day	760	25.3%
4	2 times per day	1746	58.1%
5	3 times per day	267	8.9%
6	4 or more times per day	155	5.2%
Sysmiss		7	

Q12: Hand washing before eating

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2979 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	88	3%
2	Rarely	269	9%
3	Sometimes	491	16.5%
4	Most of the time	700	23.5%
5	Always	1431	48%
Sysmiss		33	

Q13: Hand washing after toilet

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2951 Invalid: 61

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	26	0.9%
2	Rarely	60	2%
3	Sometimes	109	3.7%
4	Most of the time	206	7%
5	Always	2550	86.4%
Sysmiss		61	

Q14: Hand washing with soap

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2992 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	58	1.9%
2	Rarely	147	4.9%
3	Sometimes	360	12%
4	Most of the time	806	26.9%
5	Always	1621	54.2%
Sysmiss		20	

Q15: Physically attacked

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2986 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	2301	77.1%
2	1 time	264	8.8%
3	2 or 3 times	239	8%
4	4 or 5 times	60	2%
5	6 or 7 times	34	1.1%
6	8 or 9 times	13	0.4%
7	10 or 11 times	10	0.3%
8	12 or more times	65	2.2%
Sysmiss		26	

Q16: Physical fighting**Data file:** MUBH2017_GSHS_Data_Public_Use**Overview**

Valid: 3008 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	2145	71.3%
2	1 time	397	13.2%
3	2 or 3 times	280	9.3%
4	4 or 5 times	66	2.2%
5	6 or 7 times	31	1%
6	8 or 9 times	13	0.4%
7	10 or 11 times	9	0.3%
8	12 or more times	67	2.2%
Sysmiss		4	

Q17: Seriously injured**Data file:** MUBH2017_GSHS_Data_Public_Use**Overview**

Valid: 2544 Invalid: 468

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	1598	62.8%
2	1 time	551	21.7%
3	2 or 3 times	259	10.2%
4	4 or 5 times	68	2.7%
5	6 or 7 times	22	0.9%
6	8 or 9 times	7	0.3%
7	10 or 11 times	11	0.4%
8	12 or more times	28	1.1%
Sysmiss		468	

Q18: Serious injury broken bone

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2623 Invalid: 389

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1947	74.2%
2	Broken bone/dislocated joint	165	6.3%
3	I had a cut or stab wound	139	5.3%
4	Concussion/head injury	39	1.5%
5	I had a gunshot wound	8	0.3%
6	I had a bad burn	27	1%
7	I was poisoned	11	0.4%
8	Something else happened to me	287	10.9%
Sysmiss		389	

Q19: Serious injury motor vehicle

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2633 Invalid: 379

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1991	75.6%
2	Motor vehicle accident	45	1.7%
3	I fell	234	8.9%
4	Something fell on me or hit me	68	2.6%
5	I was attacked	32	1.2%
6	Was in a fire	8	0.3%
7	breathed something bad	7	0.3%
8	Something else	248	9.4%
Sysmiss		379	

Q20: Bullied

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2843 Invalid: 169

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	2176	76.5%

2	1 or 2 days	416	14.6%
3	3 to 5 days	108	3.8%
4	6 to 9 days	38	1.3%
5	10 to 19 days	37	1.3%
6	20 to 29 days	14	0.5%
7	All 30 days	54	1.9%
Sysmiss		169	

Q21: Bullied by hitting

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2788 Invalid: 224

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	2271	81.5%
2	Kicked, pushed, or shoved	63	2.3%
3	Made fun of race	59	2.1%
4	Made fun because of religion	19	0.7%
5	Made fun of about sex	59	2.1%
6	Left out of activities	35	1.3%
7	Made fun of about body	84	3%
8	Some other way	198	7.1%
Sysmiss		224	

Q22: Felt lonely

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2972 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	1167	39.3%
2	Rarely	706	23.8%
3	Sometimes	786	26.4%
4	Most of the time	192	6.5%
5	Always	121	4.1%
Sysmiss		40	

Q23: Could not sleep

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2952 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	1156	39.2%
2	Rarely	840	28.5%
3	Sometimes	673	22.8%
4	Most of the time	196	6.6%
5	Always	87	2.9%
Sysmiss		60	

Q24: Considered suicide**Data file:** MUBH2017_GSHS_Data_Public_Use**Overview**

Valid: 2962 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	469	15.8%
2	No	2493	84.2%
Sysmiss		50	

Q25: Made a suicide plan**Data file:** MUBH2017_GSHS_Data_Public_Use**Overview**

Valid: 2962 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	423	14.3%
2	No	2539	85.7%
Sysmiss		50	

Q26: Attempted suicide**Data file:** MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2967 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	2600	87.6%
2	1 time	231	7.8%
3	2 or 3 times	82	2.8%
4	4 or 5 times	27	0.9%
5	6 or more times	27	0.9%
Sysmiss		45	

Q27: Close friends

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2974 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	270	9.1%
2	1	356	12%
3	2	428	14.4%
4	3 or more	1920	64.6%
Sysmiss		38	

Q28: Initiation of cigarette use**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 2873 Invalid: 139

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1986	69.1%
2	7 years old or younger	61	2.1%
3	8 or 9 years old	60	2.1%
4	10 or 11 years old	143	5%
5	12 or 13 years old	277	9.6%
6	14 or 15 years old	288	10%
7	16 or 17 years old	56	1.9%
8	18 years old or older	2	0.1%
Sysmiss		139	

Q29: Current cigarette use**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 2965 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	2458	82.9%
2	1 or 2 days	183	6.2%

3	3 to 5 days	78	2.6%
4	6 to 9 days	33	1.1%
5	10 to 19 days	31	1%
6	20 to 29 days	37	1.2%
7	All 30 days	145	4.9%
Sysmiss		47	

Q30: Other tobacco use

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 3003 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	2681	89.3%
2	1 or 2 days	157	5.2%
3	3 to 5 days	62	2.1%
4	6 to 9 days	30	1%
5	10 to 19 days	23	0.8%
6	20 to 29 days	11	0.4%
7	All 30 days	39	1.3%
Sysmiss		9	

Q31: Smoking cessation

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2880 Invalid: 132

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2102	73%
2	Did not smoke cigarettes	229	8%
3	Yes	398	13.8%
4	No	151	5.2%
Sysmiss		132	

Q32: Smoking in their presence

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2981 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	961	32.2%
2	1 or 2 days	804	27%
3	3 or 4 days	333	11.2%
4	5 or 6 days	172	5.8%
5	All 7 days	711	23.9%
Sysmiss		31	

Q33: Parental tobacco use

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2972 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	1836	61.8%
2	My father or male guardian	616	20.7%
3	My mother or female guardian	39	1.3%
4	Both	73	2.5%
5	I do not know	408	13.7%
Sysmiss		40	

Q34: Initiation of alcohol use

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2781 Invalid: 231

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	1424	51.2%
2	7 years old or younger	93	3.3%
3	8 or 9 years old	82	2.9%
4	10 or 11 years old	179	6.4%
5	12 or 13 years old	399	14.3%
6	14 or 15 years old	458	16.5%

7	16 or 17 years old	141	5.1%
8	18 years old or older	5	0.2%
Sysmiss		231	

Q35: Current alcohol use

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2904 Invalid: 108

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	2149	74%
2	1 or 2 days	519	17.9%
3	3 to 5 days	98	3.4%
4	6 to 9 days	63	2.2%
5	10 to 19 days	42	1.4%
6	20 to 29 days	11	0.4%
7	All 30 days	22	0.8%
Sysmiss		108	

Q36: Drank 2+ drinks

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2956 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	2168	73.3%
2	Less than one drink	340	11.5%
3	1 drink	172	5.8%
4	2 drinks	101	3.4%
5	3 drinks	61	2.1%
6	4 drinks	30	1%
7	5 or more drinks	84	2.8%
Sysmiss		56	

Q37: Source of alcohol

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2906 Invalid: 106

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	2148	73.9%
2	I bought in a store	99	3.4%
3	I gave someone money to buy	41	1.4%
4	I got it from my friends	142	4.9%
5	I got it from my family	376	12.9%
6	I stole it	35	1.2%
7	Some other way	65	2.2%
Sysmiss		106	

Q38: Really drunk**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 2951 Invalid: 61

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	2282	77.3%
2	1 or 2 times	457	15.5%
3	3 to 9 times	121	4.1%
4	10 or more times	91	3.1%
Sysmiss		61	

Q39: Trouble from drinking**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 2911 Invalid: 101

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	2691	92.4%

2	1 or 2 times	155	5.3%
3	3 to 9 times	41	1.4%
4	10 or more times	24	0.8%
Sysmiss		101	

Q40: Initiation of drug use

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2851 Invalid: 161

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	2569	90.1%
2	7 years old or younger	40	1.4%
3	8 or 9 years old	12	0.4%
4	10 or 11 years old	30	1.1%
5	12 or 13 years old	67	2.4%
6	14 or 15 years old	96	3.4%
7	16 or 17 years old	37	1.3%
8	18 years old or older	0	0%
Sysmiss		161	

Q41: Ever marijuana use

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2867 Invalid: 145

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	2638	92%
2	1 or 2 times	65	2.3%
3	3 to 9 times	55	1.9%
4	10 to 19 times	31	1.1%
5	20 or more times	78	2.7%
Sysmiss		145	

Q42: Current marijuana use

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2932 Invalid: 80

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	2758	94.1%
2	1 or 2 times	67	2.3%
3	3 to 9 times	42	1.4%
4	10 to 19 times	28	1%
5	20 or more times	37	1.3%
Sysmiss		80	

Q43: Amphetamine or methamphetamine use

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2940 Invalid: 72

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	2877	97.9%
2	1 or 2 times	30	1%
3	3 to 9 times	14	0.5%
4	10 to 19 times	11	0.4%
5	20 or more times	8	0.3%
Sysmiss		72	

Q44: Ever sexual intercourse

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2620 Invalid: 392

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	517	19.7%
2	No	2103	80.3%
Sysmiss		392	

Q45: Sex before 14 years**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 2912 Invalid: 100

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	2487	85.4%
2	11 years old or younger	77	2.6%
3	12 years old	23	0.8%
4	13 years old	54	1.9%
5	14 years old	78	2.7%
6	15 years old	91	3.1%
7	16 or 17 years old	95	3.3%
8	18 years old or older	7	0.2%
Sysmiss		100	

Q46: Multiple sex partners**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 2920 Invalid: 92

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	2515	86.1%
2	1 person	196	6.7%

3	2 people	66	2.3%
4	3 people	58	2%
5	4 people	27	0.9%
6	5 people	16	0.5%
7	6 or more people	42	1.4%
Sysmiss		92	

Q47: Condom use

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2799 Invalid: 213

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	2405	85.9%
2	Yes	190	6.8%
3	No	204	7.3%
Sysmiss		213	

Q48: Birth control used

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2718 Invalid: 294

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	2300	84.6%
2	Yes	106	3.9%
3	No	224	8.2%
4	I do not know	88	3.2%
Sysmiss		294	

Q49: Physical activity \geq 5 days**Data file:** MUBH2017_GSHS_Data_Public_Use**Overview**

Valid: 2961 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	669	22.6%
2	1 day	540	18.2%
3	2 days	381	12.9%
4	3 days	299	10.1%
5	4 days	190	6.4%
6	5 days	234	7.9%
7	6 days	71	2.4%
8	7 days	577	19.5%
Sysmiss		51	

Q50: Walk or bike to school**Data file:** MUBH2017_GSHS_Data_Public_Use**Overview**

Valid: 2974 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	1540	51.8%
2	1 day	218	7.3%
3	2 days	146	4.9%
4	3 days	120	4%
5	4 days	69	2.3%
6	5 days	262	8.8%
7	6 days	37	1.2%
8	7 days	582	19.6%
Sysmiss		38	

Q51: PE attendance

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2949 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	487	16.5%
2	1 day	1440	48.8%
3	2 days	182	6.2%

4	3 days	119	4%
5	4 days	96	3.3%
6	5 or more days	625	21.2%
Sysmiss		63	

Q52: Sitting activities

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2953 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	817	27.7%
2	1 to 2 hours per day	948	32.1%
3	3 to 4 hours per day	607	20.6%
4	5 to 6 hours per day	229	7.8%
5	7 to 8 hours per day	96	3.3%
6	More than 8 hours per day	256	8.7%
Sysmiss		59	

Q53: Miss school no permission

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2979 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	2273	76.3%
2	1 or 2 days	455	15.3%
3	3 to 5 days	121	4.1%
4	6 to 9 days	56	1.9%
5	10 or more days	74	2.5%
Sysmiss		33	

Q54: Other students kind and helpful

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2957 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	399	13.5%
2	Rarely	603	20.4%
3	Sometimes	911	30.8%
4	Most of the time	518	17.5%
5	Always	526	17.8%
Sysmiss		55	

Q55: Parents check homework

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2939 Invalid: 73

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	826	28.1%
2	Rarely	524	17.8%
3	Sometimes	634	21.6%
4	Most of the time	382	13%
5	Always	573	19.5%
Sysmiss		73	

Q56: Parents understand problems

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2966 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	674	22.7%
2	Rarely	452	15.2%
3	Sometimes	610	20.6%
4	Most of the time	485	16.4%
5	Always	745	25.1%
Sysmiss		46	

Q57: Parents know about free time

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2947 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	515	17.5%
2	Rarely	495	16.8%
3	Sometimes	638	21.6%
4	Most of the time	549	18.6%
5	Always	750	25.4%
Sysmiss		65	

Q58: Parents go through their things

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2914 Invalid: 98

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		1297	44.5%
2		667	22.9%
3		556	19.1%
4		184	6.3%
5		210	7.2%
Sysmiss		98	

QN6: Most of the time or always went hungry**Data file:** MUBH2017_GSHS_Data_Public_Use**Overview**

Valid: 2974 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		215	7.2%
2		2759	92.8%
Sysmiss		38	

QN7: Did not eat fruit**Data file:** MUBH2017_GSHS_Data_Public_Use**Overview**

Valid: 2995 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		389	13%
2		2606	87%
Sysmiss		17	

QN8: Did not eat vegetables**Data file:** MUBH2017_GSHS_Data_Public_Use**Overview**

Valid: 2979 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		73	2.5%
2		2906	97.5%
Sysmiss		33	

QN9: Did not drink carbonated soft drinks

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2996 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		561	18.7%
2		2435	81.3%
Sysmiss		16	

QN10: Did not eat food from a fast food restaurant

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 3007 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1273	42.3%
2		1734	57.7%
Sysmiss		5	

QN11: Usually cleaned or brushed their teeth

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 3005 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2928	97.4%
2		77	2.6%
Sysmiss		7	

QN12: Never or rarely washed their hands before eating

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2979 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		357	12%
2		2622	88%
Sysmiss		33	

QN13: Never or rarely washed their hands after using the toilet or latrine**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 2951 Invalid: 61

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		86	2.9%
2		2865	97.1%
Sysmiss		61	

QN14: Never or rarely used soap when washing their hands**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 2992 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		205	6.9%
2		2787	93.1%
Sysmiss		20	

QN15: Were physically attacked**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 2986 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		685	22.9%
2		2301	77.1%
Sysmiss		26	

QN16: Were in a physical fight

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 3008 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		863	28.7%
2		2145	71.3%
Sysmiss		4	

QN17: Were seriously injured

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2544 Invalid: 468

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		946	37.2%
2		1598	62.8%
Sysmiss		468	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 676 Invalid: 2336

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		165	24.4%
2		511	75.6%
Sysmiss		2336	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 642 Invalid: 2370

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		45	7%
2		597	93%
Sysmiss		2370	

QN20: Were bullied**Data file:** MUBH2017_GSHS_Data_Public_Use**Overview**

Valid: 2843 Invalid: 169

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		667	23.5%
2		2176	76.5%
Sysmiss		169	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors**Data file:** MUBH2017_GSHS_Data_Public_Use**Overview**

Valid: 517 Invalid: 2495

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		63	12.2%
2		454	87.8%
Sysmiss		2495	

QN22: Most of the time or always felt lonely**Data file:** MUBH2017_GSHS_Data_Public_Use**Overview**

Valid: 2972 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		313	10.5%
2		2659	89.5%
Sysmiss		40	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2952 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		283	9.6%
2		2669	90.4%
Sysmiss		60	

QN24: Seriously considered attempting suicide

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2962 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		469	15.8%
2		2493	84.2%
Sysmiss		50	

QN25: Made a plan about how they would attempt suicide

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2962 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		423	14.3%
2		2539	85.7%
Sysmiss		50	

QN26: Attempted suicide

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2967 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		367	12.4%
2		2600	87.6%
Sysmiss		45	

QN27: Did not have any close friends**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 2974 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1		270	9.1%
2		2704	90.9%
Sysmiss		38	

QN28: Tried a cigarette before age 14 years**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 887 Invalid: 2125

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1		541	61%
2		346	39%
Sysmiss		2125	

QN29: Currently smoked cigarettes**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 2965 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		507	17.1%
2		2458	82.9%
Sysmiss		47	

QN30: Currently used any tobacco products other than cigarettes

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 3003 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		322	10.7%
2		2681	89.3%
Sysmiss		9	

QN31: Tried to quit smoking cigarettes

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 549 Invalid: 2463

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		398	72.5%
2		151	27.5%
Sysmiss		2463	

QN32: Reported that people smoked in their presence

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2981 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2020	67.8%
2		961	32.2%
Sysmiss		31	

QN33: Had parents or guardians who used any form of tobacco

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2972 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1		728	24.5%
2		2244	75.5%
Sysmiss		40	

QN34: Drank alcohol before age 14 years**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 1357 Invalid: 1655

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category	Cases	
1		753	55.5%
2		604	44.5%
Sysmiss		1655	

QN35: Currently drank alcohol**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 2904 Invalid: 108

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		755	26%
2		2149	74%
Sysmiss		108	

QN36: Usually drank two or more drinks per day**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 788 Invalid: 2224

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		276	35%
2		512	65%
Sysmiss		2224	

QN37: Usually obtained the alcohol they drank from friends

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 758 Invalid: 2254

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		142	18.7%
2		616	81.3%
Sysmiss		2254	

QN47: Used a condom

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 394 Invalid: 2618

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1		190	48.2%
2		204	51.8%
Sysmiss		2618	

QN38: Ever drank so much alcohol that they were really drunk

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2951 Invalid: 61

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		669	22.7%
2		2282	77.3%
Sysmiss		61	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2911 Invalid: 101

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		220	7.6%
2		2691	92.4%
Sysmiss		101	

QN40: Used drugs before age 14 years**Data file:** MUBH2017_GSHS_Data_Public_Use**Overview**

Valid: 282 Invalid: 2730

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1		149	52.8%
2		133	47.2%
Sysmiss		2730	

QN41: Ever used marijuana**Data file:** MUBH2017_GSHS_Data_Public_Use**Overview**

Valid: 2867 Invalid: 145

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		229	8%
2		2638	92%
Sysmiss		145	

QN42: Currently used marijuana**Data file:** MUBH2017_GSHS_Data_Public_Use**Overview**

Valid: 2932 Invalid: 80

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		174	5.9%
2		2758	94.1%
Sysmiss		80	

Q43: Ever used amphetamines or methamphetamines

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2940 Invalid: 72

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		63	2.1%
2		2877	97.9%
Sysmiss		72	

Q44: Ever had sexual intercourse

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2620 Invalid: 392

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		517	19.7%
2		2103	80.3%
Sysmiss		392	

QN45: Had sexual intercourse before age 14 years

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 425 Invalid: 2587

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1		154	36.2%
2		271	63.8%
Sysmiss		2587	

QN46: Had sexual intercourse with two or more persons

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2920 Invalid: 92

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category	Cases	
1		209	7.2%
2		2711	92.8%
Sysmiss		92	

QN48: Used a method of birth control other than condoms**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 418 Invalid: 2594

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1		106	25.4%
2		312	74.6%
Sysmiss		2594	

QN49: Were not physically active**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 2961 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		669	22.6%
2		2292	77.4%
Sysmiss		51	

QN50: Did not walk or ride a bicycle to or from school**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 2974 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1540	51.8%
2		1434	48.2%
Sysmiss		38	

QN51: Did not attend physical education classes

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2949 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		487	16.5%
2		2462	83.5%
Sysmiss		63	

QN52: Spent three or more hours per day doing sitting activities

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2953 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		1188	40.2%
2		1765	59.8%
Sysmiss		59	

QN53: Missed classes or school without permission

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2979 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		706	23.7%
2		2273	76.3%
Sysmiss		33	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2957 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1044	35.3%
2		1913	64.7%
Sysmiss		55	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2939 Invalid: 73

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		955	32.5%
2		1984	67.5%
Sysmiss		73	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2966 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1230	41.5%
2		1736	58.5%
Sysmiss		46	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2947 Invalid: 65
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1299	44.1%
2		1648	55.9%
Sysmiss		65	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2914 Invalid: 98
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1964	67.4%
2		950	32.6%
Sysmiss		98	

QNUNWTG: Were underweight

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2931 Invalid: 81
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		393	13.4%
2		2538	86.6%
Sysmiss		81	

QNOWTG: Were overweight

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2931 Invalid: 81

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		728	24.8%
2		2203	75.2%
Sysmiss		81	

QNOBESEG: Were obese

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2931 Invalid: 81

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		274	9.3%
2		2657	90.7%
Sysmiss		81	

QNFR1G: Usually ate fruit less than one time per day

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2995 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		773	25.8%
2		2222	74.2%
Sysmiss		17	

QNFR1G: Usually ate fruit one or more times per day

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2995 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1833	61.2%
2		1162	38.8%
Sysmiss		17	

QNFR2G: Usually ate fruit two or more times per day**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 2995 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		802	26.8%
2		2193	73.2%
Sysmiss		17	

QNFR3G: Usually ate fruit three or more times per day**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 2995 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		340	11.4%
2		2655	88.6%
Sysmiss		17	

QNVEGLG: Usually ate vegetables less than one time per day**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 2979 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		303	10.2%
2		2676	89.8%
Sysmiss		33	

QNVEG1G: Usually ate vegetables one or more times per day

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2979 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2603	87.4%
2		376	12.6%
Sysmiss		33	

QNVEG2G: Usually ate vegetables two or more times per day

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2979 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		1848	62%
2		1131	38%
Sysmiss		33	

QNVEG3G: Usually ate vegetables three or more times per day

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2979 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1031	34.6%
2		1948	65.4%
Sysmiss		33	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2996 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1206	40.3%
2		1790	59.7%
Sysmiss		16	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 2996 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1229	41%
2		1767	59%
Sysmiss		16	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 2996 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		645	21.5%
2		2351	78.5%
Sysmiss		16	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 2996 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		333	11.1%
2		2663	88.9%
Sysmiss		16	

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 3007 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1734	57.7%
2		1273	42.3%
Sysmiss		5	

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 3007 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		764	25.4%
2		2243	74.6%
Sysmiss		5	

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 3007 Invalid: 5
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		322	10.7%
2		2685	89.3%
Sysmiss		5	

QNC2G: Were bullied and could not sleep at night

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 257 Invalid: 2755
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		104	40.5%
2		153	59.5%
Sysmiss		2755	

QNTOB2G: Currently used any tobacco product**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 2978 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		583	19.6%
2		2395	80.4%
Sysmiss		34	

QNNOTB2G: Did not currently use any tobacco products**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 2960 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2395	80.9%
2		565	19.1%
Sysmiss		52	

QNBCANYG: Used a method of birth control**Data file: MUBH2017_GSHS_Data_Public_Use****Overview**

Valid: 347 Invalid: 2665

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1		231	66.6%
2		116	33.4%
Sysmiss		2665	

QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 570 Invalid: 2442

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		254	44.6%
2		316	55.4%
Sysmiss		2442	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2961 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		882	29.8%
2		2079	70.2%
Sysmiss		51	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2961 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		577	19.5%
2		2384	80.5%
Sysmiss		51	

QNPE3G: Attended physical education classes on three or more days

Data file: MUBH2017_GSHS_Data_Public_Use

Overview

Valid: 2949 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		840	28.5%
2		2109	71.5%
Sysmiss		63	

QNPE5G: Attended physical education classes on five or more days**Data file:** MUBH2017_GSHS_Data_Public_Use**Overview**

Valid: 2949 Invalid: 63
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		625	21.2%
2		2324	78.8%
Sysmiss		63	

WEIGHT: Overall Analysis Weight**Data file:** MUBH2017_GSHS_Data_Public_Use**Overview**

Valid: 3012 Invalid: 0 Minimum: 17.291 Maximum: 87.97 Mean: 25.52 Standard deviation: 10.576
 Type: Continuous Decimal: 0 Width: 10 Range: 17.291 - 87.97 Format: Numeric

STRATUM: Sampling Strata**Data file:** MUBH2017_GSHS_Data_Public_Use**Overview**

Valid: 3012 Invalid: 0 Minimum: 201702001 Maximum: 201702016 Mean: 201702008.589 Standard deviation: 6.172
 Type: Continuous Decimal: 0 Width: 9 Range: 201702001 - 201702016 Format: Numeric

PSU: Primary Sampling Unit**Data file:** MUBH2017_GSHS_Data_Public_Use**Overview**

Valid: 3012 Invalid: 0 Minimum: 1 Maximum: 32 Mean: 16.67 Standard deviation: 9.279
 Type: Continuous Decimal: 0 Width: 5 Range: 1 - 32 Format: Numeric

study_resources

questionnaires

Questionnaire

title Questionnaire
filename Mauritius_2017_GSHS_Questionnaire.pdf

reports

Fact Sheet

title Fact Sheet
filename Mauritius_2017_GSHS_FS.pdf

technical_documents

Codebook

title Codebook
filename 2017MUBH_Public_Use_Codebook.pdf
