

# Global School-Based Student Health Survey 2015

**Ministry of Health**

report\_generated\_on: April 18, 2024

visit\_data\_catalog\_at: <http://catalog.ihsn.org/>

## Identification

---

SURVEY ID NUMBER  
OMN\_2015\_GSHS\_v01\_M

TITLE  
Global School-Based Student Health Survey 2015

COUNTRY

Name	Country code
Oman	OMN

STUDY TYPE  
Other Household Survey [hh/oth]

SERIES INFORMATION  
This is the third GSHS conducted by Oman.

ABSTRACT  
The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA  
Sample survey data [ssd]

UNIT OF ANALYSIS  
Individuals

## Version

---

VERSION DESCRIPTION  
Public-use dataset

VERSION DATE  
2018-08-13

## Scope

---

NOTES  
The following core modules were included in the survey:

- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- tobacco use
- violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

<b>Keyword</b>
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
diet
nutrition
drug use
hygiene
mental health
physical activity
tobacco use
violence and unintentional injury
overweight
obesity
bullying

## Coverage

### GEOGRAPHIC COVERAGE

National coverage

### UNIVERSE

School-going adolescents aged 13-17 years.

## Producers and sponsors

### PRIMARY INVESTIGATORS

<b>Name</b>
Ministry of Health

### FUNDING AGENCY/SPONSOR

<b>Name</b>	<b>Abbreviation</b>
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

## Sampling

### SAMPLING PROCEDURE

The 2015 Oman GSHS was a school-based survey of students in Grades 8-12, which are typically attended by students aged 13-17. A two-stage cluster sample design was used to produce data representative of all students in Grades 8-12 in Oman.

At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

#### RESPONSE RATE

The school response rate was 98%, the student response rate was 94%, and the overall response rate was 92%.

#### WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

## data\_collection

#### DATES OF DATA COLLECTION

Start	End
2015	2015

#### DATA COLLECTION MODE

self-administered

## questionnaires

#### QUESTIONNAIRES

The following core modules were included in the survey:

- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- tobacco use
- violence and unintentional injury

## data\_processing

#### DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

## Access policy

#### CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	<a href="#">Link</a>

#### ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.

- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.  
 (4) to use the data for non-commercial, not-for-profit public health purposes only.

#### CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

## Disclaimer and copyrights

---

#### DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

## Metadata production

---

#### DDI DOCUMENT ID

DDI\_OMN\_2015\_GSHS\_v01\_M

#### PRODUCERS

Name	Abbreviation	Affiliation	Role
Yue Wu		World Health Organization	Documentation of data
Melanie Cowan		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

#### DATE OF METADATA PRODUCTION

2018-08-13

#### DDI DOCUMENT VERSION

Identical to a metadata (OMN\_2015\_GSHS\_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

**data\_dictionary**

<b>Data file</b>	<b>Cases</b>	<b>variables</b>
<b>OMN2015_Public_Use</b> National public-use dataset	3468	113



**Data file: OMN2015\_Public\_Use**

National public-use dataset

Cases: 3468

variables: 113

**variables**

ID	Name	Label	Question
V424	Q1	Custom Age	How old are you?
V425	Q2	Sex	What is your sex?
V426	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V427	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V428	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V429	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V430	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V431	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V432	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V433	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V434	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V435	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V436	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V437	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V438	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V439	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V440	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V441	Q18	Serious injury broken bone	During the past 12 months, what was the most serious injury that happened to you?
V442	Q19	Serious injury motor vehicle	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V443	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V444	Q21	Bullied by hitting	During the past 30 days, how were you bullied most often?
V445	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V446	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V447	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V450	Q27	Close friends	How many close friends do you have?
V451	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V452	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V453	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V454	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V455	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V456	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V463	Q40	Initiation of drug use	How old were you when you first used drugs?
V464	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V465	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V466	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V472	Q49	Physical activity $\geq$ 5 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V473	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?
V474	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V475	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V476	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V477	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V478	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V479	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V480	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V481	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V482	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V483	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V484	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V485	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

ID	Name	Label	Question
V486	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V487	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V488	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V489	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V490	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V491	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V492	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V493	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V494	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V495	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V496	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V497	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )
V498	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V499	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V500	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V503	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V504	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V505	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V506	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V507	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V508	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V509	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V516	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V517	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)

ID	Name	Label	Question
V518	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V519	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V525	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V526	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V527	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V528	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V529	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V530	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V531	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V532	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V533	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V534	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V535	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V536	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V537	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V538	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V539	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V540	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V541	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V542	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)
V543	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V544	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

ID	Name	Label	Question
V545	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V546	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V547	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V548	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V549	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V550	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V551	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V552	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V553	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V554	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V555	qnotob2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V558	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V559	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey )
V560	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V561	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V562	weight	weight	
V563	stratum	stratum	
V564	psu	psu	

total: 113



**Q1: Custom Age****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3456    Invalid: 12  
 Type: Discrete    Decimal: 0    Range: 1 - 8    Format: Numeric

**Questions and instructions**

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	40	1.2%
2	12 years old	39	1.1%
3	13 years old	358	10.4%
4	14 years old	531	15.4%
5	15 years old	741	21.4%
6	16 years old	760	22%
7	17 years old	731	21.2%
8	18 years old or older	256	7.4%
Sysmiss		12	

**Q2: Sex****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3404    Invalid: 64  
 Type: Discrete    Decimal: 0    Range: 1 - 2    Format: Numeric

**Questions and instructions**

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1623	47.7%
2	Female	1781	52.3%
Sysmiss		64	

**Q3: In what grade are you****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3360 Invalid: 108  
 Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

## CATEGORIES

Value	Category	Cases	
1	Eighth	656	19.5%
2	Ninth	570	17%
3	Tenth	796	23.7%
4	Eleventh	738	22%
5	Twelfth	600	17.9%
Sysmiss		108	

**Q4: How tall are you****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3161 Invalid: 307 Minimum: 1.27 Maximum: 1.96 Mean: 1.594 Standard deviation: 0.0938  
 Type: Continuous Decimal: 2 Range: 1.27 - 1.96 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q5: How much do you weigh****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3161 Invalid: 307 Minimum: 29 Maximum: 147 Mean: 56.595 Standard deviation: 16.071  
 Type: Continuous Decimal: 2 Range: 29 - 147 Format: Numeric

## Questions and instructions

---

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

---

## Q6: How often went hungry

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3445 Invalid: 23

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

## Questions and instructions

---

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

### CATEGORIES

Value	Category	Cases	
1	Never	2130	61.8%
2	Rarely	619	18%
3	Sometimes	530	15.4%
4	Most of the time	104	3%
5	Always	62	1.8%
Sysmiss		23	

---

## Q7: No fruit eating

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3387 Invalid: 81

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

## Questions and instructions

---

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	182	5.4%
2	Less than one time per day	1160	34.2%
3	1 time per day	792	23.4%
4	2 times per day	550	16.2%
5	3 times per day	301	8.9%
6	4 times per day	113	3.3%
7	5 or more times per day	289	8.5%
Sysmiss		81	

### Q8: No vegetable eating

Data file: OMN2015\_Public\_Use

#### Overview

Valid: 3453 Invalid: 15

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

##### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	271	7.8%
2	Less than one time per day	977	28.3%
3	1 time per day	1100	31.9%
4	2 times per day	521	15.1%
5	3 times per day	227	6.6%
6	4 times per day	106	3.1%
7	5 or more times per day	251	7.3%
Sysmiss		15	

### Q9: Soft drinks

Data file: OMN2015\_Public\_Use

## Overview

Valid: 3430 Invalid: 38  
 Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	696	20.3%
2	Less than one time per day	1254	36.6%
3	1 time per day	681	19.9%
4	2 times per day	347	10.1%
5	3 times per day	184	5.4%
6	4 times per day	98	2.9%
7	5 or more times per day	170	5%
Sysmiss		38	

## Q10: Fast food eating

Data file: OMN2015\_Public\_Use

## Overview

Valid: 3449 Invalid: 19  
 Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	982	28.5%
2	1 day	1020	29.6%
3	2 days	622	18%
4	3 days	369	10.7%

5	4 days	175	5.1%
6	5 days	121	3.5%
7	6 days	52	1.5%
8	7 days	108	3.1%
Sysmiss		19	

## Q11: Tooth brushing

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3452 Invalid: 16

Type: Discrete Decimal: 0 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	147	4.3%
2	Less than 1 time per day	321	9.3%
3	1 time per day	1052	30.5%
4	2 times per day	1210	35.1%
5	3 times per day	474	13.7%
6	4 or more times per day	248	7.2%
Sysmiss		16	

## Q12: Hand washing before eating

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3358 Invalid: 110

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
1	Never	96	2.9%
2	Rarely	168	5%
3	Sometimes	451	13.4%
4	Most of the time	434	12.9%
5	Always	2209	65.8%
Sysmiss		110	

### Q13: Hand washing after toilet

Data file: OMN2015\_Public\_Use

#### Overview

Valid: 3345 Invalid: 123  
 Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

#### CATEGORIES

Value	Category	Cases	
1	Never	101	3%
2	Rarely	204	6.1%
3	Sometimes	308	9.2%
4	Most of the time	370	11.1%
5	Always	2362	70.6%
Sysmiss		123	

### Q14: Hand washing with soap

Data file: OMN2015\_Public\_Use

#### Overview

Valid: 3396 Invalid: 72  
 Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

### CATEGORIES

Value	Category	Cases	
1	Never	95	2.8%
2	Rarely	160	4.7%
3	Sometimes	523	15.4%
4	Most of the time	697	20.5%
5	Always	1921	56.6%
Sysmiss		72	

## Q15: Physically attacked

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3445 Invalid: 23

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

### CATEGORIES

Value	Category	Cases	
1	0 times	2480	72%
2	1 time	396	11.5%
3	2 or 3 times	267	7.8%
4	4 or 5 times	110	3.2%
5	6 or 7 times	50	1.5%
6	8 or 9 times	37	1.1%
7	10 or 11 times	14	0.4%
8	12 or more times	91	2.6%
Sysmiss		23	

**Q16: Physical fighting****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3425    Invalid: 43  
 Type: Discrete    Decimal: 0    Range: 1 - 8    Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

## LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

## CATEGORIES

Value	Category	Cases	
1	0 times	1915	55.9%
2	1 time	586	17.1%
3	2 or 3 times	406	11.9%
4	4 or 5 times	148	4.3%
5	6 or 7 times	80	2.3%
6	8 or 9 times	61	1.8%
7	10 or 11 times	36	1.1%
8	12 or more times	193	5.6%
Sysmiss		43	

**Q17: Seriously injured****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3124    Invalid: 344  
 Type: Discrete    Decimal: 0    Range: 1 - 8    Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

## CATEGORIES

Value	Category	Cases	
1	0 times	1960	62.7%
2	1 time	663	21.2%
3	2 or 3 times	313	10%
4	4 or 5 times	87	2.8%
5	6 or 7 times	41	1.3%
6	8 or 9 times	20	0.6%
7	10 or 11 times	11	0.4%
8	12 or more times	29	0.9%
Sysmiss		344	

### Q18: Serious injury broken bone

Data file: OMN2015\_Public\_Use

#### Overview

Valid: 3267 Invalid: 201

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2265	69.3%
2	Broken bone/dislocated joint	314	9.6%
3	I had a cut or stab wound	197	6%
4	Concussion/head injury	61	1.9%
5	I had a gunshot wound	27	0.8%
6	I had a bad burn	36	1.1%
7	I was poisoned	21	0.6%
8	Something else happened to me	346	10.6%
Sysmiss		201	

### Q19: Serious injury motor vehicle

Data file: OMN2015\_Public\_Use

## Overview

Valid: 3150 Invalid: 318  
 Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2160	68.6%
2	Motor vehicle accident	88	2.8%
3	I fell	307	9.7%
4	Something fell on me or hit me	154	4.9%
5	I was attacked	71	2.3%
6	Was in a fire	32	1%
7	breathed something bad	16	0.5%
8	Something else	322	10.2%
Sysmiss		318	

## Q20: Bullied

Data file: OMN2015\_Public\_Use

## Overview

Valid: 3327 Invalid: 141  
 Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	1874	56.3%

2	1 or 2 days	866	26%
3	3 to 5 days	281	8.4%
4	6 to 9 days	116	3.5%
5	10 to 19 days	73	2.2%
6	20 to 29 days	46	1.4%
7	All 30 days	71	2.1%
Sysmiss		141	

## Q21: Bullied by hitting

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3323 Invalid: 145

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	2109	63.5%
2	Kicked, pushed, or shoved	122	3.7%
3	Made fun of race	86	2.6%
4	Made fun because of religion	23	0.7%
5	Made fun of about sex	419	12.6%
6	Left out of activities	38	1.1%
7	Made fun of about body	121	3.6%
8	Some other way	405	12.2%
Sysmiss		145	

## Q22: Felt lonely

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3356 Invalid: 112

Type: Discrete    Decimal: 0    Range: 1 - 5    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

### CATEGORIES

Value	Category	Cases	
1	Never	1217	36.3%
2	Rarely	877	26.1%
3	Sometimes	732	21.8%
4	Most of the time	342	10.2%
5	Always	188	5.6%
Sysmiss		112	

## Q23: Could not sleep

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3425    Invalid: 43

Type: Discrete    Decimal: 0    Range: 1 - 5    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

### CATEGORIES

Value	Category	Cases	
1	Never	952	27.8%
2	Rarely	948	27.7%
3	Sometimes	883	25.8%
4	Most of the time	424	12.4%
5	Always	218	6.4%
Sysmiss		43	

**Q24: Considered suicide****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3332 Invalid: 136  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

## LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

## CATEGORIES

Value	Category	Cases	
1	Yes	732	22%
2	No	2600	78%
Sysmiss		136	

**Q27: Close friends****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3392 Invalid: 76  
 Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

## LITERAL QUESTION

How many close friends do you have?

## CATEGORIES

Value	Category	Cases	
1	0	258	7.6%
2	1	362	10.7%
3	2	430	12.7%
4	3 or more	2342	69%
Sysmiss		76	

**Q28: Initiation of cigarette use****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3340 Invalid: 128

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

How old were you when you first tried a cigarette?

## CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2927	87.6%
2	7 years old or younger	98	2.9%
3	8 or 9 years old	50	1.5%
4	10 or 11 years old	84	2.5%
5	12 or 13 years old	66	2%
6	14 or 15 years old	73	2.2%
7	16 or 17 years old	32	1%
8	18 years old or older	10	0.3%
Sysmiss		128	

**Q29: Current cigarette use****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3405 Invalid: 63

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

## CATEGORIES

Value	Category	Cases	
1	0 days	3180	93.4%
2	1 or 2 days	72	2.1%

3	3 to 5 days	39	1.1%
4	6 to 9 days	36	1.1%
5	10 to 19 days	24	0.7%
6	20 to 29 days	19	0.6%
7	All 30 days	35	1%
Sysmiss		63	

### Q30: Other tobacco use

Data file: OMN2015\_Public\_Use

#### Overview

Valid: 3427 Invalid: 41

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

##### CATEGORIES

Value	Category	Cases	
1	0 days	3217	93.9%
2	1 or 2 days	75	2.2%
3	3 to 5 days	47	1.4%
4	6 to 9 days	31	0.9%
5	10 to 19 days	22	0.6%
6	20 to 29 days	11	0.3%
7	All 30 days	24	0.7%
Sysmiss		41	

### Q31: Smoking cessation

Data file: OMN2015\_Public\_Use

#### Overview

Valid: 3373 Invalid: 95

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	3135	92.9%
2	Did not smoke cigarettes	71	2.1%
3	Yes	102	3%
4	No	65	1.9%
Sysmiss		95	

## Q32: Smoking in their presence

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3435 Invalid: 33

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

### CATEGORIES

Value	Category	Cases	
1	0 days	2551	74.3%
2	1 or 2 days	469	13.7%
3	3 or 4 days	155	4.5%
4	5 or 6 days	84	2.4%
5	All 7 days	176	5.1%
Sysmiss		33	

## Q33: Parental tobacco use

Data file: OMN2015\_Public\_Use

## Overview

Valid: 3422 Invalid: 46  
 Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

### CATEGORIES

Value	Category	Cases	
1	Neither	2914	85.2%
2	My father or male guardian	280	8.2%
3	My mother or female guardian	30	0.9%
4	Both	35	1%
5	I do not know	163	4.8%
Sysmiss		46	

## Q40: Initiation of drug use

Data file: OMN2015\_Public\_Use

## Overview

Valid: 3273 Invalid: 195  
 Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

How old were you when you first used drugs?

### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	3056	93.4%
2	7 years old or younger	60	1.8%
3	8 or 9 years old	30	0.9%
4	10 or 11 years old	38	1.2%
5	12 or 13 years old	33	1%
6	14 or 15 years old	29	0.9%

7	16 or 17 years old	19	0.6%
8	18 years old or older	8	0.2%
Sysmiss		195	

### Q41: Ever marijuana use

Data file: OMN2015\_Public\_Use

#### Overview

Valid: 3370 Invalid: 98

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

##### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

##### CATEGORIES

Value	Category	Cases	
1	0 times	3275	97.2%
2	1 or 2 times	30	0.9%
3	3 to 9 times	28	0.8%
4	10 to 19 times	18	0.5%
5	20 or more times	19	0.6%
Sysmiss		98	

### Q42: Current marijuana use

Data file: OMN2015\_Public\_Use

#### Overview

Valid: 3352 Invalid: 116

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

##### LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

## CATEGORIES

Value	Category	Cases	
1	0 times	3261	97.3%
2	1 or 2 times	35	1%
3	3 to 9 times	22	0.7%
4	10 to 19 times	17	0.5%
5	20 or more times	17	0.5%
Sysmiss		116	

**Q43: Amphetamine or methamphetamine use**

Data file: OMN2015\_Public\_Use

**Overview**

Valid: 3326 Invalid: 142

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

## LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

## CATEGORIES

Value	Category	Cases	
1	0 times	3246	97.6%
2	1 or 2 times	29	0.9%
3	3 to 9 times	23	0.7%
4	10 to 19 times	15	0.5%
5	20 or more times	13	0.4%
Sysmiss		142	

**Q49: Physical activity >= 5 days**

Data file: OMN2015\_Public\_Use

**Overview**

Valid: 3407 Invalid: 61

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

### CATEGORIES

Value	Category	Cases	
1	0 days	956	28.1%
2	1 day	746	21.9%
3	2 days	512	15%
4	3 days	345	10.1%
5	4 days	322	9.5%
6	5 days	90	2.6%
7	6 days	44	1.3%
8	7 days	392	11.5%
Sysmiss		61	

## Q50: Walk or bike to school

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3400 Invalid: 68

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

### CATEGORIES

Value	Category	Cases	
1	0 days	2415	71%
2	1 day	277	8.1%
3	2 days	157	4.6%
4	3 days	85	2.5%

5	4 days	63	1.9%
6	5 days	103	3%
7	6 days	20	0.6%
8	7 days	280	8.2%
Sysmiss		68	

## Q51: PE attendance

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3400 Invalid: 68

Type: Discrete Decimal: 0 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

#### CATEGORIES

Value	Category	Cases	
1	0 days	765	22.5%
2	1 day	772	22.7%
3	2 days	182	5.4%
4	3 days	147	4.3%
5	4 days	389	11.4%
6	5 or more days	1145	33.7%
Sysmiss		68	

## Q52: Sitting activities

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3421 Invalid: 47

Type: Discrete Decimal: 0 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

## LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	959	28%
2	1 to 2 hours per day	1102	32.2%
3	3 to 4 hours per day	648	18.9%
4	5 to 6 hours per day	290	8.5%
5	7 to 8 hours per day	140	4.1%
6	More than 8 hours per day	282	8.2%
Sysmiss		47	

### Q53: Miss school no permission

Data file: OMN2015\_Public\_Use

#### Overview

Valid: 3375 Invalid: 93

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

## CATEGORIES

Value	Category	Cases	
1	0 days	2086	61.8%
2	1 or 2 days	904	26.8%
3	3 to 5 days	240	7.1%
4	6 to 9 days	65	1.9%
5	10 or more days	80	2.4%
Sysmiss		93	

### Q54: Other students kind and helpful

Data file: OMN2015\_Public\_Use

#### Overview

Valid: 3389 Invalid: 79

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

### CATEGORIES

Value	Category	Cases	
1	Never	397	11.7%
2	Rarely	378	11.2%
3	Sometimes	639	18.9%
4	Most of the time	698	20.6%
5	Always	1277	37.7%
Sysmiss		79	

## Q55: Parents check homework

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3372 Invalid: 96

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

### CATEGORIES

Value	Category	Cases	
1	Never	636	18.9%
2	Rarely	482	14.3%
3	Sometimes	593	17.6%
4	Most of the time	501	14.9%
5	Always	1160	34.4%
Sysmiss		96	

## Q56: Parents understand problems

Data file: OMN2015\_Public\_Use

**Overview**

Valid: 3353 Invalid: 115

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

## CATEGORIES

Value	Category	Cases	
1	Never	814	24.3%
2	Rarely	534	15.9%
3	Sometimes	649	19.4%
4	Most of the time	492	14.7%
5	Always	864	25.8%
Sysmiss		115	

**Q57: Parents know about free time**

Data file: OMN2015\_Public\_Use

**Overview**

Valid: 3398 Invalid: 70

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

## CATEGORIES

Value	Category	Cases	
1	Never	655	19.3%
2	Rarely	571	16.8%
3	Sometimes	737	21.7%
4	Most of the time	575	16.9%
5	Always	860	25.3%
Sysmiss		70	

**Q58: Parents go through their things****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3407 Invalid: 61 Mean: 1.543 Standard deviation: 1.009  
 Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

## CATEGORIES

Value	Category	Cases	
1		2416	70.9%
2		480	14.1%
3		271	8%
4		133	3.9%
5		107	3.1%
Sysmiss		61	

**QN6: Most of the time or always went hungry****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3445 Invalid: 23 Mean: 1.952 Standard deviation: 0.214  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	166	4.8%
2	No	3279	95.2%
Sysmiss		23	

**QN7: Did not eat fruit****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3387 Invalid: 81 Mean: 1.946 Standard deviation: 0.226  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	182	5.4%
2	No	3205	94.6%
Sysmiss		81	

**QN8: Did not eat vegetables****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3453 Invalid: 15 Mean: 1.922 Standard deviation: 0.269  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	271	7.8%
2	No	3182	92.2%
Sysmiss		15	

**QN9: Did not drink carbonated soft drinks****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3430 Invalid: 38 Mean: 1.797 Standard deviation: 0.402  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	696	20.3%
2	No	2734	79.7%
Sysmiss		38	

---

## QN10: Did not eat food from a fast food restaurant

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3449 Invalid: 19 Mean: 1.715 Standard deviation: 0.451  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	982	28.5%
2	No	2467	71.5%
Sysmiss		19	

---

## QN11: Usually cleaned or brushed their teeth

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3452 Invalid: 16 Mean: 1.136 Standard deviation: 0.342  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	2984	86.4%
2	No	468	13.6%
Sysmiss		16	

## QN12: Never or rarely washed their hands before eating

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3358 Invalid: 110 Mean: 1.921 Standard deviation: 0.269  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

#### CATEGORIES

Value	Category	Cases	
1	Yes	264	7.9%
2	No	3094	92.1%
Sysmiss		110	

## QN13: Never or rarely washed their hands after using the toilet or latrine

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3345 Invalid: 123 Mean: 1.909 Standard deviation: 0.288  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

#### CATEGORIES

Value	Category	Cases	
1	Yes	305	9.1%
2	No	3040	90.9%
Sysmiss		123	

**QN14: Never or rarely used soap when washing their hands****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3396 Invalid: 72 Mean: 1.925 Standard deviation: 0.264  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	255	7.5%
2	No	3141	92.5%
Sysmiss		72	

**QN15: Were physically attacked****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3445 Invalid: 23 Mean: 1.72 Standard deviation: 0.449  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	965	28%
2	No	2480	72%
Sysmiss		23	

**QN16: Were in a physical fight****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3425 Invalid: 43 Mean: 1.559 Standard deviation: 0.497  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	1510	44.1%
2	No	1915	55.9%
Sysmiss		43	

## QN17: Were seriously injured

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3124 Invalid: 344 Mean: 1.627 Standard deviation: 0.484  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	1164	37.3%
2	No	1960	62.7%
Sysmiss		344	

## QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: OMN2015\_Public\_Use

### Overview

Valid: 1002 Invalid: 2466 Mean: 1.687 Standard deviation: 0.464  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	314	31.3%
2	No	688	68.7%
Sysmiss		2466	

### QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: OMN2015\_Public\_Use

#### Overview

Valid: 990 Invalid: 2478 Mean: 1.911 Standard deviation: 0.285  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	88	8.9%
2	No	902	91.1%
Sysmiss		2478	

### QN20: Were bullied

Data file: OMN2015\_Public\_Use

#### Overview

Valid: 3327 Invalid: 141 Mean: 1.563 Standard deviation: 0.496  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	1453	43.7%
2	No	1874	56.3%
Sysmiss		141	

**QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors****Data file:** OMN2015\_Public\_Use**Overview**

Valid: 1214 Invalid: 2254 Mean: 1.9 Standard deviation: 0.301  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )

## CATEGORIES

Value	Category	Cases	
1	Yes	122	10%
2	No	1092	90%
Sysmiss		2254	

**QN22: Most of the time or always felt lonely****Data file:** OMN2015\_Public\_Use**Overview**

Valid: 3356 Invalid: 112 Mean: 1.842 Standard deviation: 0.365  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	530	15.8%
2	No	2826	84.2%
Sysmiss		112	

**QN23: Most of the time or always were so worried about something that they could not sleep at night****Data file:** OMN2015\_Public\_Use**Overview**

Valid: 3425 Invalid: 43 Mean: 1.813 Standard deviation: 0.39  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	642	18.7%
2	No	2783	81.3%
Sysmiss		43	

## QN24: Seriously considered attempting suicide

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3332 Invalid: 136 Mean: 1.78 Standard deviation: 0.414  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	732	22%
2	No	2600	78%
Sysmiss		136	

## QN27: Did not have any close friends

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3392 Invalid: 76 Mean: 1.924 Standard deviation: 0.265  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not have any close friends

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	258	7.6%
2	No	3134	92.4%
Sysmiss		76	

### QN28: Tried a cigarette before age 14 years

Data file: OMN2015\_Public\_Use

#### Overview

Valid: 413 Invalid: 3055 Mean: 1.278 Standard deviation: 0.449  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

##### CATEGORIES

Value	Category	Cases	
1	Yes	298	72.2%
2	No	115	27.8%
Sysmiss		3055	

### QN29: Currently smoked cigarettes

Data file: OMN2015\_Public\_Use

#### Overview

Valid: 3405 Invalid: 63 Mean: 1.934 Standard deviation: 0.248  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	225	6.6%
2	No	3180	93.4%
Sysmiss		63	

**QN30: Currently used any tobacco products other than cigarettes****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3427 Invalid: 41 Mean: 1.939 Standard deviation: 0.24  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	210	6.1%
2	No	3217	93.9%
Sysmiss		41	

**QN31: Tried to quit smoking cigarettes****Data file: OMN2015\_Public\_Use****Overview**

Valid: 167 Invalid: 3301 Mean: 1.389 Standard deviation: 0.489  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	102	61.1%
2	No	65	38.9%
Sysmiss		3301	

**QN32: Reported that people smoked in their presence****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3435 Invalid: 33 Mean: 1.743 Standard deviation: 0.437  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	884	25.7%
2	No	2551	74.3%
Sysmiss		33	

---

## QN33: Had parents or guardians who used any form of tobacco

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3422 Invalid: 46 Mean: 1.899 Standard deviation: 0.301  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	345	10.1%
2	No	3077	89.9%
Sysmiss		46	

---

## QN40: Used drugs before age 14 years

Data file: OMN2015\_Public\_Use

### Overview

Valid: 217 Invalid: 3251 Mean: 1.258 Standard deviation: 0.439  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	161	74.2%
2	No	56	25.8%
Sysmiss		3251	

### QN41: Ever used marijuana

Data file: OMN2015\_Public\_Use

#### Overview

Valid: 3370 Invalid: 98 Mean: 1.972 Standard deviation: 0.166  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ever used marijuana (one or more times during their life)

##### CATEGORIES

Value	Category	Cases	
1	Yes	95	2.8%
2	No	3275	97.2%
Sysmiss		98	

### QN42: Currently used marijuana

Data file: OMN2015\_Public\_Use

#### Overview

Valid: 3352 Invalid: 116 Mean: 1.973 Standard deviation: 0.163  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	91	2.7%
2	No	3261	97.3%
Sysmiss		116	

**QN43: Ever used amphetamines or methamphetamines****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3326 Invalid: 142 Mean: 1.976 Standard deviation: 0.153  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

## CATEGORIES

Value	Category	Cases	
1	Yes	80	2.4%
2	No	3246	97.6%
Sysmiss		142	

**QN49: Were not physically active****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3407 Invalid: 61 Mean: 1.719 Standard deviation: 0.449  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	956	28.1%
2	No	2451	71.9%
Sysmiss		61	

**QN50: Did not walk or ride a bicycle to or from school****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3400 Invalid: 68 Mean: 1.29 Standard deviation: 0.454  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	2415	71%
2	No	985	29%
Sysmiss		68	

---

## QN51: Did not attend physical education classes

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3400 Invalid: 68 Mean: 1.775 Standard deviation: 0.418  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

### CATEGORIES

Value	Category	Cases	
1	Yes	765	22.5%
2	No	2635	77.5%
Sysmiss		68	

---

## QN52: Spent three or more hours per day doing sitting activities

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3421 Invalid: 47 Mean: 1.602 Standard deviation: 0.489  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1360	39.8%
2	No	2061	60.2%
Sysmiss		47	

### QN53: Missed classes or school without permission

Data file: OMN2015\_Public\_Use

#### Overview

Valid: 3375 Invalid: 93 Mean: 1.618 Standard deviation: 0.486  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	1289	38.2%
2	No	2086	61.8%
Sysmiss		93	

### QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: OMN2015\_Public\_Use

#### Overview

Valid: 3389 Invalid: 79 Mean: 1.417 Standard deviation: 0.493  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	1975	58.3%
2	No	1414	41.7%
Sysmiss		79	

**QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3372 Invalid: 96 Mean: 1.507 Standard deviation: 0.5  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	1661	49.3%
2	No	1711	50.7%
Sysmiss		96	

**QN56: Reported that their parents or guardians most of the time or always understood their problems and worries****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3353 Invalid: 115 Mean: 1.596 Standard deviation: 0.491  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	1356	40.4%
2	No	1997	59.6%
Sysmiss		115	

**QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time****Data file: OMN2015\_Public\_Use**

## Overview

Valid: 3398 Invalid: 70 Mean: 1.578 Standard deviation: 0.494  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	1435	42.2%
2	No	1963	57.8%
Sysmiss		70	

## QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: OMN2015\_Public\_Use

## Overview

Valid: 3407 Invalid: 61 Mean: 1.15 Standard deviation: 0.357  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	2896	85%
2	No	511	15%
Sysmiss		61	

## QNUNWTG: Were underweight

Data file: OMN2015\_Public\_Use

## Overview

Valid: 3161 Invalid: 307 Mean: 1.934 Standard deviation: 0.249  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

#### CATEGORIES

Value	Category	Cases	
1	Yes	210	6.6%
2	No	2951	93.4%
Sysmiss		307	

## QNOWTG: Were overweight

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3161 Invalid: 307 Mean: 1.703 Standard deviation: 0.457  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

#### CATEGORIES

Value	Category	Cases	
1	Yes	940	29.7%
2	No	2221	70.3%
Sysmiss		307	

## QNOBESEG: Were obese

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3161 Invalid: 307 Mean: 1.868 Standard deviation: 0.338  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	416	13.2%
2	No	2745	86.8%
Sysmiss		307	

### QNFR1G: Usually ate fruit less than one time per day

Data file: OMN2015\_Public\_Use

#### Overview

Valid: 3387 Invalid: 81 Mean: 1.658 Standard deviation: 0.475  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	1160	34.2%
2	No	2227	65.8%
Sysmiss		81	

### QNFR1G: Usually ate fruit one or more times per day

Data file: OMN2015\_Public\_Use

#### Overview

Valid: 3387 Invalid: 81 Mean: 1.396 Standard deviation: 0.489  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	2045	60.4%
2	No	1342	39.6%
Sysmiss		81	

**QNFR2G: Usually ate fruit two or more times per day****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3387 Invalid: 81 Mean: 1.63 Standard deviation: 0.483

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	1253	37%
2	No	2134	63%
Sysmiss		81	

**QNFR3G: Usually ate fruit three or more times per day****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3387 Invalid: 81 Mean: 1.792 Standard deviation: 0.406

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	703	20.8%
2	No	2684	79.2%
Sysmiss		81	

**QNVEGLG: Usually ate vegetables less than one time per day****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3453 Invalid: 15 Mean: 1.717 Standard deviation: 0.45

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	977	28.3%
2	No	2476	71.7%
Sysmiss		15	

---

## QNVEG1G: Usually ate vegetables one or more times per day

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3453 Invalid: 15 Mean: 1.361 Standard deviation: 0.48  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	2205	63.9%
2	No	1248	36.1%
Sysmiss		15	

---

## QNVEG2G: Usually ate vegetables two or more times per day

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3453 Invalid: 15 Mean: 1.68 Standard deviation: 0.467  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1105	32%
2	No	2348	68%
Sysmiss		15	

### QNVEG3G: Usually ate vegetables three or more times per day

Data file: OMN2015\_Public\_Use

#### Overview

Valid: 3453 Invalid: 15 Mean: 1.831 Standard deviation: 0.375  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	584	16.9%
2	No	2869	83.1%
Sysmiss		15	

### QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: OMN2015\_Public\_Use

#### Overview

Valid: 3430 Invalid: 38 Mean: 1.634 Standard deviation: 0.482  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	1254	36.6%
2	No	2176	63.4%
Sysmiss		38	

**QNSODA1G: Usually drank carbonated soft drinks one or more times per day****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3430 Invalid: 38 Mean: 1.569 Standard deviation: 0.495  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	1480	43.1%
2	No	1950	56.9%
Sysmiss		38	

**QNSODA2G: Usually drank carbonated soft drinks two or more times per day****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3430 Invalid: 38 Mean: 1.767 Standard deviation: 0.423  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	799	23.3%
2	No	2631	76.7%
Sysmiss		38	

**QNSODA3G: Usually drank carbonated soft drinks three or more times per day****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3430 Invalid: 38 Mean: 1.868 Standard deviation: 0.338  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	452	13.2%
2	No	2978	86.8%
Sysmiss		38	

---

## QNFF1G: Ate food from a fast food restaurant one or more days

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3449 Invalid: 19 Mean: 1.285 Standard deviation: 0.451  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	2467	71.5%
2	No	982	28.5%
Sysmiss		19	

---

## QNFF2G: Ate food from a fast food restaurant two or more days

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3449 Invalid: 19 Mean: 1.58 Standard deviation: 0.494  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1447	42%
2	No	2002	58%
Sysmiss		19	

### QNFF3G: Ate food from a fast food restaurant three or more days

Data file: OMN2015\_Public\_Use

#### Overview

Valid: 3449 Invalid: 19 Mean: 1.761 Standard deviation: 0.427  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	825	23.9%
2	No	2624	76.1%
Sysmiss		19	

### QNC2G: Were bullied and could not sleep at night

Data file: OMN2015\_Public\_Use

#### Overview

Valid: 621 Invalid: 2847 Mean: 1.388 Standard deviation: 0.488  
Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1	Yes	380	61.2%
2	No	241	38.8%
Sysmiss		2847	

**QNTOB2G: Currently used any tobacco product****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3427 Invalid: 41 Mean: 1.908 Standard deviation: 0.289  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	314	9.2%
2	No	3113	90.8%
Sysmiss		41	

**QNNOTB2G: Did not currently use any tobacco products****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3379 Invalid: 89 Mean: 1.079 Standard deviation: 0.269  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1	Yes	3113	92.1%
2	No	266	7.9%
Sysmiss		89	

**QNPA5G: Were physically active at least 60 minutes per day on 5 or more days****Data file: OMN2015\_Public\_Use****Overview**

Valid: 3407 Invalid: 61 Mean: 1.846 Standard deviation: 0.361  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1	Yes	526	15.4%
2	No	2881	84.6%
Sysmiss		61	

---

## QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3407 Invalid: 61 Mean: 1.885 Standard deviation: 0.319  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey )

### CATEGORIES

Value	Category	Cases	
1	Yes	392	11.5%
2	No	3015	88.5%
Sysmiss		61	

---

## QNPE3G: Attended physical education classes on three or more days

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3400 Invalid: 68 Mean: 1.506 Standard deviation: 0.5  
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

### CATEGORIES

Value	Category	Cases	
1	Yes	1681	49.4%
2	No	1719	50.6%
Sysmiss		68	

## QNPE5G: Attended physical education classes on five or more days

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3400 Invalid: 68 Mean: 1.663 Standard deviation: 0.473

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

#### CATEGORIES

Value	Category	Cases	
1	Yes	1145	33.7%
2	No	2255	66.3%
Sysmiss		68	

## WEIGHT: weight

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3468 Invalid: 0

Type: Discrete Decimal: 2 Range: 44.1125 - 113.3733 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
44.1125		28	0.8%
44.253		1	0%
45.4099		1	0%
45.5355		87	2.5%
45.5546		1	0%
45.6092		92	2.7%
45.7545		1	0%

47.1712		73	2.1%
47.2381		1	0%
47.3801		25	0.7%
47.5058		23	0.7%
47.7811		21	0.6%
48.6168		6	0.2%
48.6453		32	0.9%
48.7008		1	0%
48.763		1	0%
48.7717		125	3.6%
48.9877		1	0%
49.274		3	0.1%
49.4772		5	0.1%
49.7555		21	0.6%
49.7739		2	0.1%
49.9673		1	0%
50.0901		1	0%
50.2145		29	0.8%
50.4287		77	2.2%
51.0752		30	0.9%
51.1635		5	0.1%
51.1982		2	0.1%
51.2164		1	0%
51.2993		44	1.3%
51.4535		26	0.7%
51.4627		1	0%
51.5242		25	0.7%
51.5582		22	0.6%
51.6174		1	0%
51.7471		2	0.1%
51.7959		2	0.1%
51.9182		30	0.9%
51.9608		98	2.8%
51.9742		1	0%
52.051		26	0.7%
52.1248		54	1.6%
52.1397		32	0.9%
52.1676		29	0.8%
52.2964		24	0.7%

52.7399		2	0.1%
52.8539		32	0.9%
53.1315		27	0.8%
53.2912		1	0%
53.4166		1	0%
53.4325		1	0%
53.4667		3	0.1%
53.4891		30	0.9%
53.5532		3	0.1%
53.5852		25	0.7%
53.7238		43	1.2%
53.8853		2	0.1%
54.0018		1	0%
54.1259		24	0.7%
54.1354		1	0%
54.1731		6	0.2%
54.3122		23	0.7%
54.4054		26	0.7%
54.4175		28	0.8%
54.8681		38	1.1%
54.8936		1	0%
55.11		31	0.9%
55.1333		1	0%
55.2454		25	0.7%
55.3447		94	2.7%
55.3826		25	0.7%
55.4033		24	0.7%
55.5443		1	0%
55.5621		2	0.1%
55.5698		24	0.7%
55.6157		29	0.8%
55.6499		7	0.2%
55.7802		1	0%
55.9623		1	0%
56.3008		1	0%
56.3639		1	0%
56.382		1	0%
56.4977		8	0.2%
56.7161		1	0%

56.7453		1	0%
56.8322		31	0.9%
56.926		35	1%
57.0408		2	0.1%
57.1054		19	0.5%
57.13		59	1.7%
57.1899		1	0%
57.2225		23	0.7%
57.3844		57	1.6%
57.3945		26	0.7%
57.4142		11	0.3%
57.7378		2	0.1%
57.8564		48	1.4%
58.0615		20	0.6%
58.095		6	0.2%
58.4217		1	0%
58.4973		23	0.7%
58.6621		2	0.1%
58.699		1	0%
59.1616		28	0.8%
59.2496		22	0.6%
59.2662		27	0.8%
59.4338		26	0.7%
60.1157		3	0.1%
60.508		4	0.1%
60.5384		1	0%
60.6417		25	0.7%
61.193		1	0%
61.4394		1	0%
62.0199		18	0.5%
62.3196		25	0.7%
62.4038		17	0.5%
62.4246		22	0.6%
62.8357		1	0%
62.9785		1	0%
64.2051		3	0.1%
64.3033		2	0.1%
64.3804		67	1.9%
64.5855		5	0.1%

65.0289		2	0.1%
66.3314		1	0%
66.4336		5	0.1%
66.7741		2	0.1%
66.8802		1	0%
66.9557		23	0.7%
67.7528		4	0.1%
68.1675		33	1%
69.1864		1	0%
69.3328		26	0.7%
69.5536		1	0%
69.587		25	0.7%
69.8086		2	0.1%
69.8988		32	0.9%
70.4161		32	0.9%
70.8145		1	0%
70.9391		31	0.9%
71.2629		4	0.1%
71.5752		34	1%
71.6337		35	1%
71.7383		4	0.1%
71.8318		1	0%
71.948		54	1.6%
72.0605		3	0.1%
72.1772		1	0%
72.2697		5	0.1%
72.3941		1	0%
73.0256		1	0%
73.1131		3	0.1%
73.156		32	0.9%
73.2275		31	0.9%
73.346		87	2.5%
74.3893		18	0.5%
75.2385		1	0%
75.5158		1	0%
75.6109		28	0.8%
75.8315		27	0.8%
76.0303		2	0.1%
76.0377		2	0.1%

76.2798		25	0.7%
76.3085		1	0%
76.3212		29	0.8%
76.7969		3	0.1%
76.943		1	0%
77.4139		1	0%
77.4825		1	0%
77.5897		1	0%
77.7093		1	0%
77.8351		49	1.4%
77.9695		27	0.8%
78.0048		4	0.1%
78.083		1	0%
78.1763		1	0%
78.659		14	0.4%
79.38		3	0.1%
79.6937		1	0%
79.9972		35	1%
80.0585		25	0.7%
80.1115		14	0.4%
80.1707		1	0%
80.1937		32	0.9%
80.3929		1	0%
81.469		3	0.1%
81.9122		6	0.2%
82.0725		5	0.1%
82.4735		27	0.8%
82.5524		32	0.9%
83.3331		3	0.1%
83.5812		2	0.1%
83.6006		26	0.7%
83.6454		26	0.7%
83.9394		18	0.5%
84.0619		1	0%
86.3432		5	0.1%
86.7306		2	0.1%
87.8434		2	0.1%
90.2054		26	0.7%
90.4197		1	0%

90.9179		1	0%
91.9196		8	0.2%
92.01		1	0%
92.9559		1	0%
93.7755		3	0.1%
93.8303		1	0%
94.1011		1	0%
94.514		1	0%
94.9184		15	0.4%
95.3498		1	0%
96.7897		1	0%
97.5863		1	0%
106.4955		3	0.1%
113.3733		1	0%

## STRATUM: stratum

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3468 Invalid: 0  
 Type: Discrete Decimal: 0 Range: 201501001 - 201501031 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
201501001		120	3.5%
201501002		126	3.6%
201501003		137	4%
201501004		168	4.8%
201501005		122	3.5%
201501006		112	3.2%
201501007		134	3.9%
201501008		142	4.1%
201501009		113	3.3%
201501010		121	3.5%
201501011		187	5.4%
201501012		92	2.7%
201501013		95	2.7%

201501014		124	3.6%
201501015		159	4.6%
201501016		90	2.6%
201501017		129	3.7%
201501018		151	4.4%
201501019		109	3.1%
201501020		67	1.9%
201501021		117	3.4%
201501022		89	2.6%
201501023		107	3.1%
201501024		96	2.8%
201501025		78	2.2%
201501026		112	3.2%
201501027		113	3.3%
201501028		69	2%
201501029		57	1.6%
201501030		80	2.3%
201501031		52	1.5%

## PSU: psu

Data file: OMN2015\_Public\_Use

### Overview

Valid: 3468 Invalid: 0  
 Type: Discrete Decimal: 0 Range: 1 - 62 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1		62	1.8%
2		58	1.7%
3		65	1.9%
4		61	1.8%
5		53	1.5%
6		84	2.4%
7		86	2.5%
8		82	2.4%
9		60	1.7%

10		62	1.8%
11		58	1.7%
12		54	1.6%
13		61	1.8%
14		73	2.1%
15		80	2.3%
16		62	1.8%
17		55	1.6%
18		58	1.7%
19		90	2.6%
20		31	0.9%
21		121	3.5%
22		66	1.9%
23		28	0.8%
24		64	1.8%
25		67	1.9%
26		28	0.8%
27		47	1.4%
28		77	2.2%
29		101	2.9%
30		58	1.7%
31		30	0.9%
32		60	1.7%
33		58	1.7%
34		71	2%
35		67	1.9%
36		84	2.4%
37		46	1.3%
38		63	1.8%
39		17	0.5%
40		50	1.4%
41		48	1.4%
42		69	2%
43		49	1.4%
44		40	1.2%
45		26	0.7%
46		81	2.3%
47		63	1.8%
48		33	1%

49		62	1.8%
50		16	0.5%
51		64	1.8%
52		48	1.4%
53		54	1.6%
54		59	1.7%
55		15	0.4%
56		54	1.6%
57		40	1.2%
58		17	0.5%
59		54	1.6%
60		26	0.7%
61		15	0.4%
62		37	1.1%

# study\_resources

## questionnaires

### Questionnaire

---

title Questionnaire  
filename 2015\_Oman\_GSHS\_Questionnaire.pdf

---

## reports

### Fact Sheet

---

title Fact Sheet  
filename 2015\_Oman\_GSHS\_Fact\_Sheet.pdf

---

### Report

---

title Report  
filename Oman\_GSHS\_report.pdf

---

## technical\_documents

### Codebook

---

title Codebook  
filename OMN2015\_public\_use\_codebook.pdf

---