

# Global Youth Tobacco Survey 2013

**Prevention Unit, Ministry of Health**

report\_generated\_on: April 22, 2024

visit\_data\_catalog\_at: <http://catalog.ihsn.org/>

## Identification

### SURVEY ID NUMBER

PLW\_2013\_GYTS\_v01\_M

### TITLE

Global Youth Tobacco Survey 2013

### COUNTRY

Name	Country code
Palau	PLW

### STUDY TYPE

Other Household Survey [hh/oth]

### SERIES INFORMATION

This is the fourth GYTS conducted by Palau.

### ABSTRACT

The GYTS is a school-based survey which uses a self-administered questionnaire to monitor tobacco use among youth and to guide the implementation and evaluation of tobacco prevention and control programmes.

### KIND OF DATA

Sample survey data [ssd]

### UNIT OF ANALYSIS

Individuals

## Version

### VERSION DESCRIPTION

Public-use dataset

## Scope

### NOTES

GYTS is composed of 56 "core" questions designed to gather data on the following seven domains:

1. Knowledge and attitudes of young people towards cigarette smoking
2. Prevalence of cigarette smoking and other tobacco use among young people
3. Role of the media and advertising in young people's use of cigarettes
4. Access to cigarettes
5. Tobacco-related school curriculum
6. Environmental tobacco smoke (ETS)
7. Cessation of cigarette smoking

Countries may add additional optional questions, such as on shisha use, smokeless tobacco use or e-cigarettes, or country-specific questions.

### TOPICS

Topic	Vocabulary
Global Youth Tobacco Survey (GYTS)	Survey

### KEYWORDS

Keyword
adolescents

noncommunicable diseases
risk factors
health surveys
tobacco

## Coverage

### GEOGRAPHIC COVERAGE

National

### UNIVERSE

School-going adolescents aged 13-15 years.

## Producers and sponsors

### PRIMARY INVESTIGATORS

Name
Prevention Unit, Ministry of Health

### FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

## Sampling

### SAMPLING PROCEDURE

GYTS uses a global standardized methodology that includes a two-stage sample design with schools selected with a probability proportional to enrollment size. The classes within selected schools are chosen randomly and all students in selected classes are eligible to participate in the survey.

A total of 1,574 eligible students in grades 6-12 completed the survey, of which 649 were aged 13-15 years

### WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3*f4$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting the school

W2 - The inverse of the probability of selecting the class within the school

f1 - a school-level nonresponse adjustment factor calculated by school size category (small, medium, large)

f2 - a class adjustment factor calculated by school

f3 - a student-level nonresponse adjustment factor calculated by class

f4 - a post stratification adjustment factor calculated by gender and grade

## data\_collection

### DATES OF DATA COLLECTION

Start	End
-------	-----

2013

2013

DATA COLLECTION MODE  
self-administered

## data\_processing

### DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

## Access policy

### CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	<a href="#">Link</a>

### ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

### CITATION REQUIREMENTS

Publications based on GYTS data should use the following acknowledgement:

"This paper uses data from the Global Youth Tobacco Survey (GYTS). GYTS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

## Disclaimer and copyrights

### DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

## Metadata production

### DDI DOCUMENT ID

DDI\_PLW\_2013\_GYTS\_v01\_M

### PRODUCERS

Name	Abbreviation	Affiliation	Role
Yue Wu		World Health Organization	Documentation of data
Melanie Cowan		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

### DATE OF METADATA PRODUCTION

2020-06-06

### DDI DOCUMENT VERSION

Identical to a metadata (PLW\_2013\_GYTS\_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

**data\_dictionary**

<b>Data file</b>	<b>Cases</b>	<b>variables</b>
<b>PALAU_13</b> National public-use dataset	1574	71



**Data file: PALAU\_13**

National public-use dataset

Cases: 1574

variables: 71

**variables**

ID	Name	Label	Question
V1	FinalWgt	finalwgt	
V2	PWR1	Custom age	
V3	CR2	Sex	Are you a boy or a girl?
V4	PWR3	Grade/form	In what grade/form are you?
V5	PWR4	Ethnicity	During an average week, how much money do you have that you can spend on yourself, however you want?
V6	PWR5	Tried betel nut	
V7	PWR6	Age chew betel nut first time	
V8	PWR7	Age added tobacco to betel nut chew	
V9	PWR8	Days chew betel nut	
V10	PWR9	Usually add tobacco to betel nut chew past 30 days	
V11	PWR10	Number of betel nut with tobacco per day	
V12	PWR11	Days chew betel nut on school property	
V13	PWR12	Four closest friends chew betel nut with tobacco	
V14	PWR13	Best friends offered betel nut with tobacco	
V15	PWR14	Time before needing a chew with tobacco	
V16	PWR15	Feel like betel nut chew with tobacco first thing in morning	
V17	PWR16	Chew betel nut with tobacco in next year	
V18	PWR17	Try to stop betel nut chew with tobacco	
V19	PWR18	Able to stop chewing betel nut with tobacco if wanted to	
V20	PWR19	Want to stop adding tobacco to betel nut chew	
V21	PWR20	Interested in joining program to quit chewing betel nut with tobacco	
V22	PWR21	Parents or guardians discussed dangers of chewing betel nut with tobacco	
V23	PWR22	Think betel nut with tobacco make young people look cool	
V24	PWR23	Harmful young people chew betel nut with tobacco	
V25	PWR24	Safe to chew betel nut with tobacco for year or two	
V26	PWR25	Chewing betel nut with tobacco less harmful	
V27	PWR26	People addicted to chewing betel nut with tobacco	
V28	CR5	Tried smoking	Have you ever tried or experimented with cigarette smoking, even one or two puffs?
V29	CR6	Age first cigarette	How old were you when you first tried a cigarette?
V30	CR7	Smoked past 30 days	During the past 30 days (one month), on how many days did you smoke cigarettes?



ID	Name	Label	Question
V31	CR8	Cigarettes per day	How many cigarettes did you usually smoke in the past month during one day?
V32	PWR31	Days smoked cigarettes on school property	
V33	PWR32	Length of time before needing a cigarette	
V34	PWR33	Think smoke during next year	
V35	PWR34	Four closest friends smoke	
V36	PWR35	Best friends offered a cigarette	
V37	PWR36	Able to quit smoking	
V38	CR15	Want to stop smoking	Do you want to stop smoking now?
V39	PWR38	Interested to join program to quit smoking	On average, how much do you think a pack of 20 cigarettes costs?
V40	PWR39	Parents or guardians discussed dangers of smoking cigarettes	
V41	PWR40	People addicted to smoking cigarettes	
V42	PWR41	Smoking cigarettes make young people look cool or fit in	
V43	PWR42	Young people harming themselves with 1-5 cigarettes per day	
V44	PWR43	Safe to smoke for a year or two	
V45	PWR44	Anyone live with chew betel nut with tobacco	
V46	PWR45	Days people chew betel nut with tobacco in home	
V47	PWR46	Anyone live with smoke	
V48	CR19	Days people smoke in home	During the past 7 days, on how many days has anyone smoked inside your home, in your presence?
V49	PWR48	Days people smoke in car	
V50	PWR49	Days people smoke outside home	
V51	PWR50	Banning smoking in public places	
V52	PWR51	Smoke from others harmful	
V53	PWR52	Which seen or heard the most	
V54	PWR53	Where seen or heard most smoking prevention advertisements	
V55	CR37	Tobacco brand logo	Do you have something (for example, t-shirt, pen, backpack) with a tobacco product brand logo on it?
V56	PWR55	Use product with tobacco brand logo	
V57	PWR56	Obtain cigarettes past 30 days	
V58	PWR57	Obtain tobacco for chewing with betel nut past 30 days	
V59	PWR58	Anyone over 19 asked you to purchase tobacco	
V60	PWR59	Asked to show proof of age during purchase	
V61	CR27	Refuse to sell cigarettes due to age	During the past month, when you entered a shop to buy tobacco products, did the salesman refuse to sell them to you because of your age?
V62	PWR61	Refuse to sell smokeless tobacco due to age	
V63	PWR62	Obtain betel nut past 30 days	
V64	CR14	Use smokeless tobacco past 30 days	During the past 30 days, did you use any form of smokeless tobacco products ,such as snuff, hewing tobacco, dipping tobacco, etc.?
V65	SLR2	Days use smokeless tobacco	

ID	Name	Label	Question
V66	CR10	Used other smoked tobacco past month other than cigarettes	During the past 30 days, did you use any form of smoked tobacco products other than cigarettes (such as cigars, cigarillos, pipe, waterpipes/hookah/shisha/narguileh)?
V67	PWR66	Tried cigars, cigarillos, or little cigars	
V68	PWR67	Tried smoking tobacco in a pipe	
V69	PWR68	Tried smoking any of following	
V70	Stratum	stratum	
V71	PSU	psu	

total: 71



**FINALWGT: finalwgt****Data file: PALAU\_13****Overview**

Valid: 1574    Invalid: 0

Type: Discrete    Decimal: 2    Range: 251.7812275619 - 1286.25826469725    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	1	1574	100%
1.03448275862069	1.03448275862069	0	0%
1.03571428571429	1.03571428571429	0	0%
1.04	1.04	0	0%
1.04347826086957	1.04347826086957	0	0%
1.04761904761905	1.04761904761905	0	0%
1.05	1.05	0	0%
1.05263157894737	1.05263157894737	0	0%
1.05882352941176	1.05882352941176	0	0%
1.0625	1.0625	0	0%
1.06666666666667	1.06666666666667	0	0%
1.08	1.08	0	0%
1.08695652173913	1.08695652173913	0	0%
1.1	1.1	0	0%
1.10526315789474	1.10526315789474	0	0%
1.11764705882353	1.11764705882353	0	0%
1.15384615384615	1.15384615384615	0	0%
1.16666666666667	1.16666666666667	0	0%
1.1875	1.1875	0	0%
1.21052631578947	1.21052631578947	0	0%
1.22222222222222	1.22222222222222	0	0%
1.23529411764706	1.23529411764706	0	0%
1.23809523809524	1.23809523809524	0	0%
1.25	1.25	0	0%
1.28571428571429	1.28571428571429	0	0%
1.3125	1.3125	0	0%
1.33333333333333	1.33333333333333	0	0%
1.35714285714286	1.35714285714286	0	0%
1.42857142857143	1.42857142857143	0	0%
1.44444444444444	1.44444444444444	0	0%

1.466666666666667	1.466666666666667	0	0%
1.5	1.5	0	0%

## PWR9: Usually add tobacco to betel nut chew past 30 days

Data file: PALAU\_13

### Overview

Valid: 1533 Invalid: 41

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	I did not chew betel nut during the past 30 days	840	54.8%
2	No, I did not add cigarettes or smokeless tobacco to my betel nut chew	135	8.8%
3	Yes, I usually added cigarettes	510	33.3%
4	Yes, I usually added smokeless tobacco	48	3.1%
Sysmiss		41	

## PWR1: Custom age

Data file: PALAU\_13

### Overview

Valid: 1565 Invalid: 9

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	11 years old or younger	84	5.4%
2	12 years old	216	13.8%
3	13 years old	209	13.4%
4	14 years old	231	14.8%
5	15 years old	209	13.4%
6	16 years old	210	13.4%
7	17 years old	204	13%
8	18 years old or older	202	12.9%
Sysmiss		9	

**CR2: Sex****Data file: PALAU\_13****Overview**

Valid: 1560 Invalid: 14

Type: Discrete Decimal: 0 Range: - Format: Numeric

**Questions and instructions**

LITERAL QUESTION

Are you a boy or a girl?

CATEGORIES

Value	Category	Cases	
1	male	752	48.2%
2	female	808	51.8%
Sysmiss		14	

**PWR3: Grade/form****Data file: PALAU\_13****Overview**

Valid: 1561 Invalid: 13

Type: Discrete Decimal: 0 Range: - Format: Numeric

**Questions and instructions**

LITERAL QUESTION

In what grade/form are you?

CATEGORIES

Value	Category	Cases	
1	6th	250	16%
2	7th	242	15.5%
3	8th	246	15.8%
4	9th	228	14.6%
5	10th	207	13.3%
6	11th	178	11.4%
7	12th	210	13.5%
8	Ungraded or other grade	0	0%
Sysmiss		13	

**PWR4: Ethnicity****Data file: PALAU\_13****Overview**

Valid: 1562 Invalid: 12

Type: Discrete Decimal: 0 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

During an average week, how much money do you have that you can spend on yourself, however you want?

## CATEGORIES

Value	Category	Cases	
1	Palauan	1360	87.1%
2	Other Pacific Islander	50	3.2%
3	Asian (including Filipino)	112	7.2%
4	Black or African American	6	0.4%
5	Caucasian	15	1%
6	Other than the above	19	1.2%
Sysmiss		12	

**PWR5: Tried betel nut****Data file: PALAU\_13****Overview**

Valid: 1550 Invalid: 24

Type: Discrete Decimal: 0 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	yes	942	60.8%
2	no	608	39.2%
Sysmiss		24	

**PWR6: Age chew betel nut first time****Data file: PALAU\_13**

## Overview

Valid: 1558    Invalid: 16  
 Type: Discrete    Decimal: 0    Range: 1 - 8    Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	I have never chewed betel nut	601	38.6%
2	7 years old or younger	181	11.6%
3	8-9 years old	154	9.9%
4	10-11 years old	166	10.7%
5	12-13 years old	244	15.7%
6	14-15 years old	138	8.9%
7	16-17 years old	61	3.9%
8	18 years old or older	13	0.8%
Sysmiss		16	

## PWR7: Age added tobacco to betel nut chew

Data file: PALAU\_13

## Overview

Valid: 1566    Invalid: 8  
 Type: Discrete    Decimal: 0    Range: 1 - 8    Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	I have never chewed betel nut with cigarettes or smokeless tobacco	758	48.4%
2	7 years old or younger	90	5.7%
3	8-9 years old	102	6.5%
4	10-11 years old	151	9.6%
5	12-13 years old	224	14.3%
6	14-15 years old	154	9.8%
7	16-17 years old	73	4.7%
8	18 years old or older	14	0.9%
Sysmiss		8	



**PWR8: Days chew betel nut****Data file: PALAU\_13****Overview**

Valid: 1555    Invalid: 19

Type: Discrete    Decimal: 0    Range: 1 - 7    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	I did not chew betelnut with or without cigarettes or smokeless tobacco	852	54.8%
2	1 or 2 days	192	12.3%
3	3 to 5 days	91	5.9%
4	6 to 9 days	71	4.6%
5	10 to 19 days	66	4.2%
6	20 to 29 days	49	3.2%
7	all 30 days	234	15%
Sysmiss		19	

**PWR10: Number of betel nut with tobacco per day****Data file: PALAU\_13****Overview**

Valid: 1563    Invalid: 11

Type: Discrete    Decimal: 0    Range: 1 - 7    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	I did not chew betel nut with tobacco during the past 30 days	947	60.6%
2	1-5 elaus	407	26%
3	6-10 elaus	106	6.8%
4	11-15 elaus	27	1.7%
5	16-20 elaus	18	1.2%
6	21-25 elaus	16	1%
7	More than 25 elaus	42	2.7%
Sysmiss		11	

**PWR11: Days chew betel nut on school property****Data file: PALAU\_13****Overview**

Valid: 1556 Invalid: 18

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	I did not chew betel nut with tobacco during the past 30 days	1001	64.3%
2	1 or 2 days	211	13.6%
3	3 to 5 days	99	6.4%
4	6 to 9 days	36	2.3%
5	10 to 19 days	30	1.9%
6	20 to 29 days	36	2.3%
7	all 30 days	143	9.2%
Sysmiss		18	

**PWR12: Four closest friends chew betel nut with tobacco****Data file: PALAU\_13****Overview**

Valid: 1551 Invalid: 23

Type: Discrete Decimal: 0 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	None	322	20.8%
2	One	167	10.8%
3	Two	173	11.2%
4	Three	143	9.2%
5	Four	336	21.7%
6	Not sure	410	26.4%
Sysmiss		23	

**PWR13: Best friends offered betel nut with tobacco****Data file: PALAU\_13****Overview**

Valid: 1533 Invalid: 41

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Definitely not	268	17.5%
2	Probably not	288	18.8%
3	Probably yes	155	10.1%
4	Definitely yes	822	53.6%
Sysmiss		41	

**PWR14: Time before needing a chew with tobacco****Data file: PALAU\_13****Overview**

Valid: 1565 Invalid: 9

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	I don't chew betel nut with cigarettes or smokeless tobacco	826	52.8%
2	I never feel a strong desire to chew again after chewing with tobacco	202	12.9%
3	Less than 1 hour	116	7.4%
4	1 to 3 hours	80	5.1%
5	More than 3 hours but less than a day	65	4.2%
6	A whole day	62	4%
7	Several days	84	5.4%
8	A week or more	130	8.3%
Sysmiss		9	

**PWR15: Feel like betel nut chew with tobacco first thing in morning****Data file: PALAU\_13**

## Overview

Valid: 1549    Invalid: 25  
 Type: Discrete    Decimal: 0    Range: 1 - 4    Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	I don't chew betel nut with cigarettes or smokeless tobacco	773	49.9%
2	No, I don't chew or feel like chewing betel nut with cigarettes or smokeless tobacco first thing in the morning	476	30.7%
3	Yes, I sometimes chew or feel like chewing betel nut with cigarettes or smokeless tobacco first thing in the morning	216	13.9%
4	Yes, I always chew or feel like chewing betel nut with cigarettes or smokeless tobacco first thing in the morning	84	5.4%
Sysmiss		25	

## PWR16: Chew betel nut with tobacco in next year

Data file: PALAU\_13

## Overview

Valid: 1541    Invalid: 33  
 Type: Discrete    Decimal: 0    Range: 1 - 4    Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Definitely not	195	12.7%
2	Probably not	278	18%
3	Probably yes	249	16.2%
4	Definitely yes	819	53.1%
Sysmiss		33	

## PWR17: Try to stop betel nut chew with tobacco

Data file: PALAU\_13

## Overview

Valid: 1549    Invalid: 25  
 Type: Discrete    Decimal: 0    Range: 1 - 4    Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	I have never chewed betel nut with cigarettes or smokeless tobacco	728	47%
2	I did not chew betel nut with cigarettes or smokeless tobacco in the past 12 months	153	9.9%
3	Yes	501	32.3%
4	No	167	10.8%
Sysmiss		25	

### PWR18: Able to stop chewing betel nut with tobacco if wanted to

Data file: PALAU\_13

#### Overview

Valid: 1551 Invalid: 23

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	I have never chewed betel nut with cigarettes or smokeless tobacco	717	46.2%
2	I don't chew betel nut with cigarettes or smokeless tobacco now	144	9.3%
3	Yes	536	34.6%
4	No	154	9.9%
Sysmiss		23	

### PWR19: Want to stop adding tobacco to betel nut chew

Data file: PALAU\_13

#### Overview

Valid: 1549 Invalid: 25

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	I do not chew betel nut at all	844	54.5%
2	I do not add cigarettes or smokeless tobacco to betel nut chew	106	6.8%

3	Yes, I want to stop adding cigarettes or smokeless tobacco to my betel nut chews	364	23.5%
4	No, I don't want to stop adding cigarettes or smokeless tobacco to my betel nut chews	235	15.2%
Sysmiss		25	

## PWR20: Interested in joining program to quit chewing betel nut with tobacco

Data file: PALAU\_13

### Overview

Valid: 1555 Invalid: 19

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	I do not chew betel nut at all	810	52.1%
2	I do not add cigarettes or smokeless tobacco to betel nut chew	84	5.4%
3	Yes, I would be interested to join	434	27.9%
4	No, I would not be interested to join	227	14.6%
Sysmiss		19	

## PWR21: Parents or guardians discussed dangers of chewing betel nut with tobacco

Data file: PALAU\_13

### Overview

Valid: 1543 Invalid: 31

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	Mother/grandmother/female guardian only	245	15.9%
2	Father/grandfather/male guardian only	76	4.9%
3	Both A and B	802	52%
4	Neither	420	27.2%
Sysmiss		31	

**PWR22: Think betel nut with tobacco make young people look cool****Data file: PALAU\_13****Overview**

Valid: 1549   Invalid: 25  
 Type: Discrete   Decimal: 0   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Definitely not	76	4.9%
2	Probably not	126	8.1%
3	Probably yes	189	12.2%
4	Definitely yes	1158	74.8%
Sysmiss		25	

**PWR23: Harmful young people chew betel nut with tobacco****Data file: PALAU\_13****Overview**

Valid: 1554   Invalid: 20  
 Type: Discrete   Decimal: 0   Range: 1 - 4   Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Definitely not	973	62.6%
2	Probably not	341	21.9%
3	Probably yes	122	7.9%
4	Definitely yes	118	7.6%
Sysmiss		20	

**PWR24: Safe to chew betel nut with tobacco for year or two****Data file: PALAU\_13****Overview**

Valid: 1547   Invalid: 27  
 Type: Discrete   Decimal: 0   Range: 1 - 4   Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Definitely not	138	8.9%
2	Probably not	245	15.8%
3	Probably yes	366	23.7%
4	Definitely yes	798	51.6%
Sysmiss		27	

### PWR25: Chewing betel nut with tobacco less harmful

Data file: PALAU\_13

#### Overview

Valid: 1553 Invalid: 21

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Definitely not	339	21.8%
2	Probably not	533	34.3%
3	Probably yes	275	17.7%
4	Definitely yes	406	26.1%
Sysmiss		21	

### PWR26: People addicted to chewing betel nut with tobacco

Data file: PALAU\_13

#### Overview

Valid: 1550 Invalid: 24

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Definitely not	1125	72.6%
2	Probably not	297	19.2%



3	Probably yes	68	4.4%
4	Definitely yes	60	3.9%
Sysmiss		24	

## CR5: Tried smoking

Data file: PALAU\_13

### Overview

Valid: 1455 Invalid: 119

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Have you ever tried or experimented with cigarette smoking, even one or two puffs?

#### CATEGORIES

Value	Category	Cases	
1	Yes	956	65.7%
2	No	499	34.3%
Sysmiss		119	

## CR6: Age first cigarette

Data file: PALAU\_13

### Overview

Valid: 1527 Invalid: 47

Type: Discrete Decimal: 0 Range: - Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

How old were you when you first tried a cigarette?

#### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	725	47.5%
2	7 years old or younger	92	6%
3	8 or 9 years old	83	5.4%
4	10 or 11 years old	163	10.7%
5	12 or 13 years old	230	15.1%
6	14 or 15 years old	153	10%

7	16 years old or older	81	5.3%
Sysmiss		47	

## CR7: Smoked past 30 days

Data file: PALAU\_13

### Overview

Valid: 1449 Invalid: 125

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

During the past 30 days (one month), on how many days did you smoke cigarettes?

#### CATEGORIES

Value	Category	Cases	
1	0 days	938	64.7%
2	1 or 2 days	180	12.4%
3	3 to 5 days	90	6.2%
4	6 to 9 days	53	3.7%
5	10 to 19 days	47	3.2%
6	20 to 29 days	33	2.3%
7	All 30 days	108	7.5%
Sysmiss		125	

## CR8: Cigarettes per day

Data file: PALAU\_13

### Overview

Valid: 1467 Invalid: 107

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

How many cigarettes did you usually smoke in the past month during one day?

#### CATEGORIES

Value	Category	Cases	
1	I did not smoke cigarettes during the past 30 days (one month)	935	63.7%
2	Less than 1 cigarette per day	129	8.8%

3	1 cigarette per day	114	7.8%
4	2 to 5 cigarettes per day	177	12.1%
5	6 to 10 cigarettes per day	52	3.5%
6	11 to 20 cigarettes per day	31	2.1%
7	More than 20 cigarettes per day	29	2%
Sysmiss		107	

## PWR31: Days smoked cigarettes on school property

Data file: PALAU\_13

### Overview

Valid: 1561 Invalid: 13

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	I did not smoke cigarettes on school property during the past 30 days	1296	83%
2	1 or 2 days	89	5.7%
3	3 to 5 days	47	3%
4	6 to 9 days	28	1.8%
5	10 to 19 days	20	1.3%
6	20 to 29 days	15	1%
7	all 30 days	66	4.2%
Sysmiss		13	

## PWR32: Length of time before needing a cigarette

Data file: PALAU\_13

### Overview

Valid: 1437 Invalid: 137

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	I don't smoke tobacco	861	59.9%
2	I never feel a strong desire to smoke again after smoking tobacco	284	19.8%

3	Less than 1 hour	82	5.7%
4	1 to 3 hours	50	3.5%
5	More than 3 hours but less than a day	49	3.4%
6	A whole day	45	3.1%
7	Several days	66	4.6%
Sysmiss		137	

### PWR33: Think smoke during next year

Data file: PALAU\_13

#### Overview

Valid: 1543 Invalid: 31

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Definitely not	170	11%
2	Probably not	258	16.7%
3	Probably yes	214	13.9%
4	Definitely yes	901	58.4%
Sysmiss		31	

### PWR34: Four closest friends smoke

Data file: PALAU\_13

#### Overview

Valid: 1560 Invalid: 14

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	None	414	26.5%
2	One	169	10.8%
3	Two	156	10%
4	Three	124	7.9%
5	Four	294	18.8%

6	Not sure	403	25.8%
Sysmiss		14	

### PWR35: Best friends offered a cigarette

Data file: PALAU\_13

#### Overview

Valid: 1547 Invalid: 27

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Definitely not	214	13.8%
2	Probably not	257	16.6%
3	Probably yes	201	13%
4	Definitely yes	875	56.6%
Sysmiss		27	

### PWR36: Able to quit smoking

Data file: PALAU\_13

#### Overview

Valid: 1528 Invalid: 46

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	I don't smoke now	1005	65.8%
2	Yes, I could quit if I wanted to	425	27.8%
3	No, I could not quit if I wanted to	98	6.4%
Sysmiss		46	

### CR15: Want to stop smoking

Data file: PALAU\_13

## Overview

Valid: 1558 Invalid: 16  
 Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Do you want to stop smoking now?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	642	41.2%
2	I do not smoke now	463	29.7%
3	Yes	342	22%
4	No	111	7.1%
Sysmiss		16	

## PWR38: Interested to join program to quit smoking

Data file: PALAU\_13

## Overview

Valid: 1551 Invalid: 23  
 Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

On average, how much do you think a pack of 20 cigarettes costs?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked	612	39.5%
2	I don't smoke now	408	26.3%
3	Yes, I would be interested to join	338	21.8%
4	No, I would not be interested to join	193	12.4%
Sysmiss		23	

## PWR39: Parents or guardians discussed dangers of smoking cigarettes

Data file: PALAU\_13

## Overview

Valid: 1546 Invalid: 28  
 Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Mother/grandmother/female guardian only	221	14.3%
2	Father/grandfather/male guardian only	93	6%
3	Both A and B	803	51.9%
4	Neither	429	27.7%
Sysmiss		28	

### PWR40: People addicted to smoking cigarettes

Data file: PALAU\_13

#### Overview

Valid: 1549 Invalid: 25

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Definitely not	1159	74.8%
2	Probably not	262	16.9%
3	Probably yes	62	4%
4	Definitely yes	66	4.3%
Sysmiss		25	

### PWR41: Smoking cigarettes make young people look cool or fit in

Data file: PALAU\_13

#### Overview

Valid: 1542 Invalid: 32

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Definitely not	115	7.5%
2	Probably not	174	11.3%

3	Probably yes	182	11.8%
4	Definitely yes	1071	69.5%
Sysmiss		32	

## PWR42: Young people harming themselves with 1-5 cigarettes per day

Data file: PALAU\_13

### Overview

Valid: 1541 Invalid: 33

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	Definitely not	1040	67.5%
2	Probably not	283	18.4%
3	Probably yes	99	6.4%
4	Definitely yes	119	7.7%
Sysmiss		33	

## PWR43: Safe to smoke for a year or two

Data file: PALAU\_13

### Overview

Valid: 1540 Invalid: 34

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	Definitely not	143	9.3%
2	Probably not	147	9.5%
3	Probably yes	316	20.5%
4	Definitely yes	934	60.6%
Sysmiss		34	



**PWR44: Anyone live with chew betel nut with tobacco****Data file: PALAU\_13****Overview**

Valid: 1498   Invalid: 76

Type: Discrete   Decimal: 0   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	yes	1196	79.8%
2	no	302	20.2%
Sysmiss		76	

**PWR45: Days people chew betel nut with tobacco in home****Data file: PALAU\_13****Overview**

Valid: 1543   Invalid: 31

Type: Discrete   Decimal: 0   Range: 1 - 5   Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	0	344	22.3%
2	1 to 2 days	137	8.9%
3	3 to 4 days	89	5.8%
4	5 to 6 days	85	5.5%
5	7 days	888	57.6%
Sysmiss		31	

**PWR46: Anyone live with smoke****Data file: PALAU\_13****Overview**

Valid: 1506   Invalid: 68

Type: Discrete   Decimal: 0   Range: 1 - 2   Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	yes	732	48.6%
2	no	774	51.4%
Sysmiss		68	

## CR19: Days people smoke in home

Data file: PALAU\_13

### Overview

Valid: 1543 Invalid: 31

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

During the past 7 days, on how many days has anyone smoked inside your home, in your presence?

### CATEGORIES

Value	Category	Cases	
1	0	842	54.6%
2	1-2	221	14.3%
3	3-4	114	7.4%
4	5-6	60	3.9%
5	7	306	19.8%
Sysmiss		31	

## PWR48: Days people smoke in car

Data file: PALAU\_13

### Overview

Valid: 1542 Invalid: 32

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	0	1038	67.3%

2	1 to 2 days	234	15.2%
3	3 to 4 days	116	7.5%
4	5 to 6 days	44	2.9%
5	7 days	110	7.1%
Sysmiss		32	

## PWR49: Days people smoke outside home

Data file: PALAU\_13

### Overview

Valid: 1545 Invalid: 29

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	0	580	37.5%
2	1 to 2 days	349	22.6%
3	3 to 4 days	198	12.8%
4	5 to 6 days	109	7.1%
5	7 days	309	20%
Sysmiss		29	

## PWR50: Banning smoking in public places

Data file: PALAU\_13

### Overview

Valid: 1492 Invalid: 82

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	yes	972	65.1%
2	no	520	34.9%
Sysmiss		82	

**PWR51: Smoke from others harmful****Data file: PALAU\_13****Overview**

Valid: 1539 Invalid: 35

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Definitely not	1160	75.4%
2	Probably not	214	13.9%
3	Probably yes	76	4.9%
4	Definitely yes	89	5.8%
Sysmiss		35	

**PWR52: Which seen or heard the most****Data file: PALAU\_13****Overview**

Valid: 1520 Invalid: 54

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Advertising about the prevention of cigarettes and/or other tobacco use	584	38.4%
2	Advertising for cigarettes and/or other tobacco products	323	21.3%
3	I have not seen any kind of advertising about cigarettes or other tobacco products	613	40.3%
Sysmiss		54	

**PWR53: Where seen or heard most smoking prevention advertisements****Data file: PALAU\_13****Overview**

Valid: 1553 Invalid: 21

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Television	395	25.4%
2	Radio	118	7.6%
3	Billboards	130	8.4%
4	Posters	308	19.8%
5	Newspapers	96	6.2%
6	Magazines	44	2.8%
7	Internet	58	3.7%
8	Have not seen or heard any advertisements about the prevention of cigarette or any kind of tobacco use	404	26%
Sysmiss		21	

### CR37: Tobacco brand logo

Data file: PALAU\_13

#### Overview

Valid: 1482 Invalid: 92

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Do you have something (for example, t-shirt, pen, backpack) with a tobacco product brand logo on it?

### CATEGORIES

Value	Category	Cases	
1	yes	348	23.5%
2	no	1134	76.5%
Sysmiss		92	

### PWR55: Use product with tobacco brand logo

Data file: PALAU\_13

#### Overview

Valid: 1532 Invalid: 42

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Definitely not	222	14.5%
2	Probably not	391	25.5%
3	Probably yes	281	18.3%
4	Definitely yes	638	41.6%
Sysmiss		42	

### PWR56: Obtain cigarettes past 30 days

Data file: PALAU\_13

#### Overview

Valid: 1553 Invalid: 21

Type: Discrete Decimal: 0 Range: 1 - 6 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	I did not smoke cigarettes during the past 30 days (1 month)	1006	64.8%
2	I bought them in a store, shop, or gas station	156	10%
3	I gave someone else money to buy them for me	133	8.6%
4	I got them from a family member	59	3.8%
5	A person under 19 years old gave them to me (not a family member)	57	3.7%
6	A person older than 19 years old gave them to me (not a family member)	31	2%
7	I stole them	27	1.7%
8	I got them some other way	84	5.4%
Sysmiss		21	

### PWR57: Obtain tobacco for chewing with betel nut past 30 days

Data file: PALAU\_13

#### Overview

Valid: 1545 Invalid: 29

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	I did not chew tobacco product	884	57.2%
2	I bought them in a store, shop, or gas station	157	10.2%
3	I gave someone else money to buy them for me	146	9.4%
4	A person under 19 years old gave them to me (not a family member)	82	5.3%
5	A person older than 19 years old gave them to me (not a family member)	79	5.1%
6	I gave someone else money to buy them for me	26	1.7%
7	I stole them	24	1.6%
8	I got them some other way	147	9.5%
Sysmiss		29	

### PWR58: Anyone over 19 asked you to purchase tobacco

Data file: PALAU\_13

#### Overview

Valid: 1472 Invalid: 102

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	yes	334	22.7%
2	no	1138	77.3%
Sysmiss		102	

### PWR59: Asked to show proof of age during purchase

Data file: PALAU\_13

#### Overview

Valid: 1510 Invalid: 64

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	I did not try to buy cigarettes or smokeless tobacco in a store during the past 30 days	1052	69.7%
2	Yes, I was asked to show proof of age	220	14.6%
3	No, I was not asked to show proof of age	238	15.8%
Sysmiss		64	

## CR27: Refuse to sell cigarettes due to age

Data file: PALAU\_13

### Overview

Valid: 1511 Invalid: 63

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

During the past month, when you entered a shop to buy tobacco products, did the salesman refuse to sell them to you because of your age?

#### CATEGORIES

Value	Category	Cases	
1	I did not try to buy cigarettes during the past 30 days	997	66%
2	Yes	200	13.2%
3	No	314	20.8%
Sysmiss		63	

## PWR61: Refuse to sell smokeless tobacco due to age

Data file: PALAU\_13

### Overview

Valid: 1505 Invalid: 69

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	I did not try to buy smokeless tobacco in a store during the past 30 days	1099	73%
2	Yes, someone refused to sell me cigarettes because of my age	165	11%
3	No, no one refused to sell me cigarettes because of my age	241	16%
Sysmiss		69	



**PWR62: Obtain betel nut past 30 days****Data file: PALAU\_13****Overview**

Valid: 1527    Invalid: 47  
 Type: Discrete    Decimal: 0    Range: 1 - 8    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	I do not chew betel nut	872	57.1%
2	I have my own bag (tet)	153	10%
3	I usually got them from someone in my family	209	13.7%
4	I usually got them from a friend or other people I know	293	19.2%
Sysmiss		47	

**CR14: Use smokeless tobacco past 30 days****Data file: PALAU\_13****Overview**

Valid: 1461    Invalid: 113  
 Type: Discrete    Decimal: 0    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

During the past 30 days, did you use any form of smokeless tobacco products ,such as snuff, hewing tobacco, dipping tobacco, etc.?

## CATEGORIES

Value	Category	Cases	
1	Yes	310	21.2%
2	No	1151	78.8%
Sysmiss		113	

**SLR2: Days use smokeless tobacco****Data file: PALAU\_13****Overview**

Valid: 1538    Invalid: 36  
 Type: Discrete    Decimal: 0    Range: 1 - 7    Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	0 days	1136	73.9%
2	1 or 2 days	155	10.1%
3	3 to 5 days	72	4.7%
4	6 to 9 days	39	2.5%
5	10 to 19 days	30	2%
6	20 to 29 days	13	0.8%
7	all 30 days	93	6%
Sysmiss		36	

## CR10: Used other smoked tobacco past month other than cigarettes

Data file: PALAU\_13

### Overview

Valid: 1424 Invalid: 150

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

During the past 30 days, did you use any form of smoked tobacco products other than cigarettes (such as cigars, cigarillos, pipe, waterpipes/hookah/shisha/narguileh)?

### CATEGORIES

Value	Category	Cases	
1	yes	262	18.4%
2	no	1162	81.6%
Sysmiss		150	

## PWR66: Tried cigars, cigarillos, or little cigars

Data file: PALAU\_13

### Overview

Valid: 1421 Invalid: 153

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	yes	530	37.3%
2	no	891	62.7%
Sysmiss		153	

## PWR67: Tried smoking tobacco in a pipe

Data file: PALAU\_13

### Overview

Valid: 1444    Invalid: 130  
 Type: Discrete    Decimal: 0    Range: 1 - 7    Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	yes	281	19.5%
2	no	1163	80.5%
Sysmiss		130	

## PWR68: Tried smoking any of following

Data file: PALAU\_13

### Overview

Valid: 1468    Invalid: 106  
 Type: Discrete    Decimal: 0    Range: 1 - 6    Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	Bidis (candy flavored cigarettes)	156	10.6%
2	Kreteks (clove cigarettes)	86	5.9%
3	I have tried smoking both bidis and kreteks	111	7.6%
4	I have never tried smoking bidis or kreteks	1115	76%
Sysmiss		106	

## STRATUM: stratum

Data file: PALAU\_13

**Overview**

Valid: 1574 Invalid: 0

Type: Discrete Decimal: 0 Range: 200001001 - 200001025 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
201301001		1574	100%
201701001	201701001	0	0%
201701002	201701002	0	0%
201701003	201701003	0	0%
201701004	201701004	0	0%
201701005	201701005	0	0%
201701006	201701006	0	0%
201701007	201701007	0	0%
201701008	201701008	0	0%
201701009	201701009	0	0%
201701010	201701010	0	0%
201701011	201701011	0	0%
201701012	201701012	0	0%
201701013	201701013	0	0%
201701014	201701014	0	0%
201701015	201701015	0	0%
201701016	201701016	0	0%
201701017	201701017	0	0%
201701018	201701018	0	0%
201701019	201701019	0	0%
201701020	201701020	0	0%
201701021	201701021	0	0%

**PSU: psu**

Data file: PALAU\_13

**Overview**

Valid: 1574 Invalid: 0

Type: Discrete Decimal: 0 Range: 1 - 50 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	1	1574	100%
2	2	0	0%
3	3	0	0%
4	4	0	0%
5	5	0	0%
6	6	0	0%
7	7	0	0%
8	8	0	0%
9	9	0	0%
10	10	0	0%
11	11	0	0%
12	12	0	0%
13	13	0	0%
14	14	0	0%
15	15	0	0%
16	16	0	0%
17	17	0	0%
18	18	0	0%
19	19	0	0%
20	20	0	0%
21	21	0	0%
22	22	0	0%
23	23	0	0%
24	24	0	0%
25	25	0	0%
26	26	0	0%
27	27	0	0%
28	28	0	0%
29	29	0	0%
30	30	0	0%
31	31	0	0%
32	32	0	0%
33	33	0	0%
34	34	0	0%
35	35	0	0%
36	36	0	0%
37	37	0	0%

38	38	0	0%
39	39	0	0%
40	40	0	0%
41	41	0	0%
42	42	0	0%
43	43	0	0%
44	44	0	0%
45	45	0	0%
46	46	0	0%
47	47	0	0%
48	48	0	0%
49	49	0	0%
50	50	0	0%
51	51	0	0%
52	52	0	0%
53	53	0	0%
54	54	0	0%
55	55	0	0%
56	56	0	0%
57	57	0	0%
58	58	0	0%
59	59	0	0%
60	60	0	0%
61	61	0	0%
62	62	0	0%
63	63	0	0%
64	64	0	0%
65	65	0	0%
66	66	0	0%
67	67	0	0%
68	68	0	0%
69	69	0	0%
70	70	0	0%
71	71	0	0%
72	72	0	0%
73	73	0	0%
74	74	0	0%
75	75	0	0%
76	76	0	0%

77	77	0	0%
78	78	0	0%
79	79	0	0%
80	80	0	0%
81	81	0	0%
82	82	0	0%
83	83	0	0%
84	84	0	0%
85	85	0	0%
86	86	0	0%
87	87	0	0%
88	88	0	0%
89	89	0	0%
90	90	0	0%
91	91	0	0%
92	92	0	0%
93	93	0	0%
94	94	0	0%
95	95	0	0%
96	96	0	0%
97	97	0	0%
98	98	0	0%
99	99	0	0%
100	100	0	0%
101	101	0	0%
102	102	0	0%
103	103	0	0%
104	104	0	0%
105	105	0	0%
106	106	0	0%
107	107	0	0%
108	108	0	0%
109	109	0	0%

# study\_resources

## reports

### Fact Sheet

---

title Fact Sheet  
filename Palau\_GYTS2013\_Factsheet\_Ages13-15\_FINAL\_508tagged.pdf

---

## technical\_documents

### Codebook

---

title Codebook  
filename GYTSPRO2013\_Palau\_All\_Schools\_Region1\_National\_Web\_Codebook\_20151009\_508tag.pdf

---