

Global School-Based Student Health Survey 2015

Centre de consultations specialisees en hygiene et sante scolaire (CCSHSS)

report_generated_on: April 23, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER
PYF_2015_GSHS_v01_M

TITLE
Global School-Based Student Health Survey 2015

COUNTRY

Name	Country code
French Polynesia	PYF

STUDY TYPE
Other Household Survey [hh/oth]

SERIES INFORMATION
This is the first GSHS conducted by French Polynesia.

ABSTRACT
The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA
Sample survey data [ssd]

UNIT OF ANALYSIS
Individuals

Version

VERSION DESCRIPTION
Public-use dataset

Scope

NOTES
The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- tobacco use
- violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
hygiene
mental health
physical activity
sexual behaviours
tobacco use
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE

National

UNIVERSE

School-going adolescents aged 13-17 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
Centre de consultations specialisees en hygiène et sante scolaire (CCSHSS)

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE

A two-stage cluster sample design was used to produce data representative of all students in grades 5th class-Terminal in French Polynesia. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

The school response rate was 100%, the student response rate was 70%, and the overall response rate was 70%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

data_collection

DATES OF DATA COLLECTION

Start	End
2015	2015

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- tobacco use
- violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_PYF_2015_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Melanie Cowan		World Health Organization	Documentation of data
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2020-02-12

DDI DOCUMENT VERSION

Identical to a metadata (PYF_2015_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
pyf2015	3216	141

Data file: pyf2015

Cases: 3216

variables: 141

variables

ID	Name	Label	Question
V1	q1	Custom Age	How old are you?
V2	q2	Sex	What is your sex?
V3	q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V13	q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V15	q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V16	q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V17	q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V18	q18	Serious injury type	During the past 12 months, what was the most serious injury that happened to you?
V19	q19	Serious injury cause	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	q20	Bullied	During the past 30 days, on how many days were you bullied?
V21	q21	Bullied how	During the past 30 days, how were you bullied most often?
V22	q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V23	q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V24	q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V25	q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V27	q27	Close friends	How many close friends do you have?
V28	q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V29	q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V30	q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V33	q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V34	q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V35	q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	q40	Initiation of drug use	How old were you when you first used drugs?
V41	q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V45	q45	Age first had sex	How old were you when you had sexual intercourse for the first time?
V46	q46	Number of sex partners	During your life, with how many people have you had sexual intercourse?
V47	q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	q49	Physical activity past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V51	q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V52	q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V54	q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	qn6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V60	qn7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V61	qn8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V62	qn9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V63	qn10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V64	qn11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V65	qn12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V66	qn13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V67	qn14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V68	qn15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V69	qn16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V70	qn17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V71	qn18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V72	qn19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V73	qn20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V74	qn21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V75	qn22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V76	qn23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V77	qn24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V78	qn25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V79	qn26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V80	qn27	Did not have any close friends	Percentage of students who did not have any close friends
V81	qn28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V82	qn29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V83	qn30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V84	qn31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V85	qn32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V86	qn33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	qn34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V88	qn35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V89	qn36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V90	qn37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V91	qn38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V92	qn39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V93	qn40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V94	qn41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V95	qn42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V96	qn43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V97	qn44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V98	qn45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V99	qn46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V100	qn47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V101	qn48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V102	qn49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V103	qn50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V104	qn51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V105	qn52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V106	qn53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V107	qn54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V108	qn55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V109	qn56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V110	qn57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V111	qn58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V112	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V113	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V114	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V115	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V116	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V117	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V118	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V119	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V120	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V121	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V122	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V123	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V124	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V125	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V126	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V127	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V128	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V129	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V130	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V131	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V132	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V133	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V134	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V135	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V136	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V137	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V138	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V139	weight		
V140	stratum		
V141	psu		

total: 141

Q1: Custom Age**Data file:** pyf2015**Overview**

Valid: 3210 Invalid: 6

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	11	0.3%
2	12 years old	186	5.8%
3	13 years old	533	16.6%
4	14 years old	558	17.4%
5	15 years old	625	19.5%
6	16 years old	529	16.5%
7	17 years old	440	13.7%
8	18 years old or older	328	10.2%
Sysmiss		6	

Q10: Fast food eating**Data file:** pyf2015**Overview**

Valid: 3205 Invalid: 11

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	917	28.6%
2	1 day	959	29.9%
3	2 days	596	18.6%

4	3 days	349	10.9%
5	4 days	158	4.9%
6	5 days	142	4.4%
7	6 days	27	0.8%
8	7 days	57	1.8%
Sysmiss		11	

Q2: Sex

Data file: pyf2015

Overview

Valid: 3202 Invalid: 14

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1484	46.3%
2	Female	1718	53.7%
Sysmiss		14	

Q3: In what grade are you

Data file: pyf2015

Overview

Valid: 3182 Invalid: 34

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	5th class	313	9.8%
2	4th/1st CETAD	635	20%
3	3rd/2nd CETAD	579	18.2%

4	2nd/1st Bac/1st CAP/3rd CETAD	648	20.4%
5	1st/2nd Bac/2nd CAP	529	16.6%
6	Terminal/3rd Bac	478	15%
Sysmiss		34	

Q4: How tall are you

Data file: pyf2015

Overview

Valid: 3067 Invalid: 149 Minimum: 1.27 Maximum: 2 Mean: 1.68 Standard deviation: 0.0893
 Type: Continuous Decimal: 2 Width: 10 Range: 1.27 - 1.87 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: pyf2015

Overview

Valid: 3067 Invalid: 149 Minimum: 31 Maximum: 161 Mean: 68.187 Standard deviation: 18.502
 Type: Continuous Decimal: 2 Width: 10 Range: 28 - 116 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: pyf2015

Overview

Valid: 3195 Invalid: 21
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1154	36.1%
2	Rarely	1003	31.4%
3	Sometimes	708	22.2%
4	Most of the time	254	7.9%
5	Always	76	2.4%
Sysmiss		21	

Q7: No fruit eating

Data file: pyf2015

Overview

Valid: 3195 Invalid: 21

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	163	5.1%
2	Less than one time per day	793	24.8%
3	1 time per day	742	23.2%
4	2 times per day	657	20.6%
5	3 times per day	453	14.2%
6	4 times per day	190	5.9%
7	5 or more times per day	197	6.2%
Sysmiss		21	

Q8: No vegetable eating**Data file: pyf2015****Overview**

Valid: 3199 Invalid: 17

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	187	5.8%
2	Less than one time per day	538	16.8%
3	1 time per day	803	25.1%
4	2 times per day	783	24.5%
5	3 times per day	438	13.7%
6	4 times per day	178	5.6%
7	5 or more times per day	272	8.5%
Sysmiss		17	

Q9: Soft drinks**Data file: pyf2015****Overview**

Valid: 3198 Invalid: 18

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	390	12.2%
2	Less than one time per day	1355	42.4%

3	1 time per day	572	17.9%
4	2 times per day	405	12.7%
5	3 times per day	242	7.6%
6	4 times per day	98	3.1%
7	5 or more times per day	136	4.3%
Sysmiss		18	

Q11: Tooth brushing

Data file: pyf2015

Overview

Valid: 3206 Invalid: 10

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	48	1.5%
2	Less than 1 time per day	160	5%
3	1 time per day	484	15.1%
4	2 times per day	1596	49.8%
5	3 times per day	542	16.9%
6	4 or more times per day	376	11.7%
Sysmiss		10	

Q12: Hand washing before eating

Data file: pyf2015

Overview

Valid: 3204 Invalid: 12

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	70	2.2%
2	Rarely	206	6.4%
3	Sometimes	483	15.1%
4	Most of the time	742	23.2%
5	Always	1703	53.2%
Sysmiss		12	

Q13: Hand washing after toilet

Data file: pyf2015

Overview

Valid: 3195 Invalid: 21

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	41	1.3%
2	Rarely	111	3.5%
3	Sometimes	253	7.9%
4	Most of the time	498	15.6%
5	Always	2292	71.7%
Sysmiss		21	

Q14: Hand washing with soap

Data file: pyf2015

Overview

Valid: 3192 Invalid: 24

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	86	2.7%
2	Rarely	278	8.7%
3	Sometimes	707	22.1%
4	Most of the time	936	29.3%
5	Always	1185	37.1%
Sysmiss		24	

Q15: Physically attacked

Data file: pyf2015

Overview

Valid: 3209 Invalid: 7

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	2755	85.9%
2	1 time	216	6.7%
3	2 or 3 times	169	5.3%
4	4 or 5 times	23	0.7%
5	6 or 7 times	13	0.4%
6	8 or 9 times	8	0.2%
7	10 or 11 times	6	0.2%
8	12 or more times	19	0.6%
Sysmiss		7	

Q16: Physical fighting**Data file:** pyf2015**Overview**

Valid: 3205 Invalid: 11

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	2342	73.1%
2	1 time	379	11.8%
3	2 or 3 times	290	9%
4	4 or 5 times	80	2.5%
5	6 or 7 times	40	1.2%
6	8 or 9 times	17	0.5%
7	10 or 11 times	7	0.2%
8	12 or more times	50	1.6%
Sysmiss		11	

Q17: Seriously injured**Data file:** pyf2015**Overview**

Valid: 2827 Invalid: 389

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	1718	60.8%
2	1 time	617	21.8%
3	2 or 3 times	344	12.2%
4	4 or 5 times	78	2.8%
5	6 or 7 times	19	0.7%
6	8 or 9 times	16	0.6%
7	10 or 11 times	7	0.2%
8	12 or more times	28	1%
Sysmiss		389	

Q18: Serious injury type

Data file: pyf2015

Overview

Valid: 2991 Invalid: 225

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2135	71.4%
2	Broken bone/dislocated joint	235	7.9%
3	I had a cut or stab wound	53	1.8%
4	Concussion/head injury	52	1.7%
5	I had a gunshot wound	7	0.2%
6	I had a bad burn	18	0.6%
7	I was poisoned	9	0.3%
8	Something else happened to me	482	16.1%
Sysmiss		225	

Q19: Serious injury cause

Data file: pyf2015

Overview

Valid: 2866 Invalid: 350

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1928	67.3%
2	Motor vehicle accident	78	2.7%
3	I fell	402	14%
4	Something fell on me or hit me	49	1.7%
5	I was attacked	37	1.3%
6	Was in a fire	8	0.3%
7	breathed something bad	7	0.2%
8	Something else	357	12.5%
Sysmiss		350	

Q20: Bullied

Data file: pyf2015

Overview

Valid: 3096 Invalid: 120

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	2398	77.5%

2	1 or 2 days	450	14.5%
3	3 to 5 days	102	3.3%
4	6 to 9 days	36	1.2%
5	10 to 19 days	28	0.9%
6	20 to 29 days	12	0.4%
7	All 30 days	70	2.3%
Sysmiss		120	

Q21: Bullied how

Data file: pyf2015

Overview

Valid: 3110 Invalid: 106

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	2572	82.7%
2	Kicked, pushed, or shoved	30	1%
3	Made fun of race	44	1.4%
4	Made fun because of religion	11	0.4%
5	Made fun of about sex	125	4%
6	Left out of activities	51	1.6%
7	Made fun of about body	118	3.8%
8	Some other way	159	5.1%
Sysmiss		106	

Q22: Felt lonely

Data file: pyf2015

Overview

Valid: 3185 Invalid: 31

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	1119	35.1%
2	Rarely	806	25.3%
3	Sometimes	923	29%
4	Most of the time	258	8.1%
5	Always	79	2.5%
Sysmiss		31	

Q23: Could not sleep

Data file: pyf2015

Overview

Valid: 3209 Invalid: 7

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	1158	36.1%
2	Rarely	784	24.4%
3	Sometimes	878	27.4%
4	Most of the time	282	8.8%
5	Always	107	3.3%
Sysmiss		7	

Q24: Considered suicide**Data file:** pyf2015**Overview**

Valid: 3167 Invalid: 49

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	465	14.7%
2	No	2702	85.3%
Sysmiss		49	

Q25: Made a suicide plan**Data file:** pyf2015**Overview**

Valid: 3180 Invalid: 36

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	544	17.1%
2	No	2636	82.9%
Sysmiss		36	

Q26: Attempted suicide**Data file:** pyf2015

Overview

Valid: 3189 Invalid: 27

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	2875	90.2%
2	1 time	164	5.1%
3	2 or 3 times	87	2.7%
4	4 or 5 times	35	1.1%
5	6 or more times	28	0.9%
Sysmiss		27	

Q27: Close friends

Data file: pyf2015

Overview

Valid: 3182 Invalid: 34

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	92	2.9%
2	1	197	6.2%
3	2	362	11.4%
4	3 or more	2531	79.5%
Sysmiss		34	

Q28: Initiation of cigarette use**Data file:** pyf2015**Overview**

Valid: 3140 Invalid: 76

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1809	57.6%
2	7 years old or younger	112	3.6%
3	8 or 9 years old	120	3.8%
4	10 or 11 years old	213	6.8%
5	12 or 13 years old	356	11.3%
6	14 or 15 years old	394	12.5%
7	16 or 17 years old	121	3.9%
8	18 years old or older	15	0.5%
Sysmiss		76	

Q29: Current cigarette use**Data file:** pyf2015**Overview**

Valid: 3187 Invalid: 29

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	2488	78.1%
2	1 or 2 days	266	8.3%

3	3 to 5 days	116	3.6%
4	6 to 9 days	54	1.7%
5	10 to 19 days	33	1%
6	20 to 29 days	20	0.6%
7	All 30 days	210	6.6%
Sysmiss		29	

Q30: Other tobacco use

Data file: pyf2015

Overview

Valid: 3202 Invalid: 14

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	2785	87%
2	1 or 2 days	233	7.3%
3	3 to 5 days	80	2.5%
4	6 to 9 days	35	1.1%
5	10 to 19 days	16	0.5%
6	20 to 29 days	12	0.4%
7	All 30 days	41	1.3%
Sysmiss		14	

Q31: Smoking cessation

Data file: pyf2015

Overview

Valid: 3144 Invalid: 72

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1931	61.4%
2	Did not smoke cigarettes	464	14.8%
3	Yes	613	19.5%
4	No	136	4.3%
Sysmiss		72	

Q32: Smoking in their presence

Data file: pyf2015

Overview

Valid: 3178 Invalid: 38

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	1535	48.3%
2	1 or 2 days	621	19.5%
3	3 or 4 days	233	7.3%
4	5 or 6 days	144	4.5%
5	All 7 days	645	20.3%
Sysmiss		38	

Q33: Parental tobacco use

Data file: pyf2015

Overview

Valid: 3185 Invalid: 31

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	1576	49.5%
2	My father or male guardian	434	13.6%
3	My mother or female guardian	508	15.9%
4	Both	483	15.2%
5	I do not know	184	5.8%
Sysmiss		31	

Q34: Initiation of alcohol use

Data file: pyf2015

Overview

Valid: 2990 Invalid: 226

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	853	28.5%
2	7 years old or younger	139	4.6%
3	8 or 9 years old	107	3.6%
4	10 or 11 years old	250	8.4%
5	12 or 13 years old	643	21.5%
6	14 or 15 years old	722	24.1%

7	16 or 17 years old	256	8.6%
8	18 years old or older	20	0.7%
Sysmiss		226	

Q35: Current alcohol use

Data file: pyf2015

Overview

Valid: 3143 Invalid: 73

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	1707	54.3%
2	1 or 2 days	909	28.9%
3	3 to 5 days	296	9.4%
4	6 to 9 days	130	4.1%
5	10 to 19 days	59	1.9%
6	20 to 29 days	26	0.8%
7	All 30 days	16	0.5%
Sysmiss		73	

Q36: Drank 2+ drinks

Data file: pyf2015

Overview

Valid: 3148 Invalid: 68

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1532	48.7%
2	Less than one drink	221	7%
3	1 drink	221	7%
4	2 drinks	225	7.1%
5	3 drinks	205	6.5%
6	4 drinks	142	4.5%
7	5 or more drinks	602	19.1%
Sysmiss		68	

Q37: Source of alcohol

Data file: pyf2015

Overview

Valid: 3102 Invalid: 114

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1600	51.6%
2	I bought in a store	249	8%
3	I gave someone money to buy	150	4.8%
4	I got it from my friends	435	14%
5	I got it from my family	572	18.4%
6	I stole it	15	0.5%
7	Some other way	81	2.6%
Sysmiss		114	

Q38: Really drunk**Data file:** pyf2015**Overview**

Valid: 3122 Invalid: 94

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	1745	55.9%
2	1 or 2 times	844	27%
3	3 to 9 times	362	11.6%
4	10 or more times	171	5.5%
Sysmiss		94	

Q39: Trouble from drinking**Data file:** pyf2015**Overview**

Valid: 3076 Invalid: 140

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	2619	85.1%

2	1 or 2 times	302	9.8%
3	3 to 9 times	88	2.9%
4	10 or more times	67	2.2%
Sysmiss		140	

Q40: Initiation of drug use

Data file: pyf2015

Overview

Valid: 3041 Invalid: 175

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	2109	69.4%
2	7 years old or younger	21	0.7%
3	8 or 9 years old	34	1.1%
4	10 or 11 years old	59	1.9%
5	12 or 13 years old	189	6.2%
6	14 or 15 years old	418	13.7%
7	16 or 17 years old	186	6.1%
8	18 years old or older	25	0.8%
Sysmiss		175	

Q41: Ever marijuana use

Data file: pyf2015

Overview

Valid: 3050 Invalid: 166

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	2156	70.7%
2	1 or 2 times	260	8.5%
3	3 to 9 times	234	7.7%
4	10 to 19 times	122	4%
5	20 or more times	278	9.1%
Sysmiss		166	

Q42: Current marijuana use

Data file: pyf2015

Overview

Valid: 3125 Invalid: 91

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	2618	83.8%
2	1 or 2 times	222	7.1%
3	3 to 9 times	119	3.8%
4	10 to 19 times	66	2.1%
5	20 or more times	100	3.2%
Sysmiss		91	

Q43: Amphetamine or methamphetamine use

Data file: pyf2015

Overview

Valid: 3149 Invalid: 67

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	3040	96.5%
2	1 or 2 times	62	2%
3	3 to 9 times	22	0.7%
4	10 to 19 times	11	0.3%
5	20 or more times	14	0.4%
Sysmiss		67	

Q44: Ever sexual intercourse

Data file: pyf2015

Overview

Valid: 3067 Invalid: 149

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	1331	43.4%
2	No	1736	56.6%
Sysmiss		149	

Q45: Age first had sex**Data file:** pyf2015**Overview**

Valid: 3123 Invalid: 93

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1882	60.3%
2	11 years old or younger	142	4.5%
3	12 years old	87	2.8%
4	13 years old	146	4.7%
5	14 years old	254	8.1%
6	15 years old	311	10%
7	16 or 17 years old	263	8.4%
8	18 years old or older	38	1.2%
Sysmiss		93	

Q46: Number of sex partners**Data file:** pyf2015**Overview**

Valid: 3124 Invalid: 92

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1918	61.4%
2	1 person	550	17.6%

3	2 people	215	6.9%
4	3 people	161	5.2%
5	4 people	83	2.7%
6	5 people	49	1.6%
7	6 or more people	148	4.7%
Sysmiss		92	

Q47: Condom use

Data file: pyf2015

Overview

Valid: 3102 Invalid: 114

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1886	60.8%
2	Yes	559	18%
3	No	657	21.2%
Sysmiss		114	

Q48: Birth control used

Data file: pyf2015

Overview

Valid: 3107 Invalid: 109

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1889	60.8%
2	Yes	514	16.5%
3	No	555	17.9%
4	I do not know	149	4.8%
Sysmiss		109	

Q49: Physical activity past 7 days**Data file:** pyf2015**Overview**

Valid: 3132 Invalid: 84

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	353	11.3%
2	1 day	470	15%
3	2 days	453	14.5%
4	3 days	409	13.1%
5	4 days	314	10%
6	5 days	393	12.5%
7	6 days	177	5.7%
8	7 days	563	18%
Sysmiss		84	

Q50: Walk or bike to school**Data file:** pyf2015**Overview**

Valid: 3137 Invalid: 79

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	1565	49.9%
2	1 day	224	7.1%
3	2 days	181	5.8%
4	3 days	125	4%
5	4 days	91	2.9%
6	5 days	412	13.1%
7	6 days	52	1.7%
8	7 days	487	15.5%
Sysmiss		79	

Q51: PE attendance

Data file: pyf2015

Overview

Valid: 0 Invalid: 3216

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 6 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category
1	0 days
2	1 day
3	2 days

4	3 days
5	4 days
6	5 or more days
Sysmiss	

Q52: Sitting activities

Data file: pyf2015

Overview

Valid: 3103 Invalid: 113

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	757	24.4%
2	1 to 2 hours per day	1040	33.5%
3	3 to 4 hours per day	713	23%
4	5 to 6 hours per day	287	9.2%
5	7 to 8 hours per day	96	3.1%
6	More than 8 hours per day	210	6.8%
Sysmiss		113	

Q53: Miss school no permission

Data file: pyf2015

Overview

Valid: 3108 Invalid: 108

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	2289	73.6%
2	1 or 2 days	530	17.1%
3	3 to 5 days	175	5.6%
4	6 to 9 days	54	1.7%
5	10 or more days	60	1.9%
Sysmiss		108	

Q54: Other students kind and helpful

Data file: pyf2015

Overview

Valid: 3082 Invalid: 134

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	133	4.3%
2	Rarely	309	10%
3	Sometimes	666	21.6%
4	Most of the time	1027	33.3%
5	Always	947	30.7%
Sysmiss		134	

Q55: Parents check homework

Data file: pyf2015

Overview

Valid: 3104 Invalid: 112

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	1109	35.7%
2	Rarely	524	16.9%
3	Sometimes	556	17.9%
4	Most of the time	398	12.8%
5	Always	517	16.7%
Sysmiss		112	

Q56: Parents understand problems

Data file: pyf2015

Overview

Valid: 3066 Invalid: 150

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	852	27.8%
2	Rarely	485	15.8%
3	Sometimes	583	19%
4	Most of the time	471	15.4%
5	Always	675	22%
Sysmiss		150	

Q57: Parents know about free time

Data file: pyf2015

Overview

Valid: 3078 Invalid: 138

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	501	16.3%
2	Rarely	348	11.3%
3	Sometimes	518	16.8%
4	Most of the time	623	20.2%
5	Always	1088	35.3%
Sysmiss		138	

Q58: Parents go through their things

Data file: pyf2015

Overview

Valid: 3095 Invalid: 121 Mean: 1.536 Standard deviation: 1.014

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		2222	71.8%
2		401	13%
3		262	8.5%
4		105	3.4%
5		105	3.4%
Sysmiss		121	

QN6: Most of the time or always went hungry**Data file:** pyf2015**Overview**

Valid: 3195 Invalid: 21 Mean: 1.897 Standard deviation: 0.304
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	330	10.3%
2	No	2865	89.7%
Sysmiss		21	

QN7: Did not eat fruit**Data file:** pyf2015**Overview**

Valid: 3195 Invalid: 21 Mean: 1.949 Standard deviation: 0.22
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	163	5.1%
2	No	3032	94.9%
Sysmiss		21	

QN8: Did not eat vegetables**Data file:** pyf2015**Overview**

Valid: 3199 Invalid: 17 Mean: 1.942 Standard deviation: 0.235

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	187	5.8%
2	No	3012	94.2%
Sysmiss		17	

QN9: Did not drink carbonated soft drinks

Data file: pyf2015

Overview

Valid: 3198 Invalid: 18 Mean: 1.878 Standard deviation: 0.327
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	390	12.2%
2	No	2808	87.8%
Sysmiss		18	

QN10: Did not eat food from a fast food restaurant

Data file: pyf2015

Overview

Valid: 3205 Invalid: 11 Mean: 1.714 Standard deviation: 0.452
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	917	28.6%
2	No	2288	71.4%
Sysmiss		11	

QN11: Usually cleaned or brushed their teeth

Data file: pyf2015

Overview

Valid: 3206 Invalid: 10 Mean: 1.065 Standard deviation: 0.246
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2998	93.5%
2	No	208	6.5%
Sysmiss		10	

QN12: Never or rarely washed their hands before eating

Data file: pyf2015

Overview

Valid: 3204 Invalid: 12 Mean: 1.914 Standard deviation: 0.281
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	276	8.6%
2	No	2928	91.4%
Sysmiss		12	

QN13: Never or rarely washed their hands after using the toilet or latrine**Data file:** pyf2015**Overview**

Valid: 3195 Invalid: 21 Mean: 1.952 Standard deviation: 0.213
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	152	4.8%
2	No	3043	95.2%
Sysmiss		21	

QN14: Never or rarely used soap when washing their hands**Data file:** pyf2015**Overview**

Valid: 3192 Invalid: 24 Mean: 1.886 Standard deviation: 0.318
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	364	11.4%
2	No	2828	88.6%
Sysmiss		24	

QN15: Were physically attacked**Data file:** pyf2015**Overview**

Valid: 3209 Invalid: 7 Mean: 1.859 Standard deviation: 0.349
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	454	14.1%
2	No	2755	85.9%
Sysmiss		7	

QN16: Were in a physical fight

Data file: pyf2015

Overview

Valid: 3205 Invalid: 11 Mean: 1.731 Standard deviation: 0.444
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	863	26.9%
2	No	2342	73.1%
Sysmiss		11	

QN17: Were seriously injured

Data file: pyf2015

Overview

Valid: 2827 Invalid: 389 Mean: 1.608 Standard deviation: 0.488
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1109	39.2%
2	No	1718	60.8%
Sysmiss		389	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: pyf2015

Overview

Valid: 856 Invalid: 2360 Mean: 1.725 Standard deviation: 0.447
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	235	27.5%
2	No	621	72.5%
Sysmiss		2360	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: pyf2015

Overview

Valid: 938 Invalid: 2278 Mean: 1.917 Standard deviation: 0.276
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	78	8.3%
2	No	860	91.7%
Sysmiss		2278	

QN20: Were bullied**Data file:** pyf2015**Overview**

Valid: 3096 Invalid: 120 Mean: 1.775 Standard deviation: 0.418
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	698	22.5%
2	No	2398	77.5%
Sysmiss		120	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors**Data file:** pyf2015**Overview**

Valid: 538 Invalid: 2678 Mean: 1.944 Standard deviation: 0.23
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	30	5.6%
2	No	508	94.4%
Sysmiss		2678	

QN22: Most of the time or always felt lonely**Data file:** pyf2015**Overview**

Valid: 3185 Invalid: 31 Mean: 1.894 Standard deviation: 0.308
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	337	10.6%
2	No	2848	89.4%
Sysmiss		31	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: pyf2015

Overview

Valid: 3209 Invalid: 7 Mean: 1.879 Standard deviation: 0.326
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	389	12.1%
2	No	2820	87.9%
Sysmiss		7	

QN24: Seriously considered attempting suicide

Data file: pyf2015

Overview

Valid: 3167 Invalid: 49 Mean: 1.853 Standard deviation: 0.354
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	465	14.7%
2	No	2702	85.3%
Sysmiss		49	

QN25: Made a plan about how they would attempt suicide

Data file: pyf2015

Overview

Valid: 3180 Invalid: 36 Mean: 1.829 Standard deviation: 0.377
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	544	17.1%
2	No	2636	82.9%
Sysmiss		36	

QN26: Attempted suicide

Data file: pyf2015

Overview

Valid: 3189 Invalid: 27 Mean: 1.902 Standard deviation: 0.298
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	314	9.8%
2	No	2875	90.2%
Sysmiss		27	

QN27: Did not have any close friends**Data file: pyf2015****Overview**

Valid: 3182 Invalid: 34 Mean: 1.971 Standard deviation: 0.168
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1	Yes	92	2.9%
2	No	3090	97.1%
Sysmiss		34	

QN28: Tried a cigarette before age 14 years**Data file: pyf2015****Overview**

Valid: 1331 Invalid: 1885 Mean: 1.398 Standard deviation: 0.49
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1	Yes	801	60.2%
2	No	530	39.8%
Sysmiss		1885	

QN29: Currently smoked cigarettes**Data file: pyf2015****Overview**

Valid: 3187 Invalid: 29 Mean: 1.781 Standard deviation: 0.414
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	699	21.9%
2	No	2488	78.1%
Sysmiss		29	

QN30: Currently used any tobacco products other than cigarettes

Data file: pyf2015

Overview

Valid: 3202 Invalid: 14 Mean: 1.87 Standard deviation: 0.337
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	417	13%
2	No	2785	87%
Sysmiss		14	

QN31: Tried to quit smoking cigarettes

Data file: pyf2015

Overview

Valid: 749 Invalid: 2467 Mean: 1.182 Standard deviation: 0.386
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	613	81.8%
2	No	136	18.2%
Sysmiss		2467	

QN32: Reported that people smoked in their presence

Data file: pyf2015

Overview

Valid: 3178 Invalid: 38 Mean: 1.483 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1643	51.7%
2	No	1535	48.3%
Sysmiss		38	

QN33: Had parents or guardians who used any form of tobacco

Data file: pyf2015

Overview

Valid: 3185 Invalid: 31 Mean: 1.553 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	1425	44.7%
2	No	1760	55.3%
Sysmiss		31	

QN34: Drank alcohol before age 14 years**Data file: pyf2015****Overview**

Valid: 2137 Invalid: 1079 Mean: 1.467 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category	Cases	
1	Yes	1139	53.3%
2	No	998	46.7%
Sysmiss		1079	

QN35: Currently drank alcohol**Data file: pyf2015****Overview**

Valid: 3143 Invalid: 73 Mean: 1.543 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1436	45.7%
2	No	1707	54.3%
Sysmiss		73	

QN36: Usually drank two or more drinks per day**Data file: pyf2015****Overview**

Valid: 1616 Invalid: 1600 Mean: 1.274 Standard deviation: 0.446
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1174	72.6%
2	No	442	27.4%
Sysmiss		1600	

QN37: Usually obtained the alcohol they drank from friends

Data file: pyf2015

Overview

Valid: 1502 Invalid: 1714 Mean: 1.71 Standard deviation: 0.454
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	435	29%
2	No	1067	71%
Sysmiss		1714	

QN47: Used a condom

Data file: pyf2015

Overview

Valid: 1216 Invalid: 2000 Mean: 1.54 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	559	46%
2	No	657	54%
Sysmiss		2000	

QN38: Ever drank so much alcohol that they were really drunk

Data file: pyf2015

Overview

Valid: 3122 Invalid: 94 Mean: 1.559 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	1377	44.1%
2	No	1745	55.9%
Sysmiss		94	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: pyf2015

Overview

Valid: 3076 Invalid: 140 Mean: 1.851 Standard deviation: 0.356
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	457	14.9%
2	No	2619	85.1%
Sysmiss		140	

QN40: Used drugs before age 14 years**Data file:** pyf2015**Overview**

Valid: 932 Invalid: 2284 Mean: 1.675 Standard deviation: 0.469
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1	Yes	303	32.5%
2	No	629	67.5%
Sysmiss		2284	

QN41: Ever used marijuana**Data file:** pyf2015**Overview**

Valid: 3050 Invalid: 166 Mean: 1.707 Standard deviation: 0.455
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	894	29.3%
2	No	2156	70.7%
Sysmiss		166	

QN42: Currently used marijuana**Data file:** pyf2015**Overview**

Valid: 3125 Invalid: 91 Mean: 1.838 Standard deviation: 0.369
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	507	16.2%
2	No	2618	83.8%
Sysmiss		91	

QN43: Ever used amphetamines or methamphetamines

Data file: pyf2015

Overview

Valid: 3149 Invalid: 67 Mean: 1.965 Standard deviation: 0.183
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	109	3.5%
2	No	3040	96.5%
Sysmiss		67	

QN44: Ever had sexual intercourse

Data file: pyf2015

Overview

Valid: 3067 Invalid: 149 Mean: 1.566 Standard deviation: 0.496
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1331	43.4%
2	No	1736	56.6%
Sysmiss		149	

QN45: Had sexual intercourse before age 14 years

Data file: pyf2015

Overview

Valid: 1241 Invalid: 1975 Mean: 1.698 Standard deviation: 0.459
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	375	30.2%
2	No	866	69.8%
Sysmiss		1975	

QN46: Had sexual intercourse with two or more persons

Data file: pyf2015

Overview

Valid: 3124 Invalid: 92 Mean: 1.79 Standard deviation: 0.407
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	656	21%
2	No	2468	79%
Sysmiss		92	

QN48: Used a method of birth control other than condoms**Data file: pyf2015****Overview**

Valid: 1218 Invalid: 1998 Mean: 1.578 Standard deviation: 0.494
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	514	42.2%
2	No	704	57.8%
Sysmiss		1998	

QN49: Were not physically active**Data file: pyf2015****Overview**

Valid: 3132 Invalid: 84 Mean: 1.887 Standard deviation: 0.316
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	353	11.3%
2	No	2779	88.7%
Sysmiss		84	

QN50: Did not walk or ride a bicycle to or from school**Data file: pyf2015****Overview**

Valid: 3137 Invalid: 79 Mean: 1.501 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1565	49.9%
2	No	1572	50.1%
Sysmiss		79	

QN51: Did not attend physical education classes

Data file: pyf2015

Overview

Valid: 0 Invalid: 3216

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QN52: Spent three or more hours per day doing sitting activities

Data file: pyf2015

Overview

Valid: 3103 Invalid: 113 Mean: 1.579 Standard deviation: 0.494

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1306	42.1%
2	No	1797	57.9%
Sysmiss		113	

QN53: Missed classes or school without permission

Data file: pyf2015

Overview

Valid: 3108 Invalid: 108 Mean: 1.736 Standard deviation: 0.441
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	819	26.4%
2	No	2289	73.6%
Sysmiss		108	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: pyf2015

Overview

Valid: 3082 Invalid: 134 Mean: 1.36 Standard deviation: 0.48
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1974	64%
2	No	1108	36%
Sysmiss		134	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: pyf2015

Overview

Valid: 3104 Invalid: 112 Mean: 1.705 Standard deviation: 0.456
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	915	29.5%
2	No	2189	70.5%
Sysmiss		112	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: pyf2015

Overview

Valid: 3066 Invalid: 150 Mean: 1.626 Standard deviation: 0.484
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1146	37.4%
2	No	1920	62.6%
Sysmiss		150	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: pyf2015

Overview

Valid: 3078 Invalid: 138 Mean: 1.444 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1711	55.6%
2	No	1367	44.4%
Sysmiss		138	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: pyf2015

Overview

Valid: 3095 Invalid: 121 Mean: 1.153 Standard deviation: 0.36
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2623	84.7%
2	No	472	15.3%
Sysmiss		121	

QNUNWTG: Were underweight

Data file: pyf2015

Overview

Valid: 3067 Invalid: 149 Mean: 1.989 Standard deviation: 0.105
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight ($<-2SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	34	1.1%
2	No	3033	98.9%
Sysmiss		149	

QNOWTG: Were overweight

Data file: pyf2015

Overview

Valid: 3067 Invalid: 149 Mean: 1.563 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight ($>+1SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	1339	43.7%
2	No	1728	56.3%
Sysmiss		149	

QNOBESEG: Were obese

Data file: pyf2015

Overview

Valid: 3067 Invalid: 149 Mean: 1.797 Standard deviation: 0.403
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese ($>+2SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	624	20.3%
2	No	2443	79.7%
Sysmiss		149	

QNFR1G: Usually ate fruit less than one time per day

Data file: pyf2015

Overview

Valid: 3195 Invalid: 21 Mean: 1.752 Standard deviation: 0.432
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	793	24.8%
2	No	2402	75.2%
Sysmiss		21	

QNFR1G: Usually ate fruit one or more times per day

Data file: pyf2015

Overview

Valid: 3195 Invalid: 21 Mean: 1.299 Standard deviation: 0.458
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2239	70.1%
2	No	956	29.9%
Sysmiss		21	

QNFR2G: Usually ate fruit two or more times per day**Data file: pyf2015****Overview**

Valid: 3195 Invalid: 21 Mean: 1.531 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1497	46.9%
2	No	1698	53.1%
Sysmiss		21	

QNFR3G: Usually ate fruit three or more times per day**Data file: pyf2015****Overview**

Valid: 3195 Invalid: 21 Mean: 1.737 Standard deviation: 0.44
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	840	26.3%
2	No	2355	73.7%
Sysmiss		21	

QNVEGLG: Usually ate vegetables less than one time per day**Data file: pyf2015****Overview**

Valid: 3199 Invalid: 17 Mean: 1.832 Standard deviation: 0.374
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	538	16.8%
2	No	2661	83.2%
Sysmiss		17	

QNVEG1G: Usually ate vegetables one or more times per day

Data file: pyf2015

Overview

Valid: 3199 Invalid: 17 Mean: 1.227 Standard deviation: 0.419
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2474	77.3%
2	No	725	22.7%
Sysmiss		17	

QNVEG2G: Usually ate vegetables two or more times per day

Data file: pyf2015

Overview

Valid: 3199 Invalid: 17 Mean: 1.478 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1671	52.2%
2	No	1528	47.8%
Sysmiss		17	

QNVG3G: Usually ate vegetables three or more times per day

Data file: pyf2015

Overview

Valid: 3199 Invalid: 17 Mean: 1.722 Standard deviation: 0.448
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	888	27.8%
2	No	2311	72.2%
Sysmiss		17	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: pyf2015

Overview

Valid: 3198 Invalid: 18 Mean: 1.576 Standard deviation: 0.494
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1355	42.4%
2	No	1843	57.6%
Sysmiss		18	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day**Data file: pyf2015****Overview**

Valid: 3198 Invalid: 18 Mean: 1.546 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1453	45.4%
2	No	1745	54.6%
Sysmiss		18	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day**Data file: pyf2015****Overview**

Valid: 3198 Invalid: 18 Mean: 1.725 Standard deviation: 0.447
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	881	27.5%
2	No	2317	72.5%
Sysmiss		18	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day**Data file: pyf2015****Overview**

Valid: 3198 Invalid: 18 Mean: 1.851 Standard deviation: 0.356
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	476	14.9%
2	No	2722	85.1%
Sysmiss		18	

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: pyf2015

Overview

Valid: 3205 Invalid: 11 Mean: 1.286 Standard deviation: 0.452
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2288	71.4%
2	No	917	28.6%
Sysmiss		11	

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: pyf2015

Overview

Valid: 3205 Invalid: 11 Mean: 1.585 Standard deviation: 0.493
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1329	41.5%
2	No	1876	58.5%
Sysmiss		11	

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: pyf2015

Overview

Valid: 3205 Invalid: 11 Mean: 1.771 Standard deviation: 0.42
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	733	22.9%
2	No	2472	77.1%
Sysmiss		11	

QNC2G: Were bullied and could not sleep at night

Data file: pyf2015

Overview

Valid: 370 Invalid: 2846 Mean: 1.608 Standard deviation: 0.489
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	145	39.2%
2	No	225	60.8%
Sysmiss		2846	

QNTOB2G: Currently used any tobacco product**Data file:** pyf2015**Overview**

Valid: 3188 Invalid: 28 Mean: 1.727 Standard deviation: 0.445
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	869	27.3%
2	No	2319	72.7%
Sysmiss		28	

QNNOTB2G: Did not currently use any tobacco products**Data file:** pyf2015**Overview**

Valid: 3182 Invalid: 34 Mean: 1.271 Standard deviation: 0.445
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2319	72.9%
2	No	863	27.1%
Sysmiss		34	

QNBCANYG: Used a method of birth control**Data file:** pyf2015**Overview**

Valid: 1137 Invalid: 2079 Mean: 1.255 Standard deviation: 0.436
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	847	74.5%
2	No	290	25.5%
Sysmiss		2079	

QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: pyf2015

Overview

Valid: 1317 Invalid: 1899 Mean: 1.335 Standard deviation: 0.472
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	876	66.5%
2	No	441	33.5%
Sysmiss		1899	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: pyf2015

Overview

Valid: 3132 Invalid: 84 Mean: 1.638 Standard deviation: 0.481
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1133	36.2%
2	No	1999	63.8%
Sysmiss		84	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: pyf2015

Overview

Valid: 3132 Invalid: 84 Mean: 1.82 Standard deviation: 0.384
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	563	18%
2	No	2569	82%
Sysmiss		84	

QNPE3G: Attended physical education classes on three or more days

Data file: pyf2015

Overview

Valid: 0 Invalid: 3216
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QNPE5G: Attended physical education classes on five or more days**Data file:** pyf2015**Overview**

Valid: 0 Invalid: 3216

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

WEIGHT:**Data file:** pyf2015**Overview**

Valid: 3216 Invalid: 0 Mean: 7.763 Standard deviation: 3.058

Type: Continuous Decimal: 0 Width: 10 Range: 42.0329 - 329.5608 Format: Numeric

STRATUM:**Data file:** pyf2015**Overview**

Valid: 3216 Invalid: 0 Mean: 201501009.361 Standard deviation: 23.784

Type: Discrete Decimal: 0 Width: 10 Range: 201501001 - 201501019 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
201501001		208	6.5%
201501002		175	5.4%
201501003		131	4.1%
201501004		131	4.1%
201501005		142	4.4%

201501006		253	7.9%
201501007		302	9.4%
201501008		96	3%
201501009		222	6.9%
201501010		286	8.9%
201501011		238	7.4%
201501012		51	1.6%
201501013		229	7.1%
201501014		74	2.3%
201501015		153	4.8%
201501016		169	5.3%
201501017		119	3.7%
201501018		107	3.3%
201501019		130	4%

PSU:**Data file: pyf2015****Overview**

Valid: 3216 Invalid: 0 Mean: 55.653 Standard deviation: 24.479
 Type: Continuous Decimal: 0 Width: 10 Range: 1 - 38 Format: Numeric

study_resources

questionnaires

Questionnaire

title Questionnaire
filename 2016_GSHS_French_Polynesia_Questionnaire_FR.pdf

reports

Fact Sheet

title Fact Sheet
filename gshs_fs_french_polynesia_2015.pdf

technical_documents

Codebook

title Codebook
filename 2015FPH_Public_Use_Codebook.pdf
