Global School-Based Student Health Survey 2011

Ministry of Education, Ministry of Health and Medical Services

report_generated_on: May 8, 2024

visit_data_catalog_at:

Identification

SURVEY ID NUMBER
SLB_2011_GSHS_v01_M

TITLE
Global School-Based Student Health Survey 2011

COUNTRY

Name	Country code
Solomon Islands	SLB

STUDY TYPE
Other Household Survey [hh/oth]

SERIES INFORMATION
This is the first GSHS conducted by Solomon Islands.

ABSTRACT
The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA
Sample survey data [ssd]

UNIT OF ANALYSIS
Individuals

Version

VERSION DESCRIPTION
Public-use dataset

VERSION DATE
2018-08-09

Scope

NOTES
The following core modules were included in the survey:
- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- tobacco use
- violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
hygiene
mental health
physical activity
tobacco use
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE
National coverage

UNIVERSE
School-going adolescents aged 13-15 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
Ministry of Education
Ministry of Health and Medical Services

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE
The 2011 Solomon Islands GSHS was a school-based survey of students in grades Std 6, Forms 1-3. A two-stage cluster sample design was used to produce data representative of all students in grades Std 6, Forms 1-3 in Solomon Islands. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE
The school response rate was 97%, the student response rate was 88%, and the overall response rate was 85%.

WEIGHTING
The weighting formula used is:
$W = W1 * W2 * f1 * f2 * f3$.
The list below shows what each variable in the formula represents.
W1 - The inverse of the probability of selecting each school
W2 - The inverse of the probability of selecting each classroom
f1 - A school-level non response adjustment factor
f2 - A student-level non response adjustment factor calculated by classroom
f3 - A post stratification adjustment factor calculated by sex within grade

data_collection

DATES OF DATA COLLECTION

Start	End
2011-02	2011-02

DATA COLLECTION MODE
self-administered

questionnaires

QUESTIONNAIRES
The following core modules were included in the survey:
- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- tobacco use
- violence and unintentional injury

data_processing

DATA EDITING
All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

(1) to acknowledge the data source.

(2) to share any planned publications with WHO prior to publication.

(3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.

(4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_SLB_2011_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Yue Wu		World Health Organization	Documentation of data
Melanie Cowan		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2018-08-09

DDI DOCUMENT VERSION

Identical to a metadata (SLB_2011_GSHS_v01) published on WHO NCD microdata repository (http://extranet.who.int/ncdsmicrodata/index.php/catalog). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
SLB2011_Public_Use National public-use dataset	1421	112

Data file: SLB2011_Public_Use

National public-use dataset

Cases:	1421
variables:	112

variables

ID	Name	Label	Question
V1	Q1	How old are you	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V16	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V17	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V18	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V21	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V22	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V23	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V24	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	How many times attempt suicide 12 mos	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Number close friends	How many close friends do you have?
V28	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V29	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other forms of tobacco	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V34	Q34	Age first drink of alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V35	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Age first drugs	How old were you when you first used drugs?
V41	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V49	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?
V51	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V54	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?

ID	Name	Label	Question
V55	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V60	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V61	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V62	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V63	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V64	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V65	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V66	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V67	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V68	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V69	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V70	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V71	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V72	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V73	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V74	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V75	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months
V76	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V77	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V78	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V79	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months

ID	Name	Label	Question
V80	QN27	No close friends	Percentage of students who had no close friends
V81	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V82	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V83	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V84	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V85	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V86	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	QN34	Age first alcohol before 14	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V88	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V89	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V90	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V91	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V92	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V93	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V94	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V95	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V96	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V102	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V103	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V104	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V105	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V106	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V107	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V108	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V109	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

ID	Name	Label	Question
V110	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V111	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V115	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V116	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V117	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V118	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V119	qnanytbg	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V120	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V121	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V123	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V124	weight	Weight	
V125	stratum	Stratum	
V126	psu	Primary Sampling Unit	

total: 112

Q1: How old are you

Data file: SLB2011_Public_Use

Overview

Valid: 1367   Invalid: 54
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 6   Format: Numeric

Questions and instructions

LITERAL QUESTION
How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	35	2.6%
2	12 years old	59	4.3%
3	13 years old	181	13.2%
4	14 years old	294	21.5%
5	15 years old	391	28.6%
6	16 years old or older	407	29.8%
Sysmiss		54	

Q10: Ate fast food past 7 days

Data file: SLB2011_Public_Use

Overview

Valid: 1390   Invalid: 31
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION
During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	459	33%
2	1 day	348	25%
3	2 days	161	11.6%
4	3 days	135	9.7%
5	4 days	65	4.7%

6	5 days	59	4.2%
7	6 days	38	2.7%
8	7 days	125	9%
Sysmiss		31	

Q2: Sex

Data file: SLB2011_Public_Use

Overview

Valid: 1355   Invalid: 66
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	703	51.9%
2	Female	652	48.1%
Sysmiss		66	

Q3: In what grade are you

Data file: SLB2011_Public_Use

Overview

Valid: 1339   Invalid: 82
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

LITERAL QUESTION
In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Std 6	301	22.5%
2	Form 1	345	25.8%
3	Form 2	430	32.1%
4	Form 3	263	19.6%
5	Ungraded or other grade	0	0%

Sysmiss		82	

Q4: How tall are you

Data file: SLB2011_Public_Use

Overview

Valid: 1136   Invalid: 285   Minimum: 1.27   Maximum: 1.96   Mean: 1.592   Standard deviation: 0.0846
Type: Continuous   Decimal: 2   Width: 5   Range: 1.27 - 1.96   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION
How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: SLB2011_Public_Use

Overview

Valid: 1136   Invalid: 285   Minimum: 27   Maximum: 96   Mean: 53.521   Standard deviation: 9.872
Type: Continuous   Decimal: 2   Width: 5   Range: 27 - 96   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION
How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: Went hungry past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1393   Invalid: 28
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION
During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	232	16.7%
2	Rarely	110	7.9%
3	Sometimes	894	64.2%
4	Most of the time	116	8.3%
5	Always	41	2.9%
Sysmiss		28	

Q7: Eat fruit per day past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1408   Invalid: 13
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about what you might eat and drink

LITERAL QUESTION
During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	90	6.4%
2	Less than one time per day	355	25.2%
3	1 time per day	272	19.3%
4	2 times per day	219	15.6%
5	3 times per day	180	12.8%
6	4 times per day	77	5.5%
7	5 or more times per day	215	15.3%
Sysmiss		13	

Q8: Eat vegetables past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1388   Invalid: 33

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION
During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	69	5%
2	Less than one time per day	222	16%
3	1 time per day	312	22.5%
4	2 times per day	274	19.7%
5	3 times per day	179	12.9%
6	4 times per day	62	4.5%
7	5 or more times per day	270	19.5%
Sysmiss		33	

Q9: Drink soft drinks past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1403   Invalid: 18
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION
During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	326	23.2%
2	Less than one time per day	411	29.3%
3	1 time per day	308	22%
4	2 times per day	109	7.8%
5	3 times per day	92	6.6%
6	4 times per day	58	4.1%

| 7 | 5 or more times per day | 99 | 7.1% |
| Sysmiss | | 18 | |

Q11: How many times per day brush teeth

Data file: SLB2011_Public_Use

Overview

Valid: 1395   Invalid: 26
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 6   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about cleaning your teeth and washing your hands

LITERAL QUESTION
During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	114	8.2%
2	Less than 1 time per day	197	14.1%
3	1 time per day	275	19.7%
4	2 times per day	288	20.6%
5	3 times per day	250	17.9%
6	4 or more times per day	271	19.4%
Sysmiss		26	

Q12: Wash hands before eating past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1411   Invalid: 10
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about cleaning your teeth and washing your hands

LITERAL QUESTION
During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	

1	Never	41	2.9%
2	Rarely	45	3.2%
3	Sometimes	525	37.2%
4	Most of the time	366	25.9%
5	Always	434	30.8%
Sysmiss		10	

Q13: Wash hands after toilet past 30 day

Data file: SLB2011_Public_Use

Overview

Valid: 1399   Invalid: 22
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about cleaning your teeth and washing your hands

LITERAL QUESTION
During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	46	3.3%
2	Rarely	80	5.7%
3	Sometimes	310	22.2%
4	Most of the time	390	27.9%
5	Always	573	41%
Sysmiss		22	

Q14: Used soap on hands past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1398   Invalid: 23
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about cleaning your teeth and washing your hands

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	64	4.6%
2	Rarely	67	4.8%
3	Sometimes	606	43.3%
4	Most of the time	337	24.1%
5	Always	324	23.2%
Sysmiss		23	

Q15: Times attacked past 12 mo.

Data file: SLB2011_Public_Use

Overview

Valid: 1408   Invalid: 13
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION
During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	598	42.5%
2	1 time	277	19.7%
3	2 or 3 times	276	19.6%
4	4 or 5 times	102	7.2%
5	6 or 7 times	51	3.6%
6	8 or 9 times	31	2.2%
7	10 or 11 times	41	2.9%
8	12 or more times	32	2.3%
Sysmiss		13	

Q16: How many times in fight 12 mos

Data file: SLB2011_Public_Use

Overview

Valid: 1408   Invalid: 13
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION
During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	668	47.4%
2	1 time	316	22.4%
3	2 or 3 times	205	14.6%
4	4 or 5 times	71	5%
5	6 or 7 times	55	3.9%
6	8 or 9 times	22	1.6%
7	10 or 11 times	18	1.3%
8	12 or more times	53	3.8%
Sysmiss		13	

Q17: How many times injured past 12 months

Data file: SLB2011_Public_Use

Overview

Valid: 1229   Invalid: 192
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION
During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	348	28.3%
2	1 time	338	27.5%
3	2 or 3 times	243	19.8%

4	4 or 5 times	123	10%
5	6 or 7 times	58	4.7%
6	8 or 9 times	28	2.3%
7	10 or 11 times	22	1.8%
8	12 or more times	69	5.6%
Sysmiss		192	

Q18: What was serious injury past 12 mo.

Data file: SLB2011_Public_Use

Overview

Valid: 1310   Invalid: 111
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION
During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	648	49.5%
2	Broken bone/dislocated joint	133	10.2%
3	I had a cut or stab wound	178	13.6%
4	Concussion/head injury	65	5%
5	I had a gunshot wound	16	1.2%
6	I had a bad burn	37	2.8%
7	I was poisoned	30	2.3%
8	Something else happened to me	203	15.5%
Sysmiss		111	

Q19: Cause of injury past 12 mo.

Data file: SLB2011_Public_Use

Overview

Valid: 1279   Invalid: 142
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION
During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	589	46.1%
2	Motor vehicle accident	72	5.6%
3	I fell	175	13.7%
4	Something fell on me or hit me	178	13.9%
5	I was attacked	85	6.6%
6	Was in a fire	45	3.5%
7	breathed something bad	37	2.9%
8	Something else	98	7.7%
Sysmiss		142	

Q20: How many days bullied past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1278   Invalid: 143
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION
During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	433	33.9%
2	1 or 2 days	477	37.3%
3	3 to 5 days	147	11.5%
4	6 to 9 days	54	4.2%
5	10 to 19 days	37	2.9%

6	20 to 29 days	29	2.3%
7	All 30 days	101	7.9%
Sysmiss		143	

Q21: How bullied past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1299   Invalid: 122
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION
During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	597	46%
2	Kicked, pushed, or shoved	145	11.2%
3	Made fun of race	127	9.8%
4	Made fun because of religion	69	5.3%
5	Made fun of about sex	73	5.6%
6	Left out of activities	46	3.5%
7	Made fun of about body	76	5.9%
8	Some other way	166	12.8%
Sysmiss		122	

Q22: Times felt lonely past 12 mo.

Data file: SLB2011_Public_Use

Overview

Valid: 1398   Invalid: 23
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	256	18.3%
2	Rarely	99	7.1%
3	Sometimes	833	59.6%
4	Most of the time	143	10.2%
5	Always	67	4.8%
Sysmiss		23	

Q23: Times could not sleep past 12 mo.

Data file: SLB2011_Public_Use

Overview

Valid: 1381   Invalid: 40
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	408	29.5%
2	Rarely	138	10%
3	Sometimes	654	47.4%
4	Most of the time	127	9.2%
5	Always	54	3.9%
Sysmiss		40	

Q24: Ever considered suicide 12 mos

Data file: SLB2011_Public_Use

Overview

Valid: 1384   Invalid: 37
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	412	29.8%
2	No	972	70.2%
Sysmiss		37	

Q25: Ever make suicide plan 12 mos

Data file: SLB2011_Public_Use

Overview

Valid: 1381   Invalid: 40
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	392	28.4%
2	No	989	71.6%
Sysmiss		40	

Q26: How many times attempt suicide 12 mos

Data file: SLB2011_Public_Use

Overview

Valid: 1377   Invalid: 44
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	853	61.9%
2	1 time	261	19%
3	2 or 3 times	156	11.3%
4	4 or 5 times	40	2.9%
5	6 or more times	67	4.9%
Sysmiss		44	

Q27: Number close friends

Data file: SLB2011_Public_Use

Overview

Valid: 1400   Invalid: 21
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 4   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	185	13.2%
2	1	282	20.1%
3	2	251	17.9%
4	3 or more	682	48.7%
Sysmiss		21	

Q28: Age first tried cigarette

Data file: SLB2011_Public_Use

Overview

Valid: 1089   Invalid: 332
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	608	55.8%
2	7 years old or younger	64	5.9%
3	8 or 9 years old	40	3.7%
4	10 or 11 years old	50	4.6%
5	12 or 13 years old	99	9.1%
6	14 or 15 years old	161	14.8%
7	16 years old or older	67	6.2%
Sysmiss		332	

Q29: How many days smoked 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1353   Invalid: 68
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	964	71.2%
2	1 or 2 days	173	12.8%
3	3 to 5 days	59	4.4%
4	6 to 9 days	34	2.5%
5	10 to 19 days	36	2.7%
6	20 to 29 days	23	1.7%
7	All 30 days	64	4.7%
Sysmiss		68	

Q30: Other forms of tobacco

Data file: SLB2011_Public_Use

Overview

Valid: 1414   Invalid: 7
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1075	76%
2	1 or 2 days	173	12.2%
3	3 to 5 days	55	3.9%
4	6 to 9 days	28	2%
5	10 to 19 days	24	1.7%
6	20 to 29 days	20	1.4%
7	All 30 days	39	2.8%
Sysmiss		7	

Q31: Try stop smoking past 12 mo.

Data file: SLB2011_Public_Use

Overview

Valid: 1144   Invalid: 277
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 4   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	

1	I have never smoked cigarettes	711	62.2%
2	Did not smoke cigarettes	119	10.4%
3	Yes	229	20%
4	No	85	7.4%
Sysmiss		277	

Q32: Others present smoking past 7 days

Data file: SLB2011_Public_Use

Overview

Valid: 1387   Invalid: 34
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	341	24.6%
2	1 or 2 days	316	22.8%
3	3 or 4 days	148	10.7%
4	5 or 6 days	108	7.8%
5	All 7 days	474	34.2%
Sysmiss		34	

Q33: Parents who use tobacco

Data file: SLB2011_Public_Use

Overview

Valid: 1402   Invalid: 19
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	387	27.6%
2	My father or male guardian	439	31.3%
3	My mother or female guardian	101	7.2%
4	Both	85	6.1%
5	I do not know	390	27.8%
Sysmiss		19	

Q34: Age first drink of alcohol

Data file: SLB2011_Public_Use

Overview

Valid: 1058   Invalid: 363
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION
How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	664	62.8%
2	7 years old or younger	90	8.5%
3	8 or 9 years old	25	2.4%
4	10 or 11 years old	30	2.8%
5	12 or 13 years old	61	5.8%
6	14 or 15 years old	123	11.6%
7	16 years old or older	65	6.1%
Sysmiss		363	

Q35: Days one drink or more past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1305   Invalid: 116
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION
During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	1001	76.7%
2	1 or 2 days	161	12.3%
3	3 to 5 days	59	4.5%
4	6 to 9 days	29	2.2%
5	10 to 19 days	22	1.7%
6	20 to 29 days	16	1.2%
7	All 30 days	17	1.3%
Sysmiss		116	

Q36: Number of drinks past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1379   Invalid: 42
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION
During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1024	74.3%
2	Less than one drink	140	10.2%
3	1 drink	76	5.5%
4	2 drinks	36	2.6%
5	3 drinks	23	1.7%
6	4 drinks	27	2%

7	5 or more drinks	53	3.8%
Sysmiss		42	

Q37: How got drinks past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1308   Invalid: 113
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION
During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1001	76.5%
2	I bought in a store	74	5.7%
3	I gave someone money to buy	62	4.7%
4	I got it from my friends	124	9.5%
5	I got it from my family	23	1.8%
6	I stole it	6	0.5%
7	I got it some other way	18	1.4%
Sysmiss		113	

Q38: Times drunk during life

Data file: SLB2011_Public_Use

Overview

Valid: 1291   Invalid: 130
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 4   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	1007	78%
2	1 or 2 times	176	13.6%
3	3 to 9 times	56	4.3%
4	10 or more times	52	4%
Sysmiss		130	

Q39: Number of troubles as result of drinking

Data file: SLB2011_Public_Use

Overview

Valid: 1177   Invalid: 244
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 4   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	947	80.5%
2	1 or 2 times	138	11.7%
3	3 to 9 times	47	4%
4	10 or more times	45	3.8%
Sysmiss		244	

Q40: Age first drugs

Data file: SLB2011_Public_Use

Overview

Valid: 1224   Invalid: 197
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	806	65.8%
2	7 years old or younger	90	7.4%
3	8 or 9 years old	54	4.4%
4	10 or 11 years old	40	3.3%
5	12 or 13 years old	67	5.5%
6	14 or 15 years old	104	8.5%
7	16 years old or older	63	5.1%
Sysmiss		197	

Q41: Times used marijuana lifetime

Data file: SLB2011_Public_Use

Overview

Valid: 1314   Invalid: 107
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	1072	81.6%
2	1 or 2 times	111	8.4%
3	3 to 9 times	47	3.6%
4	10 to 19 times	38	2.9%
5	20 or more times	46	3.5%
Sysmiss		107	

Q42: Times used marijuana past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1336   Invalid: 85
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	1114	83.4%
2	1 or 2 times	101	7.6%
3	3 to 9 times	62	4.6%
4	10 to 19 times	28	2.1%
5	20 or more times	31	2.3%
Sysmiss		85	

Q43: Times used amphetamines lifetime

Data file: SLB2011_Public_Use

Overview

Valid: 1250   Invalid: 171
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	1036	82.9%

2	1 or 2 times	103	8.2%
3	3 to 9 times	52	4.2%
4	10 to 19 times	31	2.5%
5	20 or more times	28	2.2%
Sysmiss		171	

Q49: Days active 60 min plus past 7 days

Data file: SLB2011_Public_Use

Overview

Valid: 1392   Invalid: 29
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	263	18.9%
2	1 day	344	24.7%
3	2 days	199	14.3%
4	3 days	144	10.3%
5	4 days	73	5.2%
6	5 days	77	5.5%
7	6 days	66	4.7%
8	7 days	226	16.2%
Sysmiss		29	

Q50: Walk or bike to school past 7 days

Data file: SLB2011_Public_Use

Overview

Valid: 1374   Invalid: 47
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	652	47.5%
2	1 day	154	11.2%
3	2 days	91	6.6%
4	3 days	53	3.9%
5	4 days	37	2.7%
6	5 days	167	12.2%
7	6 days	46	3.3%
8	7 days	174	12.7%
Sysmiss		47	

▌ Q51: Days went to PE each week

Data file: SLB2011_Public_Use

Overview

Valid: 1389   Invalid: 32
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 6   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	380	27.4%
2	1 day	314	22.6%
3	2 days	119	8.6%
4	3 days	71	5.1%
5	4 days	99	7.1%

| 6 | 5 or more days | 406 | 29.2% |
| Sysmiss | | 32 | |

Q52: Time spent sitting on usual day

Data file: SLB2011_Public_Use

Overview

Valid: 1390   Invalid: 31
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 6   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION
How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	631	45.4%
2	1 to 2 hours per day	400	28.8%
3	3 to 4 hours per day	166	11.9%
4	5 to 6 hours per day	60	4.3%
5	7 to 8 hours per day	49	3.5%
6	More than 8 hours per day	84	6%
Sysmiss		31	

Q53: Miss school no permission past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1353   Invalid: 68
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	689	50.9%
2	1 or 2 days	409	30.2%
3	3 to 5 days	116	8.6%
4	6 to 9 days	63	4.7%
5	10 or more days	76	5.6%
Sysmiss		68	

Q54: Others helpful in school past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1392   Invalid: 29
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	159	11.4%
2	Rarely	129	9.3%
3	Sometimes	712	51.1%
4	Most of the time	230	16.5%
5	Always	162	11.6%
Sysmiss		29	

Q55: Parents check homework past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1386   Invalid: 35
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	231	16.7%
2	Rarely	135	9.7%
3	Sometimes	480	34.6%
4	Most of the time	267	19.3%
5	Always	273	19.7%
Sysmiss		35	

Q56: Parent understand troubles past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1376   Invalid: 45
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	335	24.3%
2	Rarely	137	10%
3	Sometimes	544	39.5%
4	Most of the time	181	13.2%
5	Always	179	13%
Sysmiss		45	

Q57: Parent know what you do past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1390   Invalid: 31
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	239	17.2%
2	Rarely	134	9.6%
3	Sometimes	602	43.3%
4	Most of the time	220	15.8%
5	Always	195	14%
Sysmiss		31	

Q58: Parent go through things past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1357   Invalid: 64
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		390	28.7%
2		159	11.7%
3		545	40.2%
4		159	11.7%
5		104	7.7%
Sysmiss		64	

QN6: Went hungry most of time/always past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1393   Invalid: 28
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	157	11.3%
2	No	1236	88.7%
Sysmiss		28	

QN7: Ate fruit 2+ times per day past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1408   Invalid: 13
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	691	49.1%
2	No	717	50.9%
Sysmiss		13	

QN8: Ate vegetables 3+ times per day past 30 day

Data file: SLB2011_Public_Use

Overview

Valid: 1388   Invalid: 33
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	511	36.8%
2	No	877	63.2%
Sysmiss		33	

QN9: Drank soft drinks 1+ times per day past 30 day

Data file: SLB2011_Public_Use

Overview

Valid: 1403   Invalid: 18
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	666	47.5%
2	No	737	52.5%
Sysmiss		18	

QN10: Ate fast food 3+ days past 7 day

Data file: SLB2011_Public_Use

Overview

Valid: 1390   Invalid: 31
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

CATEGORIES

Value	Category	Cases	
1	Yes	422	30.4%
2	No	968	69.6%
Sysmiss		31	

QN11: Cleaned/brushed teeth <1 time/day past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1395   Invalid: 26
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	311	22.3%
2	No	1084	77.7%
Sysmiss		26	

QN12: Never/rarely wash hands before eating past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1411   Invalid: 10
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who never or rarely washed their hands before eating during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	86	6.1%
2	No	1325	93.9%
Sysmiss		10	

QN13: Never/rarely wash hands after toilet past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1399   Invalid: 22
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	126	9%
2	No	1273	91%
Sysmiss		22	

QN14: Never/rarely use soap on hands past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1398   Invalid: 23
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	131	9.4%
2	No	1267	90.6%
Sysmiss		23	

QN15: Attacked 1+ times past 12 months

Data file: SLB2011_Public_Use

Overview

Valid: 1408   Invalid: 13
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	

1	Yes	810	57.5%
2	No	598	42.5%
Sysmiss		13	

QN16: In fight 1+ times past 12 months

Data file: SLB2011_Public_Use

Overview

Valid: 1408   Invalid: 13
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were in a physical fight one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	740	52.6%
2	No	668	47.4%
Sysmiss		13	

QN17: Seriously injured 1+ times past 12 months

Data file: SLB2011_Public_Use

Overview

Valid: 1229   Invalid: 192
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were seriously injured one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	881	71.7%
2	No	348	28.3%
Sysmiss		192	

QN18: Broken bone as most serious injury

Data file: SLB2011_Public_Use

Overview

Valid: 662   Invalid: 759
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

CATEGORIES

Value	Category	Cases	
1	Yes	133	20.1%
2	No	529	79.9%
Sysmiss		759	

QN19: Motor vehicle caused most serious injury

Data file: SLB2011_Public_Use

Overview

Valid: 690   Invalid: 731
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

CATEGORIES

Value	Category	Cases	
1	Yes	72	10.4%
2	No	618	89.6%
Sysmiss		731	

QN20: Bullied 1+ of past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1278   Invalid: 143
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	845	66.1%
2	No	433	33.9%
Sysmiss		143	

QN21: Of students bullied, most often hit, kicked, etc

Data file: SLB2011_Public_Use

Overview

Valid: 702   Invalid: 719
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

CATEGORIES

Value	Category	Cases	
1	Yes	145	20.7%
2	No	557	79.3%
Sysmiss		719	

QN22: Lonely most times/always past 12 months

Data file: SLB2011_Public_Use

Overview

Valid: 1398   Invalid: 23
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

CATEGORIES

Value	Category	Cases	

1	Yes	210	15%
2	No	1188	85%
Sysmiss		23	

QN23: Worry prevented sleep most time/always past 12 mos

Data file: SLB2011_Public_Use

Overview

Valid: 1381   Invalid: 40
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	181	13.1%
2	No	1200	86.9%
Sysmiss		40	

QN24: Considered suicide past 12 months

Data file: SLB2011_Public_Use

Overview

Valid: 1384   Invalid: 37
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ever seriously considered attempting suicide during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	412	29.8%
2	No	972	70.2%
Sysmiss		37	

QN25: Made suicide plan past 12 months

Data file: SLB2011_Public_Use

Overview

Valid: 1381   Invalid: 40
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who made a plan about how they would attempt suicide during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	392	28.4%
2	No	989	71.6%
Sysmiss		40	

QN26: 1+ times attempt suicide 12 mos.

Data file: SLB2011_Public_Use

Overview

Valid: 1377   Invalid: 44
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who actually attempted suicide one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	524	38.1%
2	No	853	61.9%
Sysmiss		44	

QN27: No close friends

Data file: SLB2011_Public_Use

Overview

Valid: 1400   Invalid: 21
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who had no close friends

CATEGORIES

Value	Category	Cases	
1	Yes	185	13.2%
2	No	1215	86.8%
Sysmiss		21	

QN28: Age first cigarette before 14

Data file: SLB2011_Public_Use

Overview

Valid: 481   Invalid: 940
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

CATEGORIES

Value	Category	Cases	
1	Yes	253	52.6%
2	No	228	47.4%
Sysmiss		940	

QN29: Smoked cigarettes 1+ of past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1353   Invalid: 68
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who smoked cigarettes on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	

1	Yes	389	28.8%
2	No	964	71.2%
Sysmiss		68	

QN30: Used other tobacco 1+ of past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1414   Invalid: 7
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	339	24%
2	No	1075	76%
Sysmiss		7	

QN31: Tried to quit smoking past 12 months

Data file: SLB2011_Public_Use

Overview

Valid: 314   Invalid: 1107
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	229	72.9%
2	No	85	27.1%
Sysmiss		1107	

QN32: Others present smoking 1+ of past 7 days

Data file: SLB2011_Public_Use

Overview

Valid: 1387   Invalid: 34
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who reported people smoked in their presence on one or more days during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	1046	75.4%
2	No	341	24.6%
Sysmiss		34	

QN33: Either/Both parents use tobacco

Data file: SLB2011_Public_Use

Overview

Valid: 1402   Invalid: 19
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	625	44.6%
2	No	777	55.4%
Sysmiss		19	

QN34: Age first alcohol before 14

Data file: SLB2011_Public_Use

Overview

Valid: 394   Invalid: 1027
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

CATEGORIES

Value	Category	Cases	
1	Yes	206	52.3%
2	No	188	47.7%
Sysmiss		1027	

QN35: Drank 1+ days past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1305   Invalid: 116
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	304	23.3%
2	No	1001	76.7%
Sysmiss		116	

QN36: Of current drinkers, drank 2+ drinks/day 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 355   Invalid: 1066
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

CATEGORIES

Value	Category	Cases	
1	Yes	139	39.2%
2	No	216	60.8%
Sysmiss		1066	

QN37: Of current drinkers, got alcohol from friends

Data file: SLB2011_Public_Use

Overview

Valid: 307   Invalid: 1114
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

CATEGORIES

Value	Category	Cases	
1	Yes	124	40.4%
2	No	183	59.6%
Sysmiss		1114	

QN38: 1+ times drunk in lifetime

Data file: SLB2011_Public_Use

Overview

Valid: 1291   Invalid: 130
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	284	22%
2	No	1007	78%
Sysmiss		130	

QN39: Alcohol trouble 1+ times in lifetime

Data file: SLB2011_Public_Use

Overview

Valid: 1177   Invalid: 244

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

CATEGORIES

Value	Category	Cases	
1	Yes	230	19.5%
2	No	947	80.5%
Sysmiss		244	

QN40: Age first drugs before 14

Data file: SLB2011_Public_Use

Overview

Valid: 418   Invalid: 1003

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

CATEGORIES

Value	Category	Cases	
1	Yes	251	60%
2	No	167	40%
Sysmiss		1003	

QN41: Marijuana 1+ times in lifetime

Data file: SLB2011_Public_Use

Overview

Valid: 1314   Invalid: 107

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	242	18.4%
2	No	1072	81.6%
Sysmiss		107	

QN42: Marijuana 1+ times p 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1336   Invalid: 85
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	222	16.6%
2	No	1114	83.4%
Sysmiss		85	

QN49: Active 60+ mins/day for 5+ of past 7 days

Data file: SLB2011_Public_Use

Overview

Valid: 1392   Invalid: 29
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

CATEGORIES

Value	Category	Cases	

1	Yes	369	26.5%
2	No	1023	73.5%
Sysmiss		29	

QN50: Walk/Bike to/from school 0 of past 7 days

Data file: SLB2011_Public_Use

Overview

Valid: 1374   Invalid: 47
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	652	47.5%
2	No	722	52.5%
Sysmiss		47	

QN51: 3+ days PE each week

Data file: SLB2011_Public_Use

Overview

Valid: 1389   Invalid: 32
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who went to physical education (PE) class on three or more days each week during this school year

CATEGORIES

Value	Category	Cases	
1	Yes	576	41.5%
2	No	813	58.5%
Sysmiss		32	

QN52: Sitting activities 3+ hours/day of usual day

Data file: SLB2011_Public_Use

Overview

Valid: 1390   Invalid: 31
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

CATEGORIES

Value	Category	Cases	
1	Yes	359	25.8%
2	No	1031	74.2%
Sysmiss		31	

QN53: Miss school no permission 1+ of past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1353   Invalid: 68
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who missed classes or school without permission on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	664	49.1%
2	No	689	50.9%
Sysmiss		68	

QN54: Students most/always kind 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1392   Invalid: 29
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	392	28.2%
2	No	1000	71.8%
Sysmiss		29	

QN55: Parents most/always check homework

Data file: SLB2011_Public_Use

Overview

Valid: 1386   Invalid: 35
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	540	39%
2	No	846	61%
Sysmiss		35	

QN56: Parents most/always understand problems

Data file: SLB2011_Public_Use

Overview

Valid: 1376   Invalid: 45
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	360	26.2%
2	No	1016	73.8%
Sysmiss		45	

QN57: Parents most/always know about free time

Data file: SLB2011_Public_Use

Overview

Valid: 1390   Invalid: 31
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	415	29.9%
2	No	975	70.1%
Sysmiss		31	

QN43: Amphetamines 1+ times lifetime

Data file: SLB2011_Public_Use

Overview

Valid: 1250   Invalid: 171
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who used amphetamines or methamphetamines one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	214	17.1%
2	No	1036	82.9%
Sysmiss		171	

QN58: Parents never/rarely go thru things

Data file: SLB2011_Public_Use

Overview

Valid: 1357   Invalid: 64
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	549	40.5%
2	No	808	59.5%
Sysmiss		64	

QNOWTG: Overweight

Data file: SLB2011_Public_Use

Overview

Valid: 1136   Invalid: 285
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	246	21.7%
2	No	890	78.3%
Sysmiss		285	

QNOBESEG: Obese

Data file: SLB2011_Public_Use

Overview

Valid: 1136   Invalid: 285
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	32	2.8%
2	No	1104	97.2%
Sysmiss		285	

QNUNWTG: Underweight

Data file: SLB2011_Public_Use

Overview

Valid: 1136   Invalid: 285
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	28	2.5%
2	No	1108	97.5%
Sysmiss		285	

QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1381   Invalid: 40
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	

1	Yes	592	42.9%
2	No	789	57.1%
Sysmiss		40	

▌ QNANYTBG: Used any tobacco past 30 days

Data file: SLB2011_Public_Use

Overview

Valid: 1348   Invalid: 73
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who used any tobacco on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	440	32.6%
2	No	908	67.4%
Sysmiss		73	

▌ QNPA7G: Physically active all past 7 days

Data file: SLB2011_Public_Use

Overview

Valid: 1392   Invalid: 29
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	226	16.2%
2	No	1166	83.8%
Sysmiss		29	

QNPE5G: Attended PE 5+ days each week

Data file: SLB2011_Public_Use

Overview

Valid: 1389   Invalid: 32
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

CATEGORIES

Value	Category	Cases	
1	Yes	406	29.2%
2	No	983	70.8%
Sysmiss		32	

QNC2G: Among those worried, currently bullied

Data file: SLB2011_Public_Use

Overview

Valid: 165   Invalid: 1256
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	140	84.8%
2	No	25	15.2%
Sysmiss		1256	

WEIGHT: Weight

Data file: SLB2011_Public_Use

Overview

Valid: 1421   Invalid: 0   Minimum: 8.12   Maximum: 52.29   Mean: 14.15   Standard deviation: 7.881
Type: Continuous   Decimal: 0   Width: 10   Range: 8.1204 - 52.2897   Format: Numeric

STRATUM: Stratum

Data file: SLB2011_Public_Use

Overview

Valid: 1421   Invalid: 0   Minimum: 201101001   Maximum: 201101014   Mean: 201101006.48   Standard deviation: 14.411
Type: Continuous   Decimal: 0   Width: 9   Range: 201101001 - 201101014   Format: Numeric

PSU: Primary Sampling Unit

Data file: SLB2011_Public_Use

Overview

Valid: 1421   Invalid: 0   Minimum: 1   Maximum: 29   Mean: 12.452   Standard deviation: 7.611
Type: Continuous   Decimal: 0   Width: 5   Range: 1 - 29   Format: Numeric

study_resources

questionnaires

Questionnaire

title	Questionnaire
country	Solomon Isld.
filename	2011_Solomon_Islands_GSHS_Questionnaire.pdf

reports

Fact Sheet

title	Fact Sheet
country	Solomon Isld.
filename	2011_GSHS_FS_Solomon_Islands.pdf

technical_documents

Codebook

title	Codebook
country	Solomon Isld.
filename	SLB2011_public_use_codebook.pdf