

Global School-Based Student Health Survey 2017

Ministry of Health and Sanitation

report_generated_on: May 8, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER
SLE_2017_GSHS_v01_M

TITLE
Global School-Based Student Health Survey 2017

COUNTRY

Name	Country code
Sierra Leone	SLE

STUDY TYPE
Other Household Survey [hh/oth]

SERIES INFORMATION
This is the first GSHS conducted by Sierra Leone.

ABSTRACT
The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA
Sample survey data [ssd]

UNIT OF ANALYSIS
Individuals

Version

VERSION DESCRIPTION
Public-use dataset

Scope

NOTES
The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword

adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
hygiene
mental health
physical activity
sexual behaviours
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE

National

UNIVERSE

School-going adolescents aged 13-17 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
Ministry of Health and Sanitation

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE

A two-stage cluster sample design was used to produce data representative of all students in grades JSS 2, JSS3, SSS 2, SSS 3 in Sierra Leone. At the first stage, schools were selected with probability proportional to enrollment size. At the second

stage, classes were randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

The school response rate was 94%, the student response rate was 87%, and the overall response rate was 82%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

data_collection

DATES OF DATA COLLECTION

Start	End
2017	2017

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- tobacco use
- violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.

- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_SLE_2017_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Melanie Cowan		World Health Organization	Documentation of data
		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DDI DOCUMENT VERSION

Identical to a metadata (SLE_2017_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
SLEH2017_GSHS_Data_Public_Use	2798	141

Data file: SLEH2017_GSHS_Data_Public_Use

Cases: 2798

variables: 141

variables

ID	Name	Label	Question
V1	Q1	Custom Age	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V16	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V17	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V18	Q18	Serious injury type	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Serious injury cause	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V21	Q21	Bullied how	During the past 30 days, how were you bullied most often?
V22	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V23	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V24	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Close friends	How many close friends do you have?
V28	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V29	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V34	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V35	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Initiation of drug use	How old were you when you first used drugs?
V41	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V45	Q45	Age first had sex	How old were you when you had sexual intercourse for the first time?
V46	Q46	Number of sex partners	During your life, with how many people have you had sexual intercourse?
V47	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Physical activity past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V51	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V54	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V60	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V61	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V62	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V63	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V64	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V65	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V66	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V67	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V68	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V69	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V70	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V71	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V72	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V73	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V74	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V75	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V76	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V77	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V78	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V79	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V80	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V81	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V82	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V83	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V84	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V85	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V86	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V88	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V89	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V90	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V91	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V92	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V93	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V94	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V95	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V96	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V97	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V98	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V99	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V100	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V101	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V102	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V103	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V104	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V105	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V106	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V107	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V108	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V109	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V110	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V111	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V115	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V116	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V117	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V118	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V119	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V120	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V121	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V122	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V123	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V124	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V125	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V126	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V127	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V128	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V129	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V130	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V131	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V132	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V133	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V134	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V135	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V136	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V137	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V138	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V139	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V140	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V141	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V142	weight		
V143	stratum		
V144	psu		

total: 141

Q1: Custom Age**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 2780 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	28	1%
2	12 years old	86	3.1%
3	13 years old	368	13.2%
4	14 years old	491	17.7%
5	15 years old	505	18.2%
6	16 years old	434	15.6%
7	17 years old	548	19.7%
8	18 years old or older	320	11.5%
Sysmiss		18	

Q10: Fast food eating**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category
1	0 days
2	1 day
3	2 days

4	3 days
5	4 days
6	5 days
7	6 days
8	7 days
Sysmiss	

Q2: Sex

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2742 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1258	45.9%
2	Female	1484	54.1%
Sysmiss		56	

Q3: In what grade are you

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2775 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	M 3	1278	46.1%
2	M 4	497	17.9%
3	M 5	9	0.3%

4	M 6	669	24.1%
5	M 7	322	11.6%
Sysmiss		23	

Q4: How tall are you

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2616 Invalid: 182 Minimum: 1.29 Maximum: 1.89 Mean: 1.583 Standard deviation: 0.0871
Type: Continuous Decimal: 2 Width: 4 Range: 1.27 - 1.87 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2616 Invalid: 182 Minimum: 25 Maximum: 162 Mean: 51.174 Standard deviation: 11.045
Type: Continuous Decimal: 2 Width: 6 Range: 28 - 116 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2798
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category
1	Never
2	Rarely
3	Sometimes
4	Most of the time
5	Always
Sysmiss	

Q7: No fruit eating

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category
1	Did not eat fruit
2	Less than one time per day
3	1 time per day
4	2 times per day
5	3 times per day
6	4 times per day
7	5 or more times per day
Sysmiss	

Q8: No vegetable eating**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category
1	Did not eat vegetables
2	Less than one time per day
3	1 time per day
4	2 times per day
5	3 times per day
6	4 times per day
7	5 or more times per day
Sysmiss	

Q9: Soft drinks**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category
1	Did not drink soft drinks
2	Less than one time per day

3	1 time per day
4	2 times per day
5	3 times per day
6	4 times per day
7	5 or more times per day
Sysmiss	

Q11: Tooth brushing

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2779 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	73	2.6%
2	Less than 1 time per day	165	5.9%
3	1 time per day	579	20.8%
4	2 times per day	1175	42.3%
5	3 times per day	585	21.1%
6	4 or more times per day	202	7.3%
Sysmiss		19	

Q12: Hand washing before eating

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2768 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	75	2.7%
2	Rarely	117	4.2%
3	Sometimes	259	9.4%
4	Most of the time	317	11.5%
5	Always	2000	72.3%
Sysmiss		30	

Q13: Hand washing after toilet

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2757 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	87	3.2%
2	Rarely	103	3.7%
3	Sometimes	292	10.6%
4	Most of the time	287	10.4%
5	Always	1988	72.1%
Sysmiss		41	

Q14: Hand washing with soap

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2754 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	157	5.7%
2	Rarely	147	5.3%
3	Sometimes	584	21.2%
4	Most of the time	424	15.4%
5	Always	1442	52.4%
Sysmiss		44	

Q15: Physically attacked

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category
1	0 times
2	1 time
3	2 or 3 times
4	4 or 5 times
5	6 or 7 times
6	8 or 9 times
7	10 or 11 times
8	12 or more times
Sysmiss	

Q16: Physical fighting**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category
1	0 times
2	1 time
3	2 or 3 times
4	4 or 5 times
5	6 or 7 times
6	8 or 9 times
7	10 or 11 times
8	12 or more times
Sysmiss	

Q17: Seriously injured**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category
1	0 times
2	1 time
3	2 or 3 times
4	4 or 5 times
5	6 or 7 times
6	8 or 9 times
7	10 or 11 times
8	12 or more times
Sysmiss	

Q18: Serious injury type

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category
1	Not seriously injured
2	Broken bone/dislocated joint
3	I had a cut or stab wound
4	Concussion/head injury
5	I had a gunshot wound
6	I had a bad burn
7	I was poisoned
8	Something else happened to me
Sysmiss	

Q19: Serious injury cause

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category
1	Not seriously injured
2	Motor vehicle accident
3	I fell
4	Something fell on me or hit me
5	I was attacked
6	Was in a fire
7	breathed something bad
8	Something else
Sysmiss	

Q20: Bullied

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2501 Invalid: 297

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	1078	43.1%

2	1 or 2 days	693	27.7%
3	3 to 5 days	295	11.8%
4	6 to 9 days	130	5.2%
5	10 to 19 days	90	3.6%
6	20 to 29 days	49	2%
7	All 30 days	166	6.6%
Sysmiss		297	

Q21: Bullied how

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2496 Invalid: 302

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	1439	57.7%
2	Kicked, pushed, or shoved	208	8.3%
3	Made fun of race	223	8.9%
4	Made fun because of religion	129	5.2%
5	Made fun of about sex	97	3.9%
6	Left out of activities	56	2.2%
7	Made fun of about body	119	4.8%
8	Some other way	225	9%
Sysmiss		302	

Q22: Felt lonely

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2768 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	814	29.4%
2	Rarely	212	7.7%
3	Sometimes	1176	42.5%
4	Most of the time	336	12.1%
5	Always	230	8.3%
Sysmiss		30	

Q23: Could not sleep

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2784 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	986	35.4%
2	Rarely	198	7.1%
3	Sometimes	1080	38.8%
4	Most of the time	331	11.9%
5	Always	189	6.8%
Sysmiss		14	

Q24: Considered suicide**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 2694 Invalid: 104

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	394	14.6%
2	No	2300	85.4%
Sysmiss		104	

Q25: Made a suicide plan**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 2735 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	453	16.6%
2	No	2282	83.4%
Sysmiss		63	

Q26: Attempted suicide**Data file: SLEH2017_GSHS_Data_Public_Use**

Overview

Valid: 2760 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	2219	80.4%
2	1 time	294	10.7%
3	2 or 3 times	162	5.9%
4	4 or 5 times	41	1.5%
5	6 or more times	44	1.6%
Sysmiss		38	

Q27: Close friends

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2731 Invalid: 67

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	249	9.1%
2	1	840	30.8%
3	2	675	24.7%
4	3 or more	967	35.4%
Sysmiss		67	

Q28: Initiation of cigarette use**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category
1	I have never smoked cigarettes
2	7 years old or younger
3	8 or 9 years old
4	10 or 11 years old
5	12 or 13 years old
6	14 or 15 years old
7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q29: Current cigarette use**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category
1	0 days
2	1 or 2 days

3	3 to 5 days
4	6 to 9 days
5	10 to 19 days
6	20 to 29 days
7	All 30 days
Sysmiss	

Q30: Other tobacco use

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category
1	0 days
2	1 or 2 days
3	3 to 5 days
4	6 to 9 days
5	10 to 19 days
6	20 to 29 days
7	All 30 days
Sysmiss	

Q31: Smoking cessation

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category
1	I have never smoked cigarettes
2	Did not smoke cigarettes
3	Yes
4	No
Sysmiss	

Q32: Smoking in their presence

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category
1	0 days
2	1 or 2 days
3	3 or 4 days
4	5 or 6 days
5	All 7 days
Sysmiss	

Q33: Parental tobacco use

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category
1	Neither
2	My father or male guardian
3	My mother or female guardian
4	Both
5	I do not know
Sysmiss	

Q34: Initiation of alcohol use

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2316 Invalid: 482

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	1661	71.7%
2	7 years old or younger	174	7.5%
3	8 or 9 years old	69	3%
4	10 or 11 years old	103	4.4%
5	12 or 13 years old	99	4.3%
6	14 or 15 years old	111	4.8%

7	16 or 17 years old	80	3.5%
8	18 years old or older	19	0.8%
Sysmiss		482	

Q35: Current alcohol use

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2617 Invalid: 181

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	2224	85%
2	1 or 2 days	205	7.8%
3	3 to 5 days	79	3%
4	6 to 9 days	38	1.5%
5	10 to 19 days	20	0.8%
6	20 to 29 days	30	1.1%
7	All 30 days	21	0.8%
Sysmiss		181	

Q36: Drank 2+ drinks

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2664 Invalid: 134

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	2195	82.4%
2	Less than one drink	193	7.2%
3	1 drink	139	5.2%
4	2 drinks	70	2.6%
5	3 drinks	26	1%
6	4 drinks	14	0.5%
7	5 or more drinks	27	1%
Sysmiss		134	

Q37: Source of alcohol

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2588 Invalid: 210

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	2173	84%
2	I bought in a store	110	4.3%
3	I gave someone money to buy	74	2.9%
4	I got it from my friends	131	5.1%
5	I got it from my family	68	2.6%
6	I stole it	8	0.3%
7	Some other way	24	0.9%
Sysmiss		210	

Q38: Really drunk**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 2655 Invalid: 143

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	2402	90.5%
2	1 or 2 times	159	6%
3	3 to 9 times	41	1.5%
4	10 or more times	53	2%
Sysmiss		143	

Q39: Trouble from drinking**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 2595 Invalid: 203

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	2389	92.1%

2	1 or 2 times	101	3.9%
3	3 to 9 times	60	2.3%
4	10 or more times	45	1.7%
Sysmiss		203	

Q40: Initiation of drug use

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2002 Invalid: 796

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1666	83.2%
2	7 years old or younger	120	6%
3	8 or 9 years old	61	3%
4	10 or 11 years old	43	2.1%
5	12 or 13 years old	28	1.4%
6	14 or 15 years old	23	1.1%
7	16 or 17 years old	51	2.5%
8	18 years old or older	10	0.5%
Sysmiss		796	

Q41: Ever marijuana use

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2656 Invalid: 142

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	2491	93.8%
2	1 or 2 times	77	2.9%
3	3 to 9 times	33	1.2%
4	10 to 19 times	31	1.2%
5	20 or more times	24	0.9%
Sysmiss		142	

Q42: Current marijuana use

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2684 Invalid: 114

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	2546	94.9%
2	1 or 2 times	60	2.2%
3	3 to 9 times	42	1.6%
4	10 to 19 times	24	0.9%
5	20 or more times	12	0.4%
Sysmiss		114	

Q43: Amphetamine or methamphetamine use

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2092 Invalid: 706

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	1901	90.9%
2	1 or 2 times	114	5.4%
3	3 to 9 times	47	2.2%
4	10 to 19 times	14	0.7%
5	20 or more times	16	0.8%
Sysmiss		706	

Q44: Ever sexual intercourse

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2373 Invalid: 425

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	917	38.6%
2	No	1456	61.4%
Sysmiss		425	

Q45: Age first had sex**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 2556 Invalid: 242

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1814	71%
2	11 years old or younger	160	6.3%
3	12 years old	88	3.4%
4	13 years old	82	3.2%
5	14 years old	108	4.2%
6	15 years old	96	3.8%
7	16 or 17 years old	167	6.5%
8	18 years old or older	41	1.6%
Sysmiss		242	

Q46: Number of sex partners**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 2645 Invalid: 153

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1854	70.1%
2	1 person	431	16.3%

3	2 people	177	6.7%
4	3 people	70	2.6%
5	4 people	36	1.4%
6	5 people	21	0.8%
7	6 or more people	56	2.1%
Sysmiss		153	

Q47: Condom use

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2543 Invalid: 255

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1781	70%
2	Yes	325	12.8%
3	No	437	17.2%
Sysmiss		255	

Q48: Birth control used

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2501 Invalid: 297

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1736	69.4%
2	Yes	376	15%
3	No	276	11%
4	I do not know	113	4.5%
Sysmiss		297	

Q49: Physical activity past 7 days**Data file:** SLEH2017_GSHS_Data_Public_Use**Overview**

Valid: 2744 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	716	26.1%
2	1 day	472	17.2%
3	2 days	466	17%
4	3 days	259	9.4%
5	4 days	136	5%
6	5 days	158	5.8%
7	6 days	87	3.2%
8	7 days	450	16.4%
Sysmiss		54	

Q50: Walk or bike to school**Data file:** SLEH2017_GSHS_Data_Public_Use**Overview**

Valid: 2779 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	1671	60.1%
2	1 day	284	10.2%
3	2 days	173	6.2%
4	3 days	114	4.1%
5	4 days	60	2.2%
6	5 days	120	4.3%
7	6 days	43	1.5%
8	7 days	314	11.3%
Sysmiss		19	

Q51: PE attendance

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2741 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	799	29.1%
2	1 day	481	17.5%
3	2 days	566	20.6%

4	3 days	354	12.9%
5	4 days	122	4.5%
6	5 or more days	419	15.3%
Sysmiss		57	

Q52: Sitting activities

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2752 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	1278	46.4%
2	1 to 2 hours per day	747	27.1%
3	3 to 4 hours per day	421	15.3%
4	5 to 6 hours per day	104	3.8%
5	7 to 8 hours per day	82	3%
6	More than 8 hours per day	120	4.4%
Sysmiss		46	

Q53: Miss school no permission

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2769 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	1777	64.2%
2	1 or 2 days	682	24.6%
3	3 to 5 days	220	7.9%
4	6 to 9 days	41	1.5%
5	10 or more days	49	1.8%
Sysmiss		29	

Q54: Other students kind and helpful

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2759 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	553	20%
2	Rarely	259	9.4%
3	Sometimes	1093	39.6%
4	Most of the time	392	14.2%
5	Always	462	16.7%
Sysmiss		39	

Q55: Parents check homework

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2744 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	506	18.4%
2	Rarely	210	7.7%
3	Sometimes	726	26.5%
4	Most of the time	350	12.8%
5	Always	952	34.7%
Sysmiss		54	

Q56: Parents understand problems

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2759 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	526	19.1%
2	Rarely	230	8.3%
3	Sometimes	782	28.3%
4	Most of the time	386	14%
5	Always	835	30.3%
Sysmiss		39	

Q57: Parents know about free time

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2754 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	520	18.9%
2	Rarely	247	9%
3	Sometimes	759	27.6%
4	Most of the time	446	16.2%
5	Always	782	28.4%
Sysmiss		44	

Q58: Parents go through their things

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2757 Invalid: 41 Mean: 2.654 Standard deviation: 1.533

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		1038	37.6%
2		238	8.6%
3		651	23.6%
4		301	10.9%
5		529	19.2%
Sysmiss		41	

QN6: Most of the time or always went hungry**Data file:** SLEH2017_GSHS_Data_Public_Use**Overview**

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QN7: Did not eat fruit**Data file:** SLEH2017_GSHS_Data_Public_Use**Overview**

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QN8: Did not eat vegetables**Data file:** SLEH2017_GSHS_Data_Public_Use**Overview**

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QN9: Did not drink carbonated soft drinks

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QN10: Did not eat food from a fast food restaurant

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QN11: Usually cleaned or brushed their teeth

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2779 Invalid: 19 Mean: 1.086 Standard deviation: 0.28
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2541	91.4%
2	No	238	8.6%
Sysmiss		19	

QN12: Never or rarely washed their hands before eating

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2768 Invalid: 30 Mean: 1.931 Standard deviation: 0.254
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	192	6.9%
2	No	2576	93.1%
Sysmiss		30	

QN13: Never or rarely washed their hands after using the toilet or latrine**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 2757 Invalid: 41 Mean: 1.931 Standard deviation: 0.253
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	190	6.9%
2	No	2567	93.1%
Sysmiss		41	

QN14: Never or rarely used soap when washing their hands**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 2754 Invalid: 44 Mean: 1.89 Standard deviation: 0.313
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	304	11%
2	No	2450	89%
Sysmiss		44	

QN15: Were physically attacked**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 0 Invalid: 2798
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QN16: Were in a physical fight

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QN17: Were seriously injured

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category
-------	----------

1	Yes
2	No
Sysmiss	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QN20: Were bullied**Data file:** SLEH2017_GSHS_Data_Public_Use**Overview**

Valid: 2501 Invalid: 297 Mean: 1.431 Standard deviation: 0.495
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1423	56.9%
2	No	1078	43.1%
Sysmiss		297	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors**Data file:** SLEH2017_GSHS_Data_Public_Use**Overview**

Valid: 1057 Invalid: 1741 Mean: 1.803 Standard deviation: 0.398
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	208	19.7%
2	No	849	80.3%
Sysmiss		1741	

QN22: Most of the time or always felt lonely**Data file:** SLEH2017_GSHS_Data_Public_Use**Overview**

Valid: 2768 Invalid: 30 Mean: 1.796 Standard deviation: 0.403
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	566	20.4%
2	No	2202	79.6%
Sysmiss		30	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2784 Invalid: 14 Mean: 1.813 Standard deviation: 0.39
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	520	18.7%
2	No	2264	81.3%
Sysmiss		14	

QN24: Seriously considered attempting suicide

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2694 Invalid: 104 Mean: 1.854 Standard deviation: 0.353
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	394	14.6%
2	No	2300	85.4%
Sysmiss		104	

QN25: Made a plan about how they would attempt suicide

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2735 Invalid: 63 Mean: 1.834 Standard deviation: 0.372
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	453	16.6%
2	No	2282	83.4%
Sysmiss		63	

QN26: Attempted suicide

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2760 Invalid: 38 Mean: 1.804 Standard deviation: 0.397
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	541	19.6%
2	No	2219	80.4%
Sysmiss		38	

QN27: Did not have any close friends**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 2731 Invalid: 67 Mean: 1.909 Standard deviation: 0.288
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1	Yes	249	9.1%
2	No	2482	90.9%
Sysmiss		67	

QN28: Tried a cigarette before age 14 years**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 0 Invalid: 2798
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QN29: Currently smoked cigarettes**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 0 Invalid: 2798
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QN30: Currently used any tobacco products other than cigarettes

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QN31: Tried to quit smoking cigarettes

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QN32: Reported that people smoked in their presence

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QN33: Had parents or guardians who used any form of tobacco

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QN34: Drank alcohol before age 14 years**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 655 Invalid: 2143 Mean: 1.321 Standard deviation: 0.467
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category	Cases	
1	Yes	445	67.9%
2	No	210	32.1%
Sysmiss		2143	

QN35: Currently drank alcohol**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 2617 Invalid: 181 Mean: 1.85 Standard deviation: 0.357
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	393	15%
2	No	2224	85%
Sysmiss		181	

QN36: Usually drank two or more drinks per day**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 469 Invalid: 2329 Mean: 1.708 Standard deviation: 0.455
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	137	29.2%
2	No	332	70.8%
Sysmiss		2329	

QN37: Usually obtained the alcohol they drank from friends

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 415 Invalid: 2383 Mean: 1.684 Standard deviation: 0.465
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	131	31.6%
2	No	284	68.4%
Sysmiss		2383	

QN47: Used a condom

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 762 Invalid: 2036 Mean: 1.573 Standard deviation: 0.495
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	325	42.7%
2	No	437	57.3%
Sysmiss		2036	

QN38: Ever drank so much alcohol that they were really drunk

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2655 Invalid: 143 Mean: 1.905 Standard deviation: 0.294
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	253	9.5%
2	No	2402	90.5%
Sysmiss		143	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2595 Invalid: 203 Mean: 1.921 Standard deviation: 0.27
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	206	7.9%
2	No	2389	92.1%
Sysmiss		203	

QN40: Used drugs before age 14 years**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 336 Invalid: 2462 Mean: 1.25 Standard deviation: 0.434
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1	Yes	252	75%
2	No	84	25%
Sysmiss		2462	

QN41: Ever used marijuana**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 2656 Invalid: 142 Mean: 1.938 Standard deviation: 0.241
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	165	6.2%
2	No	2491	93.8%
Sysmiss		142	

QN42: Currently used marijuana**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 2684 Invalid: 114 Mean: 1.949 Standard deviation: 0.221
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	138	5.1%
2	No	2546	94.9%
Sysmiss		114	

QN43: Ever used amphetamines or methamphetamines

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2092 Invalid: 706 Mean: 1.909 Standard deviation: 0.288
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	191	9.1%
2	No	1901	90.9%
Sysmiss		706	

QN44: Ever had sexual intercourse

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2373 Invalid: 425 Mean: 1.614 Standard deviation: 0.487
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	917	38.6%
2	No	1456	61.4%
Sysmiss		425	

QN45: Had sexual intercourse before age 14 years

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 742 Invalid: 2056 Mean: 1.555 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	330	44.5%
2	No	412	55.5%
Sysmiss		2056	

QN46: Had sexual intercourse with two or more persons

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2645 Invalid: 153 Mean: 1.864 Standard deviation: 0.343
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	360	13.6%
2	No	2285	86.4%
Sysmiss		153	

QN48: Used a method of birth control other than condoms**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 765 Invalid: 2033 Mean: 1.508 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	376	49.2%
2	No	389	50.8%
Sysmiss		2033	

QN49: Were not physically active**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 2744 Invalid: 54 Mean: 1.739 Standard deviation: 0.439
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	716	26.1%
2	No	2028	73.9%
Sysmiss		54	

QN50: Did not walk or ride a bicycle to or from school**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 2779 Invalid: 19 Mean: 1.399 Standard deviation: 0.49
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1671	60.1%
2	No	1108	39.9%
Sysmiss		19	

QN51: Did not attend physical education classes

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2741 Invalid: 57 Mean: 1.709 Standard deviation: 0.455
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	799	29.1%
2	No	1942	70.9%
Sysmiss		57	

QN52: Spent three or more hours per day doing sitting activities

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2752 Invalid: 46 Mean: 1.736 Standard deviation: 0.441
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	727	26.4%
2	No	2025	73.6%
Sysmiss		46	

QN53: Missed classes or school without permission

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2769 Invalid: 29 Mean: 1.642 Standard deviation: 0.48
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	992	35.8%
2	No	1777	64.2%
Sysmiss		29	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2759 Invalid: 39 Mean: 1.69 Standard deviation: 0.462
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	854	31%
2	No	1905	69%
Sysmiss		39	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2744 Invalid: 54 Mean: 1.526 Standard deviation: 0.499
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1302	47.4%
2	No	1442	52.6%
Sysmiss		54	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2759 Invalid: 39 Mean: 1.557 Standard deviation: 0.497
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1221	44.3%
2	No	1538	55.7%
Sysmiss		39	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2754 Invalid: 44 Mean: 1.554 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1228	44.6%
2	No	1526	55.4%
Sysmiss		44	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2757 Invalid: 41 Mean: 1.537 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1276	46.3%
2	No	1481	53.7%
Sysmiss		41	

QNUNWTG: Were underweight

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2616 Invalid: 182 Mean: 1.946 Standard deviation: 0.227
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight ($<-2SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	142	5.4%
2	No	2474	94.6%
Sysmiss		182	

QNOWTG: Were overweight

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2616 Invalid: 182 Mean: 1.872 Standard deviation: 0.335
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight ($>+1SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	336	12.8%
2	No	2280	87.2%
Sysmiss		182	

QNOBESEG: Were obese

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2616 Invalid: 182 Mean: 1.976 Standard deviation: 0.155
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese ($>+2SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	64	2.4%
2	No	2552	97.6%
Sysmiss		182	

QNFR1G: Usually ate fruit less than one time per day

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QNFR1G: Usually ate fruit one or more times per day

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QNFR2G: Usually ate fruit two or more times per day**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QNFR3G: Usually ate fruit three or more times per day**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QNVEGLG: Usually ate vegetables less than one time per day**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QNVEG1G: Usually ate vegetables one or more times per day

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QNVEG2G: Usually ate vegetables two or more times per day

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category
-------	----------

1	Yes
2	No
Sysmiss	

QNVG3G: Usually ate vegetables three or more times per day

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category
-------	----------

1	Yes
2	No
Sysmiss	

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QNC2G: Were bullied and could not sleep at night

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 451 Invalid: 2347 Mean: 1.341 Standard deviation: 0.475

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	297	65.9%
2	No	154	34.1%
Sysmiss		2347	

QNTOB2G: Currently used any tobacco product**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QNNOTB2G: Did not currently use any tobacco products**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 0 Invalid: 2798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QNBCANYG: Used a method of birth control**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 625 Invalid: 2173 Mean: 1.293 Standard deviation: 0.455

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	442	70.7%
2	No	183	29.3%
Sysmiss		2173	

QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 192 Invalid: 2606 Mean: 1.224 Standard deviation: 0.418
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	149	77.6%
2	No	43	22.4%
Sysmiss		2606	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2744 Invalid: 54 Mean: 1.747 Standard deviation: 0.435
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	695	25.3%
2	No	2049	74.7%
Sysmiss		54	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2744 Invalid: 54 Mean: 1.836 Standard deviation: 0.37
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	450	16.4%
2	No	2294	83.6%
Sysmiss		54	

QNPE3G: Attended physical education classes on three or more days

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2741 Invalid: 57 Mean: 1.673 Standard deviation: 0.469
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	895	32.7%
2	No	1846	67.3%
Sysmiss		57	

QNPE5G: Attended physical education classes on five or more days**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 2741 Invalid: 57 Mean: 1.847 Standard deviation: 0.36
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	419	15.3%
2	No	2322	84.7%
Sysmiss		57	

WEIGHT:**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 2798 Invalid: 0 Mean: 103.76 Standard deviation: 57.741
 Type: Continuous Decimal: 0 Width: 10 Range: 42.0329 - 329.5608 Format: Numeric

STRATUM:**Data file: SLEH2017_GSHS_Data_Public_Use****Overview**

Valid: 2798 Invalid: 0 Mean: 201701011.941 Standard deviation: 13.903
 Type: Discrete Decimal: 0 Width: 9 Range: 201501001 - 201501019 Format: Numeric

Questions and instructions**CATEGORIES**

Value	Category	Cases	
201701001		109	3.9%
201701002		191	6.8%
201701003		119	4.3%
201701004		163	5.8%
201701005		88	3.1%

201701006		222	7.9%
201701007		100	3.6%
201701008		130	4.6%
201701009		80	2.9%
201701010		75	2.7%
201701011		105	3.8%
201701012		113	4%
201701013		80	2.9%
201701014		79	2.8%
201701015		85	3%
201701016		130	4.6%
201701017		84	3%
201701018		103	3.7%
201701019		162	5.8%
201701020		165	5.9%
201701021		106	3.8%
201701022		76	2.7%
201701023		233	8.3%

PSU:

Data file: SLEH2017_GSHS_Data_Public_Use

Overview

Valid: 2798 Invalid: 0 Mean: 23.373 Standard deviation: 14.312
 Type: Continuous Decimal: 0 Width: 5 Range: 1 - 38 Format: Numeric

study_resources

questionnaires

Questionnaire

title Questionnaire
filename 2017-GSHS_Sierra_Leone_Questionnaire.pdf

reports

Fact Sheet

title Fact Sheet
filename 2017SLEH_Fact_Sheet.pdf

technical_documents

Codebook

title Codebook
filename 2017SLEH_Public_Use_Codebook.pdf
