

Global School-Based Student Health Survey 2013

Ministry of Health, Ministry of Education

report_generated_on: May 8, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER
SLV_2013_GSHS_v01_M

TITLE
Global School-Based Student Health Survey 2013

COUNTRY

Name	Country code
El Salvador	SLV

STUDY TYPE
Other Household Survey [hh/oth]

SERIES INFORMATION
This is the first GSHS conducted by El Salvador.

ABSTRACT
The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA
Sample survey data [ssd]

UNIT OF ANALYSIS
Individuals

Version

VERSION DESCRIPTION
Public-use dataset

VERSION DATE
2018-08-07

Scope

NOTES
The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
hygiene
mental health
physical activity
sexual behaviours
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE

National coverage

UNIVERSE

School-going adolescents aged 13-15 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
Ministry of Health
Ministry of Education

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE

The El Salvador GSHS was a school-based survey of students in grades 7, 8, and 9. A two-stage cluster sample design was used to produce data representative of all students in grades 7, 8, and 9 in El Salvador. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate

DEVIATIONS FROM THE SAMPLE DESIGN

The school response rate was 100%, the student response rate was 88%, and the overall response rate was 88%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

data_collection

DATES OF DATA COLLECTION

Start	End
2013-12	2013-12

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_SLV_2013_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Yue Wu		World Health Organization	Documentation of data
Melanie Cowan		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2018-08-07

DDI DOCUMENT VERSION

Identical to a metadata (SLV_2013_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
SLV2013_Public_Use National public-use dataset	1915	104

Data file: SLV2013_Public_Use

National public-use dataset

Cases: 1915

variables: 104

variables

ID	Name	Label	Question
V1	Q1	How old are you	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V16	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V17	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V18	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V21	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V22	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V23	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V24	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Number close friends	How many close friends do you have?
V34	Q34	Age first drink alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V35	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Age first drugs	How old were you when you first used drugs?
V44	Q44	Ever had sex	Have you ever had sexual intercourse?
V45	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V46	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V47	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?
V51	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V54	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?

ID	Name	Label	Question
V59	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V60	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V61	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V62	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V63	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V64	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V65	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V66	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V67	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V68	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V69	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V70	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V71	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V72	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V73	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V74	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V75	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months
V76	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V77	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V78	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V79	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V80	QN27	No close friends	Percentage of students who had no close friends
V87	QN34	Age first alcohol before 14	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V88	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

ID	Name	Label	Question
V89	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V90	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V91	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V92	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V93	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V97	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V98	QN45	Age first sexual intercourse before 14	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V99	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V100	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse
V101	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse
V102	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V103	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V104	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V105	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V106	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V107	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V108	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V109	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V110	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V111	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V115	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V116	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V117	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V118	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

ID	Name	Label	Question
V120	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V121	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V122	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V123	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V124	weight	Weight	
V125	stratum	Stratum	
V126	psu	Primary Sampling Unit	

total: 104

Q1: How old are you**Data file: SLV2013_Public_Use****Overview**

Valid: 1886 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	8	0.4%
2	12 years old	45	2.4%
3	13 years old	350	18.6%
4	14 years old	665	35.3%
5	15 years old	555	29.4%
6	16 years old or older	263	13.9%
Sysmiss		29	

Q10: Ate fast food past 7 days**Data file: SLV2013_Public_Use****Overview**

Valid: 1901 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	815	42.9%
2	1 day	544	28.6%
3	2 days	249	13.1%
4	3 days	117	6.2%
5	4 days	61	3.2%

6	5 days	44	2.3%
7	6 days	30	1.6%
8	7 days	41	2.2%
Sysmiss		14	

Q2: Sex

Data file: SLV2013_Public_Use

Overview

Valid: 1883 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1013	53.8%
2	Female	870	46.2%
Sysmiss		32	

Q3: In what grade are you

Data file: SLV2013_Public_Use

Overview

Valid: 1873 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	7th grade	505	27%
2	8th grade	859	45.9%
3	9th grade	509	27.2%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%

Sysmiss

42

Q4: How tall are you**Data file: SLV2013_Public_Use****Overview**

Valid: 1738 Invalid: 177 Minimum: 1.3 Maximum: 1.91 Mean: 1.585 Standard deviation: 0.0821
 Type: Continuous Decimal: 0 Width: 4 Range: 1.3 - 1.91 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh**Data file: SLV2013_Public_Use****Overview**

Valid: 1738 Invalid: 177 Minimum: 29 Maximum: 140 Mean: 54.582 Standard deviation: 12.515
 Type: Continuous Decimal: 0 Width: 6 Range: 29 - 140 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: Went hungry past 30 days**Data file: SLV2013_Public_Use****Overview**

Valid: 1901 Invalid: 14
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1236	65%
2	Rarely	390	20.5%
3	Sometimes	215	11.3%
4	Most of the time	27	1.4%
5	Always	33	1.7%
Sysmiss		14	

Q7: Eat fruit per day past 30 days

Data file: SLV2013_Public_Use

Overview

Valid: 1900 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	166	8.7%
2	Less than one time per day	360	18.9%
3	1 time per day	553	29.1%
4	2 times per day	369	19.4%
5	3 times per day	236	12.4%
6	4 times per day	89	4.7%
7	5 or more times per day	127	6.7%
Sysmiss		15	

Q8: Eat vegetables past 30 days

Data file: SLV2013_Public_Use

Overview

Valid: 1886 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	209	11.1%
2	Less than one time per day	384	20.4%
3	1 time per day	699	37.1%
4	2 times per day	307	16.3%
5	3 times per day	150	8%
6	4 times per day	42	2.2%
7	5 or more times per day	95	5%
Sysmiss		29	

Q9: Drink soft drinks past 30 days

Data file: SLV2013_Public_Use

Overview

Valid: 1907 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	171	9%
2	Less than one time per day	466	24.4%
3	1 time per day	550	28.8%
4	2 times per day	362	19%
5	3 times per day	183	9.6%
6	4 times per day	63	3.3%

7	5 or more times per day	112	5.9%
Sysmiss		8	

Q11: How many times per day brush teeth

Data file: SLV2013_Public_Use

Overview

Valid: 1894 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	21	1.1%
2	Less than 1 time per day	38	2%
3	1 time per day	151	8%
4	2 times per day	569	30%
5	3 times per day	881	46.5%
6	4 or more times per day	234	12.4%
Sysmiss		21	

Q12: Wash hands before eating past 30 days

Data file: SLV2013_Public_Use

Overview

Valid: 1891 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	22	1.2%
2	Rarely	80	4.2%
3	Sometimes	167	8.8%
4	Most of the time	551	29.1%
5	Always	1071	56.6%
Sysmiss		24	

Q13: Wash hands after toilet past 30 day

Data file: SLV2013_Public_Use

Overview

Valid: 1906 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	33	1.7%
2	Rarely	52	2.7%
3	Sometimes	63	3.3%
4	Most of the time	238	12.5%
5	Always	1520	79.7%
Sysmiss		9	

Q14: Used soap on hands past 30 days

Data file: SLV2013_Public_Use

Overview

Valid: 1901 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	31	1.6%
2	Rarely	85	4.5%
3	Sometimes	212	11.2%
4	Most of the time	505	26.6%
5	Always	1068	56.2%
Sysmiss		14	

Q15: Times attacked past 12 mo.

Data file: SLV2013_Public_Use

Overview

Valid: 1891 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	1527	80.8%
2	1 time	189	10%
3	2 or 3 times	86	4.5%
4	4 or 5 times	39	2.1%
5	6 or 7 times	21	1.1%
6	8 or 9 times	6	0.3%
7	10 or 11 times	1	0.1%
8	12 or more times	22	1.2%
Sysmiss		24	

Q16: How many times in fight 12 mos

Data file: SLV2013_Public_Use

Overview

Valid: 1910 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	1390	72.8%
2	1 time	282	14.8%
3	2 or 3 times	136	7.1%
4	4 or 5 times	45	2.4%
5	6 or 7 times	15	0.8%
6	8 or 9 times	13	0.7%
7	10 or 11 times	1	0.1%
8	12 or more times	28	1.5%
Sysmiss		5	

Q17: How many times injured past 12 months

Data file: SLV2013_Public_Use

Overview

Valid: 1714 Invalid: 201

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	1097	64%
2	1 time	434	25.3%
3	2 or 3 times	134	7.8%

4	4 or 5 times	26	1.5%
5	6 or 7 times	13	0.8%
6	8 or 9 times	4	0.2%
7	10 or 11 times	1	0.1%
8	12 or more times	5	0.3%
Sysmiss		201	

Q18: What was serious injury past 12 mo.

Data file: SLV2013_Public_Use

Overview

Valid: 1799 Invalid: 116

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1349	75%
2	Broken bone/dislocated joint	116	6.4%
3	I had a cut or stab wound	36	2%
4	Concussion/head injury	27	1.5%
5	I had a gunshot wound	4	0.2%
6	I had a bad burn	19	1.1%
7	I was poisoned	16	0.9%
8	Something else happened to me	232	12.9%
Sysmiss		116	

Q19: Cause of injury past 12 mo.

Data file: SLV2013_Public_Use

Overview

Valid: 1741 Invalid: 174

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1282	73.6%
2	Motor vehicle accident	20	1.1%
3	I fell	207	11.9%
4	Something fell on me or hit me	41	2.4%
5	I was attacked	16	0.9%
6	Was in a fire	11	0.6%
7	breathed something bad	11	0.6%
8	Something else	153	8.8%
Sysmiss		174	

Q20: How many days bullied past 30 days

Data file: SLV2013_Public_Use

Overview

Valid: 1829 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	1410	77.1%
2	1 or 2 days	293	16%
3	3 to 5 days	51	2.8%
4	6 to 9 days	19	1%
5	10 to 19 days	17	0.9%

6	20 to 29 days	5	0.3%
7	All 30 days	34	1.9%
Sysmiss		86	

Q21: How bullied past 30 days

Data file: SLV2013_Public_Use

Overview

Valid: 1859 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	1512	81.3%
2	Kicked, pushed, or shoved	29	1.6%
3	Made fun of race	35	1.9%
4	Made fun because of religion	22	1.2%
5	Made fun of about sex	43	2.3%
6	Left out of activities	30	1.6%
7	Made fun of about body	67	3.6%
8	Some other way	121	6.5%
Sysmiss		56	

Q22: Times felt lonely past 12 mo.

Data file: SLV2013_Public_Use

Overview

Valid: 1886 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	802	42.5%
2	Rarely	526	27.9%
3	Sometimes	378	20%
4	Most of the time	109	5.8%
5	Always	71	3.8%
Sysmiss		29	

Q23: Times could not sleep past 12 mo.

Data file: SLV2013_Public_Use

Overview

Valid: 1911 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	759	39.7%
2	Rarely	631	33%
3	Sometimes	384	20.1%
4	Most of the time	96	5%
5	Always	41	2.1%
Sysmiss		4	

Q24: Ever considered suicide 12 mos

Data file: SLV2013_Public_Use

Overview

Valid: 1890 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	267	14.1%
2	No	1623	85.9%
Sysmiss		25	

Q25: Ever make suicide plan 12 mos

Data file: SLV2013_Public_Use

Overview

Valid: 1867 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	212	11.4%
2	No	1655	88.6%
Sysmiss		48	

Q26: Times attempted suicide 12 mos.

Data file: SLV2013_Public_Use

Overview

Valid: 1906 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	1651	86.6%
2	1 time	157	8.2%
3	2 or 3 times	58	3%
4	4 or 5 times	20	1%
5	6 or more times	20	1%
Sysmiss		9	

Q27: Number close friends

Data file: SLV2013_Public_Use

Overview

Valid: 1872 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	98	5.2%
2	1	145	7.7%
3	2	248	13.2%
4	3 or more	1381	73.8%
Sysmiss		43	

Q34: Age first drink alcohol

Data file: SLV2013_Public_Use

Overview

Valid: 1760 Invalid: 155

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	1096	62.3%
2	7 years old or younger	68	3.9%
3	8 or 9 years old	48	2.7%
4	10 or 11 years old	128	7.3%
5	12 or 13 years old	210	11.9%
6	14 or 15 years old	178	10.1%
7	16 years old or older	32	1.8%
Sysmiss		155	

Q35: Days one drink or more past 30 days

Data file: SLV2013_Public_Use

Overview

Valid: 1837 Invalid: 78

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	1488	81%
2	1 or 2 days	129	7%
3	3 to 5 days	47	2.6%
4	6 to 9 days	40	2.2%
5	10 to 19 days	40	2.2%
6	20 to 29 days	23	1.3%

7	All 30 days	70	3.8%
Sysmiss		78	

Q36: Number of drinks past 30 days

Data file: SLV2013_Public_Use

Overview

Valid: 1865 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1457	78.1%
2	Less than one drink	128	6.9%
3	1 drink	86	4.6%
4	2 drinks	60	3.2%
5	3 drinks	42	2.3%
6	4 drinks	22	1.2%
7	5 or more drinks	70	3.8%
Sysmiss		50	

Q37: How got drinks past 30 days

Data file: SLV2013_Public_Use

Overview

Valid: 1835 Invalid: 80

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1472	80.2%
2	I bought in a store	57	3.1%
3	I gave someone money to buy	43	2.3%
4	I got it from my friends	142	7.7%
5	I got it from my family	36	2%
6	I stole it	5	0.3%
7	Some other way	80	4.4%
Sysmiss		80	

Q38: Times drunk during life

Data file: SLV2013_Public_Use

Overview

Valid: 1880 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	1680	89.4%
2	1 or 2 times	142	7.6%
3	3 to 9 times	28	1.5%
4	10 or more times	30	1.6%
Sysmiss		35	

Q39: Number of troubles as result of drinking

Data file: SLV2013_Public_Use

Overview

Valid: 1850 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	1738	93.9%
2	1 or 2 times	72	3.9%
3	3 to 9 times	19	1%
4	10 or more times	21	1.1%
Sysmiss		65	

Q40: Age first drugs**Data file: SLV2013_Public_Use****Overview**

Valid: 1908 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1685	88.3%
2	7 years old or younger	18	0.9%
3	8 or 9 years old	14	0.7%
4	10 or 11 years old	23	1.2%
5	12 or 13 years old	71	3.7%
6	14 or 15 years old	80	4.2%
7	16 years old or older	17	0.9%

Sysmiss

7

Q44: Ever had sex**Data file: SLV2013_Public_Use****Overview**

Valid: 1817 Invalid: 98

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	419	23.1%
2	No	1398	76.9%
Sysmiss		98	

Q45: Age first sexual intercourse**Data file: SLV2013_Public_Use****Overview**

Valid: 1866 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1516	81.2%
2	11 years old or younger	62	3.3%
3	12 years old	33	1.8%
4	13 years old	73	3.9%
5	14 years old	94	5%

6	15 years old	61	3.3%
7	16 years old or older	27	1.4%
Sysmiss		49	

Q46: How many sex partners

Data file: SLV2013_Public_Use

Overview

Valid: 1882 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1545	82.1%
2	1 person	155	8.2%
3	2 people	61	3.2%
4	3 people	47	2.5%
5	4 people	20	1.1%
6	5 people	14	0.7%
7	6 or more people	40	2.1%
Sysmiss		33	

Q47: Used condom at last intercourse

Data file: SLV2013_Public_Use

Overview

Valid: 1859 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR

CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1526	82.1%
2	Yes	239	12.9%
3	No	94	5.1%
Sysmiss		56	

Q48: Used birth control last intercourse**Data file:** SLV2013_Public_Use**Overview**

Valid: 1842 Invalid: 73

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1507	81.8%
2	Yes	109	5.9%
3	No	154	8.4%
4	I do not know	72	3.9%
Sysmiss		73	

Q49: Days active 60 min plus past 7 days**Data file:** SLV2013_Public_Use**Overview**

Valid: 1900 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of

physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	555	29.2%
2	1 day	427	22.5%
3	2 days	242	12.7%
4	3 days	166	8.7%
5	4 days	90	4.7%
6	5 days	119	6.3%
7	6 days	42	2.2%
8	7 days	259	13.6%
Sysmiss		15	

Q50: Walk or bike to school past 7 days

Data file: SLV2013_Public_Use

Overview

Valid: 1892 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	809	42.8%
2	1 day	161	8.5%
3	2 days	72	3.8%
4	3 days	47	2.5%
5	4 days	30	1.6%
6	5 days	231	12.2%
7	6 days	24	1.3%
8	7 days	518	27.4%

Sysmiss		23	
---------	--	----	--

Q51: Days went to PE each week

Data file: SLV2013_Public_Use

Overview

Valid: 1862 Invalid: 53

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	247	13.3%
2	1 day	646	34.7%
3	2 days	275	14.8%
4	3 days	30	1.6%
5	4 days	39	2.1%
6	5 or more days	625	33.6%
Sysmiss		53	

Q52: Time spent sitting on usual day

Data file: SLV2013_Public_Use

Overview

Valid: 1888 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	634	33.6%
2	1 to 2 hours per day	568	30.1%
3	3 to 4 hours per day	382	20.2%
4	5 to 6 hours per day	149	7.9%
5	7 to 8 hours per day	59	3.1%
6	More than 8 hours per day	96	5.1%
Sysmiss		27	

Q53: Miss school no permission past 30 days

Data file: SLV2013_Public_Use

Overview

Valid: 1873 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	1211	64.7%
2	1 or 2 days	436	23.3%
3	3 to 5 days	135	7.2%
4	6 to 9 days	37	2%
5	10 or more days	54	2.9%
Sysmiss		42	

Q54: Others helpful in school past 30 days

Data file: SLV2013_Public_Use

Overview

Valid: 1904 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	164	8.6%
2	Rarely	329	17.3%
3	Sometimes	392	20.6%
4	Most of the time	521	27.4%
5	Always	498	26.2%
Sysmiss		11	

Q55: Parents check homework past 30 days

Data file: SLV2013_Public_Use

Overview

Valid: 1886 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	283	15%
2	Rarely	276	14.6%
3	Sometimes	280	14.8%
4	Most of the time	386	20.5%
5	Always	661	35%
Sysmiss		29	

Q56: Parent understand troubles past 30 days

Data file: SLV2013_Public_Use

Overview

Valid: 1868 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	370	19.8%
2	Rarely	294	15.7%
3	Sometimes	285	15.3%
4	Most of the time	300	16.1%
5	Always	619	33.1%
Sysmiss		47	

Q57: Parent know what you do past 30 days

Data file: SLV2013_Public_Use

Overview

Valid: 1893 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	322	17%
2	Rarely	257	13.6%
3	Sometimes	254	13.4%
4	Most of the time	348	18.4%
5	Always	712	37.6%
Sysmiss		22	

Q58: Parent go through things past 30 days

Data file: SLV2013_Public_Use

Overview

Valid: 1876 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		1042	55.5%
2		364	19.4%
3		243	13%
4		92	4.9%
5		135	7.2%
Sysmiss		39	

QN6: Went hungry most of time/always past 30 days

Data file: SLV2013_Public_Use

Overview

Valid: 1901 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	60	3.2%
2	No	1841	96.8%
Sysmiss		14	

QN7: Ate fruit 2+ times per day past 30 days

Data file: SLV2013_Public_Use

Overview

Valid: 1900 Invalid: 15
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	821	43.2%
2	No	1079	56.8%
Sysmiss		15	

QN8: Ate vegetables 3+ times per day past 30 day

Data file: SLV2013_Public_Use

Overview

Valid: 1886 Invalid: 29
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	287	15.2%
2	No	1599	84.8%
Sysmiss		29	

QN9: Drank soft drinks 1+ times per day past 30 day

Data file: SLV2013_Public_Use

Overview

Valid: 1907 Invalid: 8
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1270	66.6%
2	No	637	33.4%
Sysmiss		8	

QN10: Ate fast food 3+ days past 7 day

Data file: SLV2013_Public_Use

Overview

Valid: 1901 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

CATEGORIES

Value	Category	Cases	
1	Yes	293	15.4%
2	No	1608	84.6%
Sysmiss		14	

QN11: Cleaned/brushed teeth <1 time/day past 30 days

Data file: SLV2013_Public_Use

Overview

Valid: 1894 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	59	3.1%
2	No	1835	96.9%
Sysmiss		21	

QN12: Never/rarely wash hands before eating past 30 days**Data file: SLV2013_Public_Use****Overview**

Valid: 1891 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	102	5.4%
2	No	1789	94.6%
Sysmiss		24	

QN13: Never/rarely wash hands after toilet past 30 days**Data file: SLV2013_Public_Use****Overview**

Valid: 1906 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	85	4.5%
2	No	1821	95.5%
Sysmiss		9	

QN14: Never/rarely use soap on hands past 30 days**Data file: SLV2013_Public_Use****Overview**

Valid: 1901 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	116	6.1%
2	No	1785	93.9%
Sysmiss		14	

QN15: Attacked 1+ times past 12 months

Data file: SLV2013_Public_Use

Overview

Valid: 1891 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	364	19.2%
2	No	1527	80.8%
Sysmiss		24	

QN16: In fight 1+ times past 12 months

Data file: SLV2013_Public_Use

Overview

Valid: 1910 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	520	27.2%
2	No	1390	72.8%
Sysmiss		5	

QN17: Seriously injured 1+ times past 12 months

Data file: SLV2013_Public_Use

Overview

Valid: 1714 Invalid: 201

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	617	36%
2	No	1097	64%
Sysmiss		201	

QN18: Broken bone as most serious injury

Data file: SLV2013_Public_Use

Overview

Valid: 450 Invalid: 1465

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

CATEGORIES

Value	Category	Cases	
1	Yes	116	25.8%
2	No	334	74.2%
Sysmiss		1465	

QN19: Motor vehicle caused most serious injury**Data file:** SLV2013_Public_Use**Overview**

Valid: 459 Invalid: 1456

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

CATEGORIES

Value	Category	Cases	
1	Yes	20	4.4%
2	No	439	95.6%
Sysmiss		1456	

QN20: Bullied 1+ of past 30 days**Data file:** SLV2013_Public_Use**Overview**

Valid: 1829 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	419	22.9%
2	No	1410	77.1%
Sysmiss		86	

QN21: Of students bullied, most often hit, kicked, etc**Data file:** SLV2013_Public_Use**Overview**

Valid: 347 Invalid: 1568

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

CATEGORIES

Value	Category	Cases	
1	Yes	29	8.4%
2	No	318	91.6%
Sysmiss		1568	

QN22: Lonely most times/always past 12 months

Data file: SLV2013_Public_Use

Overview

Valid: 1886 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	180	9.5%
2	No	1706	90.5%
Sysmiss		29	

QN23: Worry prevented sleep most time/always past 12 mos

Data file: SLV2013_Public_Use

Overview

Valid: 1911 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	137	7.2%
2	No	1774	92.8%
Sysmiss		4	

QN24: Considered suicide past 12 months

Data file: SLV2013_Public_Use

Overview

Valid: 1890 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	267	14.1%
2	No	1623	85.9%
Sysmiss		25	

QN25: Made suicide plan past 12 months

Data file: SLV2013_Public_Use

Overview

Valid: 1867 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	212	11.4%
2	No	1655	88.6%
Sysmiss		48	

QN26: 1+ times attempt suicide 12 mos.**Data file:** SLV2013_Public_Use**Overview**

Valid: 1906 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	255	13.4%
2	No	1651	86.6%
Sysmiss		9	

QN27: No close friends**Data file:** SLV2013_Public_Use**Overview**

Valid: 1872 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had no close friends

CATEGORIES

Value	Category	Cases	
1	Yes	98	5.2%
2	No	1774	94.8%
Sysmiss		43	

QN34: Age first alcohol before 14**Data file:** SLV2013_Public_Use**Overview**

Valid: 664 Invalid: 1251

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

CATEGORIES

Value	Category	Cases	
1	Yes	454	68.4%
2	No	210	31.6%
Sysmiss		1251	

QN35: Drank 1+ days past 30 days

Data file: SLV2013_Public_Use

Overview

Valid: 1837 Invalid: 78

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	349	19%
2	No	1488	81%
Sysmiss		78	

QN36: Of current drinkers, drank 2+ drinks/day 30 days

Data file: SLV2013_Public_Use

Overview

Valid: 408 Invalid: 1507

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

CATEGORIES

Value	Category	Cases	
1	Yes	194	47.5%
2	No	214	52.5%
Sysmiss		1507	

QN37: Of current drinkers, got alcohol from friends

Data file: SLV2013_Public_Use

Overview

Valid: 363 Invalid: 1552

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

CATEGORIES

Value	Category	Cases	
1	Yes	142	39.1%
2	No	221	60.9%
Sysmiss		1552	

QN38: 1+ times drunk in lifetime

Data file: SLV2013_Public_Use

Overview

Valid: 1880 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	200	10.6%
2	No	1680	89.4%
Sysmiss		35	

QN39: Alcohol trouble 1+ times in lifetime**Data file:** SLV2013_Public_Use**Overview**

Valid: 1850 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

CATEGORIES

Value	Category	Cases	
1	Yes	112	6.1%
2	No	1738	93.9%
Sysmiss		65	

QN40: Age first drugs before 14**Data file:** SLV2013_Public_Use**Overview**

Valid: 223 Invalid: 1692

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

CATEGORIES

Value	Category	Cases	
1	Yes	126	56.5%
2	No	97	43.5%
Sysmiss		1692	

QN44: Ever had sex**Data file:** SLV2013_Public_Use**Overview**

Valid: 1817 Invalid: 98

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	419	23.1%
2	No	1398	76.9%
Sysmiss		98	

QN45: Age first sexual intercourse before 14

Data file: SLV2013_Public_Use

Overview

Valid: 350 Invalid: 1565

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

CATEGORIES

Value	Category	Cases	
1	Yes	168	48%
2	No	182	52%
Sysmiss		1565	

QN47: Used condom at last sex

Data file: SLV2013_Public_Use

Overview

Valid: 333 Invalid: 1582

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	239	71.8%
2	No	94	28.2%
Sysmiss		1582	

QN48: Used birth control at last sex

Data file: SLV2013_Public_Use

Overview

Valid: 335 Invalid: 1580

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	109	32.5%
2	No	226	67.5%
Sysmiss		1580	

QN49: Active 60+ mins/day for 5+ of past 7 days

Data file: SLV2013_Public_Use

Overview

Valid: 1900 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	420	22.1%
2	No	1480	77.9%
Sysmiss		15	

QN50: Walk/Bike to/from school 0 of past 7 days**Data file:** SLV2013_Public_Use**Overview**

Valid: 1892 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	809	42.8%
2	No	1083	57.2%
Sysmiss		23	

QN51: 3+ days PE each week**Data file:** SLV2013_Public_Use**Overview**

Valid: 1862 Invalid: 53

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

CATEGORIES

Value	Category	Cases	
1	Yes	694	37.3%
2	No	1168	62.7%
Sysmiss		53	

QN52: Sitting activities 3+ hours/day of usual day**Data file:** SLV2013_Public_Use**Overview**

Valid: 1888 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

CATEGORIES

Value	Category	Cases	
1	Yes	686	36.3%
2	No	1202	63.7%
Sysmiss		27	

QN53: Miss school no permission 1+ of past 30 days

Data file: SLV2013_Public_Use

Overview

Valid: 1873 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	662	35.3%
2	No	1211	64.7%
Sysmiss		42	

QN54: Students most/always kind 30 days

Data file: SLV2013_Public_Use

Overview

Valid: 1904 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1019	53.5%
2	No	885	46.5%
Sysmiss		11	

QN55: Parents most/always check homework

Data file: SLV2013_Public_Use

Overview

Valid: 1886 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1047	55.5%
2	No	839	44.5%
Sysmiss		29	

QN46: 2+ sex partners lifetime

Data file: SLV2013_Public_Use

Overview

Valid: 1882 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

CATEGORIES

Value	Category	Cases	
1	Yes	182	9.7%
2	No	1700	90.3%
Sysmiss		33	

QN56: Parents most/always understand problems**Data file:** SLV2013_Public_Use**Overview**

Valid: 1868 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	919	49.2%
2	No	949	50.8%
Sysmiss		47	

QN57: Parents most/always know about free time**Data file:** SLV2013_Public_Use**Overview**

Valid: 1893 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1060	56%
2	No	833	44%
Sysmiss		22	

QN58: Parents never/rarely go thru things**Data file:** SLV2013_Public_Use**Overview**

Valid: 1876 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1406	74.9%
2	No	470	25.1%
Sysmiss		39	

QNOWTG: Overweight

Data file: SLV2013_Public_Use

Overview

Valid: 1738 Invalid: 177

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	503	28.9%
2	No	1235	71.1%
Sysmiss		177	

QNOBESEG: Obese

Data file: SLV2013_Public_Use

Overview

Valid: 1738 Invalid: 177

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	172	9.9%
2	No	1566	90.1%
Sysmiss		177	

QNUNWTG: Underweight

Data file: SLV2013_Public_Use

Overview

Valid: 1738 Invalid: 177

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	34	2%
2	No	1704	98%
Sysmiss		177	

QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: SLV2013_Public_Use

Overview

Valid: 1880 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	396	21.1%
2	No	1484	78.9%
Sysmiss		35	

QNPA7G: Physically active all past 7 days**Data file: SLV2013_Public_Use****Overview**

Valid: 1900 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	259	13.6%
2	No	1641	86.4%
Sysmiss		15	

QNPE5G: Attended PE 5+ days each week**Data file: SLV2013_Public_Use****Overview**

Valid: 1862 Invalid: 53

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

CATEGORIES

Value	Category	Cases	
1	Yes	625	33.6%
2	No	1237	66.4%
Sysmiss		53	

QNC1G: Among heavy drinkers, ever sex**Data file: SLV2013_Public_Use****Overview**

Valid: 184 Invalid: 1731

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	95	51.6%
2	No	89	48.4%
Sysmiss		1731	

QNC2G: Among those worried, currently bullied

Data file: SLV2013_Public_Use

Overview

Valid: 131 Invalid: 1784

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	54	41.2%
2	No	77	58.8%
Sysmiss		1784	

WEIGHT: Weight

Data file: SLV2013_Public_Use

Overview

Valid: 1915 Invalid: 0 Minimum: 114.887 Maximum: 414.095 Mean: 191.734 Standard deviation: 65.208

Type: Continuous Decimal: 0 Width: 10 Range: 114.8873 - 414.0946 Format: Numeric

STRATUM: Stratum

Data file: SLV2013_Public_Use

Overview

Valid: 1915 Invalid: 0 Minimum: 201301001 Maximum: 201301020 Mean: 201301011.556 Standard deviation: 5.068
Type: Continuous Decimal: 0 Width: 9 Range: 201301001 - 201301020 Format: Numeric

PSU: Primary Sampling Unit

Data file: SLV2013_Public_Use

Overview

Valid: 1915 Invalid: 0 Minimum: 1 Maximum: 41 Mean: 22.609 Standard deviation: 11.386
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 41 Format: Numeric

study_resources

questionnaires

Questionnaire (English)

title Questionnaire (English)
 country El Salvador
 filename El_Salvador_GSHS_2013_Questionnaire_EN.pdf

Questionnaire (Spanish)

title Questionnaire (Spanish)
 country El Salvador
 filename El_Salvador_GSHS_2013_Questionnaire_ES.pdf

reports

Fact Sheet

title Fact Sheet
 country El Salvador
 filename 2013_El_Salvador_GSHS_Fact_Sheet.pdf

Report (Spanish)

title Report (Spanish)
 country El Salvador
 filename El-Salvador-GSHS-2013-report_ES.pdf

technical_documents

Codebook

title Codebook
 country El Salvador
 filename SLV_2013_public_use_codebook.pdf
