

Global School-Based Student Health Survey 2013

Ministry of Health

report_generated_on: August 27, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER

SWZ_2013_GSHS_v01_M

TITLE

Global School-Based Student Health Survey 2013

ABBREVIATION OR ACRONYM

GSHS 2013

COUNTRY

Name	Country code
Eswatini	SWZ

STUDY TYPE

Other Household Survey [hh/oth]

SERIES INFORMATION

This is the second GSHS conducted by Eswatini.

ABSTRACT

The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA

Sample survey data [ssd]

UNIT OF ANALYSIS

Individuals

Version

VERSION DESCRIPTION

Public-use dataset

VERSION DATE

2018-08-10

Scope

NOTES

The following core modules were included in the survey:

- dietary behaviours
- drug use
- hygiene
- mental health
- protective factors
- sexual behaviours
- violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
diet
nutrition
drug use
hygiene
mental health
sexual behaviours
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE

National coverage

UNIVERSE

School-going adolescents aged 13-17 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
Ministry of Health

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE

The 2012 Swaziland GSHS was a school-based survey of students in Forms 1-5, which are typically attended by students aged 13 - 17 years. A two-stage cluster sample design was used to produce data representative of all students in Forms 1-5 in Swaziland. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage,

classes were randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

The school response rate was 100%, the student response rate was 97%, and the overall response rate was 97%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

Data collection

DATES OF DATA COLLECTION

Start	End
2013	2013

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

- dietary behaviours
- drug use
- hygiene
- mental health
- protective factors
- sexual behaviours
- violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_SWZ_2013_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Yue Wu		World Health Organization	Documentation of data
Melanie Cowan		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2018-08-10

DDI DOCUMENT VERSION

Identical to a metadata (SWZ_2013_GSHS_v01) published on WHO NCD microdata repository

(<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
SWZ2013_Public_Use Swaziland public-use dataset	3680	102

Data file: SWZ2013_Public_Use

Swaziland public-use dataset

Cases: 3680

variables: 102

variables

ID	Name	Label	Question
V1	Q1	Custom Age	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER
V6	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V16	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V17	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V18	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V21	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V22	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V23	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V24	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Number close friends	How many close friends do you have?
V28	Q28	Age first smoked	How old were you when you first tried a cigarette?
V29	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V34	Q34	Age first alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V35	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Age first drugs	How old were you when you first used drugs?
V41	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	Q44	Ever had sex	Have you ever had sexual intercourse?
V45	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V46	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V47	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V51	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V54	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V60	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V61	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V62	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V63	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V64	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V65	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V66	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V67	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V68	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V69	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V70	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V71	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V72	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V73	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V74	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V75	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months

ID	Name	Label	Question
V76	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V77	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V78	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V79	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V80	QN27	No close friends	Percentage of students who had no close friends
V93	QN40	Before age 14 first drugs	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V94	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V95	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V96	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V97	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V99	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V100	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse
V101	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse
V106	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V107	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V108	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V109	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V110	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V111	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V115	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V116	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V117	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V118	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V123	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V124	weight	Weight	

ID	Name	Label	Question
V125	stratum	Stratum	
V126	psu	Primary Sampling Unit	

total: 102

Q1: Custom Age**Data file: SWZ2013_Public_Use****Overview**

Valid: 3629 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	5	0.1%
2	12 years old	53	1.5%
3	13 years old	280	7.7%
4	14 years old	452	12.5%
5	15 years old	533	14.7%
6	16 years old	601	16.6%
7	17 years old	752	20.7%
8	18 years old or older	953	26.3%
Sysmiss		51	

Q10: Ate fast food past 7 days**Data file: SWZ2013_Public_Use****Overview**

Valid: 3631 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	2363	65.1%
2	1 day	604	16.6%
3	2 days	295	8.1%

4	3 days	166	4.6%
5	4 days	84	2.3%
6	5 days	44	1.2%
7	6 days	22	0.6%
8	7 days	53	1.5%
Sysmiss		49	

Q2: Sex

Data file: SWZ2013_Public_Use

Overview

Valid: 3644 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1736	47.6%
2	Female	1908	52.4%
Sysmiss		36	

Q3: In what grade are you

Data file: SWZ2013_Public_Use

Overview

Valid: 3631 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	7th grade	1097	30.2%
2	8th grade	772	21.3%
3	9th grade	572	15.8%

4	10th grade	664	18.3%
5	11th grade	522	14.4%
6	12th grade	4	0.1%
Sysmiss		49	

Q4: How tall are you

Data file: SWZ2013_Public_Use

Overview

Valid: 3458 Invalid: 222 Minimum: 1.32 Maximum: 1.96 Mean: 1.614 Standard deviation: 0.0897
Type: Continuous Decimal: 2 Width: 5 Range: 1.28 - 1.89 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: SWZ2013_Public_Use

Overview

Valid: 3458 Invalid: 222 Minimum: 28 Maximum: 141 Mean: 55.643 Standard deviation: 10.5
Type: Continuous Decimal: 2 Width: 5 Range: 28 - 162 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER

Q6: Went hungry past 30 days

Data file: SWZ2013_Public_Use

Overview

Valid: 3652 Invalid: 28
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1679	46%
2	Rarely	307	8.4%
3	Sometimes	1359	37.2%
4	Most of the time	225	6.2%
5	Always	82	2.2%
Sysmiss		28	

Q7: Eat fruit per day past 30 days

Data file: SWZ2013_Public_Use

Overview

Valid: 3650 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	351	9.6%
2	Less than one time per day	691	18.9%
3	1 time per day	1303	35.7%
4	2 times per day	727	19.9%
5	3 times per day	319	8.7%
6	4 times per day	70	1.9%
7	5 or more times per day	189	5.2%
Sysmiss		30	

Q8: Eat vegetables past 30 days**Data file: SWZ2013_Public_Use****Overview**

Valid: 3663 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 4 questions ask about what you might eat and drink

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	238	6.5%
2	Less than one time per day	629	17.2%
3	1 time per day	1499	40.9%
4	2 times per day	777	21.2%
5	3 times per day	300	8.2%
6	4 times per day	42	1.1%
7	5 or more times per day	178	4.9%
Sysmiss		17	

Q9: Drink soft drinks past 30 days**Data file: SWZ2013_Public_Use****Overview**

Valid: 3653 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 4 questions ask about what you might eat and drink

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	1064	29.1%
2	Less than one time per day	1106	30.3%

3	1 time per day	961	26.3%
4	2 times per day	275	7.5%
5	3 times per day	116	3.2%
6	4 times per day	44	1.2%
7	5 or more times per day	87	2.4%
Sysmiss		27	

Q11: How many times per day brush teeth

Data file: SWZ2013_Public_Use

Overview

Valid: 3652 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	64	1.8%
2	Less than 1 time per day	94	2.6%
3	1 time per day	1145	31.4%
4	2 times per day	1601	43.8%
5	3 times per day	609	16.7%
6	4 or more times per day	139	3.8%
Sysmiss		28	

Q12: Wash hands before eating past 30 days

Data file: SWZ2013_Public_Use

Overview

Valid: 3599 Invalid: 81

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	88	2.4%
2	Rarely	97	2.7%
3	Sometimes	680	18.9%
4	Most of the time	823	22.9%
5	Always	1911	53.1%
Sysmiss		81	

Q13: Wash hands after toilet past 30 day

Data file: SWZ2013_Public_Use

Overview

Valid: 3658 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	83	2.3%
2	Rarely	81	2.2%
3	Sometimes	584	16%
4	Most of the time	734	20.1%
5	Always	2176	59.5%
Sysmiss		22	

Q14: Used soap on hands past 30 days

Data file: SWZ2013_Public_Use

Overview

Valid: 3657 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	314	8.6%
2	Rarely	276	7.5%
3	Sometimes	1719	47%
4	Most of the time	736	20.1%
5	Always	612	16.7%
Sysmiss		23	

Q15: Times attacked past 12 mo.

Data file: SWZ2013_Public_Use

Overview

Valid: 3617 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	2465	68.2%
2	1 time	483	13.4%
3	2 or 3 times	324	9%
4	4 or 5 times	109	3%
5	6 or 7 times	47	1.3%
6	8 or 9 times	23	0.6%
7	10 or 11 times	16	0.4%
8	12 or more times	150	4.1%
Sysmiss		63	

Q16: How many times in fight 12 mos**Data file: SWZ2013_Public_Use****Overview**

Valid: 3669 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	3002	81.8%
2	1 time	388	10.6%
3	2 or 3 times	154	4.2%
4	4 or 5 times	44	1.2%
5	6 or 7 times	21	0.6%
6	8 or 9 times	7	0.2%
7	10 or 11 times	7	0.2%
8	12 or more times	46	1.3%
Sysmiss		11	

Q17: How many times injured past 12 months**Data file: SWZ2013_Public_Use****Overview**

Valid: 3311 Invalid: 369

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	2093	63.2%
2	1 time	767	23.2%
3	2 or 3 times	305	9.2%
4	4 or 5 times	63	1.9%
5	6 or 7 times	21	0.6%
6	8 or 9 times	13	0.4%
7	10 or 11 times	10	0.3%
8	12 or more times	39	1.2%
Sysmiss		369	

Q18: What was serious injury past 12 mo.

Data file: SWZ2013_Public_Use

Overview

Valid: 3359 Invalid: 321

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2269	67.5%
2	Broken bone/dislocated joint	251	7.5%
3	I had a cut or stab wound	280	8.3%
4	Concussion/head injury	71	2.1%
5	I had a gunshot wound	16	0.5%
6	I had a bad burn	92	2.7%
7	I was poisoned	28	0.8%
8	Something else happened to me	352	10.5%
Sysmiss		321	

Q19: Cause of injury past 12 mo.

Data file: SWZ2013_Public_Use

Overview

Valid: 3376 Invalid: 304

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2323	68.8%
2	Motor vehicle accident	82	2.4%
3	I fell	227	6.7%
4	Something fell on me or hit me	156	4.6%
5	I was attacked	88	2.6%
6	Was in a fire	101	3%
7	breathed something bad	22	0.7%
8	Something else	377	11.2%
Sysmiss		304	

Q20: How many days bullied past 30 days

Data file: SWZ2013_Public_Use

Overview

Valid: 3501 Invalid: 179

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	2433	69.5%

2	1 or 2 days	674	19.3%
3	3 to 5 days	178	5.1%
4	6 to 9 days	76	2.2%
5	10 to 19 days	47	1.3%
6	20 to 29 days	19	0.5%
7	All 30 days	74	2.1%
Sysmiss		179	

Q21: How bullied past 30 days

Data file: SWZ2013_Public_Use

Overview

Valid: 3496 Invalid: 184

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	2535	72.5%
2	Kicked, pushed, or shoved	192	5.5%
3	Made fun of race	96	2.7%
4	Made fun because of religion	47	1.3%
5	Made fun of about sex	63	1.8%
6	Left out of activities	33	0.9%
7	Made fun of about body	205	5.9%
8	Some other way	325	9.3%
Sysmiss		184	

Q22: Times felt lonely past 12 mo.

Data file: SWZ2013_Public_Use

Overview

Valid: 3653 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	1282	35.1%
2	Rarely	365	10%
3	Sometimes	1623	44.4%
4	Most of the time	264	7.2%
5	Always	119	3.3%
Sysmiss		27	

Q23: Times could not sleep past 12 mo.

Data file: SWZ2013_Public_Use

Overview

Valid: 3645 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	1675	46%
2	Rarely	417	11.4%
3	Sometimes	1229	33.7%
4	Most of the time	244	6.7%
5	Always	80	2.2%
Sysmiss		35	

Q24: Ever considered suicide 12 mos**Data file:** SWZ2013_Public_Use**Overview**

Valid: 3571 Invalid: 109

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	600	16.8%
2	No	2971	83.2%
Sysmiss		109	

Q25: Ever make suicide plan 12 mos**Data file:** SWZ2013_Public_Use**Overview**

Valid: 3578 Invalid: 102

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	729	20.4%
2	No	2849	79.6%
Sysmiss		102	

Q26: Times attempted suicide 12 mos.**Data file:** SWZ2013_Public_Use

Overview

Valid: 3581 Invalid: 99

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	3017	84.3%
2	1 time	342	9.6%
3	2 or 3 times	129	3.6%
4	4 or 5 times	56	1.6%
5	6 or more times	37	1%
Sysmiss		99	

Q27: Number close friends

Data file: SWZ2013_Public_Use

Overview

Valid: 3645 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	623	17.1%
2	1	1055	28.9%
3	2	886	24.3%
4	3 or more	1081	29.7%
Sysmiss		35	

Q28: Age first smoked**Data file:** SWZ2013_Public_Use**Overview**

Valid: 0 Invalid: 3680

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category
1	I have never smoked cigarettes
2	7 years old or younger
3	8 or 9 years old
4	10 or 11 years old
5	12 or 13 years old
6	14 or 15 years old
7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q29: How many days smoked 30 days**Data file:** SWZ2013_Public_Use**Overview**

Valid: 0 Invalid: 3680

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category
1	0 days
2	1 or 2 days

3	3 to 5 days
4	6 to 9 days
5	10 to 19 days
6	20 to 29 days
7	All 30 days
Sysmiss	

Q30: Other tobacco past 30 days

Data file: SWZ2013_Public_Use

Overview

Valid: 0 Invalid: 3680

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category
1	0 days
2	1 or 2 days
3	3 to 5 days
4	6 to 9 days
5	10 to 19 days
6	20 to 29 days
7	All 30 days
Sysmiss	

Q31: Try stop smoking past 12 mo.

Data file: SWZ2013_Public_Use

Overview

Valid: 0 Invalid: 3680

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category
1	I have never smoked cigarettes
2	Did not smoke cigarettes
3	Yes
4	No
Sysmiss	

Q32: Others present smoking past 7 days

Data file: SWZ2013_Public_Use

Overview

Valid: 0 Invalid: 3680

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category
1	0 days
2	1 or 2 days
3	3 or 4 days
4	5 or 6 days
5	All 7 days
Sysmiss	

Q33: Parents who use tobacco

Data file: SWZ2013_Public_Use

Overview

Valid: 0 Invalid: 3680

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category
1	Neither
2	My father or male guardian
3	My mother or female guardian
4	Both
5	I do not know
Sysmiss	

Q34: Age first alcohol

Data file: SWZ2013_Public_Use

Overview

Valid: 0 Invalid: 3680

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category
1	Never drank alcohol
2	7 years old or younger
3	8 or 9 years old
4	10 or 11 years old
5	12 or 13 years old
6	14 or 15 years old

7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q35: Days one drink or more past 30 days

Data file: SWZ2013_Public_Use

Overview

Valid: 0 Invalid: 3680

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category
1	0 days
2	1 or 2 days
3	3 to 5 days
4	6 to 9 days
5	10 to 19 days
6	20 to 29 days
7	All 30 days
Sysmiss	

Q36: Number of drinks past 30 days

Data file: SWZ2013_Public_Use

Overview

Valid: 0 Invalid: 3680

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category
1	Did not drink in past 30 days
2	Less than one drink
3	1 drink
4	2 drinks
5	3 drinks
6	4 drinks
7	5 or more drinks
Sysmiss	

Q37: How got drinks past 30 days

Data file: SWZ2013_Public_Use

Overview

Valid: 0 Invalid: 3680

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category
1	Did not drink in past 30 days
2	I bought in a store
3	I gave someone money to buy
4	I got it from my friends
5	I got it from my family
6	I stole it
7	Some other way
Sysmiss	

Q38: Times drunk during life**Data file: SWZ2013_Public_Use****Overview**

Valid: 0 Invalid: 3680

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 or more times
Sysmiss	

Q39: Number of troubles as result of drinking**Data file: SWZ2013_Public_Use****Overview**

Valid: 0 Invalid: 3680

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category
1	0 times

2	1 or 2 times
3	3 to 9 times
4	10 or more times
Sysmiss	

Q40: Age first drugs

Data file: SWZ2013_Public_Use

Overview

Valid: 3470 Invalid: 210

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	3021	87.1%
2	7 years old or younger	39	1.1%
3	8 or 9 years old	41	1.2%
4	10 or 11 years old	40	1.2%
5	12 or 13 years old	76	2.2%
6	14 or 15 years old	120	3.5%
7	16 or 17 years old	105	3%
8	18 years old or older	28	0.8%
Sysmiss		210	

Q41: Times used marijuana lifetime

Data file: SWZ2013_Public_Use

Overview

Valid: 3558 Invalid: 122

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	3287	92.4%
2	1 or 2 times	122	3.4%
3	3 to 9 times	50	1.4%
4	10 to 19 times	24	0.7%
5	20 or more times	75	2.1%
Sysmiss		122	

Q42: Times used marijuana past 30 days

Data file: SWZ2013_Public_Use

Overview

Valid: 3571 Invalid: 109

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	3408	95.4%
2	1 or 2 times	63	1.8%
3	3 to 9 times	36	1%
4	10 to 19 times	20	0.6%
5	20 or more times	44	1.2%
Sysmiss		109	

Q43: Times used amphetamines lifetime

Data file: SWZ2013_Public_Use

Overview

Valid: 3539 Invalid: 141

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	3406	96.2%
2	1 or 2 times	62	1.8%
3	3 to 9 times	35	1%
4	10 to 19 times	14	0.4%
5	20 or more times	22	0.6%
Sysmiss		141	

Q44: Ever had sex

Data file: SWZ2013_Public_Use

Overview

Valid: 3331 Invalid: 349

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	957	28.7%
2	No	2374	71.3%
Sysmiss		349	

Q45: Age first sexual intercourse**Data file:** SWZ2013_Public_Use**Overview**

Valid: 0 Invalid: 3680

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category
1	Never had sex
2	11 years old or younger
3	12 years old
4	13 years old
5	14 years old
6	15 years old
7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q46: How many sex partners**Data file:** SWZ2013_Public_Use**Overview**

Valid: 3555 Invalid: 125

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	2763	77.7%
2	1 person	341	9.6%

3	2 people	151	4.2%
4	3 people	92	2.6%
5	4 people	46	1.3%
6	5 people	36	1%
7	6 or more people	126	3.5%
Sysmiss		125	

Q47: Used condom at last intercourse

Data file: SWZ2013_Public_Use

Overview

Valid: 3488 Invalid: 192

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	2698	77.4%
2	Yes	538	15.4%
3	No	252	7.2%
Sysmiss		192	

Q48: Used birth control last intercourse

Data file: SWZ2013_Public_Use

Overview

Valid: 3350 Invalid: 330

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	2542	75.9%
2	Yes	290	8.7%
3	No	375	11.2%
4	I do not know	143	4.3%
Sysmiss		330	

Q49: Days active 60 min plus past 7 days**Data file:** SWZ2013_Public_Use**Overview**

Valid: 0 Invalid: 3680

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category
1	0 days
2	1 day
3	2 days
4	3 days
5	4 days
6	5 days
7	6 days
8	7 days
Sysmiss	

Q50: Walk or bike to school past 7 days**Data file:** SWZ2013_Public_Use**Overview**

Valid: 0 Invalid: 3680

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category
1	0 days
2	1 day
3	2 days
4	3 days
5	4 days
6	5 days
7	6 days
8	7 days
Sysmiss	

Q51: Days went to PE each week

Data file: SWZ2013_Public_Use

Overview

Valid: 0 Invalid: 3680

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category
1	0 days
2	1 day
3	2 days

4	3 days
5	4 days
6	5 or more days
Sysmiss	

Q52: Time spent sitting on usual day

Data file: SWZ2013_Public_Use

Overview

Valid: 0 Invalid: 3680

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category
1	Less than 1 hour per day
2	1 to 2 hours per day
3	3 to 4 hours per day
4	5 to 6 hours per day
5	7 to 8 hours per day
6	More than 8 hours per day
Sysmiss	

Q53: Miss school no permission past 30 days

Data file: SWZ2013_Public_Use

Overview

Valid: 3589 Invalid: 91

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	3035	84.6%
2	1 or 2 days	363	10.1%
3	3 to 5 days	89	2.5%
4	6 to 9 days	37	1%
5	10 or more days	65	1.8%
Sysmiss		91	

Q54: Others helpful in school past 30 days

Data file: SWZ2013_Public_Use

Overview

Valid: 3625 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	871	24%
2	Rarely	296	8.2%
3	Sometimes	1430	39.4%
4	Most of the time	480	13.2%
5	Always	548	15.1%
Sysmiss		55	

Q55: Parents check homework past 30 days

Data file: SWZ2013_Public_Use

Overview

Valid: 3626 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	1203	33.2%
2	Rarely	259	7.1%
3	Sometimes	950	26.2%
4	Most of the time	387	10.7%
5	Always	827	22.8%
Sysmiss		54	

Q56: Parent understand troubles past 30 days

Data file: SWZ2013_Public_Use

Overview

Valid: 3541 Invalid: 139

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	885	25%
2	Rarely	217	6.1%
3	Sometimes	973	27.5%
4	Most of the time	499	14.1%
5	Always	967	27.3%
Sysmiss		139	

Q57: Parent know what you do past 30 days

Data file: SWZ2013_Public_Use

Overview

Valid: 3595 Invalid: 85

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	1087	30.2%
2	Rarely	289	8%
3	Sometimes	1067	29.7%
4	Most of the time	456	12.7%
5	Always	696	19.4%
Sysmiss		85	

Q58: Parent go through things past 30 days

Data file: SWZ2013_Public_Use

Overview

Valid: 3540 Invalid: 140

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		1785	50.4%
2		313	8.8%
3		871	24.6%
4		264	7.5%
5		307	8.7%
Sysmiss		140	

QN6: Went hungry most of time/always past 30 days**Data file:** SWZ2013_Public_Use**Overview**

Valid: 3652 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	307	8.4%
2	No	3345	91.6%
Sysmiss		28	

QN7: Ate fruit 2+ times per day past 30 days**Data file:** SWZ2013_Public_Use**Overview**

Valid: 3650 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who usually ate fruit two or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1305	35.8%
2	No	2345	64.2%
Sysmiss		30	

QN8: Ate vegetables 3+ times per day past 30 day**Data file:** SWZ2013_Public_Use**Overview**

Valid: 3663 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	520	14.2%
2	No	3143	85.8%
Sysmiss		17	

■ QN9: Drank soft drinks 1+ times per day past 30 day

Data file: SWZ2013_Public_Use

Overview

Valid: 3653 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1483	40.6%
2	No	2170	59.4%
Sysmiss		27	

■ QN10: Ate fast food 3+ days past 7 day

Data file: SWZ2013_Public_Use

Overview

Valid: 3631 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

CATEGORIES

Value	Category	Cases	
1	Yes	369	10.2%
2	No	3262	89.8%
Sysmiss		49	

QN11: Cleaned/brushed teeth <1 time/day past 30 days

Data file: SWZ2013_Public_Use

Overview

Valid: 3652 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	158	4.3%
2	No	3494	95.7%
Sysmiss		28	

QN12: Never/rarely wash hands before eating past 30 days

Data file: SWZ2013_Public_Use

Overview

Valid: 3599 Invalid: 81

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	185	5.1%
2	No	3414	94.9%
Sysmiss		81	

QN13: Never/rarely wash hands after toilet past 30 days**Data file:** SWZ2013_Public_Use**Overview**

Valid: 3658 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	164	4.5%
2	No	3494	95.5%
Sysmiss		22	

QN14: Never/rarely use soap on hands past 30 days**Data file:** SWZ2013_Public_Use**Overview**

Valid: 3657 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	590	16.1%
2	No	3067	83.9%
Sysmiss		23	

QN15: Attacked 1+ times past 12 months**Data file:** SWZ2013_Public_Use**Overview**

Valid: 3617 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	1152	31.8%
2	No	2465	68.2%
Sysmiss		63	

QN16: In fight 1+ times past 12 months

Data file: SWZ2013_Public_Use

Overview

Valid: 3669 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	667	18.2%
2	No	3002	81.8%
Sysmiss		11	

QN17: Seriously injured 1+ times past 12 months

Data file: SWZ2013_Public_Use

Overview

Valid: 3311 Invalid: 369

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1218	36.8%
2	No	2093	63.2%
Sysmiss		369	

QN18: Broken bone as most serious injury

Data file: SWZ2013_Public_Use

Overview

Valid: 1090 Invalid: 2590

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

CATEGORIES

Value	Category	Cases	
1	Yes	251	23%
2	No	839	77%
Sysmiss		2590	

QN19: Motor vehicle caused most serious injury

Data file: SWZ2013_Public_Use

Overview

Valid: 1053 Invalid: 2627

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

CATEGORIES

Value	Category	Cases	
1	Yes	82	7.8%
2	No	971	92.2%
Sysmiss		2627	

QN20: Bullied 1+ of past 30 days**Data file: SWZ2013_Public_Use****Overview**

Valid: 3501 Invalid: 179

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1068	30.5%
2	No	2433	69.5%
Sysmiss		179	

QN21: Of students bullied, most often hit, kicked, etc**Data file: SWZ2013_Public_Use****Overview**

Valid: 961 Invalid: 2719

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

CATEGORIES

Value	Category	Cases	
1	Yes	192	20%
2	No	769	80%
Sysmiss		2719	

QN22: Lonely most times/always past 12 months**Data file: SWZ2013_Public_Use****Overview**

Valid: 3653 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	383	10.5%
2	No	3270	89.5%
Sysmiss		27	

QN23: Worry prevented sleep most time/always past 12 mos

Data file: SWZ2013_Public_Use

Overview

Valid: 3645 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	324	8.9%
2	No	3321	91.1%
Sysmiss		35	

QN24: Considered suicide past 12 months

Data file: SWZ2013_Public_Use

Overview

Valid: 3571 Invalid: 109

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	600	16.8%
2	No	2971	83.2%
Sysmiss		109	

QN25: Made suicide plan past 12 months

Data file: SWZ2013_Public_Use

Overview

Valid: 3578 Invalid: 102

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	729	20.4%
2	No	2849	79.6%
Sysmiss		102	

QN26: 1+ times attempt suicide 12 mos.

Data file: SWZ2013_Public_Use

Overview

Valid: 3581 Invalid: 99

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	564	15.7%
2	No	3017	84.3%
Sysmiss		99	

QN27: No close friends**Data file:** SWZ2013_Public_Use**Overview**

Valid: 3645 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had no close friends

CATEGORIES

Value	Category	Cases	
1	Yes	623	17.1%
2	No	3022	82.9%
Sysmiss		35	

QN47: Used condom at last sex**Data file:** SWZ2013_Public_Use**Overview**

Valid: 790 Invalid: 2890

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	538	68.1%
2	No	252	31.9%
Sysmiss		2890	

QN48: Used birth control at last sex**Data file:** SWZ2013_Public_Use**Overview**

Valid: 808 Invalid: 2872

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	290	35.9%
2	No	518	64.1%
Sysmiss		2872	

QN53: Miss school no permission 1+ of past 30 days

Data file: SWZ2013_Public_Use

Overview

Valid: 3589 Invalid: 91

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	554	15.4%
2	No	3035	84.6%
Sysmiss		91	

QN54: Students most/always kind 30 days

Data file: SWZ2013_Public_Use

Overview

Valid: 3625 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1028	28.4%
2	No	2597	71.6%
Sysmiss		55	

QN40: Before age 14 first drugs

Data file: SWZ2013_Public_Use

Overview

Valid: 449 Invalid: 3231

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

CATEGORIES

Value	Category	Cases	
1	Yes	196	43.7%
2	No	253	56.3%
Sysmiss		3231	

QN41: Marijuana 1+ times in lifetime

Data file: SWZ2013_Public_Use

Overview

Valid: 3558 Invalid: 122

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	271	7.6%
2	No	3287	92.4%
Sysmiss		122	

QN42: Marijuana 1+ times p 30 days**Data file:** SWZ2013_Public_Use**Overview**

Valid: 3571 Invalid: 109

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	163	4.6%
2	No	3408	95.4%
Sysmiss		109	

QN43: Amphetamines 1+ times lifetime**Data file:** SWZ2013_Public_Use**Overview**

Valid: 3539 Invalid: 141

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	133	3.8%
2	No	3406	96.2%
Sysmiss		141	

QN44: Ever had sex**Data file:** SWZ2013_Public_Use**Overview**

Valid: 3331 Invalid: 349

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	957	28.7%
2	No	2374	71.3%
Sysmiss		349	

QN46: 2+ sex partners lifetime

Data file: SWZ2013_Public_Use

Overview

Valid: 3555 Invalid: 125

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

CATEGORIES

Value	Category	Cases	
1	Yes	451	12.7%
2	No	3104	87.3%
Sysmiss		125	

QN55: Parents most/always check homework

Data file: SWZ2013_Public_Use

Overview

Valid: 3626 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1214	33.5%
2	No	2412	66.5%
Sysmiss		54	

QN56: Parents most/always understand problems

Data file: SWZ2013_Public_Use

Overview

Valid: 3541 Invalid: 139

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1466	41.4%
2	No	2075	58.6%
Sysmiss		139	

QN57: Parents most/always know about free time

Data file: SWZ2013_Public_Use

Overview

Valid: 3595 Invalid: 85

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1152	32%
2	No	2443	68%
Sysmiss		85	

QN58: Parents never/rarely go thru things**Data file:** SWZ2013_Public_Use**Overview**

Valid: 3540 Invalid: 140

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	2098	59.3%
2	No	1442	40.7%
Sysmiss		140	

QNOWTG: Overweight**Data file:** SWZ2013_Public_Use**Overview**

Valid: 3458 Invalid: 222

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	558	16.1%
2	No	2900	83.9%
Sysmiss		222	

QNOBESEG: Obese**Data file:** SWZ2013_Public_Use**Overview**

Valid: 3458 Invalid: 222

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese ($>+2SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	137	4%
2	No	3321	96%
Sysmiss		222	

QNUNWTG: Underweight

Data file: SWZ2013_Public_Use

Overview

Valid: 3458 Invalid: 222

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight ($<-2SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	86	2.5%
2	No	3372	97.5%
Sysmiss		222	

QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: SWZ2013_Public_Use

Overview

Valid: 3634 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	618	17%
2	No	3016	83%
Sysmiss		46	

QNC2G: Among those worried, currently bullied

Data file: SWZ2013_Public_Use

Overview

Valid: 296 Invalid: 3384

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	164	55.4%
2	No	132	44.6%
Sysmiss		3384	

WEIGHT: Weight

Data file: SWZ2013_Public_Use

Overview

Valid: 3680 Invalid: 0 Minimum: 12.467 Maximum: 29.387 Mean: 19.276 Standard deviation: 3.433

Type: Continuous Decimal: 0 Width: 10 Range: 26.8444 - 111.2113 Format: Numeric Weighted: yes

STRATUM: Stratum

Data file: SWZ2013_Public_Use

Overview

Valid: 3680 Invalid: 0 Minimum: 201301001 Maximum: 201301012 Mean: 201301006.946 Standard deviation: 34.288

Type: Continuous Decimal: 0 Width: 9 Range: 201301001 - 201301030 Format: Numeric

PSU: Primary Sampling Unit

Data file: SWZ2013_Public_Use

Overview

Valid: 3680 Invalid: 0 Minimum: 1 Maximum: 25 Mean: 13.423 Standard deviation: 7.569
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 65 Format: Numeric

study_resources

questionnaires

Questionnaire

title Questionnaire
country Swaziland
filename 2012_Swaziland_GSHS_Questionnaire.pdf

reports

Fact Sheet

title Fact Sheet
country Swaziland
filename 2013_Swaziland_GSHS_FS.pdf

technical_documents

Codebook

title Codebook
country Swaziland
filename SWZ2013_public_use_codebook.pdf
