

Global School-Based Student Health Survey 2015

Ministry of Health

report_generated_on: August 27, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER

SYC_2015_GSHS_v01_M

TITLE

Global School-Based Student Health Survey 2015

ABBREVIATION OR ACRONYM

GSHS 2015

COUNTRY

Name	Country code
Seychelles	SYC

STUDY TYPE

Other Household Survey [hh/oth]

SERIES INFORMATION

This is the second GSHS conducted by Seychelles.

ABSTRACT

The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA

Sample survey data [ssd]

UNIT OF ANALYSIS

Individuals

Version

VERSION DESCRIPTION

Public-use dataset

VERSION DATE

2018-08-14

Scope

NOTES

The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- mental health
- physical activity
- protective factors
- sexual behaviours
- tobacco use
- violence and unintentional injury

TOPICS

Topic	Vocabulary
-------	------------

Global School-based Student Health Survey (GSHS)

Survey

KEYWORDS

Keyword

adolescents

school health

noncommunicable diseases

risk factors

protective factors

health surveys

alcohol use

diet

nutrition

drug use

mental health

physical activity

sexual behaviours

tobacco use

violence and unintentional injury

overweight

obesity

bullying

Coverage

GEOGRAPHIC COVERAGE

National coverage

UNIVERSE

School-going adolescents aged 13-17 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name

Ministry of Health

FUNDING AGENCY/SPONSOR

Name

World Health Organization

US Centers for Disease Control and Prevention

Abbreviation

WHO

CDC

Sampling

SAMPLING PROCEDURE

The 2015 Seychelles GSHS was a school-based survey of students in grades S1 - S5, which are typically attended by students aged 13-17. A two-stage cluster sample design was used to produce data representative of all students in grades S1 - S5 in Seychelles. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

The school response rate was 100%, the student response rate was 82%, and the overall response rate was 82%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

Data collection

DATES OF DATA COLLECTION

Start	End
2015-09	2015-10

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- mental health
- physical activity
- protective factors
- sexual behaviours
- tobacco use
- violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_SYC_2015_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Yue Wu		World Health Organization	Documentation of data
Melanie Cowan		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2018-08-14

DDI DOCUMENT VERSION

Identical to a metadata (SYC_2015_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
SYC2015_Public_Use Seychelles public-use dataset	2540	133

Data file: SYC2015_Public_Use

Seychelles public-use dataset

Cases:	2540
variables:	133

variables

ID	Name	Label	Question
V1	Q1	Custom Age	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V15	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V16	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V17	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V18	Q18	Serious injury broken bone	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Serious injury motor vehicle	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V21	Q21	Bullied by hitting	During the past 30 days, how were you bullied most often?
V22	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V23	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V24	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Close friends	How many close friends do you have?

ID	Name	Label	Question
V28	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V29	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V34	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V35	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Initiation of drug use	How old were you when you first used drugs?
V41	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V45	Q45	Sex before 14 years	How old were you when you had sexual intercourse for the first time?
V46	Q46	Multiple sex partners	During your life, with how many people have you had sexual intercourse?
V47	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Physical activity \geq 5 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?
V51	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?

ID	Name	Label	Question
V54	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V60	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V61	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V62	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V63	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V68	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V69	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V70	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V71	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V72	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V73	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V74	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)
V75	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V76	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V77	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V78	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V79	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V80	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V81	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V82	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

ID	Name	Label	Question
V83	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V84	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V85	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V86	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V88	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V89	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V90	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V91	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V92	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V93	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V94	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V95	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V96	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V97	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V98	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)
V99	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V100	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V101	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V102	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V103	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V104	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)

ID	Name	Label	Question
V105	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V106	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V107	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V108	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V109	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V110	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V111	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V115	qnunwtg	Were underweight	Percentage of students who were underweight ($<-2SD$ from median for BMI by age and sex)
V116	qnowtg	Were overweight	Percentage of students who were overweight ($>+1SD$ from median for BMI by age and sex)
V117	qnobeseg	Were obese	Percentage of students who were obese ($>+2SD$ from median for BMI by age and sex)
V118	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V119	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V120	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V121	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V122	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)
V123	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V124	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V125	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V126	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V127	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V128	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V129	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

ID	Name	Label	Question
V130	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V131	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V132	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V133	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V134	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V135	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V136	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V137	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V138	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V139	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V140	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V141	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V142	weight		
V143	stratum		
V144	psu		

total: 133

Q1: Custom Age**Data file: SYC2015_Public_Use****Overview**

Valid: 2538 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	42	1.7%
2	12 years old	543	21.4%
3	13 years old	563	22.2%
4	14 years old	473	18.6%
5	15 years old	482	19%
6	16 years old	409	16.1%
7	17 years old	26	1%
8	18 years old or older	0	0%
Sysmiss		2	

Q10: Fast food eating**Data file: SYC2015_Public_Use****Overview**

Valid: 2516 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	773	30.7%
2	1 day	651	25.9%
3	2 days	420	16.7%

4	3 days	257	10.2%
5	4 days	141	5.6%
6	5 days	90	3.6%
7	6 days	38	1.5%
8	7 days	146	5.8%
Sysmiss		24	

Q2: Sex

Data file: SYC2015_Public_Use

Overview

Valid: 2539 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1202	47.3%
2	Female	1337	52.7%
Sysmiss		1	

Q3: In what grade are you

Data file: SYC2015_Public_Use

Overview

Valid: 2515 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	S1	541	21.5%
2	S2	588	23.4%
3	S3	474	18.8%

4	S4	458	18.2%
5	S5	454	18.1%
Sysmiss		25	

Q4: How tall are you

Data file: SYC2015_Public_Use

Overview

Valid: 2131 Invalid: 409 Minimum: 1.27 Maximum: 1.99 Mean: 1.612 Standard deviation: 0.093
Type: Continuous Decimal: 2 Width: 5 Range: 1.27 - 1.99 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: SYC2015_Public_Use

Overview

Valid: 2131 Invalid: 409 Minimum: 27 Maximum: 132 Mean: 55.049 Standard deviation: 15.301
Type: Continuous Decimal: 2 Width: 5 Range: 27 - 132 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: SYC2015_Public_Use

Overview

Valid: 2510 Invalid: 30
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1406	56%
2	Rarely	396	15.8%
3	Sometimes	407	16.2%
4	Most of the time	179	7.1%
5	Always	122	4.9%
Sysmiss		30	

Q7: No fruit eating

Data file: SYC2015_Public_Use

Overview

Valid: 2527 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	196	7.8%
2	Less than one time per day	397	15.7%
3	1 time per day	563	22.3%
4	2 times per day	480	19%
5	3 times per day	312	12.3%
6	4 times per day	145	5.7%
7	5 or more times per day	434	17.2%
Sysmiss		13	

Q8: No vegetable eating**Data file: SYC2015_Public_Use****Overview**

Valid: 2520 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	244	9.7%
2	Less than one time per day	396	15.7%
3	1 time per day	563	22.3%
4	2 times per day	558	22.1%
5	3 times per day	238	9.4%
6	4 times per day	125	5%
7	5 or more times per day	396	15.7%
Sysmiss		20	

Q9: Soft drinks**Data file: SYC2015_Public_Use****Overview**

Valid: 2500 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	205	8.2%
2	Less than one time per day	597	23.9%

3	1 time per day	584	23.4%
4	2 times per day	402	16.1%
5	3 times per day	263	10.5%
6	4 times per day	120	4.8%
7	5 or more times per day	329	13.2%
Sysmiss		40	

Q15: Physically attacked

Data file: SYC2015_Public_Use

Overview

Valid: 2521 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	1803	71.5%
2	1 time	295	11.7%
3	2 or 3 times	216	8.6%
4	4 or 5 times	65	2.6%
5	6 or 7 times	41	1.6%
6	8 or 9 times	13	0.5%
7	10 or 11 times	14	0.6%
8	12 or more times	74	2.9%
Sysmiss		19	

Q16: Physical fighting

Data file: SYC2015_Public_Use

Overview

Valid: 2500 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	1645	65.8%
2	1 time	415	16.6%
3	2 or 3 times	258	10.3%
4	4 or 5 times	74	3%
5	6 or 7 times	28	1.1%
6	8 or 9 times	18	0.7%
7	10 or 11 times	15	0.6%
8	12 or more times	47	1.9%
Sysmiss		40	

Q17: Seriously injured

Data file: SYC2015_Public_Use

Overview

Valid: 2216 Invalid: 324

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	1085	49%
2	1 time	505	22.8%
3	2 or 3 times	392	17.7%
4	4 or 5 times	114	5.1%
5	6 or 7 times	38	1.7%
6	8 or 9 times	16	0.7%

7	10 or 11 times	16	0.7%
8	12 or more times	50	2.3%
Sysmiss		324	

Q18: Serious injury broken bone

Data file: SYC2015_Public_Use

Overview

Valid: 2262 Invalid: 278

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1418	62.7%
2	Broken bone/dislocated joint	138	6.1%
3	I had a cut or stab wound	146	6.5%
4	Concussion/head injury	69	3.1%
5	I had a gunshot wound	14	0.6%
6	I had a bad burn	29	1.3%
7	I was poisoned	7	0.3%
8	Something else happened to me	441	19.5%
Sysmiss		278	

Q19: Serious injury motor vehicle

Data file: SYC2015_Public_Use

Overview

Valid: 2236 Invalid: 304

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1396	62.4%
2	Motor vehicle accident	50	2.2%
3	I fell	246	11%
4	Something fell on me or hit me	79	3.5%
5	I was attacked	31	1.4%
6	Was in a fire	20	0.9%
7	breathed something bad	16	0.7%
8	Something else	398	17.8%
Sysmiss		304	

Q20: Bullied

Data file: SYC2015_Public_Use

Overview

Valid: 2335 Invalid: 205

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	1257	53.8%
2	1 or 2 days	548	23.5%
3	3 to 5 days	218	9.3%
4	6 to 9 days	100	4.3%
5	10 to 19 days	59	2.5%
6	20 to 29 days	31	1.3%
7	All 30 days	122	5.2%
Sysmiss		205	

Q21: Bullied by hitting**Data file: SYC2015_Public_Use****Overview**

Valid: 2306 Invalid: 234

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	1429	62%
2	Kicked, pushed, or shoved	104	4.5%
3	Made fun of race	109	4.7%
4	Made fun because of religion	39	1.7%
5	Made fun of about sex	61	2.6%
6	Left out of activities	29	1.3%
7	Made fun of about body	144	6.2%
8	Some other way	391	17%
Sysmiss		234	

Q22: Felt lonely**Data file: SYC2015_Public_Use****Overview**

Valid: 2502 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	892	35.7%
2	Rarely	550	22%
3	Sometimes	769	30.7%
4	Most of the time	201	8%
5	Always	90	3.6%
Sysmiss		38	

Q23: Could not sleep

Data file: SYC2015_Public_Use

Overview

Valid: 2503 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	976	39%
2	Rarely	660	26.4%
3	Sometimes	584	23.3%
4	Most of the time	189	7.6%
5	Always	94	3.8%
Sysmiss		37	

Q24: Considered suicide

Data file: SYC2015_Public_Use

Overview

Valid: 2412 Invalid: 128

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	519	21.5%
2	No	1893	78.5%
Sysmiss		128	

Q25: Made a suicide plan

Data file: SYC2015_Public_Use

Overview

Valid: 2449 Invalid: 91

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	533	21.8%
2	No	1916	78.2%
Sysmiss		91	

Q26: Attempted suicide

Data file: SYC2015_Public_Use

Overview

Valid: 2491 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	0 times	2005	80.5%
2	1 time	259	10.4%
3	2 or 3 times	120	4.8%
4	4 or 5 times	58	2.3%
5	6 or more times	49	2%
Sysmiss		49	

Q27: Close friends

Data file: SYC2015_Public_Use

Overview

Valid: 2452 Invalid: 88

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	220	9%
2	1	266	10.8%
3	2	408	16.6%
4	3 or more	1558	63.5%
Sysmiss		88	

Q28: Initiation of cigarette use

Data file: SYC2015_Public_Use

Overview

Valid: 2382 Invalid: 158

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1470	61.7%
2	7 years old or younger	125	5.2%
3	8 or 9 years old	104	4.4%
4	10 or 11 years old	161	6.8%
5	12 or 13 years old	282	11.8%
6	14 or 15 years old	217	9.1%
7	16 or 17 years old	23	1%
8	18 years old or older	0	0%
Sysmiss		158	

Q29: Current cigarette use**Data file: SYC2015_Public_Use****Overview**

Valid: 2468 Invalid: 72

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	1993	80.8%
2	1 or 2 days	261	10.6%
3	3 to 5 days	75	3%
4	6 to 9 days	42	1.7%
5	10 to 19 days	38	1.5%
6	20 to 29 days	18	0.7%
7	All 30 days	41	1.7%
Sysmiss		72	

Q30: Other tobacco use**Data file: SYC2015_Public_Use**

Overview

Valid: 2499 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	2274	91%
2	1 or 2 days	120	4.8%
3	3 to 5 days	42	1.7%
4	6 to 9 days	18	0.7%
5	10 to 19 days	19	0.8%
6	20 to 29 days	6	0.2%
7	All 30 days	20	0.8%
Sysmiss		41	

Q31: Smoking cessation

Data file: SYC2015_Public_Use

Overview

Valid: 2368 Invalid: 172

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1598	67.5%
2	Did not smoke cigarettes	280	11.8%
3	Yes	367	15.5%
4	No	123	5.2%

Sysmiss		172	
---------	--	-----	--

Q32: Smoking in their presence

Data file: SYC2015_Public_Use

Overview

Valid: 2472 Invalid: 68

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	1053	42.6%
2	1 or 2 days	591	23.9%
3	3 or 4 days	227	9.2%
4	5 or 6 days	116	4.7%
5	All 7 days	485	19.6%
Sysmiss		68	

Q33: Parental tobacco use

Data file: SYC2015_Public_Use

Overview

Valid: 2454 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	1525	62.1%
2	My father or male guardian	408	16.6%

3	My mother or female guardian	78	3.2%
4	Both	99	4%
5	I do not know	344	14%
Sysmiss		86	

Q34: Initiation of alcohol use

Data file: SYC2015_Public_Use

Overview

Valid: 2303 Invalid: 237

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	554	24.1%
2	7 years old or younger	229	9.9%
3	8 or 9 years old	272	11.8%
4	10 or 11 years old	477	20.7%
5	12 or 13 years old	499	21.7%
6	14 or 15 years old	252	10.9%
7	16 or 17 years old	20	0.9%
8	18 years old or older	0	0%
Sysmiss		237	

Q35: Current alcohol use

Data file: SYC2015_Public_Use

Overview

Valid: 2394 Invalid: 146

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	1267	52.9%
2	1 or 2 days	668	27.9%
3	3 to 5 days	246	10.3%
4	6 to 9 days	99	4.1%
5	10 to 19 days	64	2.7%
6	20 to 29 days	27	1.1%
7	All 30 days	23	1%
Sysmiss		146	

Q36: Drank 2+ drinks

Data file: SYC2015_Public_Use

Overview

Valid: 2404 Invalid: 136

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1224	50.9%
2	Less than one drink	329	13.7%
3	1 drink	304	12.6%
4	2 drinks	199	8.3%
5	3 drinks	132	5.5%
6	4 drinks	76	3.2%

7	5 or more drinks	140	5.8%
Sysmiss		136	

Q37: Source of alcohol

Data file: SYC2015_Public_Use

Overview

Valid: 2383 Invalid: 157

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1153	48.4%
2	I bought in a store	172	7.2%
3	I gave someone money to buy	128	5.4%
4	I got it from my friends	306	12.8%
5	I got it from my family	342	14.4%
6	I stole it	62	2.6%
7	Some other way	220	9.2%
Sysmiss		157	

Q38: Really drunk

Data file: SYC2015_Public_Use

Overview

Valid: 2355 Invalid: 185

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	1369	58.1%
2	1 or 2 times	630	26.8%
3	3 to 9 times	228	9.7%
4	10 or more times	128	5.4%
Sysmiss		185	

Q39: Trouble from drinking

Data file: SYC2015_Public_Use

Overview

Valid: 2406 Invalid: 134

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	2038	84.7%
2	1 or 2 times	250	10.4%
3	3 to 9 times	66	2.7%
4	10 or more times	52	2.2%
Sysmiss		134	

Q40: Initiation of drug use

Data file: SYC2015_Public_Use

Overview

Valid: 2264 Invalid: 276

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1923	84.9%
2	7 years old or younger	56	2.5%
3	8 or 9 years old	49	2.2%
4	10 or 11 years old	41	1.8%
5	12 or 13 years old	70	3.1%
6	14 or 15 years old	101	4.5%
7	16 or 17 years old	24	1.1%
8	18 years old or older	0	0%
Sysmiss		276	

Q41: Ever marijuana use

Data file: SYC2015_Public_Use

Overview

Valid: 2391 Invalid: 149

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	2122	88.7%
2	1 or 2 times	106	4.4%
3	3 to 9 times	70	2.9%
4	10 to 19 times	37	1.5%
5	20 or more times	56	2.3%
Sysmiss		149	

Q42: Current marijuana use**Data file: SYC2015_Public_Use****Overview**

Valid: 2391 Invalid: 149

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	2176	91%
2	1 or 2 times	91	3.8%
3	3 to 9 times	55	2.3%
4	10 to 19 times	42	1.8%
5	20 or more times	27	1.1%
Sysmiss		149	

Q43: Amphetamine or methamphetamine use**Data file: SYC2015_Public_Use****Overview**

Valid: 2333 Invalid: 207

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	2231	95.6%

2	1 or 2 times	39	1.7%
3	3 to 9 times	27	1.2%
4	10 to 19 times	18	0.8%
5	20 or more times	18	0.8%
Sysmiss		207	

Q44: Ever sexual intercourse

Data file: SYC2015_Public_Use

Overview

Valid: 2130 Invalid: 410

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	833	39.1%
2	No	1297	60.9%
Sysmiss		410	

Q45: Sex before 14 years

Data file: SYC2015_Public_Use

Overview

Valid: 2319 Invalid: 221

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1561	67.3%

2	11 years old or younger	186	8%
3	12 years old	152	6.6%
4	13 years old	150	6.5%
5	14 years old	136	5.9%
6	15 years old	112	4.8%
7	16 or 17 years old	22	0.9%
8	18 years old or older	0	0%
Sysmiss		221	

Q46: Multiple sex partners

Data file: SYC2015_Public_Use

Overview

Valid: 2350 Invalid: 190

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1587	67.5%
2	1 person	262	11.1%
3	2 people	173	7.4%
4	3 people	121	5.1%
5	4 people	61	2.6%
6	5 people	53	2.3%
7	6 or more people	93	4%
Sysmiss		190	

Q47: Condom use

Data file: SYC2015_Public_Use

Overview

Valid: 2232 Invalid: 308

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1491	66.8%
2	Yes	373	16.7%
3	No	368	16.5%
Sysmiss		308	

Q48: Birth control used

Data file: SYC2015_Public_Use

Overview

Valid: 2262 Invalid: 278

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1511	66.8%
2	Yes	197	8.7%
3	No	452	20%
4	I do not know	102	4.5%
Sysmiss		278	

Q49: Physical activity >= 5 days

Data file: SYC2015_Public_Use

Overview

Valid: 2442 Invalid: 98

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	764	31.3%
2	1 day	413	16.9%
3	2 days	272	11.1%
4	3 days	265	10.9%
5	4 days	139	5.7%
6	5 days	123	5%
7	6 days	53	2.2%
8	7 days	413	16.9%
Sysmiss		98	

Q50: Walk or bike to school

Data file: SYC2015_Public_Use

Overview

Valid: 2439 Invalid: 101

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	1397	57.3%
2	1 day	184	7.5%
3	2 days	131	5.4%

4	3 days	83	3.4%
5	4 days	42	1.7%
6	5 days	162	6.6%
7	6 days	28	1.1%
8	7 days	412	16.9%
Sysmiss		101	

Q51: PE attendance

Data file: SYC2015_Public_Use

Overview

Valid: 2424 Invalid: 116

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	438	18.1%
2	1 day	1001	41.3%
3	2 days	193	8%
4	3 days	92	3.8%
5	4 days	75	3.1%
6	5 or more days	625	25.8%
Sysmiss		116	

Q52: Sitting activities

Data file: SYC2015_Public_Use

Overview

Valid: 2402 Invalid: 138

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	534	22.2%
2	1 to 2 hours per day	647	26.9%
3	3 to 4 hours per day	500	20.8%
4	5 to 6 hours per day	269	11.2%
5	7 to 8 hours per day	130	5.4%
6	More than 8 hours per day	322	13.4%
Sysmiss		138	

Q53: Miss school no permission

Data file: SYC2015_Public_Use

Overview

Valid: 2346 Invalid: 194

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	1664	70.9%
2	1 or 2 days	395	16.8%
3	3 to 5 days	183	7.8%
4	6 to 9 days	47	2%
5	10 or more days	57	2.4%
Sysmiss		194	

Q54: Other students kind and helpful**Data file: SYC2015_Public_Use****Overview**

Valid: 2408 Invalid: 132

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	440	18.3%
2	Rarely	608	25.2%
3	Sometimes	794	33%
4	Most of the time	359	14.9%
5	Always	207	8.6%
Sysmiss		132	

Q55: Parents check homework**Data file: SYC2015_Public_Use****Overview**

Valid: 2387 Invalid: 153

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	513	21.5%
2	Rarely	365	15.3%
3	Sometimes	532	22.3%
4	Most of the time	341	14.3%
5	Always	636	26.6%

Sysmiss		153	
---------	--	-----	--

Q56: Parents understand problems

Data file: SYC2015_Public_Use

Overview

Valid: 2355 Invalid: 185

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	598	25.4%
2	Rarely	431	18.3%
3	Sometimes	573	24.3%
4	Most of the time	311	13.2%
5	Always	442	18.8%
Sysmiss		185	

Q57: Parents know about free time

Data file: SYC2015_Public_Use

Overview

Valid: 2393 Invalid: 147

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	513	21.4%
2	Rarely	399	16.7%

3	Sometimes	524	21.9%
4	Most of the time	388	16.2%
5	Always	569	23.8%
Sysmiss		147	

Q58: Parents go through their things

Data file: SYC2015_Public_Use

Overview

Valid: 2358 Invalid: 182 Mean: 2.059 Standard deviation: 1.255
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		1116	47.3%
2		493	20.9%
3		414	17.6%
4		165	7%
5		170	7.2%
Sysmiss		182	

QN6: Most of the time or always went hungry

Data file: SYC2015_Public_Use

Overview

Valid: 2510 Invalid: 30 Mean: 1.88 Standard deviation: 0.325
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	301	12%
2	No	2209	88%
Sysmiss		30	

QN7: Did not eat fruit**Data file:** SYC2015_Public_Use**Overview**

Valid: 2527 Invalid: 13 Mean: 1.922 Standard deviation: 0.268
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	196	7.8%
2	No	2331	92.2%
Sysmiss		13	

QN8: Did not eat vegetables**Data file:** SYC2015_Public_Use**Overview**

Valid: 2520 Invalid: 20 Mean: 1.903 Standard deviation: 0.296
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	244	9.7%
2	No	2276	90.3%
Sysmiss		20	

QN9: Did not drink carbonated soft drinks**Data file: SYC2015_Public_Use****Overview**

Valid: 2500 Invalid: 40 Mean: 1.918 Standard deviation: 0.274
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	205	8.2%
2	No	2295	91.8%
Sysmiss		40	

QN10: Did not eat food from a fast food restaurant**Data file: SYC2015_Public_Use****Overview**

Valid: 2516 Invalid: 24 Mean: 1.693 Standard deviation: 0.461
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	773	30.7%
2	No	1743	69.3%
Sysmiss		24	

QN15: Were physically attacked**Data file: SYC2015_Public_Use****Overview**

Valid: 2521 Invalid: 19 Mean: 1.715 Standard deviation: 0.451
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	718	28.5%
2	No	1803	71.5%
Sysmiss		19	

QN16: Were in a physical fight

Data file: SYC2015_Public_Use

Overview

Valid: 2500 Invalid: 40 Mean: 1.658 Standard deviation: 0.474
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	855	34.2%
2	No	1645	65.8%
Sysmiss		40	

QN17: Were seriously injured

Data file: SYC2015_Public_Use

Overview

Valid: 2216 Invalid: 324 Mean: 1.49 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1131	51%
2	No	1085	49%
Sysmiss		324	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: SYC2015_Public_Use

Overview

Valid: 844 Invalid: 1696 Mean: 1.836 Standard deviation: 0.37
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	138	16.4%
2	No	706	83.6%
Sysmiss		1696	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: SYC2015_Public_Use

Overview

Valid: 840 Invalid: 1700 Mean: 1.94 Standard deviation: 0.237
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	50	6%
2	No	790	94%
Sysmiss		1700	

QN20: Were bullied**Data file: SYC2015_Public_Use****Overview**

Valid: 2335 Invalid: 205 Mean: 1.538 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1078	46.2%
2	No	1257	53.8%
Sysmiss		205	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors**Data file: SYC2015_Public_Use****Overview**

Valid: 877 Invalid: 1663 Mean: 1.881 Standard deviation: 0.323
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	104	11.9%
2	No	773	88.1%
Sysmiss		1663	

QN22: Most of the time or always felt lonely**Data file: SYC2015_Public_Use****Overview**

Valid: 2502 Invalid: 38 Mean: 1.884 Standard deviation: 0.321
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	291	11.6%
2	No	2211	88.4%
Sysmiss		38	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: SYC2015_Public_Use

Overview

Valid: 2503 Invalid: 37 Mean: 1.887 Standard deviation: 0.317
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	283	11.3%
2	No	2220	88.7%
Sysmiss		37	

QN24: Seriously considered attempting suicide

Data file: SYC2015_Public_Use

Overview

Valid: 2412 Invalid: 128 Mean: 1.785 Standard deviation: 0.411
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	519	21.5%
2	No	1893	78.5%
Sysmiss		128	

QN25: Made a plan about how they would attempt suicide

Data file: SYC2015_Public_Use

Overview

Valid: 2449 Invalid: 91 Mean: 1.782 Standard deviation: 0.413
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	533	21.8%
2	No	1916	78.2%
Sysmiss		91	

QN26: Attempted suicide

Data file: SYC2015_Public_Use

Overview

Valid: 2491 Invalid: 49 Mean: 1.805 Standard deviation: 0.396
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	486	19.5%
2	No	2005	80.5%
Sysmiss		49	

QN27: Did not have any close friends**Data file: SYC2015_Public_Use****Overview**

Valid: 2452 Invalid: 88 Mean: 1.91 Standard deviation: 0.286
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1	Yes	220	9%
2	No	2232	91%
Sysmiss		88	

QN28: Tried a cigarette before age 14 years**Data file: SYC2015_Public_Use****Overview**

Valid: 912 Invalid: 1628 Mean: 1.263 Standard deviation: 0.441
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1	Yes	672	73.7%
2	No	240	26.3%
Sysmiss		1628	

QN29: Currently smoked cigarettes**Data file: SYC2015_Public_Use****Overview**

Valid: 2468 Invalid: 72 Mean: 1.808 Standard deviation: 0.394
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	475	19.2%
2	No	1993	80.8%
Sysmiss		72	

QN30: Currently used any tobacco products other than cigarettes

Data file: SYC2015_Public_Use

Overview

Valid: 2499 Invalid: 41 Mean: 1.91 Standard deviation: 0.286
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	225	9%
2	No	2274	91%
Sysmiss		41	

QN31: Tried to quit smoking cigarettes

Data file: SYC2015_Public_Use

Overview

Valid: 490 Invalid: 2050 Mean: 1.251 Standard deviation: 0.434
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	367	74.9%
2	No	123	25.1%
Sysmiss		2050	

QN32: Reported that people smoked in their presence

Data file: SYC2015_Public_Use

Overview

Valid: 2472 Invalid: 68 Mean: 1.426 Standard deviation: 0.495
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1419	57.4%
2	No	1053	42.6%
Sysmiss		68	

QN33: Had parents or guardians who used any form of tobacco

Data file: SYC2015_Public_Use

Overview

Valid: 2454 Invalid: 86 Mean: 1.762 Standard deviation: 0.426
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	585	23.8%
2	No	1869	76.2%
Sysmiss		86	

QN34: Drank alcohol before age 14 years**Data file: SYC2015_Public_Use****Overview**

Valid: 1749 Invalid: 791 Mean: 1.156 Standard deviation: 0.363
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category	Cases	
1	Yes	1477	84.4%
2	No	272	15.6%
Sysmiss		791	

QN35: Currently drank alcohol**Data file: SYC2015_Public_Use****Overview**

Valid: 2394 Invalid: 146 Mean: 1.529 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1127	47.1%
2	No	1267	52.9%
Sysmiss		146	

QN36: Usually drank two or more drinks per day**Data file: SYC2015_Public_Use****Overview**

Valid: 1180 Invalid: 1360 Mean: 1.536 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	547	46.4%
2	No	633	53.6%
Sysmiss		1360	

QN37: Usually obtained the alcohol they drank from friends

Data file: SYC2015_Public_Use

Overview

Valid: 1230 Invalid: 1310 Mean: 1.751 Standard deviation: 0.432
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	306	24.9%
2	No	924	75.1%
Sysmiss		1310	

QN38: Ever drank so much alcohol that they were really drunk

Data file: SYC2015_Public_Use

Overview

Valid: 2355 Invalid: 185 Mean: 1.581 Standard deviation: 0.493
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	986	41.9%
2	No	1369	58.1%
Sysmiss		185	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: SYC2015_Public_Use

Overview

Valid: 2406 Invalid: 134 Mean: 1.847 Standard deviation: 0.36
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	368	15.3%
2	No	2038	84.7%
Sysmiss		134	

QN40: Used drugs before age 14 years

Data file: SYC2015_Public_Use

Overview

Valid: 341 Invalid: 2199 Mean: 1.367 Standard deviation: 0.483
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1	Yes	216	63.3%
2	No	125	36.7%
Sysmiss		2199	

QN41: Ever used marijuana**Data file:** SYC2015_Public_Use**Overview**

Valid: 2391 Invalid: 149 Mean: 1.887 Standard deviation: 0.316
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	269	11.3%
2	No	2122	88.7%
Sysmiss		149	

QN42: Currently used marijuana**Data file:** SYC2015_Public_Use**Overview**

Valid: 2391 Invalid: 149 Mean: 1.91 Standard deviation: 0.286
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	215	9%
2	No	2176	91%
Sysmiss		149	

QN43: Ever used amphetamines or methamphetamines**Data file:** SYC2015_Public_Use**Overview**

Valid: 2333 Invalid: 207 Mean: 1.956 Standard deviation: 0.205
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	102	4.4%
2	No	2231	95.6%
Sysmiss		207	

QN44: Ever had sexual intercourse

Data file: SYC2015_Public_Use

Overview

Valid: 2130 Invalid: 410 Mean: 1.609 Standard deviation: 0.488
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	833	39.1%
2	No	1297	60.9%
Sysmiss		410	

QN45: Had sexual intercourse before age 14 years

Data file: SYC2015_Public_Use

Overview

Valid: 758 Invalid: 1782 Mean: 1.356 Standard deviation: 0.479
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	488	64.4%
2	No	270	35.6%
Sysmiss		1782	

QN47: Used a condom

Data file: SYC2015_Public_Use

Overview

Valid: 741 Invalid: 1799 Mean: 1.497 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	373	50.3%
2	No	368	49.7%
Sysmiss		1799	

QN48: Used a method of birth control other than condoms

Data file: SYC2015_Public_Use

Overview

Valid: 751 Invalid: 1789 Mean: 1.738 Standard deviation: 0.44
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	197	26.2%
2	No	554	73.8%
Sysmiss		1789	

QN49: Were not physically active**Data file: SYC2015_Public_Use****Overview**

Valid: 2442 Invalid: 98 Mean: 1.687 Standard deviation: 0.464
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	764	31.3%
2	No	1678	68.7%
Sysmiss		98	

QN50: Did not walk or ride a bicycle to or from school**Data file: SYC2015_Public_Use****Overview**

Valid: 2439 Invalid: 101 Mean: 1.427 Standard deviation: 0.495
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1397	57.3%
2	No	1042	42.7%
Sysmiss		101	

QN51: Did not attend physical education classes**Data file: SYC2015_Public_Use****Overview**

Valid: 2424 Invalid: 116 Mean: 1.819 Standard deviation: 0.385
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	438	18.1%
2	No	1986	81.9%
Sysmiss		116	

QN52: Spent three or more hours per day doing sitting activities

Data file: SYC2015_Public_Use

Overview

Valid: 2402 Invalid: 138 Mean: 1.492 Standard deviation: 0.5
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
1	Yes	1221	50.8%
2	No	1181	49.2%
Sysmiss		138	

QN53: Missed classes or school without permission

Data file: SYC2015_Public_Use

Overview

Valid: 2346 Invalid: 194 Mean: 1.709 Standard deviation: 0.454
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	682	29.1%
2	No	1664	70.9%
Sysmiss		194	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: SYC2015_Public_Use

Overview

Valid: 2408 Invalid: 132 Mean: 1.765 Standard deviation: 0.424
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	566	23.5%
2	No	1842	76.5%
Sysmiss		132	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: SYC2015_Public_Use

Overview

Valid: 2387 Invalid: 153 Mean: 1.591 Standard deviation: 0.492
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	977	40.9%
2	No	1410	59.1%
Sysmiss		153	

QN46: Had sexual intercourse with two or more persons**Data file: SYC2015_Public_Use****Overview**

Valid: 2350 Invalid: 190 Mean: 1.787 Standard deviation: 0.41
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	501	21.3%
2	No	1849	78.7%
Sysmiss		190	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries**Data file: SYC2015_Public_Use****Overview**

Valid: 2355 Invalid: 185 Mean: 1.68 Standard deviation: 0.466
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	753	32%
2	No	1602	68%
Sysmiss		185	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time**Data file: SYC2015_Public_Use**

Overview

Valid: 2393 Invalid: 147 Mean: 1.6 Standard deviation: 0.49
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	957	40%
2	No	1436	60%
Sysmiss		147	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: SYC2015_Public_Use

Overview

Valid: 2358 Invalid: 182 Mean: 1.318 Standard deviation: 0.466
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1609	68.2%
2	No	749	31.8%
Sysmiss		182	

QNUNWTG: Were underweight

Data file: SYC2015_Public_Use

Overview

Valid: 2131 Invalid: 409 Mean: 1.947 Standard deviation: 0.225
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight ($<-2SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	114	5.3%
2	No	2017	94.7%
Sysmiss		409	

QNOWTG: Were overweight

Data file: SYC2015_Public_Use

Overview

Valid: 2131 Invalid: 409 Mean: 1.716 Standard deviation: 0.451
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight ($>+1SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	606	28.4%
2	No	1525	71.6%
Sysmiss		409	

QNOBESEG: Were obese

Data file: SYC2015_Public_Use

Overview

Valid: 2131 Invalid: 409 Mean: 1.878 Standard deviation: 0.327
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese ($>+2SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	260	12.2%
2	No	1871	87.8%
Sysmiss		409	

QNFR1G: Usually ate fruit less than one time per day

Data file: SYC2015_Public_Use

Overview

Valid: 2527 Invalid: 13 Mean: 1.843 Standard deviation: 0.364
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	397	15.7%
2	No	2130	84.3%
Sysmiss		13	

QNFR1G: Usually ate fruit one or more times per day

Data file: SYC2015_Public_Use

Overview

Valid: 2527 Invalid: 13 Mean: 1.235 Standard deviation: 0.424
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1934	76.5%
2	No	593	23.5%
Sysmiss		13	

QNFR2G: Usually ate fruit two or more times per day**Data file: SYC2015_Public_Use****Overview**

Valid: 2527 Invalid: 13 Mean: 1.457 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1371	54.3%
2	No	1156	45.7%
Sysmiss		13	

QNFR3G: Usually ate fruit three or more times per day**Data file: SYC2015_Public_Use****Overview**

Valid: 2527 Invalid: 13 Mean: 1.647 Standard deviation: 0.478
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	891	35.3%
2	No	1636	64.7%
Sysmiss		13	

QNVEGLG: Usually ate vegetables less than one time per day**Data file: SYC2015_Public_Use****Overview**

Valid: 2520 Invalid: 20 Mean: 1.843 Standard deviation: 0.364
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	396	15.7%
2	No	2124	84.3%
Sysmiss		20	

QNVEG1G: Usually ate vegetables one or more times per day

Data file: SYC2015_Public_Use

Overview

Valid: 2520 Invalid: 20 Mean: 1.254 Standard deviation: 0.435
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1880	74.6%
2	No	640	25.4%
Sysmiss		20	

QNVEG2G: Usually ate vegetables two or more times per day

Data file: SYC2015_Public_Use

Overview

Valid: 2520 Invalid: 20 Mean: 1.477 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1317	52.3%
2	No	1203	47.7%
Sysmiss		20	

QNVEG3G: Usually ate vegetables three or more times per day

Data file: SYC2015_Public_Use

Overview

Valid: 2520 Invalid: 20 Mean: 1.699 Standard deviation: 0.459
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	759	30.1%
2	No	1761	69.9%
Sysmiss		20	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: SYC2015_Public_Use

Overview

Valid: 2500 Invalid: 40 Mean: 1.761 Standard deviation: 0.426
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	597	23.9%
2	No	1903	76.1%
Sysmiss		40	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day**Data file: SYC2015_Public_Use****Overview**

Valid: 2500 Invalid: 40 Mean: 1.321 Standard deviation: 0.467
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1698	67.9%
2	No	802	32.1%
Sysmiss		40	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day**Data file: SYC2015_Public_Use****Overview**

Valid: 2500 Invalid: 40 Mean: 1.554 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1114	44.6%
2	No	1386	55.4%
Sysmiss		40	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day**Data file: SYC2015_Public_Use****Overview**

Valid: 2500 Invalid: 40 Mean: 1.715 Standard deviation: 0.451
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	712	28.5%
2	No	1788	71.5%
Sysmiss		40	

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: SYC2015_Public_Use

Overview

Valid: 2516 Invalid: 24 Mean: 1.307 Standard deviation: 0.461
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1743	69.3%
2	No	773	30.7%
Sysmiss		24	

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: SYC2015_Public_Use

Overview

Valid: 2516 Invalid: 24 Mean: 1.566 Standard deviation: 0.496
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1092	43.4%
2	No	1424	56.6%
Sysmiss		24	

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: SYC2015_Public_Use

Overview

Valid: 2516 Invalid: 24 Mean: 1.733 Standard deviation: 0.443
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	672	26.7%
2	No	1844	73.3%
Sysmiss		24	

QNC2G: Were bullied and could not sleep at night

Data file: SYC2015_Public_Use

Overview

Valid: 266 Invalid: 2274 Mean: 1.402 Standard deviation: 0.491
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	159	59.8%
2	No	107	40.2%
Sysmiss		2274	

QNTOB2G: Currently used any tobacco product**Data file: SYC2015_Public_Use****Overview**

Valid: 2485 Invalid: 55 Mean: 1.773 Standard deviation: 0.419
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	565	22.7%
2	No	1920	77.3%
Sysmiss		55	

QNNOTB2G: Did not currently use any tobacco products**Data file: SYC2015_Public_Use****Overview**

Valid: 2451 Invalid: 89 Mean: 1.217 Standard deviation: 0.412
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1920	78.3%
2	No	531	21.7%
Sysmiss		89	

QNBCANYG: Used a method of birth control**Data file: SYC2015_Public_Use****Overview**

Valid: 654 Invalid: 1886 Mean: 1.343 Standard deviation: 0.475
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	430	65.7%
2	No	224	34.3%
Sysmiss		1886	

QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: SYC2015_Public_Use

Overview

Valid: 853 Invalid: 1687 Mean: 1.419 Standard deviation: 0.494
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	496	58.1%
2	No	357	41.9%
Sysmiss		1687	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: SYC2015_Public_Use

Overview

Valid: 2442 Invalid: 98 Mean: 1.759 Standard deviation: 0.428
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	589	24.1%
2	No	1853	75.9%
Sysmiss		98	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: SYC2015_Public_Use

Overview

Valid: 2442 Invalid: 98 Mean: 1.831 Standard deviation: 0.375
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	413	16.9%
2	No	2029	83.1%
Sysmiss		98	

QNPE3G: Attended physical education classes on three or more days

Data file: SYC2015_Public_Use

Overview

Valid: 2424 Invalid: 116 Mean: 1.673 Standard deviation: 0.469
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	792	32.7%
2	No	1632	67.3%
Sysmiss		116	

QNPE5G: Attended physical education classes on five or more days**Data file: SYC2015_Public_Use****Overview**

Valid: 2424 Invalid: 116 Mean: 1.742 Standard deviation: 0.438
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	625	25.8%
2	No	1799	74.2%
Sysmiss		116	

WEIGHT:**Data file: SYC2015_Public_Use****Overview**

Valid: 2540 Invalid: 0 Mean: 2.639 Standard deviation: 0.537
 Type: Continuous Decimal: 0 Width: 10 Range: 1.8737 - 5.8207 Format: Numeric

STRATUM:**Data file: SYC2015_Public_Use****Overview**

Valid: 2540 Invalid: 0 Mean: 201501005.433 Standard deviation: 17.229
 Type: Discrete Decimal: 0 Width: 9 Range: 201501001 - 201501014 Format: Numeric

Questions and instructions**CATEGORIES**

Value	Category	Cases	
201501001		352	13.9%
201501002		244	9.6%
201501003		245	9.6%
201501004		261	10.3%
201501005		259	10.2%

201501006		267	10.5%
201501007		223	8.8%
201501008		207	8.1%
201501009		195	7.7%
201501010		101	4%
201501011		64	2.5%
201501012		20	0.8%
201501013		70	2.8%
201501014		32	1.3%

PSU:**Data file: SYC2015_Public_Use****Overview**

Valid: 2540 Invalid: 0 Mean: 59.144 Standard deviation: 35.064
 Type: Continuous Decimal: 0 Width: 5 Range: 1 - 123 Format: Numeric

study_resources

questionnaires

Questionnaire

title Questionnaire
filename 2015_GSHS_Seychelles_Questionnaire.pdf

reports

Fact Sheet

title Fact Sheet
filename gshs_fs_seychelles_2015.pdf

technical_documents

Codebook

title Codebook
filename SYC2015_public_use_codebook.pdf
