

Global School-Based Student Health Survey 2018

Ministry of Health, Wellness and Environment

report_generated_on: October 2, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER

VCT_2018_GSHS_v01_M

TITLE

Global School-Based Student Health Survey 2018

ABBREVIATION OR ACRONYM

GSHS 2018

COUNTRY

| Name | Country code |
|--------------------------------|--------------|
| St. Vincent and the Grenadines | VCT |

STUDY TYPE

Other Household Survey [hh/oth]

SERIES INFORMATION

This is the 2nd GSHS conducted by Saint Vincent and the Grenadines.

ABSTRACT

The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA

Sample survey data [ssd]

UNIT OF ANALYSIS

Individuals

Version

VERSION DESCRIPTION

Public-use dataset

Scope

NOTES

The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- tobacco use
- violence and unintentional injury

TOPICS

| Topic | Vocabulary |
|--|------------|
| Global School-based Student Health Survey (GSHS) | Survey |

KEYWORDS

| Keyword |
|-----------------------------------|
| adolescents |
| school health |
| noncommunicable diseases |
| risk factors |
| protective factors |
| health surveys |
| alcohol use |
| diet |
| nutrition |
| drug use |
| hygiene |
| mental health |
| physical activity |
| sexual behaviours |
| HIV |
| tobacco use |
| violence and unintentional injury |
| overweight |
| obesity |
| bullying |

Coverage

GEOGRAPHIC COVERAGE

National

UNIVERSE

School-going adolescents aged 13-17 years.

Producers and sponsors

PRIMARY INVESTIGATORS

| Name |
|--|
| Ministry of Health, Wellness and Environment |

FUNDING AGENCY/SPONSOR

| Name | Abbreviation |
|---|--------------|
| World Health Organization | WHO |
| US Centers for Disease Control and Prevention | CDC |

Sampling

SAMPLING PROCEDURE

A two-stage cluster sample design was used to produce data representative of all students in Form 2 - First yr SVGCC in Saint Vincent and the Grenadines. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

The school response rate was 100%, the student response rate was 78%, and the overall response rate was 78%. A total of 1,877 students participated in the survey.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

Data collection

DATES OF DATA COLLECTION

| Start | End |
|-------|------|
| 2018 | 2018 |

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- tobacco use
- violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

| Name | Affiliation | Email | URL |
|-----------------------|---------------------------|-----------------------|----------------------|
| NCD Surveillance Team | World Health Organization | ncdmonitoring@who.int | Link |

ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_[ISO]_[year]_GSHS_v01_M

PRODUCERS

| Name | Abbreviation | Affiliation | Role |
|----------------------------------|--------------|---------------------------|---|
| Melanie Cowan | | World Health Organization | Documentation of data |
| Development Economics Data Group | DECDG | The World Bank | Metadata adapted for World Bank Microdata Library |

DDI DOCUMENT VERSION

Identical to a metadata (VCT_2018_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

| Data file | Cases | variables |
|------------------|--------------|------------------|
| VCHq | 1877 | 131 |

Data file: VCHq

Cases: 1877

variables: 131

variables

| ID | Name | Label | Question |
|------|--------|-----------------------------|--|
| V145 | site | site | |
| V146 | record | record | |
| V147 | q1 | Custom Age | How old are you? |
| V148 | q2 | Sex | What is your sex? |
| V149 | q3 | In what grade are you | In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS |
| V150 | q4 | How tall are you | How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER. |
| V151 | q5 | How much do you weigh | How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER. |
| V152 | q6 | How often went hungry | During the past 30 days, how often did you go hungry because there was not enough food in your home? |
| V153 | q10 | Fast food eating | During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES? |
| V154 | q11 | Tooth brushing | During the past 30 days, how many times per day did you usually clean or brush your teeth? |
| V155 | q12 | Hand washing before eating | During the past 30 days, how often did you wash your hands before eating? |
| V156 | q13 | Hand washing after toilet | During the past 30 days, how often did you wash your hands after using the toilet or latrine? |
| V157 | q14 | Hand washing with soap | During the past 30 days, how often did you use soap when washing your hands? |
| V158 | q15 | Physically attacked | During the past 12 months, how many times were you physically attacked? |
| V159 | q16 | Physical fighting | During the past 12 months, how many times were you in a physical fight? |
| V160 | q17 | Seriously injured | During the past 12 months, how many times were you seriously injured? |
| V161 | q18 | Serious injury type | During the past 12 months, what was the most serious injury that happened to you? |
| V162 | q19 | Serious injury cause | During the past 12 months, what was the major cause of the most serious injury that happened to you? |
| V163 | q22 | Felt lonely | During the past 12 months, how often have you felt lonely? |
| V164 | q23 | Could not sleep | During the past 12 months, how often have you been so worried about something that you could not sleep at night? |
| V165 | q24 | Considered suicide | During the past 12 months, did you ever seriously consider attempting suicide? |
| V166 | q25 | Made a suicide plan | During the past 12 months, did you make a plan about how you would attempt suicide? |
| V167 | q26 | Attempted suicide | During the past 12 months, how many times did you actually attempt suicide? |
| V168 | q27 | Close friends | How many close friends do you have? |
| V169 | q28 | Initiation of cigarette use | How old were you when you first tried a cigarette? |

| ID | Name | Label | Question |
|------|------|------------------------------------|---|
| V170 | q29 | Current cigarette use | During the past 30 days, on how many days did you smoke cigarettes? |
| V171 | q30 | Other tobacco use | During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES? |
| V172 | q31 | Smoking cessation | During the past 12 months, have you ever tried to stop smoking cigarettes? |
| V173 | q32 | Smoking in their presence | During the past 7 days, on how many days have people smoked in your presence? |
| V174 | q33 | Parental tobacco use | Which of your parents or guardians use any form of tobacco? |
| V175 | q34 | Initiation of alcohol use | How old were you when you had your first drink of alcohol other than a few sips? |
| V176 | q35 | Current alcohol use | During the past 30 days, on how many days did you have at least one drink containing alcohol? |
| V177 | q36 | Number of drinks | During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day? |
| V178 | q37 | Source of alcohol | During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE. |
| V179 | q38 | Really drunk | During your life, how many times did you drink so much alcohol that you were really drunk? |
| V180 | q39 | Trouble from drinking | During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol? |
| V181 | q40 | Initiation of drug use | How old were you when you first used drugs? |
| V182 | q41 | Ever marijuana use | During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)? |
| V183 | q42 | Current marijuana use | During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)? |
| V184 | q43 | Amphetamine or methamphetamine use | During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)? |
| V185 | q44 | Ever sexual intercourse | Have you ever had sexual intercourse? |
| V186 | q45 | Age first had sex | How old were you when you had sexual intercourse for the first time? |
| V187 | q46 | Number of sex partners | During your life, with how many people have you had sexual intercourse? |
| V188 | q47 | Condom use | The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]? |
| V189 | q48 | Birth control used | The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy? |
| V190 | q49 | Physical activity past 7 days | During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY. |
| V191 | q50 | Walk or bike to school | During the past 7 days, on how many days did you walk or ride a bicycle to or from school? |
| V192 | q51 | PE attendance | During this school year, on how many days did you go to physical education (PE) class each week? |
| V193 | q52 | Sitting activities | How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES? |
| V194 | q53 | Miss school no permission | During the past 30 days, on how many days did you miss classes or school without permission? |

| ID | Name | Label | Question |
|------|------|--|--|
| V195 | q54 | Other students kind and helpful | During the past 30 days, how often were most of the students in your school kind and helpful? |
| V196 | q55 | Parents check homework | During the past 30 days, how often did your parents or guardians check to see if your homework was done? |
| V197 | q56 | Parents understand problems | During the past 30 days, how often did your parents or guardians understand your problems and worries? |
| V198 | q57 | Parents know about free time | During the past 30 days, how often did your parents or guardians really know what you were doing with your free time? |
| V199 | q58 | Parents go through their things | During the past 30 days, how often did your parents or guardians go through your things without your approval? |
| V200 | q59 | Fruit consumption past 7 days | During the past 7 days, how many times did you eat fruit, such as COUNTRY SPECIFIC EXAMPLES? |
| V201 | q60 | Vegetable consumption past 7 days | During the past 7 days, how many times did you eat vegetables, such as COUNTRY SPECIFIC EXAMPLES? |
| V202 | q61 | Soft drink consumption past 7 days | During the past 7 days, how many times did you drink a can, bottle or glass of a carbonated soft drink, such as COUNTRY SPECIFIC EXAMPLES? |
| V203 | q70 | Bullied on school property | During the past 12 months, have you ever been bullied on school property? |
| V204 | q71 | Bullied off school property | During the past 12 months, have you ever been bullied when you were not on school property? |
| V205 | q72 | Cyber bullied | During the past 12 months, have you ever been cyber bullied? |
| V206 | qn10 | Did not eat food from a fast food restaurant | Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey) |
| V207 | qn11 | Usually cleaned or brushed their teeth | |
| V208 | qn12 | Never or rarely washed their hands before eating | |
| V209 | qn13 | Never or rarely washed their hands after using the toilet or latrine | |
| V210 | qn14 | Never or rarely used soap when washing their hands | |
| V211 | qn15 | Were physically attacked | Percentage of students who were physically attacked (one or more times during the 12 months before the survey) |
| V212 | qn16 | Were in a physical fight | Percentage of students who were in a physical fight (one or more times during the 12 months before the survey) |
| V213 | qn17 | Were seriously injured | Percentage of students who were seriously injured (one or more times during the 12 months before the survey) |
| V214 | qn18 | Reported that their most serious injury was a broken bone or dislocated joint | Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey) |
| V215 | qn19 | Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle | Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey) |
| V216 | qn22 | Most of the time or always felt lonely | Percentage of students who most of the time or always felt lonely (during the 12 months before the survey) |
| V217 | qn23 | Most of the time or always were so worried about something that they could not sleep at night | Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey) |
| V218 | qn24 | Seriously considered attempting suicide | Percentage of students who seriously considered attempting suicide (during the 12 months before the survey) |
| V219 | qn25 | Made a plan about how they would attempt suicide | Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey) |

| ID | Name | Label | Question |
|------|------|---|--|
| V220 | qn26 | Attempted suicide | Percentage of students who attempted suicide (one or more times during the 12 months before the survey) |
| V221 | qn27 | Did not have any close friends | Percentage of students who did not have any close friends |
| V222 | qn28 | Tried a cigarette before age 14 years | Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes) |
| V223 | qn29 | Currently smoked cigarettes | Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey) |
| V224 | qn30 | Currently used any tobacco products other than cigarettes | Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey) |
| V225 | qn31 | Tried to quit smoking cigarettes | Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey) |
| V226 | qn32 | Reported that people smoked in their presence | Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey) |
| V227 | qn33 | Had parents or guardians who used any form of tobacco | Percentage of students who had parents or guardians who used any form of tobacco |
| V228 | qn34 | Drank alcohol before age 14 years | Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips) |
| V229 | qn35 | Currently drank alcohol | Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey) |
| V230 | qn36 | Usually drank two or more drinks per day | Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey) |
| V231 | qn37 | Usually obtained the alcohol they drank from friends | Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey) |
| V232 | qn38 | Ever drank so much alcohol that they were really drunk | Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life) |
| V233 | qn39 | Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol | Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life) |
| V234 | qn40 | Used drugs before age 14 years | Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs) |
| V235 | qn41 | Ever used marijuana | Percentage of students who ever used marijuana (one or more times during their life) |
| V236 | qn42 | Currently used marijuana | Percentage of students who currently used marijuana (one or more times during the 30 days before the survey) |
| V237 | qn43 | Ever used amphetamines or methamphetamines | Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life) |
| V238 | qn44 | Ever had sexual intercourse | Percentage of students who ever had sexual intercourse |
| V239 | qn45 | Had sexual intercourse before age 14 years | Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse) |
| V240 | qn46 | Had sexual intercourse with two or more persons | Percentage of students who had sexual intercourse with two or more persons (during their life) |
| V241 | qn47 | Used a condom | Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse) |
| V242 | qn48 | Used a method of birth control other than condoms | Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse) |

| ID | Name | Label | Question |
|------|----------|---|--|
| V243 | qn49 | Were not physically active | Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey) |
| V244 | qn50 | Did not walk or ride a bicycle to or from school | Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey) |
| V245 | qn51 | Did not attend physical education classes | Percentage of students who did not attend physical education classes (each week during this school year) |
| V246 | qn52 | Spent three or more hours per day doing sitting activities | Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day) |
| V247 | qn53 | Missed classes or school without permission | Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey) |
| V248 | qn54 | Reported that most of the students in their school were most of the time or always kind and helpful | Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey) |
| V249 | qn55 | Reported that their parents or guardians most of the time or always checked to see if their homework was done | Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey) |
| V250 | qn56 | Reported that their parents or guardians most of the time or always understood their problems and worries | Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey) |
| V251 | qn57 | Reported that their parents or guardians most of the time or always really knew what they were doing with their free time | Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey) |
| V252 | qn58 | Reported that their parents or guardians never or rarely went through their things without their approval | Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey) |
| V253 | qn59 | Ate fruit two or more times per day in past 7 days | |
| V254 | qn60 | Ate fruit three or more times per day in past 7 days | |
| V255 | qn61 | Drank carbonated soft drink one or more times per day in past 7 days | Percentage of students who usually ate fruit two or more times per day (during the 7 days before the survey) |
| V256 | qn70 | Bullied on school property | |
| V257 | qn71 | Bullied off school property | |
| V258 | qn72 | Cyber bullied | |
| V259 | qnunwtg | Were underweight | Percentage of students who were underweight (<-2SD from median for BMI by age and sex) |
| V260 | qnowtg | Were overweight | Percentage of students who were overweight (>+1SD from median for BMI by age and sex) |
| V261 | qnobeseg | Were obese | Percentage of students who were obese (>+2SD from median for BMI by age and sex) |
| V262 | qnff1g | Ate food from a fast food restaurant one or more days | Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey) |
| V263 | qnff2g | Ate food from a fast food restaurant two or more days | Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey) |
| V264 | qnff3g | Ate food from a fast food restaurant three or more days | Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey) |
| V265 | qntob2g | Currently used any tobacco product | Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey) |

| ID | Name | Label | Question |
|------|----------|--|--|
| V266 | qnnotb2g | Did not currently use any tobacco products | Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey) |
| V267 | qnbcanyg | Used a method of birth control | Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse) |
| V268 | qnc1g | Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk | Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life) |
| V269 | qnpa5g | Were physically active at least 60 minutes per day on 5 or more days | Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey) |
| V270 | qnpa7g | Were physically active at least 60 minutes per day on all 7 days | Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey) |
| V271 | qnpe3g | Attended physical education classes on three or more days | Percentage of students who attended physical education classes on three or more days (each week during this school year) |
| V272 | qnpe5g | Attended physical education classes on five or more days | Percentage of students who attended physical education classes on five or more days (each week during this school year) |
| V273 | weight | | |
| V274 | stratum | | |
| V275 | psu | | |

total: 131

SITE: site**Data file: VCHq****Overview**

Valid: 1877 Invalid:
 Type: Discrete Range: - Format: character

Questions and instructions

CATEGORIES

| Value | Category |
|-------|----------|
| VC | |

description

SOURCE OF INFORMATION
 site

Imputation and derivation

IMPUTATION
 site

Others

SECURITY
 site

RECORD: record**Data file: VCHq****Overview**

Valid: 1877 Invalid:
 Type: Discrete Range: - Format: Numeric

description

SOURCE OF INFORMATION
 record

Imputation and derivation

IMPUTATION
 record

Others

SECURITY
record

Q1: Custom Age

Data file: VCHq

Overview

Valid: 1865 Invalid: 12
Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION
How old are you?

CATEGORIES

| Value | Category |
|---------|-------------------------|
| 1 | 11 years old or younger |
| 2 | 12 years old |
| 3 | 13 years old |
| 4 | 14 years old |
| 5 | 15 years old |
| 6 | 16 years old |
| 7 | 17 years old |
| 8 | 18 years old or older |
| Sysmiss | |

description

SOURCE OF INFORMATION
Custom Age

Imputation and derivation

IMPUTATION
Custom Age

Others

SECURITY
Custom Age

Q2: Sex**Data file:** VCHq**Overview**

Valid: 1861 Invalid: 16

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Male |
| 2 | Female |
| Sysmiss | |

description

SOURCE OF INFORMATION

Sex

Imputation and derivation

IMPUTATION

Sex

Others

SECURITY

Sex

Q3: In what grade are you**Data file:** VCHq**Overview**

Valid: 1849 Invalid: 28

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | option 1 |
| 2 | option 2 |
| 3 | option 3 |
| 4 | option 4 |
| 5 | option 5 |
| Sysmiss | |

description

SOURCE OF INFORMATION

In what grade are you

Imputation and derivation

IMPUTATION

In what grade are you

Others

SECURITY

In what grade are you

Q4: How tall are you

Data file: VCHq

Overview

Valid: 1695 Invalid: 182 Minimum: 1.36 Maximum: 1.94 Mean: 1.674 Standard deviation: 0.0892
 Type: Continuous Decimal: 2 Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

description

SOURCE OF INFORMATION

How tall are you

Imputation and derivation

IMPUTATION

How tall are you

Others

SECURITY

How tall are you

Q5: How much do you weigh

Data file: VCHq

Overview

Valid: 1695 Invalid: 182 Minimum: 29 Maximum: 190 Mean: 64.229 Standard deviation: 18.763
 Type: Continuous Decimal: 2 Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

description

SOURCE OF INFORMATION

How much do you weigh

Imputation and derivation

IMPUTATION

How much do you weigh

Others

SECURITY

How much do you weigh

Q6: How often went hungry

Data file: VCHq

Overview

Valid: 1855 Invalid: 22
 Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

| Value | Category |
|---------|------------------|
| 1 | Never |
| 2 | Rarely |
| 3 | Sometimes |
| 4 | Most of the time |
| 5 | Always |
| Sysmiss | |

description

SOURCE OF INFORMATION

How often went hungry

Imputation and derivation

IMPUTATION

How often went hungry

Others

SECURITY

How often went hungry

Q10: Fast food eating

Data file: VCHq

Overview

Valid: 1868 Invalid: 9
 Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | 0 days |
| 2 | 1 day |
| 3 | 2 days |
| 4 | 3 days |
| 5 | 4 days |
| 6 | 5 days |
| 7 | 6 days |
| 8 | 7 days |
| Sysmiss | |

description

SOURCE OF INFORMATION

Fast food eating

Imputation and derivation

IMPUTATION

Fast food eating

Others

SECURITY

Fast food eating

Q11: Tooth brushing

Data file: VCHq

Overview

Valid: 1856 Invalid: 21

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

| Value | Category |
|---------|--|
| 1 | I did not clean or brush my teeth during |
| 2 | Less than 1 time per day |
| 3 | 1 time per day |
| 4 | 2 times per day |
| 5 | 3 times per day |
| 6 | 4 or more times per day |
| Sysmiss | |

description

SOURCE OF INFORMATION

Tooth brushing

Imputation and derivation

IMPUTATION

Tooth brushing

Others

SECURITY

Tooth brushing

Q12: Hand washing before eating

Data file: VCHq

Overview

Valid: 1869 Invalid: 8

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

| Value | Category |
|-------|----------|
|-------|----------|

| | |
|---------|------------------|
| 1 | Never |
| 2 | Rarely |
| 3 | Sometimes |
| 4 | Most of the time |
| 5 | Always |
| Sysmiss | |

description

SOURCE OF INFORMATION

Hand washing before eating

Imputation and derivation

IMPUTATION

Hand washing before eating

Others

SECURITY

Hand washing before eating

Q13: Hand washing after toilet

Data file: VCHq

Overview

Valid: 1853 Invalid: 24

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

| Value | Category |
|---------|------------------|
| 1 | Never |
| 2 | Rarely |
| 3 | Sometimes |
| 4 | Most of the time |
| 5 | Always |
| Sysmiss | |

description

SOURCE OF INFORMATION
Hand washing after toilet

Imputation and derivation

IMPUTATION
Hand washing after toilet

Others

SECURITY
Hand washing after toilet

Q14: Hand washing with soap

Data file: VCHq

Overview

Valid: 1825 Invalid: 52
Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION
During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

| Value | Category |
|---------|------------------|
| 1 | Never |
| 2 | Rarely |
| 3 | Sometimes |
| 4 | Most of the time |
| 5 | Always |
| Sysmiss | |

description

SOURCE OF INFORMATION
Hand washing with soap

Imputation and derivation

IMPUTATION

Hand washing with soap

Others

SECURITY

Hand washing with soap

Q15: Physically attacked**Data file: VCHq****Overview**

Valid: 1856 Invalid: 21

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

| Value | Category |
|---------|------------------|
| 1 | 0 times |
| 2 | 1 time |
| 3 | 2 or 3 times |
| 4 | 4 or 5 times |
| 5 | 6 or 7 times |
| 6 | 8 or 9 times |
| 7 | 10 or 11 times |
| 8 | 12 or more times |
| Sysmiss | |

description

SOURCE OF INFORMATION

Physically attacked

Imputation and derivation

IMPUTATION

Physically attacked

Others

SECURITY

Physically attacked

Q16: Physical fighting

Data file: VCHq

Overview

Valid: 1822 Invalid: 55

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

| Value | Category |
|---------|------------------|
| 1 | 0 times |
| 2 | 1 time |
| 3 | 2 or 3 times |
| 4 | 4 or 5 times |
| 5 | 6 or 7 times |
| 6 | 8 or 9 times |
| 7 | 10 or 11 times |
| 8 | 12 or more times |
| Sysmiss | |

description

SOURCE OF INFORMATION

Physical fighting

Imputation and derivation

IMPUTATION

Physical fighting

Others

SECURITY
Physical fighting

Q17: Seriously injured

Data file: VCHq

Overview

Valid: 1687 Invalid: 190
Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

| Value | Category |
|---------|------------------|
| 1 | 0 times |
| 2 | 1 time |
| 3 | 2 or 3 times |
| 4 | 4 or 5 times |
| 5 | 6 or 7 times |
| 6 | 8 or 9 times |
| 7 | 10 or 11 times |
| 8 | 12 or more times |
| Sysmiss | |

description

SOURCE OF INFORMATION
Seriously injured

Imputation and derivation

IMPUTATION
Seriously injured

Others

SECURITY

Seriously injured

Q18: Serious injury type

Data file: VCHq

Overview

Valid: 1678 Invalid: 199

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

| Value | Category |
|---------|-------------------------------|
| 1 | Not seriously injured |
| 2 | Broken bone/dislocated joint |
| 3 | I had a cut or stab wound |
| 4 | Concussion/head injury |
| 5 | I had a gunshot wound |
| 6 | I had a bad burn |
| 7 | I was poisoned |
| 8 | Something else happened to me |
| Sysmiss | |

description

SOURCE OF INFORMATION

Serious injury type

Imputation and derivation

IMPUTATION

Serious injury type

Others

SECURITY

Serious injury type

Q19: Serious injury cause

Data file: VCHq

Overview

Valid: 1711 Invalid: 166

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

| Value | Category |
|---------|--------------------------------|
| 1 | Not seriously injured |
| 2 | Motor vehicle accident |
| 3 | I fell |
| 4 | Something fell on me or hit me |
| 5 | I was attacked |
| 6 | Was in a fire |
| 7 | breathed something bad |
| 8 | Something else |
| Sysmiss | |

description

SOURCE OF INFORMATION

Serious injury cause

Imputation and derivation

IMPUTATION

Serious injury cause

Others

SECURITY

Serious injury cause

Q22: Felt lonely

Data file: VCHq

Overview

Valid: 1856 Invalid: 21

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

| Value | Category |
|---------|------------------|
| 1 | Never |
| 2 | Rarely |
| 3 | Sometimes |
| 4 | Most of the time |
| 5 | Always |
| Sysmiss | |

description

SOURCE OF INFORMATION

Felt lonely

Imputation and derivation

IMPUTATION

Felt lonely

Others

SECURITY

Felt lonely

Q23: Could not sleep**Data file:** VCHq**Overview**

Valid: 1826 Invalid: 51

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

| Value | Category |
|---------|------------------|
| 1 | Never |
| 2 | Rarely |
| 3 | Sometimes |
| 4 | Most of the time |
| 5 | Always |
| Sysmiss | |

description

SOURCE OF INFORMATION

Could not sleep

Imputation and derivation

IMPUTATION

Could not sleep

Others

SECURITY

Could not sleep

Q24: Considered suicide**Data file:** VCHq**Overview**

Valid: 1840 Invalid: 37

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Considered suicide

Imputation and derivation

IMPUTATION

Considered suicide

Others

SECURITY

Considered suicide

Q25: Made a suicide plan

Data file: VCHq

Overview

Valid: 1838 Invalid: 39

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

| Value | Category |
|-------|----------|
|-------|----------|

| | |
|---------|-----|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Made a suicide plan

Imputation and derivation

IMPUTATION

Made a suicide plan

Others

SECURITY

Made a suicide plan

Q26: Attempted suicide

Data file: VCHq

Overview

Valid: 1836 Invalid: 41

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

| Value | Category |
|---------|-----------------|
| 1 | 0 times |
| 2 | 1 time |
| 3 | 2 or 3 times |
| 4 | 4 or 5 times |
| 5 | 6 or more times |
| Sysmiss | |

description

SOURCE OF INFORMATION
Attempted suicide

Imputation and derivation

IMPUTATION
Attempted suicide

Others

SECURITY
Attempted suicide

Q27: Close friends

Data file: VCHq

Overview

Valid: 1854 Invalid: 23
Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
How many close friends do you have?

CATEGORIES

| Value | Category |
|---------|-----------|
| 1 | |
| 2 | 1 |
| 3 | 2 |
| 4 | 3 or more |
| Sysmiss | |

description

SOURCE OF INFORMATION
Close friends

Imputation and derivation

IMPUTATION
Close friends

Others

SECURITY
Close friends

Q28: Initiation of cigarette use

Data file: VCHq

Overview

Valid: 1745 Invalid: 132
Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
How old were you when you first tried a cigarette?

CATEGORIES

| Value | Category |
|---------|--------------------------------|
| 1 | I have never smoked cigarettes |
| 2 | 7 years old or younger |
| 3 | 8 or 9 years old |
| 4 | 10 or 11 years old |
| 5 | 12 or 13 years old |
| 6 | 14 or 15 years old |
| 7 | 16 or 17 years old |
| 8 | 18 years old or older |
| Sysmiss | |

description

SOURCE OF INFORMATION
Initiation of cigarette use

Imputation and derivation

IMPUTATION

Initiation of cigarette use

Others

SECURITY

Initiation of cigarette use

Q29: Current cigarette use

Data file: VCHq

Overview

Valid: 1839 Invalid: 38

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

| Value | Category |
|---------|---------------|
| 1 | 0 days |
| 2 | 1 or 2 days |
| 3 | 3 to 5 days |
| 4 | 6 to 9 days |
| 5 | 10 to 19 days |
| 6 | 20 to 29 days |
| 7 | All 30 days |
| Sysmiss | |

description

SOURCE OF INFORMATION

Current cigarette use

Imputation and derivation

IMPUTATION

Current cigarette use

Others

SECURITY

Current cigarette use

Q30: Other tobacco use

Data file: VCHq

Overview

Valid: 1869 Invalid: 8

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

| Value | Category |
|---------|---------------|
| 1 | 0 days |
| 2 | 1 or 2 days |
| 3 | 3 to 5 days |
| 4 | 6 to 9 days |
| 5 | 10 to 19 days |
| 6 | 20 to 29 days |
| 7 | All 30 days |
| Sysmiss | |

description

SOURCE OF INFORMATION

Other tobacco use

Imputation and derivation

IMPUTATION

Other tobacco use

Others

SECURITY

Other tobacco use

Q31: Smoking cessation**Data file:** VCHq**Overview**

Valid: 1761 Invalid: 116

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

| Value | Category |
|---------|--------------------------------|
| 1 | I have never smoked cigarettes |
| 2 | Did not smoke cigarettes |
| 3 | Yes |
| 4 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Smoking cessation

Imputation and derivation

IMPUTATION

Smoking cessation

Others

SECURITY

Smoking cessation

Q32: Smoking in their presence**Data file:** VCHq

Overview

Valid: 1867 Invalid: 10
 Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

| Value | Category |
|---------|-------------|
| 1 | 0 days |
| 2 | 1 or 2 days |
| 3 | 3 or 4 days |
| 4 | 5 or 6 days |
| 5 | All 7 days |
| Sysmiss | |

description

SOURCE OF INFORMATION

Smoking in their presence

Imputation and derivation

IMPUTATION

Smoking in their presence

Others

SECURITY

Smoking in their presence

Q33: Parental tobacco use

Data file: VCHq

Overview

Valid: 1858 Invalid: 19
 Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

| Value | Category |
|---------|------------------------------|
| 1 | Neither |
| 2 | My father or male guardian |
| 3 | My mother or female guardian |
| 4 | Both |
| 5 | I do not know |
| Sysmiss | |

description

SOURCE OF INFORMATION

Parental tobacco use

Imputation and derivation

IMPUTATION

Parental tobacco use

Others

SECURITY

Parental tobacco use

Q34: Initiation of alcohol use

Data file: VCHq

Overview

Valid: 1751 Invalid: 126

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

| Value | Category |
|---------|------------------------|
| 1 | Never drank alcohol |
| 2 | 7 years old or younger |
| 3 | 8 or 9 years old |
| 4 | 10 or 11 years old |
| 5 | 12 or 13 years old |
| 6 | 14 or 15 years old |
| 7 | 16 or 17 years old |
| 8 | 18 years old or older |
| Sysmiss | |

description

SOURCE OF INFORMATION

Initiation of alcohol use

Imputation and derivation

IMPUTATION

Initiation of alcohol use

Others

SECURITY

Initiation of alcohol use

Q35: Current alcohol use

Data file: VCHq

Overview

Valid: 1795 Invalid: 82

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

| Value | Category |
|---------|---------------|
| 1 | 0 days |
| 2 | 1 or 2 days |
| 3 | 3 to 5 days |
| 4 | 6 to 9 days |
| 5 | 10 to 19 days |
| 6 | 20 to 29 days |
| 7 | All 30 days |
| Sysmiss | |

description

SOURCE OF INFORMATION

Current alcohol use

Imputation and derivation

IMPUTATION

Current alcohol use

Others

SECURITY

Current alcohol use

Q36: Number of drinks**Data file:** VCHq**Overview**

Valid: 1848 Invalid: 29

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

| Value | Category |
|-------|----------|
|-------|----------|

| | |
|---------|-------------------------------|
| 1 | Did not drink in past 30 days |
| 2 | Less than one drink |
| 3 | 1 drink |
| 4 | 2 drinks |
| 5 | 3 drinks |
| 6 | 4 drinks |
| 7 | 5 or more drinks |
| Sysmiss | |

description

SOURCE OF INFORMATION

Number of drinks

Imputation and derivation

IMPUTATION

Number of drinks

Others

SECURITY

Number of drinks

Q37: Source of alcohol

Data file: VCHq

Overview

Valid: 1803 Invalid: 74

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

| Value | Category |
|-------|-------------------------------|
| 1 | Did not drink in past 30 days |
| 2 | I bought in a store |

| | |
|---------|-----------------------------|
| 3 | I gave someone money to buy |
| 4 | I got it from my friends |
| 5 | I got it from my family |
| 6 | I stole it |
| 7 | Some other way |
| Sysmiss | |

description

SOURCE OF INFORMATION

Source of alcohol

Imputation and derivation

IMPUTATION

Source of alcohol

Others

SECURITY

Source of alcohol

Q38: Really drunk

Data file: VCHq

Overview

Valid: 1842 Invalid: 35

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

| Value | Category |
|-------|--------------|
| 1 | 0 times |
| 2 | 1 or 2 times |
| 3 | 3 to 9 times |

| | |
|---------|------------------|
| 4 | 10 or more times |
| Sysmiss | |

description

SOURCE OF INFORMATION

Really drunk

Imputation and derivation

IMPUTATION

Really drunk

Others

SECURITY

Really drunk

Q39: Trouble from drinking

Data file: VCHq

Overview

Valid: 1815 Invalid: 62

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

| Value | Category |
|---------|------------------|
| 1 | 0 times |
| 2 | 1 or 2 times |
| 3 | 3 to 9 times |
| 4 | 10 or more times |
| Sysmiss | |

description

SOURCE OF INFORMATION
Trouble from drinking

Imputation and derivation

IMPUTATION
Trouble from drinking

Others

SECURITY
Trouble from drinking

Q40: Initiation of drug use

Data file: VCHq

Overview

Valid: 1674 Invalid: 203
Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

| Value | Category |
|---------|-------------------------|
| 1 | I have never used drugs |
| 2 | 7 years old or younger |
| 3 | 8 or 9 years old |
| 4 | 10 or 11 years old |
| 5 | 12 or 13 years old |
| 6 | 14 or 15 years old |
| 7 | 16 or 17 years old |
| 8 | 18 years old or older |
| Sysmiss | |

description

SOURCE OF INFORMATION
Initiation of drug use

Imputation and derivation

IMPUTATION
Initiation of drug use

Others

SECURITY
Initiation of drug use

Q41: Ever marijuana use

Data file: VCHq

Overview

Valid: 1736 Invalid: 141
Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

| Value | Category |
|---------|------------------|
| 1 | 0 times |
| 2 | 1 or 2 times |
| 3 | 3 to 9 times |
| 4 | 10 to 19 times |
| 5 | 20 or more times |
| Sysmiss | |

description

SOURCE OF INFORMATION
Ever marijuana use

Imputation and derivation

IMPUTATION

Ever marijuana use

Others

SECURITY

Ever marijuana use

Q42: Current marijuana use

Data file: VCHq

Overview

Valid: 1789 Invalid: 88

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

| Value | Category |
|---------|------------------|
| 1 | 0 times |
| 2 | 1 or 2 times |
| 3 | 3 to 9 times |
| 4 | 10 to 19 times |
| 5 | 20 or more times |
| Sysmiss | |

description

SOURCE OF INFORMATION

Current marijuana use

Imputation and derivation

IMPUTATION

Current marijuana use

Others

SECURITY

Current marijuana use

Q43: Amphetamine or methamphetamine use

Data file: VCHq

Overview

Valid: 1797 Invalid: 80

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

| Value | Category |
|---------|------------------|
| 1 | 0 times |
| 2 | 1 or 2 times |
| 3 | 3 to 9 times |
| 4 | 10 to 19 times |
| 5 | 20 or more times |
| Sysmiss | |

description

SOURCE OF INFORMATION

Amphetamine or methamphetamine use

Imputation and derivation

IMPUTATION

Amphetamine or methamphetamine use

Others

SECURITY

Amphetamine or methamphetamine use

Q44: Ever sexual intercourse**Data file:** VCHq**Overview**

Valid: 1745 Invalid: 132

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Ever sexual intercourse

Imputation and derivation

IMPUTATION

Ever sexual intercourse

Others

SECURITY

Ever sexual intercourse

Q45: Age first had sex**Data file:** VCHq**Overview**

Valid: 1804 Invalid: 73

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

| Value | Category |
|---------|-------------------------|
| 1 | Never had sex |
| 2 | 11 years old or younger |
| 3 | 12 years old |
| 4 | 13 years old |
| 5 | 14 years old |
| 6 | 15 years old |
| 7 | 16 or 17 years old |
| 8 | 18 years old or older |
| Sysmiss | |

description

SOURCE OF INFORMATION

Age first had sex

Imputation and derivation

IMPUTATION

Age first had sex

Others

SECURITY

Age first had sex

Q46: Number of sex partners

Data file: VCHq

Overview

Valid: 1793 Invalid: 84

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

| Value | Category |
|---------|------------------|
| 1 | Never had sex |
| 2 | 1 person |
| 3 | 2 people |
| 4 | 3 people |
| 5 | 4 people |
| 6 | 5 people |
| 7 | 6 or more people |
| Sysmiss | |

description

SOURCE OF INFORMATION

Number of sex partners

Imputation and derivation

IMPUTATION

Number of sex partners

Others

SECURITY

Number of sex partners

Q47: Condom use

Data file: VCHq

Overview

Valid: 1756 Invalid: 121

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

| Value | Category |
|---------|---------------|
| 1 | Never had sex |
| 2 | Yes |
| 3 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Condom use

Imputation and derivation

IMPUTATION

Condom use

Others

SECURITY

Condom use

Q48: Birth control used

Data file: VCHq

Overview

Valid: 1772 Invalid: 105

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

| Value | Category |
|-------|---------------|
| 1 | Never had sex |
| 2 | Yes |

| | |
|---------|---------------|
| 3 | No |
| 4 | I do not know |
| Sysmiss | |

description

SOURCE OF INFORMATION

Birth control used

Imputation and derivation

IMPUTATION

Birth control used

Others

SECURITY

Birth control used

Q49: Physical activity past 7 days

Data file: VCHq

Overview

Valid: 1839 Invalid: 38

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

| Value | Category |
|-------|----------|
| 1 | 0 days |
| 2 | 1 day |
| 3 | 2 days |
| 4 | 3 days |
| 5 | 4 days |
| 6 | 5 days |

| | |
|---------|--------|
| 7 | 6 days |
| 8 | 7 days |
| Sysmiss | |

description

SOURCE OF INFORMATION

Physical activity past 7 days

Imputation and derivation

IMPUTATION

Physical activity past 7 days

Others

SECURITY

Physical activity past 7 days

Q50: Walk or bike to school

Data file: VCHq

Overview

Valid: 1835 Invalid: 42

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

| Value | Category |
|-------|----------|
| 1 | 0 days |
| 2 | 1 day |
| 3 | 2 days |
| 4 | 3 days |
| 5 | 4 days |
| 6 | 5 days |
| 7 | 6 days |

| | |
|---------|--------|
| 8 | 7 days |
| Sysmiss | |

description

SOURCE OF INFORMATION

Walk or bike to school

Imputation and derivation

IMPUTATION

Walk or bike to school

Others

SECURITY

Walk or bike to school

Q51: PE attendance

Data file: VCHq

Overview

Valid: 1805 Invalid: 72

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

| Value | Category |
|---------|----------------|
| 1 | 0 days |
| 2 | 1 day |
| 3 | 2 days |
| 4 | 3 days |
| 5 | 4 days |
| 6 | 5 or more days |
| Sysmiss | |

description

SOURCE OF INFORMATION
PE attendance

Imputation and derivation

IMPUTATION
PE attendance

Others

SECURITY
PE attendance

Q52: Sitting activities

Data file: VCHq

Overview

Valid: 1833 Invalid: 44
Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

| Value | Category |
|---------|---------------------------|
| 1 | Less than 1 hour per day |
| 2 | 1 to 2 hours per day |
| 3 | 3 to 4 hours per day |
| 4 | 5 to 6 hours per day |
| 5 | 7 to 8 hours per day |
| 6 | More than 8 hours per day |
| Sysmiss | |

description

SOURCE OF INFORMATION
Sitting activities

Imputation and derivation

IMPUTATION

Sitting activities

Others

SECURITY

Sitting activities

Q53: Miss school no permission

Data file: VCHq

Overview

Valid: 1831 Invalid: 46

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

| Value | Category |
|---------|-----------------|
| 1 | 0 days |
| 2 | 1 or 2 days |
| 3 | 3 to 5 days |
| 4 | 6 to 9 days |
| 5 | 10 or more days |
| Sysmiss | |

description

SOURCE OF INFORMATION

Miss school no permission

Imputation and derivation

IMPUTATION

Miss school no permission

Others

SECURITY

Miss school no permission

Q54: Other students kind and helpful

Data file: VCHq

Overview

Valid: 1811 Invalid: 66

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

| Value | Category |
|---------|------------------|
| 1 | Never |
| 2 | Rarely |
| 3 | Sometimes |
| 4 | Most of the time |
| 5 | Always |
| Sysmiss | |

description

SOURCE OF INFORMATION

Other students kind and helpful

Imputation and derivation

IMPUTATION

Other students kind and helpful

Others

SECURITY

Other students kind and helpful

Q55: Parents check homework**Data file:** VCHq**Overview**

Valid: 1835 Invalid: 42

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

| Value | Category |
|---------|------------------|
| 1 | Never |
| 2 | Rarely |
| 3 | Sometimes |
| 4 | Most of the time |
| 5 | Always |
| Sysmiss | |

description

SOURCE OF INFORMATION

Parents check homework

Imputation and derivation

IMPUTATION

Parents check homework

Others

SECURITY

Parents check homework

Q56: Parents understand problems**Data file:** VCHq**Overview**

Valid: 1821 Invalid: 56

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

| Value | Category |
|---------|------------------|
| 1 | Never |
| 2 | Rarely |
| 3 | Sometimes |
| 4 | Most of the time |
| 5 | Always |
| Sysmiss | |

description

SOURCE OF INFORMATION

Parents understand problems

Imputation and derivation

IMPUTATION

Parents understand problems

Others

SECURITY

Parents understand problems

Q57: Parents know about free time

Data file: VCHq

Overview

Valid: 1817 Invalid: 60

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

| Value | Category |
|---------|------------------|
| 1 | Never |
| 2 | Rarely |
| 3 | Sometimes |
| 4 | Most of the time |
| 5 | Always |
| Sysmiss | |

description

SOURCE OF INFORMATION

Parents know about free time

Imputation and derivation

IMPUTATION

Parents know about free time

Others

SECURITY

Parents know about free time

Q58: Parents go through their things**Data file:** VCHq**Overview**

Valid: 1829 Invalid: 48 Mean: 2.046 Standard deviation: 1.305
 Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

| Value | Category |
|-------|-----------|
| 1 | Never |
| 2 | Rarely |
| 3 | Sometimes |

| | |
|---------|------------------|
| 4 | Most of the time |
| 5 | Always |
| Sysmiss | |

description

SOURCE OF INFORMATION

Parents go through their things

Imputation and derivation

IMPUTATION

Parents go through their things

Others

SECURITY

Parents go through their things

Q59: Fruit consumption past 7 days

Data file: VCHq

Overview

Valid: 1867 Invalid: 10

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

During the past 7 days, how many times did you eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

| Value | Category |
|---------|--|
| 1 | I did not eat fruit during the past 7 days |
| 2 | 1 to 3 times during the past 7 days |
| 3 | 4 to 6 times during the past 7 days |
| 4 | 1 time per day |
| 5 | 2 times per day |
| 6 | 3 times per day |
| 7 | 4 or more times per day |
| Sysmiss | |

description

SOURCE OF INFORMATION

Fruit consumption past 7 days

Imputation and derivation

IMPUTATION

Fruit consumption past 7 days

Others

SECURITY

Fruit consumption past 7 days

Q60: Vegetable consumption past 7 days

Data file: VCHq

Overview

Valid: 1844 Invalid: 33

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

During the past 7 days, how many times did you eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

| Value | Category |
|---------|---|
| 1 | I did not eat vegetables during the past 7 days |
| 2 | 1 to 3 times during the past 7 days |
| 3 | 4 to 6 times during the past 7 days |
| 4 | 1 time per day |
| 5 | 2 times per day |
| 6 | 3 times per day |
| 7 | 4 or more times per day |
| Sysmiss | |

description

SOURCE OF INFORMATION

Vegetable consumption past 7 days

Imputation and derivation

IMPUTATION

Vegetable consumption past 7 days

Others

SECURITY

Vegetable consumption past 7 days

Q61: Soft drink consumption past 7 days

Data file: VCHq

Overview

Valid: 1863 Invalid: 14

Type: Discrete Range: - Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, how many times did you drink a can, bottle or glass of a carbonated soft drink, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

| Value | Category |
|---------|---|
| 1 | I did not drink carbonated soft drinks during the past 7 days |
| 2 | 1 to 3 times during the past 7 days |
| 3 | 4 to 6 times during the past 7 days |
| 4 | 1 time per day |
| 5 | 2 times per day |
| 6 | 3 times per day |
| 7 | 4 or more times per day |
| Sysmiss | |

description

SOURCE OF INFORMATION

Soft drink consumption past 7 days

Imputation and derivation

IMPUTATION

Soft drink consumption past 7 days

Others

SECURITY

Soft drink consumption past 7 days

Q70: Bullied on school property**Data file: VCHq****Overview**

Valid: 1847 Invalid: 30

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

During the past 12 months, have you ever been bullied on school property?

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Bullied on school property

Imputation and derivation

IMPUTATION

Bullied on school property

Others

SECURITY

Bullied on school property

Q71: Bullied off school property**Data file: VCHq**

Overview

Valid: 1826 Invalid: 51
Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

During the past 12 months, have you ever been bullied when you were not on school property?

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Bullied off school property

Imputation and derivation

IMPUTATION

Bullied off school property

Others

SECURITY

Bullied off school property

Q72: Cyber bullied

Data file: VCHq

Overview

Valid: 1834 Invalid: 43
Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

During the past 12 months, have you ever been cyber bullied?

CATEGORIES

| Value | Category |
|-------|----------|
| 1 | Yes |

| | |
|---------|----|
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Cyber bullied

Imputation and derivation

IMPUTATION

Cyber bullied

Others

SECURITY

Cyber bullied

QN10: Did not eat food from a fast food restaurant**Data file:** VCHq**Overview**

Valid: 1868 Invalid: 9 Mean: 1.612 Standard deviation: 0.487

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Did not eat food from a fast food restaurant

Imputation and derivation

IMPUTATION

Did not eat food from a fast food restaurant

Others

SECURITY

Did not eat food from a fast food restaurant

■ QN11: Usually cleaned or brushed their teeth

Data file: VCHq

Overview

Valid: 1856 Invalid: 21

Type: Discrete Range: - Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Usually cleaned or brushed their teeth

Imputation and derivation

IMPUTATION

Usually cleaned or brushed their teeth

Others

SECURITY

Usually cleaned or brushed their teeth

■ QN12: Never or rarely washed their hands before eating

Data file: VCHq

Overview

Valid: 1869 Invalid: 8

Type: Discrete Range: - Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Never or rarely washed their hands before eating

Imputation and derivation

IMPUTATION

Never or rarely washed their hands before eating

Others

SECURITY

Never or rarely washed their hands before eating

QN13: Never or rarely washed their hands after using the toilet or latrine

Data file: VCHq

Overview

Valid: 1853 Invalid: 24

Type: Discrete Range: - Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Never or rarely washed their hands after using the toilet or latrine

Imputation and derivation

IMPUTATION

Never or rarely washed their hands after using the toilet or latrine

Others

SECURITY

Never or rarely washed their hands after using the toilet or latrine

QN14: Never or rarely used soap when washing their hands

Data file: VCHq

Overview

Valid: 1825 Invalid: 52

Type: Discrete Range: - Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Never or rarely used soap when washing their hands

Imputation and derivation

IMPUTATION

Never or rarely used soap when washing their hands

Others

SECURITY

Never or rarely used soap when washing their hands

QN15: Were physically attacked

Data file: VCHq

Overview

Valid: 1856 Invalid: 21 Mean: 1.732 Standard deviation: 0.443
 Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Were physically attacked

Imputation and derivation

IMPUTATION

Were physically attacked

Others

SECURITY

Were physically attacked

QN16: Were in a physical fight

Data file: VCHq

Overview

Valid: 1822 Invalid: 55 Mean: 1.685 Standard deviation: 0.465
 Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

| Value | Category |
|-------|----------|
| 1 | Yes |

| | |
|---------|----|
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Were in a physical fight

Imputation and derivation

IMPUTATION

Were in a physical fight

Others

SECURITY

Were in a physical fight

QN17: Were seriously injured

Data file: VCHq

Overview

Valid: 1687 Invalid: 190 Mean: 1.496 Standard deviation: 0.5
 Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Were seriously injured

Imputation and derivation

IMPUTATION

Were seriously injured

Others

SECURITY

Were seriously injured

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: VCHq

Overview

Valid: 682 Invalid: 1195 Mean: 1.815 Standard deviation: 0.388

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Reported that their most serious injury was a broken bone or dislocated joint

Imputation and derivation

IMPUTATION

Reported that their most serious injury was a broken bone or dislocated joint

Others

SECURITY

Reported that their most serious injury was a broken bone or dislocated joint

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: VCHq

Overview

Valid: 656 Invalid: 1221 Mean: 1.924 Standard deviation: 0.266
 Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Imputation and derivation

IMPUTATION

Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Others

SECURITY

Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

QN22: Most of the time or always felt lonely

Data file: VCHq

Overview

Valid: 1856 Invalid: 21 Mean: 1.777 Standard deviation: 0.416
 Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

| Value | Category |
|-------|----------|
|-------|----------|

| | |
|---------|-----|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Most of the time or always felt lonely

Imputation and derivation

IMPUTATION

Most of the time or always felt lonely

Others

SECURITY

Most of the time or always felt lonely

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: VCHq

Overview

Valid: 1826 Invalid: 51 Mean: 1.84 Standard deviation: 0.367
Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Most of the time or always were so worried about something that they could not sleep at night

Imputation and derivation

IMPUTATION

Most of the time or always were so worried about something that they could not sleep at night

Others

SECURITY

Most of the time or always were so worried about something that they could not sleep at night

QN24: Seriously considered attempting suicide

Data file: VCHq

Overview

Valid: 1840 Invalid: 37 Mean: 1.728 Standard deviation: 0.445
Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Seriously considered attempting suicide

Imputation and derivation

IMPUTATION

Seriously considered attempting suicide

Others

SECURITY

Seriously considered attempting suicide

QN25: Made a plan about how they would attempt suicide**Data file:** VCHq**Overview**

Valid: 1838 Invalid: 39 Mean: 1.75 Standard deviation: 0.433

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Made a plan about how they would attempt suicide

Imputation and derivation

IMPUTATION

Made a plan about how they would attempt suicide

Others

SECURITY

Made a plan about how they would attempt suicide

QN26: Attempted suicide**Data file:** VCHq**Overview**

Valid: 1836 Invalid: 41 Mean: 1.816 Standard deviation: 0.387

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Attempted suicide

Imputation and derivation

IMPUTATION

Attempted suicide

Others

SECURITY

Attempted suicide

QN27: Did not have any close friends

Data file: VCHq

Overview

Valid: 1854 Invalid: 23 Mean: 1.898 Standard deviation: 0.303
 Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Did not have any close friends

Imputation and derivation

IMPUTATION

Did not have any close friends

Others

SECURITY

Did not have any close friends

QN28: Tried a cigarette before age 14 years

Data file: VCHq

Overview

Valid: 482 Invalid: 1395 Mean: 1.23 Standard deviation: 0.421
Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Tried a cigarette before age 14 years

Imputation and derivation

IMPUTATION

Tried a cigarette before age 14 years

Others

SECURITY

Tried a cigarette before age 14 years

QN29: Currently smoked cigarettes**Data file:** VCHq**Overview**

Valid: 1839 Invalid: 38 Mean: 1.924 Standard deviation: 0.264

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Currently smoked cigarettes

Imputation and derivation

IMPUTATION

Currently smoked cigarettes

Others

SECURITY

Currently smoked cigarettes

QN30: Currently used any tobacco products other than cigarettes**Data file:** VCHq**Overview**

Valid: 1869 Invalid: 8 Mean: 1.928 Standard deviation: 0.258

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Currently used any tobacco products other than cigarettes

Imputation and derivation

IMPUTATION

Currently used any tobacco products other than cigarettes

Others

SECURITY

Currently used any tobacco products other than cigarettes

QN31: Tried to quit smoking cigarettes**Data file:** VCHq**Overview**

Valid: 149 Invalid: 1728 Mean: 1.403 Standard deviation: 0.492

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Tried to quit smoking cigarettes

Imputation and derivation

IMPUTATION

Tried to quit smoking cigarettes

Others

SECURITY

Tried to quit smoking cigarettes

QN32: Reported that people smoked in their presence

Data file: VCHq

Overview

Valid: 1867 Invalid: 10 Mean: 1.421 Standard deviation: 0.494
Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Reported that people smoked in their presence

Imputation and derivation

IMPUTATION

Reported that people smoked in their presence

Others

SECURITY

Reported that people smoked in their presence

QN33: Had parents or guardians who used any form of tobacco**Data file:** VCHq**Overview**

Valid: 1858 Invalid: 19 Mean: 1.847 Standard deviation: 0.36

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Had parents or guardians who used any form of tobacco

Imputation and derivation

IMPUTATION

Had parents or guardians who used any form of tobacco

Others

SECURITY

Had parents or guardians who used any form of tobacco

QN34: Drank alcohol before age 14 years**Data file:** VCHq**Overview**

Valid: 1410 Invalid: 467 Mean: 1.355 Standard deviation: 0.479

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Drank alcohol before age 14 years

Imputation and derivation

IMPUTATION

Drank alcohol before age 14 years

Others

SECURITY

Drank alcohol before age 14 years

QN35: Currently drank alcohol**Data file:** VCHq**Overview**

Valid: 1795 Invalid: 82 Mean: 1.531 Standard deviation: 0.499

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Currently drank alcohol

Imputation and derivation

IMPUTATION

Currently drank alcohol

Others

SECURITY

Currently drank alcohol

QN36: Usually drank two or more drinks per day

Data file: VCHq

Overview

Valid: 900 Invalid: 977 Mean: 1.579 Standard deviation: 0.494
 Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Usually drank two or more drinks per day

Imputation and derivation

IMPUTATION

Usually drank two or more drinks per day

Others

SECURITY

Usually drank two or more drinks per day

QN37: Usually obtained the alcohol they drank from friends**Data file: VCHq****Overview**

Valid: 865 Invalid: 1012 Mean: 1.671 Standard deviation: 0.47
 Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Usually obtained the alcohol they drank from friends

Imputation and derivation

IMPUTATION

Usually obtained the alcohol they drank from friends

Others

SECURITY

Usually obtained the alcohol they drank from friends

QN38: Ever drank so much alcohol that they were really drunk**Data file: VCHq****Overview**

Valid: 1842 Invalid: 35 Mean: 1.663 Standard deviation: 0.473
 Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Ever drank so much alcohol that they were really drunk

Imputation and derivation

IMPUTATION

Ever drank so much alcohol that they were really drunk

Others

SECURITY

Ever drank so much alcohol that they were really drunk

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: VCHq

Overview

Valid: 1815 Invalid: 62 Mean: 1.852 Standard deviation: 0.355
 Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Imputation and derivation

IMPUTATION

Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Others

SECURITY

Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

QN40: Used drugs before age 14 years

Data file: VCHq

Overview

Valid: 521 Invalid: 1356 Mean: 1.384 Standard deviation: 0.487
Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Used drugs before age 14 years

Imputation and derivation

IMPUTATION

Used drugs before age 14 years

Others

SECURITY

Used drugs before age 14 years

QN41: Ever used marijuana**Data file: VCHq****Overview**

Valid: 1736 Invalid: 141 Mean: 1.739 Standard deviation: 0.439
 Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Ever used marijuana

Imputation and derivation

IMPUTATION

Ever used marijuana

Others

SECURITY

Ever used marijuana

QN42: Currently used marijuana**Data file: VCHq****Overview**

Valid: 1789 Invalid: 88 Mean: 1.847 Standard deviation: 0.36
 Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Currently used marijuana

Imputation and derivation

IMPUTATION

Currently used marijuana

Others

SECURITY

Currently used marijuana

■ QN43: Ever used amphetamines or methamphetamines

Data file: VCHq

Overview

Valid: 1797 Invalid: 80 Mean: 1.956 Standard deviation: 0.205
 Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Ever used amphetamines or methamphetamines

Imputation and derivation

IMPUTATION

Ever used amphetamines or methamphetamines

Others

SECURITY

Ever used amphetamines or methamphetamines

QN44: Ever had sexual intercourse

Data file: VCHq

Overview

Valid: 1745 Invalid: 132 Mean: 1.477 Standard deviation: 0.5
Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Ever had sexual intercourse

Imputation and derivation

IMPUTATION

Ever had sexual intercourse

Others

SECURITY

Ever had sexual intercourse

QN45: Had sexual intercourse before age 14 years**Data file: VCHq****Overview**

Valid: 870 Invalid: 1007 Mean: 1.484 Standard deviation: 0.5
 Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Had sexual intercourse before age 14 years

Imputation and derivation

IMPUTATION

Had sexual intercourse before age 14 years

Others

SECURITY

Had sexual intercourse before age 14 years

QN46: Had sexual intercourse with two or more persons**Data file: VCHq****Overview**

Valid: 1793 Invalid: 84 Mean: 1.664 Standard deviation: 0.473
 Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Had sexual intercourse with two or more persons

Imputation and derivation

IMPUTATION

Had sexual intercourse with two or more persons

Others

SECURITY

Had sexual intercourse with two or more persons

QN47: Used a condom**Data file:** VCHq**Overview**

Valid: 846 Invalid: 1031 Mean: 1.472 Standard deviation: 0.499

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Used a condom

Imputation and derivation

IMPUTATION

Used a condom

Others

SECURITY

Used a condom

Q48: Used a method of birth control other than condoms

Data file: VCHq

Overview

Valid: 848 Invalid: 1029 Mean: 1.719 Standard deviation: 0.45
 Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Used a method of birth control other than condoms

Imputation and derivation

IMPUTATION

Used a method of birth control other than condoms

Others

SECURITY

Used a method of birth control other than condoms

QN49: Were not physically active**Data file:** VCHq**Overview**

Valid: 1839 Invalid: 38 Mean: 1.688 Standard deviation: 0.463

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Were not physically active

Imputation and derivation

IMPUTATION

Were not physically active

Others

SECURITY

Were not physically active

QN50: Did not walk or ride a bicycle to or from school**Data file:** VCHq**Overview**

Valid: 1835 Invalid: 42 Mean: 1.408 Standard deviation: 0.492

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Did not walk or ride a bicycle to or from school

Imputation and derivation

IMPUTATION

Did not walk or ride a bicycle to or from school

Others

SECURITY

Did not walk or ride a bicycle to or from school

QN51: Did not attend physical education classes**Data file:** VCHq**Overview**

Valid: 1805 Invalid: 72 Mean: 1.548 Standard deviation: 0.498

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Did not attend physical education classes

Imputation and derivation

IMPUTATION

Did not attend physical education classes

Others

SECURITY

Did not attend physical education classes

QN52: Spent three or more hours per day doing sitting activities

Data file: VCHq

Overview

Valid: 1833 Invalid: 44 Mean: 1.456 Standard deviation: 0.498
 Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Spent three or more hours per day doing sitting activities

Imputation and derivation

IMPUTATION

Spent three or more hours per day doing sitting activities

Others

SECURITY

Spent three or more hours per day doing sitting activities

QN53: Missed classes or school without permission**Data file:** VCHq**Overview**

Valid: 1831 Invalid: 46 Mean: 1.708 Standard deviation: 0.455

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Missed classes or school without permission

Imputation and derivation

IMPUTATION

Missed classes or school without permission

Others

SECURITY

Missed classes or school without permission

QN54: Reported that most of the students in their school were most of the time or always kind and helpful**Data file:** VCHq**Overview**

Valid: 1811 Invalid: 66 Mean: 1.773 Standard deviation: 0.419

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and

helpful (during the 30 days before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Reported that most of the students in their school were most of the time or always kind and helpful

Imputation and derivation

IMPUTATION

Reported that most of the students in their school were most of the time or always kind and helpful

Others

SECURITY

Reported that most of the students in their school were most of the time or always kind and helpful

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: VCHq

Overview

Valid: 1835 Invalid: 42 Mean: 1.676 Standard deviation: 0.468
Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Reported that their parents or guardians most of the time or always checked to see if their homework was done

Imputation and derivation

IMPUTATION

Reported that their parents or guardians most of the time or always checked to see if their homework was done

Others

SECURITY

Reported that their parents or guardians most of the time or always checked to see if their homework was done

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: VCHq

Overview

Valid: 1821 Invalid: 56 Mean: 1.701 Standard deviation: 0.458
Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Reported that their parents or guardians most of the time or always understood their problems and worries

Imputation and derivation

IMPUTATION

Reported that their parents or guardians most of the time or always understood their problems and worries

Others

SECURITY

Reported that their parents or guardians most of the time or always understood their problems and worries

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: VCHq

Overview

Valid: 1817 Invalid: 60 Mean: 1.633 Standard deviation: 0.482

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Imputation and derivation

IMPUTATION

Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Others

SECURITY

Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: VCHq

Overview

Valid: 1829 Invalid: 48 Mean: 1.306 Standard deviation: 0.461
 Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Reported that their parents or guardians never or rarely went through their things without their approval

Imputation and derivation

IMPUTATION

Reported that their parents or guardians never or rarely went through their things without their approval

Others

SECURITY

Reported that their parents or guardians never or rarely went through their things without their approval

QN59: Ate fruit two or more times per day in past 7 days

Data file: VCHq

Overview

Valid: 1867 Invalid: 10
 Type: Discrete Range: - Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category |
|-------|----------|
| 1 | Yes |
| 2 | No |

Sysmiss

description

SOURCE OF INFORMATION

Ate fruit two or more times per day in past 7 days

Imputation and derivation

IMPUTATION

Ate fruit two or more times per day in past 7 days

Others

SECURITY

Ate fruit two or more times per day in past 7 days

QN60: Ate fruit three or more times per day in past 7 days**Data file:** VCHq**Overview**

Valid: 1844 Invalid: 33

Type: Discrete Range: - Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Ate fruit three or more times per day in past 7 days

Imputation and derivation

IMPUTATION

Ate fruit three or more times per day in past 7 days

Others

SECURITY

Ate fruit three or more times per day in past 7 days

■ QN61: Drank carbonated soft drink one or more times per day in past 7 days

Data file: VCHq

Overview

Valid: 1863 Invalid: 14

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 7 days before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Drank carbonated soft drink one or more times per day in past 7 days

Imputation and derivation

IMPUTATION

Drank carbonated soft drink one or more times per day in past 7 days

Others

SECURITY

Drank carbonated soft drink one or more times per day in past 7 days

■ QN70: Bullied on school property

Data file: VCHq

Overview

Valid: 1847 Invalid: 30

Type: Discrete Range: - Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Bullied on school property

Imputation and derivation

IMPUTATION

Bullied on school property

Others

SECURITY

Bullied on school property

QN71: Bullied off school property

Data file: VCHq

Overview

Valid: 1826 Invalid: 51

Type: Discrete Range: - Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Bullied off school property

Imputation and derivation

IMPUTATION

Bullied off school property

Others

SECURITY

Bullied off school property

QN72: Cyber bullied

Data file: VCHq

Overview

Valid: 1834 Invalid: 43

Type: Discrete Range: - Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Cyber bullied

Imputation and derivation

IMPUTATION

Cyber bullied

Others

SECURITY

Cyber bullied

QNUNWTG: Were underweight

Data file: VCHq

Overview

Valid: 1695 Invalid: 182 Mean: 1.972 Standard deviation: 0.164
 Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Were underweight

Imputation and derivation

IMPUTATION

Were underweight

Others

SECURITY

Were underweight

QNOWTG: Were overweight

Data file: VCHq

Overview

Valid: 1695 Invalid: 182 Mean: 1.706 Standard deviation: 0.456
 Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

| Value | Category |
|-------|----------|
| 1 | Yes |

| | |
|---------|----|
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Were overweight

Imputation and derivation

IMPUTATION

Were overweight

Others

SECURITY

Were overweight

QNOBESEG: Were obese

Data file: VCHq

Overview

Valid: 1695 Invalid: 182 Mean: 1.869 Standard deviation: 0.337
 Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Were obese

Imputation and derivation

IMPUTATION

Were obese

Others

SECURITY
Were obese

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: VCHq

Overview

Valid: 1868 Invalid: 9 Mean: 1.388 Standard deviation: 0.487
Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Ate food from a fast food restaurant one or more days

Imputation and derivation

IMPUTATION

Ate food from a fast food restaurant one or more days

Others

SECURITY
Ate food from a fast food restaurant one or more days

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: VCHq

Overview

Valid: 1868 Invalid: 9 Mean: 1.594 Standard deviation: 0.491
Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Ate food from a fast food restaurant two or more days

Imputation and derivation

IMPUTATION

Ate food from a fast food restaurant two or more days

Others

SECURITY

Ate food from a fast food restaurant two or more days

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: VCHq

Overview

Valid: 1868 Invalid: 9 Mean: 1.734 Standard deviation: 0.442
 Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Ate food from a fast food restaurant three or more days

Imputation and derivation

IMPUTATION

Ate food from a fast food restaurant three or more days

Others

SECURITY

Ate food from a fast food restaurant three or more days

QNTOB2G: Currently used any tobacco product**Data file:** VCHq**Overview**

Valid: 1843 Invalid: 34 Mean: 1.884 Standard deviation: 0.32

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Currently used any tobacco product

Imputation and derivation

IMPUTATION

Currently used any tobacco product

Others

SECURITY

Currently used any tobacco product

QNNOTB2G: Did not currently use any tobacco products

Data file: VCHq

Overview

Valid: 1832 Invalid: 45 Mean: 1.11 Standard deviation: 0.313

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Did not currently use any tobacco products

Imputation and derivation

IMPUTATION

Did not currently use any tobacco products

Others

SECURITY

Did not currently use any tobacco products

QNBCANYG: Used a method of birth control

Data file: VCHq

Overview

Valid: 770 Invalid: 1107 Mean: 1.301 Standard deviation: 0.459

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Used a method of birth control

Imputation and derivation

IMPUTATION

Used a method of birth control

Others

SECURITY

Used a method of birth control

QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: VCHq

Overview

Valid: 566 Invalid: 1311 Mean: 1.253 Standard deviation: 0.435

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

| Value | Category |
|-------|----------|
| 1 | Yes |

| | |
|---------|----|
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Imputation and derivation

IMPUTATION

Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Others

SECURITY

Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

QNP5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: VCHq

Overview

Valid: 1839 Invalid: 38 Mean: 1.726 Standard deviation: 0.446

Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Were physically active at least 60 minutes per day on 5 or more days

Imputation and derivation

IMPUTATION

Were physically active at least 60 minutes per day on 5 or more days

Others

SECURITY

Were physically active at least 60 minutes per day on 5 or more days

QNP7G: Were physically active at least 60 minutes per day on all 7 days

Data file: VCHq

Overview

Valid: 1839 Invalid: 38 Mean: 1.813 Standard deviation: 0.39
Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Were physically active at least 60 minutes per day on all 7 days

Imputation and derivation

IMPUTATION

Were physically active at least 60 minutes per day on all 7 days

Others

SECURITY

Were physically active at least 60 minutes per day on all 7 days

QNP3G: Attended physical education classes on three or more days

Data file: VCHq

Overview

Valid: 1805 Invalid: 72 Mean: 1.738 Standard deviation: 0.44
 Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

| Value | Category |
|---------|----------|
| 1 | Yes |
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Attended physical education classes on three or more days

Imputation and derivation

IMPUTATION

Attended physical education classes on three or more days

Others

SECURITY

Attended physical education classes on three or more days

QNPE5G: Attended physical education classes on five or more days

Data file: VCHq

Overview

Valid: 1805 Invalid: 72 Mean: 1.852 Standard deviation: 0.355
 Type: Discrete Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

| Value | Category |
|-------|----------|
| 1 | Yes |

| | |
|---------|----|
| 2 | No |
| Sysmiss | |

description

SOURCE OF INFORMATION

Attended physical education classes on five or more days

Imputation and derivation

IMPUTATION

Attended physical education classes on five or more days

Others

SECURITY

Attended physical education classes on five or more days

WEIGHT:

Data file: VCHq

Overview

Valid: 1877 Invalid: Mean: 3.348 Standard deviation: 0.765
Type: Continuous Range: - Format: Numeric

STRATUM:

Data file: VCHq

Overview

Valid: 1877 Invalid: Mean: 201801010.599 Standard deviation: 16.454
Type: Discrete Range: - Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category |
|-----------|----------|
| 201801001 | |
| 201801002 | |
| 201801003 | |
| 201801004 | |
| 201801005 | |
| 201801006 | |

| | |
|-----------|--|
| 201801007 | |
| 201801008 | |
| 201801009 | |
| 201801010 | |
| 201801011 | |
| 201801012 | |
| 201801013 | |
| 201801014 | |
| 201801015 | |
| 201801016 | |
| 201801017 | |
| 201801018 | |
| 201801019 | |
| 201801020 | |
| 201801021 | |
| 201801022 | |
| 201801023 | |
| 201801024 | |
| 201801025 | |

PSU:**Data file: VCHq****Overview**

Valid: 1877 Invalid: Mean: 41.887 Standard deviation: 25.625
 Type: Continuous Range: - Format: Numeric

study_resources

questionnaires

Questionnaire

title Questionnaire

filename 2018_GSHS_Saint_Vincent_and_the_Grenadines_Questionnaire.pdf

reports

Fact Sheet

title Fact Sheet

filename 2018VCH_Fact_Sheet.pdf

technical_documents

Codebook

title Codebook

filename 2018VCH_Public_Use_Codebook.pdf
