

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Benin Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	Q1	How old are you?		
			1 11 years old or younger	8	0.3
			2 12 years old	31	0.9
			3 13 years old	126	4.1
			4 14 years old	226	7.8
			5 15 years old	334	11.8
			6 16 years old	457	16.9
			7 17 years old	410	16.5
			8 18 years old or older	943	41.6
			Missing	1	
18-18	Q2	Q2	What is your sex?		
			1 Male	1,366	73.0
			2 Female	1,151	27.0
			Missing	19	
19-19	Q3	Q3	In what grade are you?		
			1 6th	7	0.2
			2 5th	2	0.1
			3 4th	915	30.1
			4 3rd	657	30.8
			5 2nd	408	12.5
			6 1st	174	11.7
			7 Terminal	367	14.6
			Missing	6	
20-23	Q4	Q7	How tall are you without your shoes on? (Note: Data are in meters.)		
24-29	Q5	Q8	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
30-30	Q6	Q9	During the past 30 days, how often did you go hungry because there was not enough food in your home?		
			1 Never	1,136	42.3
			2 Rarely	551	22.8
			3 Sometimes	410	16.5
			4 Most of the time	179	8.2
			5 Always	249	10.2
			Missing	11	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Benin Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
31-31	Q7	Q10	During the past 30 days, how many times per day did you usually eat fruit, such as pineapples, mangoes, apples, papayas, oranges, avocados and lemons?		
			1 I did not eat fruit during the past 30 days	242	9.8
			2 Less than one time per day	668	26.4
			3 1 time per day	570	22.7
			4 2 times per day	430	17.1
			5 3 times per day	277	10.9
			6 4 times per day	83	3.4
			7 5 or more times per day	255	9.6
			Missing	11	
32-32	Q8	Q11	During the past 30 days, how many times per day did you usually eat vegetables, such as carrots, cabbage, green leafy vegetables, tomatoes, onions, lettuce, green beans, or bell peppers?		
			1 I did not eat vegetables during the past 30 days	204	8.7
			2 Less than one time per day	675	27.1
			3 1 time per day	632	24.8
			4 2 times per day	468	19.0
			5 3 times per day	250	9.8
			6 4 times per day	85	3.1
			7 5 or more times per day	211	7.5
			Missing	11	
33-33	Q9	Q12	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Coca-Cola, Sprite, Fanta, Fizzi, Mocha, Youki Tonic or carbonated or sugary fruit juice?		
			1 I did not drink carbonated soft drinks during the past 30 days	879	37.1
			2 Less than one time per day	734	28.1
			3 1 time per day	532	20.5
			4 2 times per day	191	7.0
			5 3 times per day	99	3.5
			6 4 times per day	20	0.8
			7 5 or more times per day	76	3.1
			Missing	5	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Benin Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
34-34	Q10	Q13	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as Festival de Glace, Debonnaire or Roi du Chawamar?		
			1 0 days	1,545	61.4
			2 1 day	493	19.7
			3 2 days	193	7.8
			4 3 days	126	4.7
			5 4 days	47	1.7
			6 5 days	37	1.5
			7 6 days	12	0.5
			8 7 days	73	2.8
			Missing	10	
35-35	Q11	Q14	During the past 30 days, how many times per day did you usually clean or brush your teeth?		
			1 I did not clean or brush my teeth during the past 30 days	17	0.6
			2 Less than 1 time per day	64	2.9
			3 1 time per day	598	24.2
			4 2 times per day	911	35.4
			5 3 times per day	678	26.3
			6 4 or more times per day	259	10.5
			Missing	9	
36-36	Q12	Q15	During the past 30 days, how often did you wash your hands before eating?		
			1 Never	31	1.1
			2 Rarely	99	3.7
			3 Sometimes	167	6.3
			4 Most of the time	106	3.7
			5 Always	2,124	85.1
			Missing	9	
37-37	Q13	Q16	During the past 30 days, how often did you wash your hands after using the toilet or latrine?		
			1 Never	113	5.1
			2 Rarely	210	8.5
			3 Sometimes	323	12.5
			4 Most of the time	148	5.9
			5 Always	1,736	68.1
			Missing	6	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Benin Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
38-38	Q14	Q17	During the past 30 days, how often did you use soap when washing your hands?		
			1 Never	174	7.7
			2 Rarely	388	15.3
			3 Sometimes	648	25.8
			4 Most of the time	310	11.9
			5 Always	1,006	39.2
			Missing	10	
39-39	Q15	Q21	During the past 12 months, how many times were you physically attacked?		
			1 0 times	2,000	78.0
			2 1 time	268	11.3
			3 2 or 3 times	150	6.1
			4 4 or 5 times	36	1.6
			5 6 or 7 times	16	0.5
			6 8 or 9 times	10	0.4
			7 10 or 11 times	5	0.2
			8 12 or more times	46	1.9
			Missing	5	
40-40	Q16	Q22	During the past 12 months, how many times were you in a physical fight?		
			1 0 times	1,960	76.2
			2 1 time	301	12.5
			3 2 or 3 times	152	6.4
			4 4 or 5 times	43	1.8
			5 6 or 7 times	13	0.5
			6 8 or 9 times	12	0.6
			7 10 or 11 times	7	0.3
			8 12 or more times	41	1.8
			Missing	7	
41-41	Q17	Q23	During the past 12 months, how many times were you seriously injured?		
			1 0 times	1,261	56.6
			2 1 time	571	26.3
			3 2 or 3 times	201	11.0
			4 4 or 5 times	59	3.1
			5 6 or 7 times	16	0.8
			6 8 or 9 times	9	0.4
			7 10 or 11 times	10	0.5
			8 12 or more times	27	1.2
			Missing	382	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Benin Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
42-42	Q18	Q24	During the past 12 months, what was the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	1,664	71.0
			2 I had a broken bone or a dislocated joint	206	10.0
			3 I had a cut or stab wound	58	2.4
			4 I had a concussion or other head or neck injury, was knocked out, or could not breathe	60	2.8
			5 I had a gunshot wound	75	3.7
			6 I had a bad burn	44	1.7
			7 I was poisoned or took too much of a drug	4	0.2
			8 Something else happened to me	177	8.2
			Missing	248	
43-43	Q19	Q25	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	1,590	69.4
			2 I was in a motor vehicle accident or hit by a motor vehicle	119	6.3
			3 I fell	312	13.6
			4 Something fell on me or hit me	38	1.7
			5 I was attacked or abused or was fighting with someone	23	0.8
			6 I was in a fire or too near a flame or something hot	16	0.5
			7 I inhaled or swallowed something bad for me	3	0.1
			8 Something else caused my injury	142	7.5
			Missing	293	
44-44	Q20	Q26	During the past 30 days, on how many days were you bullied?		
			1 0 days	1,364	59.0
			2 1 or 2 days	529	22.5
			3 3 to 5 days	125	5.4
			4 6 to 9 days	45	2.1
			5 10 to 19 days	31	1.2
			6 20 to 29 days	13	0.7
			7 All 30 days	231	9.1
			Missing	198	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Benin Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q21	Q27	During the past 30 days, how were you bullied most often?		
		1	I was not bullied during the past 30 days	1,526	65.9
		2	I was hit, kicked, pushed, shoved around, or locked indoors	83	3.8
		3	I was made fun of because of my race, nationality, or color	179	6.9
		4	I was made fun of because of my religion	112	4.4
		5	I was made fun of with sexual jokes, comments, or gestures	126	5.4
		6	I was left out of activities on purpose or completely ignored	27	1.2
		7	I was made fun of because of how my body or face looks	86	3.7
		8	I was bullied in some other way	195	8.7
			Missing	202	
46-46	Q22	Q28	During the past 12 months, how often have you felt lonely?		
		1	Never	1,100	43.1
		2	Rarely	445	18.3
		3	Sometimes	625	24.4
		4	Most of the time	181	7.2
		5	Always	179	7.1
			Missing	6	
47-47	Q23	Q29	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
		1	Never	714	27.3
		2	Rarely	478	19.5
		3	Sometimes	809	32.2
		4	Most of the time	245	9.5
		5	Always	278	11.4
			Missing	12	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Benin Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
48-48	Q24	Q30	During the past 12 months, did you ever seriously consider attempting suicide?		
			1 Yes	371	13.8
			2 No	2,156	86.2
			Missing	9	
49-49	Q25	Q31	During the past 12 months, did you make a plan about how you would attempt suicide?		
			1 Yes	407	15.6
			2 No	2,119	84.4
			Missing	10	
50-50	Q26	Q32	During the past 12 months, how many times did you actually attempt suicide?		
			1 0 times	2,142	84.4
			2 1 time	186	7.3
			3 2 or 3 times	119	4.8
			4 4 or 5 times	31	1.7
			5 6 or more times	44	1.8
			Missing	14	
51-51	Q27	Q33	How many close friends do you have?		
			1 0	299	11.1
			2 1	486	18.5
			3 2	463	17.1
			4 3 or more	1,275	53.3
			Missing	13	
52-52	Q28	Q34	How old were you when you first tried a cigarette?		
			1 I have never smoked cigarettes	2,141	87.0
			2 7 years old or younger	39	2.0
			3 8 or 9 years old	26	1.4
			4 10 or 11 years old	21	1.2
			5 12 or 13 years old	31	1.3
			6 14 or 15 years old	43	2.6
			7 16 or 17 years old	42	2.3
			8 18 years old or older	34	2.2
			Missing	159	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Benin Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
53-53	Q29	Q35	During the past 30 days, on how many days did you smoke cigarettes?		
			1 0 days	2,411	94.5
			2 1 or 2 days	66	3.2
			3 3 to 5 days	7	0.4
			4 6 to 9 days	11	0.6
			5 10 to 19 days	6	0.3
			6 20 to 29 days	8	0.5
			7 All 30 days	8	0.5
			Missing	19	
54-54	Q30	Q36	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as a pipe, rolled tobacco leaves, snuff, or chewing tobacco?		
			1 0 days	2,442	95.4
			2 1 or 2 days	62	3.2
			3 3 to 5 days	10	0.6
			4 6 to 9 days	9	0.4
			5 10 to 19 days	1	0.1
			6 20 to 29 days	3	0.1
			7 All 30 days	5	0.2
			Missing	4	
55-55	Q31	Q37	During the past 12 months, have you ever tried to stop smoking cigarettes?		
			1 I have never smoked cigarettes	2,186	89.5
			2 I did not smoke cigarettes during the past 12 months	60	3.2
			3 Yes	105	5.7
			4 No	29	1.6
			Missing	156	
56-56	Q32	Q38	During the past 7 days, on how many days have people smoked in your presence?		
			1 0 days	1,255	48.0
			2 1 or 2 days	522	20.7
			3 3 or 4 days	201	8.8
			4 5 or 6 days	104	4.8
			5 All 7 days	445	17.7
			Missing	9	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Benin Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	Q33	Q39	Which of your parents or guardians use any form of tobacco?		
			1 Neither	2,098	80.8
			2 My father or male guardian	207	9.5
			3 My mother or female guardian	23	1.0
			4 Both	19	0.9
			5 I do not know	183	7.8
			Missing	6	
58-58	Q34	Q40	How old were you when you had your first drink of alcohol other than a few sips?		
			1 I have never had a drink of alcohol other than a few sips	753	33.4
			2 7 years old or younger	230	11.6
			3 8 or 9 years old	92	4.2
			4 10 or 11 years old	190	9.0
			5 12 or 13 years old	224	9.8
			6 14 or 15 years old	271	13.2
			7 16 or 17 years old	212	11.3
			8 18 years old or older	139	7.5
			Missing	425	
59-59	Q35	Q41	During the past 30 days, on how many days did you have at least one drink containing alcohol?		
			1 0 days	1,310	55.9
			2 1 or 2 days	601	26.1
			3 3 to 5 days	164	7.4
			4 6 to 9 days	73	3.7
			5 10 to 19 days	56	3.3
			6 20 to 29 days	24	1.3
			7 All 30 days	43	2.1
			Missing	265	
60-60	Q36	Q42	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
			1 I did not drink alcohol during the past 30 days	1,301	53.0
			2 Less than one drink	457	17.5
			3 1 drink	355	14.8
			4 2 drinks	150	6.9
			5 3 drinks	67	3.3
			6 4 drinks	41	1.9
			7 5 or more drinks	58	2.6
			Missing	107	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Benin Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
61-61	Q37	Q43	During the past 30 days, how did you usually get the alcohol you drank?		
			1 I did not drink alcohol during the past 30 days	1,419	59.5
			2 I bought it in a store, shop, or from a street vendor	141	7.6
			3 I gave someone else money to buy it for me	24	1.0
			4 I got it from my friends	239	10.8
			5 I got it from my family	368	14.5
			6 I stole it or got it without permission	65	2.5
			7 I got it some other way	97	4.2
			Missing	183	
62-62	Q38	Q44	During your life, how many times did you drink so much alcohol that you were really drunk?		
			1 0 times	1,826	74.7
			2 1 or 2 times	479	21.1
			3 3 to 9 times	58	2.9
			4 10 or more times	29	1.3
			Missing	144	
63-63	Q39	Q45	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
			1 0 times	2,280	91.5
			2 1 or 2 times	129	6.1
			3 3 to 9 times	25	1.2
			4 10 or more times	29	1.3
			Missing	73	
64-64	Q40	Q47	How old were you when you first used drugs?		
			1 I have never used drugs	1,937	94.5
			2 7 years old or younger	12	0.7
			3 8 or 9 years old	2	0.1
			4 10 or 11 years old	10	0.6
			5 12 or 13 years old	5	0.4
			6 14 or 15 years old	21	1.4
			7 16 or 17 years old	15	1.3
			8 18 years old or older	11	1.0
			Missing	523	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Benin Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
65-65	Q41	Q48	During your life, how many times have you used marijuana ?		
			1 0 times	2,493	98.4
			2 1 or 2 times	14	0.8
			3 3 to 9 times	3	0.1
			4 10 to 19 times	9	0.6
			5 20 or more times	2	0.1
			Missing	15	
66-66	Q42	Q49	During the past 30 days, how many times have you used marijuana ?		
			1 0 times	2,482	98.7
			2 1 or 2 times	9	0.6
			3 3 to 9 times	3	0.1
			4 10 to 19 times	7	0.4
			5 20 or more times	2	0.1
			Missing	33	
67-67	Q43	Q50	During your life, how many times have you used amphetamines or methamphetamines (also known as stimulants not prescribed by a doctor)?		
			1 0 times	1,995	97.2
			2 1 or 2 times	22	1.6
			3 3 to 9 times	8	0.4
			4 10 to 19 times	4	0.3
			5 20 or more times	6	0.5
			Missing	501	
68-68	Q44	Q51	Have you ever had sexual intercourse?		
			1 Yes	1,133	53.4
			2 No	1,222	46.6
			Missing	181	
69-69	Q45	Q52	How old were you when you had sexual intercourse for the first time?		
			1 I have never had sexual intercourse	1,387	51.5
			2 11 years old or younger	123	6.1
			3 12 years old	51	2.7
			4 13 years old	65	3.4
			5 14 years old	107	5.2
			6 15 years old	150	6.9
			7 16 or 17 years old	309	13.2
			8 18 years old or older	251	11.0
			Missing	93	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Benin Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
70-70	Q46	Q53	During your life, with how many people have you had sexual intercourse?		
			1 I have never had sexual intercourse	1,393	51.3
			2 1 person	445	17.2
			3 2 people	207	9.6
			4 3 people	120	6.3
			5 4 people	56	3.1
			6 5 people	46	2.4
			7 6 or more people	193	10.2
			Missing	76	
71-71	Q47	Q57	The last time you had sexual intercourse, did you or your partner use a condom or preservative?		
			1 I have never had sexual intercourse	1,364	51.5
			2 Yes	512	23.7
			3 No	530	24.8
			Missing	130	
72-72	Q48	Q58	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?		
			1 I have never had sexual intercourse	1,370	51.8
			2 Yes	388	17.4
			3 No	449	21.7
			4 I do not know	203	9.2
			Missing	126	
73-73	Q49	Q68	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
			1 0 days	264	8.9
			2 1 day	693	25.1
			3 2 days	341	13.3
			4 3 days	201	9.0
			5 4 days	131	5.6
			6 5 days	130	5.5
			7 6 days	64	2.8
			8 7 days	694	29.6
			Missing	18	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Benin Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
74-74	Q50	Q69	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?		
			1 0 days	369	14.4
			2 1 day	138	5.3
			3 2 days	102	3.9
			4 3 days	79	3.5
			5 4 days	69	3.1
			6 5 days	279	11.4
			7 6 days	189	7.5
			8 7 days	1,287	50.8
			Missing	24	
75-75	Q51	Q70	During this school year, on how many days did you go to physical education (PE) class each week?		
			1 0 days	380	14.1
			2 1 day	1,642	65.8
			3 2 days	202	7.9
			4 3 days	63	2.9
			5 4 days	28	1.2
			6 5 or more days	196	8.2
			Missing	25	
76-76	Q52	Q71	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as playing cards or dominos?		
			1 Less than 1 hour per day	1,081	42.0
			2 1 to 2 hours per day	859	34.7
			3 3 to 4 hours per day	290	11.9
			4 5 to 6 hours per day	91	3.4
			5 7 to 8 hours per day	50	2.1
			6 More than 8 hours per day	151	5.8
			Missing	14	
77-77	Q53	Q72	During the past 30 days, on how many days did you miss classes or school without permission?		
			1 0 days	1,947	74.0
			2 1 or 2 days	415	18.5
			3 3 to 5 days	96	4.4
			4 6 to 9 days	27	1.3
			5 10 or more days	40	1.8
			Missing	11	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Benin Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
78-78	Q54	Q73	During the past 30 days, how often were most of the students in your school kind and helpful?		
			1 Never	498	19.4
			2 Rarely	618	24.7
			3 Sometimes	810	31.9
			4 Most of the time	236	9.0
			5 Always	362	15.0
			Missing	12	
79-79	Q55	Q74	During the past 30 days, how often did your parents or guardians check to see if your homework was done?		
			1 Never	709	28.4
			2 Rarely	370	14.8
			3 Sometimes	523	20.3
			4 Most of the time	138	5.5
			5 Always	783	30.9
			Missing	13	
80-80	Q56	Q75	During the past 30 days, how often did your parents or guardians understand your problems and worries?		
			1 Never	625	25.1
			2 Rarely	462	18.5
			3 Sometimes	608	23.9
			4 Most of the time	187	7.4
			5 Always	643	25.1
			Missing	11	
81-81	Q57	Q76	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?		
			1 Never	690	28.0
			2 Rarely	396	15.8
			3 Sometimes	577	24.0
			4 Most of the time	172	6.7
			5 Always	687	25.5
			Missing	14	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Benin Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
82-82	Q58	Q77	During the past 30 days, how often did your parents or guardians go through your things without your approval?		
			1 Never	1,820	74.0
			2 Rarely	241	10.2
			3 Sometimes	259	9.3
			4 Most of the time	51	2.1
			5 Always	125	4.3
			Missing	40	
185-185	QN6		Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)		
			1 Yes	428	18.4
			2 No	2,097	81.6
			Missing	11	
186-186	QN7		Percentage of students who did not eat fruit (during the 30 days before the survey)		
			1 Yes	242	9.8
			2 No	2,283	90.2
			Missing	11	
187-187	QN8		Percentage of students who did not eat vegetables (during the 30 days before the survey)		
			1 Yes	204	8.7
			2 No	2,321	91.3
			Missing	11	
188-188	QN9		Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)		
			1 Yes	879	37.1
			2 No	1,652	62.9
			Missing	5	
189-189	QN10		Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)		
			1 Yes	1,545	61.4
			2 No	981	38.6
			Missing	10	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Benin Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
190-190	QN11		Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)		
			1 Yes	2,446	96.4
			2 No	81	3.6
			Missing	9	
191-191	QN12		Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)		
			1 Yes	130	4.8
			2 No	2,397	95.2
			Missing	9	
192-192	QN13		Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)		
			1 Yes	323	13.6
			2 No	2,207	86.4
			Missing	6	
193-193	QN14		Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)		
			1 Yes	562	23.1
			2 No	1,964	76.9
			Missing	10	
194-194	QN15		Percentage of students who were physically attacked (one or more times during the 12 months before the survey)		
			1 Yes	531	22.0
			2 No	2,000	78.0
			Missing	5	
195-195	QN16		Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
			1 Yes	569	23.8
			2 No	1,960	76.2
			Missing	7	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Benin Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
196-196	QN17		Percentage of students who were seriously injured (one or more times during the 12 months before the survey)		
		1	Yes	893	43.4
		2	No	1,261	56.6
			Missing	382	
197-197	QN18		Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)		
		1	Yes	206	34.4
		2	No	418	65.6
			Missing	1,912	
198-198	QN19		Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)		
		1	Yes	119	20.5
		2	No	534	79.5
			Missing	1,883	
199-199	QN20		Percentage of students who were bullied (on one or more days during the 30 days before the survey)		
		1	Yes	974	41.0
		2	No	1,364	59.0
			Missing	198	
200-200	QN21		Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)		
		1	Yes	83	11.2
		2	No	725	88.8
			Missing	1,728	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Benin Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
201-201	QN22		Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)		
		1	Yes	360	14.2
		2	No	2,170	85.8
			Missing	6	
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)		
		1	Yes	523	20.9
		2	No	2,001	79.1
			Missing	12	
203-203	QN24		Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)		
		1	Yes	371	13.8
		2	No	2,156	86.2
			Missing	9	
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
		1	Yes	407	15.6
		2	No	2,119	84.4
			Missing	10	
205-205	QN26		Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
		1	Yes	380	15.6
		2	No	2,142	84.4
			Missing	14	
206-206	QN27		Percentage of students who did not have any close friends		
		1	Yes	299	11.1
		2	No	2,224	88.9
			Missing	13	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Benin Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
207-207	QN28		Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)		
		1	Yes	117	45.1
		2	No	119	54.9
			Missing	2,300	
208-208	QN29		Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1	Yes	106	5.5
		2	No	2,411	94.5
			Missing	19	
209-209	QN30		Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)		
		1	Yes	90	4.6
		2	No	2,442	95.4
			Missing	4	
210-210	QN31		Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)		
		1	Yes	105	77.7
		2	No	29	22.3
			Missing	2,402	
211-211	QN32		Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)		
		1	Yes	1,272	52.0
		2	No	1,255	48.0
			Missing	9	
212-212	QN33		Percentage of students who had parents or guardians who used any form of tobacco		
		1	Yes	249	11.4
		2	No	2,281	88.6
			Missing	6	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Benin Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
213-213	QN34		Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)		
		1	Yes	736	51.9
		2	No	622	48.1
			Missing	1,178	
214-214	QN35		Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)		
		1	Yes	961	44.1
		2	No	1,310	55.9
			Missing	265	
215-215	QN36		Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)		
		1	Yes	316	31.2
		2	No	812	68.8
			Missing	1,408	
216-216	QN37		Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)		
		1	Yes	239	26.5
		2	No	695	73.5
			Missing	1,602	
217-217	QN38		Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)		
		1	Yes	566	25.3
		2	No	1,826	74.7
			Missing	144	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Benin Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
218-218	QN39		Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)		
		1	Yes	183	8.5
		2	No	2,280	91.5
			Missing	73	
219-219	QN40		Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)		
		1	Yes	29	33.0
		2	No	47	67.0
			Missing	2,460	
220-220	QN41		Percentage of students who ever used marijuana (one or more times during their life)		
		1	Yes	28	1.6
		2	No	2,493	98.4
			Missing	15	
221-221	QN42		Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1	Yes	21	1.3
		2	No	2,482	98.7
			Missing	33	
222-222	QN43		Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)		
		1	Yes	40	2.8
		2	No	1,995	97.2
			Missing	501	
223-223	QN44		Percentage of students who ever had sexual intercourse		
		1	Yes	1,133	53.4
		2	No	1,222	46.6
			Missing	181	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Benin Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
224-224	QN45		Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)		
		1	Yes	239	25.1
		2	No	817	74.9
			Missing	1,480	
225-225	QN46		Percentage of students who had sexual intercourse with two or more persons (during their life)		
		1	Yes	622	31.6
		2	No	1,838	68.4
			Missing	76	
226-226	QN47		Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)		
		1	Yes	512	48.8
		2	No	530	51.2
			Missing	1,494	
227-227	QN48		Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
		1	Yes	388	36.0
		2	No	652	64.0
			Missing	1,496	
228-228	QN49		Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)		
		1	Yes	264	8.9
		2	No	2,254	91.1
			Missing	18	
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)		
		1	Yes	369	14.4
		2	No	2,143	85.6
			Missing	24	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Benin Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
230-230	QN51		Percentage of students who did not attend physical education classes (each week during this school year)		
		1	Yes	380	14.1
		2	No	2,131	85.9
			Missing	25	
231-231	QN52		Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)		
		1	Yes	582	23.2
		2	No	1,940	76.8
			Missing	14	
232-232	QN53		Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)		
		1	Yes	578	26.0
		2	No	1,947	74.0
			Missing	11	
233-233	QN54		Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)		
		1	Yes	598	24.0
		2	No	1,926	76.0
			Missing	12	
234-234	QN55		Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)		
		1	Yes	921	36.4
		2	No	1,602	63.6
			Missing	13	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Benin Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
235-235	QN56		Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)		
		1	Yes	830	32.5
		2	No	1,695	67.5
			Missing	11	
236-236	QN57		Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)		
		1	Yes	859	32.2
		2	No	1,663	67.8
			Missing	14	
237-237	QN58		Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)		
		1	Yes	2,061	84.2
		2	No	435	15.8
			Missing	40	
350-350	QNUNWTG		Percentage of students who were underweight (<-2SD from median for BMI by age and sex)		
		1	Yes	206	9.0
		2	No	2,250	91.0
			Missing	80	
351-351	QNOWTG		Percentage of students who were overweight (>+1SD from median for BMI by age and sex)		
		1	Yes	252	8.3
		2	No	2,204	91.7
			Missing	80	
352-352	QNOBESEG		Percentage of students who were obese (>+2SD from median for BMI by age and sex)		
		1	Yes	39	1.2
		2	No	2,417	98.8
			Missing	80	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Benin Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
353-353	QNFR1G		Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)		
		1	Yes	668	26.4
		2	No	1,857	73.6
			Missing	11	
354-354	QNFR1G		Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)		
		1	Yes	1,615	63.7
		2	No	910	36.3
			Missing	11	
355-355	QNFR2G		Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)		
		1	Yes	1,045	41.0
		2	No	1,480	59.0
			Missing	11	
356-356	QNFR3G		Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)		
		1	Yes	615	23.9
		2	No	1,910	76.1
			Missing	11	
357-357	QNVEGLG		Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)		
		1	Yes	675	27.1
		2	No	1,850	72.9
			Missing	11	
358-358	QNVEG1G		Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)		
		1	Yes	1,646	64.2
		2	No	879	35.8
			Missing	11	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Benin Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
359-359	QNVEG2G		Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)		
			1 Yes	1,014	39.4
			2 No	1,511	60.6
			Missing	11	
360-360	QNVEG3G		Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)		
			1 Yes	546	20.4
			2 No	1,979	79.6
			Missing	11	
361-361	QNSODALG		Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)		
			1 Yes	734	28.1
			2 No	1,797	71.9
			Missing	5	
362-362	QNSODA1G		Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)		
			1 Yes	918	34.8
			2 No	1,613	65.2
			Missing	5	
363-363	QNSODA2G		Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)		
			1 Yes	386	14.4
			2 No	2,145	85.6
			Missing	5	
364-364	QNSODA3G		Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)		
			1 Yes	195	7.4
			2 No	2,336	92.6
			Missing	5	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Benin Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
365-365	QNFF1G		Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)		
		1	Yes	981	38.6
		2	No	1,545	61.4
			Missing	10	
366-366	QNFF2G		Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)		
		1	Yes	488	18.9
		2	No	2,038	81.1
			Missing	10	
367-367	QNFF3G		Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)		
		1	Yes	295	11.1
		2	No	2,231	88.9
			Missing	10	
368-368	QNC2G		Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)		
		1	Yes	213	44.2
		2	No	264	55.8
			Missing	2,059	
369-369	QNTOB2G		Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)		
		1	Yes	152	8.0
		2	No	2,370	92.0
			Missing	14	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Benin Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
370-370	QNNOTB2G		Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)		
			1 Yes	2,370	92.4
			2 No	146	7.6
			Missing	20	
371-371	QNBCANYG		Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
			1 Yes	599	64.9
			2 No	299	35.1
			Missing	1,638	
372-372	QNC1G		Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)		
			1 Yes	351	71.1
			2 No	188	28.9
			Missing	1,997	
373-373	QNPA5G		Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)		
			1 Yes	888	38.0
			2 No	1,630	62.0
			Missing	18	
374-374	QNPA7G		Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)		
			1 Yes	694	29.6
			2 No	1,824	70.4
			Missing	18	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Benin Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
375-375	QNPE3G		Percentage of students who attended physical education classes on three or more days (each week during this school year)		
		1	Yes	287	12.3
		2	No	2,224	87.7
			Missing	25	
376-376	QNPE5G		Percentage of students who attended physical education classes on five or more days (each week during this school year)		
		1	Yes	196	8.2
		2	No	2,315	91.8
			Missing	25	
377-386	WEIGHT				
387-395	STRATUM				
396-400	PSU				