

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Guatemala (Capital City Private) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	Q1	How old are you?		
			1 11 years old or younger	4	0.3
			2 12 years old	55	3.6
			3 13 years old	308	20.4
			4 14 years old	405	29.8
			5 15 years old	422	28.7
			6 16 years old	193	12.7
			7 17 years old	51	3.2
			8 18 years old or older	22	1.3
			Missing	12	
18-18	Q2	Q2	What is your sex?		
			1 Male	742	50.7
			2 Female	712	49.3
			Missing	18	
19-19	Q3	Q3	In what grade are you?		
			1 Primero basico	554	36.5
			2 Segundo basico	395	33.1
			3 Tercero Basico	503	30.4
			Missing	20	
20-23	Q4	Q4	How tall are you without your shoes on? (Note: Data are in meters.)		
24-29	Q5	Q5	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
30-30	Q6	Q16	During the past 30 days, how often did you go hungry because there was not enough food in your home?		
			1 Never	903	61.9
			2 Rarely	341	23.6
			3 Sometimes	183	12.6
			4 Most of the time	17	1.1
			5 Always	11	0.8
			Missing	17	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Guatemala (Capital City Private) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
31-31	Q7	Q19	During the past 30 days, how many times per day did you usually eat fruit, such as banana, apple, orange, melon, pineapple, papaya, watermelon, mango or other fruit?		
			1 I did not eat fruit during the past 30 days	108	7.3
			2 Less than one time per day	260	17.1
			3 1 time per day	500	35.4
			4 2 times per day	295	20.3
			5 3 times per day	173	12.2
			6 4 times per day	46	3.0
			7 5 or more times per day	79	4.8
			Missing	11	
32-32	Q8	Q20	During the past 30 days, how many times per day did you usually eat vegetables, such as carrot, tomato, cucumber, bell pepper, lettuce, green beans, peas, cauliflower, broccoli, or others?		
			1 I did not eat vegetables during the past 30 days	95	6.4
			2 Less than one time per day	228	15.4
			3 1 time per day	513	35.9
			4 2 times per day	307	21.6
			5 3 times per day	161	12.2
			6 4 times per day	35	2.2
			7 5 or more times per day	97	6.4
			Missing	36	
33-33	Q9	Q21	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Big Cola, Coca-Cola, Pepsi, Sprite, 7 Up, Grapette, Orange Crush or others?		
			1 I did not drink carbonated soft drinks during the past 30 days	253	19.3
			2 Less than one time per day	427	29.4
			3 1 time per day	335	22.0
			4 2 times per day	213	13.6
			5 3 times per day	117	7.8
			6 4 times per day	41	2.8
			7 5 or more times per day	78	5.1
			Missing	8	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Guatemala (Capital City Private) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
34-34	Q10	Q22	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as Pollo Campero, Wendys, Pinulito, McDonalds, Burger King, Pizza Hut, or others?		
			1 0 days	478	34.2
			2 1 day	460	31.1
			3 2 days	258	17.2
			4 3 days	135	8.8
			5 4 days	63	4.2
			6 5 days	34	2.2
			7 6 days	5	0.4
			8 7 days	28	1.8
			Missing	11	
35-35	Q11	Q34	During the past 30 days, how many times per day did you usually clean or brush your teeth?		
			1 I did not clean or brush my teeth during the past 30 days	48	3.3
			2 Less than 1 time per day	38	2.6
			3 1 time per day	72	4.9
			4 2 times per day	325	21.6
			5 3 times per day	698	49.2
			6 4 or more times per day	270	18.4
			Missing	21	
36-36	Q12	Q36	During the past 30 days, how often did you wash your hands before eating?		
			1 Never	44	3.1
			2 Rarely	81	5.5
			3 Sometimes	204	13.6
			4 Most of the time	376	25.6
			5 Always	740	52.2
			Missing	27	
37-37	Q13	Q37	During the past 30 days, how often did you wash your hands after using the toilet or latrine?		
			1 Never	29	2.2
			2 Rarely	44	3.1
			3 Sometimes	57	3.8
			4 Most of the time	208	13.9
			5 Always	1,101	77.0
			Missing	33	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Guatemala (Capital City Private) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
38-38	Q14	Q38	During the past 30 days, how often did you use soap when washing your hands?		
			1 Never	33	2.5
			2 Rarely	88	6.4
			3 Sometimes	156	11.7
			4 Most of the time	301	21.0
			5 Always	833	58.4
			Missing	61	
39-39	Q15	Q40	During the past 12 months, how many times were you physically attacked?		
			1 0 times	1,104	76.5
			2 1 time	175	11.9
			3 2 or 3 times	91	6.2
			4 4 or 5 times	21	1.4
			5 6 or 7 times	11	0.8
			6 8 or 9 times	13	0.9
			7 10 or 11 times	5	0.4
			8 12 or more times	30	2.0
			Missing	22	
40-40	Q16	Q41	During the past 12 months, how many times were you in a physical fight?		
			1 0 times	1,084	74.5
			2 1 time	210	14.8
			3 2 or 3 times	91	6.1
			4 4 or 5 times	20	1.3
			5 6 or 7 times	17	1.2
			6 8 or 9 times	7	0.4
			7 10 or 11 times	2	0.1
			8 12 or more times	23	1.5
			Missing	18	
41-41	Q17	Q42	During the past 12 months, how many times were you seriously injured?		
			1 0 times	955	66.0
			2 1 time	351	23.8
			3 2 or 3 times	122	8.1
			4 4 or 5 times	19	1.2
			5 6 or 7 times	9	0.6
			6 8 or 9 times	2	0.1
			7 10 or 11 times	0	0.0
			8 12 or more times	2	0.1
			Missing	12	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Guatemala (Capital City Private) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
44-44	Q20	Q44	During the past 30 days, on how many days were you bullied?		
			1 0 days	1,080	78.4
			2 1 or 2 days	190	14.1
			3 3 to 5 days	51	3.7
			4 6 to 9 days	21	1.5
			5 10 to 19 days	14	1.1
			6 20 to 29 days	0	0.0
			7 All 30 days	17	1.2
			Missing	99	
45-45	Q21	Q45	During the past 30 days, how were you bullied most often?		
			1 I was not bullied during the past 30 days	1,151	82.9
			2 I was hit, kicked, pushed, shoved around, or locked indoors	35	2.5
			3 I was made fun of because of my race, nationality, or color	20	1.4
			4 I was made fun of because of my religion	4	0.3
			5 I was made fun of with sexual jokes, comments, or gestures	34	2.4
			6 I was left out of activities on purpose or completely ignored	28	2.2
			7 I was made fun of because of how my body or face looks	43	3.3
			8 I was bullied in some other way	70	5.1
			Missing	87	
46-46	Q22	Q46	During the past 12 months, how often have you felt lonely?		
			1 Never	559	38.6
			2 Rarely	430	29.5
			3 Sometimes	306	21.5
			4 Most of the time	96	6.7
			5 Always	53	3.7
			Missing	28	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Guatemala (Capital City Private) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
47-47	Q23	Q47	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
			1 Never	508	35.3
			2 Rarely	478	33.8
			3 Sometimes	314	22.2
			4 Most of the time	91	6.3
			5 Always	35	2.4
			Missing	46	
48-48	Q24	Q48	During the past 12 months, did you ever seriously consider attempting suicide?		
			1 Yes	264	18.9
			2 No	1,131	81.1
			Missing	77	
49-49	Q25	Q49	During the past 12 months, did you make a plan about how you would attempt suicide?		
			1 Yes	217	15.5
			2 No	1,204	84.5
			Missing	51	
50-50	Q26	Q50	During the past 12 months, how many times did you actually attempt suicide?		
			1 0 times	1,179	82.9
			2 1 time	180	12.1
			3 2 or 3 times	32	2.3
			4 4 or 5 times	23	1.5
			5 6 or more times	16	1.2
			Missing	42	
51-51	Q27	Q51	How many close friends do you have?		
			1 0	133	9.3
			2 1	143	9.9
			3 2	207	14.4
			4 3 or more	946	66.4
			Missing	43	
59-59	Q35	Q53	During the past 30 days, on how many days did you have at least one drink containing alcohol?		
			1 0 days	1,105	77.8
			2 1 or 2 days	205	13.6
			3 3 to 5 days	51	3.5
			4 6 to 9 days	31	2.1
			5 10 to 19 days	20	1.3
			6 20 to 29 days	13	0.9
			7 All 30 days	11	0.7
			Missing	36	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Guatemala (Capital City Private) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
60-60	Q36	Q54	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
			1 I did not drink alcohol during the past 30 days	1,083	75.7
			2 Less than one drink	104	7.1
			3 1 drink	83	5.4
			4 2 drinks	51	3.3
			5 3 drinks	37	2.6
			6 4 drinks	28	1.8
			7 5 or more drinks	59	4.0
			Missing	27	
61-61	Q37	Q55	During the past 30 days, how did you usually get the alcohol you drank?		
			1 I did not drink alcohol during the past 30 days	1,078	75.7
			2 I bought it in a store, shop, or from a street vendor	120	7.9
			3 I gave someone else money to buy it for me	33	2.1
			4 I got it from my friends	84	5.6
			5 I got it from my family	56	4.0
			6 I stole it or got it without permission	8	0.5
			7 I got it some other way	61	4.2
			Missing	32	
62-62	Q38	Q60	During your life, how many times did you drink so much alcohol that you were really drunk?		
			1 0 times	1,165	80.8
			2 1 or 2 times	175	12.1
			3 3 to 9 times	61	4.1
			4 10 or more times	41	3.0
			Missing	30	
63-63	Q39	Q61	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
			1 0 times	1,254	86.9
			2 1 or 2 times	136	9.5
			3 3 to 9 times	32	2.3
			4 10 or more times	19	1.3
			Missing	31	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Guatemala (Capital City Private) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
64-64	Q40	Q64	How old were you when you first used drugs?		
			1 I have never used drugs	1,145	85.1
			2 7 years old or younger	35	2.6
			3 8 or 9 years old	27	1.9
			4 10 or 11 years old	24	1.6
			5 12 or 13 years old	62	4.4
			6 14 or 15 years old	53	3.6
			7 16 or 17 years old	14	0.8
			8 18 years old or older	0	0.0
			Missing	112	
65-65	Q41	Q65	During your life, how many times have you used marijuana ?		
			1 0 times	1,231	89.7
			2 1 or 2 times	77	5.1
			3 3 to 9 times	36	2.4
			4 10 to 19 times	13	0.9
			5 20 or more times	28	1.8
			Missing	87	
66-66	Q42	Q66	During the past 30 days, how many times have you used marijuana ?		
			1 0 times	1,286	92.8
			2 1 or 2 times	52	3.4
			3 3 to 9 times	31	2.1
			4 10 to 19 times	11	0.8
			5 20 or more times	13	0.9
			Missing	79	
67-67	Q43	Q67	During your life, how many times have you used amphetamines or methamphetamines ?		
			1 0 times	1,354	96.9
			2 1 or 2 times	30	2.0
			3 3 to 9 times	8	0.6
			4 10 to 19 times	0	0.0
			5 20 or more times	9	0.6
			Missing	71	



# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Guatemala (Capital City Private) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
68-68	Q44	Q79	Have you ever had sexual intercourse?		
			1 Yes	288	20.5
			2 No	1,046	79.5
			Missing	138	
69-69	Q45	Q80	How old were you when you had sexual intercourse for the first time?		
			1 I have never had sexual intercourse	1,194	86.8
			2 11 years old or younger	47	3.3
			3 12 years old	26	1.8
			4 13 years old	30	2.2
			5 14 years old	37	2.5
			6 15 years old	43	2.7
			7 16 or 17 years old	13	0.8
			8 18 years old or older	1	0.1
70-70	Q46	Q81	During your life, with how many people have you had sexual intercourse?		
			1 I have never had sexual intercourse	1,219	86.7
			2 1 person	93	6.4
			3 2 people	40	2.7
			4 3 people	22	1.5
			5 4 people	17	1.1
			6 5 people	4	0.3
			7 6 or more people	21	1.3
			Missing	56	
71-71	Q47	Q85	The last time you had sexual intercourse, did you or your partner use a condom or preservative?		
			1 I have never had sexual intercourse	1,179	86.6
			2 Yes	125	8.6
			3 No	69	4.8
			Missing	99	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Guatemala (Capital City Private) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
72-72	Q48	Q86	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?		
			1 I have never had sexual intercourse	1,174	87.1
			2 Yes	59	4.1
			3 No	110	7.5
			4 I do not know	18	1.3
			Missing	111	
73-73	Q49	Q87	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
			1 0 days	334	23.1
			2 1 day	282	19.9
			3 2 days	184	13.0
			4 3 days	161	10.9
			5 4 days	96	6.7
			6 5 days	96	6.8
			7 6 days	35	2.6
			8 7 days	234	17.1
			Missing	50	
74-74	Q50	Q88	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?		
			1 0 days	676	50.2
			2 1 day	116	8.2
			3 2 days	67	4.8
			4 3 days	41	2.8
			5 4 days	41	2.8
			6 5 days	157	10.2
			7 6 days	16	1.0
			8 7 days	298	20.1
			Missing	60	
75-75	Q51	Q89	During this school year, on how many days did you go to physical education (PE) class each week?		
			1 0 days	172	12.8
			2 1 day	567	40.9
			3 2 days	268	20.5
			4 3 days	25	1.7
			5 4 days	23	1.6
			6 5 or more days	318	22.5
			Missing	99	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Guatemala (Capital City Private) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
76-76	Q52	Q92	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as jugar videojuegos, escuchar musica o conectarse en el internet en el chat con los amigos?		
			1 Less than 1 hour per day	504	39.3
			2 1 to 2 hours per day	352	24.4
			3 3 to 4 hours per day	245	17.0
			4 5 to 6 hours per day	129	8.8
			5 7 to 8 hours per day	49	3.5
			6 More than 8 hours per day	97	7.1
			Missing	96	
185-185	QN6		Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)		
			1 Yes	28	1.9
			2 No	1,427	98.1
			Missing	17	
186-186	QN7		Percentage of students who did not eat fruit (during the 30 days before the survey)		
			1 Yes	108	7.3
			2 No	1,353	92.7
			Missing	11	
187-187	QN8		Percentage of students who did not eat vegetables (during the 30 days before the survey)		
			1 Yes	95	6.4
			2 No	1,341	93.6
			Missing	36	
188-188	QN9		Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)		
			1 Yes	253	19.3
			2 No	1,211	80.7
			Missing	8	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Guatemala (Capital City Private) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
189-189	QN10		Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)		
		1	Yes	478	34.2
		2	No	983	65.8
			Missing	11	
190-190	QN11		Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)		
		1	Yes	1,365	94.1
		2	No	86	5.9
			Missing	21	
191-191	QN12		Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)		
		1	Yes	125	8.6
		2	No	1,320	91.4
			Missing	27	
192-192	QN13		Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)		
		1	Yes	73	5.3
		2	No	1,366	94.7
			Missing	33	
193-193	QN14		Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)		
		1	Yes	121	8.9
		2	No	1,290	91.1
			Missing	61	
194-194	QN15		Percentage of students who were physically attacked (one or more times during the 12 months before the survey)		
		1	Yes	346	23.5
		2	No	1,104	76.5
			Missing	22	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Guatemala (Capital City Private) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
195-195	QN16		Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1	Yes	370	25.5
		2	No	1,084	74.5
			Missing	18	
196-196	QN17		Percentage of students who were seriously injured (one or more times during the 12 months before the survey)		
		1	Yes	505	34.0
		2	No	955	66.0
			Missing	12	
199-199	QN20		Percentage of students who were bullied (on one or more days during the 30 days before the survey)		
		1	Yes	293	21.6
		2	No	1,080	78.4
			Missing	99	
200-200	QN21		Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )		
		1	Yes	35	14.5
		2	No	199	85.5
			Missing	1,238	
201-201	QN22		Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)		
		1	Yes	149	10.4
		2	No	1,295	89.6
			Missing	28	
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)		
		1	Yes	126	8.7
		2	No	1,300	91.3
			Missing	46	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Guatemala (Capital City Private) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
203-203	QN24		Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)		
		1	Yes	264	18.9
		2	No	1,131	81.1
			Missing	77	
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
		1	Yes	217	15.5
		2	No	1,204	84.5
			Missing	51	
205-205	QN26		Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
		1	Yes	251	17.1
		2	No	1,179	82.9
			Missing	42	
206-206	QN27		Percentage of students who did not have any close friends		
		1	Yes	133	9.3
		2	No	1,296	90.7
			Missing	43	
214-214	QN35		Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)		
		1	Yes	331	22.2
		2	No	1,105	77.8
			Missing	36	
215-215	QN36		Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)		
		1	Yes	175	48.1
		2	No	187	51.9
			Missing	1,110	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Guatemala (Capital City Private) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
216-216	QN37		Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)		
		1	Yes	84	23.1
		2	No	278	76.9
			Missing	1,110	
217-217	QN38		Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)		
		1	Yes	277	19.2
		2	No	1,165	80.8
			Missing	30	
218-218	QN39		Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)		
		1	Yes	187	13.1
		2	No	1,254	86.9
			Missing	31	
219-219	QN40		Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)		
		1	Yes	148	70.5
		2	No	67	29.5
			Missing	1,257	
220-220	QN41		Percentage of students who ever used marijuana (one or more times during their life)		
		1	Yes	154	10.3
		2	No	1,231	89.7
			Missing	87	
221-221	QN42		Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1	Yes	107	7.2
		2	No	1,286	92.8
			Missing	79	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Guatemala (Capital City Private) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
222-222	QN43		Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)		
		1	Yes	47	3.1
		2	No	1,354	96.9
			Missing	71	
223-223	QN44		Percentage of students who ever had sexual intercourse		
		1	Yes	288	20.5
		2	No	1,046	79.5
			Missing	138	
224-224	QN45		Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)		
		1	Yes	103	55.0
		2	No	94	45.0
			Missing	1,275	
225-225	QN46		Percentage of students who had sexual intercourse with two or more persons (during their life)		
		1	Yes	104	6.9
		2	No	1,312	93.1
			Missing	56	
226-226	QN47		Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)		
		1	Yes	125	64.1
		2	No	69	35.9
			Missing	1,278	
227-227	QN48		Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
		1	Yes	59	31.9
		2	No	128	68.1
			Missing	1,285	



# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Guatemala (Capital City Private) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
228-228	QN49		Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)		
		1	Yes	334	23.1
		2	No	1,088	76.9
			Missing	50	
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)		
		1	Yes	676	50.2
		2	No	736	49.8
			Missing	60	
230-230	QN51		Percentage of students who did not attend physical education classes (each week during this school year)		
		1	Yes	172	12.8
		2	No	1,201	87.2
			Missing	99	
231-231	QN52		Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)		
		1	Yes	520	36.4
		2	No	856	63.6
			Missing	96	
350-350	QNUNWTG		Percentage of students who were underweight (<-2SD from median for BMI by age and sex)		
		1	Yes	12	0.8
		2	No	1,387	99.2
			Missing	73	
351-351	QNOWTG		Percentage of students who were overweight (>+1SD from median for BMI by age and sex)		
		1	Yes	488	34.1
		2	No	911	65.9
			Missing	73	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Guatemala (Capital City Private) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
352-352	QNOBESEG		Percentage of students who were obese (>+2SD from median for BMI by age and sex)		
		1	Yes	145	10.3
		2	No	1,254	89.7
			Missing	73	
353-353	QNFRLG		Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)		
		1	Yes	260	17.1
		2	No	1,201	82.9
			Missing	11	
354-354	QNFR1G		Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)		
		1	Yes	1,093	75.7
		2	No	368	24.3
			Missing	11	
355-355	QNFR2G		Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)		
		1	Yes	593	40.3
		2	No	868	59.7
			Missing	11	
356-356	QNFR3G		Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)		
		1	Yes	298	20.0
		2	No	1,163	80.0
			Missing	11	
357-357	QNVEGLG		Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)		
		1	Yes	228	15.4
		2	No	1,208	84.6
			Missing	36	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Guatemala (Capital City Private) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
358-358	QNVEG1G		Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)		
			1 Yes	1,113	78.3
			2 No	323	21.7
			Missing	36	
359-359	QNVEG2G		Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)		
			1 Yes	600	42.4
			2 No	836	57.6
			Missing	36	
360-360	QNVEG3G		Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)		
			1 Yes	293	20.8
			2 No	1,143	79.2
			Missing	36	
361-361	QNSODALG		Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)		
			1 Yes	427	29.4
			2 No	1,037	70.6
			Missing	8	
362-362	QNSODA1G		Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)		
			1 Yes	784	51.3
			2 No	680	48.7
			Missing	8	
363-363	QNSODA2G		Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)		
			1 Yes	449	29.3
			2 No	1,015	70.7
			Missing	8	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Guatemala (Capital City Private) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
364-364	QNSODA3G		Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)		
		1	Yes	236	15.7
		2	No	1,228	84.3
			Missing	8	
365-365	QNFF1G		Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)		
		1	Yes	983	65.8
		2	No	478	34.2
			Missing	11	
366-366	QNFF2G		Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)		
		1	Yes	523	34.7
		2	No	938	65.3
			Missing	11	
367-367	QNFF3G		Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)		
		1	Yes	265	17.5
		2	No	1,196	82.5
			Missing	11	
368-368	QNC2G		Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)		
		1	Yes	45	37.6
		2	No	72	62.4
			Missing	1,355	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Guatemala (Capital City Private) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
371-371	QNBCANYG		Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
		1	Yes	125	73.4
		2	No	45	26.6
			Missing	1,302	
372-372	QNC1G		Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)		
		1	Yes	99	39.1
		2	No	138	60.9
			Missing	1,235	
373-373	QNPA5G		Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)		
		1	Yes	365	26.4
		2	No	1,057	73.6
			Missing	50	
374-374	QNPA7G		Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)		
		1	Yes	234	17.1
		2	No	1,188	82.9
			Missing	50	
375-375	QNPE3G		Percentage of students who attended physical education classes on three or more days (each week during this school year)		
		1	Yes	366	25.8
		2	No	1,007	74.2
			Missing	99	
376-376	QNPE5G		Percentage of students who attended physical education classes on five or more days (each week during this school year)		
		1	Yes	318	22.5
		2	No	1,055	77.5
			Missing	99	

## 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

### Guatemala (Capital City Private) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
377-386	WEIGHT				
387-395	STRATUM				
396-400	PSU				