

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Guatemala Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	Q1	Q1	How old are you?			
			1	11 years old or younger	22	0.8
			2	12 years old	167	6.2
			3	13 years old	917	21.7
			4	14 years old	1,278	27.8
			5	15 years old	1,249	25.8
			6	16 years old	486	12.0
			7	17 years old	145	3.8
			8	18 years old or older	55	1.9
				Missing	55	
18-18	Q2	Q2	What is your sex?			
			1	Male	2,120	52.4
			2	Female	2,170	47.6
					Missing	84
19-19	Q3	Q3	In what grade are you?			
			1	Primero basico	1,591	39.5
			2	Segundo basico	1,351	32.5
			3	Tercero Basico	1,312	27.9
					Missing	120
20-23	Q4	Q4	How tall are you without your shoes on? (Note: Data are in meters.)			
24-29	Q5	Q5	How much do you weigh without your shoes on? (Note: Data are in kilograms.)			
30-30	Q6	Q16	During the past 30 days, how often did you go hungry because there was not enough food in your home?			
			1	Never	2,660	62.4
			2	Rarely	1,069	22.5
			3	Sometimes	477	11.9
			4	Most of the time	55	1.5
			5	Always	57	1.7
					Missing	56

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Guatemala Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
31-31	Q7	Q19	During the past 30 days, how many times per day did you usually eat fruit, such as banana, apple, orange, melon, pineapple, papaya, watermelon, mango or other fruit?			
			1	I did not eat fruit during the past 30 days	390	9.8
			2	Less than one time per day	739	13.6
			3	1 time per day	1,353	31.5
			4	2 times per day	819	20.6
			5	3 times per day	506	11.6
			6	4 times per day	168	3.9
			7	5 or more times per day	357	9.0
	Missing	42				
32-32	Q8	Q20	During the past 30 days, how many times per day did you usually eat vegetables, such as carrot, tomato, cucumber, bell pepper, lettuce, green beans, peas, cauliflower, broccoli, or others?			
			1	I did not eat vegetables during the past 30 days	308	7.1
			2	Less than one time per day	711	16.7
			3	1 time per day	1,435	33.8
			4	2 times per day	850	21.5
			5	3 times per day	462	11.1
			6	4 times per day	133	2.7
			7	5 or more times per day	369	7.2
	Missing	106				
33-33	Q9	Q21	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Big Cola, Coca-Cola, Pepsi, Sprite, 7 Up, Grapette, Orange Crush or others?			
			1	I did not drink carbonated soft drinks during the past 30 days	550	11.4
			2	Less than one time per day	1,192	28.1
			3	1 time per day	1,188	32.5
			4	2 times per day	681	13.2
			5	3 times per day	350	7.3
			6	4 times per day	118	1.8
			7	5 or more times per day	269	5.7
	Missing	26				

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Guatemala Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
34-34	Q10	Q22	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as Pollo Campero, Wendys, Pinulito, McDonalds, Burger King, Pizza Hut, or others?		
			1 0 days	1,545	43.1
			2 1 day	1,362	30.8
			3 2 days	685	12.0
			4 3 days	355	7.2
			5 4 days	161	3.0
			6 5 days	90	1.5
			7 6 days	30	0.6
			8 7 days	105	2.0
			Missing	41	
35-35	Q11	Q34	During the past 30 days, how many times per day did you usually clean or brush your teeth?		
			1 I did not clean or brush my teeth during the past 30 days	138	2.5
			2 Less than 1 time per day	139	3.6
			3 1 time per day	262	5.7
			4 2 times per day	857	14.6
			5 3 times per day	2,140	55.6
			6 4 or more times per day	768	18.0
			Missing	70	
36-36	Q12	Q36	During the past 30 days, how often did you wash your hands before eating?		
			1 Never	118	1.6
			2 Rarely	244	3.7
			3 Sometimes	513	7.0
			4 Most of the time	1,076	19.4
			5 Always	2,358	68.2
			Missing	65	
37-37	Q13	Q37	During the past 30 days, how often did you wash your hands after using the toilet or latrine?		
			1 Never	88	1.2
			2 Rarely	122	2.1
			3 Sometimes	185	3.7
			4 Most of the time	637	12.5
			5 Always	3,258	80.6
			Missing	84	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Guatemala Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
38-38	Q14	Q38	During the past 30 days, how often did you use soap when washing your hands?			
			1	Never	103	1.7
			2	Rarely	276	4.3
			3	Sometimes	488	11.7
			4	Most of the time	867	18.1
			5	Always	2,513	64.3
				Missing	127	
39-39	Q15	Q40	During the past 12 months, how many times were you physically attacked?			
			1	0 times	3,251	76.1
			2	1 time	556	12.6
			3	2 or 3 times	281	5.9
			4	4 or 5 times	72	2.3
			5	6 or 7 times	35	0.7
			6	8 or 9 times	26	0.6
			7	10 or 11 times	13	0.3
			8	12 or more times	84	1.5
	Missing	56				
40-40	Q16	Q41	During the past 12 months, how many times were you in a physical fight?			
			1	0 times	3,214	77.2
			2	1 time	627	13.1
			3	2 or 3 times	278	5.9
			4	4 or 5 times	70	1.3
			5	6 or 7 times	43	1.0
			6	8 or 9 times	19	0.3
			7	10 or 11 times	7	0.0
			8	12 or more times	70	1.1
	Missing	46				
41-41	Q17	Q42	During the past 12 months, how many times were you seriously injured?			
			1	0 times	2,867	68.2
			2	1 time	1,057	23.3
			3	2 or 3 times	308	5.5
			4	4 or 5 times	52	1.1
			5	6 or 7 times	30	0.7
			6	8 or 9 times	12	0.3
			7	10 or 11 times	1	0.0
			8	12 or more times	21	0.9
	Missing	26				

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Guatemala Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
44-44	Q20	Q44	During the past 30 days, on how many days were you bullied?		
			1 0 days	3,198	76.1
			2 1 or 2 days	576	17.5
			3 3 to 5 days	140	2.9
			4 6 to 9 days	70	1.4
			5 10 to 19 days	40	1.0
			6 20 to 29 days	7	0.1
			7 All 30 days	51	1.0
			Missing	292	
45-45	Q21	Q45	During the past 30 days, how were you bullied most often?		
			1 I was not bullied during the past 30 days	3,440	81.7
			2 I was hit, kicked, pushed, shoved around, or locked indoors	118	2.9
			3 I was made fun of because of my race, nationality, or color	80	2.7
			4 I was made fun of because of my religion	19	0.4
			5 I was made fun of with sexual jokes, comments, or gestures	102	2.2
			6 I was left out of activities on purpose or completely ignored	65	1.2
			7 I was made fun of because of how my body or face looks	110	3.0
			8 I was bullied in some other way	210	5.8
			Missing	230	
46-46	Q22	Q46	During the past 12 months, how often have you felt lonely?		
			1 Never	1,737	42.7
			2 Rarely	1,294	29.8
			3 Sometimes	829	18.7
			4 Most of the time	275	5.7
			5 Always	172	3.2
			Missing	67	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Guatemala Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
47-47	Q23	Q47	During the past 12 months, how often have you been so worried about something that you could not sleep at night?			
			1	Never	1,548	41.6
			2	Rarely	1,379	30.7
			3	Sometimes	936	20.5
			4	Most of the time	257	5.0
			5	Always	103	2.1
			Missing	151		
48-48	Q24	Q48	During the past 12 months, did you ever seriously consider attempting suicide?			
			1	Yes	869	18.0
			2	No	3,321	82.0
				Missing	184	
49-49	Q25	Q49	During the past 12 months, did you make a plan about how you would attempt suicide?			
			1	Yes	700	13.7
			2	No	3,516	86.3
				Missing	158	
50-50	Q26	Q50	During the past 12 months, how many times did you actually attempt suicide?			
			1	0 times	3,498	83.4
			2	1 time	505	11.2
			3	2 or 3 times	137	3.4
			4	4 or 5 times	72	1.0
			5	6 or more times	52	0.9
			Missing	110		
51-51	Q27	Q51	How many close friends do you have?			
			1	0	386	7.1
			2	1	446	11.6
			3	2	614	14.3
			4	3 or more	2,812	67.0
			Missing	116		
59-59	Q35	Q53	During the past 30 days, on how many days did you have at least one drink containing alcohol?			
			1	0 days	3,319	81.7
			2	1 or 2 days	584	12.5
			3	3 to 5 days	164	3.1
			4	6 to 9 days	80	1.0
			5	10 to 19 days	58	1.0
			6	20 to 29 days	37	0.4
			7	All 30 days	30	0.3
			Missing	102		

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Guatemala Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
60-60	Q36	Q54	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
			1 I did not drink alcohol during the past 30 days	3,255	78.4
			2 Less than one drink	300	6.1
			3 1 drink	247	5.9
			4 2 drinks	138	2.8
			5 3 drinks	86	1.6
			6 4 drinks	81	1.5
			7 5 or more drinks	198	3.7
			Missing	69	
61-61	Q37	Q55	During the past 30 days, how did you usually get the alcohol you drank?		
			1 I did not drink alcohol during the past 30 days	3,227	78.8
			2 I bought it in a store, shop, or from a street vendor	379	6.3
			3 I gave someone else money to buy it for me	109	2.6
			4 I got it from my friends	259	7.0
			5 I got it from my family	133	2.2
			6 I stole it or got it without permission	32	0.4
			7 I got it some other way	147	2.7
			Missing	88	
62-62	Q38	Q60	During your life, how many times did you drink so much alcohol that you were really drunk?		
			1 0 times	3,533	86.9
			2 1 or 2 times	488	7.7
			3 3 to 9 times	170	3.6
			4 10 or more times	96	1.7
			Missing	87	
63-63	Q39	Q61	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
			1 0 times	3,724	89.3
			2 1 or 2 times	406	8.2
			3 3 to 9 times	95	1.6
			4 10 or more times	59	0.8
			Missing	90	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Guatemala Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
64-64	Q40	Q64	How old were you when you first used drugs?		
			1 I have never used drugs	3,465	91.3
			2 7 years old or younger	116	1.6
			3 8 or 9 years old	84	1.4
			4 10 or 11 years old	68	0.6
			5 12 or 13 years old	187	2.8
			6 14 or 15 years old	146	2.1
			7 16 or 17 years old	21	0.2
			8 18 years old or older	2	0.0
	Missing	285			
65-65	Q41	Q65	During your life, how many times have you used marijuana ?		
			1 0 times	3,705	94.4
			2 1 or 2 times	191	2.3
			3 3 to 9 times	99	1.5
			4 10 to 19 times	49	1.1
			5 20 or more times	78	0.7
	Missing	252			
66-66	Q42	Q66	During the past 30 days, how many times have you used marijuana ?		
			1 0 times	3,855	95.9
			2 1 or 2 times	171	1.9
			3 3 to 9 times	80	1.0
			4 10 to 19 times	30	0.5
			5 20 or more times	41	0.7
	Missing	197			
67-67	Q43	Q67	During your life, how many times have you used amphetamines or methamphetamines ?		
			1 0 times	4,012	96.6
			2 1 or 2 times	96	1.8
			3 3 to 9 times	39	1.0
			4 10 to 19 times	10	0.2
			5 20 or more times	25	0.4
	Missing	192			

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Guatemala Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
68-68	Q44	Q79	Have you ever had sexual intercourse?		
			1 Yes	797	19.7
			2 No	3,105	80.3
			Missing	472	
69-69	Q45	Q80	How old were you when you had sexual intercourse for the first time?		
			1 I have never had sexual intercourse	3,510	86.5
			2 11 years old or younger	128	1.9
			3 12 years old	84	2.2
			4 13 years old	89	2.5
			5 14 years old	109	3.0
			6 15 years old	108	2.9
			7 16 or 17 years old	41	1.1
			8 18 years old or older	2	0.0
Missing	303				
70-70	Q46	Q81	During your life, with how many people have you had sexual intercourse?		
			1 I have never had sexual intercourse	3,604	86.7
			2 1 person	257	4.9
			3 2 people	122	3.0
			4 3 people	59	2.0
			5 4 people	51	1.1
			6 5 people	18	0.6
			7 6 or more people	72	1.6
Missing	191				
71-71	Q47	Q85	The last time you had sexual intercourse, did you or your partner use a condom or preservative?		
			1 I have never had sexual intercourse	3,491	85.8
			2 Yes	348	8.0
			3 No	218	6.2
Missing	317				

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Guatemala Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
72-72	Q48	Q86	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?			
			1	I have never had sexual intercourse	3,469	86.4
			2	Yes	173	5.3
			3	No	288	6.7
			4	I do not know	82	1.7
			Missing	362		
73-73	Q49	Q87	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?			
			1	0 days	1,162	31.1
			2	1 day	953	25.2
			3	2 days	550	11.7
			4	3 days	429	9.8
			5	4 days	238	5.4
			6	5 days	211	4.7
			7	6 days	91	1.6
			8	7 days	588	10.5
			Missing	152		
74-74	Q50	Q88	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?			
			1	0 days	1,856	43.3
			2	1 day	474	11.9
			3	2 days	225	5.5
			4	3 days	143	3.7
			5	4 days	116	3.3
			6	5 days	485	13.7
			7	6 days	41	0.7
			8	7 days	847	17.8
			Missing	187		
75-75	Q51	Q89	During this school year, on how many days did you go to physical education (PE) class each week?			
			1	0 days	526	11.2
			2	1 day	1,673	39.6
			3	2 days	682	12.4
			4	3 days	115	3.6
			5	4 days	91	4.7
			6	5 or more days	996	28.5
			Missing	291		

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Guatemala Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
76-76	Q52	Q92	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as jugar videojuegos, escuchar musica o conectarse en el internet en el chat con los amigos?		
			1 Less than 1 hour per day	1,636	50.9
			2 1 to 2 hours per day	1,109	27.0
			3 3 to 4 hours per day	659	12.1
			4 5 to 6 hours per day	286	4.0
			5 7 to 8 hours per day	114	1.2
			6 More than 8 hours per day	262	4.8
			Missing	308	
185-185	QN6		Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)		
			1 Yes	112	3.2
			2 No	4,206	96.8
			Missing	56	
186-186	QN7		Percentage of students who did not eat fruit (during the 30 days before the survey)		
			1 Yes	390	9.8
			2 No	3,942	90.2
			Missing	42	
187-187	QN8		Percentage of students who did not eat vegetables (during the 30 days before the survey)		
			1 Yes	308	7.1
			2 No	3,960	92.9
			Missing	106	
188-188	QN9		Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)		
			1 Yes	550	11.4
			2 No	3,798	88.6
			Missing	26	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Guatemala Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
189-189	QN10		Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)		
			1 Yes	1,545	43.1
			2 No	2,788	56.9
			Missing	41	
190-190	QN11		Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)		
			1 Yes	4,027	93.9
			2 No	277	6.1
			Missing	70	
191-191	QN12		Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)		
			1 Yes	362	5.3
			2 No	3,947	94.7
			Missing	65	
192-192	QN13		Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)		
			1 Yes	210	3.2
			2 No	4,080	96.8
			Missing	84	
193-193	QN14		Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)		
			1 Yes	379	6.0
			2 No	3,868	94.0
			Missing	127	
194-194	QN15		Percentage of students who were physically attacked (one or more times during the 12 months before the survey)		
			1 Yes	1,067	23.9
			2 No	3,251	76.1
			Missing	56	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Guatemala Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
195-195	QN16		Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
			1 Yes	1,114	22.8
			2 No	3,214	77.2
			Missing	46	
196-196	QN17		Percentage of students who were seriously injured (one or more times during the 12 months before the survey)		
			1 Yes	1,481	31.8
			2 No	2,867	68.2
			Missing	26	
199-199	QN20		Percentage of students who were bullied (on one or more days during the 30 days before the survey)		
			1 Yes	884	23.9
			2 No	3,198	76.1
			Missing	292	
200-200	QN21		Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)		
			1 Yes	118	15.6
			2 No	586	84.4
			Missing	3,670	
201-201	QN22		Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)		
			1 Yes	447	8.9
			2 No	3,860	91.1
			Missing	67	
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)		
			1 Yes	360	7.1
			2 No	3,863	92.9
			Missing	151	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Guatemala Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
203-203	QN24		Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)		
			1 Yes	869	18.0
			2 No	3,321	82.0
			Missing	184	
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
			1 Yes	700	13.7
			2 No	3,516	86.3
			Missing	158	
205-205	QN26		Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
			1 Yes	766	16.6
			2 No	3,498	83.4
			Missing	110	
206-206	QN27		Percentage of students who did not have any close friends		
			1 Yes	386	7.1
			2 No	3,872	92.9
			Missing	116	
214-214	QN35		Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)		
			1 Yes	953	18.3
			2 No	3,319	81.7
			Missing	102	
215-215	QN36		Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)		
			1 Yes	503	44.5
			2 No	547	55.5
			Missing	3,324	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Guatemala Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
216-216	QN37		Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)		
			1 Yes	259	33.1
			2 No	800	66.9
			Missing	3,315	
217-217	QN38		Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)		
			1 Yes	754	13.1
			2 No	3,533	86.9
			Missing	87	
218-218	QN39		Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)		
			1 Yes	560	10.7
			2 No	3,724	89.3
			Missing	90	
219-219	QN40		Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)		
			1 Yes	455	73.6
			2 No	169	26.4
			Missing	3,750	
220-220	QN41		Percentage of students who ever used marijuana (one or more times during their life)		
			1 Yes	417	5.6
			2 No	3,705	94.4
			Missing	252	
221-221	QN42		Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
			1 Yes	322	4.1
			2 No	3,855	95.9
			Missing	197	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Guatemala Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
222-222	QN43		Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)		
			1 Yes	170	3.4
			2 No	4,012	96.6
			Missing	192	
223-223	QN44		Percentage of students who ever had sexual intercourse		
			1 Yes	797	19.7
			2 No	3,105	80.3
			Missing	472	
224-224	QN45		Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)		
			1 Yes	301	48.3
			2 No	260	51.7
			Missing	3,813	
225-225	QN46		Percentage of students who had sexual intercourse with two or more persons (during their life)		
			1 Yes	322	8.4
			2 No	3,861	91.6
			Missing	191	
226-226	QN47		Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)		
			1 Yes	348	56.4
			2 No	218	43.6
			Missing	3,808	
227-227	QN48		Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
			1 Yes	173	38.8
			2 No	370	61.2
			Missing	3,831	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Guatemala Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
228-228	QN49		Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)		
		1	Yes	1,162	31.1
		2	No	3,060	68.9
			Missing	152	
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)		
		1	Yes	1,856	43.3
		2	No	2,331	56.7
			Missing	187	
230-230	QN51		Percentage of students who did not attend physical education classes (each week during this school year)		
		1	Yes	526	11.2
		2	No	3,557	88.8
			Missing	291	
231-231	QN52		Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)		
		1	Yes	1,321	22.1
		2	No	2,745	77.9
			Missing	308	
350-350	QNUNWTG		Percentage of students who were underweight (<-2SD from median for BMI by age and sex)		
		1	Yes	61	1.7
		2	No	3,931	98.3
			Missing	382	
351-351	QNOWTG		Percentage of students who were overweight (>+1SD from median for BMI by age and sex)		
		1	Yes	1,254	29.4
		2	No	2,738	70.6
			Missing	382	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Guatemala Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
352-352	QNOBESEG		Percentage of students who were obese (>+2SD from median for BMI by age and sex)			
			1	Yes	346	8.4
			2	No	3,646	91.6
			Missing	382		
353-353	QNFR1G		Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)			
			1	Yes	739	13.6
			2	No	3,593	86.4
			Missing	42		
354-354	QNFR1G		Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)			
			1	Yes	3,203	76.6
			2	No	1,129	23.4
			Missing	42		
355-355	QNFR2G		Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)			
			1	Yes	1,850	45.1
			2	No	2,482	54.9
			Missing	42		
356-356	QNFR3G		Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)			
			1	Yes	1,031	24.5
			2	No	3,301	75.5
			Missing	42		
357-357	QNVEGLG		Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)			
			1	Yes	711	16.7
			2	No	3,557	83.3
			Missing	106		

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Guatemala Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
358-358	QNVEG1G		Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)		
			1 Yes	3,249	76.2
			2 No	1,019	23.8
			Missing	106	
359-359	QNVEG2G		Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)		
			1 Yes	1,814	42.4
			2 No	2,454	57.6
			Missing	106	
360-360	QNVEG3G		Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)		
			1 Yes	964	20.9
			2 No	3,304	79.1
			Missing	106	
361-361	QNSODALG		Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)		
			1 Yes	1,192	28.1
			2 No	3,156	71.9
			Missing	26	
362-362	QNSODA1G		Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)		
			1 Yes	2,606	60.5
			2 No	1,742	39.5
			Missing	26	
363-363	QNSODA2G		Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)		
			1 Yes	1,418	28.0
			2 No	2,930	72.0
			Missing	26	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Guatemala Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
364-364	QNSODA3G		Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)		
			1 Yes	737	14.8
			2 No	3,611	85.2
			Missing	26	
365-365	QNFF1G		Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)		
			1 Yes	2,788	56.9
			2 No	1,545	43.1
			Missing	41	
366-366	QNFF2G		Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)		
			1 Yes	1,426	26.1
			2 No	2,907	73.9
			Missing	41	
367-367	QNFF3G		Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)		
			1 Yes	741	14.2
			2 No	3,592	85.8
			Missing	41	
368-368	QNC2G		Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)		
			1 Yes	129	43.3
			2 No	202	56.7
			Missing	4,043	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Guatemala Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
371-371	QNBCANYG		Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
			1 Yes	358	75.6
			2 No	116	24.4
			Missing	3,900	
372-372	QNC1G		Percentage of students who ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk (one or more times during their life)		
			1 Yes	245	48.6
			2 No	378	51.4
			Missing	3,751	
373-373	QNPA5G		Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)		
			1 Yes	890	16.8
			2 No	3,332	83.2
			Missing	152	
374-374	QNPA7G		Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)		
			1 Yes	588	10.5
			2 No	3,634	89.5
			Missing	152	
375-375	QNPE3G		Percentage of students who attended physical education classes on three or more days (each week during this school year)		
			1 Yes	1,202	36.8
			2 No	2,881	63.2
			Missing	291	
376-376	QNPE5G		Percentage of students who attended physical education classes on five or more days (each week during this school year)		
			1 Yes	996	28.5
			2 No	3,087	71.5
			Missing	291	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Guatemala Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
377-386	WEIGHT				
387-395	STRATUM				
396-400	PSU				
