

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia (Java) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	Q1	Q1	How old are you?			
			1	11 years old or younger	68	1.9
			2	12 years old	662	18.7
			3	13 years old	912	26.2
			4	14 years old	982	26.6
			5	15 years old	585	12.8
			6	16 years old	301	6.9
			7	17 years old	229	6.3
			8	18 years old or older	20	0.6
		Missing	1			
18-18	Q2	Q2	What is your sex?			
			1	Male	1,766	49.2
			2	Female	1,987	50.8
				Missing	7	
19-19	Q3	Q3	In what grade are you?			
			1	Kelas 7	952	27.0
			2	Kelas 8	922	27.3
			3	Kelas 9	973	26.5
			4	Kelas 10	351	5.5
			5	Kelas 11	293	6.6
			6	Kelas 12	249	7.1
		Missing	20			
20-23	Q4	Q4	How tall are you without your shoes on? (Note: Data are in meters.)			
24-29	Q5	Q5	How much do you weigh without your shoes on? (Note: Data are in kilograms.)			
30-30	Q6	Q7	During the past 30 days, how often did you go hungry because there was not enough food in your home?			
			1	Never	1,639	44.2
			2	Rarely	535	13.9
			3	Sometimes	1,439	38.3
			4	Most of the time	101	2.7
			5	Always	35	1.0
		Missing	11			

## 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

### Indonesia (Java) Survey

#### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
31-31	Q7	Q8	During the past 30 days, how many times per day did you usually eat fruit, such as pineapples, bananas, oranges, or watermelons?		
			1 I did not eat fruit during the past 30 days	271	7.4
			2 Less than one time per day	953	24.7
			3 1 time per day	1,059	28.1
			4 2 times per day	816	22.3
			5 3 times per day	413	11.3
			6 4 times per day	65	1.8
			7 5 or more times per day	153	4.3
			Missing	30	
32-32	Q8	Q9	During the past 30 days, how many times per day did you usually eat vegetables, such as carrots, cabbage, spinach, or kangkong/kangkung?		
			1 I did not eat vegetables during the past 30 days	106	2.8
			2 Less than one time per day	500	13.1
			3 1 time per day	896	23.4
			4 2 times per day	1,120	29.8
			5 3 times per day	893	24.4
			6 4 times per day	91	2.5
			7 5 or more times per day	145	4.1
			Missing	9	
33-33	Q9	Q10	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Coca-Cola, Sprite, Fanta, or Big Cola?		
			1 I did not drink carbonated soft drinks during the past 30 days	1,420	37.5
			2 Less than one time per day	1,368	35.9
			3 1 time per day	639	17.6
			4 2 times per day	192	5.3
			5 3 times per day	71	1.9
			6 4 times per day	14	0.4
			7 5 or more times per day	45	1.3
			Missing	11	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia (Java) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
34-34	Q10	Q11	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as KFC, McDonald, Texas Fried Chicken, California Fried Chicken, Burger King, or A and W?		
			1 0 days	1,597	42.7
			2 1 day	1,112	29.7
			3 2 days	532	14.2
			4 3 days	304	8.0
			5 4 days	88	2.3
			6 5 days	39	1.0
			7 6 days	22	0.6
			8 7 days	53	1.4
			Missing	13	
35-35	Q11	Q17	During the past 30 days, how many times per day did you usually clean or brush your teeth?		
			1 I did not clean or brush my teeth during the past 30 days	14	0.4
			2 Less than 1 time per day	59	1.7
			3 1 time per day	303	8.1
			4 2 times per day	2,144	57.0
			5 3 times per day	1,113	29.9
			6 4 or more times per day	105	2.9
			Missing	22	
36-36	Q12	Q18	During the past 30 days, how often did you wash your hands before eating?		
			1 Never	37	1.1
			2 Rarely	63	1.6
			3 Sometimes	988	26.3
			4 Most of the time	943	24.9
			5 Always	1,725	46.1
			Missing	4	
37-37	Q13	Q19	During the past 30 days, how often did you wash your hands after using the toilet or latrine?		
			1 Never	25	0.7
			2 Rarely	33	0.9
			3 Sometimes	466	12.5
			4 Most of the time	775	20.7
			5 Always	2,454	65.2
			Missing	7	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia (Java) Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
38-38	Q14	Q20	During the past 30 days, how often did you use soap when washing your hands?			
			1	Never	59	1.7
			2	Rarely	64	1.7
			3	Sometimes	1,126	30.0
			4	Most of the time	958	25.7
			5	Always	1,528	40.8
				Missing	25	
39-39	Q15	Q22	During the past 12 months, how many times were you physically attacked?			
			1	0 times	2,593	67.9
			2	1 time	443	12.2
			3	2 or 3 times	507	14.1
			4	4 or 5 times	103	2.8
			5	6 or 7 times	34	1.0
			6	8 or 9 times	32	0.9
			7	10 or 11 times	8	0.2
			8	12 or more times	33	0.9
	Missing	7				
40-40	Q16	Q23	During the past 12 months, how many times were you in a physical fight?			
			1	0 times	3,017	79.4
			2	1 time	368	10.3
			3	2 or 3 times	242	6.9
			4	4 or 5 times	62	1.8
			5	6 or 7 times	23	0.7
			6	8 or 9 times	5	0.1
			7	10 or 11 times	4	0.1
			8	12 or more times	22	0.6
	Missing	17				
41-41	Q17	Q25	During the past 12 months, how many times were you seriously injured?			
			1	0 times	2,504	72.0
			2	1 time	591	17.7
			3	2 or 3 times	247	7.3
			4	4 or 5 times	59	1.8
			5	6 or 7 times	13	0.4
			6	8 or 9 times	11	0.4
			7	10 or 11 times	0	0.0
			8	12 or more times	12	0.4
	Missing	323				

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia (Java) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
42-42	Q18	Q26	During the past 12 months, what was the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	2,807	78.2
			2 I had a broken bone or a dislocated joint	323	9.2
			3 I had a cut or stab wound	56	1.7
			4 I had a concussion or other head or neck injury, was knocked out, or could not breathe	28	0.8
			5 I had a gunshot wound	8	0.3
			6 I had a bad burn	14	0.4
			7 I was poisoned or took too much of a drug	3	0.1
			8 Something else happened to me	329	9.3
			Missing	192	
43-43	Q19	Q27	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	2,678	76.8
			2 I was in a motor vehicle accident or hit by a motor vehicle	169	4.9
			3 I fell	399	11.8
			4 Something fell on me or hit me	48	1.5
			5 I was attacked or abused or was fighting with someone	40	1.3
			6 I was in a fire or too near a flame or something hot	6	0.2
			7 I inhaled or swallowed something bad for me	19	0.6
			8 Something else caused my injury	101	2.9
			Missing	300	
44-44	Q20	Q29	During the past 30 days, on how many days were you bullied?		
			1 0 days	2,856	80.0
			2 1 or 2 days	449	13.1
			3 3 to 5 days	123	3.5
			4 6 to 9 days	53	1.6
			5 10 to 19 days	25	0.7
			6 20 to 29 days	9	0.2
			7 All 30 days	33	1.0
			Missing	212	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia (Java) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q21	Q30	During the past 30 days, how were you bullied most often?		
			1 I was not bullied during the past 30 days	2,939	82.6
			2 I was hit, kicked, pushed, shoved around, or locked indoors	59	1.8
			3 I was made fun of because of my race, nationality, or color	45	1.2
			4 I was made fun of because of my religion	13	0.4
			5 I was made fun of with sexual jokes, comments, or gestures	147	4.2
			6 I was left out of activities on purpose or completely ignored	32	0.9
			7 I was made fun of because of how my body or face looks	120	3.5
			8 I was bullied in some other way	191	5.5
			Missing	214	
46-46	Q22	Q38	During the past 12 months, how often have you felt lonely?		
			1 Never	1,533	41.9
			2 Rarely	488	12.9
			3 Sometimes	1,481	39.1
			4 Most of the time	187	4.9
			5 Always	46	1.2
			Missing	25	
47-47	Q23	Q39	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
			1 Never	1,654	45.2
			2 Rarely	458	11.9
			3 Sometimes	1,471	38.4
			4 Most of the time	138	3.6
			5 Always	34	0.9
			Missing	5	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia (Java) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
48-48	Q24	Q40	During the past 12 months, did you ever seriously consider attempting suicide?			
			1	Yes	174	4.6
			2	No	3,537	95.4
				Missing	49	
49-49	Q25	Q41	During the past 12 months, did you make a plan about how you would attempt suicide?			
			1	Yes	183	5.1
			2	No	3,534	94.9
				Missing	43	
50-50	Q26	Q42	During the past 12 months, how many times did you actually attempt suicide?			
			1	0 times	3,625	96.3
			2	1 time	81	2.3
			3	2 or 3 times	16	0.4
			4	4 or 5 times	27	0.8
			5	6 or more times	8	0.2
				Missing	3	
51-51	Q27	Q43	How many close friends do you have?			
			1	0	112	3.1
			2	1	182	4.8
			3	2	234	6.2
			4	3 or more	3,218	85.8
		Missing	14			
52-52	Q28	Q45	How old were you when you first tried a cigarette?			
			1	I have never smoked cigarettes	2,891	78.3
			2	7 years old or younger	90	2.6
			3	8 or 9 years old	103	3.0
			4	10 or 11 years old	185	5.4
			5	12 or 13 years old	222	6.4
			6	14 or 15 years old	135	3.7
			7	16 or 17 years old	21	0.6
			8	18 years old or older	0	0.0
		Missing	113			

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia (Java) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
53-53	Q29	Q46	During the past 30 days, on how many days did you smoke cigarettes?		
			1 0 days	3,338	88.7
			2 1 or 2 days	193	5.6
			3 3 to 5 days	61	1.7
			4 6 to 9 days	35	1.0
			5 10 to 19 days	31	0.8
			6 20 to 29 days	13	0.4
			7 All 30 days	63	1.8
	Missing	26			
54-54	Q30	Q47	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as sirih, piper betel cerutu, or cigars?		
			1 0 days	3,638	96.9
			2 1 or 2 days	48	1.4
			3 3 to 5 days	30	0.9
			4 6 to 9 days	13	0.4
			5 10 to 19 days	7	0.2
			6 20 to 29 days	8	0.2
			7 All 30 days	2	0.1
	Missing	14			
55-55	Q31	Q48	During the past 12 months, have you ever tried to stop smoking cigarettes?		
			1 I have never smoked cigarettes	3,027	82.0
			2 I did not smoke cigarettes during the past 12 months	148	4.1
			3 Yes	439	12.7
			4 No	39	1.2
	Missing	107			
56-56	Q32	Q49	During the past 7 days, on how many days have people smoked in your presence?		
			1 0 days	807	21.6
			2 1 or 2 days	882	23.3
			3 3 or 4 days	444	11.7
			4 5 or 6 days	176	4.8
			5 All 7 days	1,430	38.6
	Missing	21			

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia (Java) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
57-57	Q33	Q50	Which of your parents or guardians use any form of tobacco?			
			1	Neither	1,483	39.6
			2	My father or male guardian	1,955	51.8
			3	My mother or female guardian	30	0.8
			4	Both	40	1.1
			5	I do not know	242	6.7
			Missing	10		
58-58	Q34	Q51	How old were you when you had your first drink of alcohol other than a few sips?			
			1	I have never had a drink of alcohol other than a few sips	3,289	92.5
			2	7 years old or younger	41	1.3
			3	8 or 9 years old	37	1.1
			4	10 or 11 years old	33	1.0
			5	12 or 13 years old	60	1.6
			6	14 or 15 years old	74	1.9
			7	16 or 17 years old	20	0.6
			8	18 years old or older	0	0.0
			Missing	206		
59-59	Q35	Q52	During the past 30 days, on how many days did you have at least one drink containing alcohol?			
			1	0 days	3,581	96.1
			2	1 or 2 days	90	2.5
			3	3 to 5 days	23	0.6
			4	6 to 9 days	15	0.4
			5	10 to 19 days	5	0.2
			6	20 to 29 days	2	0.1
			7	All 30 days	3	0.1
			Missing	41		
60-60	Q36	Q53	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?			
			1	I did not drink alcohol during the past 30 days	3,548	95.2
			2	Less than one drink	67	1.8
			3	1 drink	48	1.4
			4	2 drinks	17	0.5
			5	3 drinks	18	0.5
			6	4 drinks	9	0.3
			7	5 or more drinks	12	0.4
			Missing	41		

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia (Java) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
61-61	Q37	Q54	During the past 30 days, how did you usually get the alcohol you drank?		
			1 I did not drink alcohol during the past 30 days	3,554	96.2
			2 I bought it in a store, shop, or from a street vendor	55	1.5
			3 I gave someone else money to buy it for me	12	0.3
			4 I got it from my friends	45	1.3
			5 I got it from my family	16	0.4
			6 I stole it or got it without permission	1	0.0
			7 I got it some other way	6	0.2
			Missing	71	
62-62	Q38	Q56	During your life, how many times did you drink so much alcohol that you were really drunk?		
			1 0 times	3,592	96.9
			2 1 or 2 times	76	2.1
			3 3 to 9 times	21	0.6
			4 10 or more times	14	0.4
			Missing	57	
63-63	Q39	Q57	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
			1 0 times	3,550	97.5
			2 1 or 2 times	61	1.8
			3 3 to 9 times	11	0.3
			4 10 or more times	11	0.4
			Missing	127	
64-64	Q40	Q58	How old were you when you first used drugs?		
			1 I have never used drugs	3,605	97.5
			2 7 years old or younger	32	1.0
			3 8 or 9 years old	22	0.7
			4 10 or 11 years old	15	0.4
			5 12 or 13 years old	7	0.2
			6 14 or 15 years old	5	0.1
			7 16 or 17 years old	2	0.1
			8 18 years old or older	0	0.0
			Missing	72	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia (Java) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
65-65	Q41	Q59	During your life, how many times have you used marijuana (also called ganja)?		
			1 0 times	3,672	98.5
			2 1 or 2 times	18	0.5
			3 3 to 9 times	17	0.5
			4 10 to 19 times	8	0.2
			5 20 or more times	9	0.3
			Missing	36	
66-66	Q42	Q60	During the past 30 days, how many times have you used marijuana (also called ganja)?		
			1 0 times	3,701	99.0
			2 1 or 2 times	16	0.5
			3 3 to 9 times	13	0.4
			4 10 to 19 times	2	0.1
			5 20 or more times	4	0.1
			Missing	24	
67-67	Q43	Q61	During your life, how many times have you used amphetamines or methamphetamines (also called ekstasi)?		
			1 0 times	3,639	98.5
			2 1 or 2 times	24	0.7
			3 3 to 9 times	13	0.4
			4 10 to 19 times	8	0.2
			5 20 or more times	4	0.1
			Missing	72	
68-68	Q44	Q62	Have you ever had sexual intercourse?		
			1 Yes	146	4.7
			2 No	3,163	95.3
			Missing	451	
69-69	Q45	Q63	How old were you when you had sexual intercourse for the first time?		
			1 I have never had sexual intercourse	3,654	98.5
			2 11 years old or younger	23	0.7
			3 12 years old	9	0.3
			4 13 years old	5	0.2
			5 14 years old	7	0.2
			6 15 years old	4	0.1
			7 16 or 17 years old	3	0.1
			8 18 years old or older	0	0.0
Missing	55				

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia (Java) Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
70-70	Q46	Q64	During your life, with how many people have you had sexual intercourse?		
			1 I have never had sexual intercourse	3,651	98.1
			2 1 person	25	0.8
			3 2 people	19	0.6
			4 3 people	8	0.2
			5 4 people	5	0.2
			6 5 people	4	0.1
			7 6 or more people	5	0.2
			Missing	43	
71-71	Q47	Q66	The last time you had sexual intercourse, did you or your partner use a condom or kondom?		
			1 I have never had sexual intercourse	3,371	98.3
			2 Yes	19	0.6
			3 No	34	1.1
			Missing	336	
72-72	Q48	Q67	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?		
			1 I have never had sexual intercourse	3,453	98.1
			2 Yes	22	0.7
			3 No	31	1.0
			4 I do not know	8	0.2
			Missing	246	
73-73	Q49	Q71	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
			1 0 days	1,070	29.8
			2 1 day	1,038	27.6
			3 2 days	517	13.6
			4 3 days	315	8.3
			5 4 days	149	3.9
			6 5 days	102	2.6
			7 6 days	64	1.7
			8 7 days	464	12.5
			Missing	41	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia (Java) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
74-74	Q50	Q72	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?			
			1	0 days	1,969	51.5
			2	1 day	204	5.5
			3	2 days	119	3.3
			4	3 days	77	2.1
			5	4 days	42	1.2
			6	5 days	77	1.9
			7	6 days	344	9.3
			8	7 days	914	25.3
	Missing	14				
75-75	Q51	Q73	During this school year, on how many days did you go to physical education (PE) class each week?			
			1	0 days	384	10.6
			2	1 day	2,568	68.2
			3	2 days	383	10.3
			4	3 days	86	2.3
			5	4 days	25	0.7
			6	5 or more days	285	8.0
	Missing	29				
76-76	Q52	Q74	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as main play station?			
			1	Less than 1 hour per day	1,163	32.5
			2	1 to 2 hours per day	1,386	37.4
			3	3 to 4 hours per day	719	18.4
			4	5 to 6 hours per day	240	6.1
			5	7 to 8 hours per day	75	1.9
			6	More than 8 hours per day	145	3.7
	Missing	32				
77-77	Q53	Q75	During the past 30 days, on how many days did you miss classes or school without permission?			
			1	0 days	3,189	84.3
			2	1 or 2 days	461	12.9
			3	3 to 5 days	72	2.1
			4	6 to 9 days	15	0.4
			5	10 or more days	9	0.2
	Missing	14				

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia (Java) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
78-78	Q54	Q76	During the past 30 days, how often were most of the students in your school kind and helpful?		
			1 Never	150	4.4
			2 Rarely	143	4.0
			3 Sometimes	1,899	51.0
			4 Most of the time	848	22.0
			5 Always	697	18.5
			Missing	23	
79-79	Q55	Q77	During the past 30 days, how often did your parents or guardians check to see if your homework was done?		
			1 Never	653	17.3
			2 Rarely	251	6.5
			3 Sometimes	1,474	39.2
			4 Most of the time	522	14.0
			5 Always	826	23.0
			Missing	34	
80-80	Q56	Q78	During the past 30 days, how often did your parents or guardians understand your problems and worries?		
			1 Never	795	21.7
			2 Rarely	273	7.2
			3 Sometimes	1,357	36.1
			4 Most of the time	560	14.8
			5 Always	750	20.1
			Missing	25	
81-81	Q57	Q79	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?		
			1 Never	595	16.9
			2 Rarely	195	5.4
			3 Sometimes	1,311	35.4
			4 Most of the time	726	18.5
			5 Always	907	23.8
			Missing	26	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia (Java) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
82-82	Q58	Q80	During the past 30 days, how often did your parents or guardians go through your things without your approval?		
			1 Never	1,600	43.2
			2 Rarely	413	10.8
			3 Sometimes	1,235	33.1
			4 Most of the time	234	6.3
			5 Always	241	6.6
			Missing	37	
185-185	QN6		Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)		
			1 Yes	136	3.7
			2 No	3,613	96.3
			Missing	11	
186-186	QN7		Percentage of students who did not eat fruit (during the 30 days before the survey)		
			1 Yes	271	7.4
			2 No	3,459	92.6
			Missing	30	
187-187	QN8		Percentage of students who did not eat vegetables (during the 30 days before the survey)		
			1 Yes	106	2.8
			2 No	3,645	97.2
			Missing	9	
188-188	QN9		Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)		
			1 Yes	1,420	37.5
			2 No	2,329	62.5
			Missing	11	
189-189	QN10		Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)		
			1 Yes	1,597	42.7
			2 No	2,150	57.3
			Missing	13	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia (Java) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
190-190	QN11		Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)		
			1 Yes	3,665	97.9
			2 No	73	2.1
			Missing	22	
191-191	QN12		Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)		
			1 Yes	100	2.7
			2 No	3,656	97.3
			Missing	4	
192-192	QN13		Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)		
			1 Yes	58	1.6
			2 No	3,695	98.4
			Missing	7	
193-193	QN14		Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)		
			1 Yes	123	3.5
			2 No	3,612	96.5
			Missing	25	
194-194	QN15		Percentage of students who were physically attacked (one or more times during the 12 months before the survey)		
			1 Yes	1,160	32.1
			2 No	2,593	67.9
			Missing	7	
195-195	QN16		Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
			1 Yes	726	20.6
			2 No	3,017	79.4
			Missing	17	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia (Java) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
196-196	QN17		Percentage of students who were seriously injured (one or more times during the 12 months before the survey)		
			1 Yes	933	28.0
			2 No	2,504	72.0
			Missing	323	
197-197	QN18		Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)		
			1 Yes	323	42.3
			2 No	438	57.7
			Missing	2,999	
198-198	QN19		Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)		
			1 Yes	169	21.1
			2 No	613	78.9
			Missing	2,978	
199-199	QN20		Percentage of students who were bullied (on one or more days during the 30 days before the survey)		
			1 Yes	692	20.0
			2 No	2,856	80.0
			Missing	212	
200-200	QN21		Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )		
			1 Yes	59	10.4
			2 No	548	89.6
			Missing	3,153	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia (Java) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
201-201	QN22		Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)		
			1 Yes	233	6.2
			2 No	3,502	93.8
			Missing	25	
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)		
			1 Yes	172	4.5
			2 No	3,583	95.5
			Missing	5	
203-203	QN24		Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)		
			1 Yes	174	4.6
			2 No	3,537	95.4
			Missing	49	
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
			1 Yes	183	5.1
			2 No	3,534	94.9
			Missing	43	
205-205	QN26		Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
			1 Yes	132	3.7
			2 No	3,625	96.3
			Missing	3	
206-206	QN27		Percentage of students who did not have any close friends		
			1 Yes	112	3.1
			2 No	3,634	96.9
			Missing	14	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia (Java) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
207-207	QN28		Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)		
			1 Yes	600	80.4
			2 No	156	19.6
				Missing	3,004
208-208	QN29		Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
			1 Yes	396	11.3
			2 No	3,338	88.7
				Missing	26
209-209	QN30		Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)		
			1 Yes	108	3.1
			2 No	3,638	96.9
				Missing	14
210-210	QN31		Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)		
			1 Yes	439	91.5
			2 No	39	8.5
				Missing	3,282
211-211	QN32		Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)		
			1 Yes	2,932	78.4
			2 No	807	21.6
				Missing	21
212-212	QN33		Percentage of students who had parents or guardians who used any form of tobacco		
			1 Yes	2,025	53.7
			2 No	1,725	46.3
				Missing	10

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia (Java) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
213-213	QN34		Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)		
			1 Yes	171	66.6
			2 No	94	33.4
			Missing	3,495	
214-214	QN35		Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)		
			1 Yes	138	3.9
			2 No	3,581	96.1
			Missing	41	
215-215	QN36		Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)		
			1 Yes	56	33.7
			2 No	115	66.3
			Missing	3,589	
216-216	QN37		Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)		
			1 Yes	45	34.6
			2 No	90	65.4
			Missing	3,625	
217-217	QN38		Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)		
			1 Yes	111	3.1
			2 No	3,592	96.9
			Missing	57	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia (Java) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
218-218	QN39		Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)		
			1 Yes	83	2.5
			2 No	3,550	97.5
			Missing	127	
219-219	QN40		Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)		
			1 Yes	76	91.8
			2 No	7	8.2
			Missing	3,677	
220-220	QN41		Percentage of students who ever used marijuana (one or more times during their life)		
			1 Yes	52	1.5
			2 No	3,672	98.5
			Missing	36	
221-221	QN42		Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
			1 Yes	35	1.0
			2 No	3,701	99.0
			Missing	24	
222-222	QN43		Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)		
			1 Yes	49	1.5
			2 No	3,639	98.5
			Missing	72	
223-223	QN44		Percentage of students who ever had sexual intercourse		
			1 Yes	146	4.7
			2 No	3,163	95.3
			Missing	451	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia (Java) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
224-224	QN45		Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)		
			1 Yes	37	75.3
			2 No	14	24.7
			Missing	3,709	
225-225	QN46		Percentage of students who had sexual intercourse with two or more persons (during their life)		
			1 Yes	41	1.2
			2 No	3,676	98.8
			Missing	43	
226-226	QN47		Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)		
			1 Yes	19	36.9
			2 No	34	63.1
			Missing	3,707	
227-227	QN48		Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
			1 Yes	22	35.9
			2 No	39	64.1
			Missing	3,699	
228-228	QN49		Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)		
			1 Yes	1,070	29.8
			2 No	2,649	70.2
			Missing	41	
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)		
			1 Yes	1,969	51.5
			2 No	1,777	48.5
			Missing	14	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia (Java) Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
230-230	QN51		Percentage of students who did not attend physical education classes (each week during this school year)		
			1 Yes	384	10.6
			2 No	3,347	89.4
			Missing	29	
231-231	QN52		Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)		
			1 Yes	1,179	30.1
			2 No	2,549	69.9
			Missing	32	
232-232	QN53		Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)		
			1 Yes	557	15.7
			2 No	3,189	84.3
			Missing	14	
233-233	QN54		Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)		
			1 Yes	1,545	40.5
			2 No	2,192	59.5
			Missing	23	
234-234	QN55		Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)		
			1 Yes	1,348	37.0
			2 No	2,378	63.0
			Missing	34	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia (Java) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
235-235	QN56		Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)		
			1 Yes	1,310	34.9
			2 No	2,425	65.1
			Missing	25	
236-236	QN57		Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)		
			1 Yes	1,633	42.3
			2 No	2,101	57.7
			Missing	26	
237-237	QN58		Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)		
			1 Yes	2,013	54.0
			2 No	1,710	46.0
			Missing	37	
350-350	QNUNWTG		Percentage of students who were underweight (<-2SD from median for BMI by age and sex)		
			1 Yes	242	6.8
			2 No	3,374	93.2
			Missing	144	
351-351	QNOWTG		Percentage of students who were overweight (>+1SD from median for BMI by age and sex)		
			1 Yes	690	18.8
			2 No	2,926	81.2
			Missing	144	
352-352	QNOBESEG		Percentage of students who were obese (>+2SD from median for BMI by age and sex)		
			1 Yes	230	6.4
			2 No	3,386	93.6
			Missing	144	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia (Java) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
353-353	QNFR1G		Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)		
			1 Yes	953	24.7
			2 No	2,777	75.3
			Missing	30	
354-354	QNFR1G		Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)		
			1 Yes	2,506	67.8
			2 No	1,224	32.2
			Missing	30	
355-355	QNFR2G		Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)		
			1 Yes	1,447	39.7
			2 No	2,283	60.3
			Missing	30	
356-356	QNFR3G		Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)		
			1 Yes	631	17.4
			2 No	3,099	82.6
			Missing	30	
357-357	QNVEGLG		Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)		
			1 Yes	500	13.1
			2 No	3,251	86.9
			Missing	9	
358-358	QNVEG1G		Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)		
			1 Yes	3,145	84.2
			2 No	606	15.8
			Missing	9	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia (Java) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
359-359	QNVEG2G		Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)		
			1 Yes	2,249	60.8
			2 No	1,502	39.2
			Missing	9	
360-360	QNVEG3G		Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)		
			1 Yes	1,129	31.0
			2 No	2,622	69.0
			Missing	9	
361-361	QNSODALG		Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)		
			1 Yes	1,368	35.9
			2 No	2,381	64.1
			Missing	11	
362-362	QNSODA1G		Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)		
			1 Yes	961	26.6
			2 No	2,788	73.4
			Missing	11	
363-363	QNSODA2G		Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)		
			1 Yes	322	9.0
			2 No	3,427	91.0
			Missing	11	
364-364	QNSODA3G		Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)		
			1 Yes	130	3.7
			2 No	3,619	96.3
			Missing	11	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia (Java) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
365-365	QNFF1G		Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)		
			1 Yes	2,150	57.3
			2 No	1,597	42.7
			Missing	13	
366-366	QNFF2G		Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)		
			1 Yes	1,038	27.6
			2 No	2,709	72.4
			Missing	13	
367-367	QNFF3G		Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)		
			1 Yes	506	13.3
			2 No	3,241	86.7
			Missing	13	
368-368	QNC2G		Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)		
			1 Yes	68	43.4
			2 No	91	56.6
			Missing	3,601	
369-369	QNTOB2G		Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)		
			1 Yes	426	12.2
			2 No	3,313	87.8
			Missing	21	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia (Java) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
370-370	QNNOTB2G		Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)		
			1 Yes	3,313	88.3
			2 No	409	11.7
			Missing	38	
371-371	QNBCANYG		Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
			1 Yes	20	55.7
			2 No	16	44.3
			Missing	3,724	
372-372	QNC1G		Percentage of students who ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk (one or more times during their life)		
			1 Yes	18	24.1
			2 No	61	75.9
			Missing	3,681	
373-373	QNPA5G		Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)		
			1 Yes	630	16.8
			2 No	3,089	83.2
			Missing	41	
374-374	QNPA7G		Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)		
			1 Yes	464	12.5
			2 No	3,255	87.5
			Missing	41	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia (Java) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
375-375	QNPE3G		Percentage of students who attended physical education classes on three or more days (each week during this school year)		
			1 Yes	396	10.9
			2 No	3,335	89.1
			Missing	29	
376-376	QNPE5G		Percentage of students who attended physical education classes on five or more days (each week during this school year)		
			1 Yes	285	8.0
			2 No	3,446	92.0
			Missing	29	
377-386	WEIGHT				
387-395	STRATUM				
396-400	PSU				