

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Indonesia (outside Java and Sumatra) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	Q1	How old are you?		
			1 11 years old or younger	127	3.6
			2 12 years old	592	16.6
			3 13 years old	810	21.8
			4 14 years old	804	20.6
			5 15 years old	619	15.0
			6 16 years old	411	9.8
			7 17 years old	269	8.6
			8 18 years old or older	114	4.1
			Missing	5	
18-18	Q2	Q2	What is your sex?		
			1 Male	1,683	48.9
			2 Female	2,062	51.1
			Missing	6	
19-19	Q3	Q3	In what grade are you?		
			1 Kelas 7	897	25.3
			2 Kelas 8	910	24.7
			3 Kelas 9	934	23.5
			4 Kelas 10	373	8.1
			5 Kelas 11	393	8.8
			6 Kelas 12	229	9.5
			Missing	15	
20-23	Q4	Q4	How tall are you without your shoes on? (Note: Data are in meters.)		
24-29	Q5	Q5	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
30-30	Q6	Q7	During the past 30 days, how often did you go hungry because there was not enough food in your home?		
			1 Never	1,461	38.5
			2 Rarely	364	9.9
			3 Sometimes	1,693	45.5
			4 Most of the time	137	3.7
			5 Always	89	2.4
			Missing	7	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Indonesia (outside Java and Sumatra) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
31-31	Q7	Q8	During the past 30 days, how many times per day did you usually eat fruit, such as pineapples, bananas, oranges, or watermelons?		
			1 I did not eat fruit during the past 30 days	436	11.9
			2 Less than one time per day	1,147	30.8
			3 1 time per day	1,032	27.5
			4 2 times per day	615	16.3
			5 3 times per day	284	7.6
			6 4 times per day	69	1.9
			7 5 or more times per day	148	4.1
			Missing	20	
32-32	Q8	Q9	During the past 30 days, how many times per day did you usually eat vegetables, such as carrots, cabbage, spinach, or kangkong/kangkung?		
			1 I did not eat vegetables during the past 30 days	121	3.3
			2 Less than one time per day	622	16.6
			3 1 time per day	1,001	26.7
			4 2 times per day	1,076	28.8
			5 3 times per day	662	17.8
			6 4 times per day	80	2.1
			7 5 or more times per day	182	4.8
			Missing	7	
33-33	Q9	Q10	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Coca-Cola, Sprite, Fanta, or Big Cola?		
			1 I did not drink carbonated soft drinks during the past 30 days	1,360	36.1
			2 Less than one time per day	1,218	32.5
			3 1 time per day	767	20.6
			4 2 times per day	231	6.1
			5 3 times per day	85	2.3
			6 4 times per day	33	0.9
			7 5 or more times per day	53	1.5
			Missing	4	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Indonesia (outside Java and Sumatra) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
34-34	Q10	Q11	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as KFC, McDonald, Texas Fried Chicken, California Fried Chicken, Burger King, or A and W?		
			1 0 days	1,834	48.7
			2 1 day	1,074	28.8
			3 2 days	396	10.5
			4 3 days	222	5.9
			5 4 days	91	2.4
			6 5 days	38	1.0
			7 6 days	24	0.7
			8 7 days	70	2.0
			Missing	2	
35-35	Q11	Q17	During the past 30 days, how many times per day did you usually clean or brush your teeth?		
			1 I did not clean or brush my teeth during the past 30 days	23	0.7
			2 Less than 1 time per day	87	2.4
			3 1 time per day	394	10.9
			4 2 times per day	1,967	52.5
			5 3 times per day	1,095	28.8
			6 4 or more times per day	167	4.7
			Missing	18	
36-36	Q12	Q18	During the past 30 days, how often did you wash your hands before eating?		
			1 Never	46	1.3
			2 Rarely	49	1.4
			3 Sometimes	707	18.9
			4 Most of the time	825	22.2
			5 Always	2,117	56.2
			Missing	7	
37-37	Q13	Q19	During the past 30 days, how often did you wash your hands after using the toilet or latrine?		
			1 Never	86	2.5
			2 Rarely	58	1.7
			3 Sometimes	744	20.1
			4 Most of the time	858	22.7
			5 Always	1,995	53.0
			Missing	10	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Indonesia (outside Java and Sumatra) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
38-38	Q14	Q20	During the past 30 days, how often did you use soap when washing your hands?		
			1 Never	78	2.2
			2 Rarely	78	2.2
			3 Sometimes	1,361	36.3
			4 Most of the time	850	22.6
			5 Always	1,364	36.7
			Missing	20	
39-39	Q15	Q22	During the past 12 months, how many times were you physically attacked?		
			1 0 times	2,299	60.4
			2 1 time	664	18.3
			3 2 or 3 times	558	14.9
			4 4 or 5 times	100	2.7
			5 6 or 7 times	38	1.0
			6 8 or 9 times	53	1.5
			7 10 or 11 times	5	0.1
			8 12 or more times	31	0.9
			Missing	3	
40-40	Q16	Q23	During the past 12 months, how many times were you in a physical fight?		
			1 0 times	2,606	69.1
			2 1 time	604	16.5
			3 2 or 3 times	333	9.1
			4 4 or 5 times	69	1.9
			5 6 or 7 times	28	0.8
			6 8 or 9 times	19	0.5
			7 10 or 11 times	13	0.3
			8 12 or more times	57	1.7
			Missing	22	
41-41	Q17	Q25	During the past 12 months, how many times were you seriously injured?		
			1 0 times	2,112	62.5
			2 1 time	765	23.3
			3 2 or 3 times	324	9.9
			4 4 or 5 times	59	1.8
			5 6 or 7 times	26	0.8
			6 8 or 9 times	15	0.5
			7 10 or 11 times	9	0.3
			8 12 or more times	33	1.0
			Missing	408	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Indonesia (outside Java and Sumatra) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
42-42	Q18	Q26	During the past 12 months, what was the most serious injury that happened to you?		
		1	I was not seriously injured during the past 12 months	2,579	72.6
		2	I had a broken bone or a dislocated joint	305	8.8
		3	I had a cut or stab wound	143	4.0
		4	I had a concussion or other head or neck injury, was knocked out, or could not breathe	42	1.2
		5	I had a gunshot wound	15	0.5
		6	I had a bad burn	34	1.0
		7	I was poisoned or took too much of a drug	8	0.3
		8	Something else happened to me	405	11.6
			Missing	220	
43-43	Q19	Q27	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
		1	I was not seriously injured during the past 12 months	2,359	69.1
		2	I was in a motor vehicle accident or hit by a motor vehicle	215	6.4
		3	I fell	548	16.3
		4	Something fell on me or hit me	62	1.8
		5	I was attacked or abused or was fighting with someone	39	1.2
		6	I was in a fire or too near a flame or something hot	19	0.6
		7	I inhaled or swallowed something bad for me	27	0.8
		8	Something else caused my injury	125	3.8
			Missing	357	
44-44	Q20	Q29	During the past 30 days, on how many days were you bullied?		
		1	0 days	2,571	73.8
		2	1 or 2 days	625	18.2
		3	3 to 5 days	139	4.1
		4	6 to 9 days	41	1.3
		5	10 to 19 days	27	0.8
		6	20 to 29 days	11	0.4
		7	All 30 days	45	1.3
			Missing	292	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Indonesia (outside Java and Sumatra) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q21	Q30	During the past 30 days, how were you bullied most often?		
			1 I was not bullied during the past 30 days	2,725	78.1
			2 I was hit, kicked, pushed, shoved around, or locked indoors	108	3.2
			3 I was made fun of because of my race, nationality, or color	57	1.8
			4 I was made fun of because of my religion	23	0.7
			5 I was made fun of with sexual jokes, comments, or gestures	121	3.6
			6 I was left out of activities on purpose or completely ignored	54	1.5
			7 I was made fun of because of how my body or face looks	138	3.9
			8 I was bullied in some other way	248	7.1
			Missing	277	
46-46	Q22	Q38	During the past 12 months, how often have you felt lonely?		
			1 Never	1,448	39.5
			2 Rarely	317	8.7
			3 Sometimes	1,670	44.3
			4 Most of the time	218	5.7
			5 Always	64	1.8
			Missing	34	
47-47	Q23	Q39	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
			1 Never	1,722	46.2
			2 Rarely	335	9.1
			3 Sometimes	1,490	39.4
			4 Most of the time	145	3.9
			5 Always	53	1.4
			Missing	6	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Indonesia (outside Java and Sumatra) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
48-48	Q24	Q40	During the past 12 months, did you ever seriously consider attempting suicide?		
			1 Yes	256	6.8
			2 No	3,454	93.2
			Missing	41	
49-49	Q25	Q41	During the past 12 months, did you make a plan about how you would attempt suicide?		
			1 Yes	250	6.7
			2 No	3,463	93.3
			Missing	38	
50-50	Q26	Q42	During the past 12 months, how many times did you actually attempt suicide?		
			1 0 times	3,592	95.8
			2 1 time	98	2.6
			3 2 or 3 times	22	0.6
			4 4 or 5 times	31	0.9
			5 6 or more times	4	0.1
			Missing	4	
51-51	Q27	Q43	How many close friends do you have?		
			1 0	96	2.7
			2 1	275	7.2
			3 2	333	8.7
			4 3 or more	3,033	81.4
			Missing	14	
52-52	Q28	Q45	How old were you when you first tried a cigarette?		
			1 I have never smoked cigarettes	2,816	75.7
			2 7 years old or younger	124	3.5
			3 8 or 9 years old	121	3.5
			4 10 or 11 years old	171	5.1
			5 12 or 13 years old	229	6.8
			6 14 or 15 years old	124	3.8
			7 16 or 17 years old	38	1.5
			8 18 years old or older	2	0.1
			Missing	126	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Indonesia (outside Java and Sumatra) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
53-53	Q29	Q46	During the past 30 days, on how many days did you smoke cigarettes?		
			1 0 days	3,272	86.7
			2 1 or 2 days	276	8.0
			3 3 to 5 days	47	1.4
			4 6 to 9 days	26	0.8
			5 10 to 19 days	35	1.1
			6 20 to 29 days	12	0.5
			7 All 30 days	46	1.6
			Missing	37	
54-54	Q30	Q47	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as sirih, piper betel cerutu, or cigars?		
			1 0 days	3,588	95.9
			2 1 or 2 days	92	2.6
			3 3 to 5 days	30	0.9
			4 6 to 9 days	9	0.3
			5 10 to 19 days	7	0.2
			6 20 to 29 days	1	0.0
			7 All 30 days	4	0.1
			Missing	20	
55-55	Q31	Q48	During the past 12 months, have you ever tried to stop smoking cigarettes?		
			1 I have never smoked cigarettes	2,970	79.6
			2 I did not smoke cigarettes during the past 12 months	198	5.8
			3 Yes	432	13.0
			4 No	53	1.6
			Missing	98	
56-56	Q32	Q49	During the past 7 days, on how many days have people smoked in your presence?		
			1 0 days	777	20.6
			2 1 or 2 days	970	25.7
			3 3 or 4 days	348	9.4
			4 5 or 6 days	185	5.1
			5 All 7 days	1,460	39.2
			Missing	11	



# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Indonesia (outside Java and Sumatra) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	Q33	Q50	Which of your parents or guardians use any form of tobacco?		
			1 Neither	1,491	39.9
			2 My father or male guardian	1,864	49.7
			3 My mother or female guardian	41	1.2
			4 Both	76	2.0
			5 I do not know	261	7.2
			Missing	18	
58-58	Q34	Q51	How old were you when you had your first drink of alcohol other than a few sips?		
			1 I have never had a drink of alcohol other than a few sips	3,061	88.1
			2 7 years old or younger	57	1.8
			3 8 or 9 years old	41	1.2
			4 10 or 11 years old	68	2.1
			5 12 or 13 years old	96	2.8
			6 14 or 15 years old	87	2.7
			7 16 or 17 years old	32	1.2
			8 18 years old or older	2	0.1
			Missing	307	
59-59	Q35	Q52	During the past 30 days, on how many days did you have at least one drink containing alcohol?		
			1 0 days	3,480	94.1
			2 1 or 2 days	156	4.4
			3 3 to 5 days	27	0.8
			4 6 to 9 days	12	0.3
			5 10 to 19 days	6	0.2
			6 20 to 29 days	2	0.1
			7 All 30 days	5	0.2
			Missing	63	
60-60	Q36	Q53	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
			1 I did not drink alcohol during the past 30 days	3,427	92.0
			2 Less than one drink	154	4.3
			3 1 drink	60	1.7
			4 2 drinks	29	0.9
			5 3 drinks	12	0.3
			6 4 drinks	7	0.2
			7 5 or more drinks	19	0.6
			Missing	43	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Indonesia (outside Java and Sumatra) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
61-61	Q37	Q54	During the past 30 days, how did you usually get the alcohol you drank?		
			1 I did not drink alcohol during the past 30 days	3,438	93.5
			2 I bought it in a store, shop, or from a street vendor	69	2.0
			3 I gave someone else money to buy it for me	14	0.4
			4 I got it from my friends	97	2.8
			5 I got it from my family	31	0.8
			6 I stole it or got it without permission	6	0.2
			7 I got it some other way	10	0.3
			Missing	86	
62-62	Q38	Q56	During your life, how many times did you drink so much alcohol that you were really drunk?		
			1 0 times	3,489	94.8
			2 1 or 2 times	120	3.6
			3 3 to 9 times	32	0.9
			4 10 or more times	20	0.6
			Missing	90	
63-63	Q39	Q57	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
			1 0 times	3,444	96.7
			2 1 or 2 times	63	1.9
			3 3 to 9 times	20	0.7
			4 10 or more times	20	0.7
			Missing	204	
64-64	Q40	Q58	How old were you when you first used drugs?		
			1 I have never used drugs	3,532	97.5
			2 7 years old or younger	34	1.1
			3 8 or 9 years old	15	0.4
			4 10 or 11 years old	11	0.3
			5 12 or 13 years old	10	0.3
			6 14 or 15 years old	8	0.2
			7 16 or 17 years old	1	0.1
			8 18 years old or older	1	0.1
			Missing	139	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Indonesia (outside Java and Sumatra) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
65-65	Q41	Q59	During your life, how many times have you used marijuana (also called ganja)?		
			1 0 times	3,658	98.6
			2 1 or 2 times	17	0.5
			3 3 to 9 times	16	0.5
			4 10 to 19 times	9	0.3
			5 20 or more times	5	0.2
			Missing	46	
66-66	Q42	Q60	During the past 30 days, how many times have you used marijuana (also called ganja)?		
			1 0 times	3,679	98.8
			2 1 or 2 times	23	0.7
			3 3 to 9 times	9	0.3
			4 10 to 19 times	3	0.1
			5 20 or more times	4	0.1
			Missing	33	
67-67	Q43	Q61	During your life, how many times have you used amphetamines or methamphetamines (also called ekstasi)?		
			1 0 times	3,593	98.5
			2 1 or 2 times	20	0.6
			3 3 to 9 times	14	0.4
			4 10 to 19 times	10	0.3
			5 20 or more times	4	0.1
			Missing	110	
68-68	Q44	Q62	Have you ever had sexual intercourse?		
			1 Yes	202	6.6
			2 No	2,985	93.4
			Missing	564	
69-69	Q45	Q63	How old were you when you had sexual intercourse for the first time?		
			1 I have never had sexual intercourse	3,630	98.2
			2 11 years old or younger	30	0.8
			3 12 years old	10	0.3
			4 13 years old	5	0.1
			5 14 years old	6	0.2
			6 15 years old	6	0.2
			7 16 or 17 years old	4	0.1
			8 18 years old or older	1	0.0
			Missing	59	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Indonesia (outside Java and Sumatra) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
70-70	Q46	Q64	During your life, with how many people have you had sexual intercourse?		
			1 I have never had sexual intercourse	3,624	98.0
			2 1 person	22	0.7
			3 2 people	18	0.6
			4 3 people	7	0.2
			5 4 people	10	0.3
			6 5 people	3	0.1
			7 6 or more people	6	0.2
			Missing	61	
71-71	Q47	Q66	The last time you had sexual intercourse, did you or your partner use a condom or kondom?		
			1 I have never had sexual intercourse	3,261	97.5
			2 Yes	24	0.8
			3 No	52	1.7
			Missing	414	
72-72	Q48	Q67	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?		
			1 I have never had sexual intercourse	3,345	97.5
			2 Yes	22	0.7
			3 No	33	1.1
			4 I do not know	21	0.7
			Missing	330	
73-73	Q49	Q71	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
			1 0 days	1,202	32.5
			2 1 day	1,117	29.3
			3 2 days	389	10.4
			4 3 days	265	7.1
			5 4 days	126	3.5
			6 5 days	80	2.2
			7 6 days	68	1.9
			8 7 days	488	13.1
			Missing	16	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Indonesia (outside Java and Sumatra) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
74-74	Q50	Q72	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?		
			1 0 days	2,235	59.8
			2 1 day	304	8.3
			3 2 days	163	4.3
			4 3 days	78	2.1
			5 4 days	40	1.0
			6 5 days	46	1.3
			7 6 days	223	5.8
			8 7 days	652	17.4
			Missing	10	
75-75	Q51	Q73	During this school year, on how many days did you go to physical education (PE) class each week?		
			1 0 days	380	10.5
			2 1 day	2,332	62.0
			3 2 days	371	9.9
			4 3 days	139	3.7
			5 4 days	46	1.3
			6 5 or more days	461	12.7
			Missing	22	
76-76	Q52	Q74	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as main play station?		
			1 Less than 1 hour per day	1,607	43.0
			2 1 to 2 hours per day	1,234	32.9
			3 3 to 4 hours per day	531	14.4
			4 5 to 6 hours per day	139	3.9
			5 7 to 8 hours per day	64	1.7
			6 More than 8 hours per day	151	4.1
			Missing	25	
77-77	Q53	Q75	During the past 30 days, on how many days did you miss classes or school without permission?		
			1 0 days	2,615	69.0
			2 1 or 2 days	944	25.9
			3 3 to 5 days	116	3.2
			4 6 to 9 days	28	0.8
			5 10 or more days	40	1.1
			Missing	8	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Indonesia (outside Java and Sumatra) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
78-78	Q54	Q76	During the past 30 days, how often were most of the students in your school kind and helpful?		
			1 Never	249	7.0
			2 Rarely	142	3.9
			3 Sometimes	1,992	53.0
			4 Most of the time	761	20.2
			5 Always	589	15.9
			Missing	18	
79-79	Q55	Q77	During the past 30 days, how often did your parents or guardians check to see if your homework was done?		
			1 Never	984	26.6
			2 Rarely	222	6.0
			3 Sometimes	1,347	35.8
			4 Most of the time	468	12.6
			5 Always	695	19.0
			Missing	35	
80-80	Q56	Q78	During the past 30 days, how often did your parents or guardians understand your problems and worries?		
			1 Never	936	25.3
			2 Rarely	241	6.5
			3 Sometimes	1,340	35.6
			4 Most of the time	524	13.7
			5 Always	698	18.9
			Missing	12	
81-81	Q57	Q79	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?		
			1 Never	925	25.3
			2 Rarely	243	6.6
			3 Sometimes	1,341	35.9
			4 Most of the time	591	15.4
			5 Always	633	16.8
			Missing	18	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Indonesia (outside Java and Sumatra) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
82-82	Q58	Q80	During the past 30 days, how often did your parents or guardians go through your things without your approval?		
			1 Never	2,086	55.8
			2 Rarely	322	8.7
			3 Sometimes	945	25.6
			4 Most of the time	178	4.8
			5 Always	189	5.2
			Missing	31	
185-185	QN6		Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)		
			1 Yes	226	6.1
			2 No	3,518	93.9
			Missing	7	
186-186	QN7		Percentage of students who did not eat fruit (during the 30 days before the survey)		
			1 Yes	436	11.9
			2 No	3,295	88.1
			Missing	20	
187-187	QN8		Percentage of students who did not eat vegetables (during the 30 days before the survey)		
			1 Yes	121	3.3
			2 No	3,623	96.7
			Missing	7	
188-188	QN9		Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)		
			1 Yes	1,360	36.1
			2 No	2,387	63.9
			Missing	4	
189-189	QN10		Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)		
			1 Yes	1,834	48.7
			2 No	1,915	51.3
			Missing	2	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Indonesia (outside Java and Sumatra) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
190-190	QN11		Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)		
		1	Yes	3,623	96.9
		2	No	110	3.1
			Missing	18	
191-191	QN12		Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)		
		1	Yes	95	2.7
		2	No	3,649	97.3
			Missing	7	
192-192	QN13		Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)		
		1	Yes	144	4.2
		2	No	3,597	95.8
			Missing	10	
193-193	QN14		Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)		
		1	Yes	156	4.4
		2	No	3,575	95.6
			Missing	20	
194-194	QN15		Percentage of students who were physically attacked (one or more times during the 12 months before the survey)		
		1	Yes	1,449	39.6
		2	No	2,299	60.4
			Missing	3	
195-195	QN16		Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1	Yes	1,123	30.9
		2	No	2,606	69.1
			Missing	22	



# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Indonesia (outside Java and Sumatra) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
196-196	QN17		Percentage of students who were seriously injured (one or more times during the 12 months before the survey)		
		1	Yes	1,231	37.5
		2	No	2,112	62.5
			Missing	408	
197-197	QN18		Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)		
		1	Yes	305	32.3
		2	No	647	67.7
			Missing	2,799	
198-198	QN19		Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)		
		1	Yes	215	20.6
		2	No	820	79.4
			Missing	2,716	
199-199	QN20		Percentage of students who were bullied (on one or more days during the 30 days before the survey)		
		1	Yes	888	26.2
		2	No	2,571	73.8
			Missing	292	
200-200	QN21		Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )		
		1	Yes	108	14.6
		2	No	641	85.4
			Missing	3,002	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Indonesia (outside Java and Sumatra) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
201-201	QN22		Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)		
			1 Yes	282	7.5
			2 No	3,435	92.5
			Missing	34	
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)		
			1 Yes	198	5.3
			2 No	3,547	94.7
			Missing	6	
203-203	QN24		Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)		
			1 Yes	256	6.8
			2 No	3,454	93.2
			Missing	41	
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
			1 Yes	250	6.7
			2 No	3,463	93.3
			Missing	38	
205-205	QN26		Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
			1 Yes	155	4.2
			2 No	3,592	95.8
			Missing	4	
206-206	QN27		Percentage of students who did not have any close friends		
			1 Yes	96	2.7
			2 No	3,641	97.3
			Missing	14	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Indonesia (outside Java and Sumatra) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
207-207	QN28		Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)		
		1	Yes	645	77.8
		2	No	164	22.2
			Missing	2,942	
208-208	QN29		Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1	Yes	442	13.3
		2	No	3,272	86.7
			Missing	37	
209-209	QN30		Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)		
		1	Yes	143	4.1
		2	No	3,588	95.9
			Missing	20	
210-210	QN31		Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)		
		1	Yes	432	89.3
		2	No	53	10.7
			Missing	3,266	
211-211	QN32		Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)		
		1	Yes	2,963	79.4
		2	No	777	20.6
			Missing	11	
212-212	QN33		Percentage of students who had parents or guardians who used any form of tobacco		
		1	Yes	1,981	53.0
		2	No	1,752	47.0
			Missing	18	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Indonesia (outside Java and Sumatra) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
213-213	QN34		Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)		
		1	Yes	262	66.4
		2	No	121	33.6
			Missing	3,368	
214-214	QN35		Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)		
		1	Yes	208	5.9
		2	No	3,480	94.1
			Missing	63	
215-215	QN36		Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)		
		1	Yes	67	25.2
		2	No	214	74.8
			Missing	3,470	
216-216	QN37		Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)		
		1	Yes	97	43.7
		2	No	130	56.3
			Missing	3,524	
217-217	QN38		Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)		
		1	Yes	172	5.2
		2	No	3,489	94.8
			Missing	90	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Indonesia (outside Java and Sumatra) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
218-218	QN39		Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)		
		1	Yes	103	3.3
		2	No	3,444	96.7
			Missing	204	
219-219	QN40		Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)		
		1	Yes	70	86.4
		2	No	10	13.6
			Missing	3,671	
220-220	QN41		Percentage of students who ever used marijuana (one or more times during their life)		
		1	Yes	47	1.4
		2	No	3,658	98.6
			Missing	46	
221-221	QN42		Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1	Yes	39	1.2
		2	No	3,679	98.8
			Missing	33	
222-222	QN43		Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)		
		1	Yes	48	1.5
		2	No	3,593	98.5
			Missing	110	
223-223	QN44		Percentage of students who ever had sexual intercourse		
		1	Yes	202	6.6
		2	No	2,985	93.4
			Missing	564	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Indonesia (outside Java and Sumatra) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
224-224	QN45		Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)		
		1	Yes	45	70.8
		2	No	17	29.2
			Missing	3,689	
225-225	QN46		Percentage of students who had sexual intercourse with two or more persons (during their life)		
		1	Yes	44	1.4
		2	No	3,646	98.6
			Missing	61	
226-226	QN47		Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)		
		1	Yes	24	32.3
		2	No	52	67.7
			Missing	3,675	
227-227	QN48		Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
		1	Yes	22	29.2
		2	No	54	70.8
			Missing	3,675	
228-228	QN49		Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)		
		1	Yes	1,202	32.5
		2	No	2,533	67.5
			Missing	16	
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)		
		1	Yes	2,235	59.8
		2	No	1,506	40.2
			Missing	10	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Indonesia (outside Java and Sumatra) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
230-230	QN51		Percentage of students who did not attend physical education classes (each week during this school year)		
		1	Yes	380	10.5
		2	No	3,349	89.5
			Missing	22	
231-231	QN52		Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)		
		1	Yes	885	24.1
		2	No	2,841	75.9
			Missing	25	
232-232	QN53		Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)		
		1	Yes	1,128	31.0
		2	No	2,615	69.0
			Missing	8	
233-233	QN54		Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)		
		1	Yes	1,350	36.1
		2	No	2,383	63.9
			Missing	18	
234-234	QN55		Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)		
		1	Yes	1,163	31.6
		2	No	2,553	68.4
			Missing	35	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Indonesia (outside Java and Sumatra) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
235-235	QN56		Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)		
		1	Yes	1,222	32.6
		2	No	2,517	67.4
			Missing	12	
236-236	QN57		Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)		
		1	Yes	1,224	32.2
		2	No	2,509	67.8
			Missing	18	
237-237	QN58		Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)		
		1	Yes	2,408	64.4
		2	No	1,312	35.6
			Missing	31	
350-350	QNUNWTG		Percentage of students who were underweight (<-2SD from median for BMI by age and sex)		
		1	Yes	301	8.8
		2	No	3,248	91.2
			Missing	202	
351-351	QNOWTG		Percentage of students who were overweight (>+1SD from median for BMI by age and sex)		
		1	Yes	417	11.8
		2	No	3,132	88.2
			Missing	202	
352-352	QNOBESEG		Percentage of students who were obese (>+2SD from median for BMI by age and sex)		
		1	Yes	124	3.6
		2	No	3,425	96.4
			Missing	202	



# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Indonesia (outside Java and Sumatra) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
353-353	QNFR1G		Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)		
		1	Yes	1,147	30.8
		2	No	2,584	69.2
			Missing	20	
354-354	QNFR1G		Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)		
		1	Yes	2,148	57.3
		2	No	1,583	42.7
			Missing	20	
355-355	QNFR2G		Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)		
		1	Yes	1,116	29.8
		2	No	2,615	70.2
			Missing	20	
356-356	QNFR3G		Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)		
		1	Yes	501	13.5
		2	No	3,230	86.5
			Missing	20	
357-357	QNVEGLG		Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)		
		1	Yes	622	16.6
		2	No	3,122	83.4
			Missing	7	
358-358	QNVEG1G		Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)		
		1	Yes	3,001	80.2
		2	No	743	19.8
			Missing	7	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Indonesia (outside Java and Sumatra) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
359-359	QNVEG2G		Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)		
			1 Yes	2,000	53.5
			2 No	1,744	46.5
			Missing	7	
360-360	QNVEG3G		Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)		
			1 Yes	924	24.7
			2 No	2,820	75.3
			Missing	7	
361-361	QNSODALG		Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)		
			1 Yes	1,218	32.5
			2 No	2,529	67.5
			Missing	4	
362-362	QNSODA1G		Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)		
			1 Yes	1,169	31.4
			2 No	2,578	68.6
			Missing	4	
363-363	QNSODA2G		Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)		
			1 Yes	402	10.8
			2 No	3,345	89.2
			Missing	4	
364-364	QNSODA3G		Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)		
			1 Yes	171	4.7
			2 No	3,576	95.3
			Missing	4	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Indonesia (outside Java and Sumatra) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
365-365	QNFF1G		Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)		
		1	Yes	1,915	51.3
		2	No	1,834	48.7
			Missing	2	
366-366	QNFF2G		Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)		
		1	Yes	841	22.5
		2	No	2,908	77.5
			Missing	2	
367-367	QNFF3G		Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)		
		1	Yes	445	12.0
		2	No	3,304	88.0
			Missing	2	
368-368	QNC2G		Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)		
		1	Yes	87	51.4
		2	No	87	48.6
			Missing	3,577	
369-369	QNTOB2G		Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)		
		1	Yes	497	14.8
		2	No	3,222	85.2
			Missing	32	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Indonesia (outside Java and Sumatra) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
370-370	QNNOTB2G		Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)		
		1	Yes	3,222	85.8
		2	No	476	14.2
			Missing	53	
371-371	QNBCANYG		Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
		1	Yes	25	52.0
		2	No	24	48.0
			Missing	3,702	
372-372	QNC1G		Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)		
		1	Yes	22	17.4
		2	No	108	82.6
			Missing	3,621	
373-373	QNPA5G		Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)		
		1	Yes	636	17.2
		2	No	3,099	82.8
			Missing	16	
374-374	QNPA7G		Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey )		
		1	Yes	488	13.1
		2	No	3,247	86.9
			Missing	16	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Indonesia (outside Java and Sumatra) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
375-375	QNPE3G		Percentage of students who attended physical education classes on three or more days (each week during this school year)		
		1	Yes	646	17.7
		2	No	3,083	82.3
			Missing	22	
376-376	QNPE5G		Percentage of students who attended physical education classes on five or more days (each week during this school year)		
		1	Yes	461	12.7
		2	No	3,268	87.3
			Missing	22	
377-386	WEIGHT				
387-395	STRATUM				
396-400	PSU				