

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Jamaica Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	Q1	How old are you?		
			1 11 years old or younger	4	0.2
			2 12 years old	7	0.4
			3 13 years old	185	10.2
			4 14 years old	432	20.5
			5 15 years old	437	22.4
			6 16 years old	361	24.8
			7 17 years old	186	16.8
			8 18 years old or older	47	4.7
			Missing	8	
18-18	Q2	Q2	What is your sex?		
			1 Male	755	49.2
			2 Female	900	50.8
			Missing	12	
19-19	Q3	Q3	In what grade are you?		
			1 7th	41	2.1
			2 8th	412	22.1
			3 9th	557	25.3
			4 10th	388	24.0
			5 11th	208	22.0
			6 12th	44	4.5
			Missing	17	
20-23	Q4	Q4	How tall are you without your shoes on? (Note: Data are in meters.)		
24-29	Q5	Q5	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
30-30	Q6	Q6	During the past 30 days, how often did you go hungry because there was not enough food in your home?		
			1 Never	852	50.5
			2 Rarely	333	21.3
			3 Sometimes	365	21.4
			4 Most of the time	79	5.1
			5 Always	33	1.7
			Missing	5	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Jamaica Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
31-31	Q7	Q7	During the past 30 days, how many times per day did you usually eat fruit, such as orange, pineapple, or banana?		
			1 I did not eat fruit during the past 30 days	298	17.8
			2 Less than one time per day	362	22.2
			3 1 time per day	506	31.3
			4 2 times per day	243	14.5
			5 3 times per day	89	5.0
			6 4 times per day	41	2.5
			7 5 or more times per day	117	6.6
			Missing	11	
32-32	Q8	Q8	During the past 30 days, how many times per day did you usually eat vegetables, such as lettuce, tomato, carrots, pumpkin, or cucumber?		
			1 I did not eat vegetables during the past 30 days	224	13.6
			2 Less than one time per day	311	19.0
			3 1 time per day	596	36.7
			4 2 times per day	243	15.1
			5 3 times per day	89	5.3
			6 4 times per day	32	2.0
			7 5 or more times per day	140	8.2
			Missing	32	
33-33	Q9	Q9	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Coca Cola, Pepsi, or Ting?		
			1 I did not drink carbonated soft drinks during the past 30 days	238	15.2
			2 Less than one time per day	273	16.4
			3 1 time per day	374	22.7
			4 2 times per day	313	19.0
			5 3 times per day	164	9.8
			6 4 times per day	61	3.7
			7 5 or more times per day	231	13.1
			Missing	13	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Jamaica Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
34-34	Q10	Q10	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as Burger King, KFC, or Pizza Hut?		
			1 0 days	672	41.3
			2 1 day	413	24.3
			3 2 days	217	12.7
			4 3 days	128	7.6
			5 4 days	76	4.7
			6 5 days	52	3.5
			7 6 days	25	1.5
			8 7 days	72	4.3
			Missing	12	
39-39	Q15	Q11	During the past 12 months, how many times were you physically attacked?		
			1 0 times	1,207	73.4
			2 1 time	171	10.1
			3 2 or 3 times	144	8.3
			4 4 or 5 times	46	3.0
			5 6 or 7 times	14	0.7
			6 8 or 9 times	16	0.9
			7 10 or 11 times	7	0.5
			8 12 or more times	50	3.0
			Missing	12	
40-40	Q16	Q12	During the past 12 months, how many times were you in a physical fight?		
			1 0 times	1,130	69.2
			2 1 time	249	14.0
			3 2 or 3 times	168	10.0
			4 4 or 5 times	39	2.2
			5 6 or 7 times	23	1.3
			6 8 or 9 times	14	0.9
			7 10 or 11 times	6	0.4
			8 12 or more times	33	2.1
			Missing	5	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Jamaica Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
41-41	Q17	Q13	During the past 12 months, how many times were you seriously injured?		
			1 0 times	873	61.1
			2 1 time	280	18.6
			3 2 or 3 times	197	13.1
			4 4 or 5 times	45	3.2
			5 6 or 7 times	20	1.3
			6 8 or 9 times	9	0.6
			7 10 or 11 times	6	0.4
			8 12 or more times	28	1.7
			Missing	209	
42-42	Q18	Q14	During the past 12 months, what was the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	1,062	72.1
			2 I had a broken bone or a dislocated joint	60	4.1
			3 I had a cut or stab wound	119	7.9
			4 I had a concussion or other head or neck injury, was knocked out, or could not breathe	48	3.1
			5 I had a gunshot wound	7	0.5
			6 I had a bad burn	42	2.3
			7 I was poisoned or took too much of a drug	10	0.9
			8 Something else happened to me	143	9.0
			Missing	176	
43-43	Q19	Q15	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	1,039	70.6
			2 I was in a motor vehicle accident or hit by a motor vehicle	30	2.2
			3 I fell	99	6.2
			4 Something fell on me or hit me	45	3.1
			5 I was attacked or abused or was fighting with someone	43	3.0
			6 I was in a fire or too near a flame or something hot	11	0.8
			7 I inhaled or swallowed something bad for me	15	1.0
			8 Something else caused my injury	209	13.1
			Missing	176	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Jamaica Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
44-44	Q20	Q16	During the past 30 days, on how many days were you bullied?		
			1 0 days	1,180	76.1
			2 1 or 2 days	198	12.2
			3 3 to 5 days	77	4.5
			4 6 to 9 days	33	2.0
			5 10 to 19 days	28	1.8
			6 20 to 29 days	9	0.6
			7 All 30 days	50	2.9
			Missing	92	
45-45	Q21	Q17	During the past 30 days, how were you bullied most often?		
			1 I was not bullied during the past 30 days	1,205	78.6
			2 I was hit, kicked, pushed, shoved around, or locked indoors	30	1.9
			3 I was made fun of because of my race, nationality, or color	38	2.4
			4 I was made fun of because of my religion	20	1.4
			5 I was made fun of with sexual jokes, comments, or gestures	51	3.3
			6 I was left out of activities on purpose or completely ignored	17	1.1
			7 I was made fun of because of how my body or face looks	78	4.8
			8 I was bullied in some other way	112	6.5
			Missing	116	
46-46	Q22	Q18	During the past 12 months, how often have you felt lonely?		
			1 Never	539	32.1
			2 Rarely	298	19.7
			3 Sometimes	500	29.6
			4 Most of the time	208	12.2
			5 Always	110	6.5
			Missing	12	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Jamaica Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
47-47	Q23	Q19	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
			1 Never	693	42.4
			2 Rarely	339	20.4
			3 Sometimes	398	24.3
			4 Most of the time	146	8.8
			5 Always	70	4.1
			Missing	21	
48-48	Q24	Q20	During the past 12 months, did you ever seriously consider attempting suicide?		
			1 Yes	422	24.9
			2 No	1,178	75.1
			Missing	67	
49-49	Q25	Q21	During the past 12 months, did you make a plan about how you would attempt suicide?		
			1 Yes	408	24.7
			2 No	1,227	75.3
			Missing	32	
50-50	Q26	Q22	During the past 12 months, how many times did you actually attempt suicide?		
			1 0 times	1,322	82.1
			2 1 time	155	8.8
			3 2 or 3 times	86	4.7
			4 4 or 5 times	31	2.0
			5 6 or more times	42	2.4
			Missing	31	
51-51	Q27	Q23	How many close friends do you have?		
			1 0	144	9.4
			2 1	179	11.1
			3 2	295	18.4
			4 3 or more	1,001	61.1
			Missing	48	
52-52	Q28	Q24	How old were you when you first tried a cigarette?		
			1 I have never smoked cigarettes	971	60.7
			2 7 years old or younger	94	6.2
			3 8 or 9 years old	81	5.6
			4 10 or 11 years old	115	7.4
			5 12 or 13 years old	144	8.7
			6 14 or 15 years old	116	7.7
			7 16 or 17 years old	39	3.6
			8 18 years old or older	2	0.1
			Missing	105	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Jamaica Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
53-53	Q29	Q25	During the past 30 days, on how many days did you smoke cigarettes?		
			1 0 days	1,397	85.3
			2 1 or 2 days	122	7.3
			3 3 to 5 days	52	3.1
			4 6 to 9 days	18	1.1
			5 10 to 19 days	17	1.1
			6 20 to 29 days	8	0.6
			7 All 30 days	20	1.5
			Missing	33	
54-54	Q30	Q26	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as beadies or hookah pipes?		
			1 0 days	1,458	88.8
			2 1 or 2 days	97	5.9
			3 3 to 5 days	33	1.9
			4 6 to 9 days	20	1.4
			5 10 to 19 days	10	0.7
			6 20 to 29 days	3	0.2
			7 All 30 days	16	1.2
			Missing	30	
55-55	Q31	Q27	During the past 12 months, have you ever tried to stop smoking cigarettes?		
			1 I have never smoked cigarettes	1,068	67.2
			2 I did not smoke cigarettes during the past 12 months	252	17.4
			3 Yes	145	9.7
			4 No	94	5.7
			Missing	108	
56-56	Q32	Q28	During the past 7 days, on how many days have people smoked in your presence?		
			1 0 days	545	32.3
			2 1 or 2 days	397	24.0
			3 3 or 4 days	155	10.5
			4 5 or 6 days	67	4.7
			5 All 7 days	482	28.5
			Missing	21	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Jamaica Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	Q33	Q29	Which of your parents or guardians use any form of tobacco?		
			1 Neither	1,056	65.9
			2 My father or male guardian	260	15.5
			3 My mother or female guardian	55	3.1
			4 Both	48	2.7
			5 I do not know	218	12.9
			Missing	30	
58-58	Q34	Q30	How old were you when you had your first drink of alcohol other than a few sips?		
			1 I have never had a drink of alcohol other than a few sips	337	20.5
			2 7 years old or younger	214	13.9
			3 8 or 9 years old	147	9.4
			4 10 or 11 years old	230	14.3
			5 12 or 13 years old	289	18.3
			6 14 or 15 years old	262	17.4
			7 16 or 17 years old	73	6.1
			8 18 years old or older	1	0.1
			Missing	114	
59-59	Q35	Q31	During the past 30 days, on how many days did you have at least one drink containing alcohol?		
			1 0 days	837	51.4
			2 1 or 2 days	458	28.7
			3 3 to 5 days	126	8.4
			4 6 to 9 days	62	3.8
			5 10 to 19 days	64	4.7
			6 20 to 29 days	14	0.9
			7 All 30 days	30	2.0
			Missing	76	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Jamaica Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
60-60	Q36	Q32	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
		1	I did not drink alcohol during the past 30 days	824	49.9
		2	Less than one drink	245	16.3
		3	1 drink	255	15.6
		4	2 drinks	134	7.8
		5	3 drinks	61	4.2
		6	4 drinks	38	2.5
		7	5 or more drinks	57	3.8
			Missing	53	
61-61	Q37	Q33	During the past 30 days, how did you usually get the alcohol you drank?		
		1	I did not drink alcohol during the past 30 days	838	51.3
		2	I bought it in a store, shop, or from a street vendor	222	15.1
		3	I gave someone else money to buy it for me	35	2.2
		4	I got it from my friends	161	10.1
		5	I got it from my family	187	11.6
		6	I stole it or got it without permission	35	1.9
		7	I got it some other way	126	7.9
			Missing	63	
62-62	Q38	Q34	During your life, how many times did you drink so much alcohol that you were really drunk?		
		1	0 times	1,157	70.7
		2	1 or 2 times	293	18.2
		3	3 to 9 times	88	6.4
		4	10 or more times	71	4.6
			Missing	58	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Jamaica Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
63-63	Q39	Q35	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
			1 0 times	1,419	88.7
			2 1 or 2 times	101	6.2
			3 3 to 9 times	34	2.6
			4 10 or more times	38	2.6
			Missing	75	
64-64	Q40	Q41	How old were you when you first used drugs?		
			1 I have never used drugs	1,074	72.9
			2 7 years old or younger	66	4.6
			3 8 or 9 years old	37	2.5
			4 10 or 11 years old	58	4.1
			5 12 or 13 years old	100	7.1
			6 14 or 15 years old	90	6.5
			7 16 or 17 years old	19	2.0
			8 18 years old or older	2	0.3
			Missing	221	
65-65	Q41	Q42	During your life, how many times have you used marijuana (also called ganja or weed)?		
			1 0 times	1,175	78.4
			2 1 or 2 times	106	7.7
			3 3 to 9 times	78	5.4
			4 10 to 19 times	33	2.5
			5 20 or more times	79	6.0
			Missing	196	
66-66	Q42	Q43	During the past 30 days, how many times have you used marijuana (also called ganja or weed)?		
			1 0 times	1,352	87.1
			2 1 or 2 times	93	6.2
			3 3 to 9 times	46	2.8
			4 10 to 19 times	16	0.9
			5 20 or more times	43	3.0
			Missing	117	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Jamaica Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
67-67	Q43	Q44	During your life, how many times have you used amphetamines or methamphetamines (also called ecstasy or meth)?		
			1 0 times	1,534	97.0
			2 1 or 2 times	21	1.4
			3 3 to 9 times	13	0.9
			4 10 to 19 times	8	0.5
			5 20 or more times	4	0.2
			Missing	87	
68-68	Q44	Q48	Have you ever had sexual intercourse?		
			1 Yes	677	48.1
			2 No	858	51.9
			Missing	132	
69-69	Q45	Q49	How old were you when you had sexual intercourse for the first time?		
			1 I have never had sexual intercourse	964	55.9
			2 11 years old or younger	214	13.7
			3 12 years old	94	6.3
			4 13 years old	89	5.9
			5 14 years old	102	6.6
			6 15 years old	76	5.4
			7 16 or 17 years old	73	5.9
			8 18 years old or older	3	0.2
			Missing	52	
70-70	Q46	Q50	During your life, with how many people have you had sexual intercourse?		
			1 I have never had sexual intercourse	969	56.4
			2 1 person	193	12.7
			3 2 people	115	7.6
			4 3 people	94	6.3
			5 4 people	52	3.6
			6 5 people	44	2.8
			7 6 or more people	143	10.5
			Missing	57	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Jamaica Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
71-71	Q47	Q51	The last time you had sexual intercourse, did you or your partner use a condom or boots?		
			1 I have never had sexual intercourse	976	57.8
			2 Yes	402	27.2
			3 No	205	15.0
			Missing	84	
72-72	Q48	Q52	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?		
			1 I have never had sexual intercourse	959	57.0
			2 Yes	208	15.0
			3 No	318	21.8
			4 I do not know	88	6.2
			Missing	94	
73-73	Q49	Q53	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
			1 0 days	479	29.1
			2 1 day	226	13.2
			3 2 days	192	11.6
			4 3 days	149	9.2
			5 4 days	69	4.4
			6 5 days	100	6.6
			7 6 days	31	2.4
			8 7 days	365	23.6
			Missing	56	
74-74	Q50	Q54	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?		
			1 0 days	1,039	62.7
			2 1 day	77	4.3
			3 2 days	51	3.0
			4 3 days	49	2.9
			5 4 days	48	2.8
			6 5 days	110	7.5
			7 6 days	19	1.4
			8 7 days	250	15.4
			Missing	24	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Jamaica Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
75-75	Q51	Q55	During this school year, on how many days did you go to physical education (PE) class each week?		
			1 0 days	557	41.8
			2 1 day	648	34.1
			3 2 days	84	5.7
			4 3 days	57	3.4
			5 4 days	30	1.7
			6 5 or more days	245	13.3
			Missing	46	
76-76	Q52	Q56	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as playing video games, surfing on the internet, or talking on the phone?		
			1 Less than 1 hour per day	336	20.7
			2 1 to 2 hours per day	365	22.6
			3 3 to 4 hours per day	305	19.1
			4 5 to 6 hours per day	181	11.7
			5 7 to 8 hours per day	87	5.8
			6 More than 8 hours per day	325	20.1
			Missing	68	
77-77	Q53	Q57	During the past 30 days, on how many days did you miss classes or school without permission?		
			1 0 days	1,192	71.4
			2 1 or 2 days	254	16.5
			3 3 to 5 days	93	6.4
			4 6 to 9 days	48	3.1
			5 10 or more days	42	2.6
			Missing	38	
78-78	Q54	Q58	During the past 30 days, how often were most of the students in your school kind and helpful?		
			1 Never	261	15.1
			2 Rarely	438	27.0
			3 Sometimes	634	39.0
			4 Most of the time	252	16.2
			5 Always	44	2.7
			Missing	38	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Jamaica Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
79-79	Q55	Q59	During the past 30 days, how often did your parents or guardians check to see if your homework was done?		
			1 Never	409	26.7
			2 Rarely	278	17.7
			3 Sometimes	372	23.2
			4 Most of the time	253	15.3
			5 Always	295	17.2
			Missing	60	
80-80	Q56	Q60	During the past 30 days, how often did your parents or guardians understand your problems and worries?		
			1 Never	504	31.1
			2 Rarely	255	15.7
			3 Sometimes	354	22.5
			4 Most of the time	193	11.9
			5 Always	316	18.8
			Missing	45	
81-81	Q57	Q61	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?		
			1 Never	321	19.9
			2 Rarely	270	17.9
			3 Sometimes	381	22.8
			4 Most of the time	261	16.1
			5 Always	388	23.3
			Missing	46	
82-82	Q58	Q62	During the past 30 days, how often did your parents or guardians go through your things without your approval?		
			1 Never	718	45.8
			2 Rarely	276	17.2
			3 Sometimes	309	18.9
			4 Most of the time	195	11.8
			5 Always	111	6.3
			Missing	58	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Jamaica Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
185-185	QN6		Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)		
		1	Yes	112	6.8
		2	No	1,550	93.2
			Missing	5	
186-186	QN7		Percentage of students who did not eat fruit (during the 30 days before the survey)		
		1	Yes	298	17.8
		2	No	1,358	82.2
			Missing	11	
187-187	QN8		Percentage of students who did not eat vegetables (during the 30 days before the survey)		
		1	Yes	224	13.6
		2	No	1,411	86.4
			Missing	32	
188-188	QN9		Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)		
		1	Yes	238	15.2
		2	No	1,416	84.8
			Missing	13	
189-189	QN10		Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)		
		1	Yes	672	41.3
		2	No	983	58.7
			Missing	12	
194-194	QN15		Percentage of students who were physically attacked (one or more times during the 12 months before the survey)		
		1	Yes	448	26.6
		2	No	1,207	73.4
			Missing	12	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Jamaica Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
195-195	QN16		Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1	Yes	532	30.8
		2	No	1,130	69.2
			Missing	5	
196-196	QN17		Percentage of students who were seriously injured (one or more times during the 12 months before the survey)		
		1	Yes	585	38.9
		2	No	873	61.1
			Missing	209	
197-197	QN18		Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)		
		1	Yes	60	14.8
		2	No	369	85.2
			Missing	1,238	
198-198	QN19		Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)		
		1	Yes	30	7.3
		2	No	422	92.7
			Missing	1,215	
199-199	QN20		Percentage of students who were bullied (on one or more days during the 30 days before the survey)		
		1	Yes	395	23.9
		2	No	1,180	76.1
			Missing	92	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Jamaica Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
200-200	QN21		Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)		
		1	Yes	30	8.8
		2	No	316	91.2
			Missing	1,321	
201-201	QN22		Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)		
		1	Yes	318	18.6
		2	No	1,337	81.4
			Missing	12	
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)		
		1	Yes	216	12.9
		2	No	1,430	87.1
			Missing	21	
203-203	QN24		Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)		
		1	Yes	422	24.9
		2	No	1,178	75.1
			Missing	67	
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
		1	Yes	408	24.7
		2	No	1,227	75.3
			Missing	32	
205-205	QN26		Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
		1	Yes	314	17.9
		2	No	1,322	82.1
			Missing	31	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Jamaica Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
206-206	QN27		Percentage of students who did not have any close friends		
		1	Yes	144	9.4
		2	No	1,475	90.6
			Missing	48	
207-207	QN28		Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)		
		1	Yes	434	70.9
		2	No	157	29.1
			Missing	1,076	
208-208	QN29		Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1	Yes	237	14.7
		2	No	1,397	85.3
			Missing	33	
209-209	QN30		Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)		
		1	Yes	179	11.2
		2	No	1,458	88.8
			Missing	30	
210-210	QN31		Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)		
		1	Yes	145	63.0
		2	No	94	37.0
			Missing	1,428	
211-211	QN32		Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)		
		1	Yes	1,101	67.7
		2	No	545	32.3
			Missing	21	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Jamaica Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
212-212	QN33		Percentage of students who had parents or guardians who used any form of tobacco		
		1	Yes	363	21.2
		2	No	1,274	78.8
			Missing	30	
213-213	QN34		Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)		
		1	Yes	880	70.3
		2	No	336	29.7
			Missing	451	
214-214	QN35		Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)		
		1	Yes	754	48.6
		2	No	837	51.4
			Missing	76	
215-215	QN36		Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)		
		1	Yes	290	36.3
		2	No	500	63.7
			Missing	877	
216-216	QN37		Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)		
		1	Yes	161	20.7
		2	No	605	79.3
			Missing	901	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Jamaica Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
217-217	QN38		Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)		
		1	Yes	452	29.3
		2	No	1,157	70.7
			Missing	58	
218-218	QN39		Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)		
		1	Yes	173	11.3
		2	No	1,419	88.7
			Missing	75	
219-219	QN40		Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)		
		1	Yes	261	67.8
		2	No	111	32.2
			Missing	1,295	
220-220	QN41		Percentage of students who ever used marijuana (one or more times during their life)		
		1	Yes	296	21.6
		2	No	1,175	78.4
			Missing	196	
221-221	QN42		Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1	Yes	198	12.9
		2	No	1,352	87.1
			Missing	117	
222-222	QN43		Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)		
		1	Yes	46	3.0
		2	No	1,534	97.0
			Missing	87	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Jamaica Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
223-223	QN44		Percentage of students who ever had sexual intercourse		
		1	Yes	677	48.1
		2	No	858	51.9
			Missing	132	
224-224	QN45		Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)		
		1	Yes	397	58.8
		2	No	254	41.2
			Missing	1,016	
225-225	QN46		Percentage of students who had sexual intercourse with two or more persons (during their life)		
		1	Yes	448	30.8
		2	No	1,162	69.2
			Missing	57	
226-226	QN47		Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)		
		1	Yes	402	64.5
		2	No	205	35.5
			Missing	1,060	
227-227	QN48		Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
		1	Yes	208	35.0
		2	No	406	65.0
			Missing	1,053	
228-228	QN49		Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)		
		1	Yes	479	29.1
		2	No	1,132	70.9
			Missing	56	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Jamaica Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)		
		1	Yes	1,039	62.7
		2	No	604	37.3
			Missing	24	
230-230	QN51		Percentage of students who did not attend physical education classes (each week during this school year)		
		1	Yes	557	41.8
		2	No	1,064	58.2
			Missing	46	
231-231	QN52		Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)		
		1	Yes	898	56.7
		2	No	701	43.3
			Missing	68	
232-232	QN53		Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)		
		1	Yes	437	28.6
		2	No	1,192	71.4
			Missing	38	
233-233	QN54		Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)		
		1	Yes	296	18.9
		2	No	1,333	81.1
			Missing	38	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Jamaica Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
234-234	QN55		Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)		
		1	Yes	548	32.5
		2	No	1,059	67.5
			Missing	60	
235-235	QN56		Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)		
		1	Yes	509	30.7
		2	No	1,113	69.3
			Missing	45	
236-236	QN57		Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)		
		1	Yes	649	39.4
		2	No	972	60.6
			Missing	46	
237-237	QN58		Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)		
		1	Yes	994	63.0
		2	No	615	37.0
			Missing	58	
350-350	QNUNWTG		Percentage of students who were underweight (<-2SD from median for BMI by age and sex)		
		1	Yes	52	3.4
		2	No	1,533	96.6
			Missing	82	
351-351	QNOWTG		Percentage of students who were overweight (>+1SD from median for BMI by age and sex)		
		1	Yes	382	23.6
		2	No	1,203	76.4
			Missing	82	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Jamaica Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
352-352	QNOBESEG		Percentage of students who were obese (>+2SD from median for BMI by age and sex)		
		1	Yes	152	9.3
		2	No	1,433	90.7
			Missing	82	
353-353	QNFRLG		Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)		
		1	Yes	362	22.2
		2	No	1,294	77.8
			Missing	11	
354-354	QNFR1G		Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)		
		1	Yes	996	60.0
		2	No	660	40.0
			Missing	11	
355-355	QNFR2G		Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)		
		1	Yes	490	28.7
		2	No	1,166	71.3
			Missing	11	
356-356	QNFR3G		Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)		
		1	Yes	247	14.2
		2	No	1,409	85.8
			Missing	11	
357-357	QNVEGLG		Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)		
		1	Yes	311	19.0
		2	No	1,324	81.0
			Missing	32	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Jamaica Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
358-358	QNVEG1G		Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)		
			1 Yes	1,100	67.4
			2 No	535	32.6
			Missing	32	
359-359	QNVEG2G		Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)		
			1 Yes	504	30.7
			2 No	1,131	69.3
			Missing	32	
360-360	QNVEG3G		Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)		
			1 Yes	261	15.5
			2 No	1,374	84.5
			Missing	32	
361-361	QNSODALG		Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)		
			1 Yes	273	16.4
			2 No	1,381	83.6
			Missing	13	
362-362	QNSODA1G		Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)		
			1 Yes	1,143	68.4
			2 No	511	31.6
			Missing	13	
363-363	QNSODA2G		Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)		
			1 Yes	769	45.6
			2 No	885	54.4
			Missing	13	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Jamaica Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
364-364	QNSODA3G		Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)		
		1	Yes	456	26.7
		2	No	1,198	73.3
			Missing	13	
365-365	QNFF1G		Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)		
		1	Yes	983	58.7
		2	No	672	41.3
			Missing	12	
366-366	QNFF2G		Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)		
		1	Yes	570	34.3
		2	No	1,085	65.7
			Missing	12	
367-367	QNFF3G		Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)		
		1	Yes	353	21.6
		2	No	1,302	78.4
			Missing	12	
368-368	QNC2G		Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)		
		1	Yes	84	41.4
		2	No	117	58.6
			Missing	1,466	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Jamaica Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
369-369	QNTOB2G		Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)		
		1	Yes	312	19.3
		2	No	1,317	80.7
			Missing	38	
370-370	QNNOTB2G		Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)		
		1	Yes	1,317	81.8
		2	No	292	18.2
			Missing	58	
371-371	QNBCANYG		Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
		1	Yes	433	79.0
		2	No	118	21.0
			Missing	1,116	
372-372	QNC1G		Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)		
		1	Yes	262	69.0
		2	No	141	31.0
			Missing	1,264	
373-373	QNPA5G		Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)		
		1	Yes	496	32.5
		2	No	1,115	67.5
			Missing	56	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Jamaica Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
374-374	QNPA7G		Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)		
		1	Yes	365	23.6
		2	No	1,246	76.4
			Missing	56	
375-375	QNPE3G		Percentage of students who attended physical education classes on three or more days (each week during this school year)		
		1	Yes	332	18.4
		2	No	1,289	81.6
			Missing	46	
376-376	QNPE5G		Percentage of students who attended physical education classes on five or more days (each week during this school year)		
		1	Yes	245	13.3
		2	No	1,376	86.7
			Missing	46	
377-386	WEIGHT				
387-395	STRATUM				
396-400	PSU				