

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Male Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	Q1	How old are you?		
			1 11 years old or younger	12	0.6
			2 12 years old	10	0.4
			3 13 years old	101	4.0
			4 14 years old	408	17.4
			5 15 years old	327	18.3
			6 16 years old	362	21.0
			7 17 years old	366	22.7
			8 18 years old or older	284	15.5
			Missing	5	
18-18	Q2	Q2	What is your sex?		
			1 Male	799	49.4
			2 Female	1,054	50.6
			Missing	22	
19-19	Q3	Q3	In what grade are you?		
			1 Grade 8	481	19.4
			2 Grade 9	359	21.7
			3 Grade 10	409	22.4
			4 Grade 11	348	23.0
			5 Grade 12	252	13.5
			Missing	26	
20-23	Q4	Q4	How tall are you without your shoes on? (Note: Data are in meters.)		
24-29	Q5	Q5	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
30-30	Q6	Q6	During the past 30 days, how often did you go hungry because there was not enough food in your home?		
			1 Never	1,077	57.7
			2 Rarely	339	18.4
			3 Sometimes	307	16.8
			4 Most of the time	89	4.8
			5 Always	46	2.3
			Missing	17	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Male Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
31-31	Q7	Q7	During the past 30 days, how many times per day did you usually eat fruit, such as bananas, papaya, and guava?		
			1 I did not eat fruit during the past 30 days	324	17.7
			2 Less than one time per day	788	43.2
			3 1 time per day	421	22.1
			4 2 times per day	196	10.2
			5 3 times per day	69	3.7
			6 4 times per day	14	0.7
			7 5 or more times per day	42	2.4
			Missing	21	
32-32	Q8	Q8	During the past 30 days, how many times per day did you usually eat vegetables, such as pumpkin, breadfruit, and brinjal?		
			1 I did not eat vegetables during the past 30 days	413	22.4
			2 Less than one time per day	715	39.4
			3 1 time per day	351	18.7
			4 2 times per day	205	11.2
			5 3 times per day	75	4.2
			6 4 times per day	20	1.1
			7 5 or more times per day	54	3.1
			Missing	42	
33-33	Q9	Q9	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Coca Cola, Pepsi, and 7-up?		
			1 I did not drink carbonated soft drinks during the past 30 days	385	20.6
			2 Less than one time per day	856	46.2
			3 1 time per day	311	16.8
			4 2 times per day	145	8.1
			5 3 times per day	53	2.7
			6 4 times per day	21	1.0
			7 5 or more times per day	86	4.6
			Missing	18	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Male Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
34-34	Q10	Q10	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as Marrybrown or Dine More?		
			1 0 days	783	41.8
			2 1 day	455	24.2
			3 2 days	252	13.9
			4 3 days	154	8.8
			5 4 days	81	4.3
			6 5 days	43	2.5
			7 6 days	19	1.1
			8 7 days	67	3.3
			Missing	21	
39-39	Q15	Q17	During the past 12 months, how many times were you physically attacked?		
			1 0 times	1,401	76.2
			2 1 time	126	6.8
			3 2 or 3 times	124	7.0
			4 4 or 5 times	45	2.4
			5 6 or 7 times	23	1.4
			6 8 or 9 times	15	0.9
			7 10 or 11 times	7	0.4
			8 12 or more times	89	4.9
			Missing	45	
40-40	Q16	Q18	During the past 12 months, how many times were you in a physical fight?		
			1 0 times	1,368	72.6
			2 1 time	134	7.3
			3 2 or 3 times	165	9.2
			4 4 or 5 times	42	2.5
			5 6 or 7 times	33	1.7
			6 8 or 9 times	19	1.1
			7 10 or 11 times	8	0.4
			8 12 or more times	95	5.3
			Missing	11	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Male Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
41-41	Q17	Q19	During the past 12 months, how many times were you seriously injured?		
			1 0 times	909	55.6
			2 1 time	324	20.1
			3 2 or 3 times	221	13.8
			4 4 or 5 times	61	3.8
			5 6 or 7 times	35	2.4
			6 8 or 9 times	16	1.0
			7 10 or 11 times	12	0.7
			8 12 or more times	40	2.6
			Missing	257	
42-42	Q18	Q20	During the past 12 months, what was the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	1,016	61.2
			2 I had a broken bone or a dislocated joint	113	7.3
			3 I had a cut or stab wound	115	7.2
			4 I had a concussion or other head or neck injury, was knocked out, or could not breathe	47	2.6
			5 I had a gunshot wound	25	1.9
			6 I had a bad burn	23	1.4
			7 I was poisoned or took too much of a drug	16	1.1
			8 Something else happened to me	290	17.3
			Missing	230	
43-43	Q19	Q21	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	1,049	63.0
			2 I was in a motor vehicle accident or hit by a motor vehicle	51	3.3
			3 I fell	147	9.0
			4 Something fell on me or hit me	47	2.8
			5 I was attacked or abused or was fighting with someone	55	3.5
			6 I was in a fire or too near a flame or something hot	15	1.0
			7 I inhaled or swallowed something bad for me	17	1.1
			8 Something else caused my injury	277	16.4
			Missing	217	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Male Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
44-44	Q20	Q22	During the past 30 days, on how many days were you bullied?		
			1 0 days	1,407	78.0
			2 1 or 2 days	176	9.4
			3 3 to 5 days	78	4.2
			4 6 to 9 days	34	2.0
			5 10 to 19 days	48	2.7
			6 20 to 29 days	8	0.4
			7 All 30 days	58	3.2
			Missing	66	
45-45	Q21	Q23	During the past 30 days, how were you bullied most often?		
			1 I was not bullied during the past 30 days	1,425	79.8
			2 I was hit, kicked, pushed, shoved around, or locked indoors	31	1.8
			3 I was made fun of because of my race, nationality, or color	36	2.0
			4 I was made fun of because of my religion	16	1.1
			5 I was made fun of with sexual jokes, comments, or gestures	61	3.4
			6 I was left out of activities on purpose or completely ignored	22	1.2
			7 I was made fun of because of how my body or face looks	87	4.7
			8 I was bullied in some other way	114	6.0
			Missing	83	
46-46	Q22	Q31	During the past 12 months, how often have you felt lonely?		
			1 Never	533	28.7
			2 Rarely	400	21.4
			3 Sometimes	572	31.9
			4 Most of the time	247	12.7
			5 Always	93	5.2
			Missing	30	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Male Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
47-47	Q23	Q32	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
			1 Never	524	28.9
			2 Rarely	453	25.1
			3 Sometimes	540	29.0
			4 Most of the time	216	12.0
			5 Always	91	5.0
			Missing	51	
48-48	Q24	Q35	During the past 12 months, did you ever seriously consider attempting suicide?		
			1 Yes	272	14.7
			2 No	1,498	85.3
			Missing	105	
49-49	Q25	Q36	During the past 12 months, did you make a plan about how you would attempt suicide?		
			1 Yes	354	19.7
			2 No	1,432	80.3
			Missing	89	
50-50	Q26	Q37	During the past 12 months, how many times did you actually attempt suicide?		
			1 0 times	1,578	85.7
			2 1 time	121	6.6
			3 2 or 3 times	42	2.5
			4 4 or 5 times	53	3.1
			5 6 or more times	38	2.1
			Missing	43	
51-51	Q27	Q38	How many close friends do you have?		
			1 0	160	9.0
			2 1	194	10.5
			3 2	237	13.2
			4 3 or more	1,216	67.3
			Missing	68	
52-52	Q28	Q43	How old were you when you first tried a cigarette?		
			1 I have never smoked cigarettes	1,345	73.2
			2 7 years old or younger	93	5.3
			3 8 or 9 years old	40	2.4
			4 10 or 11 years old	40	2.4
			5 12 or 13 years old	102	5.8
			6 14 or 15 years old	111	7.0
			7 16 or 17 years old	54	3.6
			8 18 years old or older	5	0.3
			Missing	85	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Male Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
53-53	Q29	Q44	During the past 30 days, on how many days did you smoke cigarettes?		
			1 0 days	1,585	86.2
			2 1 or 2 days	61	3.7
			3 3 to 5 days	46	3.1
			4 6 to 9 days	25	1.5
			5 10 to 19 days	18	1.0
			6 20 to 29 days	17	1.0
			7 All 30 days	60	3.6
			Missing	63	
54-54	Q30	Q45	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as bidi?		
			1 0 days	1,652	88.7
			2 1 or 2 days	66	3.7
			3 3 to 5 days	49	3.0
			4 6 to 9 days	23	1.2
			5 10 to 19 days	14	0.8
			6 20 to 29 days	8	0.7
			7 All 30 days	35	1.9
			Missing	28	
55-55	Q31	Q46	During the past 12 months, have you ever tried to stop smoking cigarettes?		
			1 I have never smoked cigarettes	1,404	78.0
			2 I did not smoke cigarettes during the past 12 months	139	8.5
			3 Yes	121	7.8
			4 No	92	5.7
			Missing	119	
56-56	Q32	Q47	During the past 7 days, on how many days have people smoked in your presence?		
			1 0 days	645	34.5
			2 1 or 2 days	387	21.6
			3 3 or 4 days	218	12.5
			4 5 or 6 days	109	6.0
			5 All 7 days	454	25.4
			Missing	62	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Male Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	Q33	Q48	Which of your parents or guardians use any form of tobacco?		
			1 Neither	1,083	58.7
			2 My father or male guardian	481	26.1
			3 My mother or female guardian	54	3.1
			4 Both	62	3.4
			5 I do not know	163	8.7
			Missing	32	
58-58	Q34	Q49	How old were you when you had your first drink of alcohol other than a few sips?		
			1 I have never had a drink of alcohol other than a few sips	1,483	88.1
			2 7 years old or younger	51	3.2
			3 8 or 9 years old	36	2.4
			4 10 or 11 years old	26	1.7
			5 12 or 13 years old	30	1.9
			6 14 or 15 years old	20	1.4
			7 16 or 17 years old	16	1.1
			8 18 years old or older	3	0.2
			Missing	210	
64-64	Q40	Q50	How old were you when you first used drugs?		
			1 I have never used drugs	1,576	89.2
			2 7 years old or younger	52	3.0
			3 8 or 9 years old	32	2.0
			4 10 or 11 years old	15	1.0
			5 12 or 13 years old	27	1.8
			6 14 or 15 years old	30	1.9
			7 16 or 17 years old	13	1.0
			8 18 years old or older	2	0.1
			Missing	128	
65-65	Q41	Q51	During your life, how many times have you used marijuana (also called Theyo)?		
			1 0 times	1,684	91.7
			2 1 or 2 times	34	2.1
			3 3 to 9 times	40	2.6
			4 10 to 19 times	18	1.1
			5 20 or more times	44	2.5
			Missing	55	



# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Male Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
66-66	Q42	Q52	During the past 30 days, how many times have you used marijuana (also called Theyo)?		
			1 0 times	1,654	91.8
			2 1 or 2 times	40	2.3
			3 3 to 9 times	34	2.4
			4 10 to 19 times	28	1.6
			5 20 or more times	33	1.9
			Missing	86	
67-67	Q43	Q54	During your life, how many times have you used amphetamines or methamphetamines (also called		
			1 0 times	1,696	94.2
			2 1 or 2 times	27	1.7
			3 3 to 9 times	17	1.1
			4 10 to 19 times	16	1.3
			5 20 or more times	34	1.8
			Missing	85	
77-77	Q53	Q64	During the past 30 days, on how many days did you miss classes or school without permission?		
			1 0 days	1,095	58.7
			2 1 or 2 days	357	20.4
			3 3 to 5 days	183	10.4
			4 6 to 9 days	80	4.8
			5 10 or more days	105	5.6
			Missing	55	
78-78	Q54	Q65	During the past 30 days, how often were most of the students in your school kind and helpful?		
			1 Never	184	10.3
			2 Rarely	140	7.6
			3 Sometimes	366	21.1
			4 Most of the time	570	31.4
			5 Always	542	29.5
			Missing	73	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Male Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
79-79	Q55	Q66	During the past 30 days, how often did your parents or guardians check to see if your homework was done?		
			1 Never	712	39.9
			2 Rarely	280	16.0
			3 Sometimes	375	20.3
			4 Most of the time	220	11.7
			5 Always	232	12.1
			Missing	56	
80-80	Q56	Q67	During the past 30 days, how often did your parents or guardians understand your problems and worries?		
			1 Never	478	26.5
			2 Rarely	352	19.8
			3 Sometimes	395	22.1
			4 Most of the time	287	15.8
			5 Always	299	15.7
			Missing	64	
81-81	Q57	Q68	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?		
			1 Never	363	20.5
			2 Rarely	269	14.6
			3 Sometimes	363	21.2
			4 Most of the time	408	23.0
			5 Always	384	20.8
			Missing	88	
82-82	Q58	Q69	During the past 30 days, how often did your parents or guardians go through your things without your approval?		
			1 Never	850	47.2
			2 Rarely	375	21.3
			3 Sometimes	301	16.7
			4 Most of the time	138	7.5
			5 Always	136	7.4
			Missing	75	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Male Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
185-185	QN6		Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)		
		1	Yes	135	7.1
		2	No	1,723	92.9
			Missing	17	
186-186	QN7		Percentage of students who did not eat fruit (during the 30 days before the survey)		
		1	Yes	324	17.7
		2	No	1,530	82.3
			Missing	21	
187-187	QN8		Percentage of students who did not eat vegetables (during the 30 days before the survey)		
		1	Yes	413	22.4
		2	No	1,420	77.6
			Missing	42	
188-188	QN9		Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)		
		1	Yes	385	20.6
		2	No	1,472	79.4
			Missing	18	
189-189	QN10		Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)		
		1	Yes	783	41.8
		2	No	1,071	58.2
			Missing	21	
194-194	QN15		Percentage of students who were physically attacked (one or more times during the 12 months before the survey)		
		1	Yes	429	23.8
		2	No	1,401	76.2
			Missing	45	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Male Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
195-195	QN16		Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1	Yes	496	27.4
		2	No	1,368	72.6
			Missing	11	
196-196	QN17		Percentage of students who were seriously injured (one or more times during the 12 months before the survey)		
		1	Yes	709	44.4
		2	No	909	55.6
			Missing	257	
197-197	QN18		Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)		
		1	Yes	113	18.7
		2	No	516	81.3
			Missing	1,246	
198-198	QN19		Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)		
		1	Yes	51	8.9
		2	No	558	91.1
			Missing	1,266	
199-199	QN20		Percentage of students who were bullied (on one or more days during the 30 days before the survey)		
		1	Yes	402	22.0
		2	No	1,407	78.0
			Missing	66	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Male Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
200-200	QN21		Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )		
		1	Yes	31	8.9
		2	No	336	91.1
			Missing	1,508	
201-201	QN22		Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)		
		1	Yes	340	17.9
		2	No	1,505	82.1
			Missing	30	
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)		
		1	Yes	307	17.1
		2	No	1,517	82.9
			Missing	51	
203-203	QN24		Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)		
		1	Yes	272	14.7
		2	No	1,498	85.3
			Missing	105	
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
		1	Yes	354	19.7
		2	No	1,432	80.3
			Missing	89	
205-205	QN26		Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
		1	Yes	254	14.3
		2	No	1,578	85.7
			Missing	43	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Male Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
206-206	QN27		Percentage of students who did not have any close friends		
		1	Yes	160	9.0
		2	No	1,647	91.0
			Missing	68	
207-207	QN28		Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)		
		1	Yes	275	59.3
		2	No	170	40.7
			Missing	1,430	
208-208	QN29		Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1	Yes	227	13.8
		2	No	1,585	86.2
			Missing	63	
209-209	QN30		Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)		
		1	Yes	195	11.3
		2	No	1,652	88.7
			Missing	28	
210-210	QN31		Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)		
		1	Yes	121	57.4
		2	No	92	42.6
			Missing	1,662	
211-211	QN32		Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)		
		1	Yes	1,168	65.5
		2	No	645	34.5
			Missing	62	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Male Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
212-212	QN33		Percentage of students who had parents or guardians who used any form of tobacco		
			1 Yes	597	32.6
			2 No	1,246	67.4
			Missing	32	
213-213	QN34		Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)		
			1 Yes	143	77.0
			2 No	39	23.0
			Missing	1,693	
219-219	QN40		Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)		
			1 Yes	126	72.4
			2 No	45	27.6
			Missing	1,704	
220-220	QN41		Percentage of students who ever used marijuana (one or more times during their life)		
			1 Yes	136	8.3
			2 No	1,684	91.7
			Missing	55	
221-221	QN42		Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
			1 Yes	135	8.2
			2 No	1,654	91.8
			Missing	86	
222-222	QN43		Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)		
			1 Yes	94	5.8
			2 No	1,696	94.2
			Missing	85	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Male Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
232-232	QN53		Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)		
		1	Yes	725	41.3
		2	No	1,095	58.7
			Missing	55	
233-233	QN54		Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)		
		1	Yes	1,112	61.0
		2	No	690	39.0
			Missing	73	
234-234	QN55		Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)		
		1	Yes	452	23.8
		2	No	1,367	76.2
			Missing	56	
235-235	QN56		Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)		
		1	Yes	586	31.6
		2	No	1,225	68.4
			Missing	64	
236-236	QN57		Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)		
		1	Yes	792	43.8
		2	No	995	56.2
			Missing	88	



# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Male Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
237-237	QN58		Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)		
		1	Yes	1,225	68.4
		2	No	575	31.6
			Missing	75	
350-350	QNUNWTG		Percentage of students who were underweight (<-2SD from median for BMI by age and sex)		
		1	Yes	215	16.6
		2	No	1,145	83.4
			Missing	515	
351-351	QNOWTG		Percentage of students who were overweight (>+1SD from median for BMI by age and sex)		
		1	Yes	261	18.6
		2	No	1,099	81.4
			Missing	515	
352-352	QNOBESEG		Percentage of students who were obese (>+2SD from median for BMI by age and sex)		
		1	Yes	81	6.0
		2	No	1,279	94.0
			Missing	515	
353-353	QNFRLG		Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)		
		1	Yes	788	43.2
		2	No	1,066	56.8
			Missing	21	
354-354	QNFR1G		Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)		
		1	Yes	742	39.1
		2	No	1,112	60.9
			Missing	21	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Male Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
355-355	QNFR2G		Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)		
		1	Yes	321	17.0
		2	No	1,533	83.0
			Missing	21	
356-356	QNFR3G		Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)		
		1	Yes	125	6.8
		2	No	1,729	93.2
			Missing	21	
357-357	QNVEGLG		Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)		
		1	Yes	715	39.4
		2	No	1,118	60.6
			Missing	42	
358-358	QNVEG1G		Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)		
		1	Yes	705	38.2
		2	No	1,128	61.8
			Missing	42	
359-359	QNVEG2G		Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)		
		1	Yes	354	19.5
		2	No	1,479	80.5
			Missing	42	
360-360	QNVEG3G		Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)		
		1	Yes	149	8.3
		2	No	1,684	91.7
			Missing	42	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Male Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
361-361	QNSODALG		Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)		
		1	Yes	856	46.2
		2	No	1,001	53.8
			Missing	18	
362-362	QNSODA1G		Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)		
		1	Yes	616	33.2
		2	No	1,241	66.8
			Missing	18	
363-363	QNSODA2G		Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)		
		1	Yes	305	16.4
		2	No	1,552	83.6
			Missing	18	
364-364	QNSODA3G		Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)		
		1	Yes	160	8.3
		2	No	1,697	91.7
			Missing	18	
365-365	QNFF1G		Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)		
		1	Yes	1,071	58.2
		2	No	783	41.8
			Missing	21	
366-366	QNFF2G		Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)		
		1	Yes	616	33.9
		2	No	1,238	66.1
			Missing	21	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Male Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
367-367	QNFF3G		Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)		
		1	Yes	364	20.0
		2	No	1,490	80.0
			Missing	21	
368-368	QNC2G		Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)		
		1	Yes	106	35.5
		2	No	182	64.5
			Missing	1,587	
369-369	QNTOB2G		Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)		
		1	Yes	298	17.7
		2	No	1,530	82.3
			Missing	47	
370-370	QNNOTB2G		Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)		
		1	Yes	1,530	84.0
		2	No	267	16.0
			Missing	78	
377-386	WEIGHT				
387-395	STRATUM				
396-400	PSU				