

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey
Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|---------------|------------------------|-----------------------|--|-------------------------|---------------------|------|
| 17-17 | Q1 | Q1 | How old are you? | | | |
| | | | 1 | 11 years old or younger | 20 | 0.8 |
| | | | 2 | 12 years old | 280 | 10.9 |
| | | | 3 | 13 years old | 619 | 27.1 |
| | | | 4 | 14 years old | 707 | 28.7 |
| | | | 5 | 15 years old | 631 | 18.2 |
| | | | 6 | 16 years old | 428 | 10.7 |
| | | | 7 | 17 years old | 117 | 2.9 |
| | | | 8 | 18 years old or older | 26 | 0.6 |
| | | Missing | 10 | | | |
| 18-18 | Q2 | Q2 | What is your sex? | | | |
| | | | 1 | Male | 1,301 | 46.6 |
| | | | 2 | Female | 1,511 | 53.4 |
| | | | | Missing | 26 | |
| 19-19 | Q3 | Q3 | In what grade are you? | | | |
| | | | 1 | Grade 7 | 734 | 29.1 |
| | | | 2 | Grade 8 | 548 | 28.3 |
| | | | 3 | Grade 9 | 710 | 23.8 |
| | | | 4 | Grade 10 | 821 | 18.6 |
| | | | 5 | Some other grade | 3 | 0.1 |
| | | Missing | 22 | | | |
| 20-23 | Q4 | Q6 | How tall are you without your shoes on? (Note: Data are in meters.) | | | |
| 24-29 | Q5 | Q7 | How much do you weigh without your shoes on? (Note: Data are in kilograms.) | | | |
| 30-30 | Q6 | Q10 | During the past 30 days, how often did you go hungry because there was not enough food in your home? | | | |
| | | | 1 | Never | 1,934 | 68.6 |
| | | | 2 | Rarely | 183 | 6.5 |
| | | | 3 | Sometimes | 643 | 22.5 |
| | | | 4 | Most of the time | 36 | 1.3 |
| | | | 5 | Always | 30 | 1.2 |
| | | Missing | 12 | | | |

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey
Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|--|----------------------|---------------------|
| 31-31 | Q7 | Q12 | During the past 30 days, how many times per day did you usually eat fruit, such as bananas, mangoes, papayas, guava, palms, water melon, pineapples, grapes, apples, or oranges? | | |
| | | | 1 I did not eat fruit during the past 30 days | 318 | 11.0 |
| | | | 2 Less than one time per day | 847 | 28.6 |
| | | | 3 1 time per day | 1,157 | 41.8 |
| | | | 4 2 times per day | 305 | 11.3 |
| | | | 5 3 times per day | 130 | 4.8 |
| | | | 6 4 times per day | 32 | 1.2 |
| | | | 7 5 or more times per day | 40 | 1.4 |
| | | | Missing | 9 | |
| 32-32 | Q8 | Q13 | During the past 30 days, how many times per day did you usually eat vegetables, such as Ka-zun, Chin-baung, spinach, cucumber, cabbage, or beans? | | |
| | | | 1 I did not eat vegetables during the past 30 days | 50 | 1.9 |
| | | | 2 Less than one time per day | 331 | 11.1 |
| | | | 3 1 time per day | 1,179 | 40.8 |
| | | | 4 2 times per day | 781 | 27.9 |
| | | | 5 3 times per day | 441 | 16.5 |
| | | | 6 4 times per day | 16 | 0.6 |
| | | | 7 5 or more times per day | 32 | 1.2 |
| | | | Missing | 8 | |
| 33-33 | Q9 | Q14 | During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Coca Cola or Sprite? | | |
| | | | 1 I did not drink carbonated soft drinks during the past 30 days | 593 | 20.6 |
| | | | 2 Less than one time per day | 1,021 | 34.5 |
| | | | 3 1 time per day | 899 | 33.3 |
| | | | 4 2 times per day | 212 | 7.9 |
| | | | 5 3 times per day | 62 | 2.4 |
| | | | 6 4 times per day | 14 | 0.5 |
| | | | 7 5 or more times per day | 25 | 0.9 |
| | | | Missing | 12 | |

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey
Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|---|----------------------|---------------------|
| 35-35 | Q11 | Q16 | During the past 30 days, how many times per day did you usually clean or brush your teeth? | | |
| | | | 1 I did not clean or brush my teeth during the past 30 days | 34 | 1.4 |
| | | | 2 Less than 1 time per day | 133 | 4.7 |
| | | | 3 1 time per day | 956 | 33.2 |
| | | | 4 2 times per day | 1,289 | 45.6 |
| | | | 5 3 times per day | 358 | 12.8 |
| | | | 6 4 or more times per day | 57 | 2.2 |
| | | | Missing | 11 | |
| 36-36 | Q12 | Q17 | During the past 30 days, how often did you wash your hands before eating? | | |
| | | | 1 Never | 66 | 2.5 |
| | | | 2 Rarely | 125 | 4.5 |
| | | | 3 Sometimes | 439 | 15.5 |
| | | | 4 Most of the time | 498 | 17.4 |
| | | | 5 Always | 1,676 | 60.1 |
| | | | Missing | 34 | |
| 37-37 | Q13 | Q18 | During the past 30 days, how often did you wash your hands after using the toilet or latrine? | | |
| | | | 1 Never | 67 | 2.7 |
| | | | 2 Rarely | 161 | 5.9 |
| | | | 3 Sometimes | 353 | 12.4 |
| | | | 4 Most of the time | 404 | 14.0 |
| | | | 5 Always | 1,835 | 65.0 |
| | | | Missing | 18 | |
| 38-38 | Q14 | Q20 | During the past 30 days, how often did you use soap when washing your hands? | | |
| | | | 1 Never | 61 | 2.4 |
| | | | 2 Rarely | 100 | 3.6 |
| | | | 3 Sometimes | 612 | 21.8 |
| | | | 4 Most of the time | 794 | 27.6 |
| | | | 5 Always | 1,239 | 44.7 |
| | | | Missing | 32 | |

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey
Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|---------------|------------------------|-----------------------|---|----------------------|---------------------|------|
| 39-39 | Q15 | Q22 | During the past 12 months, how many times were you physically attacked? | | | |
| | | | 1 | 0 times | 1,930 | 66.6 |
| | | | 2 | 1 time | 432 | 15.9 |
| | | | 3 | 2 or 3 times | 297 | 11.0 |
| | | | 4 | 4 or 5 times | 88 | 3.3 |
| | | | 5 | 6 or 7 times | 33 | 1.2 |
| | | | 6 | 8 or 9 times | 9 | 0.3 |
| | | | 7 | 10 or 11 times | 8 | 0.3 |
| | | | 8 | 12 or more times | 35 | 1.3 |
| | | | | Missing | 6 | |
| 40-40 | Q16 | Q23 | During the past 12 months, how many times were you in a physical fight? | | | |
| | | | 1 | 0 times | 2,176 | 75.4 |
| | | | 2 | 1 time | 354 | 13.0 |
| | | | 3 | 2 or 3 times | 197 | 7.5 |
| | | | 4 | 4 or 5 times | 45 | 1.7 |
| | | | 5 | 6 or 7 times | 29 | 1.2 |
| | | | 6 | 8 or 9 times | 2 | 0.1 |
| | | | 7 | 10 or 11 times | 4 | 0.2 |
| | | | 8 | 12 or more times | 25 | 0.9 |
| | | | | Missing | 6 | |
| 41-41 | Q17 | Q24 | During the past 12 months, how many times were you seriously injured? | | | |
| | | | 1 | 0 times | 1,804 | 63.3 |
| | | | 2 | 1 time | 652 | 23.0 |
| | | | 3 | 2 or 3 times | 285 | 10.4 |
| | | | 4 | 4 or 5 times | 66 | 2.3 |
| | | | 5 | 6 or 7 times | 8 | 0.3 |
| | | | 6 | 8 or 9 times | 14 | 0.5 |
| | | | 7 | 10 or 11 times | 2 | 0.1 |
| | | | 8 | 12 or more times | 5 | 0.2 |
| | | | | Missing | 2 | |

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey
Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|---|----------------------|---------------------|
| 44-44 | Q20 | Q29 | During the past 30 days, on how many days were you bullied? | | |
| | | | 1 0 days | 1,322 | 50.4 |
| | | | 2 1 or 2 days | 927 | 35.7 |
| | | | 3 3 to 5 days | 221 | 8.4 |
| | | | 4 6 to 9 days | 78 | 2.9 |
| | | | 5 10 to 19 days | 25 | 0.9 |
| | | | 6 20 to 29 days | 10 | 0.3 |
| | | | 7 All 30 days | 34 | 1.4 |
| | | | Missing | 221 | |
| 45-45 | Q21 | Q30 | During the past 30 days, how were you bullied most often? | | |
| | | | 1 I was not bullied during the past 30 days | 1,600 | 61.2 |
| | | | 2 I was hit, kicked, pushed, shoved around, or locked indoors | 146 | 6.0 |
| | | | 3 I was made fun of because of my race, nationality, or color | 193 | 7.3 |
| | | | 4 I was made fun of because of my religion | 61 | 2.4 |
| | | | 5 I was made fun of with sexual jokes, comments, or gestures | 25 | 0.9 |
| | | | 6 I was left out of activities on purpose or completely ignored | 125 | 4.6 |
| | | | 7 I was made fun of because of how my body or face looks | 251 | 9.1 |
| | | | 8 I was bullied in some other way | 233 | 8.5 |
| | | | Missing | 204 | |
| 46-46 | Q22 | Q31 | During the past 12 months, how often have you felt lonely? | | |
| | | | 1 Never | 1,096 | 41.1 |
| | | | 2 Rarely | 448 | 15.5 |
| | | | 3 Sometimes | 1,032 | 35.0 |
| | | | 4 Most of the time | 164 | 5.8 |
| | | | 5 Always | 81 | 2.7 |
| | | | Missing | 17 | |

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey
Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|---------------|------------------------|-----------------------|--|----------------------|---------------------|------|
| 47-47 | Q23 | Q32 | During the past 12 months, how often have you been so worried about something that you could not sleep at night? | | | |
| | | | 1 | Never | 1,475 | 53.5 |
| | | | 2 | Rarely | 466 | 16.4 |
| | | | 3 | Sometimes | 770 | 26.5 |
| | | | 4 | Most of the time | 80 | 2.7 |
| | | | 5 | Always | 24 | 0.9 |
| | | Missing | 23 | | | |
| 48-48 | Q24 | Q34 | During the past 12 months, did you ever seriously consider attempting suicide? | | | |
| | | | 1 | Yes | 245 | 8.9 |
| | | | 2 | No | 2,581 | 91.1 |
| | | Missing | 12 | | | |
| 49-49 | Q25 | Q35 | During the past 12 months, did you make a plan about how you would attempt suicide? | | | |
| | | | 1 | Yes | 183 | 6.6 |
| | | | 2 | No | 2,627 | 93.4 |
| | | Missing | 28 | | | |
| 50-50 | Q26 | Q36 | During the past 12 months, how many times did you actually attempt suicide? | | | |
| | | | 1 | 0 times | 2,592 | 91.3 |
| | | | 2 | 1 time | 154 | 5.5 |
| | | | 3 | 2 or 3 times | 64 | 2.3 |
| | | | 4 | 4 or 5 times | 9 | 0.3 |
| | | | 5 | 6 or more times | 13 | 0.6 |
| | | Missing | 6 | | | |
| 51-51 | Q27 | Q37 | How many close friends do you have? | | | |
| | | | 1 | 0 | 108 | 3.7 |
| | | | 2 | 1 | 215 | 7.7 |
| | | | 3 | 2 | 409 | 14.8 |
| | | | 4 | 3 or more | 2,083 | 73.7 |
| | | Missing | 23 | | | |

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey
Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|---------------|------------------------|-----------------------|---|---|---------------------|------|
| 56-56 | Q32 | Q42 | During the past 7 days, on how many days have people smoked in your presence? | | | |
| | | | 1 | 0 days | 812 | 27.8 |
| | | | 2 | 1 or 2 days | 867 | 30.9 |
| | | | 3 | 3 or 4 days | 588 | 21.3 |
| | | | 4 | 5 or 6 days | 87 | 3.3 |
| | | | 5 | All 7 days | 464 | 16.8 |
| | | | | Missing | 20 | |
| 57-57 | Q33 | Q43 | Which of your parents or guardians use any form of tobacco? | | | |
| | | | 1 | Neither | 1,463 | 52.4 |
| | | | 2 | My father or male guardian | 1,035 | 35.9 |
| | | | 3 | My mother or female guardian | 87 | 3.1 |
| | | | 4 | Both | 126 | 4.1 |
| | | | 5 | I do not know | 123 | 4.5 |
| | | | | Missing | 4 | |
| 58-58 | Q34 | Q45 | How old were you when you had your first drink of alcohol other than a few sips? | | | |
| | | | 1 | I have never had a drink of alcohol other than a few sips | 2,310 | 90.9 |
| | | | 2 | 7 years old or younger | 30 | 1.2 |
| | | | 3 | 8 or 9 years old | 17 | 0.7 |
| | | | 4 | 10 or 11 years old | 25 | 1.0 |
| | | | 5 | 12 or 13 years old | 53 | 2.3 |
| | | | 6 | 14 or 15 years old | 87 | 2.9 |
| | | | 7 | 16 or 17 years old | 31 | 0.9 |
| | | | 8 | 18 years old or older | 1 | 0.0 |
| | | | | Missing | 284 | |
| 59-59 | Q35 | Q46 | During the past 30 days, on how many days did you have at least one drink containing alcohol? | | | |
| | | | 1 | 0 days | 2,628 | 95.7 |
| | | | 2 | 1 or 2 days | 89 | 2.9 |
| | | | 3 | 3 to 5 days | 23 | 0.9 |
| | | | 4 | 6 to 9 days | 8 | 0.3 |
| | | | 5 | 10 to 19 days | 6 | 0.2 |
| | | | 6 | 20 to 29 days | 0 | 0.0 |
| | | | 7 | All 30 days | 1 | 0.0 |
| | Missing | 83 | | | | |

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey
Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|--|----------------------|---------------------|
| 60-60 | Q36 | Q47 | During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day? | | |
| | | | 1 I did not drink alcohol during the past 30 days | 2,620 | 93.3 |
| | | | 2 Less than one drink | 134 | 4.7 |
| | | | 3 1 drink | 43 | 1.5 |
| | | | 4 2 drinks | 10 | 0.4 |
| | | | 5 3 drinks | 1 | 0.0 |
| | | | 6 4 drinks | 1 | 0.0 |
| | | | 7 5 or more drinks | 0 | 0.0 |
| | | | Missing | 29 | |
| 61-61 | Q37 | Q48 | During the past 30 days, how did you usually get the alcohol you drank? | | |
| | | | 1 I did not drink alcohol during the past 30 days | 2,656 | 95.9 |
| | | | 2 I bought it in a store, shop, or from a street vendor | 45 | 1.4 |
| | | | 3 I gave someone else money to buy it for me | 16 | 0.6 |
| | | | 4 I got it from my friends | 36 | 1.2 |
| | | | 5 I got it from my family | 8 | 0.3 |
| | | | 6 I stole it or got it without permission | 11 | 0.4 |
| | | | 7 I got it some other way | 5 | 0.2 |
| | | | Missing | 61 | |
| 62-62 | Q38 | Q49 | During your life, how many times did you drink so much alcohol that you were really drunk? | | |
| | | | 1 0 times | 2,653 | 96.5 |
| | | | 2 1 or 2 times | 83 | 2.6 |
| | | | 3 3 to 9 times | 22 | 0.8 |
| | | | 4 10 or more times | 2 | 0.1 |
| | | | Missing | 78 | |

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey
Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|---------------|------------------------|-----------------------|---|-------------------------|---------------------|------|
| 63-63 | Q39 | Q50 | During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol? | | | |
| | | | 1 | 0 times | 2,625 | 98.4 |
| | | | 2 | 1 or 2 times | 37 | 1.3 |
| | | | 3 | 3 to 9 times | 6 | 0.2 |
| | | | 4 | 10 or more times | 3 | 0.2 |
| | | | | Missing | 167 | |
| 64-64 | Q40 | Q52 | How old were you when you first used drugs? | | | |
| | | | 1 | I have never used drugs | 2,755 | 97.8 |
| | | | 2 | 7 years old or younger | 16 | 0.6 |
| | | | 3 | 8 or 9 years old | 3 | 0.1 |
| | | | 4 | 10 or 11 years old | 6 | 0.3 |
| | | | 5 | 12 or 13 years old | 8 | 0.3 |
| | | | 6 | 14 or 15 years old | 26 | 0.8 |
| | | | 7 | 16 or 17 years old | 7 | 0.2 |
| | | | 8 | 18 years old or older | 1 | 0.0 |
| | Missing | 16 | | | | |
| 73-73 | Q49 | Q56 | During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? | | | |
| | | | 1 | 0 days | 878 | 30.2 |
| | | | 2 | 1 day | 691 | 25.5 |
| | | | 3 | 2 days | 409 | 14.6 |
| | | | 4 | 3 days | 228 | 8.3 |
| | | | 5 | 4 days | 187 | 6.9 |
| | | | 6 | 5 days | 68 | 2.3 |
| | | | 7 | 6 days | 42 | 1.5 |
| | | | 8 | 7 days | 313 | 10.8 |
| | Missing | 22 | | | | |
| 74-74 | Q50 | Q57 | During the past 7 days, on how many days did you walk or ride a bicycle to or from school? | | | |
| | | | 1 | 0 days | 471 | 16.8 |
| | | | 2 | 1 day | 231 | 8.6 |
| | | | 3 | 2 days | 116 | 4.4 |
| | | | 4 | 3 days | 95 | 3.5 |
| | | | 5 | 4 days | 124 | 4.6 |
| | | | 6 | 5 days | 273 | 9.1 |
| | | | 7 | 6 days | 123 | 4.5 |
| | | | 8 | 7 days | 1,385 | 48.6 |
| | Missing | 20 | | | | |

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey
Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|---|----------------------|---------------------|
| 75-75 | Q51 | Q58 | During this school year, on how many days did you go to physical education (PE) class each week? | | |
| | | | 1 0 days | 958 | 29.6 |
| | | | 2 1 day | 857 | 32.0 |
| | | | 3 2 days | 484 | 20.0 |
| | | | 4 3 days | 143 | 5.2 |
| | | | 5 4 days | 72 | 2.7 |
| | | | 6 5 or more days | 266 | 10.4 |
| | | | Missing | 58 | |
| 76-76 | Q52 | Q59 | How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as using smart phones, gambling, or chatting at the teashop? | | |
| | | | 1 Less than 1 hour per day | 1,479 | 53.1 |
| | | | 2 1 to 2 hours per day | 866 | 30.8 |
| | | | 3 3 to 4 hours per day | 242 | 8.8 |
| | | | 4 5 to 6 hours per day | 86 | 3.0 |
| | | | 5 7 to 8 hours per day | 38 | 1.4 |
| | | | 6 More than 8 hours per day | 84 | 2.9 |
| | | | Missing | 43 | |
| 77-77 | Q53 | Q60 | During the past 30 days, on how many days did you miss classes or school without permission? | | |
| | | | 1 0 days | 2,041 | 73.1 |
| | | | 2 1 or 2 days | 626 | 21.4 |
| | | | 3 3 to 5 days | 121 | 4.2 |
| | | | 4 6 to 9 days | 21 | 0.7 |
| | | | 5 10 or more days | 18 | 0.7 |
| | | | Missing | 11 | |
| 78-78 | Q54 | Q61 | During the past 30 days, how often were most of the students in your school kind and helpful? | | |
| | | | 1 Never | 234 | 8.7 |
| | | | 2 Rarely | 468 | 16.6 |
| | | | 3 Sometimes | 1,066 | 37.0 |
| | | | 4 Most of the time | 428 | 14.6 |
| | | | 5 Always | 619 | 23.1 |
| | | | Missing | 23 | |

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey
Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|---|----------------------|---------------------|
| 79-79 | Q55 | Q62 | During the past 30 days, how often did your parents or guardians check to see if your homework was done? | | |
| | | | 1 Never | 561 | 20.1 |
| | | | 2 Rarely | 200 | 7.0 |
| | | | 3 Sometimes | 703 | 25.5 |
| | | | 4 Most of the time | 466 | 16.0 |
| | | | 5 Always | 861 | 31.4 |
| | | | Missing | 47 | |
| 80-80 | Q56 | Q63 | During the past 30 days, how often did your parents or guardians understand your problems and worries? | | |
| | | | 1 Never | 368 | 14.2 |
| | | | 2 Rarely | 208 | 7.4 |
| | | | 3 Sometimes | 737 | 26.0 |
| | | | 4 Most of the time | 491 | 16.5 |
| | | | 5 Always | 1,000 | 35.8 |
| | | | Missing | 34 | |
| 81-81 | Q57 | Q64 | During the past 30 days, how often did your parents or guardians really know what you were doing with your free time? | | |
| | | | 1 Never | 333 | 12.9 |
| | | | 2 Rarely | 188 | 6.8 |
| | | | 3 Sometimes | 647 | 23.5 |
| | | | 4 Most of the time | 639 | 21.9 |
| | | | 5 Always | 977 | 35.0 |
| | | | Missing | 54 | |
| 82-82 | Q58 | Q65 | During the past 30 days, how often did your parents or guardians go through your things without your approval? | | |
| | | | 1 Never | 1,435 | 51.3 |
| | | | 2 Rarely | 214 | 7.5 |
| | | | 3 Sometimes | 564 | 20.4 |
| | | | 4 Most of the time | 182 | 6.4 |
| | | | 5 Always | 394 | 14.3 |
| | | | Missing | 49 | |

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey
Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|--|----------------------|---------------------|
| 185-185 | QN6 | | Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey) | | |
| | | | 1 Yes | 66 | 2.5 |
| | | | 2 No | 2,760 | 97.5 |
| | | | Missing | 12 | |
| 186-186 | QN7 | | Percentage of students who did not eat fruit (during the 30 days before the survey) | | |
| | | | 1 Yes | 318 | 11.0 |
| | | | 2 No | 2,511 | 89.0 |
| | | | Missing | 9 | |
| 187-187 | QN8 | | Percentage of students who did not eat vegetables (during the 30 days before the survey) | | |
| | | | 1 Yes | 50 | 1.9 |
| | | | 2 No | 2,780 | 98.1 |
| | | | Missing | 8 | |
| 188-188 | QN9 | | Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey) | | |
| | | | 1 Yes | 593 | 20.6 |
| | | | 2 No | 2,233 | 79.4 |
| | | | Missing | 12 | |
| 190-190 | QN11 | | Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey) | | |
| | | | 1 Yes | 2,660 | 93.9 |
| | | | 2 No | 167 | 6.1 |
| | | | Missing | 11 | |
| 191-191 | QN12 | | Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey) | | |
| | | | 1 Yes | 191 | 7.0 |
| | | | 2 No | 2,613 | 93.0 |
| | | | Missing | 34 | |

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey
Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|--|----------------------|---------------------|
| 192-192 | QN13 | | Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey) | | |
| | | | 1 Yes | 228 | 8.6 |
| | | | 2 No | 2,592 | 91.4 |
| | | | Missing | 18 | |
| 193-193 | QN14 | | Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey) | | |
| | | | 1 Yes | 161 | 5.9 |
| | | | 2 No | 2,645 | 94.1 |
| | | | Missing | 32 | |
| 194-194 | QN15 | | Percentage of students who were physically attacked (one or more times during the 12 months before the survey) | | |
| | | | 1 Yes | 902 | 33.4 |
| | | | 2 No | 1,930 | 66.6 |
| | | | Missing | 6 | |
| 195-195 | QN16 | | Percentage of students who were in a physical fight (one or more times during the 12 months before the survey) | | |
| | | | 1 Yes | 656 | 24.6 |
| | | | 2 No | 2,176 | 75.4 |
| | | | Missing | 6 | |
| 196-196 | QN17 | | Percentage of students who were seriously injured (one or more times during the 12 months before the survey) | | |
| | | | 1 Yes | 1,032 | 36.7 |
| | | | 2 No | 1,804 | 63.3 |
| | | | Missing | 2 | |
| 199-199 | QN20 | | Percentage of students who were bullied (on one or more days during the 30 days before the survey) | | |
| | | | 1 Yes | 1,295 | 49.6 |
| | | | 2 No | 1,322 | 50.4 |
| | | | Missing | 221 | |

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey
Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|---|----------------------|---------------------|
| 200-200 | QN21 | | Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey) | | |
| | | | 1 Yes | 146 | 15.4 |
| | | | 2 No | 888 | 84.6 |
| | | | Missing | 1,804 | |
| 201-201 | QN22 | | Percentage of students who most of the time or always felt lonely (during the 12 months before the survey) | | |
| | | | 1 Yes | 245 | 8.5 |
| | | | 2 No | 2,576 | 91.5 |
| | | | Missing | 17 | |
| 202-202 | QN23 | | Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey) | | |
| | | | 1 Yes | 104 | 3.6 |
| | | | 2 No | 2,711 | 96.4 |
| | | | Missing | 23 | |
| 203-203 | QN24 | | Percentage of students who seriously considered attempting suicide (during the 12 months before the survey) | | |
| | | | 1 Yes | 245 | 8.9 |
| | | | 2 No | 2,581 | 91.1 |
| | | | Missing | 12 | |
| 204-204 | QN25 | | Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey) | | |
| | | | 1 Yes | 183 | 6.6 |
| | | | 2 No | 2,627 | 93.4 |
| | | | Missing | 28 | |
| 205-205 | QN26 | | Percentage of students who attempted suicide (one or more times during the 12 months before the survey) | | |
| | | | 1 Yes | 240 | 8.7 |
| | | | 2 No | 2,592 | 91.3 |
| | | | Missing | 6 | |

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey
Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|---------------|------------------------|-----------------------|--|----------------------|---------------------|------|
| 206-206 | QN27 | | Percentage of students who did not have any close friends | | | |
| | | | 1 | Yes | 108 | 3.7 |
| | | | 2 | No | 2,707 | 96.3 |
| | | | | Missing | 23 | |
| 211-211 | QN32 | | Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey) | | | |
| | | | 1 | Yes | 2,006 | 72.2 |
| | | | 2 | No | 812 | 27.8 |
| | | | | Missing | 20 | |
| 212-212 | QN33 | | Percentage of students who had parents or guardians who used any form of tobacco | | | |
| | | | 1 | Yes | 1,248 | 43.1 |
| | | | 2 | No | 1,586 | 56.9 |
| | | | | Missing | 4 | |
| 213-213 | QN34 | | Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips) | | | |
| | | | 1 | Yes | 125 | 57.9 |
| | | | 2 | No | 119 | 42.1 |
| | | | | Missing | 2,594 | |
| 214-214 | QN35 | | Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey) | | | |
| | | | 1 | Yes | 127 | 4.3 |
| | | | 2 | No | 2,628 | 95.7 |
| | | | | Missing | 83 | |
| 215-215 | QN36 | | Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey) | | | |
| | | | 1 | Yes | 12 | 7.3 |
| | | | 2 | No | 177 | 92.7 |
| | | | | Missing | 2,649 | |

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey
Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|--|----------------------|---------------------|
| 216-216 | QN37 | | Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey) | | |
| | | | 1 Yes | 36 | 28.9 |
| | | | 2 No | 85 | 71.1 |
| | | | Missing | 2,717 | |
| 217-217 | QN38 | | Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life) | | |
| | | | 1 Yes | 107 | 3.5 |
| | | | 2 No | 2,653 | 96.5 |
| | | | Missing | 78 | |
| 218-218 | QN39 | | Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life) | | |
| | | | 1 Yes | 46 | 1.6 |
| | | | 2 No | 2,625 | 98.4 |
| | | | Missing | 167 | |
| 219-219 | QN40 | | Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs) | | |
| | | | 1 Yes | 33 | 55.0 |
| | | | 2 No | 34 | 45.0 |
| | | | Missing | 2,771 | |
| 228-228 | QN49 | | Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey) | | |
| | | | 1 Yes | 878 | 30.2 |
| | | | 2 No | 1,938 | 69.8 |
| | | | Missing | 22 | |
| 229-229 | QN50 | | Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey) | | |
| | | | 1 Yes | 471 | 16.8 |
| | | | 2 No | 2,347 | 83.2 |
| | | | Missing | 20 | |

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey
Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|--|----------------------|---------------------|
| 230-230 | QN51 | | Percentage of students who did not attend physical education classes (each week during this school year) | | |
| | | | 1 Yes | 958 | 29.6 |
| | | | 2 No | 1,822 | 70.4 |
| | | | Missing | 58 | |
| 231-231 | QN52 | | Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day) | | |
| | | | 1 Yes | 450 | 16.1 |
| | | | 2 No | 2,345 | 83.9 |
| | | | Missing | 43 | |
| 232-232 | QN53 | | Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey) | | |
| | | | 1 Yes | 786 | 26.9 |
| | | | 2 No | 2,041 | 73.1 |
| | | | Missing | 11 | |
| 233-233 | QN54 | | Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey) | | |
| | | | 1 Yes | 1,047 | 37.7 |
| | | | 2 No | 1,768 | 62.3 |
| | | | Missing | 23 | |
| 234-234 | QN55 | | Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey) | | |
| | | | 1 Yes | 1,327 | 47.4 |
| | | | 2 No | 1,464 | 52.6 |
| | | | Missing | 47 | |

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|---------------|------------------------|-----------------------|---|----------------------|---------------------|------|
| 235-235 | QN56 | | Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey) | | | |
| | | | 1 | Yes | 1,491 | 52.4 |
| | | | 2 | No | 1,313 | 47.6 |
| | | | | Missing | 34 | |
| 236-236 | QN57 | | Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey) | | | |
| | | | 1 | Yes | 1,616 | 56.8 |
| | | | 2 | No | 1,168 | 43.2 |
| | | | | Missing | 54 | |
| 237-237 | QN58 | | Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey) | | | |
| | | | 1 | Yes | 1,649 | 58.8 |
| | | | 2 | No | 1,140 | 41.2 |
| | | | | Missing | 49 | |
| 350-350 | QNUNWTG | | Percentage of students who were underweight (<-2SD from median for BMI by age and sex) | | | |
| | | | 1 | Yes | 433 | 17.8 |
| | | | 2 | No | 2,117 | 82.2 |
| | | | | Missing | 288 | |
| 351-351 | QNOWTG | | Percentage of students who were overweight (>+1SD from median for BMI by age and sex) | | | |
| | | | 1 | Yes | 195 | 7.6 |
| | | | 2 | No | 2,355 | 92.4 |
| | | | | Missing | 288 | |
| 352-352 | QNOBESEG | | Percentage of students who were obese (>+2SD from median for BMI by age and sex) | | | |
| | | | 1 | Yes | 49 | 1.9 |
| | | | 2 | No | 2,501 | 98.1 |
| | | | | Missing | 288 | |

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey
Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|---|----------------------|---------------------|
| 353-353 | QNFR1G | | Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey) | | |
| | | | 1 Yes | 847 | 28.6 |
| | | | 2 No | 1,982 | 71.4 |
| | | | Missing | 9 | |
| 354-354 | QNFR1G | | Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey) | | |
| | | | 1 Yes | 1,664 | 60.4 |
| | | | 2 No | 1,165 | 39.6 |
| | | | Missing | 9 | |
| 355-355 | QNFR2G | | Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey) | | |
| | | | 1 Yes | 507 | 18.7 |
| | | | 2 No | 2,322 | 81.3 |
| | | | Missing | 9 | |
| 356-356 | QNFR3G | | Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey) | | |
| | | | 1 Yes | 202 | 7.4 |
| | | | 2 No | 2,627 | 92.6 |
| | | | Missing | 9 | |
| 357-357 | QNVEGLG | | Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey) | | |
| | | | 1 Yes | 331 | 11.1 |
| | | | 2 No | 2,499 | 88.9 |
| | | | Missing | 8 | |
| 358-358 | QNVEG1G | | Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey) | | |
| | | | 1 Yes | 2,449 | 87.0 |
| | | | 2 No | 381 | 13.0 |
| | | | Missing | 8 | |

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey
Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|--|----------------------|---------------------|
| 359-359 | QNVEG2G | | Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey) | | |
| | | | 1 Yes | 1,270 | 46.2 |
| | | | 2 No | 1,560 | 53.8 |
| | | | Missing | 8 | |
| 360-360 | QNVEG3G | | Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey) | | |
| | | | 1 Yes | 489 | 18.3 |
| | | | 2 No | 2,341 | 81.7 |
| | | | Missing | 8 | |
| 361-361 | QNSODALG | | Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey) | | |
| | | | 1 Yes | 1,021 | 34.5 |
| | | | 2 No | 1,805 | 65.5 |
| | | | Missing | 12 | |
| 362-362 | QNSODA1G | | Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey) | | |
| | | | 1 Yes | 1,212 | 45.0 |
| | | | 2 No | 1,614 | 55.0 |
| | | | Missing | 12 | |
| 363-363 | QNSODA2G | | Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey) | | |
| | | | 1 Yes | 313 | 11.7 |
| | | | 2 No | 2,513 | 88.3 |
| | | | Missing | 12 | |
| 364-364 | QNSODA3G | | Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey) | | |
| | | | 1 Yes | 101 | 3.7 |
| | | | 2 No | 2,725 | 96.3 |
| | | | Missing | 12 | |

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Myanmar Survey
Public Use Codebook**

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|-------------------------------|------------------------------|--|-----------------------------|----------------------------|
| 368-368 | QNC2G | | Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey) | | |
| | | | 1 Yes | 74 | 80.5 |
| | | | 2 No | 18 | 19.5 |
| | | | Missing | 2,746 | |
| 373-373 | QNPA5G | | Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey) | | |
| | | | 1 Yes | 423 | 14.6 |
| | | | 2 No | 2,393 | 85.4 |
| | | | Missing | 22 | |
| 374-374 | QNPA7G | | Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey) | | |
| | | | 1 Yes | 313 | 10.8 |
| | | | 2 No | 2,503 | 89.2 |
| | | | Missing | 22 | |
| 375-375 | QNPE3G | | Percentage of students who attended physical education classes on three or more days (each week during this school year) | | |
| | | | 1 Yes | 481 | 18.3 |
| | | | 2 No | 2,299 | 81.7 |
| | | | Missing | 58 | |
| 376-376 | QNPE5G | | Percentage of students who attended physical education classes on five or more days (each week during this school year) | | |
| | | | 1 Yes | 266 | 10.4 |
| | | | 2 No | 2,514 | 89.6 |
| | | | Missing | 58 | |
| 377-386 | WEIGHT | | | | |
| 387-395 | STRATUM | | | | |

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey
Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|-------------------------------|------------------------------|--------------------------------|-----------------------------|----------------------------|
| 396-400 | PSU | | | | |
