

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Philippines (Mindanao) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	Q1	Q1	How old are you?			
			1	11 years old or younger	6	0.2
			2	12 years old	144	5.0
			3	13 years old	543	18.8
			4	14 years old	627	22.3
			5	15 years old	570	23.4
			6	16 years old	425	17.2
			7	17 years old	181	7.6
			8	18 years old or older	131	5.4
		Missing	1			
18-18	Q2	Q2	What is your sex?			
			1	Male	1,103	47.6
			2	Female	1,525	52.4
19-19	Q3	Q3	In what grade are you?			
			1	Grade 7	803	29.5
			2	Grade 8	767	26.2
			3	Grade 9	504	23.5
			4	Fourth Year	524	20.7
		Missing	30			
20-23	Q4	Q5	How tall are you without your shoes on? (Note: Data are in meters.)			
24-29	Q5	Q6	How much do you weigh without your shoes on? (Note: Data are in kilograms.)			
30-30	Q6	Q7	During the past 30 days, how often did you go hungry because there was not enough food in your home?			
			1	Never	817	30.8
			2	Rarely	557	21.6
			3	Sometimes	956	36.4
			4	Most of the time	174	6.3
			5	Always	123	4.9
		Missing	1			

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Philippines (Mindanao) Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
31-31	Q7	Q8	During the past 30 days, how many times per day did you usually eat fruit, such as bananas, mangoes, or papaya?		
			1 I did not eat fruit during the past 30 days	151	6.0
			2 Less than one time per day	777	29.3
			3 1 time per day	737	27.8
			4 2 times per day	460	17.6
			5 3 times per day	293	11.6
			6 4 times per day	60	2.6
			7 5 or more times per day	129	5.2
			Missing	21	
32-32	Q8	Q9	During the past 30 days, how many times per day did you usually eat vegetables, such as tomatoes, kangkong, cabbage, or stringbeans?		
			1 I did not eat vegetables during the past 30 days	119	4.6
			2 Less than one time per day	428	16.3
			3 1 time per day	822	31.2
			4 2 times per day	613	23.3
			5 3 times per day	386	14.6
			6 4 times per day	73	2.9
			7 5 or more times per day	185	7.2
			Missing	2	
33-33	Q9	Q10	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Coke or Pepsi?		
			1 I did not drink carbonated soft drinks during the past 30 days	213	8.3
			2 Less than one time per day	1,505	56.7
			3 1 time per day	527	20.2
			4 2 times per day	232	8.9
			5 3 times per day	72	2.9
			6 4 times per day	27	1.1
			7 5 or more times per day	46	1.9
			Missing	6	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Philippines (Mindanao) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
34-34	Q10	Q11	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as McDonalds, Jollibee, or Pizza Restaurants?		
			1 0 days	1,617	61.3
			2 1 day	660	25.2
			3 2 days	175	6.7
			4 3 days	104	4.0
			5 4 days	26	1.0
			6 5 days	18	0.7
			7 6 days	9	0.4
			8 7 days	18	0.7
			Missing	1	
35-35	Q11	Q12	During the past 30 days, how many times per day did you usually clean or brush your teeth?		
			1 I did not clean or brush my teeth during the past 30 days	38	1.7
			2 Less than 1 time per day	89	3.6
			3 1 time per day	270	10.5
			4 2 times per day	1,002	36.7
			5 3 times per day	1,037	40.0
			6 4 or more times per day	192	7.6
36-36	Q12	Q13	During the past 30 days, how often did you wash your hands before eating?		
			1 Never	23	1.0
			2 Rarely	89	3.4
			3 Sometimes	422	15.7
			4 Most of the time	627	23.7
			5 Always	1,448	56.2
			Missing	19	
37-37	Q13	Q14	During the past 30 days, how often did you wash your hands after using the toilet or latrine?		
			1 Never	34	1.5
			2 Rarely	70	2.8
			3 Sometimes	306	12.1
			4 Most of the time	459	17.6
			5 Always	1,737	66.0
			Missing	22	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Philippines (Mindanao) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
38-38	Q14	Q15	During the past 30 days, how often did you use soap when washing your hands?			
			1	Never	34	1.5
			2	Rarely	89	3.7
			3	Sometimes	552	21.9
			4	Most of the time	714	28.0
			5	Always	1,185	45.0
				Missing	54	
39-39	Q15	Q16	During the past 12 months, how many times were you physically attacked?			
			1	0 times	1,726	65.3
			2	1 time	387	15.4
			3	2 or 3 times	300	11.2
			4	4 or 5 times	96	3.7
			5	6 or 7 times	44	1.7
			6	8 or 9 times	19	0.8
			7	10 or 11 times	11	0.4
			8	12 or more times	37	1.5
	Missing	8				
40-40	Q16	Q17	During the past 12 months, how many times were you in a physical fight?			
			1	0 times	1,678	64.0
			2	1 time	497	18.8
			3	2 or 3 times	276	10.8
			4	4 or 5 times	70	2.9
			5	6 or 7 times	27	1.1
			6	8 or 9 times	14	0.6
			7	10 or 11 times	8	0.3
			8	12 or more times	39	1.5
	Missing	19				
41-41	Q17	Q18	During the past 12 months, how many times were you seriously injured?			
			1	0 times	1,216	51.5
			2	1 time	616	27.2
			3	2 or 3 times	324	14.0
			4	4 or 5 times	96	4.2
			5	6 or 7 times	27	1.2
			6	8 or 9 times	12	0.6
			7	10 or 11 times	6	0.2
			8	12 or more times	25	1.0
	Missing	306				

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Philippines (Mindanao) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
42-42	Q18	Q19	During the past 12 months, what was the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	1,771	72.6
			2 I had a broken bone or a dislocated joint	152	6.7
			3 I had a cut or stab wound	65	2.8
			4 I had a concussion or other head or neck injury, was knocked out, or could not breathe	84	3.6
			5 I had a gunshot wound	8	0.4
			6 I had a bad burn	60	2.5
			7 I was poisoned or took too much of a drug	7	0.3
			8 Something else happened to me	277	11.2
			Missing	204	
43-43	Q19	Q20	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	1,761	73.7
			2 I was in a motor vehicle accident or hit by a motor vehicle	108	4.7
			3 I fell	145	6.2
			4 Something fell on me or hit me	91	3.8
			5 I was attacked or abused or was fighting with someone	59	2.5
			6 I was in a fire or too near a flame or something hot	29	1.3
			7 I inhaled or swallowed something bad for me	18	0.9
			8 Something else caused my injury	163	6.9
			Missing	254	
44-44	Q20	Q21	During the past 30 days, on how many days were you bullied?		
			1 0 days	1,231	49.6
			2 1 or 2 days	736	29.2
			3 3 to 5 days	265	10.6
			4 6 to 9 days	98	3.7
			5 10 to 19 days	68	2.7
			6 20 to 29 days	27	1.2
			7 All 30 days	75	3.0
			Missing	128	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Philippines (Mindanao) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q21	Q22	During the past 30 days, how were you bullied most often?		
			1 I was not bullied during the past 30 days	1,630	65.8
			2 I was hit, kicked, pushed, shoved around, or locked indoors	102	4.2
			3 I was made fun of because of my race, nationality, or color	130	5.3
			4 I was made fun of because of my religion	40	1.8
			5 I was made fun of with sexual jokes, comments, or gestures	225	8.5
			6 I was left out of activities on purpose or completely ignored	52	2.2
			7 I was made fun of because of how my body or face looks	143	5.6
			8 I was bullied in some other way	172	6.6
			Missing	134	
46-46	Q22	Q23	During the past 12 months, how often have you felt lonely?		
			1 Never	194	7.7
			2 Rarely	550	21.6
			3 Sometimes	1,339	52.5
			4 Most of the time	368	14.0
			5 Always	108	4.4
			Missing	69	
47-47	Q23	Q24	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
			1 Never	680	25.7
			2 Rarely	785	29.8
			3 Sometimes	861	32.8
			4 Most of the time	233	9.0
			5 Always	66	2.7
			Missing	3	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Philippines (Mindanao) Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
48-48	Q24	Q25	During the past 12 months, did you ever seriously consider attempting suicide?			
			1	Yes	260	10.4
			2	No	2,311	89.6
				Missing	57	
49-49	Q25	Q26	During the past 12 months, did you make a plan about how you would attempt suicide?			
			1	Yes	279	11.4
			2	No	2,290	88.6
				Missing	59	
50-50	Q26	Q27	During the past 12 months, how many times did you actually attempt suicide?			
			1	0 times	2,253	85.2
			2	1 time	237	9.4
			3	2 or 3 times	86	3.4
			4	4 or 5 times	30	1.3
			5	6 or more times	17	0.7
				Missing	5	
51-51	Q27	Q28	How many close friends do you have?			
			1	0	126	5.1
			2	1	149	5.7
			3	2	232	9.0
			4	3 or more	2,102	80.1
		Missing	19			
52-52	Q28	Q29	How old were you when you first tried a cigarette?			
			1	I have never smoked cigarettes	1,953	78.5
			2	7 years old or younger	65	3.0
			3	8 or 9 years old	61	2.8
			4	10 or 11 years old	92	4.0
			5	12 or 13 years old	99	4.2
			6	14 or 15 years old	102	4.8
			7	16 or 17 years old	46	2.1
			8	18 years old or older	13	0.6
		Missing	197			

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Philippines (Mindanao) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
53-53	Q29	Q30	During the past 30 days, on how many days did you smoke cigarettes?			
			1	0 days	2,371	90.0
			2	1 or 2 days	136	5.7
			3	3 to 5 days	28	1.2
			4	6 to 9 days	21	0.8
			5	10 to 19 days	24	1.2
			6	20 to 29 days	10	0.4
			7	All 30 days	18	0.7
	Missing	20				
54-54	Q30	Q31	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as chewing tobacco leaves?			
			1	0 days	2,476	93.4
			2	1 or 2 days	84	3.6
			3	3 to 5 days	26	1.2
			4	6 to 9 days	13	0.6
			5	10 to 19 days	7	0.3
			6	20 to 29 days	13	0.6
			7	All 30 days	6	0.2
	Missing	3				
55-55	Q31	Q32	During the past 12 months, have you ever tried to stop smoking cigarettes?			
			1	I have never smoked cigarettes	2,118	84.7
			2	I did not smoke cigarettes during the past 12 months	110	4.9
			3	Yes	193	8.3
			4	No	46	2.1
	Missing	161				
56-56	Q32	Q33	During the past 7 days, on how many days have people smoked in your presence?			
			1	0 days	1,229	46.0
			2	1 or 2 days	792	30.6
			3	3 or 4 days	274	10.8
			4	5 or 6 days	94	3.7
			5	All 7 days	227	8.9
	Missing	12				

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Philippines (Mindanao) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
57-57	Q33	Q34	Which of your parents or guardians use any form of tobacco?			
			1	Neither	1,395	53.0
			2	My father or male guardian	930	35.5
			3	My mother or female guardian	84	3.3
			4	Both	97	3.7
			5	I do not know	112	4.5
			Missing	10		
58-58	Q34	Q35	How old were you when you had your first drink of alcohol other than a few sips?			
			1	I have never had a drink of alcohol other than a few sips	1,287	53.0
			2	7 years old or younger	88	3.8
			3	8 or 9 years old	79	3.7
			4	10 or 11 years old	104	4.4
			5	12 or 13 years old	305	12.6
			6	14 or 15 years old	348	15.5
			7	16 or 17 years old	133	5.6
			8	18 years old or older	29	1.4
			Missing	255		
59-59	Q35	Q37	During the past 30 days, on how many days did you have at least one drink containing alcohol?			
			1	0 days	2,098	80.5
			2	1 or 2 days	392	15.3
			3	3 to 5 days	55	2.3
			4	6 to 9 days	22	1.0
			5	10 to 19 days	8	0.4
			6	20 to 29 days	5	0.2
			7	All 30 days	6	0.2
			Missing	42		
60-60	Q36	Q38	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?			
			1	I did not drink alcohol during the past 30 days	1,992	75.8
			2	Less than one drink	249	10.0
			3	1 drink	161	6.5
			4	2 drinks	73	2.7
			5	3 drinks	42	1.8
			6	4 drinks	27	1.0
			7	5 or more drinks	55	2.2
			Missing	29		

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Philippines (Mindanao) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
61-61	Q37	Q39	During the past 30 days, how did you usually get the alcohol you drank?			
			1	I did not drink alcohol during the past 30 days	2,031	78.1
			2	I bought it in a store, shop, or from a street vendor	127	5.2
			3	I gave someone else money to buy it for me	49	2.1
			4	I got it from my friends	216	8.5
			5	I got it from my family	132	4.9
			6	I stole it or got it without permission	7	0.3
			7	I got it some other way	21	0.8
		Missing	45			
62-62	Q38	Q46	During your life, how many times did you drink so much alcohol that you were really drunk?			
			1	0 times	2,103	81.3
			2	1 or 2 times	362	14.4
			3	3 to 9 times	66	2.9
			4	10 or more times	32	1.3
		Missing	65			
63-63	Q39	Q48	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?			
			1	0 times	2,263	91.3
			2	1 or 2 times	126	5.4
			3	3 to 9 times	46	2.0
			4	10 or more times	29	1.4
		Missing	164			
64-64	Q40	Q57	How old were you when you first used drugs?			
			1	I have never used drugs	2,275	88.6
			2	7 years old or younger	106	4.6
			3	8 or 9 years old	46	2.1
			4	10 or 11 years old	20	1.0
			5	12 or 13 years old	20	0.8
			6	14 or 15 years old	43	1.7
			7	16 or 17 years old	22	0.9
			8	18 years old or older	5	0.2
		Missing	91			

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Philippines (Mindanao) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
65-65	Q41	Q58	During your life, how many times have you used marijuana ?		
			1 0 times	2,455	94.4
			2 1 or 2 times	56	2.4
			3 3 to 9 times	38	1.7
			4 10 to 19 times	22	1.0
			5 20 or more times	11	0.5
			Missing	46	
66-66	Q42	Q59	During the past 30 days, how many times have you used marijuana ?		
			1 0 times	2,455	95.4
			2 1 or 2 times	50	2.2
			3 3 to 9 times	26	1.3
			4 10 to 19 times	12	0.5
			5 20 or more times	13	0.7
			Missing	72	
67-67	Q43	Q60	During your life, how many times have you used amphetamines or methamphetamines also called		
			1 0 times	2,498	95.7
			2 1 or 2 times	43	1.9
			3 3 to 9 times	42	1.9
			4 10 to 19 times	5	0.2
			5 20 or more times	5	0.2
			Missing	35	
73-73	Q49	Q65	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
			1 0 days	1,224	47.4
			2 1 day	608	23.3
			3 2 days	244	9.4
			4 3 days	148	5.5
			5 4 days	75	3.0
			6 5 days	74	2.9
			7 6 days	25	1.0
			8 7 days	188	7.3
Missing	42				

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Philippines (Mindanao) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
74-74	Q50	Q66	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?			
			1	0 days	1,279	47.8
			2	1 day	292	11.5
			3	2 days	141	5.5
			4	3 days	97	3.8
			5	4 days	62	2.4
			6	5 days	294	11.5
			7	6 days	28	1.1
			8	7 days	432	16.4
	Missing	3				
75-75	Q51	Q67	During this school year, on how many days did you go to physical education (PE) class each week?			
			1	0 days	456	18.1
			2	1 day	501	19.8
			3	2 days	243	9.2
			4	3 days	128	5.2
			5	4 days	296	11.0
			6	5 or more days	980	36.6
	Missing	24				
76-76	Q52	Q68	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as playing cards?			
			1	Less than 1 hour per day	1,266	49.6
			2	1 to 2 hours per day	655	25.0
			3	3 to 4 hours per day	372	14.0
			4	5 to 6 hours per day	135	5.1
			5	7 to 8 hours per day	51	2.0
			6	More than 8 hours per day	112	4.3
	Missing	37				
77-77	Q53	Q69	During the past 30 days, on how many days did you miss classes or school without permission?			
			1	0 days	1,852	69.5
			2	1 or 2 days	568	22.4
			3	3 to 5 days	125	4.9
			4	6 to 9 days	40	1.7
			5	10 or more days	36	1.6
	Missing	7				

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Philippines (Mindanao) Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
78-78	Q54	Q70	During the past 30 days, how often were most of the students in your school kind and helpful?			
			1	Never	226	9.5
			2	Rarely	498	19.1
			3	Sometimes	951	35.8
			4	Most of the time	640	24.1
			5	Always	299	11.5
				Missing	14	
79-79	Q55	Q71	During the past 30 days, how often did your parents or guardians check to see if your homework was done?			
			1	Never	638	24.8
			2	Rarely	563	21.6
			3	Sometimes	787	29.7
			4	Most of the time	306	11.6
			5	Always	322	12.4
				Missing	12	
80-80	Q56	Q72	During the past 30 days, how often did your parents or guardians understand your problems and worries?			
			1	Never	510	20.2
			2	Rarely	498	19.0
			3	Sometimes	864	32.3
			4	Most of the time	372	14.0
			5	Always	378	14.4
				Missing	6	
81-81	Q57	Q73	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?			
			1	Never	484	19.2
			2	Rarely	518	20.0
			3	Sometimes	835	31.3
			4	Most of the time	410	15.6
			5	Always	368	13.8
				Missing	13	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Philippines (Mindanao) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
82-82	Q58	Q74	During the past 30 days, how often did your parents or guardians go through your things without your approval?		
			1 Never	1,202	46.3
			2 Rarely	619	23.2
			3 Sometimes	543	20.9
			4 Most of the time	153	6.0
			5 Always	89	3.7
			Missing	22	
185-185	QN6		Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)		
			1 Yes	297	11.2
			2 No	2,330	88.8
			Missing	1	
186-186	QN7		Percentage of students who did not eat fruit (during the 30 days before the survey)		
			1 Yes	151	6.0
			2 No	2,456	94.0
			Missing	21	
187-187	QN8		Percentage of students who did not eat vegetables (during the 30 days before the survey)		
			1 Yes	119	4.6
			2 No	2,507	95.4
			Missing	2	
188-188	QN9		Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)		
			1 Yes	213	8.3
			2 No	2,409	91.7
			Missing	6	
189-189	QN10		Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)		
			1 Yes	1,617	61.3
			2 No	1,010	38.7
			Missing	1	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Philippines (Mindanao) Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
190-190	QN11		Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)		
			1 Yes	2,501	94.8
			2 No	127	5.2
191-191	QN12		Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)		
			1 Yes	112	4.5
			2 No	2,497	95.5
			Missing	19	
192-192	QN13		Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)		
			1 Yes	104	4.3
			2 No	2,502	95.7
			Missing	22	
193-193	QN14		Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)		
			1 Yes	123	5.1
			2 No	2,451	94.9
			Missing	54	
194-194	QN15		Percentage of students who were physically attacked (one or more times during the 12 months before the survey)		
			1 Yes	894	34.7
			2 No	1,726	65.3
			Missing	8	
195-195	QN16		Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
			1 Yes	931	36.0
			2 No	1,678	64.0
			Missing	19	

**2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS**

**Philippines (Mindanao) Survey  
Public Use Codebook**

<b>Data Location</b>	<b>Standard Variable Name</b>	<b>Country Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
196-196	QN17		Percentage of students who were seriously injured (one or more times during the 12 months before the survey)		
			1      Yes	1,106	48.5
			2      No	1,216	51.5
			Missing	306	
197-197	QN18		Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)		
			1      Yes	152	24.6
			2      No	501	75.4
			Missing	1,975	
198-198	QN19		Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)		
			1      Yes	108	17.7
			2      No	505	82.3
			Missing	2,015	
199-199	QN20		Percentage of students who were bullied (on one or more days during the 30 days before the survey)		
			1      Yes	1,269	50.4
			2      No	1,231	49.6
			Missing	128	
200-200	QN21		Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )		
			1      Yes	102	12.1
			2      No	762	87.9
			Missing	1,764	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Philippines (Mindanao) Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
201-201	QN22		Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)		
			1 Yes	476	18.3
			2 No	2,083	81.7
			Missing	69	
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)		
			1 Yes	299	11.7
			2 No	2,326	88.3
			Missing	3	
203-203	QN24		Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)		
			1 Yes	260	10.4
			2 No	2,311	89.6
			Missing	57	
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
			1 Yes	279	11.4
			2 No	2,290	88.6
			Missing	59	
205-205	QN26		Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
			1 Yes	370	14.8
			2 No	2,253	85.2
			Missing	5	
206-206	QN27		Percentage of students who did not have any close friends		
			1 Yes	126	5.1
			2 No	2,483	94.9
			Missing	19	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Philippines (Mindanao) Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
207-207	QN28		Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)		
			1 Yes	317	65.2
			2 No	161	34.8
			Missing	2,150	
208-208	QN29		Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
			1 Yes	237	10.0
			2 No	2,371	90.0
			Missing	20	
209-209	QN30		Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)		
			1 Yes	149	6.6
			2 No	2,476	93.4
			Missing	3	
210-210	QN31		Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)		
			1 Yes	193	79.5
			2 No	46	20.5
			Missing	2,389	
211-211	QN32		Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)		
			1 Yes	1,387	54.0
			2 No	1,229	46.0
			Missing	12	
212-212	QN33		Percentage of students who had parents or guardians who used any form of tobacco		
			1 Yes	1,111	42.5
			2 No	1,507	57.5
			Missing	10	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Philippines (Mindanao) Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
213-213	QN34		Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)		
			1 Yes	576	52.1
			2 No	510	47.9
			Missing	1,542	
214-214	QN35		Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)		
			1 Yes	488	19.5
			2 No	2,098	80.5
			Missing	42	
215-215	QN36		Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)		
			1 Yes	197	31.8
			2 No	410	68.2
			Missing	2,021	
216-216	QN37		Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)		
			1 Yes	216	39.0
			2 No	336	61.0
			Missing	2,076	
217-217	QN38		Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)		
			1 Yes	460	18.7
			2 No	2,103	81.3
			Missing	65	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Philippines (Mindanao) Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
218-218	QN39		Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)		
			1 Yes	201	8.7
			2 No	2,263	91.3
			Missing	164	
219-219	QN40		Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)		
			1 Yes	192	75.0
			2 No	70	25.0
			Missing	2,366	
220-220	QN41		Percentage of students who ever used marijuana (one or more times during their life)		
			1 Yes	127	5.6
			2 No	2,455	94.4
			Missing	46	
221-221	QN42		Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
			1 Yes	101	4.6
			2 No	2,455	95.4
			Missing	72	
222-222	QN43		Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)		
			1 Yes	95	4.3
			2 No	2,498	95.7
			Missing	35	
228-228	QN49		Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)		
			1 Yes	1,224	47.4
			2 No	1,362	52.6
			Missing	42	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Philippines (Mindanao) Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)		
			1 Yes	1,279	47.8
			2 No	1,346	52.2
			Missing	3	
230-230	QN51		Percentage of students who did not attend physical education classes (each week during this school year)		
			1 Yes	456	18.1
			2 No	2,148	81.9
			Missing	24	
231-231	QN52		Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)		
			1 Yes	670	25.4
			2 No	1,921	74.6
			Missing	37	
232-232	QN53		Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)		
			1 Yes	769	30.5
			2 No	1,852	69.5
			Missing	7	
233-233	QN54		Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)		
			1 Yes	939	35.7
			2 No	1,675	64.3
			Missing	14	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Philippines (Mindanao) Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
234-234	QN55		Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)		
			1 Yes	628	24.0
			2 No	1,988	76.0
			Missing	12	
235-235	QN56		Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)		
			1 Yes	750	28.4
			2 No	1,872	71.6
			Missing	6	
236-236	QN57		Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)		
			1 Yes	778	29.4
			2 No	1,837	70.6
			Missing	13	
237-237	QN58		Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)		
			1 Yes	1,821	69.5
			2 No	785	30.5
			Missing	22	
350-350	QNUNWTG		Percentage of students who were underweight (<-2SD from median for BMI by age and sex)		
			1 Yes	190	7.9
			2 No	2,195	92.1
			Missing	243	
351-351	QNOWTG		Percentage of students who were overweight (>+1SD from median for BMI by age and sex)		
			1 Yes	201	8.3
			2 No	2,184	91.7
			Missing	243	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Philippines (Mindanao) Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
352-352	QNOBESEG		Percentage of students who were obese (>+2SD from median for BMI by age and sex)			
			1	Yes	40	1.8
			2	No	2,345	98.2
			Missing	243		
353-353	QNFR1G		Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)			
			1	Yes	777	29.3
			2	No	1,830	70.7
			Missing	21		
354-354	QNFR1G		Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)			
			1	Yes	1,679	64.8
			2	No	928	35.2
			Missing	21		
355-355	QNFR2G		Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)			
			1	Yes	942	37.0
			2	No	1,665	63.0
			Missing	21		
356-356	QNFR3G		Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)			
			1	Yes	482	19.4
			2	No	2,125	80.6
			Missing	21		
357-357	QNVEGLG		Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)			
			1	Yes	428	16.3
			2	No	2,198	83.7
			Missing	2		

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Philippines (Mindanao) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
358-358	QNVEG1G		Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)		
			1 Yes	2,079	79.1
			2 No	547	20.9
			Missing	2	
359-359	QNVEG2G		Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)		
			1 Yes	1,257	47.9
			2 No	1,369	52.1
			Missing	2	
360-360	QNVEG3G		Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)		
			1 Yes	644	24.7
			2 No	1,982	75.3
			Missing	2	
361-361	QNSODALG		Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)		
			1 Yes	1,505	56.7
			2 No	1,117	43.3
			Missing	6	
362-362	QNSODA1G		Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)		
			1 Yes	904	35.0
			2 No	1,718	65.0
			Missing	6	
363-363	QNSODA2G		Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)		
			1 Yes	377	14.8
			2 No	2,245	85.2
			Missing	6	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Philippines (Mindanao) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
364-364	QNSODA3G		Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)		
			1 Yes	145	5.9
			2 No	2,477	94.1
			Missing	6	
365-365	QNFF1G		Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)		
			1 Yes	1,010	38.7
			2 No	1,617	61.3
			Missing	1	
366-366	QNFF2G		Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)		
			1 Yes	350	13.5
			2 No	2,277	86.5
			Missing	1	
367-367	QNFF3G		Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)		
			1 Yes	175	6.7
			2 No	2,452	93.3
			Missing	1	
368-368	QNC2G		Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)		
			1 Yes	176	63.3
			2 No	103	36.7
			Missing	2,349	

**2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS**

**Philippines (Mindanao) Survey  
Public Use Codebook**

<b>Data Location</b>	<b>Standard Variable Name</b>	<b>Country Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
369-369	QNTOB2G		Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)		
			1 Yes	286	12.2
			2 No	2,333	87.8
			Missing	9	
370-370	QNNOTB2G		Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)		
			1 Yes	2,333	88.3
			2 No	274	11.7
			Missing	21	
373-373	QNPA5G		Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)		
			1 Yes	287	11.3
			2 No	2,299	88.7
			Missing	42	
374-374	QNPA7G		Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey )		
			1 Yes	188	7.3
			2 No	2,398	92.7
			Missing	42	
375-375	QNPE3G		Percentage of students who attended physical education classes on three or more days (each week during this school year)		
			1 Yes	1,404	52.8
			2 No	1,200	47.2
			Missing	24	
376-376	QNPE5G		Percentage of students who attended physical education classes on five or more days (each week during this school year)		
			1 Yes	980	36.6
			2 No	1,624	63.4
			Missing	24	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Philippines (Mindanao) Survey  
Public Use Codebook

---

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
377-386	WEIGHT				
387-395	STRATUM				
396-400	PSU				

---