

# Codebook Newvar File Albania 2002 Females

## 2002 ALBANIAN REPRODUCTIVE HEALTH SURVEY HOUSEHOLD QUESTIONNAIRE

### HH\_ID

		Value
Standard	Label	Household ID
Attributes		
N	Valid	10316
	Missing	0

### PSU

		Value
Standard	Label	Primary Sample Unit - PSU
Attributes		
N	Valid	10316
	Missing	0

### STRATA

		Value	Count	Percent
Standard	Label	Strata		
Attributes				
N	Valid	10316		
	Missing	0		
Labeled Values	1	Metro Tirana	3594	34.8%
	2	Other Urban	3593	34.8%
	3	Other Rural	3129	30.3%

### STAT\_CD

		Value
Standard	Label	Statistics Code
Attributes		
N	Valid	10316
	Missing	0

### DISTRICT

		Value
Standard	Label	District
Attributes		
N	Valid	10316
	Missing	0

### KOMUNA

		Value
Standard	Label	Komuna
Attributes		
N	Valid	10316
	Missing	0

### LOCALITY

		Value
Standard Attributes	Label	Locality
N	Valid	10316
	Missing	0

### VISIT\_N

		Value
Standard Attributes	Label	Visit Number
N	Valid	10316
	Missing	0

### VISIT\_DA

		Value
Standard Attributes	Label	Visit Day
N	Valid	10316
	Missing	0

### VISIT\_MO

		Value
Standard Attributes	Label	Visit Month
N	Valid	10316
	Missing	0

### RESULT

		Value	Count	Percent
Standard Attributes	Label	Result		
N	Valid		10316	
	Missing		0	
Labeled Values	1	Completed Interview	5697	55.2%
	2	No Eligible Woman lives in HH	3505	34.0%
	3	Nobody Home	80	.8%
	4	Selected Respondent not home	89	.9%
	5	Household Refusal	2	.0%
	6	Selected respondent refusal	6	.1%
	7	Unoccupied House	865	8.4%
	8	Respondent Incompetent	61	.6%
	9	Other	11	.1%
	10	Incomplete Interview	0	.0%

**INTV\_NBR**

		Value
Standard Attributes	Label	Interviewer Number
N	Valid	10316
	Missing	0

**SUPR\_NBR**

		Value
Standard Attributes	Label	Supervisor Number
N	Valid	10316
	Missing	0

**Q1**

		Value	Count	Percent
Standard Attributes	Label	Nbr families in household		
N	Valid	9355		
	Missing	961		
Labeled Values	9	Not Sure	0	.0%

**Q2**

		Value	Count	Percent
Standard Attributes	Label	Nbr people live in house		
N	Valid	9354		
	Missing	962		
Labeled Values	99	Not sure	0	.0%

**Q3**

		Value	Count	Percent
Standard Attributes	Label	Nbr females in house		
N	Valid	9358		
	Missing	958		
Labeled Values	9	Not Sure	3	.0%

**Q4\_AGE\_1**

		Value	Count	Percent
Standard Attributes	Label	Age-female-1		
N	Valid	5810		
	Missing	4506		
Labeled Values	99	Not Sure	0	.0%

**Q4\_AGE\_2**

		Value	Count	Percent
Standard Attributes	Label	Age-female-2		
N	Valid	1219		
	Missing	9097		
Labeled Values	99	Not Sure	0	.0%

**Q4\_AGE\_3**

		Value	Count	Percent
Standard Attributes	Label	Age-female-3		
N	Valid	261		
	Missing	10055		
Labeled Values	99	Not Sure	0	.0%

**Q4\_AGE\_4**

		Value	Count	Percent
Standard Attributes	Label	Age-female-4		
N	Valid	39		
	Missing	10277		
Labeled Values	99	Not Sure	0	.0%

**Q4\_AGE\_5**

		Value	Count	Percent
Standard Attributes	Label	Age-female-5		
N	Valid	4		
	Missing	10312		
Labeled Values	99	Not Sure	0	.0%

**Q4\_AGE\_6**

		Value	Count	Percent
Standard Attributes	Label	Age-female-6		
N	Valid	1		
	Missing	10315		
Labeled Values	99	Not Sure	0	.0%

**Q4\_MS\_1**

		Value	Count	Percent
Standard Attributes	Label	Marital Status-female-1		
N	Valid	5809		
	Missing	4507		
Labeled Values	1	Married	4469	43.3%
	2	Unregistered Marriage	27	.3%
	3	Separated	12	.1%
	4	Divorced	38	.4%
	5	Widowed	54	.5%
	6	Never Married	1207	11.7%
	8	Unknown	2	.0%

**Q4\_MS\_2**

		Value	Count	Percent
Standard Attributes	Label	Marital Status-female-2		
N	Valid	1219		
	Missing	9097		
Labeled Values	1	Married	155	1.5%
	2	Unregistered Marriage	2	.0%
	3	Separated	4	.0%
	4	Divorced	1	.0%
	5	Widowed	2	.0%
	6	Never Married	1054	10.2%
	8	Unknown	1	.0%

**Q4\_MS\_3**

		Value	Count	Percent
Standard Attributes	Label	Marital Status-female-3		
N	Valid	261		
	Missing	10055		
Labeled Values	1	Married	24	.2%
	2	Unregistered Marriage	0	.0%
	3	Separated	0	.0%
	4	Divorced	0	.0%
	5	Widowed	1	.0%
	6	Never Married	235	2.3%
	8	Unknown	1	.0%

**Q4\_MS\_4**

		Value	Count	Percent
Standard Attributes	Label	Marital Status-female-4		
N	Valid	39		
	Missing	10277		
Labeled Values	1	Married	5	.0%
	2	Unregistered Marriage	0	.0%
	3	Separated	0	.0%
	4	Divorced	0	.0%
	5	Widowed	0	.0%
	6	Never Married	34	.3%
	8	Unknown	0	.0%

**Q4\_MS\_5**

		Value	Count	Percent
Standard Attributes	Label	Marital Status-female-5		
N	Valid	4		
	Missing	10312		
Labeled Values	1	Married	0	.0%
	2	Unregistered Marriage	0	.0%
	3	Separated	0	.0%
	4	Divorced	0	.0%
	5	Widowed	0	.0%
	6	Never Married	4	.0%
	8	Unknown	0	.0%

**Q4\_MS\_6**

		Value	Count	Percent
Standard Attributes	Label	Marital Status-female-6		
N	Valid	1		
	Missing	10315		
Labeled Values	1	Married	0	.0%
	2	Unregistered Marriage	0	.0%
	3	Separated	0	.0%
	4	Divorced	0	.0%
	5	Widowed	0	.0%
	6	Never Married	1	.0%
	8	Unknown	0	.0%

**Q4\_ED1\_1**

		Value	Count	Percent
Standard Attributes	Label	Education Level-female-1		
N	Valid	5807		
	Missing	4509		
Labeled Values	0	No School	52	.5%
	1	Elementary Education (1-4)	77	.7%
	2	Post elementary (5-8)	2548	24.7%
	3	High School	1811	17.6%
	4	Basic Secondary + Vocational	602	5.8%
	5	Complete Secondary + technical	61	.6%
	6	University / Postgraduate	652	6.3%
	8	Unknown	4	.0%

**Q4\_ED1\_2**

		Value	Count	Percent
Standard Attributes	Label	Education Level-female-2		
N	Valid	1219		
	Missing	9097		
Labeled Values	0	No School	11	.1%
	1	Elementary Education (1-4)	16	.2%
	2	Post elementary (5-8)	586	5.7%
	3	High School	458	4.4%
	4	Basic Secondary + Vocational	41	.4%
	5	Complete Secondary + technical	6	.1%
	6	University / Postgraduate	100	1.0%
	8	Unknown	1	.0%

**Q4\_ED1\_3**

		Value	Count	Percent
Standard Attributes	Label	Education Level-female-3		
N	Valid		261	
	Missing		10055	
Labeled Values	0	No School	1	.0%
	1	Elementary Education (1-4)	3	.0%
	2	Post elementary (5-8)	128	1.2%
	3	High School	110	1.1%
	4	Basic Secondary + Vocational	2	.0%
	5	Complete Secondary + technical	2	.0%
	6	University / Postgraduate	15	.1%
	8	Unknown	0	.0%

**Q4\_ED1\_4**

		Value	Count	Percent
Standard Attributes	Label	Education Level-female-4		
N	Valid		39	
	Missing		10277	
Labeled Values	0	No School	0	.0%
	1	Elementary Education (1-4)	0	.0%
	2	Post elementary (5-8)	18	.2%
	3	High School	17	.2%
	4	Basic Secondary + Vocational	2	.0%
	5	Complete Secondary + technical	0	.0%
	6	University / Postgraduate	2	.0%
	8	Unknown	0	.0%

**Q4\_ED1\_5**

		Value	Count	Percent
Standard Attributes	Label	Education Level-female-5		
N	Valid		4	
	Missing		10312	
Labeled Values	0	No School	0	.0%
	1	Elementary Education (1-4)	1	.0%
	2	Post elementary (5-8)	1	.0%
	3	High School	2	.0%
	4	Basic Secondary + Vocational	0	.0%
	5	Complete Secondary + technical	0	.0%
	6	University / Postgraduate	0	.0%
	8	Unknown	0	.0%

**Q4\_ED1\_6**

		Value	Count	Percent
Standard	Label	Education Level-female-6		
Attributes				
N	Valid		1	
	Missing		10315	
Labeled Values	0	No School	0	.0%
	1	Elementary Education (1-4)	0	.0%
	2	Post elementary (5-8)	0	.0%
	3	High School	1	.0%
	4	Basic Secondary + Vocational	0	.0%
	5	Complete Secondary + technical	0	.0%
	6	University / Postgraduate	0	.0%
	8	Unknown	0	.0%

**Q5**

		Value
Standard	Label	Rank Order-Female Selected
Attributes		
N	Valid	5847
	Missing	4469



## FEMALE QUESTIONNAIRE

### BGN\_HOUR

		Value
Standard Attributes	Label	Hour Interview Began
N	Valid	5697
	Missing	4619

### BGN\_MIN

		Value
Standard Attributes	Label	Minute Interview Began
N	Valid	5697
	Missing	4619

### FEM\_ID

		Value
Standard Attributes	Label	Female ID
N	Valid	5697
	Missing	4619

## I. BACKGROUND CHARACTERISTICS

### Q100\_MM

		Value	Count	Percent
Standard Attributes	Label	Month of Birth		
N	Valid	5697		
	Missing	4619		
Labeled Values	98	Don't Know	2	.0%

### Q100\_YY

		Value	Count	Percent
Standard Attributes	Label	Year of Birth		
N	Valid	5697		
	Missing	4619		
Labeled Values	9898	Don't know	0	.0%

### Q101\_AGE

		Value
Standard Attributes	Label	Current Age
N	Valid	5697
	Missing	4619

**Q102\_GRD**

		Value	Count	Percent
Standard Attributes	Label	Highest Grade attend School		
N	Valid	5697		
	Missing	4619		
Labeled Values	0	Never Attended	21	.2%
	1	General School	2498	24.2%
	2	Theoretical High School	1898	18.4%
	3	Professional School	585	5.7%
	4	Technical School	70	.7%
	5	University/Faculty	604	5.9%
	6	Post University	21	.2%
	8	Do Not Know/Remember-years or grade	0	.0%

**Q102\_YRS**

		Value	Count	Percent
Standard Attributes	Label	Number of Years-at Grade-attend School		
N	Valid	5670		
	Missing	4646		
Labeled Values	88	DK	0	.0%

**Q103**

		Value	Count	Percent
Standard Attributes	Label	Have High School Diploma		
N	Valid	2483		
	Missing	7833		
Labeled Values	1	Yes	1830	17.7%
	2	No	653	6.3%

**Q104**

		Value	Count	Percent
Standard Attributes	Label	Employed-Outside Home		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	1095	10.6%
	2	Yes-On Maternity Leave	23	.2%
	3	No	4579	44.4%

**Q105**

		Value	Count	Percent
Standard Attributes	Label	Reason-Not Working		
N	Valid	4579		
	Missing	5737		
Labeled Values	1	Attending School	614	6.0%
	2	Internal Displacement	15	.1%
	3	Looking for Work	1626	15.8%
	4	Laid Off	38	.4%
	5	Does not need/want/like work	148	1.4%
	6	Medical Leave	19	.2%
	7	Maternity Leave	55	.5%
	8	Inability to find/afford child care	639	6.2%
	9	Homemaker	1233	12.0%
	10	Permanent Disability	23	.2%
	11	Husband does not allow	60	.6%
	12	Parents do not allow	87	.8%
	13	Odd jobs (< 20 hrs week)	5	.0%
	14	Temporarily back from work abroad	12	.1%
	20	Other	5	.0%

**Q106**

		Value	Count	Percent
Standard Attributes	Label	Live-Town/Village		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Town	2402	23.3%
	2	Village	3295	31.9%

**Q107\_MO**

		Value	Count	Percent
Standard Attributes	Label	Time-Residence Month		
N	Valid	5697		
	Missing	4619		
Labeled Values	0	Always since Birth	2387	23.1%
	88	Do not Remember	0	.0%

**Q107\_YR**

		Value	Count	Percent
Standard Attributes	Label	Time-Residence Year		
N	Valid	5697		
	Missing	4619		
Labeled Values	0	Always since birth	2387	23.1%
	8888	Do not remember	13	.1%

**Q107A**

		Value	Count	Percent
Standard Attributes	Label	Since 1992-where lived-residence		
N	Valid	3310		
	Missing	7006		
Labeled Values	1	A town (Urban Area)	1018	9.9%
	2	A Village (Rural Area)	2286	22.2%
	3	Outside Albania	6	.1%
	9	Not given	0	.0%

**Q108**

		Value	Count	Percent
Standard Attributes	Label	Marital Status		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Married	3939	38.2%
	2	Not Married/Living Together	26	.3%
	3	Separated	9	.1%
	4	Divorced	29	.3%
	5	Widowed	50	.5%
	6	Never Married	1644	15.9%
	9	Not given	0	.0%

**Q109**

		Value	Count	Percent
Standard Attributes	Label	Ever lived w/boyfriend		
N	Valid	1644		
	Missing	8672		
Labeled Values	1	Yes	0	.0%
	2	No	1644	15.9%

**Q110**

		Value	Count	Percent
Standard Attributes	Label	Lifetime-Nbr Children Wanted		
N	Valid	1644		
	Missing	8672		
Labeled Values	22	As many as God Gives	30	.3%
	33	As many as Husband wants	10	.1%
	88	Not Sure/DK	163	1.6%

**Q111**

		Value	Count	Percent
Standard Attributes	Label	Times Married/Lived/Boyfriend		
N	Valid	4053		
	Missing	6263		
Labeled Values	9	Refusal	0	.0%

**Q112\_MO\_1**

		Value	Count	Percent
Standard Attributes	Label	Month-Begin living partner-1		
N	Valid	4053		
	Missing	6263		
Labeled Values	88	Do not Know	0	.0%

**Q112\_MO\_2**

		Value	Count	Percent
Standard Attributes	Label	Month-Begin living partner-2		
N	Valid	28		
	Missing	10288		
Labeled Values	88	Do not Know	0	.0%

**Q112\_MO\_3**

		Value	Count	Percent
Standard Attributes	Label	Month-Begin living partner-3		
N	Valid	0		
	Missing	10316		
Labeled Values	88	Do not Know	0	.0%

**Q112\_MO\_4**

		Value	Count	Percent
Standard Attributes	Label	Month-Begin living partner-4		
N	Valid	0		
	Missing	10316		
Labeled Values	88	Do not Know	0	.0%

**Q112\_YR\_1**

		Value	Count	Percent
Standard Attributes	Label	Year-Begin living partner-1		
N	Valid	4053		
	Missing	6263		
Labeled Values	8888	Do not Know	0	.0%

**Q112\_YR\_2**

		Value	Count	Percent
Standard Attributes	Label	Year-Begin living partner-2		
N	Valid	28		
	Missing	10288		
Labeled Values	8888	Do not Know	0	.0%

**Q112\_YR\_3**

		Value	Count	Percent
Standard Attributes	Label	Year-Begin living partner-3		
N	Valid	0		
	Missing	10316		
Labeled Values	8888	Do not Know	0	.0%

**Q112\_YR\_4**

		Value	Count	Percent
Standard Attributes	Label	Year-Begin living partner-4		
N	Valid	0		
	Missing	10316		
Labeled Values	8888	Do not Know	0	.0%

**Q113\_AGE\_1**

		Value	Count	Percent
Standard Attributes	Label	Age-Begin living partner-1		
N	Valid	4053		
	Missing	6263		
Labeled Values	88	Do not remember	3	.0%

**Q113\_AGE\_2**

		Value	Count	Percent
Standard Attributes	Label	Age-Begin living partner-2		
N	Valid	28		
	Missing	10288		
Labeled Values	88	Do not remember	0	.0%

**Q113\_AGE\_3**

		Value	Count	Percent
Standard Attributes	Label	Age-Begin living partner-3		
N	Valid	0		
	Missing	10316		
Labeled Values	88	Do not remember	0	.0%

**Q113\_AGE\_4**

		Value	Count	Percent
Standard Attributes	Label	Age-Begin living partner-4		
N	Valid	0		
	Missing	10316		
Labeled Values	88	Do not remember	0	.0%

**Q114\_GRD\_1**

		Value	Count	Percent
Standard Attributes	Label	Grade-Partner Attain-1		
N	Valid	4053		
	Missing	6263		
Labeled Values	0	Never Attended School	16	.2%
	1	Primary (1-8)	1550	15.0%
	2	Secondary (9-12)	1407	13.6%
	3	Vocational	594	5.8%
	4	Technical	55	.5%
	5	University	428	4.1%
	8	Unknown	3	.0%

**Q114\_GRD\_2**

		Value	Count	Percent
Standard Attributes	Label	Grade-Partner Attain-2		
N	Valid	28		
	Missing	10288		
Labeled Values	0	Never Attended School	1	.0%
	1	Primary (1-8)	15	.1%
	2	Secondary (9-12)	5	.0%
	3	Vocational	4	.0%
	4	Technical	0	.0%
	5	University	3	.0%
	8	Unknown	0	.0%

**Q114\_GRD\_3**

		Value	Count	Percent
Standard Attributes	Label	Grade-Partner Attain-3		
N	Valid	0		
	Missing	10316		
Labeled Values	0	Never Attended School	0	.0%
	1	Primary (1-8)	0	.0%
	2	Secondary (9-12)	0	.0%
	3	Vocational	0	.0%
	4	Technical	0	.0%
	5	University	0	.0%
	8	Unknown	0	.0%

**Q114\_GRD\_4**

		Value	Count	Percent
Standard Attributes	Label	Grade-Partner Attain-4		
N	Valid	0		
	Missing	10316		
Labeled Values	0	Never Attended School	0	.0%
	1	Primary (1-8)	0	.0%
	2	Secondary (9-12)	0	.0%
	3	Vocational	0	.0%
	4	Technical	0	.0%
	5	University	0	.0%
	8	Unknown	0	.0%

**Q115\_REL\_1**

		Value	Count	Percent
Standard Attributes	Label	Relationship-Partner-1		
N	Valid	4053		
	Missing	6263		
Labeled Values	1	Married	3919	38.0%
	2	Living w/ Partner	21	.2%
	3	Separated	10	.1%
	4	Divorced	44	.4%
	5	Widowed	59	.6%

**Q115\_REL\_2**

		Value	Count	Percent
Standard Attributes	Label	Relationship-Partner-2		
N	Valid	28		
	Missing	10288		
Labeled Values	1	Married	20	.2%
	2	Living w/ Partner	5	.0%
	3	Separated	1	.0%
	4	Divorced	2	.0%
	5	Widowed	0	.0%

**Q115\_REL\_3**

		Value	Count	Percent
Standard Attributes	Label	Relationship-Partner-3		
N	Valid	0		
	Missing	10316		
Labeled Values	1	Married	0	.0%
	2	Living w/ Partner	0	.0%
	3	Separated	0	.0%
	4	Divorced	0	.0%
	5	Widowed	0	.0%

**Q115\_REL\_4**

		Value	Count	Percent
Standard Attributes	Label	Relationship-Partner-4		
N	Valid	0		
	Missing	10316		
Labeled Values	1	Married	0	.0%
	2	Living w/ Partner	0	.0%
	3	Separated	0	.0%
	4	Divorced	0	.0%
	5	Widowed	0	.0%

**Q116\_MO\_1**

		Value	Count	Percent
Standard Attributes	Label	Month-End living Partner-1		
N	Valid	113		
	Missing	10203		
Labeled Values	88	Do not Know	1	.0%

**Q116\_MO\_2**

		Value	Count	Percent
Standard Attributes	Label	Month-End living Partner-2		
N	Valid	3		
	Missing	10313		
Labeled Values	88	Do not Know	0	.0%



**Q116\_MO\_3**

		Value	Count	Percent
Standard Attributes	Label	Month-End living Partner-3		
N	Valid	0		
	Missing	10316		
Labeled Values	88	Do not Know	0	.0%

**Q116\_MO\_4**

		Value	Count	Percent
Standard Attributes	Label	Month-End living Partner-4		
N	Valid	0		
	Missing	10316		
Labeled Values	88	Do not Know	0	.0%

**Q116\_YR\_1**

		Value	Count	Percent
Standard Attributes	Label	Year-End living Partner-1		
N	Valid	113		
	Missing	10203		
Labeled Values	8888	Do not Know	1	.0%

**Q116\_YR\_2**

		Value	Count	Percent
Standard Attributes	Label	Year-End living Partner-2		
N	Valid	3		
	Missing	10313		
Labeled Values	8888	Do not Know	0	.0%

**Q116\_YR\_3**

		Value	Count	Percent
Standard Attributes	Label	Year-End living Partner-3		
N	Valid	0		
	Missing	10316		
Labeled Values	8888	Do not Know	0	.0%

**Q116\_YR\_4**

		Value	Count	Percent
Standard Attributes	Label	Year-End living Partner-4		
N	Valid	0		
	Missing	10316		
Labeled Values	8888	Do not Know	0	.0%

**Q118**

		Value	Count	Percent
Standard Attributes	Label	First Married-Wish-Children		
N	Valid	4053		
	Missing	6263		
Labeled Values	1	Yes	4016	38.9%
	2	No	36	.3%
	8	Not Sure	1	.0%

**Q119**

		Value	Count	Percent
Standard Attributes	Label	Nbr-Children-Wish-first married		
N	Valid	4016		
	Missing	6300		
Labeled Values	22	As many as God gives	291	2.8%
	33	As many as Husband wants	24	.2%
	77	Never discussed	0	.0%
	88	Not sure	117	1.1%

**Q120**

		Value	Count	Percent
Standard Attributes	Label	Nbr-Children-Husband Wanted		
N	Valid	4053		
	Missing	6263		
Labeled Values	22	As many as God gives	280	2.7%
	33	As many as Respondent wants	15	.1%
	77	Never Discussed	78	.8%
	88	Not sure	133	1.3%

**Q121**

		Value	Count	Percent
Standard Attributes	Label	Husband currently employed		
N	Valid	3965		
	Missing	6351		
Labeled Values	1	Yes	2965	28.7%
	2	No	1000	9.7%
	8	DK/REF	0	.0%

**Q122**

		Value	Count	Percent
Standard Attributes	Label	Jan 1997-husband ever worked abroad		
N	Valid	3965		
	Missing	6351		
Labeled Values	1	Yes	868	8.4%
	2	No	3093	30.0%
	8	DK/REF	4	.0%

**Q122A**

		Value	Count	Percent
Standard Attributes	Label	Times Abroad-Husband-job		
N	Valid	868		
	Missing	9448		
Labeled Values	88	Unknown	1	.0%

**Q122B**

		Value
Standard Attributes	Label	Months-work abroad-husband
N	Valid	868
	Missing	9448

**Q123A\_MO**

		Value
Standard Attributes	Label	Month-begin-work abroad
N	Valid	868
	Missing	9448

**Q123A\_YR**

		Value	Count	Percent
Standard Attributes	Label	Year-begin work abroad		
N	Valid	868		
	Missing	9448		
Labeled Values	7777	Still Abroad/Outside Albania	0	.0%
	8888	DK/DR	6	.1%

**Q123B\_MO**

		Value	Count	Percent
Standard Attributes	Label	Month-return-work abroad		
N	Valid	868		
	Missing	9448		
Labeled Values	77	Still abroad-outside Albania	395	3.8%
	88	Do not Remember	13	.1%

**Q123B\_YR**

		Value	Count	Percent
Standard Attributes	Label	Year-return-work abroad		
N	Valid	868		
	Missing	9448		
Labeled Values	7777	Still Abroad	395	3.8%
	8888	Do Not Remember	5	.0%

**Q124**

		Value	Count	Percent
Standard Attributes	Label	Listen Radio Daily		
N	Valid	5697		
	Missing	4619		
Labeled Values	0	Never	2572	24.9%
	55	Does not have access	462	4.5%
	77	Not every day	236	2.3%
	88	Do not know	8	.1%

**Q125\_A**

		Value	Count	Percent
Standard Attributes	Label	Radio-Top Albania		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	1845	17.9%
	2	Not Mentioned	818	7.9%

**Q125\_B**

		Value	Count	Percent
Standard Attributes	Label	Radio-Radio Tirana		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	754	7.3%
	2	Not Mentioned	1909	18.5%

**Q125\_C**

		Value	Count	Percent
Standard Attributes	Label	Radio-Club FM		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	129	1.3%
	2	Not Mentioned	2534	24.6%

**Q125\_D**

		Value	Count	Percent
Standard Attributes	Label	Radio-RASH		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	149	1.4%
	2	Not Mentioned	2514	24.4%

**Q125\_E**

		Value	Count	Percent
Standard Attributes	Label	Radio-Stinet		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	78	.8%
	2	Not Mentioned	2585	25.1%

**Q125\_F**

		Value	Count	Percent
Standard Attributes	Label	Radio-Gold Music		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	127	1.2%
	2	Not Mentioned	2536	24.6%

**Q125\_G**

		Value	Count	Percent
Standard Attributes	Label	Radio-Italian Stations		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	38	.4%
	2	Not Mentioned	2625	25.4%

**Q125\_H**

		Value	Count	Percent
Standard Attributes	Label	Radio-Voice of America		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	17	.2%
	2	Not Mentioned	2646	25.6%

**Q125\_I**

		Value	Count	Percent
Standard Attributes	Label	Radio-BBC		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	21	.2%
	2	Not Mentioned	2642	25.6%

**Q125\_J**

		Value	Count	Percent
Standard Attributes	Label	Radio-Radio Planet		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	78	.8%
	2	Not Mentioned	2585	25.1%

**Q125\_K**

		Value	Count	Percent
Standard Attributes	Label	Radio-Other		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	469	4.5%
	2	Not Mentioned	2194	21.3%

**Q126\_A**

		Value	Count	Percent
Standard Attributes	Label	Radio PGM-News		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	366	3.5%
	2	Not Mentioned	2297	22.3%

**Q126\_B**

		Value	Count	Percent
Standard Attributes	Label	Radio PGM-Sports		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	41	.4%
	2	Not Mentioned	2622	25.4%

**Q126\_C**

		Value	Count	Percent
Standard Attributes	Label	Radio PGM-Music		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	2543	24.7%
	2	Not Mentioned	120	1.2%

**Q126\_D**

		Value	Count	Percent
Standard Attributes	Label	Radio PGM-Plays/dramas		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	56	.5%
	2	Not Mentioned	2607	25.3%

**Q126\_E**

		Value	Count	Percent
Standard Attributes	Label	Radio PGM-Church/Religious		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	28	.3%
	2	Not Mentioned	2635	25.5%

**Q126\_F**

		Value	Count	Percent
Standard Attributes	Label	Radio PGM-Women		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	133	1.3%
	2	Not Mentioned	2530	24.5%

**Q126\_G**

		Value	Count	Percent
Standard Attributes	Label	Radio PGM-Health		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	121	1.2%
	2	Not Mentioned	2542	24.6%

**Q126\_H**

		Value	Count	Percent
Standard Attributes	Label	Radio PGM-Political Events		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	35	.3%
	2	Not Mentioned	2628	25.5%

**Q126\_I**

		Value	Count	Percent
Standard Attributes	Label	Radio PGM-Other Programs		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	15	.1%
	2	Not Mentioned	2648	25.7%

**Q127\_A**

		Value	Count	Percent
Standard Attributes	Label	Listen 6-8 AM		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	540	5.2%
	2	Not Mentioned	2123	20.6%

**Q127\_B**

		Value	Count	Percent
Standard Attributes	Label	Listen 8-10 AM		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	857	8.3%
	2	Not Mentioned	1806	17.5%

**Q127\_C**

		Value	Count	Percent
Standard Attributes	Label	Listen 10AM-Noon		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	293	2.8%
	2	Not Mentioned	2370	23.0%

**Q127\_D**

		Value	Count	Percent
Standard Attributes	Label	Listen Noon-2PM		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	244	2.4%
	2	Not Mentioned	2419	23.4%

**Q127\_E**

		Value	Count	Percent
Standard Attributes	Label	Listen 2 PM-4 PM		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	284	2.8%
	2	Not Mentioned	2379	23.1%

**Q127\_F**

		Value	Count	Percent
Standard Attributes	Label	Listen 4 PM-6 PM		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	301	2.9%
	2	Not Mentioned	2362	22.9%

**Q127\_G**

		Value	Count	Percent
Standard Attributes	Label	Listen 6 PM-8 PM		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	219	2.1%
	2	Not Mentioned	2444	23.7%

**Q127\_H**

		Value	Count	Percent
Standard Attributes	Label	Listen 8 PM-10 PM		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	211	2.0%
	2	Not Mentioned	2452	23.8%

**Q127\_I**

		Value	Count	Percent
Standard Attributes	Label	Listen After 10 PM		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	234	2.3%
	2	Not Mentioned	2429	23.5%



**Q127\_J**

		Value	Count	Percent
Standard Attributes	Label	Listen No Regular Time		
N	Valid	2663		
	Missing	7653		
Labeled Values	1	Mentioned	621	6.0%
	2	Not Mentioned	2042	19.8%

**Q128**

		Value	Count	Percent
Standard Attributes	Label	Hours-Watch TV-Daily		
N	Valid	5697		
	Missing	4619		
Labeled Values	0	Never	104	1.0%
	55	Does Not have Access	87	.8%
	66	When Household has electricity	310	3.0%
	77	Not Every day	75	.7%
	88	Do Not Know	10	.1%

**Q129\_A**

		Value	Count	Percent
Standard Attributes	Label	TV-TVSH		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	2279	22.1%
	2	Not Mentioned	3227	31.3%

**Q129\_B**

		Value	Count	Percent
Standard Attributes	Label	TV-TVKLAN		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	3649	35.4%
	2	Not Mentioned	1857	18.0%

**Q129\_C**

		Value	Count	Percent
Standard Attributes	Label	TV-TVA		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	1515	14.7%
	2	Not Mentioned	3991	38.7%

**Q129\_D**

		Value	Count	Percent
Standard Attributes	Label	TV-TVKOHA		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	146	1.4%
	2	Not Mentioned	5360	52.0%

**Q129\_E**

		Value	Count	Percent
Standard Attributes	Label	TV-VISION PLUS		
N	Valid	5505		
	Missing	4811		
Labeled Values	1	Mentioned	348	3.4%
	2	Not Mentioned	5157	50.0%

**Q129\_F**

		Value	Count	Percent
Standard Attributes	Label	TV-SHIJAK TV		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	316	3.1%
	2	Not Mentioned	5190	50.3%

**Q129\_G**

		Value	Count	Percent
Standard Attributes	Label	TV-TELENORBA		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	2169	21.0%
	2	Not Mentioned	3337	32.3%

**Q129\_H**

		Value	Count	Percent
Standard Attributes	Label	TV-TVALBA		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	120	1.2%
	2	Not Mentioned	5386	52.2%

**Q129\_I**

		Value	Count	Percent
Standard Attributes	Label	TV-CALVIN		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	160	1.6%
	2	Not Mentioned	5346	51.8%

**Q129\_J**

		Value	Count	Percent
Standard Attributes	Label	TV-TOP CHANNEL		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	1396	13.5%
	2	Not Mentioned	4110	39.8%

**Q129\_K**

		Value	Count	Percent
Standard Attributes	Label	TV-FOREIGN CHANNELS		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	569	5.5%
	2	Not Mentioned	4937	47.9%

**Q129\_L**

		Value	Count	Percent
Standard Attributes	Label	TV-NESER TV		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	66	.6%
	2	Not Mentioned	5440	52.7%

**Q129\_M**

		Value	Count	Percent
Standard Attributes	Label	TV-Other Channel		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	578	5.6%
	2	Not Mentioned	4928	47.8%

**Q130\_A**

		Value	Count	Percent
Standard Attributes	Label	TV PGM-News		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	2269	22.0%
	2	Not Mentioned	3237	31.4%

**Q130\_B**

		Value	Count	Percent
Standard Attributes	Label	TV PGM-Commercials		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	145	1.4%
	2	Not Mentioned	5361	52.0%

**Q130\_C**

		Value	Count	Percent
Standard Attributes	Label	TV PGM-Entertainment		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	2227	21.6%
	2	Not Mentioned	3279	31.8%

**Q130\_D**

		Value	Count	Percent
Standard Attributes	Label	TV PGM-Serials/Movies		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	4790	46.4%
	2	Not Mentioned	716	6.9%

**Q130\_E**

		Value	Count	Percent
Standard Attributes	Label	TV PGM-Sport		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	152	1.5%
	2	Not Mentioned	5354	51.9%

**Q130\_F**

		Value	Count	Percent
Standard Attributes	Label	TV PGM-Music/Videos		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	2361	22.9%
	2	Not Mentioned	3145	30.5%

**Q130\_G**

		Value	Count	Percent
Standard Attributes	Label	TV PGM-Plays/Dramas		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	262	2.5%
	2	Not Mentioned	5244	50.8%

**Q130\_H**

		Value	Count	Percent
Standard Attributes	Label	TV PGM-Childrens prgm		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	83	.8%
	2	Not Mentioned	5423	52.6%

**Q130\_I**

		Value	Count	Percent
Standard Attributes	Label	TV PGM-Religious		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	48	.5%
	2	Not Mentioned	5458	52.9%

**Q130\_J**

		Value	Count	Percent
Standard Attributes	Label	TV PGM-Womens		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	356	3.5%
	2	Not Mentioned	5150	49.9%

**Q130\_K**

		Value	Count	Percent
Standard Attributes	Label	TV PGM-Health		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	353	3.4%
	2	Not Mentioned	5153	50.0%

**Q130\_L**

		Value	Count	Percent
Standard Attributes	Label	TV PGM-Political Events		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	155	1.5%
	2	Not Mentioned	5351	51.9%

**Q130\_M**

		Value	Count	Percent
Standard Attributes	Label	TV PGM-Other Programs		
N	Valid	5505		
	Missing	4811		
Labeled Values	1	Mentioned	26	.3%
	2	Not Mentioned	5479	53.1%

**Q131\_A**

		Value	Count	Percent
Standard Attributes	Label	Watch 6-8 AM		
N	Valid	5505		
	Missing	4811		
Labeled Values	1	Mentioned	146	1.4%
	2	Not Mentioned	5359	51.9%

**Q131\_B**

		Value	Count	Percent
Standard Attributes	Label	Watch 8-10 AM		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	432	4.2%
	2	Not Mentioned	5074	49.2%

**Q131\_C**

		Value	Count	Percent
Standard Attributes	Label	Watch 10AM-Noon		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	398	3.9%
	2	Not Mentioned	5108	49.5%

**Q131\_D**

		Value	Count	Percent
Standard Attributes	Label	Watch Noon-2PM		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	168	1.6%
	2	Not Mentioned	5338	51.7%

**Q131\_E**

		Value	Count	Percent
Standard Attributes	Label	Watch 2 PM-4 PM		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	272	2.6%
	2	Not Mentioned	5234	50.7%

**Q131\_F**

		Value	Count	Percent
Standard Attributes	Label	Watch 4 PM-6 PM		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	1567	15.2%
	2	Not Mentioned	3939	38.2%

**Q131\_G**

		Value	Count	Percent
Standard Attributes	Label	Watch 6 PM-8 PM		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	2209	21.4%
	2	Not Mentioned	3297	32.0%

**Q131\_H**

		Value	Count	Percent
Standard Attributes	Label	Watch 8 PM-10 PM		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	2344	22.7%
	2	Not Mentioned	3162	30.7%

**Q131\_I**

		Value	Count	Percent
Standard Attributes	Label	Watch After 10 PM		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	720	7.0%
	2	Not Mentioned	4786	46.4%

**Q131\_J**

		Value	Count	Percent
Standard Attributes	Label	Watch No Regular Time		
N	Valid	5506		
	Missing	4810		
Labeled Values	1	Mentioned	1525	14.8%
	2	Not Mentioned	3981	38.6%

**Q132**

		Value	Count	Percent
Standard Attributes	Label	How often-Read Newspaper		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Daily/Nearly everyday	354	3.4%
	2	About 3-4 times/week	187	1.8%
	3	Once / twice per week	735	7.1%
	4	Less than once per week	847	8.2%
	5	Never/almost never	3574	34.6%

## II. SEX EDUCATION

**Q201**

		Value	Count	Percent
Standard Attributes	Label	Schools teach Sex Ed		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	5303	51.4%
	2	No	272	2.6%
	8	Do not Know	116	1.1%
	9	No Response	6	.1%

**Q202\_A**

		Value	Count	Percent
Standard Attributes	Label	Year teach-Human Reproduction		
N	Valid	5419		
	Missing	4897		
Labeled Values	77	Should not be taught in school	9	.1%
	88	Do not know	192	1.9%
	99	No response	0	.0%

**Q202\_B**

		Value	Count	Percent
Standard Attributes	Label	Year teach- Contraception		
N	Valid	5419		
	Missing	4897		
Labeled Values	77	Should not be taught in school	17	.2%
	88	Do not know	258	2.5%
	99	No response	10	.1%

**Q202\_C**

		Value	Count	Percent
Standard Attributes	Label	Year teach- STD		
N	Valid	5419		
	Missing	4897		
Labeled Values	77	Should not be taught in school	12	.1%
	88	Do not know	255	2.5%
	99	No response	8	.1%

**Q203\_A**

		Value	Count	Percent
Standard Attributes	Label	Oppose Sex Ed-get ideas		
N	Valid	278		
	Missing	10038		
Labeled Values	1	Agree	231	2.2%
	2	Disagree	28	.3%
	8	Do not Know	14	.1%
	9	No Response	5	.0%



**Q203\_B**

		Value	Count	Percent
Standard Attributes	Label	Oppose Sex Ed-taught at home		
N	Valid	278		
	Missing	10038		
Labeled Values	1	Agree	150	1.5%
	2	Disagree	64	.6%
	8	Do not Know	57	.6%
	9	No Response	7	.1%

**Q203\_C**

		Value	Count	Percent
Standard Attributes	Label	Oppose Sex Ed-religious beliefs		
N	Valid	278		
	Missing	10038		
Labeled Values	1	Agree	67	.6%
	2	Disagree	96	.9%
	8	Do not Know	107	1.0%
	9	No Response	8	.1%

**Q203\_D**

		Value	Count	Percent
Standard Attributes	Label	Oppose Sex Ed-training		
N	Valid	278		
	Missing	10038		
Labeled Values	1	Agree	99	1.0%
	2	Disagree	41	.4%
	8	Do not Know	129	1.3%
	9	No Response	9	.1%

**Q204\_A**

		Value	Count	Percent
Standard Attributes	Label	Parents talk-Menstrual Cycle		
N	Valid	2030		
	Missing	8286		
Labeled Values	1	Yes	1109	10.8%
	2	No	918	8.9%
	8	Do not Know	1	.0%
	9	No Response	2	.0%

**Q204\_B**

		Value	Count	Percent
Standard Attributes	Label	Parents talk-PG Occurs		
N	Valid	2030		
	Missing	8286		
Labeled Values	1	Yes	510	4.9%
	2	No	1513	14.7%
	8	Do not Know	5	.0%
	9	No Response	2	.0%

**Q204\_C**

		Value	Count	Percent
Standard Attributes	Label	Parents talk-Abstinence		
N	Valid	2030		
	Missing	8286		
Labeled Values	1	Yes	903	8.8%
	2	No	1121	10.9%
	8	Do not Know	4	.0%
	9	No Response	2	.0%

**Q204\_D**

		Value	Count	Percent
Standard Attributes	Label	Parents talk-Contraceptions		
N	Valid	2030		
	Missing	8286		
Labeled Values	1	Yes	184	1.8%
	2	No	1835	17.8%
	8	Do not Know	8	.1%
	9	No Response	3	.0%

**Q204\_E**

		Value	Count	Percent
Standard Attributes	Label	Parents talk-HIV/AIDS		
N	Valid	2030		
	Missing	8286		
Labeled Values	1	Yes	386	3.7%
	2	No	1633	15.8%
	8	Do not Know	9	.1%
	9	No Response	2	.0%

**Q204\_F**

		Value	Count	Percent
Standard Attributes	Label	Parents talk-STD		
N	Valid	2030		
	Missing	8286		
Labeled Values	1	Yes	212	2.1%
	2	No	1802	17.5%
	8	Do not Know	13	.1%
	9	No Response	3	.0%

**Q205\_1**

		Value	Count	Percent
Standard Attributes	Label	Ever been taught-Menstrual Cycle		
N	Valid	2030		
	Missing	8286		
Labeled Values	1	Yes	1396	13.5%
	2	No	608	5.9%
	8	Do not know	26	.3%
	9	No Response	0	.0%

**Q205\_2**

		Value	Count	Percent
Standard Attributes	Label	Ever been taught-Female reproductive system		
N	Valid	2030		
	Missing	8286		
Labeled Values	1	Yes	1413	13.7%
	2	No	591	5.7%
	8	Do not know	26	.3%
	9	No Response	0	.0%

**Q205\_3**

		Value	Count	Percent
Standard Attributes	Label	Ever been taught-Male reproductive system		
N	Valid	2030		
	Missing	8286		
Labeled Values	1	Yes	1343	13.0%
	2	No	659	6.4%
	8	Do not know	28	.3%
	9	No Response	0	.0%

**Q205\_4**

		Value	Count	Percent
Standard Attributes	Label	Ever been taught-How pregnancy occurs		
N	Valid	2030		
	Missing	8286		
Labeled Values	1	Yes	1238	12.0%
	2	No	768	7.4%
	8	Do not know	24	.2%
	9	No Response	0	.0%

**Q205\_5**

		Value	Count	Percent
Standard Attributes	Label	Ever been taught-Contraceptive methods		
N	Valid	2030		
	Missing	8286		
Labeled Values	1	Yes	608	5.9%
	2	No	1392	13.5%
	8	Do not know	29	.3%
	9	No Response	1	.0%

**Q205\_6**

		Value	Count	Percent
Standard Attributes	Label	Ever been taught-HIV/AIDS		
N	Valid	2030		
	Missing	8286		
Labeled Values	1	Yes	1169	11.3%
	2	No	845	8.2%
	8	Do not know	16	.2%
	9	No Response	0	.0%

**Q205\_7**

		Value	Count	Percent
Standard Attributes	Label	Ever been taught-Other sexually Diseases		
N	Valid	2030		
	Missing	8286		
Labeled Values	1	Yes	595	5.8%
	2	No	1397	13.5%
	8	Do not know	38	.4%
	9	No Response	0	.0%

**Q206\_1**

		Value	Count	Percent
Standard Attributes	Label	Age taught-Menstrual Cycle		
N	Valid	1396		
	Missing	8920		
Labeled Values	88	Do not Remember	2	.0%

**Q206\_2**

		Value	Count	Percent
Standard Attributes	Label	Age taught-Female reproductive system		
N	Valid	1413		
	Missing	8903		
Labeled Values	88	Do not Remember	0	.0%

**Q206\_3**

		Value	Count	Percent
Standard Attributes	Label	Age taught-Male reproductive system		
N	Valid	1343		
	Missing	8973		
Labeled Values	88	Do not Remember	0	.0%

**Q206\_4**

		Value	Count	Percent
Standard Attributes	Label	Age taught-How pregnancy occurs		
N	Valid	1238		
	Missing	9078		
Labeled Values	88	Do not Remember	1	.0%

**Q206\_5**

		Value	Count	Percent
Standard Attributes	Label	Age taught-Contraceptive methods		
N	Valid	608		
	Missing	9708		
Labeled Values	88	Do not Remember	0	.0%

**Q206\_6**

		Value	Count	Percent
Standard Attributes	Label	Age taught-HIV/AIDS		
N	Valid	1169		
	Missing	9147		
Labeled Values	88	Do not Remember	0	.0%

**Q206\_7**

		Value	Count	Percent
Standard Attributes	Label	Age taught-Other sexually Diseases		
N	Valid	595		
	Missing	9721		
Labeled Values	88	Do not Remember	0	.0%

**Q208**

		Value	Count	Percent
Standard Attributes	Label	Who-Source-Sex Info		
N	Valid	2030		
	Missing	8286		
Labeled Values	1	Mother	137	1.3%
	2	Father	3	.0%
	3	Relative	61	.6%
	4	Boyfriend	6	.1%
	5	Friends	60	.6%
	6	Co-worker	87	.8%
	7	Colleageues/Peer	91	.9%
	8	Partner/Husband	18	.2%
	9	Doctor	9	.1%
	10	Nurse/Midwife	4	.0%
	11	Teacher	773	7.5%
	12	Pharmacist	0	.0%
	13	Books	127	1.2%
	14	Newspaper/Magazines	82	.8%
	15	Radio	2	.0%
	16	TV	546	5.3%
	20	Other	1	.0%
	88	Do not Remember	23	.2%

### III. FERTILITY/ PREGNANCY

**Q300**

		Value	Count	Percent
Standard Attributes	Label	Currently PG		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	222	2.2%
	2	No	5453	52.9%
	3	Not sure	22	.2%

**Q301**

		Value	Count	Percent
Standard Attributes	Label	How Many Months-PG		
N	Valid	222		
	Missing	10094		
Labeled Values	0	Not Sure	0	.0%

**Q302**

		Value	Count	Percent
Standard Attributes	Label	Want PG		
N	Valid	222		
	Missing	10094		
Labeled Values	1	Wanted to get pregnant then	194	1.9%
	2	Wanted to get pregnant later	22	.2%
	3	Did not want pregnancy or anytime in future	4	.0%
	8	Not sure	2	.0%

**Q303**

		Value	Count	Percent
Standard Attributes	Label	First PG		
N	Valid	222		
	Missing	10094		
Labeled Values	1	Yes	75	.7%
	2	No	147	1.4%
	8	Not sure	0	.0%
	9	No Response	0	.0%

**Q304**

		Value	Count	Percent
Standard Attributes	Label	Ever had Stillbirth/Ectopic		
N	Valid	75		
	Missing	10241		
Labeled Values	1	Yes	0	.0%
	2	No	75	.7%
	8	Do not Know	0	.0%
	9	No Response	0	.0%

**Q305**

		Value	Count	Percent
Standard Attributes	Label	Ever been pregnant		
N	Valid	5475		
	Missing	4841		
Labeled Values	1	Yes	3645	35.3%
	2	No	441	4.3%
	3	Not Sure	1	.0%
	4	Never Had Sex	1388	13.5%

**Q306**

		Value	Count	Percent
Standard Attributes	Label	Ever had Stillbirth/Ectopic		
N	Valid	442		
	Missing	9874		
Labeled Values	1	Yes	0	.0%
	2	No	442	4.3%
	8	Do not Know	0	.0%
	9	No Response	0	.0%

**Q307**

		Value	Count	Percent
Standard Attributes	Label	Ever had Live Birth		
N	Valid	3792		
	Missing	6524		
Labeled Values	1	Yes	3756	36.4%
	2	No	36	.3%
	8	Do not Know	0	.0%
	9	No Response	0	.0%

**Q308**

		Value	Count	Percent
Standard Attributes	Label	Nbr Children-Live Birth		
N	Valid	10316		
	Missing	0		
Labeled Values	88	Not Sure/Do not Remember	0	.0%

**Q309**

		Value	Count	Percent
Standard Attributes	Label	Ever-Child Die-After Birth		
N	Valid	3756		
	Missing	6560		
Labeled Values	1	Yes	292	2.8%
	2	No	3464	33.6%
	8	Do not Know	0	.0%
	9	No Response	0	.0%

**Q310**

		Value	Count	Percent
Standard Attributes	Label	Nbr-Children-Die After Birth		
N	Valid	10316		
	Missing	0		
Labeled Values	88	Not Sure/Do not Remember	0	.0%

**Q311**

		Value	Count	Percent
Standard Attributes	Label	Total Live Births		
N	Valid	292		
	Missing	10024		
Labeled Values	88	Not Sure/Do not Remember	0	.0%

**Q311A**

		Value	Count	Percent
Standard Attributes	Label	Correct Total Live Births		
N	Valid	292		
	Missing	10024		
Labeled Values	1	Yes	292	2.8%
	2	No	0	.0%

**TOT\_PG**

		Value	Count	Percent
Standard Attributes	Label	Total PG-Table		
N	Valid	3792		
	Missing	6524		
Labeled Values	88	Not Sure/Do not Remember	0	.0%



## IV: FAMILY PLANNING KNOWLEDGE/ SEXUAL EXPERIENCE

**Q400\_01**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it The pill (oral contraceptives)		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	4178	40.5%
	2	No	1519	14.7%

**Q400\_02**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it IUD (spiral)		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	1643	15.9%
	2	No	4054	39.3%

**Q400\_03**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Condoms (preservativ)		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	4901	47.5%
	2	No	796	7.7%

**Q400\_04**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Foam/Jelly/cream/foamy tablets		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	380	3.7%
	2	No	5317	51.5%

**Q400\_05**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Tubal ligation		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	4023	39.0%
	2	No	1674	16.2%

**Q400\_06**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Vasectomy (male sterilization)		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	488	4.7%
	2	No	5209	50.5%

**Q400\_07**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Injectables		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	2179	21.1%
	2	No	3518	34.1%

**Q400\_08**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Emergency Hormonal Contraception		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	832	8.1%
	2	No	4865	47.2%

**Q400\_09**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Rhythm/Calendar Method		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	1653	16.0%
	2	No	4044	39.2%

**Q400\_10**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Withdrawal (coitus interruptus)		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	4985	48.3%
	2	No	712	6.9%

**Q400\_11**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Other contraceptive methods		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	8	.1%
	2	No	5689	55.1%

**Q401\_01**

		Value	Count	Percent
Standard Attributes	Label	Know how to use The pill (oral contraceptives)		
N	Valid	4178		
	Missing	6138		
Labeled Values	1	Yes	2322	22.5%
	2	No	1856	18.0%

**Q401\_02**

		Value	Count	Percent
Standard Attributes	Label	Know how to use IUD (spiral)		
N	Valid	1643		
	Missing	8673		
Labeled Values	1	Yes	953	9.2%
	2	No	690	6.7%

**Q401\_03**

		Value	Count	Percent
Standard Attributes	Label	Know how to use Condoms (preservativ)		
N	Valid	4901		
	Missing	5415		
Labeled Values	1	Yes	3125	30.3%
	2	No	1776	17.2%

**Q401\_04**

		Value	Count	Percent
Standard Attributes	Label	Know how to use Foam/Jelly/cream/foamy tablets		
N	Valid	380		
	Missing	9936		
Labeled Values	1	Yes	261	2.5%
	2	No	119	1.2%

**Q401\_05**

		Value	Count	Percent
Standard Attributes	Label	Know how to use Tubal ligation		
N	Valid	4023		
	Missing	6293		
Labeled Values	1	Yes	2360	22.9%
	2	No	1663	16.1%

**Q401\_06**

		Value	Count	Percent
Standard Attributes	Label	Know how to use Vasectomy (male sterilization)		
N	Valid	488		
	Missing	9828		
Labeled Values	1	Yes	325	3.2%
	2	No	163	1.6%

**Q401\_07**

		Value	Count	Percent
Standard Attributes	Label	Know how to use Injectables		
N	Valid	2179		
	Missing	8137		
Labeled Values	1	Yes	1148	11.1%
	2	No	1031	10.0%

**Q401\_08**

		Value	Count	Percent
Standard Attributes	Label	Know how to use it Emergency Hormonal Contraception		
N	Valid	832		
	Missing	9484		
Labeled Values	1	Yes	670	6.5%
	2	No	162	1.6%

**Q401\_09**

		Value	Count	Percent
Standard Attributes	Label	Know how to use Rhythm/Calendar Method		
N	Valid	1653		
	Missing	8663		
Labeled Values	1	Yes	1285	12.5%
	2	No	368	3.6%

**Q401\_10**

		Value	Count	Percent
Standard Attributes	Label	Know how to use Withdrawal (coitus interruptus)		
N	Valid	4985		
	Missing	5331		
Labeled Values	1	Yes	4676	45.3%
	2	No	309	3.0%

**Q401\_11**

		Value	Count	Percent
Standard Attributes	Label	Know how to use Other contraceptive methods		
N	Valid	8		
	Missing	10308		
Labeled Values	1	Yes	5	.0%
	2	No	3	.0%

**Q402\_01**

		Value	Count	Percent
Standard Attributes	Label	Ever used it The pill (oral contraceptives)		
N	Valid	4178		
	Missing	6138		
Labeled Values	1	Yes	315	3.1%
	2	No	3863	37.4%

**Q402\_02**

		Value	Count	Percent
Standard Attributes	Label	Ever used it IUD (spiral)		
N	Valid	1643		
	Missing	8673		
Labeled Values	1	Yes	63	.6%
	2	No	1580	15.3%

**Q402\_03**

		Value	Count	Percent
Standard Attributes	Label	Ever used it Condoms (preservativ)		
N	Valid	4901		
	Missing	5415		
Labeled Values	1	Yes	537	5.2%
	2	No	4364	42.3%

**Q402\_04**

		Value	Count	Percent
Standard Attributes	Label	Ever used it Foam/Jelly/cream/foamy tablets		
N	Valid	380		
	Missing	9936		
Labeled Values	1	Yes	19	.2%
	2	No	361	3.5%

**Q402\_05**

		Value	Count	Percent
Standard Attributes	Label	Ever used it Tubal ligation		
N	Valid	4023		
	Missing	6293		
Labeled Values	1	Yes	179	1.7%
	2	No	3844	37.3%

**Q402\_06**

		Value	Count	Percent
Standard Attributes	Label	Ever used it Vasectomy (male sterilization)		
N	Valid	488		
	Missing	9828		
Labeled Values	1	Yes	0	.0%
	2	No	488	4.7%

**Q402\_07**

		Value	Count	Percent
Standard Attributes	Label	Ever used it Injectables		
N	Valid	2179		
	Missing	8137		
Labeled Values	1	Yes	77	.7%
	2	No	2102	20.4%

**Q402\_08**

		Value	Count	Percent
Standard Attributes	Label	Ever used it it Emergency Hormonal Contraception		
N	Valid	832		
	Missing	9484		
Labeled Values	1	Yes	39	.4%
	2	No	793	7.7%

**Q402\_09**

		Value	Count	Percent
Standard Attributes	Label	Ever used it Rhythm/Calendar Method		
N	Valid	1653		
	Missing	8663		
Labeled Values	1	Yes	121	1.2%
	2	No	1532	14.9%

**Q402\_10**

		Value	Count	Percent
Standard Attributes	Label	Ever used it Withdrawal (coitus interruptus)		
N	Valid	4985		
	Missing	5331		
Labeled Values	1	Yes	4091	39.7%
	2	No	894	8.7%

**Q402\_11**

		Value	Count	Percent
Standard Attributes	Label	Ever used it Other contraceptive methods		
N	Valid	8		
	Missing	10308		
Labeled Values	1	Yes	0	.0%
	2	No	8	.1%

**Q403\_01**

		Value	Count	Percent
Standard Attributes	Label	Know Where to get it The pill (oral contraceptives)		
N	Valid	4177		
	Missing	6139		
Labeled Values	1	Yes	3876	37.6%
	2	No	301	2.9%

**Q403\_02**

		Value	Count	Percent
Standard Attributes	Label	Know Where to get it IUD (spiral)		
N	Valid	1643		
	Missing	8673		
Labeled Values	1	Yes	1433	13.9%
	2	No	210	2.0%

**Q403\_03**

		Value	Count	Percent
Standard Attributes	Label	Know Where to get it Condoms (preservativ)		
N	Valid	4901		
	Missing	5415		
Labeled Values	1	Yes	4545	44.1%
	2	No	356	3.5%

**Q403\_04**

		Value	Count	Percent
Standard Attributes	Label	Know Where to get it Foam/Jelly/cream/foamy tablets		
N	Valid	380		
	Missing	9936		
Labeled Values	1	Yes	336	3.3%
	2	No	44	.4%

**Q403\_05**

		Value	Count	Percent
Standard Attributes	Label	Know Where to get it Tubal ligation		
N	Valid	4023		
	Missing	6293		
Labeled Values	1	Yes	3508	34.0%
	2	No	515	5.0%

**Q403\_06**

		Value	Count	Percent
Standard Attributes	Label	Know Where to get it Vasectomy (male sterilization)		
N	Valid	488		
	Missing	9828		
Labeled Values	1	Yes	395	3.8%
	2	No	93	.9%

**Q403\_07**

		Value	Count	Percent
Standard Attributes	Label	Know Where to get it Injectables		
N	Valid	2179		
	Missing	8137		
Labeled Values	1	Yes	1909	18.5%
	2	No	270	2.6%

**Q403\_08**

		Value	Count	Percent
Standard Attributes	Label	Know Where to get it it Emergency Hormonal Contraception		
N	Valid	832		
	Missing	9484		
Labeled Values	1	Yes	785	7.6%
	2	No	47	.5%

**Q403\_09**

		Value	Count	Percent
Standard Attributes	Label	Know Where to get it Rhythm/Calendar Method		
N	Valid	0		
	Missing	10316		
Labeled Values	1	Yes	0	.0%
	2	No	0	.0%

**Q403\_10**

		Value	Count	Percent
Standard Attributes	Label	Know Where to get it Withdrawal (coitus interrptus)		
N	Valid	0		
	Missing	10316		
Labeled Values	1	Yes	0	.0%
	2	No	0	.0%

**Q403\_11**

		Value	Count	Percent
Standard Attributes	Label	Know Where to get it Other contraceptive methods		
N	Valid	0		
	Missing	10316		
Labeled Values	1	Yes	0	.0%
	2	No	0	.0%

**Q404\_01**

		Value	Count	Percent
Standard Attributes	Label	Info Source about Method The pill (oral contraceptives)		
N	Valid	4178		
	Missing	6138		
Labeled Values	1	Mother	24	.2%
	2	Father	2	.0%
	3	Relative	91	.9%
	4	Boyfriend	0	.0%
	5	Friends	884	8.6%
	6	Co-worker	2	.0%
	7	Colleagues, Peers	73	.7%
	8	Partner/Husband	45	.4%
	9	Doctor	216	2.1%
	10	Nurse, midwife	173	1.7%
	11	Community Health Worker	81	.8%
	12	Teacher	92	.9%
	13	Pharmacist	342	3.3%
	14	Books	92	.9%
	15	Newspaper/Magazines	129	1.3%
	16	Radio	53	.5%
	17	TV	1876	18.2%
	20	Other	1	.0%
	88	Do not Remember	2	.0%



**Q404\_02**

		Value	Count	Percent
Standard Attributes	Label	Info Source about Method IUD (spiral)		
N	Valid		1643	
	Missing		8673	
Labeled Values	1	Mother	11	.1%
	2	Father	1	.0%
	3	Relative	70	.7%
	4	Boyfriend	0	.0%
	5	Friends	511	5.0%
	6	Co-worker	3	.0%
	7	Colleagues, Peers	48	.5%
	8	Partner/Husband	16	.2%
	9	Doctor	328	3.2%
	10	Nurse, midwife	82	.8%
	11	Community Health Worker	39	.4%
	12	Teacher	36	.3%
	13	Pharmacist	27	.3%
	14	Books	62	.6%
	15	Newspaper/Magazines	52	.5%
	16	Radio	2	.0%
	17	TV	354	3.4%
	20	Other	1	.0%
	88	Do not Remember	0	.0%

**Q404\_03**

		Value	Count	Percent
Standard Attributes	Label	Info Source about Method Condoms (preservativ)		
N	Valid		4901	
	Missing		5415	
Labeled Values	1	Mother	12	.1%
	2	Father	0	.0%
	3	Relative	41	.4%
	4	Boyfriend	12	.1%
	5	Friends	745	7.2%
	6	Co-worker	3	.0%
	7	Colleagues, Peers	68	.7%
	8	Partner/Husband	259	2.5%
	9	Doctor	64	.6%
	10	Nurse, midwife	66	.6%
	11	Community Health Worker	31	.3%
	12	Teacher	110	1.1%
	13	Pharmacist	474	4.6%
	14	Books	45	.4%
	15	Newspaper/Magazines	83	.8%
	16	Radio	75	.7%
	17	TV	2811	27.2%
	20	Other	1	.0%
	88	Do not Remember	1	.0%

**Q404\_04**

		Value	Count	Percent
Standard Attributes	Label	Info Source about Method Foam/Jelly/cream/foamy tablets		
N	Valid		380	
	Missing		9936	
Labeled Values	1	Mother	2	.0%
	2	Father	1	.0%
	3	Relative	5	.0%
	4	Boyfriend	2	.0%
	5	Friends	85	.8%
	6	Co-worker	1	.0%
	7	Colleagues, Peers	12	.1%
	8	Partner/Husband	6	.1%
	9	Doctor	28	.3%
	10	Nurse, midwife	10	.1%
	11	Community Health Worker	13	.1%
	12	Teacher	24	.2%
	13	Pharmacist	55	.5%
	14	Books	31	.3%
	15	Newspaper/Magazines	25	.2%
	16	Radio	5	.0%
	17	TV	74	.7%
	20	Other	1	.0%
	88	Do not Remember	0	.0%

**Q404\_05**

		Value	Count	Percent
Standard Attributes	Label	Info Source about Method Tubal ligation		
N	Valid		4023	
	Missing		6293	
Labeled Values	1	Mother	90	.9%
	2	Father	1	.0%
	3	Relative	492	4.8%
	4	Boyfriend	1	.0%
	5	Friends	1610	15.6%
	6	Co-worker	1	.0%
	7	Colleagues, Peers	97	.9%
	8	Partner/Husband	30	.3%
	9	Doctor	840	8.1%
	10	Nurse, midwife	264	2.6%
	11	Community Health Worker	36	.3%
	12	Teacher	46	.4%
	13	Pharmacist	2	.0%
	14	Books	61	.6%
	15	Newspaper/Magazines	41	.4%
	16	Radio	2	.0%
	17	TV	403	3.9%
	20	Other	1	.0%
	88	Do not Remember	5	.0%

**Q404\_06**

		Value	Count	Percent
Standard Attributes	Label	Info Source about Method Vasectomy (male sterilization)		
N	Valid		488	
	Missing		9828	
Labeled Values	1	Mother	3	.0%
	2	Father	2	.0%
	3	Relative	11	.1%
	4	Boyfriend	0	.0%
	5	Friends	154	1.5%
	6	Co-worker	0	.0%
	7	Colleagues, Peers	24	.2%
	8	Partner/Husband	10	.1%
	9	Doctor	86	.8%
	10	Nurse, midwife	7	.1%
	11	Community Health Worker	9	.1%
	12	Teacher	25	.2%
	13	Pharmacist	1	.0%
	14	Books	44	.4%
	15	Newspaper/Magazines	45	.4%
	16	Radio	0	.0%
	17	TV	66	.6%
	20	Other	1	.0%
	88	Do not Remember	0	.0%

**Q404\_07**

		Value	Count	Percent
Standard Attributes	Label	Info Source about Method Injectables		
N	Valid		2179	
	Missing		8137	
Labeled Values	1	Mother	11	.1%
	2	Father	0	.0%
	3	Relative	128	1.2%
	4	Boyfriend	0	.0%
	5	Friends	941	9.1%
	6	Co-worker	0	.0%
	7	Colleagues, Peers	75	.7%
	8	Partner/Husband	9	.1%
	9	Doctor	290	2.8%
	10	Nurse, midwife	133	1.3%
	11	Community Health Worker	58	.6%
	12	Teacher	30	.3%
	13	Pharmacist	64	.6%
	14	Books	49	.5%
	15	Newspaper/Magazines	66	.6%
	16	Radio	1	.0%
	17	TV	321	3.1%
	20	Other	1	.0%
	88	Do not Remember	2	.0%

**Q404\_08**

		Value	Count	Percent
Standard Attributes	Label	Info Source about Method it Emergency Hormonal Contraception		
N	Valid		832	
	Missing		9484	
Labeled Values	1	Mother	3	.0%
	2	Father	0	.0%
	3	Relative	19	.2%
	4	Boyfriend	0	.0%
	5	Friends	212	2.1%
	6	Co-worker	0	.0%
	7	Colleagues, Peers	40	.4%
	8	Partner/Husband	5	.0%
	9	Doctor	52	.5%
	10	Nurse, midwife	18	.2%
	11	Community Health Worker	19	.2%
	12	Teacher	23	.2%
	13	Pharmacist	128	1.2%
	14	Books	32	.3%
	15	Newspaper/Magazines	27	.3%
	16	Radio	65	.6%
	17	TV	188	1.8%
	20	Other	1	.0%
	88	Do not Remember	0	.0%

**Q404\_09**

		Value	Count	Percent
Standard Attributes	Label	Info Source about Method Rhythm/Calendar Method		
N	Valid		1653	
	Missing		8663	
Labeled Values	1	Mother	20	.2%
	2	Father	1	.0%
	3	Relative	181	1.8%
	4	Boyfriend	0	.0%
	5	Friends	984	9.5%
	6	Co-worker	1	.0%
	7	Colleagues, Peers	51	.5%
	8	Partner/Husband	59	.6%
	9	Doctor	62	.6%
	10	Nurse, midwife	38	.4%
	11	Community Health Worker	25	.2%
	12	Teacher	37	.4%
	13	Pharmacist	4	.0%
	14	Books	78	.8%
	15	Newspaper/Magazines	47	.5%
	16	Radio	2	.0%
	17	TV	58	.6%
	20	Other	2	.0%
	88	Do not Remember	3	.0%

**Q404\_10**

		Value	Count	Percent
Standard Attributes	Label	Info Source about Method Withdrawal (coitus interruptus)		
N	Valid		4984	
	Missing		5332	
Labeled Values	1	Mother	29	.3%
	2	Father	1	.0%
	3	Relative	84	.8%
	4	Boyfriend	26	.3%
	5	Friends	641	6.2%
	6	Co-worker	41	.4%
	7	Colleagues, Peers	67	.6%
	8	Partner/Husband	3925	38.0%
	9	Doctor	38	.4%
	10	Nurse, midwife	5	.0%
	11	Community Health Worker	2	.0%
	12	Teacher	14	.1%
	13	Pharmacist	3	.0%
	14	Books	17	.2%
	15	Newspaper/Magazines	15	.1%
	16	Radio	2	.0%
	17	TV	70	.7%
	20	Other	0	.0%
	88	Do not Remember	4	.0%

**Q404\_11**

		Value	Count	Percent
Standard Attributes	Label	Info Source about Method Other contraceptive methods		
N	Valid		8	
	Missing		10308	
Labeled Values	1	Mother	1	.0%
	2	Father	0	.0%
	3	Relative	0	.0%
	4	Boyfriend	0	.0%
	5	Friends	3	.0%
	6	Co-worker	0	.0%
	7	Colleagues, Peers	1	.0%
	8	Partner/Husband	0	.0%
	9	Doctor	0	.0%
	10	Nurse, midwife	0	.0%
	11	Community Health Worker	0	.0%
	12	Teacher	1	.0%
	13	Pharmacist	0	.0%
	14	Books	1	.0%
	15	Newspaper/Magazines	0	.0%
	16	Radio	0	.0%
	17	TV	1	.0%
	20	Other	0	.0%
	88	Do not Remember	0	.0%

**Q405**

		Value	Count	Percent
Standard Attributes	Label	Most Effective Method		
N	Valid		5695	
	Missing		4621	
Labeled Values	1	Pill	381	3.7%
	2	IUD	71	.7%
	3	Condom	874	8.5%
	4	Foams/Jelly	0	.0%
	7	Tubal	247	2.4%
	8	Emergency Hormonal Contraception	4	.0%
	9	Injectables	60	.6%
	10	Vasectomy	3	.0%
	11	Rhythm Method	20	.2%
	12	Withdrawal	3338	32.4%
	77	None of Them	102	1.0%
	88	Do not know	595	5.8%

**Q406\_A**

		Value	Count	Percent
Standard Attributes	Label	Pill-Rate Effectiveness		
N	Valid		5697	
	Missing		4619	
Labeled Values	1	Very Effective	413	4.0%
	2	Effective	1952	18.9%
	3	Somewhat Effective	476	4.6%
	4	Not very Effective	132	1.3%
	8	Do not Know	1205	11.7%
	9	Never Heard of it	1519	14.7%

**Q406\_B**

		Value	Count	Percent
Standard Attributes	Label	IUD-Rate Effectiveness		
N	Valid		5697	
	Missing		4619	
Labeled Values	1	Very Effective	117	1.1%
	2	Effective	840	8.1%
	3	Somewhat Effective	143	1.4%
	4	Not very Effective	60	.6%
	8	Do not Know	483	4.7%
	9	Never Heard of it	4054	39.3%

**Q406\_C**

		Value	Count	Percent
Standard Attributes	Label	Condom-Rate Effectiveness		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Very Effective	968	9.4%
	2	Effective	1740	16.9%
	3	Somewhat Effective	863	8.4%
	4	Not very Effective	96	.9%
	8	Do not Know	1234	12.0%
	9	Never Heard of it	796	7.7%

**Q406\_D**

		Value	Count	Percent
Standard Attributes	Label	Tubal Lig-Rate Effectiveness		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Very Effective	567	5.5%
	2	Effective	2314	22.4%
	3	Somewhat Effective	203	2.0%
	4	Not very Effective	75	.7%
	8	Do not Know	864	8.4%
	9	Never Heard of it	1674	16.2%

**Q406\_E**

		Value	Count	Percent
Standard Attributes	Label	Injectables-Rate Effectiveness		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Very Effective	94	.9%
	2	Effective	1026	9.9%
	3	Somewhat Effective	231	2.2%
	4	Not very Effective	103	1.0%
	8	Do not Know	725	7.0%
	9	Never Heard of it	3518	34.1%

**Q406\_F**

		Value	Count	Percent
Standard Attributes	Label	Calendar-Rate Effectiveness		
N	Valid	5696		
	Missing	4620		
Labeled Values	1	Very Effective	24	.2%
	2	Effective	420	4.1%
	3	Somewhat Effective	506	4.9%
	4	Not very Effective	225	2.2%
	8	Do not Know	477	4.6%
	9	Never Heard of it	4044	39.2%

**Q406\_G**

		Value	Count	Percent
Standard Attributes	Label	Withdrawal-Rate Effectiveness		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Very Effective	3354	32.5%
	2	Effective	857	8.3%
	3	Somewhat Effective	418	4.1%
	4	Not very Effective	107	1.0%
	8	Do not Know	249	2.4%
	9	Never Heard of it	712	6.9%

**Q408**

		Value	Count	Percent
Standard Attributes	Label	Age-first menstruation		
N	Valid	2030		
	Missing	8286		
Labeled Values	0	Not Yet	13	.1%
	88	Do not Remember	5	.0%
	99	Refuse to Answer	0	.0%

**Q409**

		Value	Count	Percent
Standard Attributes	Label	Know what menstruation was at time		
N	Valid	2030		
	Missing	8286		
Labeled Values	1	Yes	1374	13.3%
	2	No	612	5.9%
	8	Not Sure	44	.4%

**Q410\_A**

		Value	Count	Percent
Standard Attributes	Label	Month-first sexual intercourse		
N	Valid	2030		
	Missing	8286		
Labeled Values	0	Never had Sexual Intercourse	1282	12.4%
	88	Do not Remember	0	.0%
	99	Refuse to Answer	1	.0%

**Q410\_B**

		Value	Count	Percent
Standard Attributes	Label	Year-first sexual intercourse		
N	Valid	2030		
	Missing	8286		
Labeled Values	0	Never Had Sexual Intercourse	1282	12.4%
	8888	Do not Remember	0	.0%
	9999	Refusue to Answer	1	.0%



**Q411**

		Value	Count	Percent
Standard Attributes	Label	Age-first sexual intercourse		
N	Valid	748		
	Missing	9568		
Labeled Values	88	Do not Remember	1	.0%

**Q412**

		Value	Count	Percent
Standard Attributes	Label	Relationship-first sexual intercourse		
N	Valid	748		
	Missing	9568		
Labeled Values	1	Husband-consensual partner	376	3.6%
	2	Fiancee	269	2.6%
	3	Boyfriend	98	.9%
	4	Friend	2	.0%
	5	Lover	0	.0%
	6	Acquaintance	0	.0%
	7	Just Met	0	.0%
	8	Relative	0	.0%
	9	Rape	3	.0%
	10	Incest	0	.0%
	20	Other	0	.0%
	88	Do not Remember	0	.0%

**Q413**

		Value	Count	Percent
Standard Attributes	Label	Time-relationship-first partner		
N	Valid	743		
	Missing	9573		
Labeled Values	0	First Time We Met	12	.1%
	777	Other	0	.0%
	888	Do not Remember	7	.1%
	999	No Response	4	.0%

**Q414**

		Value	Count	Percent
Standard Attributes	Label	Age-first sexual partner		
N	Valid	745		
	Missing	9571		
Labeled Values	88	Do not Know	0	.0%

**Q415**

		Value	Count	Percent
Standard Attributes	Label	Talk-contraception-first time		
N	Valid	744		
	Missing	9572		
Labeled Values	1	Yes	257	2.5%
	2	No	472	4.6%
	3	Do not Know	15	.1%

**Q416**

		Value	Count	Percent
Standard Attributes	Label	Use-contraception-first time		
N	Valid	745		
	Missing	9571		
Labeled Values	1	Yes	598	5.8%
	2	No	126	1.2%
	8	Do not Know	21	.2%
	9	Refused	0	.0%

**Q417**

		Value	Count	Percent
Standard Attributes	Label	BC Method Used-first time		
N	Valid	598		
	Missing	9718		
Labeled Values	1	Pill	3	.0%
	2	IUD	0	.0%
	3	Condom	29	.3%
	6	Foams/Jelly	0	.0%
	8	Emergency Hormonal Contraception	0	.0%
	9	Injectables	1	.0%
	10	Other modern method	0	.0%
	11	Rhythm Method	0	.0%
	12	Withdrawal	563	5.5%
	19	Douche	0	.0%
	20	Other BC method	0	.0%
	88	Do not know	0	.0%

**Q417\_MOD**

		Value	Count	Percent
Standard Attributes	Label	Other Modern BC Method Used-first time		
Valid Values			10316	100.0%

**Q418**

		Value	Count	Percent
Standard Attributes	Label	Who-Decided-BC method-first time		
N	Valid	598		
	Missing	9718		
Labeled Values	1	You	6	.1%
	2	Your Partner	287	2.8%
	3	Both you and your partner	298	2.9%
	8	Do not Remember	7	.1%

**Q419**

		Value	Count	Percent
Standard Attributes	Label	Reason-not use BC method-first time		
N	Valid	126		
	Missing	10190		
Labeled Values	1	Sex was not expected	6	.1%
	2	Thought it was safe time of month	3	.0%
	3	Did not know where to get method	0	.0%
	4	Respondent was against it	1	.0%
	5	Partner was against it	5	.0%
	6	Did not know about contraceptives	5	.0%
	7	Wanted to get pregnant	82	.8%
	8	Thought that contraceptive methods-harmful	9	.1%
	9	Did not think about it-negligent	9	.1%
	10	Respondent-afraid of partner reaction	2	.0%
	11	Too Drunk	0	.0%
	12	Too Embarrassed to use Method	2	.0%
	20	Other	0	.0%
	88	Do not Remember	2	.0%

**Q420**

		Value	Count	Percent
Standard Attributes	Label	Age-first sexual intercourse		
N	Valid	3666		
	Missing	6650		
Labeled Values	0	Never had intercourse	157	1.5%
	88	Do not Know	2	.0%

**Q421**

		Value	Count	Percent
Standard Attributes	Label	Past 30 day-had sex		
N	Valid	4258		
	Missing	6058		
Labeled Values	1	Yes	3584	34.7%
	2	No	674	6.5%
	9	Refuse	0	.0%

**Q422**

		Value	Count	Percent
Standard Attributes	Label	Times had sex-past 30 days		
N	Valid	3584		
	Missing	6732		
Labeled Values	1	Everyday	320	3.1%
	2	3-5 times per week	1313	12.7%
	3	1-2 times per week	1561	15.1%
	4	2-3 times per month	299	2.9%
	5	Only once	37	.4%
	9	Refuse	54	.5%

**Q436**

		Value	Count	Percent
Standard Attributes	Label	Past 3 months-had sex		
N	Valid	674		
	Missing	9642		
Labeled Values	1	Yes	283	2.7%
	2	No	391	3.8%
	9	Refuse	0	.0%

**Q445**

		Value	Count	Percent
Standard Attributes	Label	Nbr men-past 3 months-had sex		
N	Valid	3867		
	Missing	6449		
Labeled Values	88	Do not Know	1	.0%
	99	NO Response	0	.0%

**Q453\_A**

		Value	Count	Percent
Standard Attributes	Label	Month-last time had sex		
N	Valid	4258		
	Missing	6058		
Labeled Values	88	Do not Know	0	.0%
	99	Refuse	0	.0%

**Q453\_B**

		Value	Count	Percent
Standard Attributes	Label	Year-last time had sex		
N	Valid	4258		
	Missing	6058		
Labeled Values	8888	Do not Know	10	.1%
	9999	Refuse	4	.0%

**Q454**

		Value	Count	Percent
Standard Attributes	Label	Relationship-man-had last sex		
N	Valid	4257		
	Missing	6059		
Labeled Values	1	Husband-consensual partner	4022	39.0%
	2	Fiancee	98	.9%
	3	Boyfriend	131	1.3%
	4	Friend	2	.0%
	5	Lover	1	.0%
	6	Acquaintance	0	.0%
	7	Just Met	0	.0%
	8	Relative	1	.0%
	9	Rape	1	.0%
	10	Incest	0	.0%
	20	Other	0	.0%
	89	Do not Remember	1	.0%

**Q455**

		Value	Count	Percent
Standard Attributes	Label	Use BC-last time had sex		
N	Valid	4257		
	Missing	6059		
Labeled Values	1	Yes	3705	35.9%
	2	No	542	5.3%
	3	DK/REF	10	.1%

**Q456**

		Value	Count	Percent
Standard Attributes	Label	BC Method Used-last time had sex		
N	Valid	3705		
	Missing	6611		
Labeled Values	1	Pill	79	.8%
	2	IUD	27	.3%
	3	Condom	149	1.4%
	4	Condom+spermicide	0	.0%
	5	Condom+withdrawal/cal	15	.1%
	6	Foams/Jelly	0	.0%
	7	Female sterilization	165	1.6%
	8	Emergency Hormonal Contraception	2	.0%
	9	Injectables	17	.2%
	10	Other modern method	0	.0%
	11	Rhythm Method	6	.1%
	12	Withdrawal	3235	31.4%
	13	Withdrawal and calendar	10	.1%
	20	Other BC method	0	.0%
	88	Do not know	0	.0%

**Q460**

		Value	Count	Percent
Standard Attributes	Label	Nbr sex partners-lifetime		
N	Valid	4258		
	Missing	6058		
Labeled Values	85	More than 85 lifetime partners	0	.0%
	88	Do not Know	0	.0%
	99	No Response	5	.0%

**Q501**

		Value	Count	Percent
Standard Attributes	Label	Respondent used any methods		
N	Valid	4258		
	Missing	6058		
Labeled Values	1	Never Used a method	83	.8%
	2	Ever Used a method	4175	40.5%

## V. CURRENT AND PAST CONTRACEPTIVE USE

**Q502**

		Value	Count	Percent
Standard Attributes	Label	Never used method-prevent PG		
N	Valid	83		
	Missing	10233		
Labeled Values	1	Never Used	81	.8%
	2	Ever Used	2	.0%

**Q503**

		Value	Count	Percent
Standard Attributes	Label	Currently using BC method		
N	Valid	4177		
	Missing	6139		
Labeled Values	1	Yes	3195	31.0%
	2	No	982	9.5%

**Q504**

		Value	Count	Percent
Standard Attributes	Label	BC Method-Currently used		
N	Valid	3195		
	Missing	7121		
Labeled Values	1	Pill	74	.7%
	2	IUD	28	.3%
	3	Condom	136	1.3%
	4	Condom+spermicide	1	.0%
	5	Condom+withdrawal/cal	28	.3%
	6	Foams/Jelly	0	.0%
	7	Female sterilization	173	1.7%
	8	Emergency Hormonal Contraception	0	.0%
	9	Injectables	16	.2%
	10	Other modern method	0	.0%
	11	Rhythm Method	2	.0%
	12	Withdrawal	2725	26.4%
	13	Withdrawal and calendar	12	.1%
	20	Other BC method	0	.0%
	88	Do not know	0	.0%

**Q505**

		Value	Count	Percent
Standard Attributes	Label	Used Condom-addition-Past 30 days		
N	Valid	3028		
	Missing	7288		
Labeled Values	1	Yes	28	.3%
	2	No	3000	29.1%

**Q506**

		Value	Count	Percent
Standard Attributes	Label	Past 30 days-how often-use BC method		
N	Valid	2902		
	Missing	7414		
Labeled Values	1	Always-each sexual intercourse	2682	26.0%
	2	Almost always	187	1.8%
	3	Sometimes	19	.2%
	4	Only once	7	.1%
	9	Refused	7	.1%

**Q507**

		Value	Count	Percent
Standard Attributes	Label	Reason-choose BC method		
N	Valid	3195		
	Missing	7121		
Labeled Values	1	Doctor recommended	199	1.9%
	2	Affordable Cost	4	.0%
	3	Very Effective	940	9.1%
	4	Very Safe-few side effects	1139	11.0%
	5	Saw Ads	3	.0%
	6	Easy to Use	260	2.5%
	7	Partner prefers it	521	5.1%
	8	Knows somebody who uses it	5	.0%
	9	Curiosity/wanted to try it	8	.1%
	10	Allows spontaneity during intercourse	106	1.0%
	20	Other	2	.0%
	88	Do not know	8	.1%

**Q508\_A**

		Value	Count	Percent
Standard Attributes	Label	Difficult to get-Decision-BC method		
N	Valid	2739		
	Missing	7577		
Labeled Values	1	Very Important	402	3.9%
	2	Somewhat Important	762	7.4%
	3	Not Important	1479	14.3%
	8	Not Sure	96	.9%

**Q508\_B**

		Value	Count	Percent
Standard Attributes	Label	Cost of method-Decision to use BC		
N	Valid	2739		
	Missing	7577		
Labeled Values	1	Very Important	525	5.1%
	2	Somewhat Important	652	6.3%
	3	Not Important	1219	11.8%
	8	Not Sure	343	3.3%

**Q508\_C**

		Value	Count	Percent
Standard Attributes	Label	Little knowledge-Decsion to use BC		
N	Valid	2739		
	Missing	7577		
Labeled Values	1	Very Important	1162	11.3%
	2	Somewhat Important	542	5.3%
	3	Not Important	967	9.4%
	8	Not Sure	68	.7%

**Q508\_D**

		Value	Count	Percent
Standard Attributes	Label	Fear/side effects-Decsion to use BC		
N	Valid	2739		
	Missing	7577		
Labeled Values	1	Very Important	2169	21.0%
	2	Somewhat Important	139	1.3%
	3	Not Important	323	3.1%
	8	Not Sure	108	1.0%

**Q508\_E**

		Value	Count	Percent
Standard Attributes	Label	Husband choice-Decsion to use BC		
N	Valid	2739		
	Missing	7577		
Labeled Values	1	Very Important	1523	14.8%
	2	Somewhat Important	490	4.7%
	3	Not Important	674	6.5%
	8	Not Sure	52	.5%

**Q508\_F**

		Value	Count	Percent
Standard Attributes	Label	Religious beliefs-Decsion to use BC		
N	Valid	2739		
	Missing	7577		
Labeled Values	1	Very Important	110	1.1%
	2	Somewhat Important	422	4.1%
	3	Not Important	2137	20.7%
	8	Not Sure	70	.7%

**Q508\_G**

		Value	Count	Percent
Standard Attributes	Label	Doctor recomend-Decsion use BC		
N	Valid	2739		
	Missing	7577		
Labeled Values	1	Very Important	420	4.1%
	2	Somewhat Important	460	4.5%
	3	Not Important	1785	17.3%
	8	Not Sure	74	.7%



**Q508\_H**

		Value	Count	Percent
Standard Attributes	Label	Person advice-Decision use BC		
N	Valid	2739		
	Missing	7577		
Labeled Values	1	Very Important	45	.4%
	2	Somewhat Important	569	5.5%
	3	Not Important	2049	19.9%
	8	Not Sure	76	.7%

**Q509**

		Value	Count	Percent
Standard Attributes	Label	Effective-Traditional Method vs Modern		
N	Valid	2739		
	Missing	7577		
Labeled Values	1	Current method more effective	2012	19.5%
	2	About equally effective	300	2.9%
	3	Current method/less effective	165	1.6%
	8	Do not Know	262	2.5%

**Q510**

		Value	Count	Percent
Standard Attributes	Label	Any problems-current BC method		
N	Valid	3195		
	Missing	7121		
Labeled Values	1	Yes	121	1.2%
	2	No	3074	29.8%

**Q511**

		Value	Count	Percent
Standard Attributes	Label	Problem w/current BC method		
N	Valid	121		
	Missing	10195		
Labeled Values	0	Other	0	.0%
	1	Side Effects	19	.2%
	2	Health Concerns	46	.4%
	3	Access/Availability	0	.0%
	4	Cost	0	.0%
	5	Sometime forget to use	1	.0%
	6	Sometime difficult to use	3	.0%
	7	Husband/Partner disapproves	0	.0%
	8	Less effective method-got PG using	51	.5%
	9	Deeply unsatisfied with method	1	.0%

**Q512**

		Value	Count	Percent
Standard Attributes	Label	Prefer-another BC method		
N	Valid	3195		
	Missing	7121		
Labeled Values	1	Yes	177	1.7%
	2	No	3018	29.3%

**Q513**

		Value	Count	Percent
Standard Attributes	Label	What BC method-prefer		
N	Valid	177		
	Missing	10139		
Labeled Values	1	Pill	60	.6%
	2	IUD	17	.2%
	3	Condom	44	.4%
	4	Condom+spermicide	0	.0%
	5	Condom+withdrawal/cal	0	.0%
	6	Foams/Jelly	1	.0%
	7	Female sterilization	20	.2%
	8	Emergency Hormonal Contraception	0	.0%
	9	Injectables	12	.1%
	10	Other modern method	2	.0%
	11	Rhythm Method	1	.0%
	12	Withdrawal	6	.1%
	13	Withdrawal and calendar	1	.0%
	20	Other BC method	0	.0%
	88	Do not know	13	.1%

**Q514**

		Value	Count	Percent
Standard Attributes	Label	Reason-not to use BC method		
N	Valid	177		
	Missing	10139		
Labeled Values	1	Doctor will not prescribe BC	3	.0%
	2	Cost	6	.1%
	3	Not Available-difficult to obtain	1	.0%
	4	Too far away	7	.1%
	5	Do not know-how-where to get	5	.0%
	6	Husband objects	19	.2%
	7	Religious reasons	0	.0%
	8	Fear of side effects	52	.5%
	9	Not made up mind	55	.5%
	10	Difficult to use	16	.2%
	11	Fear of surgical procedure	8	.1%
	20	Other	0	.0%
	88	Do not know	5	.0%

**Q515**

		Value	Count	Percent
Standard	Label	Reason-not using BC method-now		
Attributes				
N	Valid		1063	
	Missing		9253	
Labeled Values	1	Not Sexually Active-No Partner	543	5.3%
	2	Trying to get PG	161	1.6%
	3	Postpartum/Breastfeeding	46	.4%
	4	Currently Pregnant	214	2.1%
	5	Hysterectomy/Menopause	31	.3%
	6	Doctor said-cannot have children	19	.2%
	7	Tried to get PG-2 years-could not	13	.1%
	8	Fear of side effects	3	.0%
	9	Lovemaking interrupted	3	.0%
	10	Respondent did not thinkg about using BC	6	.1%
	11	Cost-cannot afford	1	.0%
	12	Birth control-partner-responsibility	2	.0%
	13	Birth control-not effective	0	.0%
	14	Respondent-does not want to use BC	5	.0%
	15	Partner objects to BC	1	.0%
	16	Object-Religios Reasons	5	.0%
	17	Does not know where to get BC	0	.0%
	18	Respondent does not know how to use	2	.0%
	19	Respondent does not believe - get PG	7	.1%
	20	Respondent-uses douching	0	.0%
	77	Other	0	.0%
	88	Do not Know	1	.0%

**Q516**

		Value	Count	Percent
Standard	Label	Use another method-next 12 months		
Attributes				
N	Valid		1000	
	Missing		9316	
Labeled Values	1	Yes	572	5.5%
	2	No	190	1.8%
	8	Not sure	238	2.3%

**Q517**

		Value	Count	Percent
Standard	Label	Think-use BC method-future		
Attributes				
N	Valid		428	
	Missing		9888	
Labeled Values	1	Yes	171	1.7%
	2	No	122	1.2%
	8	Not sure	135	1.3%

**Q518**

		Value	Count	Percent
Standard Attributes	Label	BC Method-would use most		
N	Valid	743		
	Missing	9573		
Labeled Values	1	Pill	30	.3%
	2	IUD	4	.0%
	3	Condom	34	.3%
	4	Condom+spermicide	1	.0%
	5	Condom+withdrawal/cal	4	.0%
	6	Foams/Jelly	0	.0%
	7	Female sterilization	10	.1%
	8	Emergency Hormonal Contraception	0	.0%
	9	Injectables	2	.0%
	10	Other modern method	0	.0%
	11	Rhythm Method	0	.0%
	12	Withdrawal	631	6.1%
	13	Withdrawal and calendar	9	.1%
	20	Other BC method	1	.0%
	88	Do not know	17	.2%

**Q519**

		Value	Count	Percent
Standard Attributes	Label	How much willing to pay-BC/month		
N	Valid	85		
	Missing	10231		
Labeled Values	85	85 Hundred Leke or more	3	.0%
	98	Not sure/do not know	44	.4%

**Q520**

		Value	Count	Percent
Standard Attributes	Label	Where-want to get BC method		
N	Valid	85		
	Missing	10231		
Labeled Values	1	Health Post	4	.0%
	2	Health Center	1	.0%
	3	Policlinic	0	.0%
	4	Family Planning Clinic	6	.1%
	5	Gov Hospital/Maternity Ward	12	.1%
	6	Private Clinic or Office	2	.0%
	7	NGO	0	.0%
	8	Pharmacy	59	.6%
	9	Open Market	0	.0%
	10	Store/Kiosk	0	.0%
	11	Partner/Husband	1	.0%
	12	Friend	0	.0%
	13	Relative	0	.0%
	20	Other	0	.0%
	88	Do not Know	0	.0%

**Q521**

		Value	Count	Percent
Standard Attributes	Label	Last year-Talk Contraception-Husband/Partner		
N	Valid	4194		
	Missing	6122		
Labeled Values	1	Never	2606	25.3%
	2	One or Two times	872	8.5%
	3	Three times or more	604	5.9%
	4	Had not partner-last year	112	1.1%

**Q522**

		Value	Count	Percent
Standard Attributes	Label	Agree-use of BC-Husband/Partner		
N	Valid	1476		
	Missing	8840		
Labeled Values	1	Agrees	1072	10.4%
	2	Disagrees	233	2.3%
	3	Neither agrees nor disagrees	145	1.4%
	8	Not Sure/Do not know	26	.3%

**Q523**

		Value	Count	Percent
Standard Attributes	Label	Condom use-BC/Disease/Both		
N	Valid	4258		
	Missing	6058		
Labeled Values	1	Birth Control Only	314	3.0%
	2	Disease Prevention Only	21	.2%
	3	Both	129	1.3%
	4	Never used a condom	3678	35.7%
	5	Used condom out of curiosity	113	1.1%
	8	Not sure/do not remember	3	.0%

**Q524**

		Value	Count	Percent
Standard Attributes	Label	Why never use condoms		
N	Valid		3794	
	Missing		6522	
Labeled Values	1	Preventing Pregnancy is woman responsibility	15	.1%
	2	Partner(s) objected to use condoms	313	3.0%
	3	Have only one partner	942	9.1%
	4	They are only for use with prostitutes	14	.1%
	5	They are only for extramarital relations	26	.3%
	6	Condoms diminish pleasures/spontaneity	53	.5%
	7	Condoms are less effective in preventing pregnancy	29	.3%
	8	Condoms are too difficult to use	29	.3%
	9	Lovemaking would be interrupted	5	.0%
	10	Condoms use is too messy	54	.5%
	11	Cost	8	.1%
	12	She has never thought about it	1480	14.3%
	13	It is embarrassing to buy condoms	56	.5%
	14	Prefers other contraceptive methods	732	7.1%
	20	Other	2	.0%
	88	Do not know	36	.3%

**Q526**

		Value	Count	Percent
Standard Attributes	Label	BC method used Jan 1997-calendar		
N	Valid		2612	
	Missing		7704	
Labeled Values	0	No Method used in January 1997	0	.0%
	1	Pill	41	.4%
	2	IUD	18	.2%
	3	Condom	56	.5%
	4	Condom+spermicide	0	.0%
	5	Condom+withdrawal/cal	19	.2%
	6	Spermicidees(Foams/Jelly)	0	.0%
	7	Tubal Ligation(Female sterilization)	89	.9%
	8	Emergency Hormonal Contraception	0	.0%
	9	Injectables	9	.1%
	10	Other modern method	1	.0%
	11	Calendar (Rhythm) Method	5	.0%
	12	Withdrawal	2363	22.9%
	13	Withdrawal and calendar	11	.1%
	20	Other BC method	0	.0%
	88	Do not know	0	.0%

**Q526\_MO**

		Value	Count	Percent
Standard Attributes	Label	Month-began using BC-Jan 1997		
N	Valid		2609	
	Missing		7707	
Labeled Values	22	Refused	0	.0%
	88	Do not know	91	.9%

**Q526\_YR**

		Value	Count	Percent
Standard Attributes	Label	Year-began using BC Jan 1997		
N	Valid	2612		
	Missing	7704		
Labeled Values	8888	Do not Know	10	.1%

**Q527**

		Value	Count	Percent
Standard Attributes	Label	Last BC method used-calendar		
N	Valid	4084		
	Missing	6232		
Labeled Values	1	Pill	96	.9%
	2	IUD	31	.3%
	3	Condom	163	1.6%
	4	Condom+spermicide	0	.0%
	5	Condom+withdrawal/cal	36	.3%
	6	Spermicidees(Foams/Jelly)	1	.0%
	7	Tubal Ligation(Female sterilization)	176	1.7%
	8	Emergency Hormonal Contraception	0	.0%
	9	Injectables	19	.2%
	10	Other modern method	0	.0%
	11	Calendar (Rhythm) Method	4	.0%
	12	Withdrawal	3540	34.3%
	13	Withdrawal and calendar	18	.2%
	20	Other BC method	0	.0%
	88	Do not know	0	.0%

**Q528**

		Value	Count	Percent
Standard Attributes	Label	Where get-last BC used		
N	Valid	522		
	Missing	9794		
Labeled Values	1	Health Post	4	.0%
	2	Health Center	16	.2%
	3	Policlinic	0	.0%
	4	Family Plannig Clinic	30	.3%
	5	Government Hospital/Maternity Ward	204	2.0%
	6	Private Clinic/Office	6	.1%
	7	NGO	1	.0%
	8	Pharmacy	221	2.1%
	9	Open Market	0	.0%
	10	Store/Kiosk	0	.0%
	11	Partner/Husband	28	.3%
	12	Friend	0	.0%
	13	Relative	0	.0%
	20	Other	0	.0%
	88	Do not Know	12	.1%

**Q529**

		Value	Count	Percent
Standard Attributes	Label	Pay for last BC method		
N	Valid	509		
	Missing	9807		
Labeled Values	1	Yes	313	3.0%
	2	No	158	1.5%
	3	Partner gets method	38	.4%

**Q530**

		Value	Count	Percent
Standard Attributes	Label	Amount Paid-last BC method		
N	Valid	313		
	Missing	10003		
Labeled Values	85	85 Hundred LEKE or more	38	.4%
	98	Not sure/ Do not know	87	.8%

**Q531**

		Value	Count	Percent
Standard Attributes	Label	Advised-use-last BC method		
N	Valid	509		
	Missing	9807		
Labeled Values	1	OG/GYN	257	2.5%
	2	General Practitioner	13	.1%
	3	Nurse/Midwife/Feldcher	17	.2%
	4	Pharmacist	14	.1%
	5	Mother	2	.0%
	6	Other Relative	8	.1%
	7	Friend	17	.2%
	8	Partner	124	1.2%
	9	Nobody	55	.5%
	20	Other	2	.0%

**Q532**

		Value	Count	Percent
Standard Attributes	Label	Health Provider-info-last BC method		
N	Valid	287		
	Missing	10029		
Labeled Values	1	Yes	132	1.3%
	2	No	155	1.5%

**Q533**

		Value	Count	Percent
Standard Attributes	Label	Effective-explain-last BC method		
N	Valid	132		
	Missing	10184		
Labeled Values	1	Yes	116	1.1%
	2	No	16	.2%



**Q534**

		Value	Count	Percent
Standard Attributes	Label	Side effects-explain-last BC method		
N	Valid	287		
	Missing	10029		
Labeled Values	1	Yes	175	1.7%
	2	No	112	1.1%

**Q536**

		Value	Count	Percent
Standard Attributes	Label	Used Pills/IUD-past 5 years		
N	Valid	4084		
	Missing	6232		
Labeled Values	1	Only Pills	237	2.3%
	2	Pills and IUD	19	.2%
	3	Only IUD	35	.3%
	4	Neither Pill or IUD	3793	36.8%

**Q537\_MO**

		Value	Count	Percent
Standard Attributes	Label	Month-start take pills		
N	Valid	256		
	Missing	10060		
Labeled Values	88	Do not know	3	.0%

**Q537\_YR**

		Value	Count	Percent
Standard Attributes	Label	Year-start talke pills		
N	Valid	256		
	Missing	10060		
Labeled Values	8888	Do not Know	2	.0%

**Q538**

		Value	Count	Percent
Standard Attributes	Label	Brand Pills-most recent		
N	Valid	256		
	Missing	10060		
Labeled Values	1	Bisecurin	3	.0%
	2	Cilest	0	.0%
	3	Cyclo-Progynova	3	.0%
	4	Diane-35	2	.0%
	5	Femoden	5	.0%
	6	Fertilan	1	.0%
	7	Gynofen 35	3	.0%
	8	Marvelon	2	.0%
	9	Mercilon	0	.0%
	10	Microgynon	32	.3%
	11	Neogynon	14	.1%
	12	Ovidon	0	.0%
	13	Postinor	13	.1%
	14	Rigevidon	2	.0%
	15	Sigoral	121	1.2%
	16	Microlut	1	.0%
	20	Other	8	.1%
	88	Do not know	46	.4%

**Q539**

		Value	Count	Percent
Standard Attributes	Label	Months-physician told to take		
N	Valid	256		
	Missing	10060		
Labeled Values	0	Never talked to doctor	74	.7%
	44	Three or more years	2	.0%
	55	As long as respondent wanted	92	.9%
	66	Did not say how long	26	.3%
	77	Other	0	.0%
	88	Do not Remember	4	.0%

**Q540**

		Value	Count	Percent
Standard Attributes	Label	Side Effects-Pill-during use		
N	Valid	256		
	Missing	10060		
Labeled Values	1	Yes	142	1.4%
	2	No	114	1.1%

**Q541\_A**

		Value	Count	Percent
Standard Attributes	Label	Headaches/effects Pill use		
N	Valid	142		
	Missing	10174		
Labeled Values	1	Mentioned	88	.9%
	2	Not mentioned	54	.5%

**Q541\_B**

		Value	Count	Percent
Standard Attributes	Label	Blurred vision/effects Pill use		
N	Valid	142		
	Missing	10174		
Labeled Values	1	Mentioned	19	.2%
	2	Not mentioned	123	1.2%

**Q541\_C**

		Value	Count	Percent
Standard Attributes	Label	Wt gain/effects Pill use		
N	Valid	142		
	Missing	10174		
Labeled Values	1	Mentioned	68	.7%
	2	Not mentioned	74	.7%

**Q541\_D**

		Value	Count	Percent
Standard Attributes	Label	Nausea/effects Pill use		
N	Valid	142		
	Missing	10174		
Labeled Values	1	Mentioned	55	.5%
	2	Not mentioned	87	.8%

**Q541\_E**

		Value	Count	Percent
Standard Attributes	Label	Breast tenderness/effects Pill use		
N	Valid	142		
	Missing	10174		
Labeled Values	1	Mentioned	30	.3%
	2	Not mentioned	112	1.1%

**Q541\_F**

		Value	Count	Percent
Standard Attributes	Label	Bleeding-mid-menstrual cyc/effects Pill use		
N	Valid	142		
	Missing	10174		
Labeled Values	1	Mentioned	28	.3%
	2	Not mentioned	114	1.1%

**Q541\_G**

		Value	Count	Percent
Standard Attributes	Label	Mood Change/effects Pill use		
N	Valid	142		
	Missing	10174		
Labeled Values	1	Mentioned	37	.4%
	2	Not mentioned	105	1.0%

**Q541\_H**

		Value	Count	Percent
Standard Attributes	Label	Other/effects Pill use		
N	Valid	142		
	Missing	10174		
Labeled Values	1	Mentioned	0	.0%
	2	Not mentioned	142	1.4%

**Q542**

		Value	Count	Percent
Standard Attributes	Label	Seek Doctors Help-Problem-Pill Use		
N	Valid	142		
	Missing	10174		
Labeled Values	1	Yes	50	.5%
	2	No	92	.9%

**Q543\_MO**

		Value	Count	Percent
Standard Attributes	Label	Month-IUD-Began Use		
N	Valid	54		
	Missing	10262		
Labeled Values	88	Do not know	1	.0%

**Q543\_YR**

		Value	Count	Percent
Standard Attributes	Label	Year-IUD-Began Use		
N	Valid	54		
	Missing	10262		
Labeled Values	8888	Do not know	0	.0%

**Q544**

		Value	Count	Percent
Standard Attributes	Label	Where-IUD-inserted		
N	Valid	54		
	Missing	10262		
Labeled Values	1	Health Center	6	.1%
	2	Policlinic	2	.0%
	3	Family Planning Clinic	4	.0%
	4	Government Hospital/Maternity Ward	39	.4%
	5	Private Clinic or Office	3	.0%
	6	Marie Stopes	0	.0%

**Q545**

		Value	Count	Percent
Standard Attributes	Label	Weeks-Doctor-IUD Checkup		
N	Valid	54		
	Missing	10262		
Labeled Values	0	Did not say to come back for check-up	7	.1%
	33	After the first period	2	.0%
	44	Come back anytime she wants	12	.1%
	55	Said to come back - only with specific problems	14	.1%
	77	Other	0	.0%
	88	Do not Remember	1	.0%

**Q546**

		Value	Count	Percent
Standard Attributes	Label	Doctor explain-how check IUD		
N	Valid	54		
	Missing	10262		
Labeled Values	1	Yes	32	.3%
	2	No	21	.2%
	8	Do not Remember	1	.0%

**Q547**

		Value	Count	Percent
Standard Attributes	Label	Doctor-explain-how long use IUD		
N	Valid	54		
	Missing	10262		
Labeled Values	1	Yes	49	.5%
	2	No	2	.0%
	8	Do not Remember	3	.0%

**Q548**

		Value	Count	Percent
Standard Attributes	Label	Have Any Side Effects-IUD use		
N	Valid	54		
	Missing	10262		
Labeled Values	1	Yes	23	.2%
	2	No	31	.3%

**Q549\_A**

		Value	Count	Percent
Standard Attributes	Label	Abdominal cramps-side effects-IUD use		
N	Valid	23		
	Missing	10293		
Labeled Values	1	Mentioned	11	.1%
	2	Not mentioned	12	.1%

**Q549\_B**

		Value	Count	Percent
Standard Attributes	Label	Heavy bleeding-side effects-IUD use		
N	Valid	23		
	Missing	10293		
Labeled Values	1	Mentioned	11	.1%
	2	Not mentioned	12	.1%

**Q549\_C**

		Value	Count	Percent
Standard Attributes	Label	Spotting tween periods-side effects-IUD use		
N	Valid	23		
	Missing	10293		
Labeled Values	1	Mentioned	7	.1%
	2	Not mentioned	16	.2%

**Q549\_D**

		Value	Count	Percent
Standard Attributes	Label	Infection-side effects-IUD use		
N	Valid	23		
	Missing	10293		
Labeled Values	1	Mentioned	9	.1%
	2	Not mentioned	14	.1%

**Q549\_E**

		Value	Count	Percent
Standard Attributes	Label	Partner Complains-side effects-IUD use		
N	Valid	23		
	Missing	10293		
Labeled Values	1	Mentioned	1	.0%
	2	Not mentioned	22	.2%

**Q549\_F**

		Value	Count	Percent
Standard Attributes	Label	Expulsion-side effects-IUD use		
N	Valid	23		
	Missing	10293		
Labeled Values	1	Mentioned	1	.0%
	2	Not mentioned	22	.2%

**Q549\_G**

		Value	Count	Percent
Standard Attributes	Label	Other-side effects-IUD use		
N	Valid	23		
	Missing	10293		
Labeled Values	1	Mentioned	0	.0%
	2	Not mentioned	23	.2%

**Q550**

		Value	Count	Percent
Standard Attributes	Label	See doctor-for IUD problems		
N	Valid	23		
	Missing	10293		
Labeled Values	1	Yes	19	.2%
	2	No	4	.0%

**Q551**

		Value	Count	Percent
Standard Attributes	Label	Think able to get PG now		
N	Valid	1062		
	Missing	9254		
Labeled Values	1	Yes	590	5.7%
	2	No	195	1.9%
	3	Not Sure	84	.8%
	4	Currently Pregnant	193	1.9%

**Q552**

		Value	Count	Percent
Standard Attributes	Label	Reason-cannot get PG now		
N	Valid	279		
	Missing	10037		
Labeled Values	1	Does not have a partner/not sexually active	129	1.3%
	2	Currently breast feeding/postpartum	9	.1%
	3	PID	4	.0%
	4	Endocrine Dysfunction	9	.1%
	5	Hysterectomy	17	.2%
	6	Premenopause/Menopause	19	.2%
	7	Ovarian Cysts/Ovarian Dysfunction	4	.0%
	8	Had both tubes removed/obstructed	9	.1%
	9	Tried to get PG/ not succeed / past 2 years	45	.4%
	10	Partner cannot have children	2	.0%
	11	Partner is infertile	3	.0%
	12	Currently uses method	0	.0%
	20	Other	0	.0%
	88	Do not Know	23	.2%
	99	Refuse to answer	6	.1%

**Q553**

		Value	Count	Percent
Standard Attributes	Label	Intend-have baby-future		
N	Valid	4158		
	Missing	6158		
Labeled Values	1	Wants a baby	1367	13.3%
	2	Does not want a baby	2482	24.1%
	3	Respondent wants/partner disagrees	37	.4%
	4	Respondent doesn not want baby/partner wants	30	.3%
	8	Do not Know	242	2.3%

**Q554**

		Value	Count	Percent
Standard Attributes	Label	When-want to get PG		
N	Valid		1364	
	Missing		8952	
Labeled Values	1	Right away	149	1.4%
	2	Within next 12 months	145	1.4%
	3	Within 1-2 years	231	2.2%
	4	After 2 years	492	4.8%
	6	After she marries	168	1.6%
	7	When God wants	93	.9%
	8	Do not know	86	.8%

**Q555**

		Value	Count	Percent
Standard Attributes	Label	Ever want operation-prevent PG		
N	Valid		4158	
	Missing		6158	
Labeled Values	1	Yes	197	1.9%
	2	No	3680	35.7%
	3	Already Sterilized	168	1.6%
	8	Not Sure	113	1.1%

**Q556**

		Value	Count	Percent
Standard Attributes	Label	Reason-not have operation-prevent PG		
N	Valid		3793	
	Missing		6523	
Labeled Values	1	Health risks/fear side effects	1353	13.1%
	2	Fear of operation	658	6.4%
	3	Do not know enough about sterilization	91	.9%
	4	Might want another child	187	1.8%
	5	Cost	10	.1%
	6	Does not have partner/not sexually active	29	.3%
	7	Age too young/too old	261	2.5%
	8	Have not thought about it	533	5.2%
	9	Not Culturally acceptable	14	.1%
	10	Religious Reasons	22	.2%
	11	Prefers/use other contraceptive methods	581	5.6%
	12	Cannot get PG	25	.2%
	20	Other	1	.0%
	88	Do not know	28	.3%



**Q557**

		Value	Count	Percent
Standard Attributes	Label	Seek medical help-have baby		
N	Valid	63		
	Missing	10253		
Labeled Values	1	Yes	32	.3%
	2	No	20	.2%
	3	Respondent wants baby-parnter disagrees	2	.0%
	4	Respondent does not want baby-partner wants	1	.0%
	8	Do not Know	8	.1%

**Q558**

		Value	Count	Percent
Standard Attributes	Label	Seen doctor-help become PG		
N	Valid	4258		
	Missing	6058		
Labeled Values	1	Yes	277	2.7%
	2	No	3980	38.6%
	8	Do not Know	1	.0%

**Q565\_MO**

		Value	Count	Percent
Standard Attributes	Label	Month-receive help-get PG		
N	Valid	277		
	Missing	10039		
Labeled Values	88	Do not know	45	.4%

**Q565\_YR**

		Value	Count	Percent
Standard Attributes	Label	Year-receive help-get PG		
N	Valid	277		
	Missing	10039		
Labeled Values	8888	Do not know	7	.1%

**Q566**

		Value	Count	Percent
Standard Attributes	Label	How long tried get PG		
N	Valid	277		
	Missing	10039		
Labeled Values	888	Do not Know	13	.1%

**Q567\_A**

		Value	Count	Percent
Standard Attributes	Label	Ovulation probs-Ever told		
N	Valid	277		
	Missing	10039		
Labeled Values	1	Yes	116	1.1%
	2	No	161	1.6%

**Q567\_B**

		Value	Count	Percent
Standard Attributes	Label	Blocked tubes-Ever told		
N	Valid	277		
	Missing	10039		
Labeled Values	1	Yes	25	.2%
	2	No	252	2.4%

**Q567\_C**

		Value	Count	Percent
Standard Attributes	Label	Endometriosis-Ever told		
N	Valid	277		
	Missing	10039		
Labeled Values	1	Yes	35	.3%
	2	No	242	2.3%

**Q567\_D**

		Value	Count	Percent
Standard Attributes	Label	Sperm probs-Ever told		
N	Valid	277		
	Missing	10039		
Labeled Values	1	Yes	38	.4%
	2	No	239	2.3%

**Q567\_E**

		Value	Count	Percent
Standard Attributes	Label	Other infertility probs-Ever told		
N	Valid	277		
	Missing	10039		
Labeled Values	1	Yes	0	.0%
	2	No	277	2.7%

**Q568**

		Value	Count	Percent
Standard Attributes	Label	Past 12 months-seek med help-get PG		
N	Valid	277		
	Missing	10039		
Labeled Values	1	Yes	68	.7%
	2	No	209	2.0%

**Q569**

		Value	Count	Percent
Standard Attributes	Label	Visits made-get help-PG		
N	Valid	68		
	Missing	10248		
Labeled Values	88	Do not know	2	.0%

**Q570\_MO**

		Value	Count	Percent
Standard Attributes	Label	Month-last visit-infertility help		
N	Valid	277		
	Missing	10039		
Labeled Values	88	Do not know	47	.5%

**Q570\_YR**

		Value	Count	Percent
Standard Attributes	Label	Year-last visit-infertility help		
N	Valid	277		
	Missing	10039		
Labeled Values	8888	Do not know	20	.2%

**Q571**

		Value	Count	Percent
Standard Attributes	Label	PID-treatment-ever had		
N	Valid	4258		
	Missing	6058		
Labeled Values	1	Yes	499	4.8%
	2	No	3754	36.4%
	8	Do not Know	5	.0%

**Q572**

		Value	Count	Percent
Standard Attributes	Label	PID symptoms-go get treatment		
N	Valid	499		
	Missing	9817		
Labeled Values	1	Yes	471	4.6%
	2	No	28	.3%

**Q573\_MO**

		Value	Count	Percent
Standard Attributes	Label	Month-first treatment PID		
N	Valid	499		
	Missing	9817		
Labeled Values	88	Do not know	85	.8%

**Q573\_YR**

		Value	Count	Percent
Standard Attributes	Label	Year-first treatment PID		
N	Valid	499		
	Missing	9817		
Labeled Values	8888	Do not know	32	.3%

**Q574\_MO**

		Value	Count	Percent
Standard Attributes	Label	Month-last treatment PID		
N	Valid	499		
	Missing	9817		
Labeled Values	88	Do not know	70	.7%

**Q574\_YR**

		Value	Count	Percent
Standard Attributes	Label	Year-last treatment PID		
N	Valid	499		
	Missing	9817		
Labeled Values	8888	Do not know	28	.3%

**Q575**

		Value	Count	Percent
Standard Attributes	Label	Times hospitalized-PID treatment		
N	Valid	499		
	Missing	9817		
Labeled Values	1	Never	419	4.1%
	2	Once	60	.6%
	3	2-3 Times	17	.2%
	4	4 or more Times	3	.0%
	8	Do not remember	0	.0%

**Q576**

		Value	Count	Percent
Standard Attributes	Label	Night-spent hospital-PID treatment		
N	Valid	80		
	Missing	10236		
Labeled Values	88	Do not Know	3	.0%

## VI. WOMEN'S HEALTH

**Q601**

		Value	Count	Percent
Standard Attributes	Label	Visited health facility-past 12 months		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	1639	15.9%
	2	No	4057	39.3%
	8	Do not Know	1	.0%

**Q602\_A**

		Value	Count	Percent
Standard Attributes	Label	Govt Health Clinic-recd care		
N	Valid	1639		
	Missing	8677		
Labeled Values	1	Mentioned	1347	13.1%
	2	Not Mentioned	292	2.8%

**Q602\_B**

		Value	Count	Percent
Standard Attributes	Label	Private Hospital-recd care		
N	Valid	1639		
	Missing	8677		
Labeled Values	1	Mentioned	375	3.6%
	2	Not Mentioned	1264	12.3%

**Q602\_C**

		Value	Count	Percent
Standard Attributes	Label	International Relief-recd care		
N	Valid	1639		
	Missing	8677		
Labeled Values	1	Mentioned	3	.0%
	2	Not Mentioned	1636	15.9%

**Q602\_D**

		Value	Count	Percent
Standard Attributes	Label	Local NGO-recd care		
N	Valid	1639		
	Missing	8677		
Labeled Values	1	Mentioned	6	.1%
	2	Not Mentioned	1633	15.8%

**Q602\_E**

		Value	Count	Percent
Standard Attributes	Label	Marie Stopes-recd care		
N	Valid	1639		
	Missing	8677		
Labeled Values	1	Mentioned	4	.0%
	2	Not Mentioned	1635	15.8%

**Q602\_F**

		Value	Count	Percent
Standard Attributes	Label	Other place-recd care		
N	Valid	1639		
	Missing	8677		
Labeled Values	1	Mentioned	1	.0%
	2	Not Mentioned	1638	15.9%

**Q603**

		Value	Count	Percent
Standard Attributes	Label	Doctor discus FP-past 12 months		
N	Valid	1639		
	Missing	8677		
Labeled Values	1	Yes	300	2.9%
	2	No	1326	12.9%
	8	Do not Know	13	.1%

**Q604\_A**

		Value	Count	Percent
Standard Attributes	Label	Know where-prevent medical care		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Big Problem	949	9.2%
	2	Not a Big Problem	4748	46.0%

**Q604\_B**

		Value	Count	Percent
Standard Attributes	Label	Permission-prevent medical care		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Big Problem	905	8.8%
	2	Not a Big Problem	4792	46.5%

**Q604\_C**

		Value	Count	Percent
Standard Attributes	Label	Get money-prevent medical care		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Big Problem	2346	22.7%
	2	Not a Big Problem	3351	32.5%

**Q604\_D**

		Value	Count	Percent
Standard Attributes	Label	Distance-prevent medical care		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Big Problem	1271	12.3%
	2	Not a Big Problem	4426	42.9%

**Q604\_E**

		Value	Count	Percent
Standard Attributes	Label	Take Transport-prevent medical care		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Big Problem	870	8.4%
	2	Not a Big Problem	4827	46.8%

**Q604\_F**

		Value	Count	Percent
Standard Attributes	Label	Go Alone-prevent medical care		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Big Problem	1982	19.2%
	2	Not a Big Problem	3715	36.0%

**Q604\_G**

		Value	Count	Percent
Standard Attributes	Label	No female doc-prevent medical care		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Big Problem	1227	11.9%
	2	Not a Big Problem	4470	43.3%

**Q605**

		Value	Count	Percent
Standard Attributes	Label	Ever had routine-GYN exam		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	1513	14.7%
	2	No	4183	40.5%
	8	Do not Know	1	.0%

**Q606**

		Value	Count	Percent
Standard	Label	Reason-never had routine GYN exam		
Attributes				
N	Valid	4184		
	Missing	6132		
Labeled Values	1	Does not need to go for GYN exam	1409	13.7%
	2	She is healthy	1620	15.7%
	3	Does not have time	61	.6%
	4	Forgets about it	9	.1%
	5	Does not like GYN exam	56	.5%
	6	Difficult to get appointment	3	.0%
	7	Does not like the place/facility	5	.0%
	8	Does not like the staff	0	.0%
	9	Waiting time too long	0	.0%
	10	Doctor did not recommend	18	.2%
	11	Too embarrassed test/pelvic exam	35	.3%
	12	Never thought about it	68	.7%
	13	Does not know where to go for exam	4	.0%
	14	Cannot afford/cost	33	.3%
	15	Never had sexual intercourse	858	8.3%
	20	Other	0	.0%
	88	Do not know	5	.0%
	99	Refuse	0	.0%

**Q607**

		Value	Count	Percent
Standard	Label	When last routine GYN exam		
Attributes				
N	Valid	1513		
	Missing	8803		
Labeled Values	1	During the past 12 months	822	8.0%
	2	1-2 years ago	299	2.9%
	3	2-3 years ago	132	1.3%
	4	3 or more years ago	237	2.3%
	8	Do not Know	23	.2%

**Q608**

		Value	Count	Percent
Standard	Label	Ever had PAP test(smear)		
Attributes				
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	189	1.8%
	2	No	5501	53.3%
	8	Do not Know	7	.1%
	9	Refused	0	.0%



**Q609**

		Value	Count	Percent
Standard Attributes	Label	Reason-never had PAP test(smear)		
N	Valid	5508		
	Missing	4808		
Labeled Values	1	Never heard of it	3386	32.8%
	2	Doctor has not recommended it	500	4.8%
	3	She is healthy	755	7.3%
	4	Does not feel test is necessary	262	2.5%
	5	Does not have time/forgets	40	.4%
	6	Never thought of it	89	.9%
	7	Afraid of the results	11	.1%
	8	Afraid it could be painful	9	.1%
	9	Too embarrassed test/pelvic exam	4	.0%
	10	Had no partner/not sexually active	414	4.0%
	11	Never had sexual intercourse	25	.2%
	20	Other	1	.0%
	88	Do not know	11	.1%
	99	Refuse	1	.0%

**Q610**

		Value	Count	Percent
Standard Attributes	Label	When last-PAP test		
N	Valid	189		
	Missing	10127		
Labeled Values	1	Within the last year	100	1.0%
	2	1-2 years ago	39	.4%
	3	2-3 years ago	26	.3%
	4	More than 3 years ago	24	.2%
	8	Do not Know	0	.0%

**Q611**

		Value	Count	Percent
Standard Attributes	Label	Heard about breast self-exam		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	2915	28.3%
	2	No	2782	27.0%

**Q612**

		Value	Count	Percent
Standard Attributes	Label	Ever do-breast self-exam		
N	Valid	2915		
	Missing	7401		
Labeled Values	1	Yes	463	4.5%
	2	No	2452	23.8%

**Q613**

		Value	Count	Percent
Standard Attributes	Label	When do-breast self-exam		
N	Valid	463		
	Missing	9853		
Labeled Values	1	Once a month	200	1.9%
	2	Every 2-5 months	78	.8%
	3	Every 6-11 months	51	.5%
	4	Once per year or less	134	1.3%

**Q614**

		Value	Count	Percent
Standard Attributes	Label	Ever smoke cigarettes		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	1113	10.8%
	2	No	4584	44.4%

**Q615**

		Value	Count	Percent
Standard Attributes	Label	Age-first smoke cigarettes		
N	Valid	1113		
	Missing	9203		
Labeled Values	88	Do not remember	18	.2%
	99	Refuse	0	.0%

**Q616**

		Value	Count	Percent
Standard Attributes	Label	Smoke 100> cigarettes-lifetime		
N	Valid	1113		
	Missing	9203		
Labeled Values	1	Yes	305	3.0%
	2	No	802	7.8%
	8	Do not know	6	.1%
	9	Refused	0	.0%

**Q617**

		Value	Count	Percent
Standard Attributes	Label	Age-began smoking-regularly		
N	Valid	305		
	Missing	10011		
Labeled Values	0	Never smoked regularly	77	.7%
	88	Do not remember	4	.0%
	99	Refuse to answer	0	.0%

**Q618**

		Value	Count	Percent
Standard Attributes	Label	Past 30 days-smoke cigarettes		
N	Valid	305		
	Missing	10011		
Labeled Values	1	Every Day	147	1.4%
	2	Almost Everyday	38	.4%
	3	Some days	71	.7%
	4	Not at all in last 30 days	49	.5%
	9	Refused	0	.0%

**Q619**

		Value	Count	Percent
Standard Attributes	Label	Past 30 days-how many cigarettes smoked		
N	Valid	256		
	Missing	10060		
Labeled Values	1	One cigarette/day	47	.5%
	2	2-5 Cigarettes/day	84	.8%
	3	6-10 Cigarettes/day	47	.5%
	4	11-19 Cigarettes/day	27	.3%
	5	20 or more Cigarettes/day	51	.5%

**Q620\_MO**

		Value	Count	Percent
Standard Attributes	Label	Month-last smoke cigarettes		
N	Valid	49		
	Missing	10267		
Labeled Values	88	Do not remember	14	.1%
	99	Refuse	2	.0%

**Q620\_YR**

		Value	Count	Percent
Standard Attributes	Label	Year-last smoke cigarettes		
N	Valid	49		
	Missing	10267		
Labeled Values	8888	Do not remember	5	.0%
	9999	Refuse	2	.0%

**Q621**

		Value	Count	Percent
Standard Attributes	Label	Ever told-diabetes by doctor		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	41	.4%
	2	No	5645	54.7%
	8	Not Sure	11	.1%
	9	Refuse	0	.0%

**Q622**

		Value	Count	Percent
Standard Attributes	Label	Ever told-diabetes-not PG		
N	Valid	41		
	Missing	10275		
Labeled Values	1	Yes	20	.2%
	2	No	16	.2%
	3	Never been pregnant	5	.0%

**Q623**

		Value	Count	Percent
Standard Attributes	Label	Ever told-anemia-by doctor		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	750	7.3%
	2	No	4939	47.9%
	8	Not Sure	8	.1%
	9	Refuse	0	.0%

**Q624**

		Value	Count	Percent
Standard Attributes	Label	Ever told-anemia-not PG		
N	Valid	750		
	Missing	9566		
Labeled Values	1	Yes	352	3.4%
	2	No	359	3.5%
	3	Never Been Pregnant	39	.4%

**Q625**

		Value	Count	Percent
Standard Attributes	Label	Ever told-HBP-by doctor		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	465	4.5%
	2	No	5217	50.6%
	8	Not Sure	15	.1%
	9	Refuse	0	.0%

**Q626**

		Value	Count	Percent
Standard Attributes	Label	Ever told-HBP-not PG		
N	Valid	465		
	Missing	9851		
Labeled Values	1	Yes	248	2.4%
	2	No	198	1.9%
	3	Never Been Pregnant	19	.2%

**Q627\_A**

		Value	Count	Percent
Standard Attributes	Label	Vaginal discharge-past 12 mths		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	640	6.2%
	2	No	5043	48.9%
	8	Not Sure	14	.1%

**Q627\_B**

		Value	Count	Percent
Standard Attributes	Label	Itch-genitals-past 12 mths		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	614	6.0%
	2	No	5071	49.2%
	8	Not Sure	12	.1%

**Q627\_C**

		Value	Count	Percent
Standard Attributes	Label	Pain-urination-past 12 months		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	479	4.6%
	2	No	5210	50.5%
	8	Not Sure	8	.1%

**Q627\_D**

		Value	Count	Percent
Standard Attributes	Label	Pain-during sex-past 12 mths		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	426	4.1%
	2	No	5257	51.0%
	8	Not Sure	14	.1%

**Q627\_E**

		Value	Count	Percent
Standard Attributes	Label	Sore/warts-genitals-past 12 mnths		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	250	2.4%
	2	No	5414	52.5%
	8	Not Sure	33	.3%

**Q627\_F**

		Value	Count	Percent
Standard Attributes	Label	Swelling-genitals-past 12 mths		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	89	.9%
	2	No	5592	54.2%
	8	Not Sure	16	.2%

**Q628**

		Value	Count	Percent
Standard Attributes	Label	Have treatment-vaginal/genital problems		
N	Valid	1183		
	Missing	9133		
Labeled Values	1	Yes	681	6.6%
	2	No	502	4.9%
	8	Not Sure	0	.0%

**Q629**

		Value	Count	Percent
Standard Attributes	Label	Who treated-problems/vagina/genitals		
N	Valid	681		
	Missing	9635		
Labeled Values	1	OB/GYN	543	5.3%
	2	Family Doctor/GP	35	.3%
	3	Dermatolog	0	.0%
	4	Infectious Diseases Doctor	26	.3%
	5	Nurse/Midwife	25	.2%
	6	Pharmacist	32	.3%
	7	Partner	1	.0%
	8	Friend/Relative	1	.0%
	9	Self-Treatment	18	.2%
	20	Other	0	.0%
	99	Refuse to Answer	0	.0%

**Q630**

		Value	Count	Percent
Standard Attributes	Label	Reason-no treatment-genital problems		
N	Valid	502		
	Missing	9814		
Labeled Values	1	Services too far away	25	.2%
	2	Do not know where to go	11	.1%
	3	Cannot afford services	31	.3%
	4	Afraid of knowing results	8	.1%
	5	Embarrassed	75	.7%
	6	Did not think STD	171	1.7%
	7	Symptom disappeared	169	1.6%
	8	Other	4	.0%
	9	Refuse	8	.1%

**Q631**

		Value	Count	Percent
Standard Attributes	Label	Drink Alcohol-past 3 mths		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	2612	25.3%
	2	No	3072	29.8%
	3	Not Sure	13	.1%
	4	Refuse	0	.0%

**Q632**

		Value	Count	Percent
Standard Attributes	Label	Nbr Drinks/day-avg-past 3 mths		
N	Valid	2612		
	Missing	7704		
Labeled Values	0	No drinks-few sips	421	4.1%
	88	Not sure	28	.3%
	99	Refuse	2	.0%

**Q633**

		Value	Count	Percent
Standard Attributes	Label	How often drink-past 3 mths		
N	Valid	2161		
	Missing	8155		
Labeled Values	1	Everyday	46	.4%
	2	Almost everyday	110	1.1%
	3	1-2 Times a week	713	6.9%
	4	2-3 Times a month	728	7.1%
	5	Once a month	410	4.0%
	6	1-2 times in three months	154	1.5%

**Q634**

		Value	Count	Percent
Standard Attributes	Label	More drinks/day than avg		
N	Valid	2160		
	Missing	8156		
Labeled Values	1	Yes	116	1.1%
	2	No	2019	19.6%
	8	Not Sure	25	.2%
	9	Refuse	0	.0%

**Q635**

		Value	Count	Percent
Standard Attributes	Label	Nbr Drinks/day-not avg		
N	Valid	116		
	Missing	10200		
Labeled Values	88	Not sure	21	.2%
	99	Refuse	1	.0%

## VII. REPRODUCTIVE HEALTH KNOWLEDGE/ATTITUDES

**Q700**

		Value	Count	Percent
Standard Attributes	Label	Ideal nbr of children-Albania		
N	Valid	5697		
	Missing	4619		
Labeled Values	0	No children	6	.1%
	1	1 Child	121	1.2%
	2	1-2 children	197	1.9%
	3	2 children	2182	21.2%
	4	2-3 Children	930	9.0%
	5	3 Children	1245	12.1%
	6	3-4 Children	257	2.5%
	7	4 Children	473	4.6%
	8	5 or more Children	48	.5%
	9	As many as God gives	81	.8%
	77	As many as Possible	15	.1%
	88	Do not Know	142	1.4%

**Q701**

		Value	Count	Percent
Standard Attributes	Label	Time-menstrul cycle-get PG		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	3099	30.0%
	2	No	332	3.2%
	8	Do not Know	2266	22.0%

**Q701A**

		Value	Count	Percent
Standard Attributes	Label	Best time-get PG-in cycle		
N	Valid	3099		
	Missing	7217		
Labeled Values	1	Just before her periods starts	205	2.0%
	2	During her periods	91	.9%
	3	Right after period ends	1539	14.9%
	4	Halfway between periods	1152	11.2%
	8	Do not Know	112	1.1%

**Q702**

		Value	Count	Percent
Standard Attributes	Label	Breastfeed-effect on PG		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Increases the chance	552	5.4%
	2	Decreases the chance	1273	12.3%
	3	Has no effect	1357	13.2%
	8	Do not Know	2515	24.4%



**Q703**

		Value	Count	Percent
Standard Attributes	Label	Woman-right-decide about PG		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	4205	40.8%
	2	No	1490	14.4%
	8	Do not Know	2	.0%

**Q704\_A**

		Value	Count	Percent
Standard Attributes	Label	Life endanger-abortion right		
N	Valid	1492		
	Missing	8824		
Labeled Values	1	Yes	1215	11.8%
	2	No	142	1.4%
	3	Depends	87	.8%
	8	Do not Know	48	.5%

**Q704\_B**

		Value	Count	Percent
Standard Attributes	Label	Fetus-deformed-abortion right		
N	Valid	1492		
	Missing	8824		
Labeled Values	1	Yes	1062	10.3%
	2	No	263	2.5%
	3	Depends	91	.9%
	8	Do not Know	76	.7%

**Q704\_C**

		Value	Count	Percent
Standard Attributes	Label	PG result/rape-abortion right		
N	Valid	1492		
	Missing	8824		
Labeled Values	1	Yes	767	7.4%
	2	No	331	3.2%
	3	Depends	258	2.5%
	8	Do not Know	136	1.3%

**Q704\_D**

		Value	Count	Percent
Standard Attributes	Label	Health endangered-abortion right		
N	Valid	1492		
	Missing	8824		
Labeled Values	1	Yes	920	8.9%
	2	No	294	2.8%
	3	Depends	203	2.0%
	8	Do not Know	75	.7%

**Q704\_E**

		Value	Count	Percent
Standard Attributes	Label	Unmarried-abortion right		
N	Valid	1492		
	Missing	8824		
Labeled Values	1	Yes	498	4.8%
	2	No	530	5.1%
	3	Depends	345	3.3%
	8	Do not Know	119	1.2%

**Q704\_F**

		Value	Count	Percent
Standard Attributes	Label	Cannot afford child-abortion right		
N	Valid	1492		
	Missing	8824		
Labeled Values	1	Yes	338	3.3%
	2	No	864	8.4%
	3	Depends	198	1.9%
	8	Do not Know	92	.9%

**Q705**

		Value	Count	Percent
Standard Attributes	Label	Unwanted PG-what woman should do		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Have baby and keep it	3901	37.8%
	2	Have baby-give it up for adoption	139	1.3%
	3	Have an abortion	1290	12.5%
	8	Do not Know	367	3.6%

**Q706\_A**

		Value	Count	Percent
Standard Attributes	Label	Become PG-first time sex		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Agree	3788	36.7%
	2	Disagree	1031	10.0%
	8	Do not Know	878	8.5%

**Q706\_B**

		Value	Count	Percent
Standard Attributes	Label	All people should marry		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Agree	4253	41.2%
	2	Disagree	1188	11.5%
	8	Do not Know	256	2.5%

**Q706\_C**

		Value	Count	Percent
Standard Attributes	Label	Woman-virgin when marries		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Agree	3801	36.8%
	2	Disagree	1734	16.8%
	8	Do not Know	162	1.6%

**Q706\_D**

		Value	Count	Percent
Standard Attributes	Label	Woman job-take care of home		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Agree	4723	45.8%
	2	Disagree	920	8.9%
	8	Do not Know	54	.5%

**Q706\_E**

		Value	Count	Percent
Standard Attributes	Label	Need permission/husband-work outside home		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Agree	3934	38.1%
	2	Disagree	1662	16.1%
	8	Do not Know	101	1.0%

**Q706\_F**

		Value	Count	Percent
Standard Attributes	Label	Give money to husband		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Agree	3676	35.6%
	2	Disagree	1895	18.4%
	8	Do not Know	126	1.2%

**Q706\_G**

		Value	Count	Percent
Standard Attributes	Label	Husband help with chores/woman works		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Agree	5307	51.4%
	2	Disagree	326	3.2%
	8	Do not Know	64	.6%

**Q706\_H**

		Value	Count	Percent
Standard Attributes	Label	Men have final say		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Agree	2113	20.5%
	2	Disagree	3521	34.1%
	8	Do not Know	63	.6%

**Q706\_I**

		Value	Count	Percent
Standard Attributes	Label	Child care/woman job		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Agree	2843	27.6%
	2	Disagree	2796	27.1%
	8	Do not Know	58	.6%

**Q707**

		Value	Count	Percent
Standard Attributes	Label	Who-decides-nbr of children		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	The woman	47	.5%
	2	The man	62	.6%
	3	Both	5484	53.2%
	4	Mother-in-law	1	.0%
	5	God	76	.7%
	8	Do not Know	27	.3%

**Q708\_A**

		Value	Count	Percent
Standard Attributes	Label	Pill-risk-health problems		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Low Risk	803	7.8%
	2	Medium Risk	1660	16.1%
	3	High Risk	422	4.1%
	8	Do not Know	2812	27.3%

**Q708\_B**

		Value	Count	Percent
Standard Attributes	Label	IUD-risk-health problem		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Low Risk	275	2.7%
	2	Medium Risk	561	5.4%
	3	High Risk	247	2.4%
	8	Do not Know	4614	44.7%

**Q708\_C**

		Value	Count	Percent
Standard Attributes	Label	Condom-risk-health problem		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Low Risk	2985	28.9%
	2	Medium Risk	427	4.1%
	3	High Risk	62	.6%
	8	Do not Know	2223	21.5%

**Q708\_D**

		Value	Count	Percent
Standard Attributes	Label	Tubal lig-risk health problem		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Low Risk	777	7.5%
	2	Medium Risk	1559	15.1%
	3	High Risk	488	4.7%
	8	Do not Know	2873	27.8%

**Q708\_E**

		Value	Count	Percent
Standard Attributes	Label	Injectables-risk-health problem		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Low Risk	253	2.5%
	2	Medium Risk	839	8.1%
	3	High Risk	266	2.6%
	8	Do not Know	4339	42.1%

**Q708\_F**

		Value	Count	Percent
Standard Attributes	Label	Abortion/request-risk-health problem		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Low Risk	268	2.6%
	2	Medium Risk	1311	12.7%
	3	High Risk	2412	23.4%
	8	Do not Know	1706	16.5%

**Q710\_A**

		Value	Count	Percent
Standard Attributes	Label	Pills-easy to use		
N	Valid	4178		
	Missing	6138		
Labeled Values	1	Agree	2542	24.6%
	2	Disagree	134	1.3%
	8	Do not Know	1502	14.6%

**Q710\_B**

		Value	Count	Percent
Standard Attributes	Label	Pills easy to get		
N	Valid	4178		
	Missing	6138		
Labeled Values	1	Agree	3039	29.5%
	2	Disagree	49	.5%
	8	Do not Know	1090	10.6%

**Q710\_C**

		Value	Count	Percent
Standard Attributes	Label	Pills-expensive		
N	Valid	4178		
	Missing	6138		
Labeled Values	1	Agree	448	4.3%
	2	Disagree	1282	12.4%
	8	Do not Know	2448	23.7%

**Q710\_D**

		Value	Count	Percent
Standard Attributes	Label	Pills-hard to remember to take		
N	Valid	4178		
	Missing	6138		
Labeled Values	1	Agree	1492	14.5%
	2	Disagree	700	6.8%
	8	Do not Know	1986	19.3%

**Q710\_E**

		Value	Count	Percent
Standard Attributes	Label	Pills-protect-against GYN cancers		
N	Valid	4178		
	Missing	6138		
Labeled Values	1	Agree	467	4.5%
	2	Disagree	445	4.3%
	8	Do not Know	3266	31.7%

**Q710\_F**

		Value	Count	Percent
Standard Attributes	Label	Pills-cause wt gain		
N	Valid	4178		
	Missing	6138		
Labeled Values	1	Agree	1545	15.0%
	2	Disagree	172	1.7%
	8	Do not Know	2461	23.9%

**Q710\_G**

		Value	Count	Percent
Standard Attributes	Label	Pills-make periods regular		
N	Valid	4178		
	Missing	6138		
Labeled Values	1	Agree	901	8.7%
	2	Disagree	326	3.2%
	8	Do not Know	2951	28.6%

**Q710\_H**

		Value	Count	Percent
Standard Attributes	Label	Pills-decrease blood loss-menses		
N	Valid	4178		
	Missing	6138		
Labeled Values	1	Agree	492	4.8%
	2	Disagree	227	2.2%
	8	Do not Know	3459	33.5%

**Q710\_I**

		Value	Count	Percent
Standard Attributes	Label	Pills-decrease-cramps/pain		
N	Valid	4178		
	Missing	6138		
Labeled Values	1	Agree	492	4.8%
	2	Disagree	181	1.8%
	8	Do not Know	3505	34.0%

**Q710\_J**

		Value	Count	Percent
Standard Attributes	Label	Pills-bad-blood circulation		
N	Valid	4178		
	Missing	6138		
Labeled Values	1	Agree	365	3.5%
	2	Disagree	154	1.5%
	8	Do not Know	3659	35.5%

**Q711\_A**

		Value	Count	Percent
Standard Attributes	Label	IUD-easy to use		
N	Valid	1643		
	Missing	8673		
Labeled Values	1	Agree	615	6.0%
	2	Disagree	200	1.9%
	8	Do not Know	828	8.0%

**Q711\_B**

		Value	Count	Percent
Standard Attributes	Label	IUD-increase PID risk		
N	Valid	1643		
	Missing	8673		
Labeled Values	1	Agree	515	5.0%
	2	Disagree	110	1.1%
	8	Do not Know	1018	9.9%

**Q711\_C**

		Value	Count	Percent
Standard Attributes	Label	IUD-inexpensive BC		
N	Valid	1643		
	Missing	8673		
Labeled Values	1	Agree	409	4.0%
	2	Disagree	178	1.7%
	8	Do not Know	1056	10.2%

**Q711\_D**

		Value	Count	Percent
Standard Attributes	Label	IUD-cause spotting/periods		
N	Valid	1643		
	Missing	8673		
Labeled Values	1	Agree	333	3.2%
	2	Disagree	87	.8%
	8	Do not Know	1223	11.9%

**Q711\_E**

		Value	Count	Percent
Standard Attributes	Label	IUD-increase blood loss/menses		
N	Valid	1643		
	Missing	8673		
Labeled Values	1	Agree	239	2.3%
	2	Disagree	82	.8%
	8	Do not Know	1322	12.8%

**Q711\_F**

		Value	Count	Percent
Standard Attributes	Label	IUD-increase menstrual pain		
N	Valid	1643		
	Missing	8673		
Labeled Values	1	Agree	229	2.2%
	2	Disagree	88	.9%
	8	Do not Know	1326	12.9%



**Q711\_G**

		Value	Count	Percent
Standard Attributes	Label	IUD-decrease-Ectopic PG risk		
N	Valid	1643		
	Missing	8673		
Labeled Values	1	Agree	252	2.4%
	2	Disagree	64	.6%
	8	Do not Know	1327	12.9%

**Q712**

		Value	Count	Percent
Standard Attributes	Label	Want info-Contraceptives		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	3885	37.7%
	2	No	1687	16.4%
	8	Do not know	125	1.2%

**Q713**

		Value	Count	Percent
Standard Attributes	Label	Best info source-contraceptives		
N	Valid	3885		
	Missing	6431		
Labeled Values	1	Mother	83	.8%
	2	Other Relative	26	.3%
	3	Boyfriend	8	.1%
	4	Husband/Partner	25	.2%
	5	Somebody-who uses contraceptives	23	.2%
	6	Co-worker	17	.2%
	7	Friend/Colleague/Peer	69	.7%
	8	Gynecologist	741	7.2%
	9	General Practitioner	88	.9%
	10	Nurse/Midwife	184	1.8%
	11	Teacher	62	.6%
	12	Pharmacist	26	.3%
	13	Books	211	2.0%
	14	Newspaper/Magazines	290	2.8%
	15	Radio	14	.1%
	16	TV	1962	19.0%
	20	Other	0	.0%
	88	Do not Remember	56	.5%

**Q714**

		Value	Count	Percent
Standard Attributes	Label	Info-contraceptives-Radio/TV		
N	Valid	3721		
	Missing	6595		
Labeled Values	1	Yes	3195	31.0%
	2	No	255	2.5%
	8	Do not know	271	2.6%

**Q715**

		Value	Count	Percent
Standard Attributes	Label	Condoms-effective prevent STD		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Very Effective	2289	22.2%
	2	Somewhat Effective	1499	14.5%
	3	Not effective	93	.9%
	8	Do not Know	1816	17.6%

**Q718**

		Value	Count	Percent
Standard Attributes	Label	Ever talk-partner-use condom		
N	Valid	2030		
	Missing	8286		
Labeled Values	1	Yes	225	2.2%
	2	No	575	5.6%
	3	Never had sexual partner	1223	11.9%
	8	Do not know	4	.0%
	9	Refuse	3	.0%

**Q719**

		Value	Count	Percent
Standard Attributes	Label	Ever asked-partner-use condom		
N	Valid	807		
	Missing	9509		
Labeled Values	1	Yes	135	1.3%
	2	No	664	6.4%
	8	Do not know	6	.1%
	9	Refuse	2	.0%

**Q720\_A**

		Value	Count	Percent
Standard Attributes	Label	Partner-refuse-use condom		
N	Valid	135		
	Missing	10181		
Labeled Values	1	Yes	40	.4%
	2	No	95	.9%
	8	Do not know	0	.0%
	9	Refuse	0	.0%

**Q720\_B**

		Value	Count	Percent
Standard Attributes	Label	Partner-refuse sex-use condom		
N	Valid	135		
	Missing	10181		
Labeled Values	1	Yes	6	.1%
	2	No	128	1.2%
	8	Do not know	0	.0%
	9	Refuse	1	.0%

**Q720\_C**

		Value	Count	Percent
Standard Attributes	Label	Partner-threaten-use condom		
N	Valid	135		
	Missing	10181		
Labeled Values	1	Yes	2	.0%
	2	No	133	1.3%
	8	Do not know	0	.0%
	9	Refuse	0	.0%

**Q720\_D**

		Value	Count	Percent
Standard Attributes	Label	Partner-yell-use condom		
N	Valid	135		
	Missing	10181		
Labeled Values	1	Yes	2	.0%
	2	No	133	1.3%
	8	Do not know	0	.0%
	9	Refuse	0	.0%

**Q720\_E**

		Value	Count	Percent
Standard Attributes	Label	Partner-have sex w/out condom		
N	Valid	135		
	Missing	10181		
Labeled Values	1	Yes	16	.2%
	2	No	119	1.2%
	8	Do not know	0	.0%
	9	Refuse	0	.0%

**Q720\_F**

		Value	Count	Percent
Standard Attributes	Label	Partner-hurt-condom use		
N	Valid	135		
	Missing	10181		
Labeled Values	1	Yes	2	.0%
	2	No	133	1.3%
	8	Do not know	0	.0%
	9	Refuse	0	.0%

**Q721\_A**

		Value	Count	Percent
Standard Attributes	Label	Use condom-feel insulted or angry		
N	Valid	2029		
	Missing	8287		
Labeled Values	1	Agree	539	5.2%
	2	Disagree	978	9.5%
	8	Do not Know	488	4.7%
	9	Refused	24	.2%

**Q721\_B**

		Value	Count	Percent
Standard Attributes	Label	Use condom-safe from getting pregnant		
N	Valid	2029		
	Missing	8287		
Labeled Values	1	Agree	1284	12.4%
	2	Disagree	259	2.5%
	8	Do not Know	461	4.5%
	9	Refused	25	.2%

**Q721\_C**

		Value	Count	Percent
Standard Attributes	Label	Use condom-like you had done something wrong		
N	Valid	2029		
	Missing	8287		
Labeled Values	1	Agree	356	3.5%
	2	Disagree	1082	10.5%
	8	Do not Know	560	5.4%
	9	Refused	31	.3%

**Q721\_D**

		Value	Count	Percent
Standard Attributes	Label	Use condom-safe from getting STD or HIV/AIDS		
N	Valid	2029		
	Missing	8287		
Labeled Values	1	Agree	1285	12.5%
	2	Disagree	211	2.0%
	8	Do not Know	504	4.9%
	9	Refused	29	.3%

**Q721\_E**

		Value	Count	Percent
Standard Attributes	Label	Use condom-suspicious that he may sleep around		
N	Valid	2029		
	Missing	8287		
Labeled Values	1	Agree	443	4.3%
	2	Disagree	863	8.4%
	8	Do not Know	686	6.6%
	9	Refused	37	.4%

**Q722\_A**

		Value	Count	Percent
Standard Attributes	Label	Smart idea-use condom new partner		
N	Valid	2029		
	Missing	8287		
Labeled Values	1	Agree	1317	12.8%
	2	Disagree	146	1.4%
	8	Do not Know	538	5.2%
	9	Refused	28	.3%

**Q722\_B**

		Value	Count	Percent
Standard Attributes	Label	Not necessary-know partner-use condom		
N	Valid	2029		
	Missing	8287		
Labeled Values	1	Agree	927	9.0%
	2	Disagree	554	5.4%
	8	Do not Know	517	5.0%
	9	Refused	31	.3%

**Q722\_C**

		Value	Count	Percent
Standard Attributes	Label	Women should ask-use condom		
N	Valid	2029		
	Missing	8287		
Labeled Values	1	Agree	684	6.6%
	2	Disagree	604	5.9%
	8	Do not Know	707	6.9%
	9	Refused	34	.3%

**Q722\_D**

		Value	Count	Percent
Standard Attributes	Label	Easy discuss w/partner-use condom		
N	Valid	2029		
	Missing	8287		
Labeled Values	1	Agree	706	6.8%
	2	Disagree	368	3.6%
	8	Do not Know	914	8.9%
	9	Refused	41	.4%

**Q722\_E**

		Value	Count	Percent
Standard Attributes	Label	Diminish sexual enjoyment-use condoms		
N	Valid	2029		
	Missing	8287		
Labeled Values	1	Agree	306	3.0%
	2	Disagree	166	1.6%
	8	Do not Know	1508	14.6%
	9	Refused	49	.5%

**Q722\_F**

		Value	Count	Percent
Standard Attributes	Label	Use more than once-use condoms		
N	Valid	2029		
	Missing	8287		
Labeled Values	1	Agree	85	.8%
	2	Disagree	1165	11.3%
	8	Do not Know	742	7.2%
	9	Refused	37	.4%

**Q722\_G**

		Value	Count	Percent
Standard	Label	Promiscuous-use condoms		
Attributes				
N	Valid	2029		
	Missing	8287		
Labeled Values	1	Agree	494	4.8%
	2	Disagree	563	5.5%
	8	Do not Know	933	9.0%
	9	Refused	39	.4%

**Q722\_H**

		Value	Count	Percent
Standard	Label	Embarrassed-ask at store-condoms		
Attributes				
N	Valid	2029		
	Missing	8287		
Labeled Values	1	Agree	592	5.7%
	2	Disagree	716	6.9%
	8	Do not Know	684	6.6%
	9	Refused	37	.4%

## VIII. SOCIOECONOMIC CHARACTERISTICS

**Q800\_A**

		Value	Count	Percent
Standard Attributes	Label	Flush Toilet-Household has		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	3970	38.5%
	2	No	1727	16.7%

**Q800\_B**

		Value	Count	Percent
Standard Attributes	Label	Heating Sys-Household has		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	67	.6%
	2	No	5630	54.6%

**Q800\_C**

		Value	Count	Percent
Standard Attributes	Label	Refrigerator-Household has		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	5299	51.4%
	2	No	398	3.9%

**Q800\_D**

		Value	Count	Percent
Standard Attributes	Label	TV-Household has		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	5532	53.6%
	2	No	165	1.6%

**Q800\_E**

		Value	Count	Percent
Standard Attributes	Label	Working Auto-Household has		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	1394	13.5%
	2	No	4303	41.7%

**Q800\_F**

		Value	Count	Percent
Standard Attributes	Label	VCR-Household has		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	2111	20.5%
	2	No	3586	34.8%

**Q800\_G**

		Value	Count	Percent
Standard Attributes	Label	Phone-Household has		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	1965	19.0%
	2	No	3732	36.2%

**Q800\_H**

		Value	Count	Percent
Standard Attributes	Label	Cell Phone-Household has		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	3657	35.4%
	2	No	2040	19.8%

**Q800\_I**

		Value	Count	Percent
Standard Attributes	Label	Vacation Home-Household has		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	152	1.5%
	2	No	5545	53.8%

**Q800\_J**

		Value	Count	Percent
Standard Attributes	Label	AC-Household has		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	300	2.9%
	2	No	5397	52.3%

**Q800\_K**

		Value	Count	Percent
Standard Attributes	Label	Gas/Electric Stove-Household has		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	4681	45.4%
	2	No	1016	9.8%

**Q800\_L**

		Value	Count	Percent
Standard Attributes	Label	Computer-Household has		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	357	3.5%
	2	No	5340	51.8%



**Q800\_M**

		Value	Count	Percent
Standard Attributes	Label	Satellite Antenna-Household has		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	1583	15.3%
	2	No	4114	39.9%

**Q801**

		Value	Count	Percent
Standard Attributes	Label	Family had access to garden-veg		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	2692	26.1%
	2	No	3005	29.1%

**Q802**

		Value	Count	Percent
Standard Attributes	Label	Main source-drinking water		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Piped Water	3955	38.3%
	2	Piped Water-Public tap	398	3.9%
	3	Well Water	496	4.8%
	4	Public Well	53	.5%
	5	Surface water	6	.1%
	6	Rain Water	0	.0%
	7	Bottled Water	789	7.6%

**Q803**

		Value	Count	Percent
Standard Attributes	Label	Minutes-get from water source		
N	Valid	457		
	Missing	9859		
Labeled Values	888	Not Sure	0	.0%

**Q804**

		Value	Count	Percent
Standard Attributes	Label	Living Arrangements-describe		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Privately owned flat/house	3057	29.6%
	2	Rented space flat/house	347	3.4%
	3	With immediate family	2253	21.8%
	4	With other relatives	39	.4%
	5	With Friends	1	.0%
	7	Other	0	.0%

**Q805**

		Value	Count	Percent
Standard Attributes	Label	Rooms Occupied by family		
N	Valid	5697		
	Missing	4619		
Labeled Values	88	Not Sure	0	.0%

**Q806**

		Value	Count	Percent
Standard Attributes	Label	Hours/day have electricity		
N	Valid	5697		
	Missing	4619		
Labeled Values	88	Not Sure	11	.1%

**Q807**

		Value	Count	Percent
Standard Attributes	Label	Ethnic Background		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Albanian	5610	54.4%
	2	Greek	24	.2%
	3	Gypsy (Roma)	47	.5%
	4	Macedonian	3	.0%
	5	Albanian from Kosovo	5	.0%
	6	Mixed Ethnic	5	.0%
	7	Other	3	.0%
	9	Refused/not stated	0	.0%

**Q808**

		Value	Count	Percent
Standard Attributes	Label	Religion		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Muslim	4568	44.3%
	2	Orthodox	531	5.1%
	3	Catholic	530	5.1%
	4	Protestant	23	.2%
	7	Other	0	.0%
	8	No Religion	36	.3%
	9	Undeclared	9	.1%

**Q809**

		Value	Count	Percent
Standard Attributes	Label	How often-attend religious service		
N	Valid	5652		
	Missing	4664		
Labeled Values	1	At least once a week	438	4.2%
	2	At least once a month	235	2.3%
	3	Less than once a month	142	1.4%
	4	Only on holidays	3273	31.7%
	5	Never	1564	15.2%

## IX-A. AIDS/STDs

**Q900\_1**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Syphilis		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	1059	10.3%
	2	No	4638	45.0%

**Q900\_2**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Gonorrhea		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	551	5.3%
	2	No	5146	49.9%

**Q900\_3**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Chlamydia		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	307	3.0%
	2	No	5390	52.2%

**Q900\_4**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Yeast infection		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	3431	33.3%
	2	No	2266	22.0%

**Q900\_5**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Genital Herpes		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	449	4.4%
	2	No	5248	50.9%

**Q900\_6**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Genital warts		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	330	3.2%
	2	No	5367	52.0%

**Q900\_7**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Trichomoniasis		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	336	3.3%
	2	No	5361	52.0%

**Q900\_8**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it HIV/AIDS		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	5509	53.4%
	2	No	188	1.8%

**Q901\_1**

		Value	Count	Percent
Standard Attributes	Label	Ever tested for it Syphilis		
N	Valid	1059		
	Missing	9257		
Labeled Values	1	Yes	8	.1%
	2	No	1051	10.2%
	8	Do not Know	0	.0%

**Q901\_2**

		Value	Count	Percent
Standard Attributes	Label	Ever tested for it Gonorrhea		
N	Valid	551		
	Missing	9765		
Labeled Values	1	Yes	7	.1%
	2	No	544	5.3%
	8	Do not Know	0	.0%

**Q901\_3**

		Value	Count	Percent
Standard Attributes	Label	Ever tested for it Chlamydia		
N	Valid	307		
	Missing	10009		
Labeled Values	1	Yes	10	.1%
	2	No	297	2.9%
	8	Do not Know	0	.0%

**Q901\_4**

		Value	Count	Percent
Standard Attributes	Label	Ever tested for it Yeast infection		
N	Valid	3431		
	Missing	6885		
Labeled Values	1	Yes	705	6.8%
	2	No	2725	26.4%
	8	Do not Know	1	.0%

**Q901\_5**

		Value	Count	Percent
Standard Attributes	Label	Ever tested for it Genital Herpes		
N	Valid	449		
	Missing	9867		
Labeled Values	1	Yes	13	.1%
	2	No	436	4.2%
	8	Do not Know	0	.0%

**Q901\_6**

		Value	Count	Percent
Standard Attributes	Label	Ever tested for it Genital warts		
N	Valid	330		
	Missing	9986		
Labeled Values	1	Yes	9	.1%
	2	No	321	3.1%
	8	Do not Know	0	.0%

**Q901\_7**

		Value	Count	Percent
Standard Attributes	Label	Ever tested for it Trichomoniasis		
N	Valid	336		
	Missing	9980		
Labeled Values	1	Yes	23	.2%
	2	No	313	3.0%
	8	Do not Know	0	.0%

**Q901\_8**

		Value	Count	Percent
Standard Attributes	Label	Ever tested for it HIV/AIDS		
N	Valid	5509		
	Missing	4807		
Labeled Values	1	Yes	17	.2%
	2	No	5492	53.2%
	8	Do not Know	0	.0%

**Q902\_1**

		Value	Count	Percent
Standard Attributes	Label	Ever told you had it Syphilis		
N	Valid	8		
	Missing	10308		
Labeled Values	1	Yes	0	.0%
	2	No	8	.1%
	8	Do not Know	0	.0%

**Q902\_2**

		Value	Count	Percent
Standard Attributes	Label	Ever told you had it Gonorrhea		
N	Valid	7		
	Missing	10309		
Labeled Values	1	Yes	0	.0%
	2	No	7	.1%
	8	Do not Know	0	.0%

**Q902\_3**

		Value	Count	Percent
Standard Attributes	Label	Ever told you had it Chlamydia		
N	Valid	10		
	Missing	10306		
Labeled Values	1	Yes	2	.0%
	2	No	8	.1%
	8	Do not Know	0	.0%

**Q902\_4**

		Value	Count	Percent
Standard Attributes	Label	Ever told you had it Yeast infection		
N	Valid	705		
	Missing	9611		
Labeled Values	1	Yes	555	5.4%
	2	No	150	1.5%
	8	Do not Know	0	.0%

**Q902\_5**

		Value	Count	Percent
Standard Attributes	Label	Ever told you had it Genital Herpes		
N	Valid	13		
	Missing	10303		
Labeled Values	1	Yes	5	.0%
	2	No	8	.1%
	8	Do not Know	0	.0%

**Q902\_6**

		Value	Count	Percent
Standard Attributes	Label	Ever told you had it Genital warts		
N	Valid	9		
	Missing	10307		
Labeled Values	1	Yes	6	.1%
	2	No	3	.0%
	8	Do not Know	0	.0%

**Q902\_7**

		Value	Count	Percent
Standard Attributes	Label	Ever told you had it Trichomoniasis		
N	Valid	23		
	Missing	10293		
Labeled Values	1	Yes	7	.1%
	2	No	16	.2%
	8	Do not Know	0	.0%

**Q902\_8**

		Value	Count	Percent
Standard Attributes	Label	Ever told you had it HIV/AIDS		
N	Valid	0		
	Missing	10316		
Labeled Values	1	Yes	0	.0%
	2	No	0	.0%
	8	Do not Know	0	.0%

**Q903\_1**

		Value	Count	Percent
Standard Attributes	Label	Take any treatments for it Syphilis		
N	Valid	0		
	Missing	10316		
Labeled Values	1	Yes	0	.0%
	2	No	0	.0%
	8	Do not Know	0	.0%

**Q903\_2**

		Value	Count	Percent
Standard Attributes	Label	Take any treatments for it Gonorrhea		
N	Valid	0		
	Missing	10316		
Labeled Values	1	Yes	0	.0%
	2	No	0	.0%
	8	Do not Know	0	.0%

**Q903\_3**

		Value	Count	Percent
Standard Attributes	Label	Take any treatments for it Chlamydia		
N	Valid	2		
	Missing	10314		
Labeled Values	1	Yes	2	.0%
	2	No	0	.0%
	8	Do not Know	0	.0%

**Q903\_4**

		Value	Count	Percent
Standard Attributes	Label	Take any treatments for it Yeast infection		
N	Valid	555		
	Missing	9761		
Labeled Values	1	Yes	552	5.4%
	2	No	3	.0%
	8	Do not Know	0	.0%

**Q903\_5**

		Value	Count	Percent
Standard Attributes	Label	Take any treatments for it Genital Herpes		
N	Valid	5		
	Missing	10311		
Labeled Values	1	Yes	5	.0%
	2	No	0	.0%
	8	Do not Know	0	.0%

**Q903\_6**

		Value	Count	Percent
Standard Attributes	Label	Take any treatments for it Genital warts		
N	Valid	6		
	Missing	10310		
Labeled Values	1	Yes	6	.1%
	2	No	0	.0%
	8	Do not Know	0	.0%



**Q903\_7**

		Value	Count	Percent
Standard Attributes	Label	Take any treatments for it Trichomoniasis		
N	Valid	7		
	Missing	10309		
Labeled Values	1	Yes	7	.1%
	2	No	0	.0%
	8	Do not Know	0	.0%

**Q903\_8**

		Value	Count	Percent
Standard Attributes	Label	Take any treatments for it HIV/AIDS		
N	Valid	0		
	Missing	10316		
Labeled Values	1	Yes	0	.0%
	2	No	0	.0%
	8	Do not Know	0	.0%

**Q904\_1**

		Value	Count	Percent
Standard Attributes	Label	Who treated you for it Syphilis		
N	Valid	0		
	Missing	10316		
Labeled Values	1	OB/GYN	0	.0%
	2	Family Doctor/GP	0	.0%
	3	Dermatologist	0	.0%
	4	Infectious Diseases Doctor	0	.0%
	5	Nurse/Midwife	0	.0%
	6	Pharmacist	0	.0%
	7	Partner	0	.0%
	8	Friends/Relative	0	.0%
	9	Self-Treatment	0	.0%
	20	Other	0	.0%
	99	Refuse to answer	0	.0%

**Q904\_2**

		Value	Count	Percent
Standard Attributes	Label	Who treated you for it Gonorrhea		
N	Valid	0		
	Missing	10316		
Labeled Values	1	OB/GYN	0	.0%
	2	Family Doctor/GP	0	.0%
	3	Dermatologist	0	.0%
	4	Infectious Diseases Doctor	0	.0%
	5	Nurse/Midwife	0	.0%
	6	Pharmacist	0	.0%
	7	Partner	0	.0%
	8	Friends/Relative	0	.0%
	9	Self-Treatment	0	.0%
	20	Other	0	.0%
	99	Refuse to answer	0	.0%

**Q904\_3**

		Value	Count	Percent
Standard Attributes	Label	Who treated you for it Chlamydia		
N	Valid	2		
	Missing	10314		
Labeled Values	1	OB/GYN	2	.0%
	2	Family Doctor/GP	0	.0%
	3	Dermatologist	0	.0%
	4	Infectious Diseases Doctor	0	.0%
	5	Nurse/Midwife	0	.0%
	6	Pharmacist	0	.0%
	7	Partner	0	.0%
	8	Friends/Relative	0	.0%
	9	Self-Treatment	0	.0%
	20	Other	0	.0%
	99	Refuse to answer	0	.0%

**Q904\_4**

		Value	Count	Percent
Standard Attributes	Label	Who treated you for it Yeast infection		
N	Valid	552		
	Missing	9764		
Labeled Values	1	OB/GYN	481	4.7%
	2	Family Doctor/GP	17	.2%
	3	Dermatologist	2	.0%
	4	Infectious Diseases Doctor	16	.2%
	5	Nurse/Midwife	16	.2%
	6	Pharmacist	11	.1%
	7	Partner	0	.0%
	8	Friends/Relative	0	.0%
	9	Self-Treatment	9	.1%
	20	Other	0	.0%
	99	Refuse to answer	0	.0%

**Q904\_6**

		Value	Count	Percent
Standard Attributes	Label	Who treated you for it Genital warts		
N	Valid	6		
	Missing	10310		
Labeled Values	1	OB/GYN	6	.1%
	2	Family Doctor/GP	0	.0%
	3	Dermatologist	0	.0%
	4	Infectious Diseases Doctor	0	.0%
	5	Nurse/Midwife	0	.0%
	6	Pharmacist	0	.0%
	7	Partner	0	.0%
	8	Friends/Relative	0	.0%
	9	Self-Treatment	0	.0%
	20	Other	0	.0%
	99	Refuse to answer	0	.0%

**Q904\_7**

		Value	Count	Percent
Standard	Label	Who treated you for it Trichomoniasis		
Attributes				
N	Valid	7		
	Missing	10309		
Labeled Values	1	OB/GYN	7	.1%
	2	Family Doctor/GP	0	.0%
	3	Dermatologist	0	.0%
	4	Infectious Diseases Doctor	0	.0%
	5	Nurse/Midwife	0	.0%
	6	Pharmacist	0	.0%
	7	Partner	0	.0%
	8	Friends/Relative	0	.0%
	9	Self-Treatment	0	.0%
	20	Other	0	.0%
	99	Refuse to answer	0	.0%

**Q904\_8**

		Value	Count	Percent
Standard	Label	Who treated you for it HIV/AIDS		
Attributes				
N	Valid	0		
	Missing	10316		
Labeled Values	1	OB/GYN	0	.0%
	2	Family Doctor/GP	0	.0%
	3	Dermatologist	0	.0%
	4	Infectious Diseases Doctor	0	.0%
	5	Nurse/Midwife	0	.0%
	6	Pharmacist	0	.0%
	7	Partner	0	.0%
	8	Friends/Relative	0	.0%
	9	Self-Treatment	0	.0%
	20	Other	0	.0%
	99	Refuse to answer	0	.0%

**Q904O\_1**

		Value	Count	Percent
Standard	Label	Other-treated Syphilis		
Attributes				
Valid Values			10316	100.0%

**Q904O\_2**

		Value	Count	Percent
Standard	Label	Other-treated Gonorrhea		
Attributes				
Valid Values			10316	100.0%

**Q904O\_3**

		Value	Count	Percent
Standard	Label	Other-treated Chlamydia		
Attributes				
Valid Values			10316	100.0%

**Q904O\_4**

	Value	Count	Percent
Standard Label	Other-treated Yeast infection		
Attributes			
Valid Values		10316	100.0%

**Q904O\_5**

	Value	Count	Percent
Standard Label	Other-treated Genital Herpes		
Attributes			
Valid Values		10316	100.0%

**Q904O\_6**

	Value	Count	Percent
Standard Label	Other-treated Genital warts		
Attributes			
Valid Values		10316	100.0%

**Q904O\_7**

	Value	Count	Percent
Standard Label	Other-treated Trichomoniasis		
Attributes			
Valid Values		10316	100.0%

**Q904O\_8**

	Value	Count	Percent
Standard Label	Other-treated HIV/AIDS		
Attributes			
Valid Values		10316	100.0%

**Q905\_A**

	Value	Count	Percent
Standard Label	Abdominal Pain-STD Symptoms		
Attributes			
N	Valid	5697	
	Missing	4619	
Labeled Values	1	1021	9.9%
	2	4676	45.3%

**Q905\_B**

	Value	Count	Percent
Standard Label	Vaginal Dischrg-STD Symptoms		
Attributes			
N	Valid	5697	
	Missing	4619	
Labeled Values	1	1372	13.3%
	2	4325	41.9%

**Q905\_C**

		Value	Count	Percent
Standard Attributes	Label	Smelling-Dischrg-STD Symptoms		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	1364	13.2%
	2	No	4333	42.0%

**Q905\_D**

		Value	Count	Percent
Standard Attributes	Label	Burning Urinary Pain-STD Symptoms		
N	Valid	5696		
	Missing	4620		
Labeled Values	1	Yes	659	6.4%
	2	No	5037	48.8%

**Q905\_E**

		Value	Count	Percent
Standard Attributes	Label	Inflamed Genitals-STD Symptoms		
N	Valid	5696		
	Missing	4620		
Labeled Values	1	Yes	477	4.6%
	2	No	5219	50.6%

**Q905\_F**

		Value	Count	Percent
Standard Attributes	Label	Swelling-Genital Area-STD Symptoms		
N	Valid	5696		
	Missing	4620		
Labeled Values	1	Yes	272	2.6%
	2	No	5424	52.6%

**Q905\_G**

		Value	Count	Percent
Standard Attributes	Label	Genital Sores-STD Symptoms		
N	Valid	5696		
	Missing	4620		
Labeled Values	1	Yes	170	1.6%
	2	No	5526	53.6%

**Q905\_H**

		Value	Count	Percent
Standard Attributes	Label	Genital Itch-STD Symptoms		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	1390	13.5%
	2	No	4307	41.8%

**Q905\_I**

		Value	Count	Percent
Standard Attributes	Label	Wt Loss-STD Symptoms		
N	Valid	5696		
	Missing	4620		
Labeled Values	1	Yes	436	4.2%
	2	No	5260	51.0%

**Q905\_J**

		Value	Count	Percent
Standard Attributes	Label	Difficult-get PG-STD Symptoms		
N	Valid	5696		
	Missing	4620		
Labeled Values	1	Yes	305	3.0%
	2	No	5391	52.3%

**Q906**

		Value	Count	Percent
Standard Attributes	Label	Place get HIV/AIDS test		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	1252	12.1%
	2	No	4445	43.1%

**Q907**

		Value	Count	Percent
Standard Attributes	Label	Info source-STD/AIDS		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Mother	29	.3%
	2	Father	3	.0%
	3	Other Relative	36	.3%
	4	Boyfriend	145	1.4%
	5	Husband/Partner	19	.2%
	6	Somebody-who has STD	1	.0%
	7	Friend/Colleagues/Peers	49	.5%
	8	OG/GYN/Doctor	55	.5%
	9	Dermatologist	0	.0%
	10	Infectious Diseases Doctor	11	.1%
	11	Family Doctor/GP	10	.1%
	12	Nurse/Midwife/Fedlcher	35	.3%
	13	Teacher	290	2.8%
	14	Pharmacist	7	.1%
	15	Speciality Books	141	1.4%
	16	Newspapers/Magazines	167	1.6%
	17	Radio	28	.3%
	18	TV	4511	43.7%
	20	Other	0	.0%
	77	Never heard of any STD	144	1.4%
	99	Do not Remember/Refused	16	.2%

**Q908\_A**

		Value	Count	Percent
Standard Attributes	Label	AIDS-Public Ads-TV/Radio		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes-Radio	18	.2%
	2	Yes-TV	3052	29.6%
	3	Yes-Both	365	3.5%
	4	No	2086	20.2%
	8	Do not Know	176	1.7%

**Q908\_B**

		Value	Count	Percent
Standard Attributes	Label	STD-Public Ads-TV/Radio		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes-Radio	16	.2%
	2	Yes-TV	478	4.6%
	3	Yes-Both	103	1.0%
	4	No	4744	46.0%
	8	Do not Know	356	3.5%

**Q908\_C**

		Value	Count	Percent
Standard Attributes	Label	Condoms-Public Ads-TV/Radio		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes-Radio	49	.5%
	2	Yes-TV	2583	25.0%
	3	Yes-Both	393	3.8%
	4	No	2534	24.6%
	8	Do not Know	138	1.3%

**Q908\_D**

		Value	Count	Percent
Standard Attributes	Label	Modern BC methodsPublic Ads-TV/Radio		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes-Radio	21	.2%
	2	Yes-TV	1418	13.7%
	3	Yes-Both	168	1.6%
	4	No	3863	37.4%
	8	Do not Know	227	2.2%

**Q909**

		Value	Count	Percent
Standard Attributes	Label	Infected w/HIV-show no symptoms		
N	Valid	5509		
	Missing	4807		
Labeled Values	1	Yes	3348	32.5%
	2	No	617	6.0%
	8	Do not Know	1544	15.0%

**Q910\_A**

		Value	Count	Percent
Standard Attributes	Label	Blood transfusion-AIDS transmit		
N	Valid	5509		
	Missing	4807		
Labeled Values	1	Yes	5005	48.5%
	2	No	74	.7%
	8	Do not Know	430	4.2%

**Q910\_B**

		Value	Count	Percent
Standard Attributes	Label	Public toilets-AIDS transmit		
N	Valid	5509		
	Missing	4807		
Labeled Values	1	Yes	1656	16.1%
	2	No	2682	26.0%
	8	Do not Know	1171	11.4%

**Q910\_C**

		Value	Count	Percent
Standard Attributes	Label	Kissing-AIDS transmit		
N	Valid	5509		
	Missing	4807		
Labeled Values	1	Yes	1873	18.2%
	2	No	2606	25.3%
	8	Do not Know	1030	10.0%

**Q910\_D**

		Value	Count	Percent
Standard Attributes	Label	Unprotected sex-AIDS transmit		
N	Valid	5509		
	Missing	4807		
Labeled Values	1	Yes	5183	50.2%
	2	No	167	1.6%
	8	Do not Know	159	1.5%



**Q910\_E**

		Value	Count	Percent
Standard Attributes	Label	Unprotected homosexual-AIDS transmit		
N	Valid	5509		
	Missing	4807		
Labeled Values	1	Yes	4678	45.3%
	2	No	158	1.5%
	8	Do not Know	673	6.5%

**Q910\_F**

		Value	Count	Percent
Standard Attributes	Label	Shaking hands-AIDS transmit		
N	Valid	5509		
	Missing	4807		
Labeled Values	1	Yes	691	6.7%
	2	No	3941	38.2%
	8	Do not Know	877	8.5%

**Q910\_G**

		Value	Count	Percent
Standard Attributes	Label	Non-sterile needles-AIDS transmit		
N	Valid	5509		
	Missing	4807		
Labeled Values	1	Yes	5017	48.6%
	2	No	136	1.3%
	8	Do not Know	356	3.5%

**Q910\_H**

		Value	Count	Percent
Standard Attributes	Label	Mosquito bites-AIDS transmit		
N	Valid	5509		
	Missing	4807		
Labeled Values	1	Yes	2194	21.3%
	2	No	1455	14.1%
	8	Do not Know	1860	18.0%

**Q910\_I**

		Value	Count	Percent
Standard Attributes	Label	Eating utensils-AIDS transmit		
N	Valid	5509		
	Missing	4807		
Labeled Values	1	Yes	1857	18.0%
	2	No	2380	23.1%
	8	Do not Know	1272	12.3%

**Q910\_J**

		Value	Count	Percent
Standard Attributes	Label	During PG-to baby-AIDS transmit		
N	Valid	5509		
	Missing	4807		
Labeled Values	1	Yes	4587	44.5%
	2	No	115	1.1%
	8	Do not Know	807	7.8%

**Q910\_K**

		Value	Count	Percent
Standard Attributes	Label	Breast Milk-to baby-AIDS transmit		
N	Valid	5509		
	Missing	4807		
Labeled Values	1	Yes	4136	40.1%
	2	No	297	2.9%
	8	Do not Know	1076	10.4%

**Q910\_L**

		Value	Count	Percent
Standard Attributes	Label	Manicure-AIDS transmit		
N	Valid	5509		
	Missing	4807		
Labeled Values	1	Yes	413	4.0%
	2	No	3913	37.9%
	8	Do not Know	1183	11.5%

**Q910\_M**

		Value	Count	Percent
Standard Attributes	Label	Dental/surgical trmt-AIDS transmit		
N	Valid	5509		
	Missing	4807		
Labeled Values	1	Yes	4698	45.5%
	2	No	207	2.0%
	8	Do not Know	604	5.9%

**Q911\_A**

		Value	Count	Percent
Standard Attributes	Label	Use Condoms-reduce AIDS risk		
N	Valid	5509		
	Missing	4807		
Labeled Values	1	Spontaneous Yes	2054	19.9%
	3	Probed Yes	2468	23.9%
	4	Probed No	150	1.5%
	8	Do not Know	837	8.1%

**Q911\_B**

		Value	Count	Percent
Standard Attributes	Label	Abstain-sex-reduce AIDS risk		
N	Valid	5509		
	Missing	4807		
Labeled Values	1	Spontaneous Yes	561	5.4%
	3	Probed Yes	2070	20.1%
	4	Probed No	2535	24.6%
	8	Do not Know	343	3.3%

**Q911\_C**

		Value	Count	Percent
Standard Attributes	Label	One Sex Partner-reduce AIDS risk		
N	Valid	5509		
	Missing	4807		
Labeled Values	1	Spontaneous Yes	2180	21.1%
	3	Probed Yes	2988	29.0%
	4	Probed No	68	.7%
	8	Do not Know	273	2.6%

**Q911\_D**

		Value	Count	Percent
Standard Attributes	Label	Few Sex Partners-reduce AIDS risk		
N	Valid	5509		
	Missing	4807		
Labeled Values	1	Spontaneous Yes	782	7.6%
	3	Probed Yes	4405	42.7%
	4	Probed No	45	.4%
	8	Do not Know	277	2.7%

**Q911\_E**

		Value	Count	Percent
Standard Attributes	Label	Avoid Prostitutes-reduce AIDS risk		
N	Valid	5509		
	Missing	4807		
Labeled Values	1	Spontaneous Yes	936	9.1%
	3	Probed Yes	4300	41.7%
	4	Probed No	18	.2%
	8	Do not Know	255	2.5%

**Q911\_F**

		Value	Count	Percent
Standard Attributes	Label	Avoid Bisexuals-reduce AIDS risk		
N	Valid	5509		
	Missing	4807		
Labeled Values	1	Spontaneous Yes	665	6.4%
	3	Probed Yes	4519	43.8%
	4	Probed No	17	.2%
	8	Do not Know	308	3.0%

**Q911\_G**

		Value	Count	Percent
Standard Attributes	Label	Do not Donate Blood-reduce AIDS risk		
N	Valid	5509		
	Missing	4807		
Labeled Values	1	Spontaneous Yes	557	5.4%
	3	Probed Yes	4336	42.0%
	4	Probed No	52	.5%
	8	Do not Know	564	5.5%

**Q911\_H**

		Value	Count	Percent
Standard Attributes	Label	Avoid Transfusions-reduce AIDS risk		
N	Valid	5509		
	Missing	4807		
Labeled Values	1	Spontaneous Yes	1276	12.4%
	3	Probed Yes	3561	34.5%
	4	Probed No	151	1.5%
	8	Do not Know	521	5.1%

**Q911\_I**

		Value	Count	Percent
Standard Attributes	Label	Partner tested-reduce AIDS risk		
N	Valid	5509		
	Missing	4807		
Labeled Values	1	Spontaneous Yes	578	5.6%
	3	Probed Yes	4035	39.1%
	4	Probed No	393	3.8%
	8	Do not Know	503	4.9%

**Q911\_J**

		Value	Count	Percent
Standard Attributes	Label	Sterilize needles-reduce AIDS risk		
N	Valid	5509		
	Missing	4807		
Labeled Values	1	Spontaneous Yes	1508	14.6%
	3	Probed Yes	3565	34.6%
	4	Probed No	35	.3%
	8	Do not Know	401	3.9%

**Q911\_K**

		Value	Count	Percent
Standard Attributes	Label	Do not share razors-reduce AIDS risk		
N	Valid	5509		
	Missing	4807		
Labeled Values	1	Spontaneous Yes	729	7.1%
	3	Probed Yes	4153	40.3%
	4	Probed No	49	.5%
	8	Do not Know	578	5.6%

**Q911\_L**

		Value	Count	Percent
Standard Attributes	Label	Other-reduce AIDS risk		
N	Valid	5507		
	Missing	4809		
Labeled Values	1	Spontaneous Yes	7	.1%
	3	Probed Yes	290	2.8%
	4	Probed No	2982	28.9%
	8	Do not Know	2228	21.6%

**Q912**

		Value	Count	Percent
Standard Attributes	Label	Risk of getting HIV/AIDS		
N	Valid	5509		
	Missing	4807		
Labeled Values	1	Great Risk	69	.7%
	2	Moderate Risk	118	1.1%
	3	Little Risk	640	6.2%
	4	No Risk at all	4516	43.8%
	8	Do not Know	166	1.6%

**Q913**

		Value	Count	Percent
Standard Attributes	Label	Why think at risk to get HIV/AIDS		
N	Valid	827		
	Missing	9489		
Labeled Values	1	Received blood transfusions	20	.2%
	2	Had many sexual partners	1	.0%
	3	Had unprotected sex w/casual partners	3	.0%
	4	Used IV drugs/shared needles	7	.1%
	5	Partner had sex w/other women	37	.4%
	6	Get infected during dental/medical treatments	738	7.2%
	7	Get infected manicure/pedicure	9	.1%
	8	Other	4	.0%
	9	Do not Know/Refused	8	.1%

**Q913A**

		Value	Count	Percent
Standard Attributes	Label	Why no risk to get HIV/AIDS		
N	Valid	4515		
	Missing	5801		
Labeled Values	1	Only one partner	2033	19.7%
	2	No sexual relations	1190	11.5%
	3	Uses condoms	56	.5%
	4	Confidence in Partner	1072	10.4%
	5	Does not get/need transfusions	28	.3%
	6	Does not share needles	33	.3%
	7	Other	2	.0%
	8	Do not Know/Refused	101	1.0%

**Q913B**

		Value	Count	Percent
Standard Attributes	Label	What risk get other STD		
N	Valid	5509		
	Missing	4807		
Labeled Values	1	Great Risk	26	.3%
	2	Moderate Risk	108	1.0%
	3	Little Risk	600	5.8%
	4	No Risk at all	4474	43.4%
	8	Do not Know	301	2.9%

**Q913C**

		Value	Count	Percent
Standard Attributes	Label	As far as you know, is there any cure for AIDS		
N	Valid	5509		
	Missing	4807		
Labeled Values	1	Yes	275	2.7%
	2	No	4828	46.8%
	8	Dk/Dr	406	3.9%

**IX-B VIOLENCE****Q914**

		Value	Count	Percent
Standard Attributes	Label	Ever see parent-abuse each other		
N	Valid	5695		
	Missing	4621		
Labeled Values	1	Yes	595	5.8%
	2	No	5081	49.3%
	3	Did not live with 2 parents	9	.1%
	8	Don't know/Refused	10	.1%

**Q915**

		Value	Count	Percent
Standard Attributes	Label	Ever beaten as child-by family member		
N	Valid	5686		
	Missing	4630		
Labeled Values	1	Yes	1471	14.3%
	2	No	4206	40.8%
	8	Don't know/Refused	9	.1%

**Q916**

		Value	Count	Percent
Standard Attributes	Label	Times-lived w/men		
N	Valid	5697		
	Missing	4619		
Labeled Values	8	Don't know	0	.0%

**Q918\_1**

		Value	Count	Percent
Standard Attributes	Label	Partner ever insulted you		
N	Valid	4052		
	Missing	6264		
Labeled Values	1	Yes	1232	11.9%
	2	No	2820	27.3%
	8	Don't know	0	.0%
	9	Refused	0	.0%

**Q918\_2**

		Value	Count	Percent
Standard Attributes	Label	Partner ever threatened to hurt		
N	Valid	4052		
	Missing	6264		
Labeled Values	1	Yes	304	2.9%
	2	No	3745	36.3%
	8	Don't know	3	.0%
	9	Refused	0	.0%

**Q918\_3**

		Value	Count	Percent
Standard Attributes	Label	Partner ever pushed you, shook you		
N	Valid	4052		
	Missing	6264		
Labeled Values	1	Yes	177	1.7%
	2	No	3872	37.5%
	8	Don't know	3	.0%
	9	Refused	0	.0%

**Q918\_4**

		Value	Count	Percent
Standard Attributes	Label	Partner ever slapped you or twisted your arm		
N	Valid	4052		
	Missing	6264		
Labeled Values	1	Yes	314	3.0%
	2	No	3738	36.2%
	8	Don't know	0	.0%
	9	Refused	0	.0%

**Q918\_5**

		Value	Count	Percent
Standard Attributes	Label	Partner ever hit you with fist		
N	Valid	4052		
	Missing	6264		
Labeled Values	1	Yes	91	.9%
	2	No	3961	38.4%
	8	Don't know	0	.0%
	9	Refused	0	.0%

**Q918\_6**

		Value	Count	Percent
Standard Attributes	Label	Partner ever threatened you with knife		
N	Valid	4052		
	Missing	6264		
Labeled Values	1	Yes	20	.2%
	2	No	4032	39.1%
	8	Don't know	0	.0%
	9	Refused	0	.0%

**Q918\_7**

		Value	Count	Percent
Standard Attributes	Label	Partner ever kicked you		
N	Valid	4052		
	Missing	6264		
Labeled Values	1	Yes	69	.7%
	2	No	3983	38.6%
	8	Don't know	0	.0%
	9	Refused	0	.0%

**Q918\_8**

		Value	Count	Percent
Standard Attributes	Label	Partner ever Physically forced you to have RS		
N	Valid	4052		
	Missing	6264		
Labeled Values	1	Yes	119	1.2%
	2	No	3929	38.1%
	8	Don't know	3	.0%
	9	Refused	1	.0%

**Q919\_1**

		Value	Count	Percent
Standard Attributes	Label	Last time-partner insulted you		
N	Valid	1232		
	Missing	9084		
Labeled Values	1	Within last year	913	8.9%
	2	1-3 Years ago	210	2.0%
	3	4-5 Years ago	34	.3%
	4	5 Years ago or more	75	.7%

**Q919\_2**

		Value	Count	Percent
Standard Attributes	Label	Last time-partner threatened to hurt		
N	Valid	304		
	Missing	10012		
Labeled Values	1	Within last year	212	2.1%
	2	1-3 Years ago	49	.5%
	3	4-5 Years ago	12	.1%
	4	5 Years ago or more	31	.3%



**Q919\_3**

		Value	Count	Percent
Standard Attributes	Label	Last time-partner pushed you, shook you		
N	Valid	177		
	Missing	10139		
Labeled Values	1	Within last year	101	1.0%
	2	1-3 Years ago	39	.4%
	3	4-5 Years ago	9	.1%
	4	5 Years ago or more	28	.3%

**Q919\_4**

		Value	Count	Percent
Standard Attributes	Label	Last time-partner slapped you or twisted your arm		
N	Valid	314		
	Missing	10002		
Labeled Values	1	Within last year	172	1.7%
	2	1-3 Years ago	80	.8%
	3	4-5 Years ago	22	.2%
	4	5 Years ago or more	40	.4%

**Q919\_5**

		Value	Count	Percent
Standard Attributes	Label	Last time-partner hit you with fist		
N	Valid	91		
	Missing	10225		
Labeled Values	1	Within last year	43	.4%
	2	1-3 Years ago	20	.2%
	3	4-5 Years ago	8	.1%
	4	5 Years ago or more	20	.2%

**Q919\_6**

		Value	Count	Percent
Standard Attributes	Label	Last time-partner threatened you with knife		
N	Valid	20		
	Missing	10296		
Labeled Values	1	Within last year	8	.1%
	2	1-3 Years ago	3	.0%
	3	4-5 Years ago	3	.0%
	4	5 Years ago or more	6	.1%

**Q919\_7**

		Value	Count	Percent
Standard Attributes	Label	Last time-partnerkicked you		
N	Valid	69		
	Missing	10247		
Labeled Values	1	Within last year	38	.4%
	2	1-3 Years ago	14	.1%
	3	4-5 Years ago	5	.0%
	4	5 Years ago or more	12	.1%

**Q919\_8**

		Value	Count	Percent
Standard Attributes	Label	Last time-partner Physically forced you to have RS		
N	Valid	119		
	Missing	10197		
Labeled Values	1	Within last year	65	.6%
	2	1-3 Years ago	30	.3%
	3	4-5 Years ago	7	.1%
	4	5 Years ago or more	17	.2%

**Q920\_1**

		Value	Count	Percent
Standard Attributes	Label	Times/last year-partner insulted you		
N	Valid	913		
	Missing	9403		
Labeled Values	66	Almost Daily	78	.8%
	77	Weekly	277	2.7%
	88	Do not Remember	308	3.0%
	99	Refused	58	.6%

**Q920\_2**

		Value	Count	Percent
Standard Attributes	Label	Times/last year-partner threatened to hurt		
N	Valid	212		
	Missing	10104		
Labeled Values	66	Almost Daily	13	.1%
	77	Weekly	41	.4%
	88	Do not Remember	69	.7%
	99	Refused	13	.1%

**Q920\_3**

		Value	Count	Percent
Standard Attributes	Label	Times/last year-partner pushed you, shook you		
N	Valid	101		
	Missing	10215		
Labeled Values	66	Almost Daily	9	.1%
	77	Weekly	21	.2%
	88	Do not Remember	21	.2%
	99	Refused	4	.0%

**Q920\_4**

		Value	Count	Percent
Standard Attributes	Label	Times/last year-partner slapped you or twisted your arm		
N	Valid	172		
	Missing	10144		
Labeled Values	66	Almost Daily	7	.1%
	77	Weekly	25	.2%
	88	Do not Remember	41	.4%
	99	Refused	17	.2%

**Q920\_5**

		Value	Count	Percent
Standard Attributes	Label	Times/last year-partner hit you with fist		
N	Valid	43		
	Missing	10273		
Labeled Values	66	Almost Daily	3	.0%
	77	Weekly	9	.1%
	88	Do not Remember	12	.1%
	99	Refused	2	.0%

**Q920\_6**

		Value	Count	Percent
Standard Attributes	Label	Times/last year-partner threatened you with knife		
N	Valid	8		
	Missing	10308		
Labeled Values	66	Almost Daily	0	.0%
	77	Weekly	4	.0%
	88	Do not Remember	1	.0%
	99	Refused	0	.0%

**Q920\_7**

		Value	Count	Percent
Standard Attributes	Label	Times/last year-partner kicked you		
N	Valid	38		
	Missing	10278		
Labeled Values	66	Almost Daily	2	.0%
	77	Weekly	6	.1%
	88	Do not Remember	11	.1%
	99	Refused	3	.0%

**Q920\_8**

		Value	Count	Percent
Standard Attributes	Label	Times/last year-partner Physically forced you to have RS		
N	Valid	65		
	Missing	10251		
Labeled Values	66	Almost Daily	2	.0%
	77	Weekly	13	.1%
	88	Do not Remember	16	.2%
	99	Refused	2	.0%

**Q921\_A**

		Value	Count	Percent
Standard Attributes	Label	First partner-times abused		
N	Valid	1275		
	Missing	9041		
Labeled Values	1	Abused by Partner 1	1225	11.9%
	2	Not Abused by Partner	50	.5%

**Q921\_B**

		Value	Count	Percent
Standard Attributes	Label	Second partner-times abused		
N	Valid	21		
	Missing	10295		
Labeled Values	1	Abused by Partner 2	9	.1%
	2	Not Abused Partner 2	12	.1%

**Q921\_C**

		Value	Count	Percent
Standard Attributes	Label	Third partner-times abused		
N	Valid	0		
	Missing	10316		
Labeled Values	1	Abused by Partner 3	0	.0%
	2	Not Abused Partner 3	0	.0%

**Q921\_D**

		Value	Count	Percent
Standard Attributes	Label	Fourth partner-times abused		
N	Valid	0		
	Missing	10316		
Labeled Values	1	Abused by Partner 4	0	.0%
	2	Not Abused Partner 4	0	.0%

**Q922**

		Value	Count	Percent
Standard Attributes	Label	Any swelling/bruises-past 12 mths		
N	Valid	200		
	Missing	10116		
Labeled Values	1	Yes	37	.4%
	2	No	163	1.6%
	8	Do not Remember	0	.0%

**Q923**

		Value	Count	Percent
Standard Attributes	Label	Provide medical treatment for injury-abuse		
N	Valid	37		
	Missing	10279		
Labeled Values	1	Yes	7	.1%
	2	No	30	.3%
	8	Do not Remember	0	.0%

**Q924**

		Value	Count	Percent
Standard Attributes	Label	Injuries/abuse-require hospitalization		
N	Valid	7		
	Missing	10309		
Labeled Values	1	Yes	4	.0%
	2	No	3	.0%
	8	Do not Remember	0	.0%

**Q925**

		Value	Count	Percent
Standard Attributes	Label	Partner want sex-after abuse		
N	Valid	352		
	Missing	9964		
Labeled Values	1	Yes, Sometimes	99	1.0%
	2	Yes-Always	47	.5%
	3	No	185	1.8%
	8	Do not Remember	21	.2%

**Q926**

		Value	Count	Percent
Standard Attributes	Label	Believe violence affects health		
N	Valid	352		
	Missing	9964		
Labeled Values	1	Yes	165	1.6%
	2	No	178	1.7%
	8	Do not Remember	9	.1%

**Q927\_A**

		Value	Count	Percent
Standard Attributes	Label	Injuries-problems related to violence		
N	Valid	165		
	Missing	10151		
Labeled Values	1	Yes	64	.6%
	2	No	101	1.0%
	8	Do not Remember	0	.0%

**Q927\_B**

		Value	Count	Percent
Standard Attributes	Label	Chronic pain-problems related to violence		
N	Valid	165		
	Missing	10151		
Labeled Values	1	Yes	58	.6%
	2	No	107	1.0%
	8	Do not Remember	0	.0%

**Q927\_C**

		Value	Count	Percent
Standard Attributes	Label	Deterioration/Health-problems related to violence		
N	Valid	165		
	Missing	10151		
Labeled Values	1	Yes	55	.5%
	2	No	109	1.1%
	8	Do not Remember	1	.0%

**Q927\_D**

		Value	Count	Percent
Standard Attributes	Label	Depression-problems related to violence		
N	Valid	165		
	Missing	10151		
Labeled Values	1	Yes	101	1.0%
	2	No	62	.6%
	8	Do not Remember	2	.0%

**Q927\_E**

		Value	Count	Percent
Standard Attributes	Label	Sleep disorders-problems related to violence		
N	Valid	165		
	Missing	10151		
Labeled Values	1	Yes	136	1.3%
	2	No	29	.3%
	8	Do not Remember	0	.0%

**Q927\_F**

		Value	Count	Percent
Standard Attributes	Label	Suicide attempts-problems related to violence		
N	Valid	165		
	Missing	10151		
Labeled Values	1	Yes	25	.2%
	2	No	138	1.3%
	8	Do not Remember	2	.0%

**Q927\_G**

		Value	Count	Percent
Standard Attributes	Label	Low self-esteem-problems related to violence		
N	Valid	165		
	Missing	10151		
Labeled Values	1	Yes	111	1.1%
	2	No	53	.5%
	8	Do not Remember	1	.0%

**Q927\_H**

		Value	Count	Percent
Standard Attributes	Label	Unplanned PG-problems related to violence		
N	Valid	165		
	Missing	10151		
Labeled Values	1	Yes	19	.2%
	2	No	145	1.4%
	8	Do not Remember	1	.0%

**Q927\_I**

		Value	Count	Percent
Standard Attributes	Label	Miscarriage-problems related to violence		
N	Valid	165		
	Missing	10151		
Labeled Values	1	Yes	5	.0%
	2	No	160	1.6%
	8	Do not Remember	0	.0%

**Q927\_J**

		Value	Count	Percent
Standard Attributes	Label	GYN disorders-problems related to violence		
N	Valid	165		
	Missing	10151		
Labeled Values	1	Yes	12	.1%
	2	No	153	1.5%
	8	Do not Remember	0	.0%

**Q927\_K**

		Value	Count	Percent
Standard Attributes	Label	Other-problems related to violence		
N	Valid	165		
	Missing	10151		
Labeled Values	1	Yes	0	.0%
	2	No	158	1.5%
	8	Do not Remember	7	.1%

**Q928**

		Value	Count	Percent
Standard Attributes	Label	Violence affected children		
N	Valid	352		
	Missing	9964		
Labeled Values	1	Yes	109	1.1%
	2	No	218	2.1%
	3	No Children	13	.1%
	8	Not Sure	12	.1%

**Q929\_A**

		Value	Count	Percent
Standard Attributes	Label	Witnessed violence-Children affected		
N	Valid	109		
	Missing	10207		
Labeled Values	1	Yes	101	1.0%
	2	No	8	.1%
	8	Do not Remember	0	.0%

**Q929\_B**

		Value	Count	Percent
Standard Attributes	Label	Live in fear-Children affected		
N	Valid	109		
	Missing	10207		
Labeled Values	1	Yes	66	.6%
	2	No	43	.4%
	8	Do not Remember	0	.0%

**Q929\_C**

		Value	Count	Percent
Standard Attributes	Label	Injured-Children affected		
N	Valid	109		
	Missing	10207		
Labeled Values	1	Yes	15	.1%
	2	No	94	.9%
	8	Do not Remember	0	.0%

**Q929\_D**

		Value	Count	Percent
Standard Attributes	Label	Left home-Children affected		
N	Valid	109		
	Missing	10207		
Labeled Values	1	Yes	9	.1%
	2	No	100	1.0%
	8	Do not Remember	0	.0%

**Q929\_E**

		Value	Count	Percent
Standard Attributes	Label	Decreased Learning-Children affected		
N	Valid	109		
	Missing	10207		
Labeled Values	1	Yes	26	.3%
	2	No	83	.8%
	8	Do not Remember	0	.0%



**Q929\_F**

		Value	Count	Percent
Standard Attributes	Label	Other-Children affected		
N	Valid	109		
	Missing	10207		
Labeled Values	1	Yes	0	.0%
	2	No	109	1.1%
	8	Do not Remember	0	.0%

**Q930**

		Value	Count	Percent
Standard Attributes	Label	Talk to anyone about violence		
N	Valid	352		
	Missing	9964		
Labeled Values	1	Yes	165	1.6%
	2	No	187	1.8%
	8	Do not Remember	0	.0%

**Q931\_A**

		Value	Count	Percent
Standard Attributes	Label	Mother-talk about violence		
N	Valid	165		
	Missing	10151		
Labeled Values	1	Mentioned	89	.9%
	2	Not Mentioned	76	.7%

**Q931\_B**

		Value	Count	Percent
Standard Attributes	Label	Other relative-talk about violence		
N	Valid	165		
	Missing	10151		
Labeled Values	1	Mentioned	61	.6%
	2	Not Mentioned	104	1.0%

**Q931\_C**

		Value	Count	Percent
Standard Attributes	Label	In-laws--talk about violence		
N	Valid	165		
	Missing	10151		
Labeled Values	1	Mentioned	54	.5%
	2	Not Mentioned	111	1.1%

**Q931\_D**

		Value	Count	Percent
Standard Attributes	Label	Children--talk about violence		
N	Valid	165		
	Missing	10151		
Labeled Values	1	Mentioned	8	.1%
	2	Not Mentioned	157	1.5%

**Q931\_E**

		Value	Count	Percent
Standard Attributes	Label	Friend--talk about violence		
N	Valid	165		
	Missing	10151		
Labeled Values	1	Mentioned	40	.4%
	2	Not Mentioned	125	1.2%

**Q931\_F**

		Value	Count	Percent
Standard Attributes	Label	Neighbor--talk about violence		
N	Valid	165		
	Missing	10151		
Labeled Values	1	Mentioned	13	.1%
	2	Not Mentioned	152	1.5%

**Q931\_G**

		Value	Count	Percent
Standard Attributes	Label	Doctor--talk about violence		
N	Valid	165		
	Missing	10151		
Labeled Values	1	Mentioned	8	.1%
	2	Not Mentioned	157	1.5%

**Q931\_H**

		Value	Count	Percent
Standard Attributes	Label	Police--talk about violence		
N	Valid	165		
	Missing	10151		
Labeled Values	1	Mentioned	10	.1%
	2	Not Mentioned	155	1.5%

**Q931\_I**

		Value	Count	Percent
Standard Attributes	Label	Legal adviser--talk about violence		
N	Valid	165		
	Missing	10151		
Labeled Values	1	Mentioned	13	.1%
	2	Not Mentioned	152	1.5%

**Q932**

		Value	Count	Percent
Standard Attributes	Label	Main reason- no legal/medical help		
N	Valid	328		
	Missing	9988		
Labeled Values	1	Did not know where to seek help	17	.2%
	2	No use/would not do any good	107	1.0%
	3	Embarrassed	21	.2%
	4	Afraid of more beatings	23	.2%
	5	Afraid of divorce	17	.2%
	6	Afraid of losing the children	2	.0%
	7	Thought would not be taken seriously	9	.1%
	8	Violence is normal/no need to complain	92	.9%
	9	Thought she would be blamed	6	.1%
	10	Bring bad name to family	18	.2%
	20	Other	0	.0%
	88	Do not know/refused	16	.2%

**Q933\_A**

		Value	Count	Percent
Standard Attributes	Label	Mother-stop violence		
N	Valid	352		
	Missing	9964		
Labeled Values	1	Mentioned	27	.3%
	2	Not Mentioned	325	3.2%

**Q933\_B**

		Value	Count	Percent
Standard Attributes	Label	Other relative-stop violence		
N	Valid	352		
	Missing	9964		
Labeled Values	1	Mentioned	40	.4%
	2	Not Mentioned	312	3.0%

**Q933\_C**

		Value	Count	Percent
Standard Attributes	Label	In-laws--stop violence		
N	Valid	352		
	Missing	9964		
Labeled Values	1	Mentioned	53	.5%
	2	Not Mentioned	299	2.9%

**Q933\_D**

		Value	Count	Percent
Standard Attributes	Label	Children--stop violence		
N	Valid	352		
	Missing	9964		
Labeled Values	1	Mentioned	10	.1%
	2	Not Mentioned	342	3.3%

**Q933\_E**

		Value	Count	Percent
Standard Attributes	Label	Friend--stop violence		
N	Valid	352		
	Missing	9964		
Labeled Values	1	Mentioned	2	.0%
	2	Not Mentioned	350	3.4%

**Q933\_F**

		Value	Count	Percent
Standard Attributes	Label	Neighbor--stop violence		
N	Valid	352		
	Missing	9964		
Labeled Values	1	Mentioned	4	.0%
	2	Not Mentioned	348	3.4%

**Q933\_G**

		Value	Count	Percent
Standard Attributes	Label	Doctor--stop violence		
N	Valid	352		
	Missing	9964		
Labeled Values	1	Mentioned	1	.0%
	2	Not Mentioned	351	3.4%

**Q933\_H**

		Value	Count	Percent
Standard Attributes	Label	Police--stop violence		
N	Valid	352		
	Missing	9964		
Labeled Values	1	Mentioned	3	.0%
	2	Not Mentioned	349	3.4%

**Q933\_I**

		Value	Count	Percent
Standard Attributes	Label	Legal adviser--stop violence		
N	Valid	352		
	Missing	9964		
Labeled Values	1	Mentioned	5	.0%
	2	Not Mentioned	347	3.4%

**Q934\_A**

		Value	Count	Percent
Standard Attributes	Label	Drunk-partner-violence		
N	Valid	352		
	Missing	9964		
Labeled Values	1	Mentioned	146	1.4%
	2	Not Mentioned	206	2.0%

**Q934\_B**

		Value	Count	Percent
Standard Attributes	Label	Does not look after children-partner violence		
N	Valid	352		
	Missing	9964		
Labeled Values	1	Mentioned	67	.6%
	2	Not Mentioned	285	2.8%

**Q934\_C**

		Value	Count	Percent
Standard Attributes	Label	Money troubles-partner violence		
N	Valid	352		
	Missing	9964		
Labeled Values	1	Mentioned	136	1.3%
	2	Not Mentioned	216	2.1%

**Q934\_D**

		Value	Count	Percent
Standard Attributes	Label	Unemployed-partner violence		
N	Valid	352		
	Missing	9964		
Labeled Values	1	Mentioned	129	1.3%
	2	Not Mentioned	223	2.2%

**Q934\_E**

		Value	Count	Percent
Standard Attributes	Label	No income--partner violence		
N	Valid	352		
	Missing	9964		
Labeled Values	1	Mentioned	30	.3%
	2	Not Mentioned	322	3.1%

**Q934\_F**

		Value	Count	Percent
Standard Attributes	Label	Family problems-partner violence		
N	Valid	352		
	Missing	9964		
Labeled Values	1	Mentioned	74	.7%
	2	Not Mentioned	278	2.7%

**Q934\_G**

		Value	Count	Percent
Standard Attributes	Label	Jealous-partner violence		
N	Valid	352		
	Missing	9964		
Labeled Values	1	Mentioned	114	1.1%
	2	Not Mentioned	238	2.3%

**Q934\_H**

		Value	Count	Percent
Standard Attributes	Label	Pregnant-partner violence		
N	Valid	352		
	Missing	9964		
Labeled Values	1	Mentioned	9	.1%
	2	Not Mentioned	343	3.3%

**Q934\_I**

		Value	Count	Percent
Standard Attributes	Label	No alcohol/drugs-partner violence		
N	Valid	352		
	Missing	9964		
Labeled Values	1	Mentioned	11	.1%
	2	Not Mentioned	341	3.3%

**Q934\_J**

		Value	Count	Percent
Standard Attributes	Label	No food at home-partner violence		
N	Valid	352		
	Missing	9964		
Labeled Values	1	Mentioned	36	.3%
	2	Not Mentioned	316	3.1%

**Q934\_K**

		Value	Count	Percent
Standard Attributes	Label	Acts according to Kanun--partner violence		
N	Valid	352		
	Missing	9964		
Labeled Values	1	Mentioned	44	.4%
	2	Not Mentioned	308	3.0%

**Q934\_L**

		Value	Count	Percent
Standard Attributes	Label	Other--partner violence		
N	Valid	352		
	Missing	9964		
Labeled Values	1	Mentioned	2	.0%
	2	Not Mentioned	350	3.4%

**Q935**

		Value	Count	Percent
Standard Attributes	Label	Know Tirana Hotline number		
N	Valid	1275		
	Missing	9041		
Labeled Values	1	Yes	171	1.7%
	2	No	1104	10.7%
	8	Do not Remember	0	.0%

**Q936\_A**

		Value	Count	Percent
Standard Attributes	Label	Goes out w/out telling-abuse justified		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	1194	11.6%
	2	No	4444	43.1%
	8	Do not Remember	59	.6%

**Q936\_B**

		Value	Count	Percent
Standard Attributes	Label	Neglects children-abuse justified		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	1659	16.1%
	2	No	3939	38.2%
	8	Do not Remember	99	1.0%

**Q936\_C**

		Value	Count	Percent
Standard Attributes	Label	Argues w/him-abuse justified		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	1049	10.2%
	2	No	4545	44.1%
	8	Do not Remember	103	1.0%

**Q936\_D**

		Value	Count	Percent
Standard Attributes	Label	Refuses sex-abuse justified		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	554	5.4%
	2	No	4993	48.4%
	8	Do not Remember	150	1.5%

**Q936\_E**

		Value	Count	Percent
Standard Attributes	Label	Not happy w/household-abuse justified		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	721	7.0%
	2	No	4906	47.6%
	8	Do not Remember	70	.7%

**Q936\_F**

		Value	Count	Percent
Standard Attributes	Label	Asks about girlfriend-abuse justified		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	554	5.4%
	2	No	5048	48.9%
	8	Do not Remember	95	.9%

**Q936\_G**

		Value	Count	Percent
Standard Attributes	Label	Unfaithful-abuse justified		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	3111	30.2%
	2	No	2455	23.8%
	8	Do not Remember	131	1.3%

**Q936\_H**

		Value	Count	Percent
Standard Attributes	Label	Dresses sexy-abuse justified		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	1356	13.1%
	2	No	4178	40.5%
	8	Do not Remember	163	1.6%

**Q937**

		Value	Count	Percent
Standard Attributes	Label	Ever forced to have sex		
N	Valid	5697		
	Missing	4619		
Labeled Values	1	Yes	113	1.1%
	2	No	5584	54.1%
	8	Do not Remember	0	.0%

**Q938**

		Value	Count	Percent
Standard Attributes	Label	Age-forced to have sex		
N	Valid	113		
	Missing	10203		
Labeled Values	88	Do not Remember	11	.1%



**Q939**

		Value	Count	Percent
Standard	Label	Relationship w/forced sex partner		
Attributes				
N	Valid	113		
	Missing	10203		
Labeled Values	1	Stranger	0	.0%
	2	Acquaintance	2	.0%
	3	Friend	1	.0%
	4	Date	0	.0%
	5	Boyfriend	7	.1%
	6	Husband/Partner	94	.9%
	7	Ex-husband/partner	5	.0%
	8	Father/step-father	0	.0%
	9	Other relative	0	.0%
	10	Co-worker	1	.0%
	11	Teacher	0	.0%
	77	Other person	1	.0%
	98	Do not remember	2	.0%

**HOUR\_END**

		Value	Count	Percent
Standard	Label	Hour interview ended		
Attributes				
N	Valid	5697		
	Missing	4619		
Labeled Values	0:01:39.000	Time not given	0	.0%

**MIN\_END**

		Value	Count	Percent
Standard	Label	Minute interview ended		
Attributes				
N	Valid	5697		
	Missing	4619		
Labeled Values	99	Time not given	0	.0%