

## Codebook Newvar File Albania 2002 Females

### intyr

		Value	Count	Percent
Standard Attributes	Label	Year of interview		
Valid Values	2002.00		10316	100.0%

### id

		Value	
Standard Attributes	Label	Unique ID (WRA)	
N	Valid		10316
	Missing		0

### intcmc

		Value	Count	Percent
Standard Attributes	Label	INTERVIEW DATE		
Valid Values	24032.00		782	7.6%
	24033.00		3307	32.1%
	24034.00		3060	29.7%
	24035.00		2930	28.4%
	24036.00		237	2.3%

### hhselage

		Value	
Standard Attributes	Label	Selected persons age	
N	Valid		5808
	Missing		4508

### hhselms

		Value	Count	Percent
Standard Attributes	Label	Selected persons Marital Status		
Valid Values	1.00	Married	3994	38.7%
	2.00	Unregister Marriage	26	.3%
	3.00	Separated	9	.1%
	4.00	Divorced	29	.3%
	5.00	Widowed	50	.5%
	6.00	Never Married	1697	16.5%
	8.00	Unknown	2	.0%
Missing Values	System		4509	43.7%

### hhseleduc

		Value	Count	Percent
Standard Attributes	Label	Selected persons education		
Valid Values	.00	No school	54	.5%
	1.00	Elementary (1-4yrs)	79	.8%
	2.00	Postelementary (5-8yrs)	2531	24.5%
	3.00	High School/Gymnazium (9-12yrs)	1902	18.4%
	4.00	Basic secondary + vocational education	559	5.4%
	5.00	Complete secondary + technical education	56	.5%
	6.00	University/Postgraduate Education	620	6.0%
	8.00	Unknown	4	.0%
Missing Values	System		4511	43.7%

### hhssel

		Value	Count	Percent
Standard Attributes	Label	Selected person		
Valid Values	1.00		5082	49.3%
	2.00		650	6.3%
	3.00		105	1.0%
	4.00		9	.1%
	5.00		1	.0%
Missing Values	System		4469	43.3%

**stratawt**

		Value	Count	Percent
Standard Attributes	Label	<none>		
Valid Values	.43		3594	34.8%
	.96		3593	34.8%
	1.70		3129	30.3%

**dwt**

		Value	Count	Percent
Standard Attributes	Label	Weight for female questionnaire		
Valid Values	.00		3505	34.0%
	.43		1710	16.6%
	.86		336	3.3%
	.96		1556	15.1%
	1.29		79	.8%
	1.70		1362	13.2%
	1.72		12	.1%
	1.91		254	2.5%
	2.87		66	.6%
	3.41		370	3.6%
	3.82		7	.1%
	3.88		1	.0%
	5.11		78	.8%
	6.82		16	.2%
	8.52		3	.0%
	8.60		2	.0%
	10.23		1	.0%
Missing Values	System		958	9.3%

**agecat**

		Value	Count	Percent
Standard Attributes	Label	Age Group		
Valid Values	1.00	15-19	1094	10.6%
	2.00	20-24	936	9.1%
	3.00	25-29	946	9.2%
	4.00	30-34	1067	10.3%
	5.00	35-39	958	9.3%
	6.00	40-44	696	6.7%
Missing Values	System		4619	44.8%

**marstatg**

		Value	Count	Percent
Standard Attributes	Label	Marital Status		
Valid Values	1.00	Married	3965	38.4%
	2.00	Previously Married	88	.9%
	3.00	Never married	1644	15.9%
Missing Values	System		4619	44.8%

**dnrwf**

		Value
Standard Attributes	Label	<none>

**fwf**

		Value
Standard Attributes	Label	Adjusts for age group x marital status diferentials

**wt**

		Value
Standard Attributes	Label	Weigth

**idp**

		Value	Count	Percent
Standard Attributes	Label	IDP/Refugee status		
Valid Values	1.00	IDP	0	.0%
	2.00	Non-IDP CA	0	.0%
	3.00	Non-IDP NCA	0	.0%
Missing Values	System		10316	100.0%

**zona**

		Value	Count	Percent
Standard Attributes	Label	Residence (Urban/Rural)		
Valid Values	1.00	Urban	6686	64.8%
	2.00	Rural	3630	35.2%

**hmediu**

		Value	Count	Percent
Standard Attributes	Label	Residence		
Valid Values	1.00	Urban	6686	64.8%
	2.00	Rural	3630	35.2%

**nregion**

		Value
Standard Attributes	Label	Region

**anonac**

		Value
Standard Attributes	Label	<none>

**mnaccmc**

		Value
Standard Attributes	Label	CMC Womens birth
N	Valid	5697
	Missing	4619

**newage**

		Value	Count	Percent
Standard Attributes	Label	Age Group <3g>		
Valid Values	1.00	15-24	2030	19.7%
	2.00	25-34	2013	19.5%
	3.00	35-44	1654	16.0%
Missing Values	System		4619	44.8%

**AGEYA**

		Value	Count	Percent
Standard Attributes	Label	Age YA Group		
Valid Values	1.00	15-17	658	6.4%
	2.00	18-19	436	4.2%
	3.00	20-24	936	9.1%
Missing Values	System		8286	80.3%

**marital**

		Value	Count	Percent
Standard Attributes	Label	Marital Status		
Valid Values	1.00	Married	3965	38.4%
	2.00	Previously Married	88	.9%
	3.00	Never married	1644	15.9%
Missing Values	System		4619	44.8%

**mstatus**

		Value	Count	Percent
Standard Attributes	Label	Marital Status		
Valid Values	1.00	legally married	3939	38.2%
	2.00	Consensual union	26	.3%
	3.00	Previously married	88	.9%
	4.00	Never married	1644	15.9%
Missing Values	System		4619	44.8%

**union**

		Value	Count	Percent
Standard Attributes	Label	Marital Status <2g>		
Valid Values	1.00	Currently married or in union	3965	38.4%
	2.00	Not currently married or in union	6351	61.6%

**NUMMAR**

		Value	Count	Percent
Standard Attributes	Label	NUMBER OF MARRIAGES		
Valid Values	.00	Never in union	1644	15.9%
	1.00	1	4025	39.0%
	2.00	2	28	.3%
Missing Values	System		4619	44.8%

**religion**

		Value	Count	Percent
Standard Attributes	Label	Religion		
Valid Values	1.00	Muslim	4568	44.3%
	2.00	Orthodox	531	5.1%
	3.00	Catholic/Protestant	530	5.1%
	4.00	Catholic/Protestant	23	.2%
	7.00	Other	0	.0%
	8.00	No Religion	36	.3%
	9.00	No Religion	9	.1%
Missing Values	System		4619	44.8%

**RELFREQ**

		Value	Count	Percent
Standard Attributes	Label	Frequency of Religious Attendance		
Valid Values	2.00	At Least Monthly	673	6.5%
	3.00	< 1/Month	142	1.4%
	4.00	Only holidays	3273	31.7%
	5.00	Never	6228	60.4%

**ethnic**

		Value	Count	Percent
Standard Attributes	Label	Ethnicity		
Valid Values	1.00	Albanian	5610	54.4%
	2.00	Greek	24	.2%
	3.00	Gypsy (Roma)	47	.5%
	4.00	Macedonian	3	.0%
	5.00	Albanian from Kosovo	5	.0%
	6.00	Mixed ethnicity	5	.0%
	7.00	Other	3	.0%
	9.00	Refused	0	.0%
Missing Values	System		4619	44.8%

**lang**

		Value
Standard Attributes	Label	Language

**edcat**

		Value	Count	Percent
Standard Attributes	Label	Level of education		
Valid Values	.00	Never Attended	21	.2%
	1.00	Primary incomplete	127	1.2%
	2.00	Primary complete	2371	23.0%
	3.00	Secondary incomplete	653	6.3%
	4.00	Secondary complete	1830	17.7%
	5.00	Post-secondary	695	6.7%
Missing Values	System		4619	44.8%

**educ**

		Value	Count	Percent
Standard Attributes	Label	Level of education		
Valid Values	1.00	Primary or less	2519	24.4%
	2.00	Secondary incomplete	653	6.3%
	3.00	Secondary complete	1830	17.7%
	4.00	Post-secondary	695	6.7%
Missing Values	System		4619	44.8%

**newed**

		Value	Count	Percent
Standard Attributes	Label	Woman s Education		
Valid Values	1.00	Primary or less	2519	24.4%
	2.00	Secondary	2483	24.1%
	3.00	Post-secondary	695	6.7%
Missing Values	System		4619	44.8%

**employ**

		Value	Count	Percent
Standard Attributes	Label	Employment		
Valid Values	1.00	Working	1118	10.8%
	2.00	Not working	4579	44.4%
Missing Values	System		4619	44.8%

**WORK**

		Value	Count	Percent
Standard Attributes	Label	Work (Yes/ No)		
Valid Values	1.00	Yes	1114	10.8%
	2.00	Yes, but on maternity/Pregnancy leave	78	.8%
	3.00	No Working	4505	43.7%
Missing Values	System		4619	44.8%

**resnowk**

		Value	Count	Percent
Standard Attributes	Label	Reasons for not working		
Valid Values	1.00	Attending school	614	6.0%
	2.00	Internal displacement	15	.1%
	3.00	Looking for work	1626	15.8%
	4.00	Laid off	38	.4%
	5.00	Does not need/want/like to work	148	1.4%
	6.00	Medical leave	0	.0%
	7.00	Maternity leave	0	.0%
	8.00	Inability to find/afford child care	639	6.2%
	9.00	Homemaker	1233	12.0%
	11.00	Husband does not allow her to work	60	.6%
	12.00	Parents do not allow her to work	87	.8%
	20.00	Other	45	.4%
Missing Values	System		5811	56.3%

**parity**

		Value	Count	Percent
Standard Attributes	Label	Parity		
Valid Values	.00		6560	63.6%
	1.00		792	7.7%
	2.00		1754	17.0%
	3.00		821	8.0%
	4.00		251	2.4%
	5.00		88	.9%
	6.00		35	.3%
	7.00		10	.1%
	8.00		4	.0%
	10.00		1	.0%

**allchild6**

		Value	Count	Percent
Standard Attributes	Label	Number of Children Born Alive (6+)		
Valid Values	.00	0	6560	63.6%
	1.00	1	792	7.7%
	2.00	2	1754	17.0%
	3.00	3	821	8.0%
	4.00	4	251	2.4%
	5.00	5	88	.9%
	6.00	6 or more	50	.5%

**allchild4**

		Value	Count	Percent
Standard Attributes	Label	Number of Children Born Alive (4+)		
Valid Values	.00	0	6560	63.6%
	1.00	1	792	7.7%
	2.00	2	1754	17.0%
	3.00	3	821	8.0%
	4.00	4	389	3.8%
	5.00	5	0	.0%
	6.00	6 or more	0	.0%

**LIVCHILD6**

		Value	Count	Percent
Standard Attributes	Label	Number of Living Children (6+)		
Valid Values	.00	0	6562	63.6%
	1.00	1	828	8.0%
	2.00	2	1840	17.8%
	3.00	3	795	7.7%
	4.00	4	197	1.9%
	5.00	5	63	.6%
	6.00	6 +	31	.3%

**livchild4**

		Value	Count	Percent
Standard Attributes	Label	Number of Living Children (4+)		
Valid Values	.00	0	6562	63.6%
	1.00	1	828	8.0%
	2.00	2	1840	17.8%
	3.00	3	795	7.7%
	4.00	4 +	291	2.8%

**lvchild**

		Value	Count	Percent
Standard Attributes	Label	Number of Living Children+Current Preg(4+)		
Valid Values	.00	0	6481	62.8%
	1.00	1	814	7.9%
	2.00	2	1900	18.4%
	3.00	3	821	8.0%
	4.00	4 +	300	2.9%

**NPREG**

		Value	Count	Percent
Standard Attributes	Label	Number of complete Pregnancies		
Valid Values	.00		1905	18.5%
	1.00		706	6.8%
	2.00		1509	14.6%
	3.00		921	8.9%
	4.00		377	3.7%
	5.00		167	1.6%
	6.00		59	.6%
	7.00		23	.2%
	8.00		13	.1%
	9.00		7	.1%
	10.00		2	.0%
	11.00		2	.0%
	12.00		1	.0%
	13.00		1	.0%
	14.00		1	.0%
	15.00		2	.0%
	17.00		1	.0%
Missing Values	System		4619	44.8%

**numia**

		Value	Count	Percent
Standard Attributes	Label	Number of Induced Abortion in Pregnancy History		
Valid Values	.00		3607	35.0%
	1.00		150	1.5%
	2.00		23	.2%
	3.00		9	.1%
	4.00		3	.0%
Missing Values	System		6524	63.2%

**numnac**

		Value	Count	Percent
Standard Attributes	Label	Number of Births (live+Still) in Pregnancy History		
Valid Values	.00		1765	17.1%
	1.00		1532	14.9%
	2.00		455	4.4%
	3.00		40	.4%
Missing Values	System		6524	63.2%

**roompeo**

		Value	Count	Percent
Standard Attributes	Label	Number of rooms per person		
Valid Values	.00	less than one room per person	5079	49.2%
	1.00	one or more rooms per person	5237	50.8%

**nHOR**

		Value	Count	Percent
Standard Attributes	Label	Hours per day Electricity		
Valid Values	.00	0	2	.0%
	1.00	1-23	4829	46.8%
	2.00	24	855	8.3%
	8.00	DK	11	.1%
Missing Values	System		4619	44.8%



### ha

		Value	Count	Percent
Standard Attributes	Label	Household Assets		
Valid Values	.00		4624	44.8%
	1.00		159	1.5%
	2.00		335	3.2%
	3.00		601	5.8%
	4.00		932	9.0%
	5.00		1152	11.2%
	6.00		1002	9.7%
	7.00		779	7.6%
	8.00		456	4.4%
	9.00		185	1.8%
	10.00		73	.7%
	11.00		18	.2%

### index

		Value	Count	Percent
Standard Attributes	Label	Socioeconomic Status		
Valid Values	1.00	Low	5719	55.4%
	2.00	Medium	3086	29.9%
	3.00	High	1511	14.6%

### cmcliv

		Value	Count	Percent
Standard Attributes	Label	Years Living Continously		
N	Valid		5697	
	Missing		4619	
Labeled Values	.00	Always/since birth	2387	23.1%
	8888.00	Don t remember	13	.1%

### resdur

		Value	Count	Percent
Standard Attributes	Label	Residence duration		
N	Valid		10316	
	Missing		0	
Labeled Values	.00	< 1 year	26	.3%
	7777.00	Never changed residence	2387	23.1%
	8888.00	Do not know	4632	44.9%

### resdurr

		Value	Count	Percent
Standard Attributes	Label	Residence Duration		
Valid Values	.00	< 1 year	146	1.4%
	1.00	12-23 months	208	2.0%
	2.00	24-35	218	2.1%
	3.00	36-47	215	2.1%
	4.00	48-59	253	2.5%
	5.00	60-71	242	2.3%
	6.00	6 or more years	2015	19.5%
	7.00	Never changed residence	2387	23.1%
	8.00	Do not know	4632	44.9%

**migstat**

		Value	Count	Percent
Standard Attributes	Label	Migrational Status		
Valid Values	1.00	Ever migrated	3297	32.0%
	2.00	Never migrated	2387	23.1%
	8.00	Do not know	4632	44.9%

**migstat4**

		Value	Count	Percent
Standard Attributes	Label	Migrational Status <4G>		
Valid Values	1.00	Migrant 2 yrs ago or less	435	4.2%
	2.00	Migrant 2 to 5 yrs ago	701	6.8%
	3.00	Migrant more than 5 yrs ago	2161	20.9%
	4.00	Never changed residence	2387	23.1%
	9.00	Do not know	4632	44.9%

**migtype**

		Value	Count	Percent
Standard Attributes	Label	Migrant Type		
Valid Values	1.00	Urban-urban Migrant	905	8.8%
	2.00	Rural-urban Migrant	1130	11.0%
	3.00	Rural-rural Migrant	1156	11.2%
	4.00	Urban-rural Migrant	113	1.1%
	5.00	International Migrant	6	.1%
Missing Values	System		7006	67.9%

**migtype4**

		Value	Count	Percent
Standard Attributes	Label	Migrant Type		
Valid Values	1.00	Urban-urban Migrant	905	8.8%
	2.00	Rural-urban Migrant	1130	11.0%
	3.00	Other Internal Migrant	1269	12.3%
	5.00	International Migrant	6	.1%
Missing Values	System		7006	67.9%

**agerepro**

		Value	Count	Percent
Standard Attributes	Label	Age to teach about Human Reproduction		
Valid Values	1.00	<= 13	1501	14.6%
	2.00	14-15	2885	28.0%
	3.00	16 or more	832	8.1%
	7.00	Should not be Taught in School	9	.1%
	8.00	Dk/Nr	192	1.9%
Missing Values	System		4897	47.5%

**agecont**

		Value	Count	Percent
Standard Attributes	Label	Age to teach about Contraception		
Valid Values	1.00	<= 13	1129	10.9%
	2.00	14-15	2824	27.4%
	3.00	16 or more	1181	11.4%
	7.00	Should not be Taught in School	17	.2%
	8.00	Dk/Nr	268	2.6%
Missing Values	System		4897	47.5%

**agesti**

		Value	Count	Percent
Standard Attributes	Label	Age to teach about Sexually Transmitted Infections		
Valid Values	1.00	<= 13	1110	10.8%
	2.00	14-15	2829	27.4%
	3.00	16 or more	1205	11.7%
	7.00	Should not be Taught in School	12	.1%
	8.00	Dk/Nr	263	2.5%
Missing Values	System		4897	47.5%

**opageA**

		Value	Count	Percent
Standard Attributes	Label	Age of begin to teach at school about Human Reproduction		
Valid Values	1.00	Less than 13 years	734	7.1%
	2.00	Age 13	767	7.4%
	3.00	Age 14	1806	17.5%
	4.00	Age 15+	1911	18.5%
	77.00	Should not be taught in school	4906	47.6%
	88.00	DK	192	1.9%

**opageB**

		Value	Count	Percent
Standard Attributes	Label	Age of begin to teach at school about Contraception		
Valid Values	1.00	Less than 13 years	543	5.3%
	2.00	Age 13	586	5.7%
	3.00	Age 14	1610	15.6%
	4.00	Age 15+	2395	23.2%
	77.00	Should not be taught in school	4914	47.6%
	88.00	DK	258	2.5%
Missing Values	System		10	.1%

**opageC**

		Value	Count	Percent
Standard Attributes	Label	Age of begin to teach at school about STI		
Valid Values	1.00	Less than 13 years	529	5.1%
	2.00	Age 13	581	5.6%
	3.00	Age 14	1607	15.6%
	4.00	Age 15+	2427	23.5%
	77.00	Should not be taught in school	4909	47.6%
	88.00	DK	255	2.5%
Missing Values	System		8	.1%

**ageA**

		Value	Count	Percent
Standard Attributes	Label	Age to taught at school about Mestrual Cycle		
Valid Values	1.00	Less than 14 years	287	2.8%
	2.00	Age 14	895	8.7%
	3.00	Age 15	118	1.1%
	4.00	Age 16+	96	.9%
	77.00	Should not be taught in school	8920	86.5%

**ageb**

		Value	Count	Percent
Standard Attributes	Label	Age to taught at school about Female Reproductive System		
Valid Values	1.00	Less than 14 years	233	2.3%
	2.00	Age 14	887	8.6%
	3.00	Age 15	132	1.3%
	4.00	Age 16+	161	1.6%
	77.00	Should not be taught in school	8903	86.3%

**agec**

		Value	Count	Percent
Standard Attributes	Label	Age to taught at school about Male Reproductive System		
Valid Values	1.00	Less than 14 years	213	2.1%
	2.00	Age 14	852	8.3%
	3.00	Age 15	120	1.2%
	4.00	Age 16+	158	1.5%
	77.00	Should not be taught in school	8973	87.0%

**aged**

		Value	Count	Percent
Standard Attributes	Label	Age to taught at school about How Pregnancy Occurs		
Valid Values	1.00	Less than 14 years	161	1.6%
	2.00	Age 14	773	7.5%
	3.00	Age 15	129	1.3%
	4.00	Age 16+	175	1.7%
	77.00	Should not be taught in school	9078	88.0%

**agee**

		Value	Count	Percent
Standard Attributes	Label	Age to taught at school about Contraceptive Methods		
Valid Values	1.00	Less than 14 years	45	.4%
	2.00	Age 14	277	2.7%
	3.00	Age 15	88	.9%
	4.00	Age 16+	198	1.9%
	77.00	Should not be taught in school	9708	94.1%

**agef**

		Value	Count	Percent
Standard Attributes	Label	Age to taught at school about HIV/AIDS		
Valid Values	1.00	Less than 14 years	98	.9%
	2.00	Age 14	646	6.3%
	3.00	Age 15	149	1.4%
	4.00	Age 16+	276	2.7%
	77.00	Should not be taught in school	9147	88.7%

**ageg**

		Value	Count	Percent
Standard Attributes	Label	Age to taught at school about Other DTS		
Valid Values	1.00	Less than 14 years	38	.4%
	2.00	Age 14	293	2.8%
	3.00	Age 15	90	.9%
	4.00	Age 16+	174	1.7%
	77.00	Should not be taught in school	9721	94.2%

**sisource**

		Value	Count	Percent
Standard Attributes	Label	Most important source of sexual information		
Valid Values	1.00	Mother/Father	140	1.4%
	3.00	Relative	61	.6%
	4.00	Boyfriend/Friends	66	.6%
	6.00	Co-worker/Colleagues,Peer	178	1.7%
	8.00	Partner/Husband	18	.2%
	9.00	Doctor	9	.1%
	10.00	Nurse, Midwife	4	.0%
	11.00	Teacher	773	7.5%
	12.00	Pharmacist	0	.0%
	13.00	Books/Newspapers,magazines	209	2.0%
	15.00	Radio/TV	548	5.3%
	20.00	Other	1	.0%
	88.00	DR	23	.2%
Missing Values	System		8286	80.3%

**poutcome**

		Value	Count	Percent
Standard Attributes	Label	Last Pregnancy Outcome		
Valid Values	1.00	Current Pregnancy	222	2.2%
	2.00	Live Birth	3280	31.8%
	3.00	Induced Abortion	231	2.2%
	4.00	Other Pregnancy Outcomes	134	1.3%
Missing Values	System		6449	62.5%

**planstat**

		Value	Count	Percent
Standard Attributes	Label	Planning Status of Last Pregnancy		
Valid Values	1.00	Intended	1944	18.8%
	2.00	Mistimed	152	1.5%
	3.00	Unwanted	170	1.6%
	8.00	Not Sure	9	.1%
Missing Values	System		8041	77.9%

**knwpil**

		Value	Count	Percent
Standard Attributes	Label	Ever heard Pills		
Valid Values	.00	No	6138	59.5%
	100.00	Yes	4178	40.5%

**knwiud**

		Value	Count	Percent
Standard Attributes	Label	Ever heard IUD		
Valid Values	.00	No	8673	84.1%
	100.00	Yes	1643	15.9%

**knwcon**

		Value	Count	Percent
Standard Attributes	Label	Ever heard Condoms		
Valid Values	.00	No	5415	52.5%
	100.00	Yes	4901	47.5%

**knwvag**

		Value	Count	Percent
Standard Attributes	Label	Ever heard Spermicides		
Valid Values	.00	No	9936	96.3%
	100.00	Yes	380	3.7%

**knwfem**

		Value	Count	Percent
Standard Attributes	Label	Ever heard Tubal ligation		
Valid Values	.00	No	6293	61.0%
	100.00	Yes	4023	39.0%

**knwvas**

		Value	Count	Percent
Standard Attributes	Label	Ever heard Vasectomy		
Valid Values	.00	No	9828	95.3%
	100.00	Yes	488	4.7%

**knwinj**

		Value	Count	Percent
Standard Attributes	Label	Ever heard Injectables		
Valid Values	.00	No	8137	78.9%
	100.00	Yes	2179	21.1%

**knwehc**

		Value	Count	Percent
Standard Attributes	Label	Ever heard Emergency Contraception		
Valid Values	.00	No	9484	91.9%
	100.00	Yes	832	8.1%

**knwrhy**

		Value	Count	Percent
Standard Attributes	Label	Ever heard Periodic abstinence (rhythm method)		
Valid Values	.00	No	8663	84.0%
	100.00	Yes	1653	16.0%

**knwwit**

		Value	Count	Percent
Standard Attributes	Label	Ever heard Withdrawal		
Valid Values	.00	No	5331	51.7%
	100.00	Yes	4985	48.3%

**knwotr**

		Value	Count	Percent
Standard Attributes	Label	Ever heard Other Methods		
Valid Values	.00	No	10308	99.9%
	100.00	Yes	8	.1%

**knwany**

		Value	Count	Percent
Standard Attributes	Label	Ever heard Any Method		
Valid Values	.00	No	4762	46.2%
	100.00	Yes	5554	53.8%

**knwmod**

		Value	Count	Percent
Standard Attributes	Label	Ever heard Any Modern Method		
Valid Values	.00	No	5049	48.9%
	100.00	Yes	5267	51.1%

**knwtrad**

		Value	Count	Percent
Standard Attributes	Label	Ever heard Any Traditional Method		
Valid Values	.00	No	5278	51.2%
	100.00	Yes	5038	48.8%

**nummod**

		Value	Count	Percent
Standard Attributes	Label	Number of modern methods		
Valid Values	.00		5049	48.9%
	1.00		532	5.2%
	2.00		940	9.1%
	3.00		1295	12.6%
	4.00		1152	11.2%
	5.00		770	7.5%
	6.00		298	2.9%
	7.00		159	1.5%
	8.00		121	1.2%

**knupil**

		Value	Count	Percent
Standard Attributes	Label	Know Use Pills		
Valid Values	.00	No	7994	77.5%
	100.00	Yes	2322	22.5%

**knuiud**

		Value	Count	Percent
Standard Attributes	Label	Know Use IUD		
Valid Values	.00	No	9363	90.8%
	100.00	Yes	953	9.2%

**knucon**

		Value	Count	Percent
Standard Attributes	Label	Know Use Condoms		
Valid Values	.00	No	7191	69.7%
	100.00	Yes	3125	30.3%

**knuvag**

		Value	Count	Percent
Standard Attributes	Label	Know Use Spermicides		
Valid Values	.00	No	10055	97.5%
	100.00	Yes	261	2.5%

**knufem**

		Value	Count	Percent
Standard Attributes	Label	Know Use Tubal ligation		
Valid Values	.00	No	7956	77.1%
	100.00	Yes	2360	22.9%

**knuvas**

		Value	Count	Percent
Standard Attributes	Label	Know Use Vasectomy		
Valid Values	.00	No	9991	96.8%
	100.00	Yes	325	3.2%

**knuinj**

		Value	Count	Percent
Standard Attributes	Label	Know Use Injectables		
Valid Values	.00	No	9168	88.9%
	100.00	Yes	1148	11.1%

**kneuhc**

		Value	Count	Percent
Standard Attributes	Label	Know Use Emergency Contraception		
Valid Values	.00	No	9646	93.5%
	100.00	Yes	670	6.5%

**knurhy**

		Value	Count	Percent
Standard Attributes	Label	Know Use Periodic abstinence (rhythm method)		
Valid Values	.00	No	9031	87.5%
	100.00	Yes	1285	12.5%

**knuwit**

		Value	Count	Percent
Standard Attributes	Label	Know Use Withdrawal		
Valid Values	.00	No	5640	54.7%
	100.00	Yes	4676	45.3%

**knuotr**

		Value	Count	Percent
Standard Attributes	Label	Know Use Other Methods		
Valid Values	.00	No	10311	100.0%
	100.00	Yes	5	.0%

**knuany**

		Value	Count	Percent
Standard Attributes	Label	Know Use Any Method		
Valid Values	.00	No	5285	51.2%
	100.00	Yes	5031	48.8%

**knumod**

		Value	Count	Percent
Standard Attributes	Label	Know Use Any Modern Method		
Valid Values	.00	No	6647	64.4%
	100.00	Yes	3669	35.6%

**knutrad**

		Value	Count	Percent
Standard Attributes	Label	Know Use Any Traditional Method		
Valid Values	.00	No	5604	54.3%
	100.00	Yes	4712	45.7%



**usedpil**

		Value	Count	Percent
Standard Attributes	Label	Used Pills		
Valid Values	.00	No	10001	96.9%
	100.00	Yes	315	3.1%

**usediud**

		Value	Count	Percent
Standard Attributes	Label	Used IUD		
Valid Values	.00	No	10253	99.4%
	100.00	Yes	63	.6%

**usedcon**

		Value	Count	Percent
Standard Attributes	Label	Used Condoms		
Valid Values	.00	No	9779	94.8%
	100.00	Yes	537	5.2%

**usedvag**

		Value	Count	Percent
Standard Attributes	Label	Used Spermicides		
Valid Values	.00	No	10297	99.8%
	100.00	Yes	19	.2%

**usedfem**

		Value	Count	Percent
Standard Attributes	Label	Used Tubal ligation		
Valid Values	.00	No	10137	98.3%
	100.00	Yes	179	1.7%

**usedvas**

		Value	Count	Percent
Standard Attributes	Label	Used Vasectomy		
Valid Values	.00	No	10316	100.0%
	100.00	Yes	0	.0%

**usedinj**

		Value	Count	Percent
Standard Attributes	Label	Used Injectables		
Valid Values	.00	No	10239	99.3%
	100.00	Yes	77	.7%

**usedehc**

		Value	Count	Percent
Standard Attributes	Label	Used Emergency Contraception		
Valid Values	.00	No	10277	99.6%
	100.00	Yes	39	.4%

**usedrhy**

		Value	Count	Percent
Standard Attributes	Label	Used Periodic abstinence (rhythm method)		
Valid Values	.00	No	10195	98.8%
	100.00	Yes	121	1.2%

**usedwit**

		Value	Count	Percent
Standard Attributes	Label	Used Withdrawal		
Valid Values	.00	No	6225	60.3%
	100.00	Yes	4091	39.7%

**usedotr**

		Value	Count	Percent
Standard Attributes	Label	Used Other Methods		
Valid Values	.00	No	10316	100.0%
	100.00	Yes	0	.0%

**usedany**

		Value	Count	Percent
Standard Attributes	Label	Used Any Method		
Valid Values	.00	No	6130	59.4%
	100.00	Yes	4186	40.6%

**usedmod**

		Value	Count	Percent
Standard Attributes	Label	Used Any Modern Method		
Valid Values	.00	No	9322	90.4%
	100.00	Yes	994	9.6%

**usedtrad**

		Value	Count	Percent
Standard Attributes	Label	Used Any Traditional Method		
Valid Values	.00	No	6222	60.3%
	100.00	Yes	4094	39.7%

**kngpil**

		Value	Count	Percent
Standard Attributes	Label	Know get Pills		
Valid Values	.00	No	6440	62.4%
	100.00	Yes	3876	37.6%

**kngiud**

		Value	Count	Percent
Standard Attributes	Label	Know get IUD		
Valid Values	.00	No	8883	86.1%
	100.00	Yes	1433	13.9%

**kngcon**

		Value	Count	Percent
Standard Attributes	Label	Know get Condoms		
Valid Values	.00	No	5771	55.9%
	100.00	Yes	4545	44.1%

**kngvag**

		Value	Count	Percent
Standard Attributes	Label	Know get Spermicides		
Valid Values	.00	No	9980	96.7%
	100.00	Yes	336	3.3%

**kngfem**

		Value	Count	Percent
Standard Attributes	Label	Know get Tubal ligation		
Valid Values	.00	No	6808	66.0%
	100.00	Yes	3508	34.0%

**kngvas**

		Value	Count	Percent
Standard Attributes	Label	Know get Vasectomy		
Valid Values	.00	No	9921	96.2%
	100.00	Yes	395	3.8%

**knginj**

		Value	Count	Percent
Standard Attributes	Label	Know get Injectables		
Valid Values	.00	No	8407	81.5%
	100.00	Yes	1909	18.5%

**kngehc**

		Value	Count	Percent
Standard Attributes	Label	Know get Emergency Contraception		
Valid Values	.00	No	9531	92.4%
	100.00	Yes	785	7.6%

**kngany**

		Value	Count	Percent
Standard Attributes	Label	Know get Any Modern Method		
Valid Values	.00	No	5333	51.7%
	100.00	Yes	4983	48.3%

**num\_umod**

		Value	Count	Percent
Standard Attributes	Label	Number of modern methods Know how to use it		
Valid Values	.00		9322	90.4%
	1.00		802	7.8%
	2.00		157	1.5%
	3.00		29	.3%
	4.00		4	.0%
	5.00		2	.0%

**sipl**

		Value	Count	Percent
Standard Attributes	Label	Source of Information: Pills		
Valid Values	1.00	Radio/TV	1929	18.7%
	2.00	Boyfriend/Friends	884	8.6%
	3.00	Pharmacist	342	3.3%
	4.00	Nurse, midwife, Community Health Worker	254	2.5%
	5.00	Doctor	216	2.1%
	6.00	Books,Newspaper/Magazines	221	2.1%
	7.00	Teacher	92	.9%
	8.00	Relative	91	.9%
	9.00	Co-worker, Colleagues, Peers	75	.7%
	10.00	Partner/Husband	45	.4%
	11.00	Mother/Father	26	.3%
	12.00	Other	1	.0%
	13.00	Do not Remember	2	.0%
Missing Values	System		6138	59.5%

**siud**

		Value	Count	Percent
Standard Attributes	Label	Source of Information: IUD		
Valid Values	1.00	Radio/TV	356	3.5%
	2.00	Boyfriend/Friends	511	5.0%
	3.00	Pharmacist	27	.3%
	4.00	Nurse, midwife, Community Health Worker	121	1.2%
	5.00	Doctor	328	3.2%
	6.00	Books,Newspaper/Magazines	114	1.1%
	7.00	Teacher	36	.3%
	8.00	Relative	70	.7%
	9.00	Co-worker, Colleagues, Peers	51	.5%
	10.00	Partner/Husband	16	.2%
	11.00	Mother/Father	12	.1%
	12.00	Other	1	.0%
	13.00	Do not Remember	0	.0%
Missing Values	System		8673	84.1%

**sicon**

		Value	Count	Percent
Standard Attributes	Label	Source of Information: Condoms		
Valid Values	1.00	Radio/TV	2886	28.0%
	2.00	Boyfriend/Friends	757	7.3%
	3.00	Pharmacist	474	4.6%
	4.00	Nurse, midwife, Community Health Worker	97	.9%
	5.00	Doctor	64	.6%
	6.00	Books,Newspaper/Magazines	128	1.2%
	7.00	Teacher	110	1.1%
	8.00	Relative	41	.4%
	9.00	Co-worker, Colleagues, Peers	71	.7%
	10.00	Partner/Husband	259	2.5%
	11.00	Mother/Father	12	.1%
	12.00	Other	1	.0%
	13.00	Do not Remember	1	.0%
Missing Values	System		5415	52.5%

**sivag**

		Value	Count	Percent
Standard Attributes	Label	Source of Information: Spermicides		
Valid Values	1.00	Radio/TV	79	.8%
	2.00	Boyfriend/Friends	87	.8%
	3.00	Pharmacist	55	.5%
	4.00	Nurse, midwife, Community Health Worker	23	.2%
	5.00	Doctor	28	.3%
	6.00	Books,Newspaper/Magazines	56	.5%
	7.00	Teacher	24	.2%
	8.00	Relative	5	.0%
	9.00	Co-worker, Colleagues, Peers	13	.1%
	10.00	Partner/Husband	6	.1%
	11.00	Mother/Father	3	.0%
	12.00	Other	1	.0%
	13.00	Do not Remember	0	.0%
Missing Values	System		9936	96.3%

**sifem**

		Value	Count	Percent
Standard Attributes	Label	Source of Information: Tubal Ligation		
Valid Values	1.00	Radio/TV	405	3.9%
	2.00	Boyfriend/Friends	1611	15.6%
	3.00	Pharmacist	2	.0%
	4.00	Nurse, midwife, Community Health Worker	300	2.9%
	5.00	Doctor	840	8.1%
	6.00	Books,Newspaper/Magazines	102	1.0%
	7.00	Teacher	46	.4%
	8.00	Relative	492	4.8%
	9.00	Co-worker, Colleagues, Peers	98	.9%
	10.00	Partner/Husband	30	.3%
	11.00	Mother/Father	91	.9%
	12.00	Other	1	.0%
	13.00	Do not Remember	5	.0%
Missing Values	System		6293	61.0%

**sivas**

		Value	Count	Percent
Standard Attributes	Label	Source of Information: Vasectomy		
Valid Values	1.00	Radio/TV	66	.6%
	2.00	Boyfriend/Friends	154	1.5%
	3.00	Pharmacist	1	.0%
	4.00	Nurse, midwife, Community Health Worker	16	.2%
	5.00	Doctor	86	.8%
	6.00	Books,Newspaper/Magazines	89	.9%
	7.00	Teacher	25	.2%
	8.00	Relative	11	.1%
	9.00	Co-worker, Colleagues, Peers	24	.2%
	10.00	Partner/Husband	10	.1%
	11.00	Mother/Father	5	.0%
	12.00	Other	1	.0%
	13.00	Do not Remember	0	.0%
Missing Values	System		9828	95.3%

**siinj**

		Value	Count	Percent
Standard Attributes	Label	Source of Information: Injectables		
Valid Values	1.00	Radio/TV	322	3.1%
	2.00	Boyfriend/Friends	941	9.1%
	3.00	Pharmacist	64	.6%
	4.00	Nurse, midwife, Community Health Worker	191	1.9%
	5.00	Doctor	290	2.8%
	6.00	Books,Newspaper/Magazines	115	1.1%
	7.00	Teacher	30	.3%
	8.00	Relative	128	1.2%
	9.00	Co-worker, Colleagues, Peers	75	.7%
	10.00	Partner/Husband	9	.1%
	11.00	Mother/Father	11	.1%
	12.00	Other	1	.0%
	13.00	Do not Remember	2	.0%
Missing Values	System		8137	78.9%

**siehc**

		Value	Count	Percent
Standard Attributes	Label	Source of Information: Emergency Contraception		
Valid Values	1.00	Radio/TV	253	2.5%
	2.00	Boyfriend/Friends	212	2.1%
	3.00	Pharmacist	128	1.2%
	4.00	Nurse, midwife, Community Health Worker	37	.4%
	5.00	Doctor	52	.5%
	6.00	Books,Newspaper/Magazines	59	.6%
	7.00	Teacher	23	.2%
	8.00	Relative	19	.2%
	9.00	Co-worker, Colleagues, Peers	40	.4%
	10.00	Partner/Husband	5	.0%
	11.00	Mother/Father	3	.0%
	12.00	Other	1	.0%
	13.00	Do not Remember	0	.0%
Missing Values	System		9484	91.9%

**sirhy**

		Value	Count	Percent
Standard Attributes	Label	Source of Information: Rhythm		
Valid Values	1.00	Radio/TV	60	.6%
	2.00	Boyfriend/Friends	984	9.5%
	3.00	Pharmacist	4	.0%
	4.00	Nurse, midwife, Community Health Worker	63	.6%
	5.00	Doctor	62	.6%
	6.00	Books,Newspaper/Magazines	125	1.2%
	7.00	Teacher	37	.4%
	8.00	Relative	181	1.8%
	9.00	Co-worker, Colleagues, Peers	52	.5%
	10.00	Partner/Husband	59	.6%
	11.00	Mother/Father	21	.2%
	12.00	Other	2	.0%
	13.00	Do not Remember	3	.0%
Missing Values	System		8663	84.0%

**siwit**

		Value	Count	Percent
Standard Attributes	Label	Source of Information: Withdrawal		
Valid Values	1.00	Radio/TV	72	.7%
	2.00	Boyfriend/Friends	667	6.5%
	3.00	Pharmacist	3	.0%
	4.00	Nurse, midwife, Community Health Worker	7	.1%
	5.00	Doctor	38	.4%
	6.00	Books,Newspaper/Magazines	32	.3%
	7.00	Teacher	14	.1%
	8.00	Relative	84	.8%
	9.00	Co-worker, Colleagues, Peers	108	1.0%
	10.00	Partner/Husband	3925	38.0%
	11.00	Mother/Father	30	.3%
	12.00	Other	0	.0%
	13.00	Do not Remember	4	.0%
Missing Values	System		5332	51.7%

**siotr**

		Value	Count	Percent
Standard Attributes	Label	Source of Information: Other		
Valid Values	1.00	Radio/TV	1	.0%
	2.00	Boyfriend/Friends	3	.0%
	3.00	Pharmacist	0	.0%
	4.00	Nurse, midwife, Community Health Worker	0	.0%
	5.00	Doctor	0	.0%
	6.00	Books,Newspaper/Magazines	1	.0%
	7.00	Teacher	1	.0%
	8.00	Relative	0	.0%
	9.00	Co-worker, Colleagues, Peers	1	.0%
	10.00	Partner/Husband	0	.0%
	11.00	Mother/Father	1	.0%
	12.00	Other	0	.0%
	13.00	Do not Remember	0	.0%
Missing Values	System		10308	99.9%

**bestmf**

		Value	Count	Percent
Standard Attributes	Label	Most effective contraceptive method		
Valid Values	1.00	Pill	381	3.7%
	2.00	IUD	71	.7%
	3.00	Condom	874	8.5%
	7.00	Female sterilization	250	2.4%
	8.00	Emergency Contraception	0	.0%
	9.00	Other modern method	64	.6%
	11.00	Calendar (Rhythm) Method	20	.2%
	12.00	Withdrawal	3338	32.4%
	77.00	No method	102	1.0%
Missing Values	88.00	Do not know	595	5.8%
	System		4621	44.8%

**SEXEX**

		Value	Count	Percent
Standard Attributes	Label	Sexual Experience		
Valid Values	.00	No	1439	13.9%
	1.00	Yes	8877	86.1%

**LASTSEX1**

		Value	
Standard Attributes	Label	<none>	
N	Valid		4244
	Missing		6072

**lastsex**

		Value	Count	Percent
Standard Attributes	Label	Time of last sexual intercourse		
Valid Values	1.00	30Days	3544	34.4%
	3.00	1-3 Mth	342	3.3%
	12.00	4-12 Mth	183	1.8%
	13.00	12+	175	1.7%
	98.00	NR	14	.1%
Missing Values	System		6058	58.7%

**TSINCE**

		Value	Count	Percent
Standard Attributes	Label	Time of last sexual intercourse		
Valid Values	-2.00	Virgin	1439	13.9%
	-1.00	Currently pregnant	222	2.2%
	.00	Postpartum or breastfeeding	47	.5%
	1.00	Within 30 Days	3362	32.6%
	2.00	1-3 months	284	2.8%
	3.00	4-12 months	155	1.5%
	4.00	>One Yr	174	1.7%
	9.00	No response	14	.1%
Missing Values	System		4619	44.8%

**methol**

		Value	Count	Percent
Standard Attributes	Label	Last Contraceptive Method used		
Valid Values	1.00	Pill	96	.9%
	2.00	IUD	31	.3%
	3.00	Condom	163	1.6%
	5.00		36	.3%
	6.00	Foams/Jelly	1	.0%
	7.00	Female sterilization	176	1.7%
	8.00	Emergency contraception	0	.0%
	9.00		19	.2%
	10.00	Other modern method	0	.0%
	11.00	Calendar (Rhythm) Method	4	.0%
	12.00		3540	34.3%
	13.00	Withdrawal	18	.2%
	20.00	Other traditional method	0	.0%
	22.00	No method	0	.0%
	88.00	Do not know	0	.0%
Missing Values	System		6232	60.4%



**BCUSE**

		Value	Count	Percent
Standard Attributes	Label	Contraceptive Status		
Valid Values	1.00	Never used	6139	59.5%
	2.00	Previous user	982	9.5%
	3.00	Current user	3195	31.0%

**fpuse**

		Value	Count	Percent
Standard Attributes	Label	Current use		
Valid Values	1.00	Yes	3195	31.0%
	2.00	No	2502	24.3%
Missing Values	System		4619	44.8%

**methoc**

		Value	Count	Percent
Standard Attributes	Label	Current Use of Contraception		
Valid Values	.00	No Current Use	2502	24.3%
	1.00	Pill	74	.7%
	2.00	IUD	28	.3%
	3.00	Condom	165	1.6%
	6.00	Foams/Jelly	0	.0%
	7.00	Female sterilization	173	1.7%
	8.00	Emergency Hormonal Contraception	0	.0%
	9.00	Injectables	16	.2%
	10.00	Other modern method	0	.0%
	11.00	Rhythm Method	2	.0%
	12.00	Withdrawal	2737	26.5%
	20.00	Other BC method	0	.0%
	22.00	Not currently using BC	0	.0%
	88.00	Do not know	0	.0%
Missing Values	System		4619	44.8%

**modtrad**

		Value	Count	Percent
Standard Attributes	Label	Current Use of Contraception		
Valid Values	.00	No current use	2502	24.3%
	1.00	Modern	456	4.4%
	2.00	Traditional	2739	26.6%
	8.00	Unknown	0	.0%
Missing Values	System		4619	44.8%

**rezmetc**

		Value	Count	Percent
Standard Attributes	Label	The most important reason for choosing current method		
Valid Values	1.00	Md recom	199	1.9%
	2.00	Cost	4	.0%
	3.00	Safe	940	9.1%
	4.00	Effective	1139	11.0%
	6.00	Easyuse	260	2.5%
	7.00	Partner	521	5.1%
	8.00	Knowusers	5	.0%
	20.00	Other	119	1.2%
	88.00	DK	8	.1%
Missing Values	System		7121	69.0%

**reznouse**

		Value	Count	Percent
Standard Attributes	Label	Reason for not using currently contraceptive method		
Valid Values	1.00	Does not currently have a partner/ not sexually active in th	543	5.3%
	2.00	Trying to get pregnant	161	1.6%
	3.00	Postpartum/ breastfeeding	0	.0%
	4.00	Currently pregnant	260	2.5%
	5.00	Hysterectomy/menopause	0	.0%
	6.00	Doctor said she or her partner cannot have children	0	.0%
	7.00	She/couple tried to get pregnant for at least 2 years and di	63	.6%
	8.00	Fear of side effects	0	.0%
	9.00	Lovemaking would be interrupted	6	.1%
	10.00	Respondent did not think about using contraception	6	.1%
	11.00	Cost, cannot afford birth control	0	.0%
	12.00	Birth control is the partner's responsibility	0	.0%
	13.00	Birth control is not (very) effective	0	.0%
	14.00	Respondent does not want to use a method	0	.0%
	15.00	Partner objects to using method	13	.1%
	16.00	Objects due to religious reasons	0	.0%
	17.00	Does not know where to get method	1	.0%
	18.00	Respondent does not know how to use birth control methods	2	.0%
	19.00	Respondent does not think that she can get pregnant	7	.1%
	20.00	Respondent uses douching	0	.0%
	77.00	Other	0	.0%
	88.00	DK/Ref	1	.0%
Missing Values	System		9253	89.7%

**needfp**

		Value	Count	Percent
Standard Attributes	Label	Potencial Demand for FP Services		
Valid Values	1.00	Never had sexual intercourse	1439	13.9%
	2.00	Currently pregnant or post-partum	222	2.2%
	3.00	Seeking to get pregnant	140	1.4%
	4.00	Infecund/subfecund	99	1.0%
	5.00	Current users of a modern method	456	4.4%
	6.00	Current users of a traditional method	2739	26.6%
	7.00	Not currently sexually active	550	5.3%
	8.00	Non users at risk of unintended pregnancy	4671	45.3%

**metmod**

		Value	Count	Percent
Standard Attributes	Label	Modern Method		
Valid Values	1.00	Yes	0	.0%
	2.00	No	10316	100.0%
	8.00	Dk/Dr	0	.0%

**anymet**

		Value	Count	Percent
Standard Attributes	Label	Any Method		
Valid Values	1.00	Yes	0	.0%
	2.00	No	10316	100.0%
	8.00	Dk/Dr	0	.0%

**tlyr**

		Value	Count	Percent
Standard Attributes	Label	Year of Female Sterilization		
Valid Values	1985.00		1	.0%
	1986.00		2	.0%
	1987.00		4	.0%
	1988.00		2	.0%
	1989.00		4	.0%
	1990.00		8	.1%
	1991.00		15	.1%
	1992.00		24	.2%
	1993.00		14	.1%
	1994.00		14	.1%
	1995.00		26	.3%
	1996.00		35	.3%
	1997.00		4	.0%
Missing Values	System		10163	98.5%

**tlmth**

		Value	Count	Percent
Standard Attributes	Label	Month of Female Sterilization		
Valid Values	1.00		11	.1%
	2.00		10	.1%
	3.00		10	.1%
	4.00		12	.1%
	5.00		15	.1%
	6.00		16	.2%
	7.00		13	.1%
	8.00		16	.2%
	9.00		15	.1%
	10.00		5	.0%
	11.00		14	.1%
	12.00		13	.1%
	88.00		2	.0%
Missing Values	System		10164	98.5%

**infertil**

		Value	Count	Percent
Standard Attributes	Label	Infertil		
Valid Values	.00		8764	85.0%
	1.00		113	1.1%
Missing Values	System		1439	13.9%

**intend**

		Value	Count	Percent
Standard Attributes	Label	Future fertility preferences for fertile Women		
Valid Values	1.00	yes	1397	13.5%
	2.00	No	2507	24.3%
	8.00	DK	240	2.3%
Missing Values	System		6172	59.8%

**wantpg**

		Value	Count	Percent
Standard Attributes	Label	When to become pregnant..		
Valid Values	1.00	Want pregnancy right away	237	2.3%
	2.00	Within a Year	144	1.4%
	3.00	1-2Yr	231	2.2%
	4.00	2+Yr	491	4.8%
	6.00	After marriage	167	1.6%
	66.00	Undecided	324	3.1%
	77.00	Nomore	7130	69.1%
	88.00	Infertile	113	1.1%
Missing Values	System		1479	14.3%

**reznofp**

		Value	Count	Percent
Standard Attributes	Label	reznofp to not use FP (all women)		
Valid Values	-1.00	Virgin	1439	13.9%
	.00	Currently pregnant	222	2.2%
	1.00	Postpartum or breastfeeding	47	.5%
	2.00	Want to get pregnant within 1 year	165	1.6%
	3.00	Female Infecundity	104	1.0%
	4.00	PID	3	.0%
	5.00	Male Infecundity	3	.0%
	6.00	Menopausal	6	.1%
	9.00	Fear of side effects	5	.0%
	10.00	Neglected to use	3	.0%
	13.00	R or partner objections to Contraception	9	.1%
	17.00	Cost/access	1	.0%
	18.00	Lack of knowledge	2	.0%
	19.00	Respondent doubts she can get pregnant	1	.0%
	20.00	Respondent uses douching	0	.0%
	30.00	Other	4626	44.8%
	77.00	Not currently sexually active	485	4.7%
Missing Values	System		3195	31.0%

**NONECPF**

		Value	Count	Percent
Standard Attributes	Label	No Needed PF/Razon		
Valid Values	1.00	Using method	3195	31.0%
	2.00	Infertile or subfecund	99	1.0%
	3.00	Pregnant/Postparto	222	2.2%
	4.00	Wants to become pregnant	140	1.4%
	5.00	Not sexually active	1989	19.3%
	6.00	Need PF	4671	45.3%

**NECPF**

		Value	Count	Percent
Standard Attributes	Label	Potencial Demand for FP Services		
Valid Values	1.00	Yes	4671	45.3%
	2.00	No	5645	54.7%

**lastmet**

		Value	Count	Percent
Standard Attributes	Label	Last contraceptive method used		
Valid Values	1.00	Pills	96	.9%
	2.00	IUD	31	.3%
	3.00	Condoms	199	1.9%
	7.00	Tubal Ligation	176	1.7%
	10.00	Other Modern	20	.2%
	11.00	Calendar (Rhythm) Method	4	.0%
	13.00	Withdrawal	3558	34.5%
	77.00	None	6232	60.4%

**methsour**

		Value	Count	Percent
Standard Attributes	Label	Source of last method		
Valid Values	1.00	Health post or clinic	20	.2%
	3.00	Policlinic	0	.0%
	4.00	Family Planning Clinic	30	.3%
	5.00	Gov. Hospital-Maternity Ward	204	2.0%
	6.00	Private Clinic or Office	7	.1%
	8.00	Pharmacy	221	2.1%
	9.00	Open Market	0	.0%
	10.00	Store/Kiosk	0	.0%
	11.00	Partner/Husband	28	.3%
	12.00	Friend	0	.0%
	13.00	Relative	0	.0%
	20.00	Other	0	.0%
	88.00	Do not Know	12	.1%
Missing Values	System		9794	94.9%

**advisor**

		Value	Count	Percent
Standard Attributes	Label	Advisor to use the last method		
Valid Values	1.00	OB/GYN - General Practitioner	270	2.6%
	3.00	Nurse/Midwife/Feldcher	17	.2%
	4.00	Pharmacist	14	.1%
	5.00	Mother/Other relative	10	.1%
	7.00	Friend	17	.2%
	8.00	Partner	124	1.2%
	9.00	Nobody	55	.5%
	20.00	Other	2	.0%
Missing Values	System		9807	95.1%

**agefrs**

		Value	Count	Percent
Standard Attributes	Label	Age at First Sex WRA 15-44		
N	Valid	4414		
	Missing	5902		
Labeled Values	.00	Never had intercourse	157	1.5%
	88.00	DK/DR	3	.0%

**fs15**

		Value	Count	Percent
Standard Attributes	Label	<15		
Valid Values	.00		4363	42.3%
	100.00		51	.5%
Missing Values	System		5902	57.2%

**fs18**

		Value	Count	Percent
Standard Attributes	Label	<18		
Valid Values	.00		3731	36.2%
	100.00		683	6.6%
Missing Values	System		5902	57.2%

**fs20**

		Value	Count	Percent
Standard Attributes	Label	<20		
Valid Values	.00		2654	25.7%
	100.00		1760	17.1%
Missing Values	System		5902	57.2%

**fs22**

		Value	Count	Percent
Standard Attributes	Label	<22		
Valid Values	.00		1580	15.3%
	100.00		2834	27.5%
Missing Values	System		5902	57.2%

**fs25**

		Value	Count	Percent
Standard Attributes	Label	<25		
Valid Values	.00		596	5.8%
	100.00		3818	37.0%
Missing Values	System		5902	57.2%

**fsever**

		Value	Count	Percent
Standard Attributes	Label	Ever in union		
Valid Values	.00		157	1.5%
	100.00		4257	41.3%
Missing Values	System		5902	57.2%

**fsnever**

		Value	Count	Percent
Standard Attributes	Label	Never in union		
Valid Values	.00		4257	41.3%
	100.00		157	1.5%
Missing Values	System		5902	57.2%

**CMMAR**

		Value
Standard Attributes	Label	CMC first marriage/union
N	Valid	4053
	Missing	6263

**agemcalc**

		Value	Count	Percent
Standard Attributes	Label	Age of first marriage/union		
N	Valid	4053		
	Missing	6263		
Labeled Values	98.00	DK/Ref	0	.0%

**fm15**

		Value	Count	Percent
Standard Attributes	Label	<15		
Valid Values	.00		4022	39.0%
	100.00		31	.3%
Missing Values	System		6263	60.7%

**fm18**

		Value	Count	Percent
Standard Attributes	Label	<18		
Valid Values	.00		3608	35.0%
	100.00		445	4.3%
Missing Values	System		6263	60.7%

**fm20**

		Value	Count	Percent
Standard Attributes	Label	<20		
Valid Values	.00		2783	27.0%
	100.00		1270	12.3%
Missing Values	System		6263	60.7%

**fm22**

		Value	Count	Percent
Standard Attributes	Label	<22		
Valid Values	.00		1727	16.7%
	100.00		2326	22.5%
Missing Values	System		6263	60.7%

**fm25**

		Value	Count	Percent
Standard Attributes	Label	<25		
Valid Values	.00		602	5.8%
	100.00		3451	33.5%
Missing Values	System		6263	60.7%

**fmever**

		Value	Count	Percent
Standard Attributes	Label	Ever in union		
Valid Values	100.00		4053	39.3%
Missing Values	System		6263	60.7%

**fmnever**

		Value	Count	Percent
Standard Attributes	Label	Never in union		
Valid Values	.00		4053	39.3%
Missing Values	System		6263	60.7%

**ordnac**

		Value	Count	Percent
Standard Attributes	Label	<none>		
Valid Values	.00		10309	99.9%
	1.00		3	.0%
	2.00		2	.0%
	3.00		1	.0%
	4.00		1	.0%

**pnum**

		Value	Count	Percent
Standard Attributes	Label	<none>		
Valid Values	.00		6524	63.2%
	1.00		706	6.8%
	2.00		1509	14.6%
	3.00		921	8.9%
	4.00		377	3.7%
	5.00		167	1.6%
	6.00		59	.6%
	7.00		23	.2%
	8.00		13	.1%
	9.00		7	.1%
	10.00		2	.0%
	11.00		2	.0%
	12.00		1	.0%
	13.00		1	.0%
	14.00		1	.0%
	15.00		2	.0%
	17.00		1	.0%

**hijocmc**

		Value	Count	Percent
Standard Attributes	Label	<none>		
Valid Values	23780.00		1	.0%
	23798.00		1	.0%
	23826.00		1	.0%
	23877.00		1	.0%
	23888.00		1	.0%
	23913.00		1	.0%
Missing Values	System		10310	99.9%

**mq313y1**

		Value	Count	Percent
Standard Attributes	Label	<none>		
Valid Values	1981.00		1	.0%
	1982.00		1	.0%
	1983.00		2	.0%
	1989.00		3	.0%
Missing Values	System		10309	99.9%



**mq313m1**

		Value	Count	Percent
Standard Attributes	Label	<none>		
Valid Values	2.00		1	.0%
	4.00		1	.0%
	8.00		2	.0%
	9.00		1	.0%
	10.00		1	.0%
	12.00		1	.0%
Missing Values	System		10309	99.9%

**ord**

		Value	Count	Percent
Standard Attributes	Label	<none>		
Valid Values	10.00		2	.0%
	11.00		1	.0%
	12.00		1	.0%
	14.00		1	.0%
	15.00		2	.0%
Missing Values	System		10309	99.9%

**cmcprev**

		Value	Count	Percent
Standard Attributes	Label	<none>		
Valid Values	23780.00		1	.0%
	23798.00		1	.0%
	23826.00		1	.0%
	23877.00		1	.0%
	23888.00		1	.0%
	23913.00		1	.0%
Missing Values	System		10310	99.9%

**FIRCMC**

		Value	Count	Percent
Standard Attributes	Label	<none>		
Valid Values	23780.00		1	.0%
	23792.00		1	.0%
	23798.00		1	.0%
	23808.00		1	.0%
	23872.00		1	.0%
	23877.00		1	.0%
	23878.00		1	.0%
Missing Values	System		10309	99.9%

**fbirage**

		Value	Count	Percent
Standard Attributes	Label	Age at first live birth		
Valid Values	17.00		1	.0%
	18.00		1	.0%
	20.00		3	.0%
	23.00		1	.0%
	24.00		1	.0%
	98.00	DK	0	.0%
	99.00	Do not have		
			10309	99.9%

**pn15**

		Value	Count	Percent
Standard Attributes	Label	<15		
Valid Values	.00		10316	100.0%

**pn18**

		Value	Count	Percent
Standard Attributes	Label	<18		
Valid Values	.00		10315	100.0%
	100.00		1	.0%

**pn20**

		Value	Count	Percent
Standard Attributes	Label	<20		
Valid Values	.00		10314	100.0%
	100.00		2	.0%

**pn22**

		Value	Count	Percent
Standard Attributes	Label	<22		
Valid Values	.00		10311	100.0%
	100.00		5	.0%

**pn25**

		Value	Count	Percent
Standard Attributes	Label	<25		
Valid Values	.00		10309	99.9%
	100.00		7	.1%

**pnnever**

		Value	Count	Percent
Standard Attributes	Label	Has had live birth		
Valid Values	.00		10309	99.9%
	100.00		7	.1%

**pnnever**

		Value	Count	Percent
Standard Attributes	Label	Never had live birth		
Valid Values	.00		7	.1%
	100.00		10309	99.9%

**fmarcat**

		Value	Count	Percent
Standard Attributes	Label	Age of first marriage/union <4G>		
Valid Values	1.00	<20	1270	12.3%
	2.00	20-24	2181	21.1%
	3.00	25-29	518	5.0%
	4.00	30 or over	84	.8%
Missing Values	System		6263	60.7%

**end1mar**

		Value	
Standard Attributes	Label	CMC at end of first union	
N	Valid		4052
	Missing		6264

**DURUNION**

		Value	
Standard Attributes	Label	Duration of the first union	
N	Valid		4051
	Missing		6265

**numpart**

		Value	Count	Percent
Standard Attributes	Label	Number of partners (WRA 15-44)		
Valid Values	.00	0	1439	13.9%
	1.00	1	4140	40.1%
	2.00	2+	113	1.1%
	88.00	Don t Know	0	.0%
	99.00	Do not response	5	.0%
Missing Values	System		4619	44.8%

**premarital**

		Value	Count	Percent
Standard Attributes	Label	Marital status at 1st Sex Among Young Adult		
Valid Values	1.00	Premarital	372	3.6%
	2.00	Marital	376	3.6%
Missing Values	System		9568	92.7%

**sexexp**

		Value	Count	Percent
Standard Attributes	Label	WRA expose (risk) 15-44		
Valid Values	1.00	Yes	4258	41.3%
	2.00	No	6058	58.7%
	8.00	Dk/Dr	0	.0%

**sexage**

		Value	Count	Percent
Standard Attributes	Label	Age group at 1st sex <15, 15-17, 18-19, 20-24		
Valid Values	1.00	<15	33	.3%
	2.00	15-17	272	2.6%
	3.00	18-19	254	2.5%
	4.00	20-24	188	1.8%
	5.00	25-29	0	.0%
	6.00	30 or more	0	.0%
	8.00	Do not Remenber	1	.0%
Missing Values	System		9568	92.7%

**CMSEX**

		Value	
Standard Attributes	Label	<none>	
N	Valid		2030
	Missing		8286

**AGESEXCALC1**

		Value	Count	Percent
Standard Attributes	Label	Age at first sex WRA 15-24 (dissaggregated)		
Valid Values	.00		1282	12.4%
	6.00		2	.0%
	9.00		1	.0%
	12.00		1	.0%
	13.00		10	.1%
	14.00		21	.2%
	15.00		59	.6%
	16.00		89	.9%
	17.00		126	1.2%
	18.00		133	1.3%
	19.00		115	1.1%
	20.00		87	.8%
	21.00		52	.5%
	22.00		40	.4%
	23.00		8	.1%
	24.00		3	.0%
	88.00		1	.0%
Missing Values	System		8286	80.3%

**agesexcalc**

		Value	Count	Percent
Standard Attributes	Label	Age at first sex WRA 15-24		
Valid Values	.00	Never Had Intercourse	0	.0%
	1.00	<15	35	.3%
	2.00	15-17	274	2.7%
	3.00	18-19	248	2.4%
	4.00	20-24	190	1.8%
	88.00	Do not Remember	1	.0%
Missing Values	System		9568	92.7%

**gynex**

		Value	Count	Percent
Standard Attributes	Label	Last routine gynecologic exam		
Valid Values	.00	Never	8803	85.3%
	1.00	Last Yr	822	8.0%
	2.00	1-3Yr	431	4.2%
	4.00	3+Yr	260	2.5%

**resgyn**

		Value	Count	Percent
Standard Attributes	Label	Reason for never had a routine gynecologic exam		
Valid Values	1.00	No need	1409	13.7%
	2.00	Healthy	1620	15.7%
	4.00	Neglected	138	1.3%
	11.00	Dislike	121	1.2%
	12.00	Never thought	0	.0%
	15.00	Never had sexual intercourse	858	8.3%
	20.00	Other	33	.3%
	88.00	Dk/Nr	5	.0%
Missing Values	System		6132	59.4%

**respap**

		Value	Count	Percent
Standard Attributes	Label	Reason for never had a Pap test		
Valid Values	1.00	Lack	3386	32.8%
	2.00	Doctor	500	4.8%
	4.00	No need	1017	9.9%
	6.00	Neglected	129	1.3%
	10.00	No sex act	439	4.3%
	99.00	Other	37	.4%
Missing Values	System		4808	46.6%

**lastpap**

		Value	Count	Percent
Standard Attributes	Label	Last Pap test		
Valid Values	.00	Never	10127	98.2%
	1.00	Last Year	100	1.0%
	3.00	1-3Yr	65	.6%
	4.00	>3 Yr	24	.2%

**knowhiv**

		Value	Count	Percent
Standard Attributes	Label	Knowledge of HIV/AIDS		
Valid Values	1.00	Yes	5509	53.4%
	2.00	No	188	1.8%
	8.00	Dk/Dr	0	.0%
Missing Values	System		4619	44.8%

**knowtest**

		Value	Count	Percent
Standard Attributes	Label	Knowledge of HIV test location for ALL women		
Valid Values	1.00	Yes	1247	12.1%
	2.00	No	4450	43.1%
	8.00	Dk/Dr	0	.0%
Missing Values	System		4619	44.8%

**asym**

		Value	Count	Percent
Standard Attributes	Label	Belief that HIV can be asymptomatic for ALL women		
Valid Values	1.00	Yes	3348	32.5%
	2.00	No	805	7.8%
	8.00	Dk/Dr	1544	15.0%
Missing Values	System		4619	44.8%

**syphdiag**

		Value	Count	Percent
Standard Attributes	Label	Diagnosis for Syphilis AMONG ALL WOMEN		
Valid Values	1.00	Yes	0	.0%
	2.00	No	5697	55.2%
	8.00	Dk/Dr	0	.0%
Missing Values	System		4619	44.8%

**gondiag**

		Value	Count	Percent
Standard Attributes	Label	Diagnosis for Gonorrhea AMONG ALL WOMEN		
Valid Values	1.00	Yes	0	.0%
	2.00	No	5697	55.2%
	8.00	Dk/Dr	0	.0%
Missing Values	System		4619	44.8%

**chlamdiag**

		Value	Count	Percent
Standard Attributes	Label	Diagnosis for Chlamydia AMONG ALL WOMEN		
Valid Values	1.00	Yes	2	.0%
	2.00	No	5695	55.2%
	8.00	Dk/Dr	0	.0%
Missing Values	System		4619	44.8%

**yeastdiag**

		Value	Count	Percent
Standard Attributes	Label	Diagnosis for Yeast Infection AMONG ALL WOMEN		
Valid Values	1.00	Yes	555	5.4%
	2.00	No	5142	49.8%
	8.00	Dk/Dr	0	.0%
Missing Values	System		4619	44.8%

**herpesdiag**

		Value	Count	Percent
Standard Attributes	Label	Diagnosis for genital Herpes AMONG ALL WOMEN		
Valid Values	1.00	Yes	5	.0%
	2.00	No	5692	55.2%
	8.00	Dk/Dr	0	.0%
Missing Values	System		4619	44.8%

**wartdiag**

		Value	Count	Percent
Standard Attributes	Label	Diagnosis for Genital Warts AMONG ALL WOMEN		
Valid Values	1.00	Yes	6	.1%
	2.00	No	5691	55.2%
	8.00	Dk/Dr	0	.0%
Missing Values	System		4619	44.8%

**trichdiag**

		Value	Count	Percent
Standard Attributes	Label	Diagnosis for Trichomoniasis AMONG ALL WOMEN		
Valid Values	1.00	Yes	7	.1%
	2.00	No	5690	55.2%
	8.00	Dk/Dr	0	.0%
Missing Values	System		4619	44.8%

**syphtreat**

		Value	Count	Percent
Standard Attributes	Label	Treatment for Syphilis AMONG ALL WOMEN		
Valid Values	1.00	Yes	0	.0%
	2.00	No	5697	55.2%
	8.00	Dk/Dr	0	.0%
Missing Values	System		4619	44.8%

**gontreat**

		Value	Count	Percent
Standard Attributes	Label	Treatment for Gonorrhea AMONG ALL WOMEN		
Valid Values	1.00	Yes	0	.0%
	2.00	No	5697	55.2%
	8.00	Dk/Dr	0	.0%
Missing Values	System		4619	44.8%

**chlamtreat**

		Value	Count	Percent
Standard Attributes	Label	Treatment for Chlamydia AMONG ALL WOMEN		
Valid Values	1.00	Yes	2	.0%
	2.00	No	5695	55.2%
	8.00	Dk/Dr	0	.0%
Missing Values	System		4619	44.8%

**yeasttreat**

		Value	Count	Percent
Standard Attributes	Label	Treatment for Yeast Infection AMONG ALL WOMEN		
Valid Values	1.00	Yes	552	5.4%
	2.00	No	5145	49.9%
	8.00	Dk/Dr	0	.0%
Missing Values	System		4619	44.8%

**herpestreat**

		Value	Count	Percent
Standard Attributes	Label	Treatment for genital Herpes AMONG ALL WOMEN		
Valid Values	1.00	Yes	5	.0%
	2.00	No	5692	55.2%
	8.00	Dk/Dr	0	.0%
Missing Values	System		4619	44.8%

**warttreat**

		Value	Count	Percent
Standard Attributes	Label	Treatment for Genital Warts AMONG ALL WOMEN		
Valid Values	1.00	Yes	6	.1%
	2.00	No	5691	55.2%
	8.00	Dk/Dr	0	.0%
Missing Values	System		4619	44.8%

**trichtreat**

		Value	Count	Percent
Standard Attributes	Label	Treatment for Trichomoniasis AMONG ALL WOMEN		
Valid Values	1.00	Yes	7	.1%
	2.00	No	5690	55.2%
	8.00	Dk/Dr	0	.0%
Missing Values	System		4619	44.8%

**evermarr**

		Value	Count	Percent
Standard Attributes	Label	Ever/never married		
Valid Values	1.00	Yes	4053	39.3%
	2.00	No	1644	15.9%
	8.00	Dk/Dr	0	.0%
Missing Values	System		4619	44.8%

**lifeverbal**

		Value	Count	Percent
Standard Attributes	Label	Verbal Abuse		
Valid Values	1.00	Yes	1242	12.0%
	2.00	No	2807	27.2%
	8.00	Dk/Dr	0	.0%
Missing Values	System		6267	60.8%

**lifephys**

		Value	Count	Percent
Standard Attributes	Label	Physical Abuse		
Valid Values	1.00	Yes	332	3.2%
	2.00	No	3717	36.0%
	8.00	Dk/Dr	0	.0%
Missing Values	System		6267	60.8%

**lifesexab**

		Value	Count	Percent
Standard Attributes	Label	Sexual Abuse		
Valid Values	1.00	Yes	119	1.2%
	2.00	No	3930	38.1%
	8.00	Dk/Dr	0	.0%
Missing Values	System		6267	60.8%

**yearverbal**

		Value	Count	Percent
Standard Attributes	Label	Verbal Abuse LY		
Valid Values	1.00	Yes	921	8.9%
	2.00	No	3128	30.3%
	8.00	Dk/Dr	0	.0%
Missing Values	System		6267	60.8%

**yearphys**

		Value	Count	Percent
Standard Attributes	Label	Physical Abuse LY		
Valid Values	1.00	Yes	186	1.8%
	2.00	No	3863	37.4%
	8.00	Dk/Dr	0	.0%
Missing Values	System		6267	60.8%



**yearsexab**

		Value	Count	Percent
Standard Attributes	Label	Sexual Abuse LY		
Valid Values	1.00	Yes	65	.6%
	2.00	No	3984	38.6%
	8.00	Dk/Dr	0	.0%
Missing Values	System		6267	60.8%

**witabuse**

		Value	Count	Percent
Standard Attributes	Label	Witnessed Abuse		
Valid Values	1.00	Yes	595	5.8%
	2.00	No	9710	94.1%
	8.00	Dk/Dr	0	.0%
Missing Values	System		11	.1%

**expabuse**

		Value	Count	Percent
Standard Attributes	Label	Experienced Abuse		
Valid Values	1.00	Yes	1471	14.3%
	2.00	No	8834	85.6%
	8.00	Dk/Dr	0	.0%
Missing Values	System		11	.1%

**insulted**

		Value	Count	Percent
Standard Attributes	Label	Insulted you, or swore at you		
Valid Values	.00	No	2820	27.3%
	1.00	Yes	1232	11.9%
Missing Values	System		6264	60.7%

**hurt**

		Value	Count	Percent
Standard Attributes	Label	Threatened to hurt you or someone you care about		
Valid Values	.00	No	3748	36.3%
	1.00	Yes	304	2.9%
Missing Values	System		6264	60.7%

**pushed**

		Value	Count	Percent
Standard Attributes	Label	Pushed you, Shook you, Shove you, or threw something at you		
Valid Values	.00	No	3875	37.6%
	1.00	Yes	177	1.7%
Missing Values	System		6264	60.7%

**slapped**

		Value	Count	Percent
Standard Attributes	Label	Slapped you or twisted your arm		
Valid Values	.00	No	3738	36.2%
	1.00	Yes	314	3.0%
Missing Values	System		6264	60.7%

**hit**

		Value	Count	Percent
Standard Attributes	Label	Hit you with his fist or with something else		
Valid Values	.00	No	3961	38.4%
	1.00	Yes	91	.9%
Missing Values	System		6264	60.7%

**weapon**

		Value	Count	Percent
Standard Attributes	Label	Threatened you with a knife or other weapon		
Valid Values	.00	No	4032	39.1%
	1.00	Yes	20	.2%
Missing Values	System		6264	60.7%

**kicked**

		Value	Count	Percent
Standard Attributes	Label	Kicked you, choke you or beat you up		
Valid Values	.00	No	3983	38.6%
	1.00	Yes	69	.7%
Missing Values	System		6264	60.7%

**sexforced**

		Value	Count	Percent
Standard Attributes	Label	Phisically forced you to have sexual relations		
Valid Values	.00	No	3933	38.1%
	1.00	Yes	119	1.2%
Missing Values	System		6264	60.7%

**numphys**

		Value	Count	Percent
Standard Attributes	Label	Physical Abuse		
Valid Values	.00		3700	35.9%
	1.00		135	1.3%
	2.00		106	1.0%
	3.00		44	.4%
	4.00		34	.3%
	5.00		23	.2%
	6.00		10	.1%
Missing Values	System		6264	60.7%

**numabus**

		Value	Count	Percent
Standard Attributes	Label	Number of abuses		
Valid Values	.00		2777	26.9%
	1.00		856	8.3%
	2.00		165	1.6%
	3.00		80	.8%
	4.00		75	.7%
	5.00		37	.4%
	6.00		29	.3%
	7.00		23	.2%
	8.00		10	.1%
Missing Values	System		6264	60.7%

**viover**

		Value	Count	Percent
Standard Attributes	Label	Verbal Abuse		
Valid Values	.00	No	2810	27.2%
	100.00	Yes	1242	12.0%
Missing Values	System		6264	60.7%

**viophys**

		Value	Count	Percent
Standard Attributes	Label	Physical Abuse		
Valid Values	.00	No	3720	36.1%
	100.00	Yes	332	3.2%
Missing Values	System		6264	60.7%

**viosex**

		Value	Count	Percent
Standard Attributes	Label	Sexual Abuse		
Valid Values	.00	No	3933	38.1%
	100.00	Yes	119	1.2%
Missing Values	System		6264	60.7%

**viophysm**

		Value	Count	Percent
Standard Attributes	Label	Physical Abuse(Moderate)		
Valid Values	.00	No	3723	36.1%
	100.00	Yes	329	3.2%
Missing Values	System		6264	60.7%

**viophyss**

		Value	Count	Percent
Standard Attributes	Label	Physical Abuse(Severe)		
Valid Values	.00	No	3946	38.3%
	100.00	Yes	106	1.0%
Missing Values	System		6264	60.7%

**insulted1**

		Value	Count	Percent
Standard Attributes	Label	Insulted you, or swore at you (last year)		
Valid Values	.00	No	3139	30.4%
	1.00	Yes	913	8.9%
Missing Values	System		6264	60.7%

**hurt1**

		Value	Count	Percent
Standard Attributes	Label	Threatened to hurt you or someone you care about(last year)		
Valid Values	.00	No	3840	37.2%
	1.00	Yes	212	2.1%
Missing Values	System		6264	60.7%

**pushed1**

		Value	Count	Percent
Standard Attributes	Label	Pushed you, Shook you, Shove you, or threw something at you(last year)		
Valid Values	.00	No	3951	38.3%
	1.00	Yes	101	1.0%
Missing Values	System		6264	60.7%

**slapped1**

		Value	Count	Percent
Standard Attributes	Label	Slapped you or twisted your arm(last year)		
Valid Values	.00	No	3880	37.6%
	1.00	Yes	172	1.7%
Missing Values	System		6264	60.7%

**hit1**

		Value	Count	Percent
Standard Attributes	Label	Hit you with his fist or with something else(last year)		
Valid Values	.00	No	4009	38.9%
	1.00	Yes	43	.4%
Missing Values	System		6264	60.7%

**weapon1**

		Value	Count	Percent
Standard Attributes	Label	Threatened you with a knife or other weapon(last year)		
Valid Values	.00	No	4044	39.2%
	1.00	Yes	8	.1%
Missing Values	System		6264	60.7%

**kicked1**

		Value	Count	Percent
Standard Attributes	Label	Kicked you, choke you or beat you up(last year)		
Valid Values	.00	No	4014	38.9%
	1.00	Yes	38	.4%
Missing Values	System		6264	60.7%

**sexforced1**

		Value	Count	Percent
Standard Attributes	Label	Phisically forced you to have sexual relations(last year)		
Valid Values	.00	No	3987	38.6%
	1.00	Yes	65	.6%
Missing Values	System		6264	60.7%

**numphys1**

		Value	Count	Percent
Standard Attributes	Label	Physical Abuse (Last Year)		
Valid Values	.00		3852	37.3%
	1.00		81	.8%
	2.00		63	.6%
	3.00		22	.2%
	4.00		19	.2%
	5.00		12	.1%
	6.00		3	.0%
Missing Values	System		6264	60.7%

**numabus1**

		Value	Count	Percent
Standard Attributes	Label	Number of abuses last year		
Valid Values	.00		3109	30.1%
	1.00		673	6.5%
	2.00		127	1.2%
	3.00		47	.5%
	4.00		46	.4%
	5.00		18	.2%
	6.00		17	.2%
	7.00		12	.1%
	8.00		3	.0%
Missing Values	System		6264	60.7%

**viover1**

		Value	Count	Percent
Standard Attributes	Label	Verbal Abuse (last year)		
Valid Values	.00	No	3131	30.4%
	100.00	Yes	921	8.9%
Missing Values	System		6264	60.7%

**viophys1**

		Value	Count	Percent
Standard Attributes	Label	Physical Abuse (last year)		
Valid Values	.00	No	3866	37.5%
	100.00	Yes	186	1.8%
Missing Values	System		6264	60.7%

**viosex1**

		Value	Count	Percent
Standard Attributes	Label	Sexual Abuse(last year)		
Valid Values	.00	No	3987	38.6%
	100.00	Yes	65	.6%
Missing Values	System		6264	60.7%

**v1**

		Value	Count	Percent
Standard Attributes	Label	Physical Abuse last year(Moderate)		
Valid Values	.00	No	3868	37.5%
	100.00	Yes	184	1.8%
Missing Values	System		6264	60.7%

**viophyss1**

		Value	Count	Percent
Standard Attributes	Label	Physical Abuse last year (Severe)		
Valid Values	.00	No	3998	38.8%
	100.00	Yes	54	.5%
Missing Values	System		6264	60.7%