

Report No. 427

Consumption of Tobacco in India, 1993-94

**5th quinquennial survey
of consumer expenditure**

**NSS 50th Round
July 1993 - June 1994**

**National Sample Survey Organisation
Department of Statistics
Government of India**

PREFACE

The National Sample Survey Organisation (NSSO) has been carrying out all-India surveys on household consumption since the 1950's. A quinquennial series of consumer expenditure surveys was begun in 1972-73. The survey conducted during the 50th round of NSS (July 1993 - June 1994) was part of this series. It used an all-India sample of 115354 households located in 6951 villages and 4650 urban blocks.

Eleven reports based on this survey have so far been released. Some deal with the variation of consumer expenditure over different sections of population, over states, and over commodities. Others focus on different household characteristics on which information was collected along with consumption data. They include level and pattern of consumer expenditure, consumption of some important commodities, nutritional intake of the population, characteristics of dwellings, energy used by households, sources of household income, differences in level of consumption among socio-economic groups, adequacy of food intake, IRDP assistance & participation in public works, use of durable goods in India, ownership of livestock and cultivation of cereals. The present report is the twelfth of the series.

This report studies tobacco consumption habits of the Indian population. Four forms of tobacco consumption were distinguished in the survey: smoking, chewing of tobacco, use of snuff, and use of burnt tobacco powder or paste. Such data were last released for the 43rd round survey of NSSO, which related to the year 1987-88. It may be noted that only data on prevalence of tobacco consumption habits are presented here, and not estimates of expenditure on tobacco. The latter may be found in NSS Report No.404: Consumption of Some Important Commodities in India, 1993-94.

The report presents estimates of proportions of persons of different sexes, ages, and social groups in rural and urban areas of each state and u.t. of India with a regular/casual habit of consuming tobacco in each of the four forms distinguished here.

The field work of the survey was done, as usual, by the Field Operations Division of the Organisation. The collected data were processed by the Data Processing Division of NSSO and tabulated by the Computer Centre of the Department of Statistics. The report has been prepared by the Survey Design and Research Division (SDRD) of the NSSO. I am thankful to the members of the Governing Council, Heads of various Divisions of the NSSO, the Executive Director, Computer Centre, and their colleagues for their contribution in preparing the report.

Comments/suggestions from the readers of the report will be most welcome.

New Delhi
Date: January 1998
Organisation

P.R. Dongre
Chief Executive Officer
National Sample Survey

Highlights

- In India, during 1993-94, regular consumption of tobacco in one form or another was reported by 43% of rural males and 28% of urban males aged 10 or more. Among the female population aged 10 or more the percentages were lower, 11% for rural areas and nearly 5% in urban areas.
- Smoking was the most common form of tobacco consumption among males (29% in rural areas and 20% in urban areas) in all major states except Bihar, Maharashtra and Orissa, where chewing of tobacco was more common.
- The lowest proportions of male smokers (aged 10 or more) were found in Punjab (10% rural, 15% urban), Bihar (12% rural, 8% urban) and Maharashtra (14% rural, 11% urban).
- Regular smokers formed only 2-3% of the female population aged (10+) in rural India and only 0.7% in urban India. But rural Andhra Pradesh had 7% smokers among females and rural Haryana, nearly 5%.
- Among females, chewing of tobacco (*zarda*, *dokta* etc.) was the most common form of tobacco consumption in most parts of the country; it was reported by 5.3% of the female population (aged 10+) in rural areas and 2.6% in urban areas.
- Among males, chewing of tobacco was reported by 15% of the rural population (aged 10+) and 8% of the urban population.
- Gender differentials in the proportion of tobacco chewers were much less pronounced than in case of smokers. In Kerala and Tamil Nadu, chewing of tobacco was, in fact, more widespread among females than among males. But in Bihar - the state with the highest proportion (34%) of male chewers of tobacco - the habit was largely a male preserve, with the prevalence rate among females less than one-tenth that among males.
- Users of snuff constituted less than 1% of the population in all states except Orissa and Gujarat. In rural Orissa, they formed 8% of the male population and 3-4% of the female population. In Gujarat, the habit was much more common among females (6-7% rural and 2-3% urban) than among males (less than 1%).
- Use of burnt tobacco powder or paste was most common in Orissa and rural Maharashtra. In both these states (and in three other major states), it was more common among the female population. 20% of the females in rural Orissa were regular users. In all

major states except Orissa, Maharashtra, Bihar and Madhya Pradesh, the incidence of the habit was under 4%.

- In rural Orissa, the proportion of females consuming tobacco in some form or other was 42%, nearly four times the national average. The proportion was 24% in rural Maharashtra and 12% or less in rural areas of all other major states.
- In urban Orissa also, the proportion of females consuming tobacco in some form or other (22%) was four times the national average.
- Among males, the prevalence of

smoking habits in general increased with age up to the age-group 45-49 and then declined. Among females the prevalence increased with age uninterruptedly, being highest for the highest age-group 60+. The same was true for tobacco consumption in general.

- Among different social groups, the Scheduled Tribes had the highest prevalence of tobacco consumption habit, followed by Scheduled Castes, and then the non-SC/ST population. The differentials between Scheduled Tribes and the rest were most striking for females, and less noticeable in the case of smoking than in case of other forms of tobacco consumption.
-
-

Contents

| | | |
|-----------|--|----|
| Chapter 1 | Introduction | 1 |
| Chapter 2 | Sample design and concepts & definitions | 3 |
| Chapter 3 | Summary of findings | 10 |

| | | |
|-----------------|---|------|
| Appendix | Detailed tables | |
| Table 1R | Number of persons aged 10 years and above reporting habit of consumption of tobacco in various forms per 1000 persons by sex and age-groups | A-1 |
| Table 1U | Number of persons aged 10 years and above reporting habit of consumption of tobacco in various forms per 1000 persons by sex and age-groups | A-18 |
| Table 2R | Number of persons aged 10 years and above reporting habit of consumption of tobacco in various forms either exclusively or combination per 1000 persons by sex and age-groups | A-35 |
| Table 2U | Number of persons aged 10 years and above reporting habit of consumption of tobacco in various forms either exclusively or combination per 1000 persons by sex and age-groups | A-49 |
| Table 3R | Number of persons reporting habit of consumption of tobacco in various forms per 1000 persons by sex and age-groups | A-62 |
| Table 3U | Number of persons reporting habit of consumption of tobacco in various forms per 1000 persons by sex and age-groups | A-95 |

Chapter 1

Introduction

1.0 The NSSO conducted its fifth quinquennial survey of household consumer expenditure in India during 1993-94. The survey was spread over the entire geographical area of the country. Interviews were conducted of 115354 households in 6951 villages and 4650 urban blocks. The present report is one of a series of reports based on the survey.

1.1 The report releases data on tobacco consumption habits of the Indian population as distinct from data on the quantity and value of tobacco consumption. Data on quantity and value of per capita tobacco consumption in India was released earlier through NSS Report no. 404: *Consumption of Some Important Commodities in India*.

1.2 Four forms of tobacco consumption were distinguished in the survey schedule: smoking; chewing of tobacco (*zarda*, *dokta*, etc.); use of snuff; and the use of burnt tobacco powder or paste. For each member of the households surveyed, it was ascertained from the informant (in nearly all cases a member of the household) whether the person had the habit of consuming tobacco in any of these forms, and if so, whether the habit was regular or casual.

1.3 Based on the data thus obtained, estimates were generated of proportions of persons of two sexes, ages and social groups with a regular/casual habit of tobacco consumption, separately for the four different forms of consumption, in rural and urban areas of each state and union territory of India.

1.4 Such data were last released for the 43rd round survey of NSS, which related to the year 1987-88.

Notes

1. **The National Sample Survey:** The NSS was set up in 1950, with the idea of having a permanent survey organisation to collect data on various facets of the economy through nationwide sample surveys in order to assist in socio-economic planning and policy-making. The NSS is a continuing survey in the sense that it is carried out in the form of successive "rounds", each round usually of a year's duration covering several topics of current interest in a specific survey period. At present each NSS round reaches, at the all-India level, about 12,000 to 14,000 villages and blocks in the Central sample (covered by the Central agency NSSO) and an independent sample of about 14,000 to 16,000 villages and blocks in the State sample (covered by the Governments of various states and union territories). The entire area of the country - rural and urban - is covered, with the exception of some interior areas of Nagaland and Andaman & Nicobar Islands, and Ladakh and Kargil districts of Jammu & Kashmir. In the 50th round, certain other districts of Jammu & Kashmir, viz. Doda, Anantnag, Pulwama, Srinagar, Badgam, Baramula and Kupwara, and Punjab's Amritsar district, had to be excluded from the survey due to unfavourable field conditions.

2. **Household consumer expenditure survey:** It was originally the practice to collect data on household consumer

expenditure in every round of NSS, starting from the very first round (1950-51). From 1972-73, according to a decision of the Governing Council of NSSO, the consumer expenditure survey became a quinquennial feature. It was also integrated with the employment and unemployment survey in the sense that a common sample of households was subjected to both the enquiries. An annual series of smaller-scale consumer expenditure surveys was again launched from the 42nd round (1986-87) to fill the data gaps

which planners and researchers had begun to feel. It is the larger-scale quinquennial surveys, however, which are expected to be most useful for the study of trends in the level of consumer expenditure and of the emergence of new spending patterns. The five quinquennial surveys of consumer expenditure have been those of the 27th, 32nd, 38th, 43rd and 50th rounds of NSS. They relate, respectively, to the years 1972-73, 1977-78, 1983, 1987-88 and 1993-94.

Chapter 2

Sample design and Concepts & Definitions

2.0 Sample Design: A stratified two-stage sampling design was adopted, with census villages as first stage units (fsu's) in the rural sector and Urban Frame Survey (UFS) blocks in the urban, except for a few newly declared towns of the 1991 census, for which UFS frames were not available, and census enumeration blocks (EB's) were used as first stage units. Households formed the second stage units in both rural and urban sectors.

2.1 The survey period of one year was divided into four **sub-rounds** of three months each and equal numbers of sample villages and blocks allotted to each sub-round.

| | | |
|--------|---|------------------|
| | 1 | July - Sept 1993 |
| sub- | 2 | Oct - Dec 1993 |
| rounds | 3 | Jan - Mar 1994 |
| | 4 | Apr - June 1994 |

2.2 Sampling frame for fsu's : In the rural sector, the sampling frame was provided sometimes by the 1981 census list of villages and sometimes by the 1991 census list of villages, depending on the sub-round (see para 2.1) and the state/union territory being surveyed, as follows.

2.2.1 In the following areas of rural India (hereafter referred to as **Group A areas**), the **1981** census lists of villages served as the sampling frame for **all 4 sub-rounds** :

Jammu & Kashmir - where the 1991 census was not conducted.

Agra district of U.P. and Durg, Sagar and Morena districts of M.P. - for which the available information for 1991 was incomplete.

2.2.2 In the following areas of rural India (hereafter referred to as **Group B areas**), the

1991 census lists of villages served as the sampling frame for **all 4 sub-rounds** :

Andhra Pradesh, Assam, Kerala, Orissa, West Bengal & Chandigarh.

U.P. and M.P. (excepting Group A areas).

2.2.3 In the remaining states/u.t.'s of rural India (hereafter referred to as **Group C areas**), the **1981** census lists of villages were used as sampling frame for **sub-round 1** and the **1991** census lists used for **sub-rounds 2 to 4** in order to make use of the latest available information in the sample selection process.

2.2.4 For Nagaland, the villages situated within 5 km of a bus route constituted the sampling frame. For the Andaman & Nicobar Islands, the villages which remain inaccessible throughout the year were, as usual, excluded from the sampling frame.

2.2.5 In the urban sector, the lists of NSS Urban Frame Survey (UFS) blocks were the sampling frames used in most cases. However, 1991 census house listing enumeration blocks were considered as the sampling units for some of the newly declared towns of the 1991 population census, for which UFS frames were not available.

2.3 Stratification: As usual, each state/union territory (u.t.) was divided into one or more agro-economic regions by grouping contiguous districts which are similar with respect to population density and crop pattern. In Gujarat, however, some districts

were sub-divided for the purpose of region formation on the basis of location of dry areas and the distribution of tribal population in the state. The total number of regions formed in the whole of India was 78.

2.3.1 In the rural sector, within each region, each district normally formed a separate stratum. However, if the census population of the district according to the sampling frame used exceeded 1.8 million / 2 million (depending on whether 1981 or 1991 census frame was used), the district was split into two or more strata by grouping contiguous tehsils. In Gujarat, however, in case of districts extending over more than one region, the portion of a district falling in each region constituted a separate stratum even if the rural population of the district as a whole was less than 1.8 million / 2 million.

2.3.2 In the urban sector, strata were formed, again within NSS regions, on the basis of town population. In order to be able to allocate a larger proportion of the sample to the affluent section of society and thus improve the precision of the overall estimate of consumer expenditure, the usual first-stage stratification procedure was modified as follows. Urban blocks in towns with census population 400,000 or more were placed in different strata depending on whether they belonged to the "affluent" area of the town or not - the information on affluent areas being supplied by the regional/sub-regional field offices of NSSO. Full details of urban stratification are given below.

| stratum | composition |
|---------|---|
| 1 | towns with population less than 50000 |
| 2 | towns with population 50000 - 199999 |
| 3 | towns with population 200000 - 399999 |
| 4 | towns with population 400000 - 999999 - affluent areas |

Sample design and concepts & definitions

| | |
|---|---|
| 5 | towns with population 400000 - 999999 - other areas |
| 6 | a single city (if any) with population 1 million or more : affluent areas |
| 7 | a single city (if any) with population 1 million or more : other areas |
| 8 | another city (if any) with population 1 million or more : affluent areas |
| 9 | another city (if any) with population 1 million or more : other areas |

2.4 Following usual NSS practice, the sample of villages and blocks in which the enquiry was carried out was drawn in the form of two independent **sub-samples**. Either of these sub-samples could be used to generate a valid set of estimates which might be regarded as the provisional results of the survey until such time as the final results, based on the entire sample, were available.

2.5 **Allocation of sample:** The first-stage sample size for any state/union territory of India was determined on the basis of its investigator strength and the expected workload per investigator. This sample was first allotted to the rural and urban sectors in consideration of the relative sizes of the rural and urban population with double weightage to the urban sector.

2.5.1 Within the **urban** sector of a state/u.t., allocation of the sample to the different urban strata was done in proportion to stratum population with double weightage to affluent strata - that is, strata 4, 6 & 8 (see para 2.3.2). Stratum level allocations were adjusted to multiples of 8 as far as possible so as to have equal allocations for each sub-sample-sub-round combination.

2.5.2 Within the **rural** sector of a state/u.t., allocation of the sample to the different rural strata was done as follows.

2.5.3 For Group B areas (see para 2.2), the state/u.t. level rural sample was allocated to

the different rural strata in proportion to 1991 census population. For other areas (Group A and Group C), allocation was initially made on the basis of 1981 census population. Stratum level allocations were adjusted to multiples of 8 as far as possible so as to have equal allocations for each sub-sample-sub-round combination.

2.5.4 However, for Group C areas, the original allocations for sub-rounds 2 to 4 were revised as follows. The total state/u.t. level allocation for sub-rounds 2 to 4 combined - 75% of the total as 25% had gone to sub-round 1 - was re-allocated to the rural strata in proportion to stratum population as per **1991** census. Stratum level allocations were adjusted to multiples of 6 as far as possible so as to have equal allocations for the remaining sub-sample-sub-round combinations.

2.6 Selection of fsu's : Sample villages - except in Arunachal Pradesh - were selected by PPS circular systematic sampling (with population as the size variable) from the appropriate sampling frame as explained in para 2.2, in the form of two independent **sub-samples**. Sample blocks were selected by ordinary (equal probability) circular systematic sampling, also in the form of two independent sub-samples.

2.6.1 In Arunachal Pradesh the sample of villages was drawn by a cluster sampling procedure. The field staff were supplied with a list of sample "nucleus" villages and were advised to select clusters of villages - building up each cluster around a nucleus village - according to prescribed guidelines. The nucleus villages were selected circular systematically with equal probability, in the form of two independent sub-samples.

2.7 Selection of hamlet-groups/sub-blocks : To reduce workload the following procedure was adopted in drawing up the second- stage

Sample design and concepts & definitions

sampling frame. Larger sample villages and blocks were divided - according to usual NSS practice - into a suitable number of "hamlet-groups"/"sub-blocks" of roughly equal population content : the second-stage sampling frame was constituted of the households belonging to only two of these hamlet-groups, selected circular systematically, in case of sample villages, and

one randomly selected sub-block in case of sample blocks (instead of the whole village/block). No hamlet- group formation was, however, done in Arunachal Pradesh. In Kerala, practical difficulties arose in hamlet-group formation during sub-round 1. These were resolved by selecting, instead of two hamlet-groups, two EB's from the constituent EB's of large villages.

2.8 Selection of households : The affluent classes of society have expenditure levels spread over a very wide section of the consumer expenditure range. As a result, the contribution of these classes to the sampling error of a consumer expenditure survey is large compared to that of an equal-sized chunk of population belonging to the more homogeneous "middle classes" (say). To improve the efficiency of consumer expenditure estimates, it was decided that the second-stage sampling frames ought to be stratified in such a way as to be able to allocate a larger proportion of the sample to the affluent sections of the population wherever they could be located.

2.8.1 Rural : In sample villages, households in the second-stage sampling frame were divided into two strata as follows. Households - if any - exhibiting signs of affluence such as the possession of any of a specified list of assets including land in excess of a certain specified area, or a member holding a good salaried job or belonging to a paying profession such as that of a doctor or advocate, were designated

"affluent households" and the top 10 such households (subject to availability) placed in stratum 1. The remaining households formed second-stage stratum 2. **Two** households were selected circular systematically from second-stage stratum 1. From second-stage stratum 2, **eight** households were selected circular systematically after arranging the households in the stratum by "means of livelihood" ; this meant that households

"self-employed in agriculture" were placed first, followed by "rural labour" households, and then the "others". Further, the households under "others" were arranged in five different land-possessed classes to ensure spread of the sample over households of different economic statuses.

2.8.2 Urban : In sample blocks, households with monthly per capita consumer expenditure (as reported at the time of household listing) Rs 1200 or more (Rs 1500 or more in towns with population one million and above) were placed in second-stage stratum 1 and the rest in second-stage stratum 2. In sample blocks belonging to first-stage strata 4,6 & 8 (affluent areas of towns with population 4 lakhs or more), as many as **four** sample households were selected for survey from second-stage stratum 1 and **six** from second-stage stratum 2. In all strata other than those numbered 4,6 & 8, **two** sample households were selected from second-stage stratum 1 and **eight** from second-stage stratum 2. In each case the sample of households, for each second-stage stratum, was drawn circular systematically with a random start. The households in second-stage stratum 2 were, prior to sample selection, placed in eight different groups and the different groups of households placed one after another in a specified order to ensure spread of the sample over the different groups. The grouping was done on considerations of means of livelihood (self-employed / regular wage or salary

earning / casual labour / others) and household monthly per capita consumer expenditure.

2.9 Sample size : The survey covered, in all, 115354 households spread over 11601 sample villages/blocks. The number of sample villages and blocks allotted and surveyed, and the number of sample households and persons surveyed, are given for different state/u.t.'s and all-India in Table T0, separately for rural and urban sectors.

2.10 Estimation Procedure

2.10.1 Estimation of aggregates at sub-sample level : Aggregates are first estimated at sub-sample level according to the following estimation formulae, where \bar{y} denotes the estimate - based on one sub-sample - of the aggregate of a given characteristic Y for a sector of a state/u.t.

For the rural sector of a state/u.t. other than Arunachal Pradesh,

$$\bar{y} = \sum_s \frac{1}{n_s} \sum_i \frac{P_{si} D_{si}^*}{p_{si}} \sum_{t=1}^2 \frac{H_{sit}}{h_{sit}} \sum_{j=1}^{h_{sit}} y_{sitj}$$

For the rural sector of Arunachal Pradesh,

$$\bar{y} = \sum_s \frac{1}{n_s} \sum_{i=1}^{n_s} N_{si} \sum_{t=1}^2 \frac{H_{sit}}{h_{sit}} \sum_{j=1}^{h_{sit}} y_{sitj}$$

For the urban sector of a state/u.t.,

$$\bar{y} = \sum_s \frac{N_s}{n_s} \sum_{i=1}^{n_s} D_{si} \sum_{t=1}^2 \frac{H_{sit}}{h_{sit}} \sum_{j=1}^{h_{sit}} y_{sitj}$$

where

- y : observed value of the same characteristic in a sample household
- s : stratum suffix
- t : second-stage stratum suffix

- i : sample village/block suffix
- j : sample household suffix
- D : number of hamlet-groups/sub-blocks formed in the surveyed village/block
- H : number of households listed in the second-stage sampling frame
- h : number of sample households surveyed

- p : population of sample village as in the sampling frame
- N : for the urban sector, number of blocks in the sampling frame
- n : number of sample villages/blocks surveyed in this sub-sample
- Psi : population of the s-th stratum as per frame used in the selection of i-th sample village of the stratum
- Nsi : for Arunachal Pradesh, number of sample villages in the sampling frame for s-th stratum which was used in selection of i-th sample village of the stratum
- D* : equals 1, if D = 1
equals D/2 if D > 1

2.10.2 Estimation of aggregates for the combined sample (pooling sub-samples) :

The combined sample estimate of an aggregate is obtained as the simple average of the corresponding sub-sample estimates.

2.10.3 **Estimates of ratios** : The estimate of a ratio of the form $R = Y/X$, where Y and X are the population aggregates of two characters, is obtained as

$$\bar{R} = \frac{\bar{Y}}{\bar{X}}$$

where \bar{Y} and \bar{X} are estimates of Y and X obtained according to the procedure laid down in paras 2.10.1 and 2.10.2. Examples of ratio estimates are rates and percentages.

Table T0: Number of villages/blocks allotted and surveyed and number of sample households and persons surveyed

| state/u.t. | number of | | | | number of surveyed | | | |
|-------------------|-----------|----------|----------|----------|--------------------|-------|---------|--------|
| | villages | | blocks | | households | | persons | |
| | allotted | surveyed | allotted | surveyed | rural | urban | rural | urban |
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
| Andhra Pradesh | 496 | 492 | 368 | 365 | 4908 | 3644 | 21408 | 15912 |
| Arunachal Pradesh | *120 | 120 | 24 | 24 | 1065 | 239 | 5135 | 838 |
| Assam | 344 | 320 | 88 | 88 | 3199 | 880 | 16714 | 3789 |
| Bihar | 704 | 699 | 216 | 216 | 6979 | 2155 | 36567 | 10599 |
| Goa | 16 | 15 | 24 | 22 | 146 | 213 | 644 | 847 |
| Gujarat | 224 | 223 | 240 | 238 | 2219 | 2372 | 11846 | 10953 |
| Haryana | 104 | 104 | 72 | 70 | 1040 | 697 | 6119 | 3123 |
| Himachal Pradesh | 192 | 189 | 40 | 40 | 1875 | 400 | 811 | 1472 |
| J & K | 264 | 82 | 168 | 53 | 820 | 528 | 4624 | 2549 |
| Karnataka | 264 | 263 | 248 | 247 | 2617 | 2469 | 14172 | 11497 |
| Kerala | 256 | 256 | 184 | 183 | 2555 | 1830 | 11832 | 8181 |
| M.P. | 544 | 533 | 328 | 325 | 5313 | 3233 | 28789 | 15904 |
| Maharashtra | 448 | 445 | 560 | 557 | 4440 | 5528 | 22076 | 24244 |
| Manipur | 104 | 100 | 72 | 70 | 1000 | 699 | 5465 | 3699 |
| Meghalaya | 112 | 112 | 48 | 48 | 1117 | 478 | 5076 | 1890 |
| Mizoram | 48 | 47 | 96 | 96 | 470 | 957 | 2350 | 4365 |
| Nagaland | 48 | 46 | 24 | 24 | 460 | 240 | 2532 | 1172 |
| Orissa | 336 | 335 | 104 | 104 | 3338 | 1037 | 16670 | 4533 |
| Punjab | 224 | 205 | 200 | 196 | 2046 | 1947 | 11144 | 8765 |
| Rajasthan | 312 | 312 | 184 | 184 | 3097 | 1799 | 16851 | 8447 |
| Sikkim | 48 | 48 | 16 | 16 | 480 | 160 | 2064 | 571 |
| Tamil Nadu | 392 | 391 | 408 | 407 | 3901 | 4042 | 16242 | 16373 |
| Tripura | 176 | 153 | 56 | 56 | 1530 | 560 | 6972 | 2321 |
| U.P. | 904 | 902 | 448 | 448 | 9010 | 4451 | 52161 | 23111 |
| West Bengal | 448 | 448 | 336 | 335 | 4480 | 3338 | 23473 | 13517 |
| A. & N. Is. | 56 | 50 | 40 | 40 | 500 | 399 | 2656 | 1505 |
| Chandigarh | 8 | 8 | 16 | 15 | 80 | 150 | 337 | 537 |
| D. & N. Haveli | 24 | 24 | 8 | 8 | 240 | 78 | 1201 | 334 |
| Daman & Diu | 8 | 8 | 8 | 8 | 80 | 80 | 398 | 347 |
| Delhi | 8 | 7 | 112 | 111 | 61 | 985 | 244 | 4046 |
| Lakshadweep | 8 | 7 | 24 | 24 | 70 | 240 | 391 | 1342 |
| Pondicherry | 8 | 7 | 32 | 32 | 70 | 320 | 325 | 1465 |
| all-India | 7248 | 6951 | 4792 | 4650 | 69206 | 46148 | 356289 | 208248 |

* 26 nucleus villages

3.1 Household : A group of persons normally living together and taking food from a common kitchen constitutes a household. The word "normally" means that temporary visitors are excluded but temporary stay-aways are included. Thus a son or daughter residing in a hostel for studies is excluded from the household of his/her parents, but a resident employee or resident domestic servant or paying guest (but not just a tenant in the house) is included in the employer/host's household. "Living together" is usually given more importance than "sharing food from a common kitchen" in drawing the boundaries of a household in case the two criteria are in conflict; however, in the special case of a person taking food with his family but sleeping elsewhere (say in a shop or a different house) due to space shortage, the household formed by such a

person's family members is taken to include the person also. Each inmate of a mess, hotel, boarding and lodging house, hostel, etc. is considered as a single-member household except that a family living in a hotel (say) is considered as one household only; the same applies to residential staff of such establishments.

3.6 Major states: This refers to the following states of India: Andhra Pradesh, Assam, Bihar, Gujarat, Haryana, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Orissa, Punjab, Rajasthan, Tamil Nadu, Uttar Pradesh and West Bengal.

3.7 Household size: The size of a household is the total number of persons in the household.

Chapter 3

Summary of findings

3.0.1 The survey findings are discussed, in the following order: 1. Changes in tobacco consumption practices since 1987-88. 2. Form of tobacco consumption: differences between sexes, states, and rural and urban areas. 3. Incidence of specific tobacco consumption practices (smoking, chewing of tobacco, use of snuff, and use of burnt tobacco): differences between sexes, states, rural and urban areas, and social groups. 4. Incidence of consumption of tobacco in any form: differences between sexes, age-groups, states, rural and urban areas, and social groups. 5. Consumption of tobacco in more than one form: differences

between sexes, states, and rural and urban areas.

3.1 Change over time

3.1.1 Statement 1 gives all-India percentages of persons reporting each of the four tobacco consumption practices by sex and its frequency (regular/casual), separately for rural and urban areas of the country, as obtained for two years 1987-88 (43rd round of NSS) and 1993-94. *For comparison with the 43rd round estimates, the 50th round estimates given in Statement 1 are calculated, as in the 43rd*

Statement 1 : Percentage distribution of persons reporting consumption of tobacco in various forms by sex and NSS rounds at the national level

India : Rural & Urban

| form of consumption | regularity | NSS rounds | | | | | | | |
|-------------------------------|------------|----------------------|--------|-------|--------|----------------------|--------|-------|--------|
| | | 43rd round (1987-88) | | | | 50th round (1993-94) | | | |
| | | rural | | urban | | rural | | urban | |
| | | male | female | male | female | male | female | male | female |
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| smoking | regularly | 23.6 | 2.2 | 18.2 | 0.7 | 21.7 | 1.7 | 15.8 | 0.5 |
| | casually | 1.6 | 0.3 | 1.5 | 0.1 | 1.6 | 0.2 | 1.4 | 0.1 |
| chewing Zarda Dokta etc. | regularly | 11.7 | 5.0 | 6.3 | 2.9 | 11.2 | 3.9 | 6.3 | 2.0 |
| | casually | 1.3 | 0.6 | 1.0 | 0.4 | 1.4 | 0.5 | 0.9 | 0.3 |
| snuff | regularly | 0.7 | 0.8 | 0.4 | 0.5 | 0.5 | 0.6 | 0.3 | 0.3 |
| | casually | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| burnt tobacco/powder/paste | regularly | 2.7 | 3.1 | 1.4 | 1.6 | 2.7 | 2.5 | 1.2 | 1.0 |
| | casually | 0.3 | 0.2 | 0.2 | 0.1 | 0.3 | 0.1 | 0.1 | 0.1 |
| consuming tobacco in any form | regularly | 33.7 | 10.3 | 23.9 | 5.3 | 31.9 | 8.1 | 21.6 | 3.7 |
| | casually | 1.6 | 0.8 | 1.8 | 0.6 | 1.7 | 0.7 | 1.6 | 0.3 |

round survey, as estimated number of those reporting the practice as a proportion of total estimated population. This distinguishes them from the estimates shown in Statements 2 to 4 below (on which most of the discussion in Sections 3.2 to 3.8 are based), which are restricted to the population aged 10 and above, and are therefore somewhat higher than the figures in Statement 1.

3.1.2 Declining trend. Regular use of tobacco, in each of the four forms, appears to have declined for all four population groups: rural males, rural females, urban males and urban females, over the period 1987-88 to 1993-94. The decline in the proportion of persons regularly consuming tobacco in any form is sharper for females than for males. It may be noted that proportion of females chewing *zarda*, *dokta*, etc. has dropped from its 1987-88 level of 5% and 3% in rural and urban areas by as much as 1 percentage point in both sectors. Among males, prevalence of the most important form of tobacco consumption - smoking - has declined since 1987-88 by about 2 percentage points in rural areas to 21.7% in 1993-94 and by 2.4 percentage points in urban areas to 15.8% in 1993-94.

3.1.3 Statements 2R and 2U give per 1000 numbers of males and females aged 10 or more reporting specific forms of tobacco consumption (both regular and casual) in each of the 15 major states of India, in 1993-94.

3.1.4 In the Appendix, detailed results, with estimates presented not only by sex but also for five different age-groups, are available for all states and u.t.s of India (Tables 1R and 1U).

3.2 Form of tobacco consumption

ALL-INDIA

3.2.1 Among **males** aged 10 or more, smoking remained by far the most common form of tobacco consumption, with 293 regular smokers per 1000 of rural population and 202 per 1000 of urban population of the country. Chewing of *zarda*, *dokta*, etc., was a regular practice of 151 per 1000 of rural males and 80 per 1000 of urban males. 35 per 1000 rural males and 15 per 1000 urban males regularly used burnt tobacco powder or paste. Finally, regular snuff-users formed 7 per 1000 of rural males and 4 per 1000 of urban males.

3.2.2 Consumption of tobacco in one form or another was a regular practice of 430 per 1000 of the rural male population and of 277 per 1000 of the urban male population aged 10 or more.

3.2.3 In contrast to the consumption pattern for males, chewing of *zarda*, *dokta*, etc. was the more common form of tobacco consumption among **females** in most parts of the country. In India as a whole, 53 per 1000 of rural females (aged 10 or more) and 26 per 1000 of urban females reported the practice in 1993-94. Next in importance, at the all-India level, was use of burnt tobacco powder or paste which was reported by 33 per 1000 of rural females and 13 per 1000 of urban females. However, as will be seen below, smoking was the most common form of tobacco consumption among the female population of several states. Regular

smokers formed 23 per 1000 of the "10+" female population in rural India and 7 per 1000 in urban India, while regular snuff-users among females, just as among males, formed 7 per 1000 of all-India rural population and 4 per 1000 of urban population.

3.2.4 Consumption of tobacco in some form or other was a regular practice of 109 per 1000 of rural females and 47 per 1000 of urban females aged 10 or more.

3.2.5 **Casual use:** Proportion of population reporting casual use of tobacco was in all cases a small fraction of those reporting a regular consumption. The "regulars" formed about 85-95% of all users. The proportion of regulars was noticeably lower for females than for males in case of smoking.

INTER-STATE VARIATION

3.2.6 **Males:** In Bihar, in contrast to the all-India pattern, regular chewers of *zarda* or *dokta* far outnumbered regular smokers, the ratio of the former to the latter being about 2.8 in rural areas and 2.4 in urban areas. In Maharashtra, chewing of tobacco was more common than smoking among urban males and twice as prevalent as smoking among rural males. In Orissa, too, chewing of tobacco was more common than smoking among the rural male population. In the remaining major states, smokers outnumbered chewers of tobacco among rural as well as urban males.

3.2.7 In rural Haryana use of burnt tobacco powder or paste was the second most important form of regular tobacco consumption (31 per 1000) among males, after smoking.

3.2.8 **Females:** Smoking, and not chewing of tobacco, was the most common form of tobacco consumption among the female population in some of the major states, notably Andhra Pradesh (rural: 69, and urban: 15 per 1000), Haryana (rural: 47, and urban: 10 per 1000), and Rajasthan (rural: 35, and urban: 16 per 1000). In many states such as Andhra Pradesh, Assam, Bihar, and U.P., smoking, and not use of burnt tobacco, came next in order of importance after chewing of tobacco for the female population in both rural and urban areas.

3.2.9 In Gujarat, taking of snuff was by far the most widespread form of tobacco consumption among the female population (rural : 64 and urban : 26 per 1000). This was not observed in any other major state.

3.2.10 The findings of the survey regarding each of the four different forms of tobacco consumption will now be discussed separately.

3.3 Smoking

INTER-STATE VARIATION

3.3.1 Regular smokers formed more than 40% of the "10+" **male** population in rural areas of Haryana and West Bengal (43%), Rajasthan (42%) and Andhra Pradesh (41%). In rural areas the lowest proportions of male smokers were found in Punjab (10%), Bihar (12%) and Maharashtra (14%), among the major states.

3.3.2 In urban areas the highest incidence of smoking among **males** was reported by West Bengal and Haryana (30%) and the

lowest by Bihar (8%) and Maharashtra (11%), among the major states.

3.3.3 Rural areas of Andhra Pradesh had the highest proportion (7%) of regular **female** smokers aged 10 and above, followed by Haryana (5%) and Rajasthan and U.P (11%) among the major states.

3.3.4 In urban areas the proportion of **female** smokers exceeded 1% only in Andhra Pradesh and Rajasthan (15-16%). For both rural and urban areas, the proportion of female smokers was lowest in Punjab (0.1%).

MALE-FEMALE DIFFERENCES

3.3.5 **All-India:** The incidence of regular smoking among females (23 per 1000 in rural India and 7 per 1000 in urban India) was, as usual, everywhere very low compared to that among males. The relative divergence between male and female rates was greater in urban areas, where the male rate (202 per 1000) was about 29 times as high as the female rate, compared to about 13 times in rural areas.

3.3.6 **Inter-state variation:** In rural Andhra Pradesh, the incidence of regular smoking among females was 69 per 1000, which means the incidence among males (413 per 1000) was only 6 times that among females. The male-female differential was also relatively low in rural areas of Bihar, (120 for males and 24 for females), and of Haryana, Rajasthan and Uttar Pradesh. Differentials between males

and females were widest in Punjab and also wide in Karnataka and Tamil Nadu.

RURAL-URBAN DIFFERENCES

3.3.7 **All-India:** The incidence of smoking among females in rural areas (23 per 1000) was three times that in urban areas. For males the incidence in rural areas was only one and a half times that in urban areas.

3.3.8 **Inter-state variation:** Punjab is seen to be only major state where smoking is more an urban than a rural phenomenon, the rate of prevalence among males being 154 per 1000 in urban areas and only 96 per 1000 in rural areas. In Orissa, the urban and rural rates were found to be equal among males (225-226 per 1000). In all other major states the incidence of smoking both among males and females is higher (or, at least, not lower) in rural areas than in urban areas. Apart from Orissa, rural-urban differentials are low in Tamil Nadu (194, rural males and 190, urban males) and in Kerala and Maharashtra.

VARIATION WITH AGE

3.3.9 Appendix tables 1R and 1U show age-specific rates of incidence of regular smoking and of consumption of tobacco in any form for males and females in each state, u.t. and all-India. Five age-groups are considered : 10-14, 15-24, 25-44, 45-59 and >59. For comparison of age-specific rates of incidence of (regular) consumption of tobacco in various forms

Statement 5: Number of persons reporting consumption of tobacco in various forms per 1000 persons by sex and age-group

all-India

| form of tobacco consumption | age (in years) | | | | | | | | | | | |
|------------------------------------|----------------|-----|-------|-----|-------|-----|-------|-----|------|------|-------|--------------|
| | 10-14* | | 15-24 | | 25-44 | | 45-59 | | 60+ | | all** | |
| | M | F | M | F | M | F | M | F | M | F | M | F |
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) |
| NSS 50th round (1993 - 94) | | | | | | | | | | | | rural |
| smoking | 5 | 1 | 120 | 7 | 434 | 25 | 498 | 46 | 398 | 48 | 293 | 23 |
| chewing zarda, dokta etc. | 4 | 3 | 66 | 16 | 205 | 59 | 259 | 103 | 264 | 107 | 151 | 53 |
| snuff | 0 | 0 | 04 | 3 | 7 | 7 | 12 | 16 | 13 | 19 | 7 | 7 |
| burnt tobacco powder /paste | 4 | 5 | 18 | 20 | 44 | 39 | 60 | 55 | 68 | 52 | 35 | 33 |
| consumption of tobacco in any form | 13 | 9 | 191 | 46 | 613 | 122 | 723 | 204 | 650 | 212 | 430 | 109 |
| | | | | | | | | | | | | urban |
| smoking | 1 | 0 | 55 | 2 | 305 | 5 | 381 | 18 | 266 | 18 | 202 | 7 |
| chewing zarda, dokta etc. | 1 | 0 | 31 | 4 | 114 | 26 | 141 | 66 | 133 | 72 | 80 | 26 |
| snuff | 0 | 0 | 1 | 1 | 3 | 3 | 9 | 8 | 14 | 19 | 4 | 4 |
| burnt tobacco powder /paste | 2 | 1 | 6 | 6 | 19 | 14 | 28 | 29 | 25 | 28 | 15 | 13 |
| consumption of tobacco in any form | 4 | 2 | 87 | 12 | 407 | 45 | 509 | 114 | 395 | 130 | 277 | 47 |
| NSS 43rd round (1987 - 88) | | | | | | | | | | | | rural |
| smoking | 5 | 1 | 165 | 14 | 487 | 33 | 538 | 61 | 427 | 57 | 236 | 22 |
| chewing zarda, dokta etc. | 3 | 3 | 75 | 23 | 214 | 78 | 291 | 139 | 289 | 140 | 117 | 50 |
| snuff | 1 | 0 | 4 | 3 | 12 | 10 | 17 | 24 | 18 | 31 | 7 | 8 |
| burnt tobacco powder /paste | 7 | 8 | 29 | 32 | 41 | 47 | 53 | 58 | 47 | 49 | 27 | 31 |
| consumption of tobacco in any form | 14 | 12 | 247 | 68 | 661 | 155 | 767 | 260 | 676 | 256 | 387 | 103 |
| | | | | | | | | | | | | urban |
| smoking | 2 | 0 | 85 | 3 | 363 | 9 | 422 | 24 | 317 | 25 | 182 | 7 |
| chewing zarda, dokta etc. | 1 | 1 | 29 | 7 | 115 | 36 | 161 | 98 | 139 | 108 | 63 | 29 |
| snuff | 0 | 0 | 1 | 1 | 4 | 6 | 13 | 14 | 20 | 16 | 4 | 5 |
| burnt tobacco powder /paste | 3 | 4 | 12 | 16 | 22 | 25 | 32 | 31 | 20 | 26 | 14 | 16 |
| consumption of tobacco in any form | 6 | 5 | 118 | 28 | 459 | 69 | 562 | 154 | 450 | 165 | 239 | 53 |

* NSS 43rd round figures include persons aged 0-9 also.

M - male

** NSS 50th round figures exclude persons aged 0-9.

F - female

between 1987-88 and 1993-94, Statement 5 may be seen. The rate decreased over the period for all the age-groups for both males and females.

Males

3.3.10 At the all-India level the incidence of smoking among males rises with each successive age-group starting from 10-14 up to the age-group 45-59, which shows the highest rate of incidence (nearly 50%), after which the proportion of smokers declines with increase in age. This pattern of variation with age is exhibited by every major state except Punjab, where the highest proportion of smokers is found in the age-group 25-44.

Females

3.3.11 In contrast to the situation prevailing for males, the all-India proportion of regular smokers among females rises with each successive age-group up to the last age-group 60+, though it shows a tendency to flatten out in the uppermost range. Although a few states such as West Bengal and Orissa do not conform to this pattern, most states do, including those with the highest proportions of female smokers (Andhra Pradesh, Haryana, Rajasthan and U.P.).

VARIATION WITH SOCIAL GROUP

3.3.12 Three social groups - Scheduled Tribes, Scheduled Castes and Other Households - were compared in this survey. The results are given in detail in the Appendix (Table 3R and 3U) and presented in abridged form in Statements 5(i) to 5(v). *Incidence of tobacco consumption in these tables is measured as percentage to total population (not only those aged 10 or more), and the estimates are as a result somewhat lower than those shown in the other detailed tables and*

statements. However, they are adequate for the purpose of identifying differences in incidence of tobacco consumption practices among the three social groups.

3.3.13 Statement 5(i) shows that in both rural and urban areas, smoking was more prevalent among the Scheduled Castes and Tribes than among the non-SC/ST population. In urban areas the percentage of regular male smokers among ST and SC were nearly equal. In rural areas the percentage was higher among ST than among SC but the differential between ST and SC was less than that between the SC/ST and the non-SC/ST population. For females, in both rural and urban areas, the incidence of regular smoking was markedly higher among STs than among SCs, and again markedly higher among SCs than among non-SC/STs. It may be noted that many states did not conform to the all-India pattern. For instance, in rural Madhya Pradesh and Uttar Pradesh, smoking was more widespread among the non-SC/ST population than among STs. The incidence of regular smoking among SC males did, however, exceed that among non-SC/ST males in every major state.

3.4 Chewing of tobacco (zarda, dokta, etc.)

INTER-STATE VARIATION

3.4.1 **Males:** Bihar (34%) had the highest proportion of rural males aged 10+ reporting tobacco-chewing, followed by Maharashtra, Orissa and M.P. (25-27%) and U.P. (19%). The proportion was 5% or

less in 7 major states. The all-India average was 15%.

3.4.2 In urban areas, the all-India proportion of male tobacco-chewers was 8%. Bihar(20%) and Orissa (19%) had the highest rates of incidence among the major states. The rate was around 11-12% in 5 major states M.P. U.P., West Bengal, Maharashtra and Assam and less than 4% in 6 major states.

3.4.3 **Females:** By far the highest proportion of females chewing tobacco was found in Orissa (rural, 22%, and urban, 12%). Rural Maharashtra had 10% females chewing tobacco, while rural areas of West Bengal and M.P. had about 7%, and rural areas of Tamil Nadu, Kerala, Karnataka, U.P. and Assam, and urban West Bengal and Maharashtra, had around 4-5%. The all-India proportion was 5% for rural areas and 2.6% for urban areas.

MALE-FEMALE DIFFERENCES

3.4.4 At the all-India level chewing of tobacco was about three times more prevalent among males than among females in both rural and urban areas. But important regional variations were present. The incidence among females was slightly higher than that among males in Tamil Nadu and about one and a half times that among males in Kerala. In all other major states the habit was more common among males than females. Nevertheless, the male-female differential was relatively low in Orissa and in rural West Bengal. However, in Bihar - the state with the highest incidence among males - chewing of tobacco remained largely a male preserve, with the rate of incidence among

females less than one-tenth that among males.

RURAL-URBAN DIFFERENCES

3.4.5 The all-India proportion of those chewing zarda, dokta, etc. in rural areas was roughly double that in urban areas for both males (151 per 1000, rural, and 80 per 1000, urban) and females (53 per 1000, rural, and 26 per 1000, urban).

3.4.6 However, chewing of tobacco was more widespread in urban than in rural areas in a number of states, e.g. West Bengal (males), Rajasthan, Gujarat (males), Assam(males), and Haryana.

VARIATION WITH SOCIAL GROUP

3.4.7 **Males:** At the all-India level the percentage chewing tobacco regularly (Statement 5(iii)) was 16% for ST, 12% for SC and 10% for Others in rural areas, and 9-10% for ST, 8% for SC and 6% for Others in urban areas. *Note that these percentages relate to population of all ages and the figures for "all" are therefore lower than the percentages shown in Statements 2-4.*

3.4.8 **Females:** the proportion chewing tobacco was 8% for ST, 4% for SC and 3% for others in rural areas, and between 3 & 4% for ST and SC and 2% for Others in urban areas.

3.4.9 Thus, the percentages of persons, male and female, regularly chewing tobacco were highest among the ST population, and this was more noticeably so in rural areas.

3.5 Use of snuff

INTER-STATE VARIATION

3.5.1 The all-India proportion of regular snuff-users was 7 per 1000 in rural areas and 4 per 1000 in urban areas. However, the habit was even less prevalent than these figures suggest in all but a few states, of which Orissa and Gujarat are the unusually important ones. In rural Orissa, regular snuff-users constituted 77 per 1000 of the male population and 35 per 1000 of the female population. In Gujarat, the rate of incidence was 64 per 1000 for rural females and 26 per 1000 for urban females, but only 3-5 per 1000 for males; in other words, the habit was largely confined to the female population of the state. The proportion of snuff takers was around 1% among males in Tamil Nadu, rural West Bengal and urban Orissa, and females in rural Maharashtra and Haryana, and slightly under 1% in M.P. and among males of Assam. In all other major states the proportion was less than 0.5%.

MALE-FEMALE DIFFERENCES

3.5.2 As mentioned above, snuff-taking is seen to be largely a female habit in Gujarat. The same appears to be true for Rajasthan and rural Haryana. The habit is more common among females in rural Maharashtra, too. In most other major states, the habit appears to be more common among males.

RURAL-URBAN DIFFERENCES

3.5.3 Apart from West Bengal, where the snuff-taking habit clearly appears to be more widespread in urban areas than in rural, and perhaps Karnataka and Andhra Pradesh as well, other states showed greater rates of incidence in rural areas than urban.

VARIATION WITH SOCIAL GROUP

3.5.4 Statement 5(iii) shows that in rural areas the ST population had higher proportions of persons, male and female, taking snuff than the SC and non-SC/ST populations, and also that incidence of snuff-taking was markedly higher among ST females than among ST males. In urban areas, snuff-taking was more prevalent among females than among males for both ST and SC populations, and while incidence of snuff-taking among females was higher for SC/ST than "Others", the incidence among males was higher for "Others".

3.6 Use of burnt tobacco powder or paste

INTER-STATE AND MALE-FEMALE DIFFERENCES

3.6.1 The states where the use of burnt tobacco powder or paste was most widespread were Orissa and Maharashtra. In both these states the habit was more common among females than males. In Orissa nearly 20% of rural females and 11% of urban females had the habit; also 15% of rural males and 11% of urban males. In rural Maharashtra the incidence was 14% among females and 12% among males. In urban Maharashtra it was much less: 4% among females and 3% among males.

3.6.2 In Bihar, on the other hand, use of burnt tobacco was largely confined to the male population (6% in both rural and

urban areas). At the all-India level the proportions were more or less the same for males and females (3.3-3.5% for rural areas and 1.3-1.5% for urban areas). Apart from the three states mentioned above, the only state where the incidence was higher than the average for the country as a whole was Madhya Pradesh. In rural Tamil Nadu, the incidence of the habit was around 3.5%, the same as for India as a whole. In all other states, the incidence was below the all-India average.

3.6.3 In Andhra Pradesh, Maharashtra, and West Bengal, use of burnt tobacco was more common among females than males, just as in case of Orissa and Maharashtra.

RURAL-URBAN DIFFERENCES

3.6.4 The use of burnt tobacco powder or paste was more widespread in rural areas of the country than in urban areas. This was observed in all major states.

VARIATION WITH SOCIAL GROUP

3.6.5 Prevalence of use of burnt tobacco in rural areas was highest among the ST population, and slightly higher among SCs than Others (Statement 5(iv)). In urban areas, the differences between ST and the other two groups was even more noticeable.

3.7 Consumption of tobacco in any form

INTER-STATE VARIATION

3.7.1 **Males:** For India as a whole, 43% of rural males aged 10 or more reported

regular consumption of tobacco in some form or other. For 11 of the major states, the percentage ranged between 42% and 53%. The two states with the highest percentage - 53% - were Orissa and Madhya Pradesh, both of which had very high incidence of chewing of *zarda* or *dokta*. Although the latter feature was also present in Bihar and Maharashtra, the percentage of rural males regularly consuming tobacco in these two states was only 44-45% because of the low proportion of smokers there. Punjab had by far the lowest incidence of tobacco consumption habits among rural males (12%); next was Tamil Nadu with 27%; and then Kerala (31%) and Karnataka (34%).

3.7.2 In urban areas tobacco consumption among males was dominated by the smoking habit. Inter-state variation was much less, with all states except Punjab (17%) reporting proportions of male tobacco users between 22% and 41%, the all-India average being 28%. West Bengal, which had the highest proportion of urban male smokers, reported the highest rate among the major states, followed by Assam and Orissa (38%). If those consuming tobacco casually were also considered, the rate for Assam would equal that of West Bengal.

3.7.3 **Females:** It was seen in Section 3.2 that proportion of female smokers was only less than 2% in rural areas of most states and only less than 1% in urban areas. On the other hand, chewing of *zarda*, *dokta*, etc. was more prevalent among women in many states, particularly in rural areas, and use of burnt tobacco

was somewhat popular among women in three or four major states. It is these habits which are reflected in the proportions of females “consuming tobacco in any form”. Considering rural areas, Orissa, which was seen to have 22% females chewing tobacco regularly and 20% using burnt tobacco powder or paste, is seen to have 42% females consuming tobacco in some form or other. This is much higher than the second highest proportion (24%), reported by Maharashtra. Next come six states with proportion of rural female tobacco users between 8 and 12%: Andhra Pradesh, with a high proportion of rural female smokers, M.P., Tamil Nadu and Karnataka, where both *zarda/dokta* and burnt tobacco are important, West Bengal (based mainly on chewing of tobacco), and Gujarat (based mainly on snuff). The all-India proportion of rural females regularly consuming tobacco in one form or another was 11%.

3.7.4 In urban areas also, Orissa had by far the largest proportion of regular female users of tobacco (22%). In Maharashtra, M.P. and West Bengal, the incidence of tobacco consumption among urban females was 6-8%. Both chewing of tobacco and consumption of burnt tobacco contributed significantly to these proportions for Orissa and Maharashtra, while chewing predominated in M.P. and

West Bengal. The all-India proportion of urban females with regular tobacco consumption habits was a little under 5%.

MALE-FEMALE AND RURAL-URBAN DIFFERENCES

3.7.5 These are better understood at the level of specific habits (such as smoking, snuff-taking etc.); the findings have been discussed in Sections 3.3 to 3.6.

VARIATION WITH AGE

3.7.6 For both rural urban areas, variation of tobacco consumption with age follows the same pattern, one for males and another for females, as was observed for smoking. Proportion of **males** regularly consuming tobacco increases with age up to a point, being highest for the age-group 45-59, and then declines. The proportion of males consuming tobacco in some form in the age-group 45-59 is 61% in rural areas and 51% in urban areas. The rural-urban differences are more striking in the age-group 15-24: 19% regular users among rural males compared to only 9% in urban areas.

3.7.7 For **females**, on the other hand, incidence of tobacco consumption increases with age up to the highest age-group (60+) considered here. The proportion of regular tobacco users among females in the age-group 60+ is 21% in rural areas and 13% in urban areas. The incidence of tobacco consumption among females in the age-group 15-24 in rural areas is nearly four times than that in urban areas.

VARIATION WITH SOCIAL GROUP

3.7.8 Among the three social groups considered here, the highest incidence of tobacco consumption habits is exhibited (Statement 5(v)) by Scheduled Tribes, followed by Scheduled Castes, and then the non-SC/ST population. Among males the SC-ST differentials are less, particularly in urban areas. The preponderance of tobacco consumption habits among STs relative to the population as a whole is most striking among females, both in rural and urban areas.

3.8 Consumption of tobacco in more than one form

3.8.1 This is much less common in India than consumption of tobacco in one exclusive form. In Statements 4R and 4U both regular and casual habits are considered. The first four columns of figures in these statements give proportions of persons with the habit of consuming tobacco in one exclusive form. Combinations are considered in the remaining columns. Detailed results, with estimates presented not only by sex but also for different age-groups, are available for all states and u.t.s in the Appendix (Tables 2R and 2U).

3.8.2 Out of a total of 451 rural males per 1000 in the country consuming tobacco in one form or another, only 73 consumed tobacco in more than one form, out of which the combination of smoking and chewing of tobacco was most common (55

per 1000). In urban areas 30 out of 296 male users of tobacco per 1000 consumed it in more than one form, 25 of these being smokers as well as chewers of tobacco. Among females only 8 per 1000 in rural areas and 3 per 1000 in urban areas of the country consumed tobacco in more than one form.

3.8.3 In rural areas the combination of smoking and chewing of tobacco (SM & CH) was found among 60 or more males per 1000 (6% or more) in a number of states: Assam, U.P., Orissa, Bihar and West Bengal. In urban areas of these states 30 or more males per 1000 (3% or more) had the same habits. In rural Bihar and Orissa the combination of smoking and chewing of tobacco was more common than smoking alone.

3.8.4 The combination of chewing *zarda/dokta* and use of burnt tobacco (CH & BT) was seen in 6% of rural males in Maharashtra and about 5% of rural and urban males in Orissa. Among females, 3% in rural Orissa and over 1.5% in rural Maharashtra had this combination of habits.

3.8.5 The combination of smoking and use of burnt tobacco (SM & BT) had a following of 6% among males of rural and urban Orissa and about 1-2% in urban Bihar and rural areas of Haryana, Bihar, Assam and Maharashtra.

3.8.6 Other combinations were not notable except in rural areas of Orissa, where 2% combined smoking with snuff-taking, and another 2% combined snuff-taking with the use of burnt tobacco.

Statement 2: Number per 1000 persons reporting *smoking* and *consumption of tobacco in any form* by regularity of consumption for major states

| state | number per 1000 persons | | | | | | | | number of estimated persons (in 00) | number of sample persons |
|---------------------|-------------------------|-----------|--|-----------|-----------|----------|--|----------|--|--------------------------------|
| | male | | | | female | | | | | |
| | smoking | | consumption of tobacco in any form | | smoking | | consumption of tobacco in any form | | | |
| | regularly | casually | regularly | casually | regularly | casually | regularly | casually | | |
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) |
| <u>Rural</u> | | | | | | | | | | |
| Andhra Pradesh | 413 | 9 | 430 | 10 | 69 | 2 | 122 | 2 | 459205 | 21408 |
| Assam | 363 | 72 | 448 | 79 | 22 | 16 | 70 | 42 | 180755 | 16714 |
| Bihar | 120 | 26 | 449 | 28 | 24 | 5 | 52 | 8 | 616867 | 36567 |
| Gujarat | 367 | 10 | 416 | 13 | 18 | 2 | 88 | 3 | 260282 | 11846 |
| Haryana | 433 | 17 | 451 | 17 | 47 | 4 | 57 | 5 | 127219 | 6119 |
| Karnataka | 268 | 16 | 344 | 22 | 3 | 3 | 84 | 13 | 294897 | 14172 |
| Kerala | 283 | 33 | 311 | 35 | 5 | 1 | 57 | 10 | 177957 | 11832 |
| Madhya Pradesh | 303 | 20 | 528 | 12 | 8 | 2 | 113 | 6 | 488190 | 28789 |
| Maharashtra | 136 | 10 | 440 | 13 | 3 | 0 | 235 | 5 | 451945 | 22076 |
| Orissa | 225 | 34 | 528 | 34 | 13 | 3 | 417 | 31 | 280256 | 16670 |
| Punjab | 96 | 4 | 124 | 4 | 1 | 0 | 2 | 1 | 132293 | 11144 |
| Rajasthan | 420 | 11 | 450 | 9 | 35 | 3 | 45 | 3 | 302108 | 16851 |
| Tamil Nadu | 194 | 12 | 269 | 15 | 3 | 1 | 86 | 7 | 361373 | 16242 |
| Uttar Pradesh | 327 | 24 | 450 | 25 | 31 | 3 | 71 | 6 | 1069589 | 52161 |
| West Bengal | 428 | 31 | 495 | 32 | 13 | 4 | 95 | 10 | 498291 | 23473 |
| India | 293 | 21 | 430 | 22 | 23 | 3 | 109 | 9 | 5848894 | 356289 |
| <u>Urban</u> | | | | | | | | | | |
| Andhra Pradesh | 245 | 7 | 255 | 7 | 15 | 0 | 40 | 0 | 162045 | 15912 |
| Assam | 284 | 63 | 378 | 66 | 6 | 2 | 34 | 19 | 20509 | 3789 |
| Bihar | 83 | 28 | 303 | 28 | 9 | 2 | 31 | 5 | 85131 | 10599 |
| Gujarat | 202 | 10 | 268 | 18 | 3 | 1 | 32 | 3 | 125192 | 10953 |
| Haryana | 300 | 19 | 317 | 20 | 10 | 6 | 16 | 5 | 44195 | 3123 |
| Karnataka | 190 | 15 | 219 | 20 | 3 | 1 | 27 | 5 | 118459 | 11497 |
| Kerala | 252 | 40 | 271 | 43 | 5 | 1 | 39 | 7 | 57637 | 8181 |
| Madhya Pradesh | 200 | 22 | 312 | 24 | 7 | 1 | 66 | 5 | 148877 | 15904 |
| Maharashtra | 109 | 16 | 234 | 20 | 2 | 1 | 77 | 3 | 268234 | 24244 |
| Orissa | 226 | 38 | 376 | 42 | 5 | 4 | 220 | 21 | 40936 | 4533 |
| Punjab | 154 | 12 | 166 | 14 | 1 | 0 | 2 | 0 | 53761 | 8765 |
| Rajasthan | 243 | 14 | 293 | 21 | 16 | 1 | 36 | 2 | 89866 | 8447 |
| Tamil Nadu | 190 | 10 | 220 | 14 | 2 | 0 | 36 | 4 | 196598 | 16373 |
| Uttar Pradesh | 213 | 16 | 294 | 20 | 8 | 0 | 28 | 2 | 256549 | 23111 |
| West Bengal | 302 | 30 | 411 | 32 | 6 | 1 | 60 | 7 | 150934 | 13517 |
| India | 202 | 18 | 277 | 21 | 7 | 1 | 47 | 4 | 1927372 | 208248 |

Statement 3R: Number of persons reporting consumption of tobacco in various forms per 1000 persons by sex for major states**Rural**

| state x sex | | form of tobacco consumption | | | | | | | | | | | consumption of tobacco in any form | | | No. of sample persons reporting consumption of tobacco in any form | | | |
|----------------|--------|-----------------------------|---------------|--------------------|------------------------------|---------------|--------------------|----------------|---------------|--------------------|----------------------------------|---------------|--|----------------|---------------|--|----------------|---------------|--------------------|
| | | smoking | | | chewing zarda, dokta etc. | | | snuff | | | burnt tobacco/ powder / paste | | | | | | | | |
| | | regu- larly | casu- ally | not con- suming | regu- larly | casu- ally | not con- suming | regu- larly | casu- ally | not con- suming | regu- larly | casu- ally | not con- suming | regu- larly | casu- ally | not con- suming | regu- larly | casu- ally | not con- suming |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) |
| Andhra Pradesh | male | 413 | 9 | 577 | 12 | 1 | 987 | 0 | 0 | 1000 | 11 | 1 | 989 | 430 | 10 | 561 | 3292 | 80 | 4862 |
| | female | 69 | 2 | 929 | 22 | 0 | 977 | 2 | 0 | 997 | 30 | 0 | 970 | 122 | 2 | 877 | 907 | 16 | 7340 |
| Assam | male | 363 | 72 | 565 | 109 | 81 | 810 | 7 | 2 | 992 | 23 | 4 | 973 | 448 | 79 | 473 | 3161 | 471 | 3416 |
| | female | 22 | 16 | 962 | 43 | 34 | 922 | 0 | 2 | 998 | 9 | 2 | 989 | 70 | 42 | 889 | 385 | 210 | 5249 |
| Bihar | male | 120 | 26 | 854 | 337 | 25 | 637 | 0 | 1 | 998 | 63 | 10 | 927 | 449 | 28 | 524 | 5880 | 372 | 7539 |
| | female | 24 | 5 | 970 | 26 | 5 | 969 | 0 | 0 | 1000 | 3 | 0 | 996 | 52 | 8 | 940 | 534 | 95 | 11882 |
| Gujarat | male | 367 | 10 | 623 | 51 | 10 | 938 | 5 | 1 | 994 | 12 | 1 | 987 | 416 | 13 | 571 | 1882 | 65 | 2689 |
| | female | 18 | 2 | 980 | 4 | 1 | 996 | 64 | 2 | 934 | 2 | 1 | 997 | 88 | 3 | 909 | 354 | 14 | 4049 |
| Haryana | male | 433 | 17 | 549 | 8 | 2 | 991 | 0 | 0 | 1000 | 31 | 3 | 966 | 451 | 17 | 532 | 1044 | 33 | 1277 |
| | female | 47 | 4 | 949 | 0 | 0 | 1000 | 8 | 1 | 990 | 3 | 0 | 997 | 57 | 5 | 938 | 110 | 7 | 1962 |
| Karnataka | male | 268 | 16 | 716 | 79 | 11 | 910 | 2 | 2 | 996 | 21 | 3 | 977 | 344 | 22 | 634 | 1765 | 111 | 3589 |
| | female | 3 | 3 | 994 | 44 | 11 | 945 | 2 | 3 | 994 | 38 | 3 | 958 | 84 | 13 | 904 | 438 | 59 | 4911 |
| Kerala | male | 283 | 33 | 684 | 35 | 12 | 953 | 4 | 2 | 994 | 3 | 1 | 996 | 311 | 35 | 654 | 1310 | 164 | 3124 |
| | female | 5 | 1 | 995 | 51 | 10 | 940 | 0 | 0 | 1000 | 2 | 0 | 998 | 57 | 10 | 933 | 264 | 52 | 4868 |
| Madhya Pradesh | male | 303 | 20 | 677 | 251 | 18 | 730 | 6 | 2 | 992 | 37 | 4 | 958 | 528 | 12 | 460 | 5605 | 135 | 5279 |
| | female | 8 | 2 | 989 | 66 | 3 | 930 | 9 | 1 | 989 | 33 | 3 | 964 | 113 | 6 | 880 | 1073 | 54 | 8961 |
| Maharashtra | male | 136 | 10 | 853 | 276 | 11 | 712 | 6 | 0 | 993 | 117 | 2 | 880 | 440 | 13 | 546 | 3543 | 113 | 4872 |
| | female | 3 | 0 | 996 | 99 | 4 | 897 | 11 | 1 | 988 | 143 | 1 | 856 | 235 | 5 | 760 | 1849 | 35 | 6379 |
| Orissa | male | 225 | 34 | 741 | 272 | 34 | 693 | 77 | 3 | 920 | 147 | 19 | 834 | 528 | 34 | 438 | 3195 | 214 | 2927 |
| | female | 13 | 3 | 984 | 220 | 25 | 756 | 35 | 1 | 964 | 196 | 15 | 789 | 417 | 31 | 552 | 2474 | 214 | 3703 |
| Punjab | male | 96 | 4 | 900 | 33 | 1 | 965 | 1 | 0 | 999 | 5 | 0 | 994 | 124 | 4 | 872 | 485 | 17 | 4034 |
| | female | 1 | 0 | 997 | 0 | 0 | 999 | 0 | 0 | 999 | 0 | 1 | 998 | 2 | 1 | 996 | 10 | 4 | 4169 |
| Rajasthan | male | 420 | 11 | 569 | 33 | 3 | 964 | 1 | 0 | 998 | 14 | 0 | 986 | 450 | 9 | 542 | 2737 | 55 | 3489 |
| | female | 35 | 3 | 962 | 4 | 0 | 996 | 6 | 0 | 994 | 1 | 0 | 998 | 45 | 3 | 952 | 266 | 19 | 5576 |
| Tamil Nadu | male | 194 | 12 | 794 | 49 | 6 | 945 | 10 | 1 | 988 | 35 | 2 | 962 | 269 | 15 | 716 | 1646 | 94 | 4722 |
| | female | 3 | 1 | 997 | 53 | 5 | 942 | 2 | 0 | 998 | 33 | 2 | 965 | 86 | 7 | 908 | 571 | 42 | 5999 |
| Uttar Pradesh | male | 327 | 24 | 648 | 193 | 25 | 781 | 1 | 1 | 998 | 6 | 1 | 992 | 450 | 25 | 524 | 8327 | 473 | 10539 |
| | female | 31 | 3 | 965 | 43 | 4 | 952 | 0 | 0 | 999 | 1 | 0 | 998 | 71 | 6 | 923 | 1144 | 103 | 16661 |
| West Bengal | male | 428 | 31 | 541 | 89 | 31 | 880 | 2 | 0 | 997 | 13 | 1 | 985 | 495 | 32 | 473 | 4226 | 299 | 4396 |
| | female | 13 | 4 | 983 | 72 | 9 | 919 | 1 | 0 | 999 | 16 | 1 | 982 | 95 | 10 | 894 | 812 | 94 | 7616 |
| India | male | 293 | 21 | 686 | 151 | 19 | 829 | 7 | 1 | 992 | 35 | 3 | 961 | 430 | 22 | 547 | 56694 | 3508 | 77063 |
| | female | 23 | 3 | 974 | 53 | 7 | 941 | 7 | 1 | 992 | 33 | 2 | 965 | 109 | 9 | 882 | 13641 | 1871 | 114845 |

Statement 3U: Number of persons reporting consumption of tobacco in various forms per 1000 persons by sex for major states

Urban

| state x sex | | form of tobacco consumption | | | | | | | | | | | consumption of tobacco in any form | | | No. of sample persons reporting consumption of tobacco in any form | | | |
|----------------|--------|-----------------------------|------------|-----------------|---------------------------|------------|-----------------|-------------|------------|-----------------|-----------------------------|------------|------------------------------------|-------------|------------|--|-------------|------------|-----------------|
| | | smoking | | | chewing zarda, dokta etc. | | | snuff | | | burnt tobacco/ powder/paste | | | | | | | | |
| | | regu- larly | casu- ally | not con- suming | regu- larly | casu- ally | not con- suming | regu- larly | casu- ally | not con- suming | regu- larly | casu- ally | not con- suming | regu- larly | casu- ally | not con- suming | regu- larly | casu- ally | not con- suming |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) |
| Andhra Pradesh | male | 245 | 7 | 749 | 7 | 2 | 991 | 2 | 0 | 998 | 4 | 0 | 996 | 255 | 7 | 738 | 1537 | 51 | 4757 |
| | female | 15 | 0 | 984 | 13 | 0 | 987 | 2 | 0 | 998 | 10 | 1 | 989 | 40 | 1 | 959 | 220 | 9 | 5859 |
| Assam | male | 284 | 63 | 651 | 112 | 50 | 837 | 7 | 0 | 991 | 12 | 1 | 986 | 378 | 66 | 554 | 643 | 120 | 904 |
| | female | 6 | 2 | 991 | 27 | 16 | 957 | 0 | 0 | 1000 | 1 | 0 | 999 | 34 | 19 | 947 | 55 | 28 | 1404 |
| Bihar | male | 83 | 28 | 889 | 201 | 19 | 780 | 0 | 1 | 998 | 61 | 4 | 934 | 303 | 28 | 670 | 1248 | 122 | 3075 |
| | female | 9 | 2 | 989 | 20 | 4 | 976 | 0 | 0 | 1000 | 3 | 1 | 997 | 31 | 5 | 964 | 96 | 15 | 3453 |
| Gujarat | male | 202 | 10 | 788 | 68 | 12 | 920 | 3 | 0 | 997 | 7 | 1 | 993 | 268 | 18 | 714 | 1177 | 94 | 3318 |
| | female | 3 | 1 | 996 | 4 | 1 | 995 | 26 | 1 | 974 | 0 | 0 | 1000 | 32 | 3 | 964 | 128 | 13 | 4027 |
| Haryana | male | 300 | 19 | 680 | 19 | 3 | 978 | 1 | 0 | 999 | 2 | 0 | 998 | 317 | 20 | 663 | 382 | 26 | 887 |
| | female | 10 | 6 | 984 | 2 | 0 | 998 | 2 | 0 | 998 | 1 | 0 | 999 | 16 | 5 | 979 | 18 | 3 | 1098 |
| Karnataka | male | 190 | 15 | 795 | 35 | 8 | 957 | 3 | 0 | 997 | 2 | 1 | 997 | 219 | 20 | 760 | 1013 | 96 | 3589 |
| | female | 3 | 1 | 996 | 14 | 4 | 982 | 3 | 0 | 997 | 11 | 0 | 989 | 27 | 5 | 968 | 117 | 22 | 4240 |
| Kerala | male | 252 | 40 | 708 | 22 | 10 | 968 | 6 | 2 | 991 | 0 | 1 | 999 | 271 | 43 | 685 | 840 | 153 | 2281 |
| | female | 5 | 1 | 994 | 34 | 6 | 960 | 0 | 0 | 1000 | 1 | 0 | 999 | 39 | 7 | 954 | 142 | 29 | 3422 |
| Madhya Pradesh | male | 200 | 22 | 778 | 123 | 16 | 861 | 7 | 4 | 989 | 23 | 4 | 973 | 312 | 24 | 664 | 1938 | 154 | 4345 |
| | female | 7 | 1 | 991 | 41 | 2 | 956 | 7 | 3 | 989 | 16 | 2 | 981 | 66 | 5 | 928 | 344 | 24 | 5360 |
| Maharashtra | male | 109 | 16 | 875 | 114 | 9 | 876 | 4 | 0 | 996 | 31 | 1 | 967 | 234 | 20 | 746 | 2306 | 200 | 7763 |
| | female | 2 | 1 | 997 | 39 | 2 | 959 | 3 | 0 | 997 | 39 | 1 | 960 | 77 | 3 | 920 | 696 | 31 | 8685 |
| Orissa | male | 226 | 38 | 736 | 189 | 31 | 780 | 12 | 1 | 987 | 112 | 9 | 879 | 376 | 42 | 582 | 645 | 87 | 1142 |
| | female | 5 | 4 | 991 | 125 | 20 | 855 | 1 | 4 | 995 | 109 | 6 | 885 | 220 | 21 | 759 | 357 | 31 | 1342 |
| Punjab | male | 154 | 12 | 833 | 19 | 3 | 978 | 0 | 1 | 999 | 1 | 2 | 997 | 166 | 14 | 820 | 518 | 47 | 3129 |
| | female | 1 | 0 | 998 | 1 | 0 | 999 | 0 | 0 | 999 | 0 | 0 | 1000 | 2 | 0 | 997 | 8 | 1 | 3267 |
| Rajasthan | male | 243 | 14 | 743 | 63 | 10 | 928 | 0 | 0 | 999 | 5 | 1 | 994 | 293 | 21 | 686 | 932 | 59 | 2362 |
| | female | 16 | 1 | 982 | 15 | 0 | 985 | 4 | 0 | 996 | 3 | 0 | 997 | 36 | 2 | 962 | 86 | 7 | 2933 |
| Tamil Nadu | male | 190 | 10 | 800 | 20 | 6 | 974 | 8 | 1 | 991 | 9 | 2 | 989 | 220 | 14 | 766 | 1424 | 97 | 5182 |
| | female | 2 | 0 | 998 | 23 | 4 | 974 | 3 | 0 | 996 | 11 | 1 | 989 | 36 | 4 | 960 | 246 | 29 | 6476 |
| Uttar Pradesh | male | 213 | 16 | 771 | 120 | 17 | 862 | 0 | 1 | 999 | 0 | 1 | 998 | 294 | 20 | 685 | 2637 | 180 | 6349 |
| | female | 8 | 0 | 992 | 21 | 2 | 977 | 0 | 0 | 1000 | 0 | 0 | 1000 | 28 | 2 | 970 | 245 | 21 | 7735 |
| West Bengal | male | 302 | 30 | 668 | 118 | 15 | 867 | 10 | 1 | 989 | 9 | 1 | 991 | 411 | 32 | 556 | 2428 | 204 | 3422 |
| | female | 6 | 1 | 993 | 42 | 6 | 952 | 4 | 0 | 996 | 11 | 0 | 989 | 60 | 7 | 934 | 279 | 35 | 4819 |
| India | male | 202 | 18 | 780 | 80 | 12 | 908 | 4 | 1 | 995 | 15 | 1 | 984 | 277 | 21 | 701 | 23875 | 2153 | 60116 |
| | female | 7 | 1 | 992 | 26 | 3 | 971 | 4 | 0 | 996 | 13 | 1 | 986 | 47 | 4 | 949 | 4300 | 759 | 73568 |

Statement 4R: Number of persons reporting consumption of tobacco in various forms either exclusively or in combination per 1000 persons by sex for 15 major states

Rural

| state x sex | | form of tobacco consumption | | | | | | | | | | | | | | | sample persons reporting consumption of tobacco in any form |
|----------------|--------|-----------------------------|--------------------------------|-------------------|---------------------------------------|---------|---------|---------|---------|---------|---------|-------------|-------------|-------------|-------------|-----------------|---|
| | | smoking (SM) | chewing zarda, docta etc. (CH) | taking snuff (SN) | using burnt tobacco/powder/paste (BT) | SM & CH | SM & SN | SM & BT | SN & BT | SN & CH | CH & BT | SM, CH & SN | SM, CH & BT | SM, SN & BT | CH, SN & BT | SM, CH, SN & BT | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
| Andhra Pradesh | male | 414 | 8 | 0 | 8 | 5 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3372 |
| | female | 69 | 21 | 2 | 29 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 923 |
| Assam | male | 309 | 74 | 6 | 11 | 109 | 1 | 10 | 0 | 0 | 1 | 0 | 4 | 0 | 1 | 1 | 3632 |
| | female | 25 | 62 | 0 | 8 | 12 | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 1 | 595 |
| Bihar | male | 44 | 274 | 1 | 54 | 84 | 0 | 15 | 0 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 6252 |
| | female | 25 | 27 | 0 | 3 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 629 |
| Gujarat | male | 351 | 39 | 4 | 8 | 21 | 2 | 3 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1947 |
| | female | 19 | 3 | 65 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 368 |
| Haryana | male | 424 | 5 | 0 | 12 | 4 | 0 | 22 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1077 |
| | female | 48 | 0 | 9 | 1 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 117 |
| Karnataka | male | 260 | 63 | 1 | 11 | 17 | 0 | 3 | 0 | 0 | 6 | 0 | 2 | 0 | 0 | 2 | 1876 |
| | female | 3 | 48 | 3 | 35 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 3 | 497 |
| Kerala | male | 290 | 23 | 5 | 3 | 24 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1474 |
| | female | 5 | 60 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 316 |
| Madhya Pradesh | male | 232 | 181 | 3 | 29 | 79 | 1 | 6 | 0 | 2 | 3 | 1 | 3 | 0 | 0 | 1 | 5740 |
| | female | 8 | 64 | 9 | 33 | 2 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 1 | 1127 |
| Maharashtra | male | 104 | 200 | 2 | 49 | 26 | 1 | 11 | 0 | 1 | 56 | 0 | 4 | 0 | 0 | 0 | 3656 |
| | female | 2 | 83 | 9 | 125 | 1 | 0 | 0 | 1 | 2 | 16 | 0 | 0 | 0 | 0 | 0 | 1884 |
| Orissa | male | 89 | 159 | 34 | 61 | 89 | 15 | 38 | 13 | 6 | 29 | 4 | 17 | 5 | 2 | 1 | 3409 |
| | female | 5 | 199 | 21 | 167 | 4 | 1 | 3 | 7 | 5 | 33 | 2 | 0 | 1 | 1 | 0 | 2688 |
| Punjab | male | 87 | 25 | 0 | 2 | 9 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 502 |
| | female | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14 |
| Rajasthan | male | 407 | 22 | 1 | 5 | 14 | 1 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2792 |
| | female | 37 | 3 | 6 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 285 |
| Tamil Nadu | male | 185 | 37 | 8 | 30 | 13 | 2 | 4 | 0 | 1 | 3 | 1 | 1 | 0 | 0 | 0 | 1740 |
| | female | 3 | 52 | 2 | 29 | 1 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 613 |
| Uttar Pradesh | male | 251 | 120 | 1 | 2 | 96 | 1 | 3 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 8800 |
| | female | 28 | 40 | 0 | 1 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1247 |
| West Bengal | male | 393 | 57 | 2 | 7 | 60 | 0 | 4 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 4525 |
| | female | 11 | 70 | 1 | 12 | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 906 |
| India | male | 248 | 106 | 4 | 20 | 53 | 1 | 8 | 1 | 1 | 7 | 0 | 2 | 0 | 0 | 0 | 60202 |
| | female | 22 | 51 | 6 | 29 | 3 | 0 | 0 | 0 | 1 | 4 | 0 | 0 | 0 | 0 | 0 | 15512 |

Statement 4U: Number of Persons Reporting Consumption of Tobacco in Various Forms Either Exclusively or in Combination per 1000 Persons by Sex for 15 Major States

Urban

| state x sex | | form of tobacco consumption | | | | | | | | | | | | | | | sample persons reporting consumption of tobacco in any form |
|----------------|--------|-----------------------------|-------------------------------------|----------------------|--|---------|---------|---------|---------|---------|---------|-------------|-------------|-------------|-------------|--------------------|---|
| | | smoking (SM) | chewing zarda, docta etc.(CH) | taking snuff (SN) | using burnt tobacco/powder/ paste (BT) | SM & CH | SM & SN | SM & BT | SN & BT | SN & CH | CH & BT | SM, CH & SN | SM, CH & BT | SM, SN & BT | CH, SN & BT | SM, CH, SN & BT | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
| Andhra Pradesh | male | 247 | 6 | 2 | 3 | 3 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1588 |
| | female | 15 | 13 | 2 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 229 |
| Assam | male | 265 | 81 | 7 | 10 | 80 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 763 |
| | female | 9 | 43 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 83 |
| Bihar | male | 49 | 169 | 1 | 47 | 45 | 0 | 12 | 0 | 0 | 2 | 0 | 4 | 0 | 0 | 0 | 1370 |
| | female | 10 | 22 | 0 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 111 |
| Gujarat | male | 196 | 64 | 2 | 6 | 15 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1271 |
| | female | 4 | 5 | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 141 |
| Haryana | male | 314 | 14 | 0 | 1 | 6 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 408 |
| | female | 15 | 2 | 2 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 21 |
| Karnataka | male | 192 | 30 | 3 | 1 | 12 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1109 |
| | female | 3 | 15 | 2 | 9 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 1 | 0 | 139 |
| Kerala | male | 275 | 14 | 7 | 0 | 16 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 993 |
| | female | 5 | 39 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 171 |
| Madhya Pradesh | male | 171 | 92 | 4 | 14 | 38 | 1 | 6 | 0 | 1 | 2 | 1 | 1 | 0 | 0 | 2 | 2092 |
| | female | 6 | 37 | 7 | 15 | 1 | 0 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 1 | 368 |
| Maharashtra | male | 106 | 99 | 2 | 18 | 13 | 0 | 4 | 0 | 1 | 8 | 0 | 1 | 0 | 0 | 0 | 2506 |
| | female | 2 | 35 | 2 | 34 | 0 | 0 | 0 | 0 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 727 |
| Orissa | male | 121 | 89 | 4 | 32 | 30 | 3 | 37 | 0 | 0 | 27 | 0 | 19 | 1 | 2 | 2 | 732 |
| | female | 3 | 122 | 0 | 91 | 1 | 0 | 1 | 0 | 1 | 18 | 0 | 0 | 0 | 1 | 4 | 388 |
| Punjab | male | 157 | 13 | 0 | 1 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 565 |
| | female | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| Rajasthan | male | 237 | 53 | 0 | 3 | 17 | 0 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 991 |
| | female | 16 | 14 | 3 | 2 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 93 |
| Tamil Nadu | male | 192 | 18 | 7 | 6 | 5 | 1 | 2 | 1 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 1521 |
| | female | 1 | 24 | 3 | 9 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 275 |
| Uttar Pradesh | male | 177 | 85 | 0 | 0 | 51 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2817 |
| | female | 7 | 22 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 266 |
| West Bengal | male | 292 | 95 | 10 | 5 | 36 | 1 | 3 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2632 |
| | female | 6 | 44 | 3 | 9 | 1 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 3147 |
| India | male | 191 | 63 | 3 | 9 | 24 | 0 | 3 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 26028 |
| | female | 7 | 26 | 4 | 11 | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 5059 |

**Statement 5R(i): Number of persons reporting habit of smoking per 1000 persons
by habit of consumption and household group**

Rural

| state | habit of smoking | number per 1000 persons | | | | | | | | No. of sample persons |
|----------------|------------------|-------------------------|--------|-----------------|--------|--------|--------|------|--------|-----------------------|
| | | scheduled tribe | | scheduled caste | | others | | all | | |
| | | male | female | male | female | male | female | male | female | |
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) |
| Andhra Pradesh | regularly | 430 | 169 | 330 | 52 | 299 | 38 | 317 | 53 | 3656 |
| | casually | 6 | 3 | 8 | 2 | 7 | 1 | 7 | 1 | 93 |
| Assam | regularly | 274 | 29 | 296 | 20 | 276 | 14 | 278 | 17 | 2693 |
| | casually | 45 | 25 | 34 | 9 | 60 | 11 | 55 | 13 | 507 |
| Bihar | regularly | 115 | 16 | 96 | 17 | 78 | 18 | 85 | 18 | 1754 |
| | casually | 17 | 8 | 21 | 3 | 17 | 3 | 18 | 4 | 365 |
| Gujarat | regularly | 348 | 42 | 290 | 13 | 249 | 5 | 276 | 14 | 1707 |
| | casually | 9 | 1 | 5 | 3 | 8 | 1 | 8 | 1 | 59 |
| Haryana | regularly | 283 | 19 | 325 | 42 | 311 | 33 | 314 | 35 | 1084 |
| | casually | 3 | 0 | 8 | 3 | 15 | 3 | 12 | 3 | 43 |
| Karnataka | regularly | 233 | 7 | 234 | 2 | 191 | 2 | 204 | 2 | 1373 |
| | casually | 15 | 0 | 12 | 0 | 12 | 3 | 13 | 2 | 94 |
| Kerala | regularly | 213 | 0 | 340 | 4 | 216 | 4 | 228 | 4 | 1217 |
| | casually | 0 | 0 | 24 | 5 | 27 | 0 | 26 | 1 | 152 |
| Madhya Pradesh | regularly | 207 | 7 | 256 | 10 | 218 | 5 | 222 | 7 | 3319 |
| | casually | 14 | 2 | 16 | 2 | 15 | 2 | 15 | 2 | 240 |
| Maharashtra | regularly | 143 | 9 | 108 | 0 | 93 | 1 | 102 | 2 | 1050 |
| | casually | 8 | 0 | 4 | 0 | 9 | 0 | 8 | 0 | 94 |
| Orissa | regularly | 216 | 25 | 222 | 6 | 132 | 4 | 170 | 10 | 1400 |
| | casually | 23 | 5 | 29 | 2 | 26 | 1 | 26 | 2 | 221 |
| Punjab | regularly | 160 | 0 | 102 | 2 | 52 | 1 | 73 | 1 | 382 |
| | casually | 0 | 0 | 7 | 1 | 1 | 0 | 3 | 0 | 19 |
| Rajasthan | regularly | 360 | 34 | 328 | 33 | 281 | 20 | 302 | 25 | 2758 |
| | casually | 6 | 1 | 6 | 4 | 9 | 2 | 8 | 2 | 90 |
| Tamil Nadu | regularly | 145 | 0 | 199 | 3 | 139 | 2 | 154 | 2 | 1160 |
| | casually | 10 | 0 | 9 | 0 | 9 | 1 | 9 | 0 | 72 |
| Uttar Pradesh | regularly | 191 | 23 | 274 | 45 | 217 | 16 | 231 | 23 | 6413 |
| | casually | 2 | 0 | 19 | 4 | 17 | 2 | 17 | 2 | 511 |
| West Bengal | regularly | 370 | 23 | 331 | 11 | 297 | 7 | 314 | 10 | 3737 |
| | casually | 38 | 7 | 26 | 2 | 19 | 3 | 23 | 3 | 327 |
| India | regularly | 255 | 35 | 244 | 22 | 202 | 13 | 217 | 17 | 42691 |
| | casually | 16 | 5 | 16 | 2 | 16 | 2 | 16 | 2 | 3975 |

**Statement 5U(i): Number of persons reporting *habit of smoking* per 1000 persons
by habit of consumption and household group**

Urban

| state | habit of consumption | number per 1000 persons | | | | | | | | No. of sample persons |
|----------------|----------------------|-------------------------|--------|-----------------|--------|--------|--------|------|--------|-----------------------|
| | | scheduled tribe | | scheduled caste | | others | | all | | |
| | | male | female | male | female | male | female | male | female | |
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) |
| Andhra Pradesh | regularly | 262 | 29 | 233 | 25 | 182 | 11 | 189 | 12 | 1550 |
| | casually | 3 | 0 | 12 | 2 | 4 | 0 | 5 | 0 | 49 |
| Assam | regularly | 274 | 0 | 291 | 40 | 231 | 3 | 237 | 5 | 493 |
| | casually | 39 | 0 | 59 | 0 | 53 | 2 | 52 | 2 | 118 |
| Bihar | regularly | 88 | 13 | 56 | 2 | 62 | 7 | 63 | 7 | 371 |
| | casually | 24 | 0 | 27 | 6 | 20 | 1 | 21 | 2 | 132 |
| Gujarat | regularly | 300 | 4 | 172 | 7 | 148 | 1 | 157 | 2 | 885 |
| | casually | 15 | 0 | 8 | 1 | 7 | 1 | 8 | 1 | 77 |
| Haryana | regularly | 337 | 0 | 285 | 16 | 216 | 6 | 229 | 8 | 377 |
| | casually | 0 | 0 | 13 | 18 | 15 | 2 | 15 | 4 | 28 |
| Karnataka | regularly | 221 | 0 | 200 | 5 | 141 | 2 | 151 | 2 | 898 |
| | casually | 18 | 0 | 9 | 0 | 12 | 1 | 12 | 1 | 80 |
| Kerala | regularly | 270 | 0 | 301 | 12 | 203 | 4 | 210 | 4 | 795 |
| | casually | 6 | 0 | 40 | 0 | 33 | 1 | 34 | 1 | 156 |
| Madhya Pradesh | regularly | 211 | 3 | 200 | 8 | 134 | 5 | 151 | 5 | 1249 |
| | casually | 17 | 3 | 20 | 6 | 16 | 0 | 17 | 1 | 151 |
| Maharashtra | regularly | 101 | 4 | 112 | 0 | 82 | 2 | 87 | 2 | 1147 |
| | casually | 10 | 0 | 6 | 0 | 14 | 1 | 13 | 1 | 184 |
| Orissa | regularly | 203 | 0 | 218 | 0 | 169 | 6 | 180 | 4 | 379 |
| | casually | 30 | 0 | 49 | 0 | 27 | 6 | 30 | 4 | 80 |
| Punjab | regularly | 70 | 0 | 174 | 2 | 104 | 1 | 120 | 1 | 486 |
| | casually | 0 | 0 | 6 | 0 | 11 | 0 | 9 | 0 | 42 |
| Rajasthan | regularly | 343 | 36 | 293 | 31 | 156 | 8 | 180 | 12 | 807 |
| | casually | 34 | 0 | 0 | 0 | 12 | 2 | 10 | 1 | 46 |
| Tamil Nadu | regularly | 216 | 0 | 229 | 0 | 142 | 2 | 155 | 1 | 1239 |
| | casually | 4 | 0 | 9 | 0 | 8 | 0 | 8 | 0 | 67 |
| Uttar Pradesh | regularly | 263 | 0 | 217 | 9 | 148 | 5 | 158 | 6 | 2013 |
| | casually | 0 | 0 | 21 | 0 | 11 | 0 | 12 | 0 | 136 |
| West Bengal | regularly | 180 | 10 | 289 | 12 | 242 | 4 | 249 | 5 | 1909 |
| | casually | 49 | 2 | 31 | 2 | 24 | 0 | 25 | 1 | 201 |
| India | regularly | 209 | 14 | 210 | 9 | 148 | 4 | 158 | 5 | 18942 |
| | casually | 18 | 3 | 15 | 2 | 14 | 1 | 14 | 1 | 2129 |

Statement 5R(ii): Number of persons reporting habit of chewing zarda, docta etc. per 1000 persons by habit of consumption and household group

Rural

| state | habit of consumption | number per 1000 persons | | | | | | | | No. of sample persons |
|----------------|----------------------|-------------------------|--------|-----------------|--------|--------|--------|------|--------|-----------------------|
| | | scheduled tribe | | scheduled caste | | others | | all | | |
| | | male | female | male | female | male | female | male | female | |
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) |
| Andhra Pradesh | regularly | 17 | 12 | 9 | 19 | 9 | 17 | 10 | 17 | 284 |
| | casually | 2 | 0 | 2 | 1 | 0 | 0 | 1 | 0 | 11 |
| Assam | regularly | 98 | 32 | 56 | 19 | 84 | 35 | 83 | 33 | 1020 |
| | casually | 50 | 24 | 77 | 36 | 63 | 27 | 62 | 27 | 640 |
| Bihar | regularly | 296 | 66 | 265 | 20 | 225 | 13 | 240 | 19 | 4696 |
| | casually | 16 | 11 | 17 | 1 | 18 | 3 | 18 | 3 | 373 |
| Gujarat | regularly | 53 | 5 | 27 | 0 | 36 | 3 | 38 | 3 | 268 |
| | casually | 4 | 0 | 2 | 0 | 10 | 1 | 8 | 1 | 52 |
| Haryana | regularly | 0 | 0 | 13 | 0 | 3 | 0 | 6 | 0 | 18 |
| | casually | 0 | 0 | 2 | 0 | 1 | 0 | 1 | 0 | 4 |
| Karnataka | regularly | 57 | 50 | 60 | 46 | 60 | 28 | 60 | 34 | 650 |
| | casually | 6 | 1 | 10 | 10 | 9 | 8 | 9 | 8 | 106 |
| Kerala | regularly | 81 | 177 | 54 | 89 | 25 | 35 | 29 | 43 | 378 |
| | casually | 0 | 0 | 19 | 11 | 9 | 8 | 10 | 8 | 99 |
| Madhya Pradesh | regularly | 242 | 71 | 174 | 44 | 157 | 38 | 185 | 49 | 3344 |
| | casually | 17 | 4 | 14 | 2 | 12 | 2 | 14 | 3 | 224 |
| Maharashtra | regularly | 227 | 106 | 216 | 91 | 202 | 66 | 207 | 75 | 3032 |
| | casually | 4 | 3 | 9 | 3 | 9 | 3 | 8 | 3 | 120 |
| Orissa | regularly | 276 | 269 | 206 | 183 | 176 | 119 | 207 | 168 | 2932 |
| | casually | 26 | 11 | 33 | 28 | 25 | 19 | 26 | 19 | 375 |
| Punjab | regularly | 0 | 0 | 45 | 0 | 13 | 0 | 25 | 0 | 134 |
| | casually | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 6 |
| Rajasthan | regularly | 19 | 4 | 27 | 3 | 24 | 2 | 24 | 3 | 230 |
| | casually | 1 | 0 | 2 | 0 | 3 | 1 | 3 | 0 | 24 |
| Tamil Nadu | regularly | 24 | 65 | 54 | 67 | 34 | 33 | 39 | 42 | 696 |
| | casually | 15 | 24 | 8 | 3 | 3 | 4 | 5 | 4 | 69 |
| Uttar Pradesh | regularly | 165 | 36 | 154 | 39 | 131 | 28 | 136 | 31 | 4420 |
| | casually | 12 | 0 | 19 | 4 | 18 | 3 | 18 | 3 | 557 |
| West Bengal | regularly | 156 | 137 | 67 | 47 | 54 | 44 | 66 | 53 | 1441 |
| | casually | 99 | 21 | 23 | 2 | 13 | 7 | 23 | 7 | 376 |
| India | regularly | 161 | 80 | 118 | 44 | 103 | 31 | 112 | 39 | 25959 |
| | casually | 20 | 9 | 15 | 4 | 13 | 5 | 14 | 5 | 4400 |

Statement 5U(ii): Number of persons reporting habit of chewing zarda, dokta etc. per 1000 persons by habit of consumption and household group

Urban

| state | habit of consumption | number per 1000 persons | | | | | | | | No. of sample persons |
|----------------|----------------------|-------------------------|--------|-----------------|--------|--------|--------|------|--------|-----------------------|
| | | scheduled tribe | | scheduled caste | | others | | all | | |
| | | male | female | male | female | male | female | male | female | |
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) |
| Andhra Pradesh | regularly | 0 | 2 | 2 | 2 | 6 | 11 | 6 | 10 | 125 |
| | casually | 0 | 0 | 2 | 0 | 2 | 0 | 2 | 0 | 20 |
| Assam | regularly | 147 | 30 | 83 | 15 | 92 | 22 | 93 | 22 | 240 |
| | casually | 45 | 18 | 46 | 25 | 41 | 12 | 42 | 14 | 109 |
| Bihar | regularly | 222 | 62 | 175 | 13 | 145 | 11 | 153 | 14 | 863 |
| | casually | 32 | 0 | 4 | 1 | 15 | 3 | 15 | 3 | 97 |
| Gujarat | regularly | 91 | 0 | 76 | 1 | 48 | 4 | 53 | 4 | 348 |
| | casually | 4 | 0 | 9 | 0 | 10 | 1 | 10 | 1 | 59 |
| Haryana | regularly | 0 | 0 | 44 | 0 | 8 | 2 | 14 | 2 | 22 |
| | casually | 0 | 0 | 4 | 0 | 2 | 0 | 2 | 0 | 5 |
| Karnataka | regularly | 18 | 17 | 42 | 27 | 26 | 8 | 28 | 11 | 213 |
| | casually | 12 | 2 | 5 | 5 | 6 | 3 | 6 | 3 | 48 |
| Kerala | regularly | 60 | 0 | 21 | 74 | 18 | 27 | 18 | 29 | 192 |
| | casually | 0 | 0 | 8 | 11 | 8 | 5 | 8 | 5 | 50 |
| Madhya Pradesh | regularly | 97 | 43 | 106 | 47 | 89 | 26 | 93 | 31 | 1018 |
| | casually | 10 | 0 | 22 | 9 | 10 | 1 | 12 | 2 | 124 |
| Maharashtra | regularly | 149 | 61 | 106 | 68 | 87 | 24 | 92 | 32 | 1456 |
| | casually | 4 | 4 | 9 | 1 | 7 | 1 | 7 | 2 | 92 |
| Orissa | regularly | 171 | 111 | 260 | 200 | 128 | 81 | 151 | 101 | 521 |
| | casually | 23 | 6 | 22 | 15 | 25 | 19 | 24 | 17 | 89 |
| Punjab | regularly | 0 | 0 | 27 | 0 | 12 | 1 | 15 | 1 | 58 |
| | casually | 0 | 0 | 5 | 0 | 1 | 0 | 2 | 0 | 9 |
| Rajasthan | regularly | 61 | 0 | 42 | 11 | 47 | 12 | 47 | 11 | 241 |
| | casually | 0 | 0 | 3 | 0 | 8 | 0 | 7 | 0 | 29 |
| Tamil Nadu | regularly | 6 | 29 | 30 | 38 | 14 | 15 | 16 | 19 | 279 |
| | casually | 15 | 0 | 13 | 9 | 4 | 2 | 5 | 3 | 68 |
| Uttar Pradesh | regularly | 189 | 0 | 98 | 15 | 87 | 16 | 89 | 15 | 1198 |
| | casually | 33 | 0 | 19 | 2 | 12 | 1 | 13 | 1 | 165 |
| West Bengal | regularly | 104 | 7 | 150 | 42 | 86 | 34 | 98 | 34 | 793 |
| | casually | 40 | 0 | 22 | 6 | 10 | 6 | 13 | 5 | 130 |
| India | regularly | 95 | 38 | 83 | 34 | 58 | 17 | 63 | 20 | 8872 |
| | casually | 14 | 5 | 12 | 4 | 9 | 2 | 9 | 3 | 1752 |

**Statement 5R(iii): Number of persons reporting *habit of taking snuff* per 1000 persons
by habit of consumption and household group**

Rural

| state | habit of consumption | number per 1000 persons | | | | | | | | No. of sample persons |
|----------------|----------------------|-------------------------|--------|-----------------|--------|--------|--------|------|--------|-----------------------|
| | | scheduled tribe | | scheduled caste | | others | | all | | |
| | | male | female | male | female | male | female | male | female | |
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) |
| Andhra Pradesh | regularly | 0 | 3 | 0 | 2 | 0 | 2 | 0 | 2 | 24 |
| | casually | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| Assam | regularly | 4 | 0 | 1 | 0 | 6 | 0 | 5 | 0 | 49 |
| | casually | 0 | 0 | 3 | 0 | 2 | 3 | 2 | 2 | 28 |
| Bihar | regularly | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 10 |
| | casually | 0 | 0 | 2 | 0 | 1 | 0 | 1 | 0 | 28 |
| Gujarat | regularly | 3 | 41 | 3 | 55 | 4 | 51 | 4 | 49 | 284 |
| | casually | 0 | 1 | 0 | 3 | 1 | 1 | 0 | 1 | 9 |
| Haryana | regularly | 0 | 16 | 0 | 5 | 0 | 6 | 0 | 6 | 18 |
| | casually | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 1 | 2 |
| Karnataka | regularly | 1 | 4 | 0 | 0 | 2 | 2 | 1 | 2 | 25 |
| | casually | 0 | 0 | 0 | 0 | 2 | 3 | 1 | 2 | 18 |
| Kerala | regularly | 0 | 0 | 3 | 0 | 3 | 0 | 3 | 0 | 20 |
| | casually | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 10 |
| Madhya Pradesh | regularly | 4 | 5 | 5 | 11 | 5 | 7 | 5 | 7 | 154 |
| | casually | 1 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 38 |
| Maharashtra | regularly | 4 | 8 | 3 | 4 | 5 | 9 | 4 | 8 | 135 |
| | casually | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 8 |
| Orissa | regularly | 68 | 48 | 63 | 30 | 53 | 18 | 59 | 28 | 648 |
| | casually | 2 | 1 | 3 | 1 | 2 | 1 | 2 | 1 | 25 |
| Punjab | regularly | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 4 |
| | casually | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Rajasthan | regularly | 0 | 5 | 2 | 5 | 1 | 4 | 1 | 4 | 39 |
| | casually | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 9 |
| Tamil Nadu | regularly | 0 | 0 | 8 | 1 | 9 | 2 | 8 | 2 | 85 |
| | casually | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 9 |
| Uttar Pradesh | regularly | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 32 |
| | casually | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 12 |
| West Bengal | regularly | 0 | 0 | 1 | 2 | 2 | 0 | 2 | 1 | 32 |
| | casually | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| India | regularly | 9 | 12 | 4 | 4 | 4 | 5 | 5 | 6 | 1624 |
| | casually | 1 | 1 | 1 | 0 | 1 | 1 | 1 | 1 | 237 |

**Statement 5U(iii): Number of persons reporting *habit of taking snuff* per 1000 persons
by habit of consumption and household group**

Urban

| state | habit of consumption | number per 1000 persons | | | | | | | | No. of sample persons |
|----------------|----------------------|-------------------------|--------|-----------------|--------|--------|--------|------|--------|-----------------------|
| | | scheduled tribe | | scheduled caste | | others | | all | | |
| | | male | female | male | female | male | female | male | female | |
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) |
| Andhra Pradesh | regularly | 0 | 0 | 0 | 4 | 2 | 1 | 1 | 1 | 17 |
| | casually | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Assam | regularly | 0 | 0 | 16 | 0 | 5 | 0 | 6 | 0 | 13 |
| | casually | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Bihar | regularly | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | casually | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 5 |
| Gujarat | regularly | 0 | 37 | 0 | 17 | 2 | 20 | 2 | 20 | 103 |
| | casually | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 4 |
| Haryana | regularly | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 2 | 3 |
| | casually | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Karnataka | regularly | 0 | 5 | 0 | 11 | 3 | 2 | 3 | 3 | 30 |
| | casually | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Kerala | regularly | 0 | 0 | 10 | 0 | 5 | 0 | 5 | 0 | 22 |
| | casually | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 6 |
| Madhya Pradesh | regularly | 2 | 1 | 7 | 6 | 5 | 6 | 5 | 6 | 66 |
| | casually | 0 | 3 | 8 | 5 | 2 | 1 | 3 | 2 | 26 |
| Maharashtra | regularly | 3 | 7 | 2 | 3 | 3 | 2 | 3 | 2 | 62 |
| | casually | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| Orissa | regularly | 10 | 0 | 3 | 3 | 11 | 1 | 10 | 1 | 32 |
| | casually | 0 | 0 | 0 | 0 | 1 | 5 | 1 | 4 | 7 |
| Punjab | regularly | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 |
| | casually | 0 | 0 | 2 | 0 | 1 | 0 | 1 | 0 | 4 |
| Rajasthan | regularly | 0 | 32 | 0 | 0 | 0 | 3 | 0 | 3 | 10 |
| | casually | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 |
| Tamil Nadu | regularly | 1 | 0 | 2 | 7 | 8 | 2 | 7 | 3 | 84 |
| | casually | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 8 |
| Uttar Pradesh | regularly | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14 |
| | casually | 33 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| West Bengal | regularly | 5 | 0 | 8 | 2 | 8 | 3 | 8 | 3 | 71 |
| | casually | 0 | 0 | 2 | 0 | 0 | 0 | 1 | 0 | 5 |
| India | regularly | 2 | 6 | 2 | 4 | 3 | 3 | 3 | 3 | 555 |
| | casually | 1 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 91 |

Statement 5R(iv): Number of persons reporting habit of consumption of burnt tobacco / powder / paste per 1000 persons by habit of consumption and household group

Rural

| state | habit of consumption | number per 1000 persons | | | | | | | | No. of sample persons |
|----------------|----------------------|-------------------------|--------|-----------------|--------|--------|--------|------|--------|-----------------------|
| | | scheduled tribe | | scheduled caste | | others | | all | | |
| | | male | female | male | female | male | female | male | female | |
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) |
| Andhra Pradesh | regularly | 7 | 9 | 8 | 33 | 8 | 22 | 8 | 23 | 313 |
| | casually | 1 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 9 |
| Assam | regularly | 16 | 5 | 21 | 11 | 18 | 7 | 18 | 7 | 190 |
| | casually | 1 | 0 | 6 | 2 | 3 | 2 | 3 | 2 | 43 |
| Bihar | regularly | 45 | 1 | 57 | 2 | 41 | 3 | 45 | 2 | 895 |
| | casually | 4 | 0 | 11 | 1 | 6 | 0 | 7 | 0 | 155 |
| Gujarat | regularly | 2 | 3 | 7 | 4 | 12 | 1 | 9 | 2 | 78 |
| | casually | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 5 |
| Haryana | regularly | 45 | 0 | 20 | 5 | 22 | 2 | 22 | 3 | 93 |
| | casually | 13 | 0 | 3 | 0 | 2 | 0 | 2 | 0 | 7 |
| Karnataka | regularly | 15 | 18 | 13 | 39 | 17 | 28 | 16 | 29 | 310 |
| | casually | 0 | 0 | 1 | 1 | 3 | 3 | 2 | 2 | 29 |
| Kerala | regularly | 0 | 0 | 7 | 8 | 2 | 1 | 3 | 1 | 20 |
| | casually | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 4 |
| Madhya Pradesh | regularly | 27 | 29 | 25 | 22 | 30 | 23 | 28 | 25 | 707 |
| | casually | 4 | 2 | 4 | 1 | 4 | 3 | 4 | 3 | 91 |
| Maharashtra | regularly | 92 | 99 | 113 | 116 | 90 | 113 | 94 | 112 | 2184 |
| | casually | 0 | 0 | 0 | 1 | 2 | 1 | 2 | 1 | 28 |
| Orissa | regularly | 83 | 150 | 136 | 177 | 117 | 142 | 112 | 150 | 2150 |
| | casually | 6 | 5 | 19 | 14 | 17 | 14 | 14 | 12 | 238 |
| Punjab | regularly | 14 | 0 | 3 | 0 | 4 | 0 | 4 | 0 | 19 |
| | casually | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 3 |
| Rajasthan | regularly | 2 | 1 | 6 | 1 | 13 | 1 | 10 | 1 | 121 |
| | casually | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 7 |
| Tamil Nadu | regularly | 6 | 42 | 48 | 39 | 22 | 22 | 28 | 27 | 435 |
| | casually | 14 | 14 | 3 | 3 | 1 | 0 | 2 | 1 | 29 |
| Uttar Pradesh | regularly | 0 | 0 | 6 | 2 | 4 | 1 | 4 | 1 | 140 |
| | casually | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 25 |
| West Bengal | regularly | 5 | 13 | 10 | 9 | 10 | 13 | 10 | 12 | 260 |
| | casually | 0 | 1 | 1 | 2 | 1 | 0 | 1 | 1 | 26 |
| India | regularly | 31 | 37 | 29 | 26 | 25 | 23 | 27 | 25 | 8433 |
| | casually | 2 | 1 | 3 | 2 | 3 | 1 | 3 | 1 | 845 |

Statement 5U(iv): Number of persons reporting habit of consumption of burnt tobacco /powder/ paste per 1000 persons by habit of consumption and household group

Urban

| state | habit of consumption | number per 1000 persons | | | | | | | | No. of sample persons |
|----------------|----------------------|-------------------------|--------|-----------------|--------|--------|--------|------|--------|-----------------------|
| | | scheduled tribe | | scheduled caste | | others | | all | | |
| | | male | female | male | female | male | female | male | female | |
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) |
| Andhra Pradesh | regularly | 3 | 9 | 9 | 27 | 2 | 6 | 3 | 8 | 86 |
| | casually | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| Assam | regularly | 20 | 9 | 27 | 0 | 8 | 1 | 10 | 1 | 24 |
| | casually | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 2 |
| Bihar | regularly | 60 | 5 | 67 | 1 | 43 | 2 | 47 | 2 | 283 |
| | casually | 3 | 0 | 5 | 0 | 3 | 1 | 4 | 1 | 22 |
| Gujarat | regularly | 8 | 0 | 5 | 1 | 5 | 0 | 5 | 0 | 36 |
| | casually | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 3 |
| Haryana | regularly | 0 | 0 | 2 | 0 | 1 | 1 | 1 | 1 | 6 |
| | casually | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Karnataka | regularly | 11 | 30 | 5 | 20 | 1 | 7 | 2 | 9 | 55 |
| | casually | 0 | 0 | 2 | 0 | 0 | 0 | 1 | 0 | 3 |
| Kerala | regularly | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 7 |
| | casually | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 3 |
| Madhya Pradesh | regularly | 36 | 30 | 10 | 10 | 18 | 11 | 18 | 12 | 214 |
| | casually | 0 | 0 | 10 | 8 | 1 | 1 | 3 | 2 | 33 |
| Maharashtra | regularly | 51 | 43 | 54 | 59 | 19 | 26 | 25 | 32 | 677 |
| | casually | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 20 |
| Orissa | regularly | 138 | 171 | 111 | 94 | 78 | 72 | 89 | 87 | 385 |
| | casually | 4 | 2 | 11 | 2 | 6 | 7 | 7 | 6 | 32 |
| Punjab | regularly | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 |
| | casually | 0 | 0 | 3 | 0 | 1 | 0 | 1 | 0 | 8 |
| Rajasthan | regularly | 0 | 64 | 6 | 0 | 3 | 2 | 4 | 2 | 21 |
| | casually | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 6 |
| Tamil Nadu | regularly | 18 | 0 | 8 | 12 | 7 | 8 | 7 | 9 | 135 |
| | casually | 0 | 0 | 3 | 0 | 1 | 1 | 1 | 1 | 11 |
| Uttar Pradesh | regularly | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 17 |
| | casually | 33 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 6 |
| West Bengal | regularly | 4 | 0 | 10 | 11 | 7 | 9 | 7 | 9 | 100 |
| | casually | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 8 |
| India | regularly | 33 | 31 | 18 | 17 | 10 | 9 | 12 | 10 | 2216 |
| | casually | 2 | 0 | 2 | 1 | 1 | 1 | 1 | 1 | 205 |

Statement 5R(v): Number of persons reporting consumption of tobacco in any form per 1000 persons by habit of consumption and household group

Rural

| state | habit of consumption | number per 1000 persons | | | | | | | | No. of sample persons |
|----------------|----------------------|-------------------------|--------|-----------------|--------|--------|--------|------|--------|-----------------------|
| | | scheduled tribe | | scheduled caste | | others | | all | | |
| | | male | female | male | female | male | female | male | female | |
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) |
| Andhra Pradesh | regularly | 447 | 193 | 343 | 103 | 311 | 77 | 330 | 93 | 4205 |
| | casually | 7 | 3 | 9 | 3 | 7 | 1 | 8 | 1 | 99 |
| Assam | regularly | 357 | 65 | 350 | 44 | 340 | 53 | 343 | 53 | 3555 |
| | casually | 41 | 22 | 59 | 40 | 66 | 34 | 61 | 33 | 693 |
| Bihar | regularly | 402 | 79 | 357 | 38 | 296 | 32 | 319 | 37 | 6425 |
| | casually | 12 | 13 | 23 | 4 | 20 | 5 | 20 | 6 | 476 |
| Gujarat | regularly | 379 | 87 | 313 | 71 | 290 | 60 | 313 | 67 | 2238 |
| | casually | 10 | 2 | 5 | 5 | 11 | 2 | 10 | 3 | 81 |
| Haryana | regularly | 299 | 35 | 339 | 49 | 323 | 39 | 327 | 42 | 1159 |
| | casually | 0 | 0 | 9 | 3 | 14 | 3 | 12 | 3 | 40 |
| Karnataka | regularly | 293 | 79 | 286 | 83 | 251 | 56 | 262 | 64 | 2205 |
| | casually | 14 | 1 | 18 | 11 | 17 | 10 | 17 | 10 | 172 |
| Kerala | regularly | 262 | 177 | 379 | 102 | 236 | 40 | 251 | 48 | 1577 |
| | casually | 0 | 0 | 26 | 13 | 29 | 8 | 28 | 9 | 216 |
| Madhya Pradesh | regularly | 439 | 110 | 397 | 83 | 357 | 70 | 388 | 84 | 6726 |
| | casually | 8 | 6 | 10 | 3 | 9 | 5 | 9 | 5 | 200 |
| Maharashtra | regularly | 379 | 202 | 363 | 192 | 322 | 176 | 336 | 182 | 5490 |
| | casually | 3 | 3 | 8 | 3 | 11 | 4 | 10 | 4 | 151 |
| Orissa | regularly | 501 | 438 | 434 | 354 | 345 | 257 | 402 | 320 | 5689 |
| | casually | 16 | 16 | 29 | 28 | 29 | 26 | 26 | 24 | 436 |
| Punjab | regularly | 174 | 0 | 135 | 2 | 66 | 2 | 94 | 2 | 497 |
| | casually | 0 | 0 | 6 | 2 | 2 | 0 | 3 | 1 | 25 |
| Rajasthan | regularly | 375 | 44 | 353 | 40 | 302 | 27 | 323 | 32 | 3007 |
| | casually | 4 | 2 | 6 | 4 | 8 | 2 | 7 | 2 | 79 |
| Tamil Nadu | regularly | 167 | 96 | 284 | 106 | 191 | 55 | 214 | 69 | 2222 |
| | casually | 32 | 24 | 12 | 5 | 11 | 5 | 12 | 5 | 136 |
| Uttar Pradesh | regularly | 300 | 55 | 365 | 79 | 303 | 42 | 318 | 51 | 9500 |
| | casually | 8 | 0 | 18 | 6 | 17 | 4 | 18 | 4 | 581 |
| West Bengal | regularly | 467 | 162 | 384 | 64 | 340 | 60 | 364 | 70 | 5049 |
| | casually | 30 | 17 | 26 | 5 | 22 | 8 | 24 | 8 | 401 |
| India | regularly | 407 | 153 | 348 | 89 | 297 | 68 | 319 | 82 | 70628 |
| | casually | 13 | 11 | 17 | 7 | 17 | 7 | 17 | 7 | 5462 |

Statement 5U(v): Number of persons reporting consumption of tobacco in any form per 1000 persons by habit of consumption and household group

Urban

| state | habit of consumption | number per 1000 persons | | | | | | | | No. of sample persons |
|----------------|----------------------|-------------------------|--------|-----------------|--------|--------|--------|------|--------|-----------------------|
| | | scheduled tribe | | scheduled caste | | others | | all | | |
| | | male | female | male | female | male | female | male | female | |
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) |
| Andhra Pradesh | regularly | 265 | 40 | 240 | 58 | 190 | 28 | 196 | 31 | 1758 |
| | casually | 3 | 0 | 12 | 2 | 5 | 1 | 6 | 1 | 60 |
| Assam | regularly | 366 | 39 | 372 | 55 | 309 | 26 | 315 | 28 | 699 |
| | casually | 23 | 18 | 46 | 25 | 57 | 15 | 55 | 16 | 148 |
| Bihar | regularly | 334 | 80 | 260 | 16 | 219 | 20 | 230 | 23 | 1346 |
| | casually | 29 | 0 | 13 | 7 | 22 | 4 | 21 | 4 | 139 |
| Gujarat | regularly | 386 | 41 | 240 | 25 | 195 | 25 | 209 | 26 | 1308 |
| | casually | 15 | 0 | 13 | 1 | 14 | 3 | 14 | 3 | 107 |
| Haryana | regularly | 337 | 0 | 319 | 16 | 223 | 11 | 241 | 12 | 400 |
| | casually | 0 | 0 | 13 | 18 | 16 | 1 | 15 | 4 | 29 |
| Karnataka | regularly | 239 | 46 | 230 | 47 | 163 | 17 | 174 | 22 | 1136 |
| | casually | 18 | 2 | 12 | 5 | 17 | 4 | 16 | 4 | 118 |
| Kerala | regularly | 330 | 0 | 318 | 86 | 219 | 31 | 226 | 34 | 985 |
| | casually | 6 | 0 | 38 | 11 | 36 | 6 | 36 | 6 | 185 |
| Madhya Pradesh | regularly | 298 | 72 | 286 | 66 | 219 | 46 | 236 | 51 | 2291 |
| | casually | 9 | 6 | 27 | 13 | 17 | 2 | 18 | 4 | 181 |
| Maharashtra | regularly | 267 | 105 | 242 | 120 | 175 | 50 | 188 | 62 | 3017 |
| | casually | 12 | 4 | 13 | 1 | 17 | 3 | 16 | 3 | 234 |
| Orissa | regularly | 390 | 269 | 390 | 262 | 269 | 146 | 299 | 177 | 1004 |
| | casually | 25 | 8 | 43 | 17 | 33 | 19 | 33 | 17 | 119 |
| Punjab | regularly | 70 | 0 | 189 | 3 | 112 | 1 | 129 | 2 | 527 |
| | casually | 0 | 0 | 9 | 0 | 12 | 0 | 11 | 0 | 49 |
| Rajasthan | regularly | 357 | 100 | 322 | 42 | 195 | 23 | 218 | 27 | 1020 |
| | casually | 21 | 0 | 3 | 0 | 18 | 2 | 15 | 2 | 68 |
| Tamil Nadu | regularly | 242 | 29 | 258 | 53 | 164 | 26 | 179 | 30 | 1673 |
| | casually | 19 | 0 | 14 | 8 | 11 | 3 | 12 | 3 | 126 |
| Uttar Pradesh | regularly | 406 | 0 | 289 | 23 | 206 | 20 | 219 | 21 | 2883 |
| | casually | 0 | 0 | 24 | 2 | 14 | 1 | 15 | 1 | 203 |
| West Bengal | regularly | 265 | 17 | 401 | 64 | 328 | 47 | 339 | 49 | 2709 |
| | casually | 47 | 2 | 30 | 7 | 26 | 6 | 27 | 6 | 245 |
| India | regularly | 304 | 84 | 284 | 58 | 202 | 32 | 217 | 37 | 28243 |
| | casually | 17 | 8 | 18 | 5 | 17 | 3 | 17 | 4 | 2944 |

Appendix

Detailed tables

TABLE (1R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | | | | | |
|------------------------------|-----------------|----------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|--------|--------|--------|------------------------------|--|--|--|--|
| ANDHRA PRADESH | | | | | | | | | | RURAL | | | | | NO. OF SAMPLE VILLAGES : 492 | | | | |
| FORM OF TOBACCO | | AGE (IN YEARS) | | | | | | | | | | | | SAMPLE | | | | | |
| CONSUMPTION | | PERSONS | | | | | | | | | | | | | | | | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | ----- | | | | | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | | | | |
| ----- | | | | | | | | | | | | | | | | | | | |
| SMOKING | : REGULARLY | 17 | 3 | 168 | 23 | 559 | 74 | 681 | 134 | 574 | 148 | 413 | 69 | 3160 | 491 | | | | |
| | : CASUALLY | 2 | 4 | 4 | 0 | 14 | 1 | 8 | 2 | 13 | 4 | 9 | 2 | 78 | 12 | | | | |
| | : NOT CONSUMING | 981 | 994 | 827 | 977 | 427 | 925 | 311 | 864 | 412 | 849 | 577 | 929 | 4996 | 7760 | | | | |
| ----- | | | | | | | | | | | | | | | | | | | |
| CHEWING | : REGULARLY | 0 | 0 | 4 | 6 | 16 | 22 | 14 | 47 | 34 | 51 | 12 | 22 | 101 | 182 | | | | |
| ZARDA | : CASUALLY | 0 | 1 | 1 | 0 | 1 | 0 | 2 | 2 | 2 | 0 | 1 | 0 | 8 | 3 | | | | |
| DOKTA ETC | : NOT CONSUMING | 1000 | 999 | 995 | 994 | 983 | 978 | 984 | 951 | 965 | 949 | 987 | 977 | 8125 | 8078 | | | | |
| ----- | | | | | | | | | | | | | | | | | | | |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 4 | 2 | 6 | 0 | 2 | 4 | 20 | | | | |
| | : CASUALLY | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | | | | |
| | : NOT CONSUMING | 1000 | 999 | 1000 | 999 | 1000 | 997 | 1000 | 995 | 998 | 994 | 1000 | 997 | 8230 | 8239 | | | | |
| ----- | | | | | | | | | | | | | | | | | | | |
| BURNT | : REGULARLY | 0 | 0 | 4 | 7 | 11 | 30 | 21 | 58 | 24 | 78 | 11 | 30 | 81 | 232 | | | | |
| TOBACCO | : CASUALLY | 0 | 1 | 0 | 0 | 1 | 1 | 1 | 0 | 2 | 0 | 1 | 0 | 5 | 4 | | | | |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 999 | 996 | 993 | 988 | 969 | 977 | 942 | 974 | 922 | 989 | 970 | 8148 | 8027 | | | | |
| ----- | | | | | | | | | | | | | | | | | | | |
| CONSUMPTION | : REGULARLY | 17 | 3 | 174 | 35 | 576 | 127 | 705 | 241 | 624 | 272 | 430 | 122 | 3292 | 907 | | | | |
| OF TOBACCO | : CASUALLY | 2 | 4 | 4 | 0 | 15 | 1 | 8 | 3 | 13 | 4 | 10 | 2 | 80 | 16 | | | | |
| IN ANY FORM | : NOT CONSUMING | 981 | 994 | 821 | 965 | 409 | 872 | 287 | 756 | 363 | 725 | 561 | 877 | 4862 | 7340 | | | | |
| ----- | | | | | | | | | | | | | | | | | | | |
| ARUNACHAL PRADESH | | | | | | | | | | RURAL | | | | | NO. OF SAMPLE VILLAGES : 120 | | | | |
| ----- | | | | | | | | | | | | | | | | | | | |
| SMOKING | : REGULARLY | 0 | 1 | 78 | 9 | 267 | 55 | 350 | 107 | 199 | 135 | 192 | 50 | 512 | 234 | | | | |
| | : CASUALLY | 2 | 3 | 81 | 13 | 157 | 59 | 133 | 123 | 237 | 73 | 118 | 51 | 248 | 111 | | | | |
| | : NOT CONSUMING | 998 | 996 | 841 | 978 | 576 | 886 | 517 | 770 | 564 | 793 | 690 | 899 | 1261 | 1494 | | | | |
| ----- | | | | | | | | | | | | | | | | | | | |
| CHEWING | : REGULARLY | 0 | 0 | 34 | 43 | 96 | 109 | 258 | 247 | 260 | 209 | 104 | 106 | 173 | 148 | | | | |
| ZARDA | : CASUALLY | 8 | 4 | 85 | 42 | 93 | 93 | 146 | 106 | 183 | 145 | 93 | 73 | 232 | 162 | | | | |
| DOKTA ETC | : NOT CONSUMING | 992 | 996 | 881 | 915 | 811 | 798 | 596 | 647 | 557 | 645 | 802 | 820 | 1616 | 1529 | | | | |
| ----- | | | | | | | | | | | | | | | | | | | |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 1 | 0 | 12 | 1 | 1 | 1 | 2 | | | | |
| | : CASUALLY | 0 | 0 | 0 | 0 | 5 | 4 | 4 | 1 | 0 | 0 | 3 | 2 | 4 | 2 | | | | |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 995 | 996 | 993 | 998 | 1000 | 988 | 997 | 997 | 2016 | 1835 | | | | |
| ----- | | | | | | | | | | | | | | | | | | | |
| BURNT | : REGULARLY | 0 | 0 | 6 | 1 | 59 | 49 | 93 | 44 | 51 | 7 | 43 | 27 | 101 | 73 | | | | |
| TOBACCO | : CASUALLY | 0 | 6 | 0 | 0 | 30 | 27 | 66 | 77 | 86 | 24 | 28 | 25 | 43 | 33 | | | | |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 994 | 994 | 998 | 911 | 924 | 841 | 880 | 863 | 969 | 929 | 948 | 1877 | 1733 | | | | |
| ----- | | | | | | | | | | | | | | | | | | | |
| CONSUMPTION | : REGULARLY | 0 | 1 | 113 | 54 | 397 | 200 | 649 | 360 | 498 | 336 | 319 | 171 | 716 | 413 | | | | |
| OF TOBACCO | : CASUALLY | 9 | 12 | 133 | 46 | 184 | 148 | 219 | 212 | 306 | 188 | 160 | 117 | 287 | 216 | | | | |
| IN ANY FORM | : NOT CONSUMING | 991 | 987 | 754 | 900 | 419 | 652 | 132 | 428 | 196 | 475 | 520 | 713 | 1018 | 1210 | | | | |
| ----- | | | | | | | | | | | | | | | | | | | |

** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

| TABLE (1R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 | | | | | | | | | | | | | | |
|---|------|------|-----|-----|-----|------|-----|------|------|------|------|------|-------|-------|
| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | |
| ASSAM | | | | | | | | | | | | | | |
| RURAL | | | | | | | | | | | | | | |
| NO. OF SAMPLE VILLAGES : 320 | | | | | | | | | | | | | | |
| ----- | | | | | | | | | | | | | | |
| FORM OF TOBACCO | | | | | | | | | | | | | | |
| AGE (IN YEARS) | | | | | | | | | | | | | | |
| SAMPLE | | | | | | | | | | | | | | |
| CONSUMPTION | | | | | | | | | | | | | | |
| ----- | | | | | | | | | | | | | | |
| PERSONS | | | | | | | | | | | | | | |
| ----- | | | | | | | | | | | | | | |
| 10-14 15-24 25-44 45-59 60 & ABOVE ALL ** | | | | | | | | | | | | | | |
| MALE FEMALE MALE FEMALE MALE FEMALE MALE FEMALE MALE FEMALE MALE FEMALE MALE FEMALE | | | | | | | | | | | | | | |
| ----- | | | | | | | | | | | | | | |
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| ----- | | | | | | | | | | | | | | |
| SMOKING : REGULARLY | 3 | 1 | 110 | 6 | 567 | 25 | 680 | 50 | 579 | 62 | 363 | 22 | 2561 | 130 |
| : CASUALLY | 8 | 1 | 66 | 7 | 91 | 23 | 115 | 27 | 70 | 30 | 72 | 16 | 421 | 82 |
| : NOT CONSUMING | 988 | 998 | 823 | 987 | 342 | 953 | 206 | 924 | 351 | 907 | 565 | 962 | 4066 | 5632 |
| ----- | | | | | | | | | | | | | | |
| CHEWING : REGULARLY | 0 | 1 | 66 | 15 | 180 | 68 | 154 | 54 | 87 | 67 | 109 | 43 | 774 | 243 |
| ZARDA : CASUALLY | 11 | 12 | 80 | 40 | 102 | 43 | 125 | 24 | 58 | 28 | 81 | 34 | 464 | 165 |
| DOKTA ETC : NOT CONSUMING | 989 | 987 | 855 | 945 | 717 | 889 | 722 | 922 | 855 | 905 | 810 | 922 | 5810 | 5436 |
| ----- | | | | | | | | | | | | | | |
| SNUFF : REGULARLY | 0 | 0 | 9 | 0 | 10 | 0 | 3 | 2 | 4 | 0 | 7 | 0 | 47 | 2 |
| : CASUALLY | 1 | 6 | 1 | 1 | 2 | 2 | 3 | 0 | 0 | 0 | 2 | 2 | 14 | 9 |
| : NOT CONSUMING | 999 | 994 | 990 | 999 | 987 | 998 | 995 | 998 | 996 | 1000 | 992 | 998 | 6987 | 5833 |
| ----- | | | | | | | | | | | | | | |
| BURNT : REGULARLY | 2 | 1 | 20 | 4 | 34 | 16 | 34 | 3 | 16 | 14 | 23 | 9 | 146 | 40 |
| TOBACCO : CASUALLY | 1 | 0 | 2 | 3 | 6 | 3 | 7 | 0 | 3 | 0 | 4 | 2 | 29 | 11 |
| POWDER/PASTE : NOT CONSUMING | 997 | 999 | 978 | 994 | 961 | 981 | 959 | 997 | 981 | 986 | 973 | 989 | 6873 | 5793 |
| ----- | | | | | | | | | | | | | | |
| CONSUMPTION : REGULARLY | 5 | 4 | 191 | 23 | 705 | 99 | 758 | 108 | 624 | 137 | 448 | 70 | 3161 | 385 |
| OF TOBACCO : CASUALLY | 16 | 13 | 102 | 44 | 83 | 53 | 108 | 36 | 74 | 44 | 79 | 42 | 471 | 210 |
| IN ANY FORM : NOT CONSUMING | 979 | 983 | 707 | 933 | 212 | 849 | 134 | 856 | 302 | 819 | 473 | 889 | 3416 | 5249 |
| ----- | | | | | | | | | | | | | | |
| BIHAR | | | | | | | | | | | | | | |
| RURAL | | | | | | | | | | | | | | |
| NO. OF SAMPLE VILLAGES : 699 | | | | | | | | | | | | | | |
| ----- | | | | | | | | | | | | | | |
| SMOKING : REGULARLY | 1 | 0 | 35 | 4 | 174 | 31 | 228 | 41 | 189 | 63 | 120 | 24 | 1513 | 241 |
| : CASUALLY | 0 | 0 | 12 | 1 | 41 | 6 | 42 | 9 | 25 | 15 | 26 | 5 | 320 | 44 |
| : NOT CONSUMING | 999 | 1000 | 953 | 995 | 785 | 963 | 730 | 950 | 787 | 922 | 854 | 970 | 11958 | 12226 |
| ----- | | | | | | | | | | | | | | |
| CHEWING : REGULARLY | 1 | 7 | 163 | 14 | 482 | 27 | 551 | 45 | 540 | 57 | 337 | 26 | 4412 | 275 |
| ZARDA : CASUALLY | 7 | 1 | 21 | 3 | 33 | 7 | 36 | 7 | 24 | 4 | 25 | 5 | 311 | 59 |
| DOKTA ETC : NOT CONSUMING | 992 | 993 | 817 | 983 | 486 | 966 | 413 | 948 | 436 | 939 | 637 | 969 | 9068 | 12177 |
| ----- | | | | | | | | | | | | | | |
| SNUFF : REGULARLY | 0 | 0 | 1 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 6 | 2 |
| : CASUALLY | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 2 | 0 | 1 | 0 | 20 | 3 |
| : NOT CONSUMING | 1000 | 1000 | 998 | 999 | 998 | 1000 | 998 | 1000 | 998 | 1000 | 998 | 1000 | 13765 | 12506 |
| ----- | | | | | | | | | | | | | | |
| BURNT : REGULARLY | 0 | 0 | 22 | 0 | 90 | 3 | 109 | 6 | 115 | 13 | 63 | 3 | 852 | 43 |
| TOBACCO : CASUALLY | 1 | 0 | 7 | 0 | 16 | 0 | 10 | 1 | 10 | 1 | 10 | 0 | 140 | 10 |
| POWDER/PASTE : NOT CONSUMING | 999 | 1000 | 970 | 999 | 894 | 997 | 881 | 993 | 874 | 985 | 927 | 996 | 12799 | 12458 |
| ----- | | | | | | | | | | | | | | |
| CONSUMPTION : REGULARLY | 2 | 7 | 201 | 18 | 635 | 58 | 762 | 89 | 732 | 129 | 449 | 52 | 5880 | 534 |
| OF TOBACCO : CASUALLY | 8 | 1 | 25 | 3 | 36 | 11 | 37 | 12 | 26 | 13 | 28 | 8 | 372 | 95 |
| IN ANY FORM : NOT CONSUMING | 990 | 993 | 775 | 979 | 329 | 931 | 201 | 899 | 242 | 858 | 524 | 940 | 7539 | 11882 |
| ----- | | | | | | | | | | | | | | |
| ** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS. | | | | | | | | | | | | | | |

NATIONAL SAMPLE SURVEY, 50TH ROUND: JULY 1993 - JUNE 1994

PAGE NO. : 5

TABLE (1R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 PERSONS BY SEX AND AGE-GROUP.

| GOA | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 15 | | | |
|------------------------------------|-----------------|----------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|------------------------------|--------|------|--------|
| FORM OF TOBACCO CONSUMPTION | | AGE (IN YEARS) | | | | | | | | | | SAMPLE PERSONS | | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | : REGULARLY | 0 | 0 | 15 | 0 | 182 | 13 | 563 | 50 | 526 | 87 | 211 | 23 | 58 | 5 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 13 | 0 | 3 | 0 | 0 | 0 | 5 | 0 | 2 | 0 |
| | : NOT CONSUMING | 1000 | 1000 | 985 | 1000 | 805 | 987 | 434 | 950 | 474 | 913 | 783 | 977 | 215 | 285 |
| CHEWING | : REGULARLY | 0 | 0 | 0 | 0 | 11 | 32 | 27 | 19 | 52 | 142 | 13 | 28 | 3 | 9 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 19 | 0 | 0 | 0 | 4 | 0 | 1 |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 989 | 968 | 973 | 962 | 948 | 858 | 987 | 968 | 272 | 280 |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 275 | 290 |
| BURNT TOBACCO | : REGULARLY | 0 | 0 | 5 | 0 | 0 | 0 | 29 | 0 | 36 | 0 | 9 | 0 | 5 | 0 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | 1000 | 1000 | 995 | 1000 | 1000 | 1000 | 971 | 1000 | 964 | 1000 | 991 | 1000 | 270 | 290 |
| CONSUMPTION OF TOBACCO IN ANY FORM | : REGULARLY | 0 | 0 | 19 | 0 | 182 | 45 | 563 | 69 | 549 | 229 | 215 | 51 | 61 | 14 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 13 | 0 | 3 | 19 | 0 | 0 | 5 | 4 | 2 | 1 |
| | : NOT CONSUMING | 1000 | 1000 | 981 | 1000 | 805 | 955 | 434 | 912 | 451 | 771 | 780 | 945 | 212 | 275 |
| GUJARAT | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 223 | | | |
| SMOKING | : REGULARLY | 2 | 0 | 156 | 9 | 523 | 20 | 617 | 36 | 556 | 38 | 367 | 18 | 1635 | 70 |
| | : CASUALLY | 1 | 0 | 8 | 0 | 12 | 1 | 17 | 8 | 8 | 2 | 10 | 2 | 50 | 8 |
| | : NOT CONSUMING | 997 | 1000 | 836 | 991 | 465 | 979 | 366 | 956 | 436 | 960 | 623 | 980 | 2951 | 4339 |
| CHEWING | : REGULARLY | 0 | 0 | 35 | 1 | 83 | 4 | 59 | 8 | 29 | 8 | 51 | 4 | 254 | 14 |
| | : CASUALLY | 0 | 0 | 15 | 0 | 13 | 0 | 5 | 2 | 10 | 3 | 10 | 1 | 47 | 4 |
| | : NOT CONSUMING | 1000 | 1000 | 950 | 999 | 904 | 996 | 936 | 989 | 962 | 989 | 938 | 996 | 4335 | 4399 |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 7 | 3 | 57 | 13 | 157 | 27 | 205 | 5 | 64 | 21 | 263 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 6 | 2 | 0 | 1 | 2 | 3 | 6 |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 993 | 997 | 940 | 985 | 836 | 970 | 795 | 994 | 934 | 4612 | 4148 |
| BURNT TOBACCO | : REGULARLY | 0 | 0 | 4 | 0 | 16 | 2 | 19 | 6 | 35 | 10 | 12 | 2 | 66 | 12 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 2 | 2 | 2 | 1 | 1 | 3 | 2 |
| | : NOT CONSUMING | 1000 | 1000 | 996 | 1000 | 983 | 998 | 979 | 992 | 962 | 988 | 987 | 997 | 4567 | 4403 |
| CONSUMPTION OF TOBACCO IN ANY FORM | : REGULARLY | 2 | 0 | 185 | 16 | 594 | 83 | 680 | 206 | 630 | 254 | 416 | 88 | 1882 | 354 |
| | : CASUALLY | 1 | 0 | 17 | 0 | 16 | 3 | 15 | 12 | 5 | 1 | 13 | 3 | 65 | 14 |
| | : NOT CONSUMING | 997 | 1000 | 798 | 984 | 391 | 914 | 305 | 782 | 365 | 745 | 571 | 909 | 2689 | 4049 |

** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

| TABLE (1R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 | | | | | | | | | | | | | | | |
|---|-----------------|----------------|--------|-------|--------|-------|--------|-------|--------|------------------------------|--------|---------|--------|-------|--------|
| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | |
| HARYANA | | | | | RURAL | | | | | NO. OF SAMPLE VILLAGES : 104 | | | | | |
| | | | | | | | | | | | | | | | |
| FORM OF TOBACCO | | AGE (IN YEARS) | | | | | | | | | | SAMPLE | | | |
| CONSUMPTION | | | | | | | | | | | | PERSONS | | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | ----- | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| | | ----- | | | | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| | | | | | | | | | | | | | | | |
| SMOKING | : REGULARLY | 14 | 0 | 243 | 7 | 696 | 66 | 768 | 96 | 591 | 99 | 433 | 47 | 989 | 90 |
| | : CASUALLY | 0 | 0 | 31 | 3 | 20 | 7 | 3 | 4 | 20 | 4 | 17 | 4 | 37 | 6 |
| | : NOT CONSUMING | 986 | 1000 | 727 | 991 | 284 | 927 | 229 | 900 | 389 | 896 | 549 | 949 | 1328 | 1983 |
| | | | | | | | | | | | | | | | |
| CHEWING | : REGULARLY | 0 | 0 | 3 | 0 | 16 | 0 | 11 | 0 | 5 | 0 | 8 | 0 | 18 | 0 |
| ZARDA | : CASUALLY | 0 | 0 | 0 | 0 | 2 | 0 | 4 | 0 | 6 | 0 | 2 | 0 | 4 | 0 |
| DOKTA ETC | : NOT CONSUMING | 1000 | 1000 | 997 | 1000 | 982 | 1000 | 985 | 1000 | 989 | 1000 | 991 | 1000 | 2332 | 2079 |
| | | | | | | | | | | | | | | | |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 26 | 1 | 35 | 0 | 8 | 1 | 17 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 0 | 1 | 0 | 2 |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 1000 | 996 | 1000 | 974 | 999 | 954 | 1000 | 990 | 2353 | 2060 |
| | | | | | | | | | | | | | | | |
| BURNT | : REGULARLY | 0 | 0 | 5 | 0 | 25 | 7 | 88 | 2 | 115 | 6 | 31 | 3 | 86 | 7 |
| TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 9 | 0 | 6 | 0 | 0 | 0 | 3 | 0 | 7 | 0 |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 1000 | 995 | 1000 | 966 | 993 | 906 | 998 | 885 | 994 | 966 | 997 | 2261 | 2072 |
| | | | | | | | | | | | | | | | |
| CONSUMPTION | : REGULARLY | 14 | 0 | 248 | 7 | 711 | 72 | 792 | 123 | 674 | 141 | 451 | 57 | 1044 | 110 |
| OF TOBACCO | : CASUALLY | 0 | 0 | 29 | 3 | 20 | 7 | 1 | 4 | 19 | 9 | 17 | 5 | 33 | 7 |
| IN ANY FORM | : NOT CONSUMING | 986 | 1000 | 723 | 991 | 269 | 921 | 206 | 873 | 306 | 851 | 532 | 938 | 1277 | 1962 |
| | | | | | | | | | | | | | | | |
| HIMACHAL PRADESH | | | | | RURAL | | | | | NO. OF SAMPLE VILLAGES : 189 | | | | | |
| | | | | | | | | | | | | | | | |
| SMOKING | : REGULARLY | 2 | 0 | 122 | 5 | 581 | 18 | 709 | 92 | 676 | 116 | 393 | 33 | 1403 | 133 |
| | : CASUALLY | 0 | 0 | 10 | 0 | 24 | 1 | 27 | 12 | 17 | 7 | 16 | 3 | 54 | 12 |
| | : NOT CONSUMING | 998 | 1000 | 869 | 995 | 395 | 981 | 264 | 896 | 308 | 876 | 591 | 963 | 2156 | 3793 |
| | | | | | | | | | | | | | | | |
| CHEWING | : REGULARLY | 0 | 0 | 2 | 0 | 7 | 0 | 9 | 0 | 15 | 3 | 6 | 0 | 23 | 1 |
| ZARDA | : CASUALLY | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 0 | 0 | 0 | 1 | 0 | 4 | 0 |
| DOKTA ETC | : NOT CONSUMING | 1000 | 1000 | 998 | 1000 | 992 | 1000 | 988 | 1000 | 985 | 997 | 993 | 999 | 3586 | 3937 |
| | | | | | | | | | | | | | | | |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 999 | 1000 | 1000 | 999 | 3612 | 3938 |
| | | | | | | | | | | | | | | | |
| BURNT | : REGULARLY | 0 | 0 | 2 | 0 | 24 | 5 | 84 | 12 | 91 | 23 | 31 | 6 | 99 | 19 |
| TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 5 | 0 | 4 | 0 | 2 | 2 | 2 | 0 | 8 | 1 |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 1000 | 998 | 1000 | 971 | 995 | 912 | 988 | 907 | 975 | 966 | 993 | 3506 | 3918 |
| | | | | | | | | | | | | | | | |
| CONSUMPTION | : REGULARLY | 2 | 0 | 124 | 5 | 587 | 21 | 720 | 102 | 715 | 127 | 402 | 37 | 1436 | 145 |
| OF TOBACCO | : CASUALLY | 0 | 0 | 10 | 0 | 24 | 1 | 27 | 5 | 12 | 4 | 15 | 1 | 52 | 8 |
| IN ANY FORM | : NOT CONSUMING | 998 | 1000 | 866 | 995 | 389 | 979 | 253 | 893 | 273 | 869 | 583 | 961 | 2125 | 3785 |
| | | | | | | | | | | | | | | | |
| ** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS. | | | | | | | | | | | | | | | |

** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND AGE-GROUP

| JAMMU & KASHMIR | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES: 82 | | | |
|-----------------|-----------------|----------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|-----------------------------|--------|------|--------|
| FORM OF TOBACCO | | AGE (IN YEARS) | | | | | | | | | | SAMPLE | | | |
| CONSUMPTION | | | | | | | | | | | | PERSONS | | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | : REGULARLY | 0 | 0 | 84 | 2 | 541 | 17 | 727 | 55 | 618 | 111 | 354 | 25 | 591 | 32 |
| | : CASUALLY | 0 | 0 | 9 | 0 | 29 | 0 | 27 | 0 | 26 | 13 | 18 | 1 | 25 | 4 |
| | : NOT CONSUMING | 1000 | 1000 | 907 | 998 | 430 | 982 | 246 | 945 | 356 | 876 | 628 | 974 | 1093 | 1673 |
| CHEWING | : REGULARLY | 0 | 0 | 0 | 0 | 6 | 0 | 13 | 0 | 0 | 0 | 3 | 0 | 6 | 0 |
| ZARDA | : CASUALLY | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 2 | 0 |
| DOKTA ETC | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 993 | 1000 | 987 | 1000 | 998 | 1000 | 996 | 999 | 1701 | 1709 |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 2 | 4 | 4 | 20 | 14 | 30 | 6 | 7 | 4 | 14 | 10 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 998 | 996 | 996 | 980 | 986 | 970 | 994 | 993 | 995 | 1695 | 1699 |
| BURNT | : REGULARLY | 0 | 0 | 0 | 2 | 5 | 0 | 15 | 8 | 20 | 0 | 6 | 2 | 11 | 3 |
| TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 2 | 0 | 1 | 0 | 2 | 0 |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 1000 | 1000 | 998 | 995 | 1000 | 979 | 992 | 977 | 1000 | 993 | 998 | 1696 | 1706 |
| CONSUMPTION | : REGULARLY | 0 | 0 | 84 | 6 | 553 | 22 | 756 | 76 | 655 | 117 | 366 | 31 | 614 | 45 |
| OF TOBACCO | : CASUALLY | 0 | 0 | 9 | 0 | 31 | 0 | 22 | 0 | 13 | 13 | 16 | 1 | 22 | 4 |
| IN ANY FORM | : NOT CONSUMING | 1000 | 1000 | 907 | 994 | 416 | 978 | 221 | 924 | 331 | 871 | 618 | 968 | 1073 | 1660 |
| KARNATAKA | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES: 263 | | | |
| SMOKING | : REGULARLY | 0 | 1 | 46 | 2 | 407 | 2 | 534 | 8 | 385 | 6 | 268 | 3 | 1355 | 16 |
| | : CASUALLY | 5 | 6 | 10 | 0 | 19 | 3 | 12 | 4 | 44 | 4 | 16 | 3 | 80 | 12 |
| | : NOT CONSUMING | 995 | 993 | 944 | 998 | 573 | 995 | 453 | 988 | 571 | 990 | 716 | 994 | 4030 | 5380 |
| CHEWING | : REGULARLY | 3 | 2 | 34 | 11 | 94 | 47 | 162 | 105 | 148 | 89 | 79 | 44 | 412 | 238 |
| ZARDA | : CASUALLY | 5 | 6 | 7 | 1 | 11 | 9 | 16 | 28 | 26 | 20 | 11 | 11 | 56 | 49 |
| DOKTA ETC | : NOT CONSUMING | 992 | 992 | 958 | 988 | 895 | 944 | 823 | 867 | 826 | 891 | 910 | 945 | 4997 | 5121 |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 1 | 1 | 3 | 1 | 5 | 15 | 3 | 2 | 2 | 13 | 12 |
| | : CASUALLY | 5 | 6 | 1 | 0 | 1 | 3 | 3 | 4 | 0 | 2 | 2 | 3 | 6 | 11 |
| | : NOT CONSUMING | 995 | 994 | 999 | 999 | 998 | 994 | 996 | 991 | 985 | 995 | 996 | 994 | 5446 | 5385 |
| BURNT | : REGULARLY | 1 | 0 | 2 | 3 | 23 | 44 | 44 | 91 | 63 | 83 | 21 | 38 | 112 | 198 |
| TOBACCO | : CASUALLY | 5 | 6 | 1 | 1 | 3 | 3 | 4 | 0 | 0 | 13 | 3 | 3 | 13 | 15 |
| POWDER/PASTE | : NOT CONSUMING | 994 | 994 | 997 | 996 | 974 | 954 | 952 | 909 | 937 | 904 | 977 | 958 | 5340 | 5195 |
| CONSUMPTION | : REGULARLY | 3 | 2 | 80 | 17 | 494 | 91 | 688 | 199 | 542 | 170 | 344 | 84 | 1765 | 438 |
| OF TOBACCO | : CASUALLY | 5 | 6 | 17 | 1 | 25 | 11 | 22 | 30 | 52 | 33 | 22 | 13 | 111 | 59 |
| IN ANY FORM | : NOT CONSUMING | 991 | 991 | 904 | 982 | 481 | 899 | 291 | 771 | 406 | 797 | 634 | 904 | 3589 | 4911 |

** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

| TABLE (1R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 | | | | | | | | | | | | | | | |
|---|-----------------|----------------|--------|-------|--------|-------|--------|-----------------------------|--------|------------|--------|---------|--------|-------|--------|
| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | |
| KERALA | | | | RURAL | | | | NO. OF SAMPLE VILLAGES: 256 | | | | | | | |
| | | | | | | | | | | | | | | | |
| FORM OF TOBACCO | | AGE (IN YEARS) | | | | | | | | | | SAMPLE | | | |
| CONSUMPTION | | | | | | | | | | | | PERSONS | | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | ----- | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| | | ----- | | | | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| | | | | | | | | | | | | | | | |
| SMOKING | : REGULARLY | 3 | 0 | 41 | 2 | 432 | 3 | 530 | 13 | 353 | 11 | 283 | 5 | 1193 | 23 |
| | : CASUALLY | 0 | 0 | 6 | 0 | 43 | 2 | 62 | 0 | 57 | 0 | 33 | 1 | 149 | 3 |
| | : NOT CONSUMING | 997 | 1000 | 953 | 998 | 524 | 995 | 409 | 987 | 590 | 989 | 684 | 995 | 3256 | 5158 |
| | | | | | | | | | | | | | | | |
| CHEWING | : REGULARLY | 0 | 0 | 1 | 1 | 34 | 27 | 77 | 129 | 98 | 184 | 35 | 51 | 143 | 233 |
| ZARDA | : CASUALLY | 0 | 0 | 0 | 1 | 12 | 8 | 35 | 23 | 18 | 28 | 12 | 10 | 50 | 49 |
| DOKTA ETC | : NOT CONSUMING | 1000 | 1000 | 999 | 998 | 954 | 965 | 889 | 849 | 884 | 788 | 953 | 940 | 4405 | 4902 |
| | | | | | | | | | | | | | | | |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 0 | 5 | 0 | 13 | 0 | 3 | 0 | 4 | 0 | 19 | 1 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 1 | 0 | 5 | 0 | 8 | 0 | 2 | 0 | 10 | 0 |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 994 | 1000 | 983 | 1000 | 989 | 1000 | 994 | 1000 | 4569 | 5183 |
| | | | | | | | | | | | | | | | |
| BURNT | : REGULARLY | 0 | 0 | 0 | 0 | 1 | 1 | 7 | 2 | 14 | 10 | 3 | 2 | 12 | 8 |
| TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 3 | 2 | 1 | 0 | 3 | 1 |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 999 | 999 | 990 | 998 | 983 | 989 | 996 | 998 | 4583 | 5175 |
| | | | | | | | | | | | | | | | |
| CONSUMPTION | : REGULARLY | 3 | 0 | 41 | 2 | 460 | 31 | 583 | 142 | 441 | 205 | 311 | 57 | 1310 | 264 |
| OF TOBACCO | : CASUALLY | 0 | 0 | 6 | 1 | 46 | 9 | 61 | 23 | 70 | 29 | 35 | 10 | 164 | 52 |
| IN ANY FORM | : NOT CONSUMING | 997 | 1000 | 953 | 997 | 494 | 960 | 356 | 835 | 489 | 766 | 654 | 933 | 3124 | 4868 |
| | | | | | | | | | | | | | | | |
| MADHYA PRADESH | | | | RURAL | | | | NO. OF SAMPLE VILLAGES: 533 | | | | | | | |
| | | | | | | | | | | | | | | | |
| SMOKING | : REGULARLY | 2 | 1 | 138 | 6 | 440 | 10 | 497 | 13 | 449 | 15 | 303 | 8 | 3223 | 86 |
| | : CASUALLY | 2 | 0 | 14 | 1 | 27 | 3 | 28 | 2 | 26 | 5 | 20 | 2 | 214 | 19 |
| | : NOT CONSUMING | 996 | 999 | 847 | 993 | 533 | 987 | 475 | 985 | 525 | 981 | 677 | 989 | 7582 | 9983 |
| | | | | | | | | | | | | | | | |
| CHEWING | : REGULARLY | 12 | 2 | 137 | 39 | 347 | 77 | 404 | 114 | 380 | 111 | 251 | 66 | 2698 | 629 |
| ZARDA | : CASUALLY | 2 | 1 | 12 | 2 | 26 | 3 | 26 | 5 | 21 | 7 | 18 | 3 | 184 | 29 |
| DOKTA ETC | : NOT CONSUMING | 986 | 997 | 851 | 959 | 627 | 920 | 570 | 881 | 600 | 882 | 730 | 930 | 8137 | 9430 |
| | | | | | | | | | | | | | | | |
| SNUFF | : REGULARLY | 4 | 1 | 6 | 12 | 8 | 11 | 4 | 10 | 7 | 9 | 6 | 9 | 67 | 85 |
| | : CASUALLY | 1 | 0 | 1 | 1 | 2 | 1 | 2 | 3 | 0 | 0 | 2 | 1 | 15 | 12 |
| | : NOT CONSUMING | 995 | 999 | 993 | 986 | 989 | 988 | 994 | 988 | 993 | 990 | 992 | 989 | 10937 | 9991 |
| | | | | | | | | | | | | | | | |
| BURNT | : REGULARLY | 8 | 14 | 42 | 38 | 52 | 41 | 31 | 33 | 28 | 14 | 37 | 33 | 382 | 306 |
| TOBACCO | : CASUALLY | 2 | 1 | 3 | 2 | 6 | 4 | 6 | 4 | 4 | 3 | 4 | 3 | 52 | 28 |
| POWDER/PASTE | : NOT CONSUMING | 990 | 985 | 955 | 959 | 942 | 956 | 963 | 962 | 968 | 983 | 958 | 964 | 10585 | 9754 |
| | | | | | | | | | | | | | | | |
| CONSUMPTION | : REGULARLY | 25 | 17 | 293 | 91 | 743 | 135 | 828 | 165 | 753 | 145 | 528 | 113 | 5605 | 1073 |
| OF TOBACCO | : CASUALLY | 3 | 2 | 12 | 3 | 15 | 6 | 13 | 11 | 19 | 11 | 12 | 6 | 135 | 54 |
| IN ANY FORM | : NOT CONSUMING | 972 | 981 | 695 | 906 | 242 | 859 | 159 | 825 | 227 | 844 | 460 | 880 | 5279 | 8961 |
| | | | | | | | | | | | | | | | |
| ** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS. | | | | | | | | | | | | | | | |

TABLE (1R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

| PERSONS BY SEX AND AGE-GROUP | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES: 445 | | | |
|------------------------------|-----------------|----------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|-----------------------------|--------|------|--------|
| FORM OF TOBACCO CONSUMPTION | | AGE (IN YEARS) | | | | | | | | | | SAMPLE PERSONS | | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | : REGULARLY | 0 | 0 | 19 | 2 | 189 | 1 | 264 | 8 | 248 | 7 | 136 | 3 | 1027 | 23 |
| | : CASUALLY | 1 | 0 | 2 | 0 | 17 | 0 | 18 | 0 | 15 | 1 | 10 | 0 | 91 | 3 |
| | : NOT CONSUMING | 999 | 1000 | 979 | 998 | 795 | 999 | 719 | 992 | 737 | 992 | 853 | 996 | 7410 | 8237 |
| CHEWING | : REGULARLY | 7 | 2 | 93 | 23 | 400 | 111 | 466 | 207 | 424 | 173 | 276 | 99 | 2263 | 761 |
| ZARDA | : CASUALLY | 0 | 0 | 3 | 3 | 17 | 4 | 17 | 7 | 17 | 3 | 11 | 4 | 91 | 27 |
| DOKTA ETC | : NOT CONSUMING | 993 | 998 | 904 | 974 | 583 | 885 | 518 | 786 | 559 | 824 | 712 | 897 | 6174 | 7475 |
| SNUFF | : REGULARLY | 1 | 0 | 4 | 3 | 5 | 5 | 11 | 23 | 8 | 41 | 6 | 11 | 47 | 88 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 4 | 0 | 1 | 1 | 6 |
| | : NOT CONSUMING | 999 | 1000 | 996 | 997 | 995 | 995 | 988 | 975 | 992 | 955 | 993 | 988 | 8480 | 8169 |
| BURNT | : REGULARLY | 38 | 36 | 79 | 97 | 141 | 173 | 167 | 205 | 175 | 177 | 117 | 143 | 956 | 1137 |
| TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 3 | 1 | 4 | 3 | 7 | 2 | 2 | 1 | 20 | 8 |
| POWDER/PASTE | : NOT CONSUMING | 962 | 964 | 920 | 903 | 856 | 826 | 829 | 792 | 818 | 822 | 880 | 856 | 7552 | 7118 |
| CONSUMPTION | : REGULARLY | 45 | 38 | 173 | 121 | 610 | 272 | 734 | 394 | 676 | 356 | 440 | 235 | 3543 | 1849 |
| OF TOBACCO | : CASUALLY | 1 | 0 | 4 | 3 | 18 | 4 | 24 | 10 | 21 | 7 | 13 | 5 | 113 | 35 |
| IN ANY FORM | : NOT CONSUMING | 954 | 962 | 823 | 876 | 372 | 724 | 242 | 596 | 303 | 636 | 546 | 760 | 4872 | 6379 |
| MANIPUR | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES: 100 | | | |
| SMOKING | : REGULARLY | 0 | 0 | 56 | 23 | 499 | 137 | 753 | 404 | 823 | 533 | 373 | 146 | 753 | 282 |
| | : CASUALLY | 4 | 0 | 6 | 2 | 73 | 42 | 48 | 120 | 29 | 93 | 39 | 39 | 85 | 84 |
| | : NOT CONSUMING | 996 | 1000 | 938 | 975 | 428 | 820 | 199 | 476 | 148 | 375 | 588 | 816 | 1272 | 1724 |
| CHEWING | : REGULARLY | 6 | 0 | 36 | 8 | 110 | 31 | 75 | 5 | 23 | 43 | 65 | 18 | 134 | 30 |
| ZARDA | : CASUALLY | 0 | 6 | 44 | 26 | 129 | 58 | 132 | 50 | 37 | 35 | 82 | 39 | 167 | 75 |
| DOKTA ETC | : NOT CONSUMING | 994 | 994 | 920 | 966 | 762 | 911 | 792 | 945 | 940 | 922 | 854 | 944 | 1809 | 1985 |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 0 | 1 | 0 | 1 |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 1000 | 998 | 1000 | 1000 | 1000 | 991 | 1000 | 999 | 2110 | 2088 |
| BURNT | : REGULARLY | 0 | 0 | 0 | 0 | 19 | 2 | 46 | 5 | 31 | 57 | 16 | 5 | 33 | 8 |
| TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 17 | 12 | 3 | 15 | 3 | 24 | 7 | 8 | 15 | 19 |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 963 | 987 | 952 | 980 | 965 | 918 | 977 | 987 | 2062 | 2063 |
| CONSUMPTION | : REGULARLY | 6 | 0 | 82 | 31 | 534 | 160 | 767 | 404 | 840 | 579 | 398 | 159 | 802 | 305 |
| OF TOBACCO | : CASUALLY | 4 | 6 | 38 | 24 | 100 | 71 | 52 | 131 | 18 | 72 | 57 | 56 | 120 | 117 |
| IN ANY FORM | : NOT CONSUMING | 990 | 994 | 880 | 946 | 366 | 769 | 181 | 465 | 143 | 349 | 545 | 785 | 1188 | 1668 |

** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

| TABLE (1R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 | | | | | | | | | | | | | | | |
|---|-----------------|----------------|--------|-------|--------|-------|--------|-------|--------|----------------------------|--------|-----------------------------|--------|--------|--------|
| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | |
| MEGHALAYA | | | | RURAL | | | | | | | | NO. OF SAMPLE VILLAGES: 112 | | | |
| FORM OF TOBACCO | | AGE (IN YEARS) | | | | | | | | | | | | SAMPLE | |
| CONSUMPTION | | PERSONS | | | | | | | | | | | | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | ----- | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | : REGULARLY | 21 | 15 | 280 | 96 | 840 | 273 | 906 | 240 | 954 | 243 | 592 | 178 | 1187 | 268 |
| | : CASUALLY | 14 | 0 | 35 | 15 | 16 | 25 | 2 | 35 | 8 | 60 | 19 | 21 | 37 | 46 |
| | : NOT CONSUMING | 965 | 985 | 684 | 889 | 144 | 702 | 91 | 724 | 38 | 697 | 389 | 801 | 796 | 1504 |
| CHEWING | : REGULARLY | 0 | 0 | 13 | 14 | 31 | 56 | 29 | 80 | 47 | 21 | 22 | 38 | 49 | 69 |
| ZARDA | : CASUALLY | 0 | 13 | 6 | 90 | 10 | 72 | 15 | 150 | 11 | 141 | 8 | 84 | 17 | 172 |
| DOKTA ETC | : NOT CONSUMING | 1000 | 987 | 982 | 896 | 959 | 872 | 956 | 770 | 942 | 838 | 969 | 878 | 1954 | 1577 |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 2020 | 1818 |
| BURNT | : REGULARLY | 0 | 0 | 4 | 5 | 8 | 2 | 7 | 1 | 10 | 0 | 6 | 3 | 17 | 10 |
| TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 1 |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 1000 | 996 | 995 | 992 | 998 | 993 | 996 | 990 | 1000 | 994 | 997 | 2003 | 1807 |
| CONSUMPTION | : REGULARLY | 21 | 15 | 293 | 111 | 853 | 328 | 919 | 313 | 963 | 264 | 603 | 215 | 1210 | 336 |
| OF TOBACCO | : CASUALLY | 14 | 13 | 37 | 103 | 16 | 95 | 7 | 185 | 0 | 200 | 19 | 104 | 39 | 213 |
| IN ANY FORM | : NOT CONSUMING | 965 | 973 | 670 | 785 | 131 | 577 | 73 | 502 | 37 | 536 | 377 | 681 | 771 | 1269 |
| MIZORAM | | RURAL | | | | | | | | NO. OF SAMPLE VILLAGES: 47 | | | | | |
| SMOKING | : REGULARLY | 27 | 21 | 440 | 185 | 882 | 583 | 986 | 774 | 799 | 794 | 626 | 414 | 590 | 352 |
| | : CASUALLY | 5 | 13 | 53 | 104 | 18 | 123 | 0 | 74 | 0 | 25 | 23 | 89 | 24 | 80 |
| | : NOT CONSUMING | 968 | 967 | 507 | 711 | 100 | 294 | 14 | 152 | 201 | 181 | 352 | 497 | 339 | 428 |
| CHEWING | : REGULARLY | 0 | 0 | 91 | 139 | 91 | 147 | 37 | 51 | 0 | 0 | 65 | 102 | 57 | 84 |
| ZARDA | : CASUALLY | 27 | 24 | 64 | 115 | 101 | 114 | 86 | 96 | 0 | 0 | 72 | 93 | 62 | 76 |
| DOKTA ETC | : NOT CONSUMING | 973 | 976 | 845 | 746 | 807 | 739 | 877 | 852 | 1000 | 1000 | 863 | 805 | 834 | 700 |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 5 | 5 | 0 | 0 | 0 | 0 | 2 | 2 | 1 | 1 |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 995 | 995 | 1000 | 1000 | 1000 | 1000 | 998 | 998 | 952 | 859 |
| BURNT | : REGULARLY | 0 | 0 | 0 | 22 | 19 | 10 | 9 | 22 | 101 | 108 | 12 | 18 | 12 | 16 |
| TOBACCO | : CASUALLY | 0 | 0 | 0 | 7 | 9 | 5 | 12 | 0 | 43 | 42 | 7 | 6 | 4 | 3 |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 1000 | 1000 | 972 | 972 | 984 | 980 | 978 | 856 | 850 | 981 | 976 | 937 | 841 |
| CONSUMPTION | : REGULARLY | 27 | 21 | 502 | 337 | 930 | 727 | 995 | 835 | 900 | 860 | 666 | 523 | 628 | 441 |
| OF TOBACCO | : CASUALLY | 27 | 36 | 65 | 151 | 24 | 113 | 0 | 111 | 0 | 25 | 32 | 108 | 33 | 99 |
| IN ANY FORM | : NOT CONSUMING | 946 | 943 | 432 | 512 | 46 | 160 | 5 | 54 | 100 | 115 | 302 | 368 | 292 | 320 |
| ** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS. | | | | | | | | | | | | | | | |

** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

| TABLE (1R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 | | | | | | | | | | | | | | | | |
|---|-----------------|--|----------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|-----------------------------|--------|-------|--------|
| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | | |
| NAGALAND | | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES: 46 | | | |
| FORM OF TOBACCO | | | AGE (IN YEARS) | | | | | | | | | | SAMPLE | | | |
| CONSUMPTION | | | PERSONS | | | | | | | | | | | | | |
| | | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | ----- | |
| | | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | : REGULARLY | | 0 | 0 | 56 | 1 | 560 | 4 | 605 | 0 | 243 | 0 | 287 | 2 | 288 | 2 |
| | : CASUALLY | | 0 | 0 | 20 | 0 | 11 | 0 | 0 | 0 | 0 | 81 | 9 | 3 | 12 | 2 |
| | : NOT CONSUMING | | 1000 | 1000 | 925 | 999 | 429 | 996 | 395 | 1000 | 757 | 919 | 703 | 995 | 736 | 904 |
| CHEWING | : REGULARLY | | 0 | 0 | 3 | 6 | 99 | 8 | 21 | 0 | 60 | 0 | 37 | 5 | 34 | 4 |
| ZARDA | : CASUALLY | | 0 | 0 | 20 | 3 | 24 | 14 | 46 | 0 | 0 | 26 | 20 | 7 | 26 | 10 |
| DOKTA ETC | : NOT CONSUMING | | 1000 | 1000 | 977 | 991 | 877 | 977 | 933 | 1000 | 940 | 974 | 943 | 988 | 976 | 894 |
| SNUFF | : REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : CASUALLY | | 0 | 0 | 3 | 7 | 0 | 3 | 0 | 0 | 0 | 26 | 1 | 4 | 1 | 3 |
| | : NOT CONSUMING | | 1000 | 1000 | 997 | 993 | 1000 | 997 | 1000 | 1000 | 1000 | 974 | 999 | 996 | 1035 | 905 |
| BURNT | : REGULARLY | | 0 | 0 | 16 | 0 | 0 | 0 | 10 | 0 | 0 | 0 | 6 | 0 | 5 | 0 |
| TOBACCO | : CASUALLY | | 0 | 0 | 3 | 0 | 4 | 3 | 0 | 0 | 0 | 26 | 2 | 2 | 4 | 2 |
| POWDER/PASTE | : NOT CONSUMING | | 1000 | 1000 | 981 | 1000 | 996 | 997 | 990 | 1000 | 1000 | 974 | 992 | 998 | 1027 | 906 |
| CONSUMPTION | : REGULARLY | | 0 | 0 | 71 | 6 | 590 | 8 | 617 | 0 | 269 | 0 | 305 | 5 | 305 | 4 |
| OF TOBACCO | : CASUALLY | | 0 | 0 | 22 | 10 | 23 | 14 | 1 | 0 | 0 | 107 | 14 | 12 | 20 | 13 |
| IN ANY FORM | : NOT CONSUMING | | 1000 | 1000 | 906 | 984 | 387 | 977 | 382 | 1000 | 731 | 893 | 682 | 983 | 711 | 891 |
| ORISSA | | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES: 335 | | | |
| SMOKING | : REGULARLY | | 13 | 1 | 100 | 9 | 324 | 14 | 374 | 25 | 263 | 10 | 225 | 13 | 1333 | 64 |
| | : CASUALLY | | 0 | 2 | 19 | 3 | 49 | 2 | 43 | 5 | 55 | 2 | 34 | 3 | 209 | 12 |
| | : NOT CONSUMING | | 987 | 997 | 881 | 988 | 628 | 983 | 583 | 970 | 682 | 988 | 741 | 984 | 4794 | 6315 |
| CHEWING | : REGULARLY | | 18 | 22 | 130 | 130 | 383 | 301 | 408 | 303 | 398 | 298 | 272 | 220 | 1644 | 1281 |
| ZARDA | : CASUALLY | | 4 | 4 | 30 | 18 | 47 | 36 | 35 | 29 | 46 | 21 | 34 | 25 | 204 | 167 |
| DOKTA ETC | : NOT CONSUMING | | 978 | 974 | 840 | 852 | 570 | 663 | 557 | 668 | 556 | 682 | 693 | 756 | 4488 | 4943 |
| SNUFF | : REGULARLY | | 1 | 3 | 54 | 24 | 95 | 37 | 122 | 64 | 115 | 58 | 77 | 35 | 460 | 184 |
| | : CASUALLY | | 0 | 0 | 2 | 1 | 4 | 1 | 2 | 1 | 4 | 1 | 3 | 1 | 16 | 8 |
| | : NOT CONSUMING | | 999 | 997 | 944 | 975 | 901 | 961 | 876 | 935 | 881 | 941 | 920 | 964 | 5860 | 6199 |
| BURNT | : REGULARLY | | 9 | 27 | 61 | 139 | 190 | 249 | 265 | 297 | 223 | 218 | 147 | 196 | 922 | 1216 |
| TOBACCO | : CASUALLY | | 3 | 2 | 7 | 6 | 28 | 23 | 30 | 20 | 20 | 21 | 19 | 15 | 124 | 110 |
| POWDER/PASTE | : NOT CONSUMING | | 988 | 971 | 932 | 855 | 782 | 728 | 705 | 683 | 757 | 761 | 834 | 789 | 5290 | 5065 |
| CONSUMPTION | : REGULARLY | | 38 | 48 | 275 | 283 | 722 | 543 | 818 | 601 | 744 | 521 | 528 | 417 | 3195 | 2474 |
| OF TOBACCO | : CASUALLY | | 6 | 8 | 31 | 23 | 49 | 47 | 30 | 29 | 34 | 29 | 34 | 31 | 214 | 214 |
| IN ANY FORM | : NOT CONSUMING | | 956 | 944 | 695 | 694 | 229 | 410 | 152 | 370 | 222 | 450 | 438 | 552 | 2927 | 3703 |
| ** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS. | | | | | | | | | | | | | | | | |

TABLE (1R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | |
|------------------------------|-----------------|----------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|-----------------------------|--------|------|--------|
| PUNJAB | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES: 205 | | | |
| FORM OF TOBACCO | | AGE (IN YEARS) | | | | | | | | | | SAMPLE | | | |
| CONSUMPTION | | | | | | | | | | | | PERSONS | | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | : REGULARLY | 2 | 1 | 45 | 1 | 158 | 0 | 150 | 3 | 99 | 7 | 96 | 1 | 372 | 8 |
| | : CASUALLY | 0 | 0 | 2 | 0 | 7 | 1 | 4 | 0 | 6 | 0 | 4 | 0 | 17 | 1 |
| | : NOT CONSUMING | 998 | 999 | 954 | 999 | 835 | 999 | 845 | 997 | 895 | 993 | 900 | 997 | 4147 | 4174 |
| CHEWING | : REGULARLY | 1 | 0 | 16 | 0 | 57 | 1 | 50 | 0 | 32 | 0 | 33 | 0 | 133 | 1 |
| ZARDA | : CASUALLY | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 2 | 0 | 1 | 0 | 3 | 1 |
| DOKTA ETC | : NOT CONSUMING | 999 | 1000 | 984 | 1000 | 942 | 999 | 949 | 999 | 967 | 1000 | 965 | 999 | 4400 | 4181 |
| SNUFF | : REGULARLY | 2 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 3 | 3 | 1 | 0 | 3 | 1 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | 998 | 1000 | 1000 | 1000 | 999 | 1000 | 1000 | 1000 | 997 | 997 | 999 | 999 | 4533 | 4182 |
| BURNT | : REGULARLY | 0 | 0 | 2 | 0 | 3 | 0 | 9 | 0 | 20 | 2 | 5 | 0 | 18 | 1 |
| TOBACCO | : CASUALLY | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0 | 1 | 1 | 2 |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 1000 | 997 | 1000 | 997 | 999 | 991 | 1000 | 980 | 996 | 994 | 998 | 4517 | 4180 |
| CONSUMPTION | : REGULARLY | 5 | 1 | 56 | 1 | 203 | 1 | 192 | 3 | 136 | 9 | 124 | 2 | 485 | 10 |
| OF TOBACCO | : CASUALLY | 0 | 0 | 2 | 0 | 5 | 2 | 4 | 1 | 8 | 2 | 4 | 1 | 17 | 4 |
| IN ANY FORM | : NOT CONSUMING | 995 | 999 | 942 | 999 | 791 | 998 | 803 | 996 | 857 | 988 | 872 | 996 | 4034 | 4169 |
| RAJASTHAN | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES: 312 | | | |
| SMOKING | : REGULARLY | 4 | 3 | 212 | 12 | 645 | 42 | 685 | 65 | 583 | 69 | 420 | 35 | 2549 | 205 |
| | : CASUALLY | 0 | 0 | 4 | 2 | 18 | 5 | 18 | 3 | 13 | 0 | 11 | 3 | 69 | 16 |
| | : NOT CONSUMING | 996 | 997 | 785 | 986 | 336 | 953 | 296 | 932 | 404 | 931 | 569 | 962 | 3663 | 5640 |
| CHEWING | : REGULARLY | 0 | 0 | 18 | 4 | 50 | 3 | 45 | 4 | 57 | 10 | 33 | 4 | 206 | 24 |
| ZARDA | : CASUALLY | 0 | 0 | 4 | 0 | 6 | 1 | 3 | 0 | 1 | 0 | 3 | 0 | 18 | 3 |
| DOKTA ETC | : NOT CONSUMING | 1000 | 1000 | 978 | 996 | 944 | 995 | 952 | 996 | 941 | 990 | 964 | 996 | 6057 | 5834 |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 1 | 1 | 1 | 3 | 21 | 4 | 23 | 1 | 6 | 6 | 33 |
| | : CASUALLY | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 4 | 2 |
| | : NOT CONSUMING | 999 | 1000 | 1000 | 999 | 998 | 998 | 997 | 978 | 996 | 977 | 998 | 994 | 6271 | 5826 |
| BURNT | : REGULARLY | 0 | 0 | 5 | 0 | 12 | 0 | 29 | 5 | 44 | 4 | 14 | 1 | 110 | 11 |
| TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 1000 | 995 | 999 | 987 | 999 | 971 | 995 | 956 | 996 | 986 | 998 | 6169 | 5848 |
| CONSUMPTION | : REGULARLY | 4 | 3 | 227 | 17 | 683 | 47 | 736 | 92 | 651 | 103 | 450 | 45 | 2737 | 266 |
| OF TOBACCO | : CASUALLY | 1 | 0 | 6 | 2 | 14 | 5 | 10 | 5 | 12 | 0 | 9 | 3 | 55 | 19 |
| IN ANY FORM | : NOT CONSUMING | 995 | 997 | 768 | 981 | 304 | 948 | 254 | 904 | 337 | 897 | 542 | 952 | 3489 | 5576 |

** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | |
|---|-----------------|----------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|-----------------------------|--------|-------|--------|
| SIKKIM | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES: 48 | | | |
| FORM OF TOBACCO | | AGE (IN YEARS) | | | | | | | | | | SAMPLE | | | |
| CONSUMPTION | | | | | | | | | | | | PERSONS | | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | ----- | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| | | ----- | | | | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| ----- | | | | | | | | | | | | | | | |
| SMOKING | : REGULARLY | 0 | 0 | 18 | 0 | 210 | 15 | 281 | 29 | 364 | 100 | 150 | 15 | 134 | 9 |
| | : CASUALLY | 0 | 0 | 29 | 0 | 224 | 22 | 292 | 28 | 186 | 40 | 151 | 14 | 119 | 9 |
| | : NOT CONSUMING | 1000 | 1000 | 953 | 1000 | 566 | 963 | 427 | 942 | 450 | 860 | 699 | 971 | 637 | 736 |
| ----- | | | | | | | | | | | | | | | |
| CHEWING | : REGULARLY | 0 | 0 | 197 | 7 | 291 | 12 | 213 | 1 | 112 | 12 | 204 | 8 | 172 | 6 |
| ZARDA | : CASUALLY | 0 | 0 | 14 | 0 | 45 | 8 | 19 | 14 | 31 | 66 | 26 | 8 | 23 | 5 |
| DOKTA ETC | : NOT CONSUMING | 1000 | 1000 | 789 | 993 | 664 | 980 | 768 | 984 | 857 | 922 | 770 | 984 | 695 | 743 |
| ----- | | | | | | | | | | | | | | | |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 890 | 754 |
| ----- | | | | | | | | | | | | | | | |
| BURNT | : REGULARLY | 0 | 0 | 20 | 0 | 56 | 0 | 69 | 0 | 0 | 0 | 38 | 0 | 32 | 0 |
| TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 1000 | 980 | 1000 | 943 | 1000 | 931 | 1000 | 1000 | 1000 | 962 | 1000 | 857 | 754 |
| ----- | | | | | | | | | | | | | | | |
| CONSUMPTION | : REGULARLY | 0 | 0 | 217 | 7 | 525 | 27 | 531 | 31 | 457 | 112 | 369 | 23 | 317 | 15 |
| OF TOBACCO | : CASUALLY | 0 | 0 | 43 | 0 | 223 | 30 | 299 | 42 | 218 | 107 | 157 | 23 | 128 | 14 |
| IN ANY FORM | : NOT CONSUMING | 1000 | 1000 | 741 | 993 | 252 | 943 | 171 | 927 | 325 | 782 | 474 | 954 | 445 | 725 |
| ----- | | | | | | | | | | | | | | | |
| TAMIL NADU | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES: 391 | | | |
| ----- | | | | | | | | | | | | | | | |
| SMOKING | : REGULARLY | 0 | 0 | 48 | 0 | 290 | 5 | 346 | 4 | 186 | 6 | 194 | 3 | 1142 | 16 |
| | : CASUALLY | 0 | 0 | 5 | 0 | 20 | 2 | 12 | 0 | 12 | 0 | 12 | 1 | 71 | 1 |
| | : NOT CONSUMING | 1000 | 1000 | 947 | 1000 | 691 | 994 | 642 | 996 | 802 | 994 | 794 | 997 | 5249 | 6595 |
| ----- | | | | | | | | | | | | | | | |
| CHEWING | : REGULARLY | 1 | 0 | 7 | 3 | 37 | 52 | 106 | 116 | 154 | 140 | 49 | 53 | 332 | 363 |
| ZARDA | : CASUALLY | 0 | 2 | 0 | 0 | 5 | 6 | 21 | 7 | 6 | 13 | 6 | 5 | 33 | 36 |
| DOKTA ETC | : NOT CONSUMING | 999 | 998 | 993 | 997 | 958 | 942 | 873 | 877 | 840 | 847 | 945 | 942 | 6097 | 6213 |
| ----- | | | | | | | | | | | | | | | |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 0 | 5 | 2 | 29 | 4 | 33 | 10 | 10 | 2 | 69 | 15 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 2 | 0 | 3 | 0 | 2 | 0 | 1 | 0 | 7 | 2 |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 993 | 998 | 968 | 996 | 965 | 989 | 988 | 998 | 6386 | 6595 |
| ----- | | | | | | | | | | | | | | | |
| BURNT | : REGULARLY | 0 | 0 | 1 | 3 | 28 | 27 | 79 | 71 | 106 | 106 | 35 | 33 | 227 | 207 |
| TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 3 | 0 | 7 | 8 | 1 | 3 | 2 | 2 | 18 | 11 |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 1000 | 999 | 997 | 969 | 973 | 914 | 921 | 892 | 891 | 962 | 965 | 6217 | 6394 |
| ----- | | | | | | | | | | | | | | | |
| CONSUMPTION | : REGULARLY | 1 | 0 | 55 | 6 | 345 | 81 | 500 | 186 | 445 | 237 | 269 | 86 | 1646 | 571 |
| OF TOBACCO | : CASUALLY | 0 | 2 | 5 | 0 | 24 | 7 | 20 | 13 | 16 | 15 | 15 | 7 | 94 | 42 |
| IN ANY FORM | : NOT CONSUMING | 999 | 998 | 940 | 994 | 631 | 911 | 480 | 802 | 539 | 748 | 716 | 908 | 4722 | 5999 |
| ----- | | | | | | | | | | | | | | | |
| ** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS. | | | | | | | | | | | | | | | |

** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | |
|------------------------------|-----------------|----------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|-----------------------------|--------|-------|--------|
| TRIPURA | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES: 153 | | | |
| FORM OF TOBACCO | | AGE (IN YEARS) | | | | | | | | | | SAMPLE | | | |
| CONSUMPTION | | | | | | | | | | | | PERSONS | | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | ----- | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | : REGULARLY | 7 | 4 | 141 | 17 | 779 | 69 | 913 | 66 | 788 | 68 | 519 | 46 | 1459 | 124 |
| | : CASUALLY | 0 | 0 | 16 | 2 | 28 | 5 | 20 | 6 | 24 | 11 | 19 | 4 | 55 | 10 |
| | : NOT CONSUMING | 993 | 996 | 843 | 981 | 193 | 926 | 67 | 928 | 188 | 921 | 463 | 947 | 1334 | 2464 |
| CHEWING | : REGULARLY | 4 | 2 | 51 | 63 | 101 | 173 | 139 | 207 | 223 | 195 | 87 | 128 | 282 | 368 |
| ZARDA | : CASUALLY | 0 | 3 | 9 | 15 | 43 | 57 | 90 | 47 | 68 | 98 | 37 | 41 | 116 | 118 |
| DOKTA ETC | : NOT CONSUMING | 996 | 995 | 940 | 922 | 856 | 770 | 771 | 746 | 710 | 707 | 876 | 829 | 2450 | 2112 |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 0 | 1 | 2 | 3 | 3 | 4 | 5 | 1 | 2 | 3 | 4 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 2 | 2 | 3 | 2 | 8 | 0 | 2 | 1 | 5 | 3 |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 997 | 995 | 994 | 994 | 987 | 995 | 997 | 995 | 2840 | 2591 |
| BURNT | : REGULARLY | 0 | 0 | 4 | 3 | 11 | 11 | 30 | 10 | 56 | 13 | 14 | 8 | 35 | 16 |
| TOBACCO | : CASUALLY | 0 | 0 | 2 | 0 | 3 | 2 | 3 | 0 | 0 | 0 | 2 | 1 | 5 | 2 |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 1000 | 994 | 997 | 986 | 986 | 967 | 990 | 944 | 987 | 984 | 989 | 2808 | 2580 |
| CONSUMPTION | : REGULARLY | 11 | 6 | 174 | 82 | 805 | 235 | 939 | 261 | 848 | 262 | 544 | 170 | 1538 | 480 |
| OF TOBACCO | : CASUALLY | 0 | 3 | 18 | 15 | 22 | 59 | 25 | 48 | 15 | 91 | 17 | 41 | 51 | 119 |
| IN ANY FORM | : NOT CONSUMING | 989 | 991 | 809 | 903 | 173 | 706 | 36 | 691 | 138 | 646 | 439 | 786 | 1259 | 1999 |
| UTTAR PRADESH | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES: 902 | | | |
| SMOKING | : REGULARLY | 7 | 0 | 165 | 6 | 507 | 33 | 537 | 72 | 431 | 70 | 327 | 31 | 5886 | 507 |
| | : CASUALLY | 1 | 0 | 12 | 1 | 37 | 3 | 39 | 7 | 38 | 7 | 24 | 3 | 455 | 53 |
| | : NOT CONSUMING | 992 | 1000 | 823 | 993 | 456 | 963 | 425 | 921 | 531 | 923 | 648 | 965 | 12998 | 17348 |
| CHEWING | : REGULARLY | 3 | 1 | 66 | 6 | 245 | 45 | 380 | 98 | 407 | 105 | 193 | 43 | 3713 | 692 |
| ZARDA | : CASUALLY | 0 | 0 | 15 | 2 | 38 | 5 | 42 | 10 | 34 | 7 | 25 | 4 | 476 | 78 |
| DOKTA ETC | : NOT CONSUMING | 997 | 999 | 919 | 992 | 717 | 951 | 578 | 892 | 559 | 889 | 781 | 952 | 15150 | 17138 |
| SNUFF | : REGULARLY | 0 | 0 | 1 | 0 | 1 | 1 | 3 | 1 | 3 | 0 | 1 | 0 | 24 | 6 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 11 | 1 |
| | : NOT CONSUMING | 1000 | 1000 | 999 | 1000 | 998 | 999 | 996 | 999 | 996 | 1000 | 998 | 999 | 19304 | 17901 |
| BURNT | : REGULARLY | 0 | 0 | 1 | 0 | 5 | 1 | 15 | 4 | 19 | 3 | 6 | 1 | 119 | 21 |
| TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 1 | 4 | 0 | 1 | 0 | 20 | 5 |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 1000 | 999 | 1000 | 994 | 999 | 983 | 995 | 977 | 997 | 992 | 998 | 19200 | 17882 |
| CONSUMPTION | : REGULARLY | 9 | 1 | 209 | 13 | 650 | 74 | 776 | 160 | 736 | 170 | 450 | 71 | 8327 | 1144 |
| OF TOBACCO | : CASUALLY | 1 | 1 | 18 | 2 | 35 | 7 | 34 | 13 | 38 | 9 | 25 | 6 | 473 | 103 |
| IN ANY FORM | : NOT CONSUMING | 990 | 998 | 773 | 985 | 315 | 919 | 190 | 827 | 225 | 821 | 524 | 923 | 10539 | 16661 |

** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

| TABLE (1R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 | | | | | | | | | | | | | | | |
|---|-----------------|----------------|--------|-------|--------|-------|--------|-----------------------------|--------|------------|--------|--------|--------|-------|--------|
| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | |
| WEST BENGAL | | | | RURAL | | | | NO. OF SAMPLE VILLAGES: 448 | | | | | | | |
| FORM OF TOBACCO | | AGE (IN YEARS) | | | | | | | | | | SAMPLE | | | |
| CONSUMPTION | | PERSONS | | | | | | | | | | | | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | ----- | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | : REGULARLY | 5 | 0 | 204 | 4 | 615 | 14 | 735 | 35 | 585 | 29 | 428 | 13 | 3626 | 108 |
| | : CASUALLY | 1 | 1 | 27 | 3 | 45 | 5 | 36 | 5 | 29 | 2 | 31 | 4 | 291 | 31 |
| | : NOT CONSUMING | 995 | 999 | 769 | 993 | 340 | 981 | 229 | 960 | 385 | 969 | 541 | 983 | 5004 | 8383 |
| CHEWING | : REGULARLY | 6 | 5 | 50 | 23 | 120 | 78 | 140 | 161 | 156 | 176 | 89 | 72 | 813 | 620 |
| ZARDA | : CASUALLY | 1 | 0 | 16 | 7 | 46 | 11 | 48 | 19 | 35 | 6 | 31 | 9 | 288 | 86 |
| DOKTA ETC | : NOT CONSUMING | 993 | 995 | 934 | 970 | 833 | 911 | 812 | 820 | 809 | 817 | 880 | 919 | 7820 | 7816 |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 0 | 2 | 0 | 8 | 6 | 2 | 0 | 2 | 1 | 23 | 9 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 2 | 0 | 0 | 0 | 4 | 1 |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 997 | 1000 | 991 | 993 | 996 | 1000 | 997 | 999 | 8894 | 8512 |
| BURNT | : REGULARLY | 2 | 2 | 13 | 10 | 15 | 25 | 14 | 16 | 27 | 22 | 13 | 16 | 114 | 144 |
| TOBACCO | : CASUALLY | 1 | 1 | 0 | 1 | 2 | 2 | 3 | 1 | 1 | 0 | 1 | 1 | 15 | 10 |
| POWDER/PASTE | : NOT CONSUMING | 998 | 997 | 986 | 989 | 982 | 973 | 983 | 983 | 973 | 978 | 985 | 982 | 8792 | 8368 |
| CONSUMPTION | : REGULARLY | 11 | 7 | 251 | 34 | 705 | 108 | 819 | 201 | 705 | 217 | 495 | 95 | 4226 | 812 |
| OF TOBACCO | : CASUALLY | 3 | 2 | 29 | 8 | 42 | 13 | 39 | 18 | 37 | 6 | 32 | 10 | 299 | 94 |
| IN ANY FORM | : NOT CONSUMING | 986 | 991 | 719 | 958 | 253 | 879 | 142 | 780 | 258 | 777 | 473 | 894 | 4396 | 7616 |
| | | | | | | | | | | | | | | | |
| ANDAMAN & NICOBAR | | | | RURAL | | | | NO. OF SAMPLE VILLAGES: 50 | | | | | | | |
| SMOKING | : REGULARLY | 0 | 0 | 40 | 0 | 227 | 15 | 342 | 102 | 464 | 53 | 176 | 20 | 195 | 27 |
| | : CASUALLY | 0 | 0 | 10 | 0 | 54 | 5 | 33 | 5 | 0 | 27 | 28 | 4 | 36 | 7 |
| | : NOT CONSUMING | 1000 | 1000 | 951 | 1000 | 719 | 980 | 625 | 893 | 536 | 920 | 795 | 976 | 855 | 922 |
| CHEWING | : REGULARLY | 0 | 0 | 216 | 51 | 591 | 204 | 676 | 434 | 501 | 369 | 416 | 160 | 428 | 160 |
| ZARDA | : CASUALLY | 0 | 0 | 23 | 17 | 52 | 39 | 31 | 44 | 42 | 0 | 32 | 25 | 48 | 35 |
| DOKTA ETC | : NOT CONSUMING | 1000 | 1000 | 761 | 932 | 357 | 756 | 293 | 521 | 456 | 631 | 551 | 815 | 610 | 761 |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 7 | 5 | 0 | 1 | 1 | 3 | 4 |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 1000 | 999 | 997 | 993 | 995 | 1000 | 999 | 999 | 1083 | 952 |
| BURNT | : REGULARLY | 0 | 0 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 |
| TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 1000 | 1000 | 994 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 998 | 1086 | 955 |
| CONSUMPTION | : REGULARLY | 0 | 0 | 228 | 57 | 686 | 216 | 846 | 480 | 724 | 374 | 495 | 172 | 527 | 176 |
| OF TOBACCO | : CASUALLY | 0 | 0 | 28 | 17 | 44 | 40 | 18 | 50 | 37 | 27 | 28 | 27 | 41 | 40 |
| IN ANY FORM | : NOT CONSUMING | 1000 | 1000 | 744 | 926 | 270 | 743 | 136 | 470 | 239 | 600 | 477 | 801 | 518 | 740 |
| | | | | | | | | | | | | | | | |
| ** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS. | | | | | | | | | | | | | | | |

** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | |
|------------------------------|-----------------|----------------|--------|-------|--------|-------|--------|-------------------------|--------|------------|--------|---------|--------|-------|--------|
| CHANDIGARH | | | | RURAL | | | | NO. OF SAMPLE VILLAGES: | | | | 8 | | | |
| FORM OF TOBACCO | | AGE (IN YEARS) | | | | | | | | | | SAMPLE | | | |
| CONSUMPTION | | | | | | | | | | | | PERSONS | | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | ----- | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | : REGULARLY | 0 | 0 | 257 | 26 | 311 | 10 | 427 | 0 | 89 | 0 | 259 | 13 | 33 | 2 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 41 | 0 | 0 | 0 | 0 | 0 | 17 | 0 | 2 | 0 |
| | : NOT CONSUMING | 1000 | 1000 | 743 | 974 | 648 | 990 | 573 | 1000 | 911 | 1000 | 724 | 987 | 109 | 102 |
| CHEWING | : REGULARLY | 0 | 0 | 20 | 0 | 153 | 0 | 155 | 0 | 0 | 0 | 87 | 0 | 12 | 0 |
| ZARDA | : CASUALLY | 0 | 0 | 0 | 0 | 48 | 0 | 0 | 0 | 0 | 0 | 20 | 0 | 2 | 0 |
| DOKTA ETC | : NOT CONSUMING | 1000 | 1000 | 980 | 1000 | 799 | 1000 | 845 | 1000 | 1000 | 1000 | 893 | 1000 | 130 | 104 |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 65 | 0 | 6 | 0 | 1 | 0 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 935 | 1000 | 994 | 1000 | 143 | 104 |
| BURNT | : REGULARLY | 0 | 0 | 0 | 0 | 0 | 0 | 33 | 0 | 0 | 0 | 3 | 0 | 2 | 0 |
| TOBACCO | : CASUALLY | 0 | 0 | 28 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 0 | 1 | 0 |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 1000 | 972 | 1000 | 1000 | 1000 | 967 | 1000 | 1000 | 1000 | 988 | 1000 | 141 | 104 |
| CONSUMPTION | : REGULARLY | 0 | 0 | 277 | 26 | 443 | 10 | 582 | 0 | 154 | 0 | 343 | 13 | 45 | 2 |
| OF TOBACCO | : CASUALLY | 0 | 0 | 28 | 0 | 69 | 0 | 0 | 0 | 0 | 0 | 38 | 0 | 4 | 0 |
| IN ANY FORM | : NOT CONSUMING | 1000 | 1000 | 696 | 974 | 488 | 990 | 418 | 1000 | 846 | 1000 | 620 | 987 | 95 | 102 |
| | | | | | | | | | | | | | | | |
| DADER NAGAR-HAVELI | | | | RURAL | | | | NO. OF SAMPLE VILLAGES: | | | | 24 | | | |
| SMOKING | : REGULARLY | 0 | 0 | 62 | 0 | 444 | 0 | 917 | 14 | 704 | 45 | 373 | 5 | 157 | 2 |
| | : CASUALLY | 0 | 0 | 0 | 3 | 14 | 0 | 0 | 0 | 39 | 0 | 8 | 1 | 3 | 1 |
| | : NOT CONSUMING | 1000 | 1000 | 938 | 997 | 543 | 1000 | 83 | 986 | 257 | 955 | 620 | 994 | 297 | 454 |
| CHEWING | : REGULARLY | 0 | 0 | 199 | 11 | 316 | 0 | 15 | 45 | 0 | 0 | 180 | 11 | 74 | 3 |
| ZARDA | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DOKTA ETC | : NOT CONSUMING | 1000 | 1000 | 801 | 989 | 684 | 1000 | 985 | 955 | 1000 | 1000 | 820 | 989 | 383 | 454 |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 7 | 0 | 10 | 15 | 141 | 46 | 158 | 5 | 38 | 2 | 18 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 5 | 6 | 0 | 0 | 0 | 0 | 2 | 2 | 1 | 1 |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 993 | 995 | 984 | 985 | 859 | 954 | 842 | 993 | 960 | 454 | 438 |
| BURNT | : REGULARLY | 0 | 0 | 16 | 3 | 40 | 0 | 0 | 0 | 14 | 0 | 21 | 1 | 12 | 1 |
| TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 1000 | 984 | 997 | 960 | 1000 | 1000 | 1000 | 986 | 1000 | 979 | 999 | 445 | 456 |
| CONSUMPTION | : REGULARLY | 0 | 0 | 276 | 21 | 763 | 10 | 932 | 199 | 764 | 203 | 561 | 54 | 238 | 24 |
| OF TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 8 | 6 | 0 | 0 | 39 | 0 | 6 | 2 | 2 | 1 |
| IN ANY FORM | : NOT CONSUMING | 1000 | 1000 | 724 | 979 | 229 | 984 | 68 | 801 | 197 | 797 | 433 | 944 | 217 | 432 |

** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

| TABLE (1R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 | | | | | | | | | | | | | | | | |
|---|-----------------|--|----------------|--------|-------|--------|-------|--------|---------------------------|--------|------------|--------|--------|--------|-------|--------|
| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | | |
| DAMAN & DIU | | | RURAL | | | | | | NO. OF SAMPLE VILLAGES: 8 | | | | | | | |
| FORM OF TOBACCO | | | AGE (IN YEARS) | | | | | | | | | | SAMPLE | | | |
| CONSUMPTION | | | PERSONS | | | | | | | | | | | | | |
| | | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | ----- | |
| | | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | : REGULARLY | | 0 | 0 | 81 | 0 | 204 | 0 | 342 | 0 | 162 | 188 | 148 | 18 | 25 | 2 |
| | : CASUALLY | | 0 | 0 | 18 | 0 | 10 | 26 | 0 | 0 | 0 | 0 | 10 | 9 | 2 | 1 |
| | : NOT CONSUMING | | 1000 | 1000 | 902 | 1000 | 786 | 974 | 658 | 1000 | 838 | 812 | 842 | 973 | 142 | 147 |
| CHEWING | : REGULARLY | | 0 | 0 | 32 | 0 | 155 | 0 | 20 | 0 | 7 | 0 | 69 | 0 | 16 | 0 |
| | : CASUALLY | | 0 | 0 | 0 | 0 | 28 | 0 | 0 | 0 | 0 | 0 | 10 | 0 | 1 | 0 |
| | : NOT CONSUMING | | 1000 | 1000 | 968 | 1000 | 817 | 1000 | 980 | 1000 | 993 | 1000 | 921 | 1000 | 152 | 150 |
| ZARDA | : REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : CASUALLY | | 0 | 0 | 0 | 0 | 28 | 0 | 0 | 0 | 0 | 0 | 10 | 0 | 1 | 0 |
| | : NOT CONSUMING | | 1000 | 1000 | 968 | 1000 | 817 | 1000 | 980 | 1000 | 993 | 1000 | 921 | 1000 | 152 | 150 |
| DOKTA ETC | : REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 156 | 0 | 240 | 0 | 44 | 0 | 5 |
| | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 844 | 1000 | 760 | 1000 | 956 | 169 | 145 |
| SNUFF | : REGULARLY | | 0 | 0 | 0 | 0 | 96 | 0 | 133 | 0 | 0 | 0 | 49 | 0 | 4 | 0 |
| | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 904 | 1000 | 867 | 1000 | 1000 | 1000 | 951 | 1000 | 165 | 150 |
| BURNT | : REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 904 | 1000 | 867 | 1000 | 1000 | 1000 | 951 | 1000 | 165 | 150 |
| POWDER/PASTE | : REGULARLY | | 0 | 0 | 112 | 0 | 434 | 0 | 491 | 156 | 169 | 428 | 258 | 63 | 42 | 7 |
| | : CASUALLY | | 0 | 0 | 18 | 0 | 10 | 26 | 0 | 0 | 0 | 0 | 10 | 9 | 2 | 1 |
| | : NOT CONSUMING | | 1000 | 1000 | 870 | 1000 | 556 | 974 | 509 | 844 | 831 | 572 | 732 | 928 | 125 | 142 |
| DELHI | | | RURAL | | | | | | NO. OF SAMPLE VILLAGES: 7 | | | | | | | |
| SMOKING | : REGULARLY | | 0 | 0 | 233 | 0 | 534 | 6 | 482 | 0 | 746 | 260 | 393 | 35 | 39 | 3 |
| | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | | 1000 | 1000 | 767 | 1000 | 466 | 994 | 518 | 1000 | 254 | 740 | 607 | 965 | 66 | 69 |
| CHEWING | : REGULARLY | | 0 | 0 | 83 | 0 | 48 | 0 | 0 | 0 | 0 | 0 | 53 | 0 | 4 | 0 |
| | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | | 1000 | 1000 | 917 | 1000 | 952 | 1000 | 1000 | 1000 | 1000 | 1000 | 947 | 1000 | 101 | 72 |
| ZARDA | : REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | | 1000 | 1000 | 917 | 1000 | 952 | 1000 | 1000 | 1000 | 1000 | 1000 | 947 | 1000 | 101 | 72 |
| DOKTA ETC | : REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 105 | 72 |
| SNUFF | : REGULARLY | | 0 | 0 | 0 | 0 | 32 | 0 | 0 | 0 | 0 | 0 | 15 | 0 | 1 | 0 |
| | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 968 | 1000 | 1000 | 1000 | 1000 | 1000 | 985 | 1000 | 104 | 72 |
| BURNT | : REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 968 | 1000 | 1000 | 1000 | 1000 | 1000 | 985 | 1000 | 104 | 72 |
| POWDER/PASTE | : REGULARLY | | 0 | 0 | 275 | 0 | 590 | 6 | 482 | 0 | 746 | 260 | 434 | 35 | 42 | 3 |
| | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | | 1000 | 1000 | 725 | 1000 | 410 | 994 | 518 | 1000 | 254 | 740 | 566 | 965 | 63 | 69 |
| ** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS. | | | | | | | | | | | | | | | | |

** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

| TABLE (1R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 | | | | | | | | | | | | | | | | |
|---|-----------------|--|----------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|-------------------------|--------|-------|--------|
| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | | |
| LAKSHADWEEP | | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES: | | 7 | |
| FORM OF TOBACCO | | | AGE (IN YEARS) | | | | | | | | | | SAMPLE | | | |
| CONSUMPTION | | | PERSONS | | | | | | | | | | | | | |
| | | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | ----- | |
| | | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | : REGULARLY | | 0 | 0 | 22 | 0 | 281 | 19 | 558 | 0 | 382 | 0 | 204 | 7 | 33 | 1 |
| | : CASUALLY | | 0 | 0 | 54 | 0 | 94 | 0 | 37 | 0 | 165 | 0 | 62 | 0 | 9 | 0 |
| | : NOT CONSUMING | | 1000 | 1000 | 924 | 1000 | 625 | 981 | 406 | 1000 | 453 | 1000 | 734 | 993 | 106 | 157 |
| CHEWING | : REGULARLY | | 69 | 0 | 34 | 34 | 98 | 237 | 158 | 478 | 432 | 317 | 113 | 170 | 17 | 30 |
| ZARDA | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 66 | 0 | 95 | 82 | 0 | 7 | 37 | 1 | 7 |
| DOKTA ETC | : NOT CONSUMING | | 931 | 1000 | 966 | 966 | 902 | 698 | 842 | 426 | 486 | 683 | 880 | 793 | 130 | 121 |
| SNUFF | : REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 148 | 158 |
| BURNT | : REGULARLY | | 0 | 0 | 0 | 0 | 46 | 0 | 0 | 0 | 0 | 0 | 14 | 0 | 1 | 0 |
| TOBACCO | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| POWDER/PASTE | : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 954 | 1000 | 1000 | 1000 | 1000 | 1000 | 986 | 1000 | 147 | 158 |
| CONSUMPTION | : REGULARLY | | 69 | 0 | 56 | 34 | 425 | 256 | 644 | 478 | 814 | 317 | 320 | 177 | 49 | 31 |
| OF TOBACCO | : CASUALLY | | 0 | 0 | 54 | 0 | 94 | 66 | 37 | 95 | 165 | 0 | 62 | 37 | 9 | 7 |
| IN ANY FORM | : NOT CONSUMING | | 931 | 1000 | 890 | 966 | 481 | 679 | 319 | 426 | 21 | 683 | 617 | 786 | 90 | 120 |
| PONDICHERY | | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES: | | 7 | |
| SMOKING | : REGULARLY | | 0 | 0 | 119 | 0 | 192 | 0 | 310 | 88 | 416 | 0 | 192 | 11 | 20 | 1 |
| | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | | 1000 | 1000 | 881 | 1000 | 808 | 1000 | 690 | 912 | 584 | 1000 | 808 | 989 | 113 | 121 |
| CHEWING | : REGULARLY | | 0 | 0 | 0 | 0 | 37 | 0 | 272 | 136 | 181 | 171 | 66 | 35 | 8 | 7 |
| ZARDA | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DOKTA ETC | : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 963 | 1000 | 728 | 864 | 819 | 829 | 934 | 965 | 125 | 115 |
| SNUFF | : REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 126 | 0 | 15 | 0 | 2 | 0 |
| | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 874 | 1000 | 985 | 1000 | 131 | 122 |
| BURNT | : REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 17 | 0 | 0 | 0 | 2 | 0 | 1 |
| TOBACCO | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| POWDER/PASTE | : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 983 | 1000 | 1000 | 1000 | 998 | 133 | 121 |
| CONSUMPTION | : REGULARLY | | 0 | 0 | 119 | 0 | 205 | 0 | 478 | 241 | 565 | 171 | 232 | 48 | 26 | 9 |
| OF TOBACCO | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| IN ANY FORM | : NOT CONSUMING | | 1000 | 1000 | 881 | 1000 | 795 | 1000 | 522 | 759 | 435 | 829 | 768 | 952 | 107 | 113 |
| ** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS. | | | | | | | | | | | | | | | | |

| TABLE (1R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 | | | | | | | | | | | | | | |
|---|-----------------|----------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|------------------------------|--------|---------------|
| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | |
| ALL-INDIA | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES: 6951 | | |
| FORM OF TOBACCO | | AGE (IN YEARS) | | | | | | | | | | SAMPLE | | |
| CONSUMPTION | | PERSONS | | | | | | | | | | PERSONS | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) (15) |
| SMOKING | : REGULARLY | 5 | 1 | 120 | 7 | 434 | 25 | 498 | 46 | 398 | 48 | 293 | 23 | 39041 3557 |
| | : CASUALLY | 1 | 1 | 13 | 1 | 31 | 4 | 30 | 5 | 28 | 5 | 21 | 3 | 3265 670 |
| | : NOT CONSUMING | 994 | 998 | 866 | 992 | 535 | 971 | 472 | 949 | 574 | 947 | 686 | 974 | 94959 126130 |
| CHEWING | : REGULARLY | 4 | 3 | 66 | 19 | 205 | 59 | 259 | 103 | 264 | 107 | 151 | 53 | 19408 6475 |
| ZARDA | : CASUALLY | 2 | 1 | 13 | 4 | 26 | 8 | 29 | 11 | 22 | 9 | 19 | 7 | 2938 1417 |
| DOKTA ETC | : NOT CONSUMING | 994 | 996 | 921 | 977 | 769 | 933 | 712 | 886 | 714 | 884 | 829 | 941 | 114919 122465 |
| SNUFF | : REGULARLY | 0 | 0 | 4 | 3 | 7 | 7 | 12 | 16 | 13 | 19 | 7 | 7 | 834 778 |
| | : CASUALLY | 0 | 1 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 126 82 |
| | : NOT CONSUMING | 999 | 999 | 996 | 997 | 992 | 993 | 986 | 983 | 986 | 980 | 992 | 992 | 136305 129497 |
| BURNT | : REGULARLY | 4 | 5 | 18 | 20 | 44 | 39 | 60 | 55 | 68 | 52 | 35 | 33 | 4573 3731 |
| TOBACCO | : CASUALLY | 1 | 1 | 2 | 1 | 5 | 2 | 5 | 3 | 4 | 3 | 3 | 2 | 535 280 |
| POWDER/PASTE | : NOT CONSUMING | 995 | 994 | 981 | 980 | 951 | 959 | 934 | 942 | 928 | 946 | 961 | 965 | 132157 126346 |
| CONSUMPTION | : REGULARLY | 13 | 9 | 191 | 46 | 613 | 122 | 723 | 204 | 650 | 212 | 430 | 109 | 56694 13641 |
| OF TOBACCO | : CASUALLY | 3 | 2 | 19 | 5 | 30 | 11 | 28 | 15 | 29 | 13 | 22 | 9 | 3508 1871 |
| IN ANY FORM | : NOT CONSUMING | 984 | 989 | 791 | 949 | 357 | 866 | 249 | 781 | 321 | 775 | 547 | 882 | 77063 114845 |
| ** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS. | | | | | | | | | | | | | | |

TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | | | |
|------------------------------|-----------------|----------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|-----------------------|--------|----------------|--------|-----|--|
| ANDHRA PRADESH | | | | URBAN | | | | | | | | NO. OF SAMPLE BLOCKS: | | | | 365 | |
| FORM OF TOBACCO CONSUMPTION | | AGE (IN YEARS) | | | | | | | | | | | | SAMPLE PERSONS | | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | | | | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | | |
| SMOKING | : REGULARLY | 0 | 0 | 56 | 4 | 353 | 12 | 488 | 41 | 341 | 49 | 245 | 15 | 1471 | 78 | | |
| | : CASUALLY | 1 | 0 | 5 | 0 | 6 | 0 | 16 | 0 | 5 | 2 | 7 | 0 | 48 | 1 | | |
| | : NOT CONSUMING | 999 | 1000 | 939 | 996 | 640 | 988 | 497 | 959 | 654 | 948 | 749 | 984 | 4826 | 6009 | | |
| CHEWING | : REGULARLY | 0 | 0 | 1 | 1 | 9 | 13 | 13 | 30 | 21 | 38 | 7 | 13 | 52 | 73 | | |
| ZARDA | : CASUALLY | 0 | 0 | 2 | 0 | 3 | 0 | 4 | 1 | 0 | 2 | 2 | 0 | 15 | 5 | | |
| DOKTA ETC | : NOT CONSUMING | 1000 | 1000 | 997 | 999 | 988 | 987 | 983 | 969 | 979 | 960 | 991 | 987 | 6278 | 6010 | | |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 0 | 2 | 2 | 4 | 1 | 12 | 7 | 2 | 2 | 9 | 8 | | |
| | : CASUALLY | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | | |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 997 | 998 | 996 | 999 | 988 | 993 | 998 | 998 | 6334 | 6080 | | |
| BURNT | : REGULARLY | 0 | 0 | 0 | 3 | 4 | 9 | 7 | 23 | 21 | 35 | 4 | 10 | 24 | 62 | | |
| TOBACCO | : CASUALLY | 0 | 1 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 2 | 3 | | |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 999 | 1000 | 996 | 996 | 991 | 992 | 976 | 979 | 965 | 996 | 989 | 6319 | 6023 | | |
| CONSUMPTION | : REGULARLY | 0 | 0 | 57 | 8 | 365 | 36 | 501 | 95 | 390 | 127 | 255 | 40 | 1537 | 220 | | |
| OF TOBACCO | : CASUALLY | 1 | 1 | 5 | 1 | 8 | 0 | 18 | 2 | 5 | 5 | 7 | 1 | 51 | 9 | | |
| IN ANY FORM | : NOT CONSUMING | 999 | 999 | 938 | 991 | 627 | 964 | 480 | 903 | 605 | 869 | 738 | 959 | 4757 | 5859 | | |
| ARUNACHAL PRADESH | | | | URBAN | | | | | | | | NO. OF SAMPLE BLOCKS: | | | | 24 | |
| SMOKING | : REGULARLY | 0 | 0 | 44 | 8 | 260 | 47 | 373 | 56 | 44 | 132 | 183 | 29 | 74 | 7 | | |
| | : CASUALLY | 0 | 0 | 28 | 0 | 85 | 23 | 50 | 20 | 0 | 0 | 50 | 10 | 17 | 3 | | |
| | : NOT CONSUMING | 1000 | 1000 | 927 | 992 | 655 | 930 | 577 | 924 | 956 | 868 | 767 | 961 | 272 | 271 | | |
| CHEWING | : REGULARLY | 0 | 0 | 43 | 8 | 181 | 50 | 29 | 116 | 0 | 0 | 92 | 33 | 38 | 12 | | |
| ZARDA | : CASUALLY | 0 | 0 | 33 | 9 | 107 | 95 | 171 | 70 | 0 | 0 | 80 | 43 | 34 | 14 | | |
| DOKTA ETC | : NOT CONSUMING | 1000 | 1000 | 924 | 982 | 713 | 855 | 800 | 814 | 1000 | 1000 | 828 | 924 | 291 | 255 | | |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 363 | 281 | | |
| BURNT | : REGULARLY | 0 | 0 | 27 | 0 | 40 | 12 | 76 | 0 | 83 | 0 | 39 | 4 | 13 | 1 | | |
| TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 46 | 6 | 36 | 38 | 0 | 0 | 26 | 6 | 10 | 2 | | |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 1000 | 973 | 1000 | 913 | 982 | 888 | 962 | 917 | 1000 | 936 | 990 | 340 | 278 | | |
| CONSUMPTION | : REGULARLY | 0 | 0 | 114 | 17 | 426 | 109 | 478 | 172 | 127 | 132 | 289 | 66 | 115 | 20 | | |
| OF TOBACCO | : CASUALLY | 0 | 0 | 33 | 9 | 141 | 79 | 115 | 51 | 0 | 0 | 86 | 36 | 37 | 13 | | |
| IN ANY FORM | : NOT CONSUMING | 1000 | 1000 | 853 | 974 | 433 | 812 | 407 | 776 | 873 | 868 | 625 | 898 | 211 | 248 | | |

** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | | | |
|------------------------------|-----------------|----------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|-----------------------|--------|----------------|--------|-----|--|
| ASSAM | | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | | | 88 | |
| FORM OF TOBACCO CONSUMPTION | | AGE (IN YEARS) | | | | | | | | | | | | SAMPLE PERSONS | | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | ----- | | | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | | |
| SMOKING | : REGULARLY | 9 | 0 | 34 | 6 | 405 | 4 | 592 | 11 | 434 | 29 | 284 | 6 | 482 | 10 | | |
| | : CASUALLY | 0 | 0 | 26 | 2 | 83 | 1 | 119 | 13 | 103 | 0 | 63 | 2 | 114 | 4 | | |
| | : NOT CONSUMING | 991 | 1000 | 940 | 992 | 512 | 995 | 290 | 976 | 463 | 971 | 651 | 991 | 1071 | 1473 | | |
| CHEWING | : REGULARLY | 0 | 0 | 42 | 12 | 164 | 38 | 212 | 59 | 46 | 31 | 112 | 27 | 196 | 44 | | |
| ZARDA | : CASUALLY | 0 | 0 | 42 | 20 | 74 | 15 | 53 | 23 | 24 | 34 | 50 | 16 | 84 | 24 | | |
| DOKTA ETC | : NOT CONSUMING | 1000 | 1000 | 916 | 967 | 763 | 947 | 735 | 918 | 929 | 934 | 837 | 957 | 1387 | 1419 | | |
| SNUFF | : REGULARLY | 0 | 0 | 6 | 0 | 11 | 0 | 5 | 0 | 0 | 0 | 7 | 0 | 13 | 0 | | |
| | : CASUALLY | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | | |
| | : NOT CONSUMING | 1000 | 1000 | 994 | 1000 | 988 | 1000 | 995 | 1000 | 1000 | 1000 | 991 | 1000 | 1653 | 1487 | | |
| BURNT | : REGULARLY | 0 | 0 | 5 | 2 | 20 | 0 | 17 | 5 | 0 | 0 | 12 | 1 | 22 | 2 | | |
| TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | | |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 1000 | 995 | 998 | 979 | 1000 | 983 | 995 | 1000 | 1000 | 986 | 999 | 1643 | 1485 | | |
| CONSUMPTION | : REGULARLY | 9 | 0 | 82 | 20 | 550 | 41 | 733 | 75 | 461 | 60 | 378 | 34 | 643 | 55 | | |
| OF TOBACCO | : CASUALLY | 0 | 0 | 57 | 22 | 84 | 16 | 80 | 35 | 114 | 34 | 66 | 19 | 120 | 28 | | |
| IN ANY FORM | : NOT CONSUMING | 991 | 1000 | 861 | 958 | 365 | 942 | 187 | 890 | 425 | 906 | 554 | 947 | 904 | 1404 | | |
| | | | | | | | | | | | | | | | | | |
| BIHAR | | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | | | 216 | |
| SMOKING | | | | | | | | | | | | | | | | | |
| | : REGULARLY | 0 | 0 | 7 | 2 | 137 | 6 | 171 | 27 | 137 | 39 | 83 | 9 | 344 | 27 | | |
| | : CASUALLY | 0 | 0 | 12 | 0 | 44 | 3 | 44 | 6 | 48 | 3 | 28 | 2 | 124 | 6 | | |
| | : NOT CONSUMING | 1000 | 1000 | 981 | 998 | 819 | 991 | 785 | 967 | 815 | 958 | 889 | 989 | 3977 | 3531 | | |
| CHEWING | : REGULARLY | 0 | 0 | 52 | 13 | 338 | 20 | 357 | 41 | 289 | 48 | 201 | 20 | 802 | 60 | | |
| ZARDA | : CASUALLY | 0 | 0 | 12 | 1 | 24 | 3 | 38 | 14 | 29 | 9 | 19 | 4 | 82 | 14 | | |
| DOKTA ETC | : NOT CONSUMING | 1000 | 1000 | 936 | 987 | 638 | 977 | 605 | 945 | 681 | 942 | 780 | 976 | 3561 | 3490 | | |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | | |
| | : CASUALLY | 0 | 0 | 0 | 0 | 2 | 1 | 3 | 0 | 0 | 0 | 1 | 0 | 3 | 1 | | |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 998 | 999 | 994 | 1000 | 1000 | 1000 | 998 | 1000 | 4441 | 3563 | | |
| BURNT | : REGULARLY | 0 | 0 | 27 | 0 | 84 | 2 | 139 | 8 | 77 | 11 | 61 | 3 | 272 | 10 | | |
| TOBACCO | : CASUALLY | 0 | 0 | 1 | 0 | 10 | 2 | 2 | 0 | 5 | 0 | 4 | 1 | 19 | 2 | | |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 1000 | 972 | 1000 | 906 | 996 | 859 | 992 | 918 | 989 | 934 | 997 | 4154 | 3552 | | |
| CONSUMPTION | : REGULARLY | 0 | 0 | 82 | 15 | 484 | 27 | 576 | 76 | 476 | 96 | 303 | 31 | 1248 | 96 | | |
| OF TOBACCO | : CASUALLY | 0 | 0 | 13 | 1 | 39 | 6 | 54 | 14 | 37 | 9 | 28 | 5 | 122 | 15 | | |
| IN ANY FORM | : NOT CONSUMING | 1000 | 1000 | 905 | 985 | 477 | 966 | 370 | 910 | 487 | 894 | 670 | 964 | 3075 | 3453 | | |

** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

| TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 | | | | | | | | | | | | | | | |
|---|-----------------|----------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|-----------------------|--------|-------|--------|
| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | |
| GOA | | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | 22 | |
| FORM OF TOBACCO | | AGE (IN YEARS) | | | | | | | | | | SAMPLE | | | |
| CONSUMPTION | | PERSONS | | | | | | | | | | | | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | ----- | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | : REGULARLY | 0 | 0 | 25 | 0 | 246 | 14 | 363 | 69 | 392 | 31 | 179 | 19 | 67 | 4 |
| | : CASUALLY | 0 | 0 | 17 | 0 | 37 | 0 | 0 | 0 | 0 | 0 | 19 | 0 | 6 | 0 |
| | : NOT CONSUMING | 1000 | 1000 | 959 | 1000 | 717 | 986 | 637 | 931 | 608 | 969 | 802 | 981 | 298 | 347 |
| CHEWING | : REGULARLY | 0 | 0 | 77 | 0 | 46 | 14 | 47 | 8 | 0 | 0 | 46 | 7 | 13 | 2 |
| ZARDA | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DOKTA ETC | : NOT CONSUMING | 1000 | 1000 | 923 | 1000 | 954 | 986 | 953 | 992 | 1000 | 1000 | 954 | 993 | 358 | 349 |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 371 | 351 |
| BURNT | : REGULARLY | 0 | 0 | 0 | 15 | 27 | 34 | 48 | 0 | 0 | 0 | 17 | 18 | 5 | 5 |
| TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 1000 | 1000 | 985 | 973 | 966 | 952 | 1000 | 1000 | 1000 | 983 | 982 | 366 | 346 |
| CONSUMPTION | : REGULARLY | 0 | 0 | 90 | 15 | 298 | 62 | 438 | 69 | 392 | 31 | 228 | 42 | 80 | 10 |
| OF TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 25 | 0 | 0 | 0 | 0 | 0 | 10 | 0 | 4 | 0 |
| IN ANY FORM | : NOT CONSUMING | 1000 | 1000 | 910 | 985 | 677 | 938 | 562 | 931 | 608 | 969 | 762 | 958 | 287 | 341 |
| GUJARAT | | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | 238 | |
| SMOKING | : REGULARLY | 4 | 0 | 58 | 2 | 290 | 2 | 412 | 9 | 264 | 4 | 202 | 3 | 872 | 12 |
| | : CASUALLY | 1 | 1 | 6 | 0 | 15 | 1 | 13 | 4 | 9 | 6 | 10 | 1 | 71 | 6 |
| | : NOT CONSUMING | 995 | 999 | 936 | 998 | 694 | 997 | 575 | 987 | 726 | 990 | 788 | 996 | 3646 | 4150 |
| CHEWING | : REGULARLY | 0 | 0 | 50 | 1 | 107 | 4 | 75 | 11 | 29 | 11 | 68 | 4 | 322 | 24 |
| ZARDA | : CASUALLY | 0 | 0 | 8 | 0 | 20 | 3 | 18 | 0 | 3 | 3 | 12 | 1 | 53 | 6 |
| DOKTA ETC | : NOT CONSUMING | 1000 | 1000 | 942 | 999 | 874 | 993 | 907 | 989 | 968 | 986 | 920 | 995 | 4214 | 4138 |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 1 | 3 | 14 | 3 | 63 | 14 | 147 | 3 | 26 | 12 | 91 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 4 | 3 | 0 | 1 | 1 | 3 |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 999 | 997 | 985 | 997 | 933 | 982 | 850 | 997 | 974 | 4576 | 4074 |
| BURNT | : REGULARLY | 0 | 0 | 4 | 1 | 10 | 0 | 8 | 0 | 7 | 2 | 7 | 0 | 32 | 3 |
| TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 3 | 0 |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 1000 | 996 | 999 | 989 | 1000 | 991 | 1000 | 993 | 998 | 993 | 1000 | 4554 | 4165 |
| CONSUMPTION | : REGULARLY | 4 | 0 | 108 | 3 | 392 | 21 | 480 | 82 | 311 | 165 | 268 | 32 | 1177 | 128 |
| OF TOBACCO | : CASUALLY | 1 | 1 | 12 | 0 | 27 | 4 | 22 | 8 | 16 | 9 | 18 | 3 | 94 | 13 |
| IN ANY FORM | : NOT CONSUMING | 995 | 999 | 880 | 997 | 581 | 975 | 499 | 910 | 673 | 826 | 714 | 964 | 3318 | 4027 |
| ** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS. | | | | | | | | | | | | | | | |

| TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 | | | | | | | | | | | | | | | |
|---|-----------------|----------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|-----------------------|--------|-------|--------|
| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | |
| HARYANA | | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | 70 | |
| FORM OF TOBACCO | | AGE (IN YEARS) | | | | | | | | | | SAMPLE | | | |
| CONSUMPTION | | PERSONS | | | | | | | | | | | | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | ----- | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | : REGULARLY | 0 | 0 | 160 | 0 | 440 | 11 | 514 | 16 | 403 | 52 | 300 | 10 | 364 | 13 |
| | : CASUALLY | 0 | 0 | 21 | 0 | 28 | 8 | 10 | 24 | 27 | 0 | 19 | 6 | 24 | 4 |
| | : NOT CONSUMING | 1000 | 1000 | 819 | 1000 | 532 | 981 | 476 | 960 | 570 | 948 | 680 | 984 | 907 | 1102 |
| CHEWING | : REGULARLY | 0 | 0 | 13 | 0 | 20 | 0 | 13 | 18 | 88 | 0 | 19 | 2 | 21 | 1 |
| ZARDA | : CASUALLY | 0 | 0 | 0 | 0 | 6 | 0 | 3 | 0 | 0 | 0 | 3 | 0 | 5 | 0 |
| DOKTA ETC | : NOT CONSUMING | 1000 | 1000 | 987 | 1000 | 973 | 1000 | 984 | 982 | 912 | 1000 | 978 | 998 | 1269 | 1118 |
| SNUFF | : REGULARLY | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 8 | 0 | 17 | 1 | 2 | 1 | 2 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | 1000 | 1000 | 995 | 1000 | 1000 | 1000 | 1000 | 992 | 1000 | 983 | 999 | 998 | 1294 | 1117 |
| BURNT | : REGULARLY | 0 | 0 | 0 | 0 | 3 | 0 | 4 | 6 | 0 | 9 | 2 | 1 | 4 | 2 |
| TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 996 | 1000 | 996 | 994 | 1000 | 991 | 998 | 999 | 1290 | 1117 |
| CONSUMPTION | : REGULARLY | 0 | 0 | 166 | 0 | 459 | 11 | 525 | 49 | 491 | 78 | 317 | 16 | 382 | 18 |
| OF TOBACCO | : CASUALLY | 0 | 0 | 21 | 0 | 28 | 8 | 13 | 18 | 27 | 0 | 20 | 5 | 26 | 3 |
| IN ANY FORM | : NOT CONSUMING | 1000 | 1000 | 813 | 1000 | 513 | 981 | 461 | 933 | 482 | 922 | 663 | 979 | 887 | 1098 |
| HIMACHAL PRADESH | | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | 40 | |
| SMOKING | : REGULARLY | 9 | 0 | 110 | 19 | 391 | 13 | 454 | 76 | 299 | 95 | 248 | 28 | 175 | 12 |
| | : CASUALLY | 0 | 0 | 30 | 0 | 28 | 0 | 22 | 0 | 15 | 20 | 22 | 2 | 16 | 1 |
| | : NOT CONSUMING | 991 | 1000 | 860 | 981 | 581 | 987 | 524 | 924 | 686 | 885 | 730 | 970 | 488 | 539 |
| CHEWING | : REGULARLY | 0 | 0 | 5 | 0 | 4 | 0 | 21 | 0 | 20 | 0 | 7 | 0 | 6 | 0 |
| ZARDA | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DOKTA ETC | : NOT CONSUMING | 1000 | 1000 | 995 | 1000 | 996 | 1000 | 979 | 1000 | 980 | 1000 | 993 | 1000 | 673 | 552 |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12 | 0 | 1 | 0 | 1 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 988 | 1000 | 999 | 679 | 551 |
| BURNT | : REGULARLY | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 56 | 20 | 4 | 2 | 4 | 1 |
| TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 998 | 1000 | 998 | 1000 | 944 | 980 | 996 | 998 | 675 | 551 |
| CONSUMPTION | : REGULARLY | 9 | 0 | 115 | 19 | 397 | 13 | 474 | 76 | 375 | 126 | 259 | 31 | 184 | 14 |
| OF TOBACCO | : CASUALLY | 0 | 0 | 30 | 0 | 28 | 0 | 22 | 0 | 15 | 0 | 22 | 0 | 16 | 0 |
| IN ANY FORM | : NOT CONSUMING | 991 | 1000 | 855 | 981 | 575 | 987 | 504 | 924 | 610 | 874 | 719 | 969 | 479 | 538 |
| ** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS. | | | | | | | | | | | | | | | |

** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

| TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 | | | | | | | | | | | | | | | |
|---|-----------------|----------------|--------|-------|--------|-------|--------|-----------------------|--------|------------|--------|--------|--------|-------|--------|
| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | |
| JAMMU & KASHMIR | | | | URBAN | | | | NO. OF SAMPLE BLOCKS: | | | | 53 | | | |
| FORM OF TOBACCO | | AGE (IN YEARS) | | | | | | | | | | SAMPLE | | | |
| CONSUMPTION | | PERSONS | | | | | | | | | | | | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | ----- | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | : REGULARLY | 0 | 0 | 35 | 0 | 231 | 0 | 354 | 23 | 320 | 0 | 175 | 3 | 181 | 4 |
| | : CASUALLY | 0 | 0 | 3 | 0 | 21 | 0 | 68 | 0 | 0 | 0 | 19 | 0 | 19 | 0 |
| | : NOT CONSUMING | 1000 | 1000 | 962 | 1000 | 748 | 1000 | 578 | 977 | 680 | 1000 | 805 | 994 | 867 | 968 |
| CHEWING | : REGULARLY | 0 | 0 | 3 | 0 | 11 | 0 | 18 | 0 | 0 | 0 | 8 | 0 | 5 | 0 |
| ZARDA | : CASUALLY | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 |
| DOKTA ETC | : NOT CONSUMING | 1000 | 1000 | 997 | 1000 | 984 | 1000 | 982 | 1000 | 1000 | 1000 | 990 | 997 | 1060 | 972 |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 998 | 1000 | 1000 | 1000 | 1000 | 1000 | 999 | 997 | 1066 | 972 |
| BURNT | : REGULARLY | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 16 | 0 | 2 | 0 | 2 | 0 |
| TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 1000 | 997 | 1000 | 998 | 1000 | 1000 | 1000 | 984 | 1000 | 997 | 997 | 1064 | 972 |
| CONSUMPTION | : REGULARLY | 0 | 0 | 35 | 0 | 238 | 0 | 354 | 23 | 320 | 0 | 178 | 3 | 183 | 4 |
| OF TOBACCO | : CASUALLY | 0 | 0 | 3 | 0 | 24 | 0 | 68 | 0 | 0 | 0 | 20 | 0 | 20 | 0 |
| IN ANY FORM | : NOT CONSUMING | 1000 | 1000 | 962 | 1000 | 738 | 1000 | 578 | 977 | 680 | 1000 | 802 | 994 | 864 | 968 |
| ----- | | | | | | | | | | | | | | | |
| KARNATAKA | | | | URBAN | | | | NO. OF SAMPLE BLOCKS: | | | | 247 | | | |
| SMOKING | : REGULARLY | 0 | 0 | 39 | 3 | 302 | 1 | 380 | 7 | 196 | 3 | 190 | 3 | 886 | 12 |
| | : CASUALLY | 0 | 0 | 6 | 0 | 27 | 3 | 12 | 0 | 25 | 0 | 15 | 1 | 78 | 2 |
| | : NOT CONSUMING | 1000 | 1000 | 956 | 997 | 671 | 996 | 608 | 993 | 779 | 997 | 795 | 996 | 3734 | 4365 |
| CHEWING | : REGULARLY | 0 | 0 | 15 | 2 | 50 | 19 | 67 | 31 | 45 | 20 | 35 | 14 | 149 | 63 |
| ZARDA | : CASUALLY | 2 | 0 | 6 | 0 | 11 | 6 | 8 | 6 | 13 | 16 | 8 | 4 | 28 | 20 |
| DOKTA ETC | : NOT CONSUMING | 998 | 1000 | 980 | 998 | 940 | 975 | 926 | 963 | 942 | 963 | 957 | 982 | 4521 | 4296 |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 0 | 2 | 3 | 11 | 13 | 21 | 4 | 3 | 3 | 15 | 14 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 998 | 997 | 989 | 987 | 979 | 996 | 997 | 997 | 4683 | 4365 |
| BURNT | : REGULARLY | 1 | 0 | 1 | 0 | 1 | 13 | 6 | 27 | 5 | 29 | 2 | 11 | 14 | 37 |
| TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 3 | 6 | 0 | 1 | 0 | 2 | 1 |
| POWDER/PASTE | : NOT CONSUMING | 999 | 1000 | 999 | 1000 | 998 | 987 | 994 | 971 | 989 | 971 | 997 | 989 | 4682 | 4341 |
| CONSUMPTION | : REGULARLY | 1 | 0 | 52 | 6 | 339 | 29 | 432 | 71 | 260 | 56 | 219 | 27 | 1013 | 117 |
| OF TOBACCO | : CASUALLY | 2 | 0 | 11 | 0 | 32 | 7 | 20 | 9 | 39 | 16 | 20 | 5 | 96 | 22 |
| IN ANY FORM | : NOT CONSUMING | 997 | 1000 | 936 | 994 | 630 | 964 | 548 | 921 | 701 | 927 | 760 | 968 | 3589 | 4240 |
| ----- | | | | | | | | | | | | | | | |
| ** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS. | | | | | | | | | | | | | | | |

** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | | |
|------------------------------|-----------------|--|----------------|--------|-------|--------|-------|--------|-------|--------|-----------------------|--------|--------|--------|-------|--------|
| KERALA | | | URBAN | | | | | | | | NO. OF SAMPLE BLOCKS: | | | | 183 | |
| FORM OF TOBACCO | | | AGE (IN YEARS) | | | | | | | | | | | SAMPLE | | |
| CONSUMPTION | | | PERSONS | | | | | | | | | | | | | |
| | | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | ----- | |
| | | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | : REGULARLY | | 0 | 0 | 38 | 1 | 348 | 4 | 474 | 9 | 387 | 12 | 252 | 5 | 779 | 14 |
| | : CASUALLY | | 0 | 0 | 13 | 1 | 60 | 2 | 66 | 1 | 43 | 0 | 40 | 1 | 146 | 7 |
| | : NOT CONSUMING | | 1000 | 1000 | 949 | 999 | 592 | 993 | 459 | 990 | 570 | 988 | 708 | 994 | 2349 | 3572 |
| CHEWING | : REGULARLY | | 0 | 0 | 2 | 0 | 10 | 9 | 49 | 92 | 98 | 141 | 22 | 34 | 67 | 124 |
| ZARDA | : CASUALLY | | 0 | 0 | 1 | 0 | 9 | 1 | 18 | 19 | 35 | 22 | 10 | 6 | 26 | 24 |
| DOKTA ETC | : NOT CONSUMING | | 1000 | 1000 | 997 | 1000 | 981 | 990 | 932 | 889 | 868 | 837 | 968 | 960 | 3181 | 3445 |
| SNUFF | : REGULARLY | | 0 | 0 | 2 | 0 | 6 | 0 | 17 | 0 | 10 | 3 | 6 | 0 | 21 | 1 |
| | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 18 | 0 | 2 | 0 | 6 | 0 |
| | : NOT CONSUMING | | 1000 | 1000 | 998 | 1000 | 994 | 1000 | 982 | 1000 | 972 | 997 | 991 | 1000 | 3247 | 3592 |
| BURNT | : REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 2 | 5 | 0 | 1 | 2 | 5 |
| TOBACCO | : CASUALLY | | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 3 | 0 |
| POWDER/PASTE | : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 998 | 1000 | 999 | 997 | 998 | 995 | 999 | 999 | 3269 | 3588 |
| CONSUMPTION | : REGULARLY | | 0 | 0 | 42 | 1 | 360 | 13 | 518 | 102 | 458 | 158 | 271 | 39 | 840 | 142 |
| OF TOBACCO | : CASUALLY | | 0 | 0 | 14 | 1 | 61 | 3 | 66 | 19 | 68 | 22 | 43 | 7 | 153 | 29 |
| IN ANY FORM | : NOT CONSUMING | | 1000 | 1000 | 944 | 999 | 579 | 983 | 416 | 879 | 474 | 820 | 685 | 954 | 2281 | 3422 |
| MADHYA PRADESH | | | URBAN | | | | | | | | NO. OF SAMPLE BLOCKS: | | | | 325 | |
| SMOKING | : REGULARLY | | 2 | 0 | 58 | 2 | 322 | 8 | 391 | 18 | 225 | 13 | 200 | 7 | 1219 | 28 |
| | : CASUALLY | | 4 | 2 | 15 | 1 | 34 | 1 | 33 | 2 | 12 | 0 | 22 | 1 | 143 | 6 |
| | : NOT CONSUMING | | 994 | 998 | 927 | 997 | 645 | 991 | 576 | 979 | 763 | 987 | 778 | 991 | 5075 | 5694 |
| CHEWING | : REGULARLY | | 0 | 0 | 47 | 7 | 188 | 40 | 212 | 116 | 215 | 119 | 123 | 41 | 794 | 222 |
| ZARDA | : CASUALLY | | 2 | 2 | 14 | 2 | 20 | 2 | 27 | 5 | 20 | 3 | 16 | 2 | 107 | 15 |
| DOKTA ETC | : NOT CONSUMING | | 998 | 998 | 939 | 991 | 792 | 957 | 760 | 879 | 765 | 878 | 861 | 956 | 5536 | 5491 |
| SNUFF | : REGULARLY | | 0 | 2 | 5 | 5 | 10 | 6 | 11 | 9 | 7 | 32 | 7 | 7 | 35 | 30 |
| | : CASUALLY | | 2 | 2 | 4 | 1 | 5 | 4 | 3 | 6 | 0 | 0 | 4 | 3 | 16 | 9 |
| | : NOT CONSUMING | | 998 | 997 | 991 | 994 | 984 | 991 | 986 | 986 | 993 | 968 | 989 | 989 | 6386 | 5689 |
| BURNT | : REGULARLY | | 6 | 2 | 11 | 8 | 35 | 23 | 31 | 24 | 34 | 20 | 23 | 16 | 127 | 83 |
| TOBACCO | : CASUALLY | | 2 | 2 | 5 | 1 | 4 | 1 | 5 | 8 | 0 | 2 | 4 | 2 | 21 | 11 |
| POWDER/PASTE | : NOT CONSUMING | | 992 | 997 | 984 | 991 | 961 | 975 | 964 | 968 | 966 | 977 | 973 | 981 | 6289 | 5634 |
| CONSUMPTION | : REGULARLY | | 9 | 3 | 102 | 20 | 490 | 75 | 576 | 154 | 447 | 168 | 312 | 66 | 1938 | 344 |
| OF TOBACCO | : CASUALLY | | 4 | 2 | 20 | 2 | 33 | 7 | 29 | 7 | 27 | 6 | 24 | 5 | 154 | 24 |
| IN ANY FORM | : NOT CONSUMING | | 988 | 995 | 878 | 978 | 477 | 919 | 395 | 838 | 526 | 826 | 664 | 928 | 4345 | 5360 |

| TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 | | | | | | | | | | | | | | | |
|---|-----------------|----------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|-----------------------|--------|-------|--------|
| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | |
| MAHARASTRA | | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | 557 | |
| FORM OF TOBACCO | | AGE (IN YEARS) | | | | | | | | | | SAMPLE | | | |
| CONSUMPTION | | PERSONS | | | | | | | | | | | | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | ----- | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | : REGULARLY | 0 | 0 | 21 | 0 | 159 | 2 | 227 | 2 | 145 | 10 | 109 | 2 | 1131 | 14 |
| | : CASUALLY | 0 | 2 | 5 | 1 | 29 | 1 | 18 | 1 | 18 | 2 | 16 | 1 | 170 | 11 |
| | : NOT CONSUMING | 1000 | 998 | 974 | 999 | 811 | 997 | 755 | 997 | 837 | 988 | 875 | 997 | 8968 | 9387 |
| CHEWING | : REGULARLY | 1 | 0 | 41 | 5 | 166 | 40 | 189 | 93 | 189 | 113 | 114 | 39 | 1099 | 355 |
| ZARDA | : CASUALLY | 0 | 0 | 2 | 1 | 13 | 2 | 15 | 4 | 21 | 4 | 9 | 2 | 75 | 17 |
| DOKTA ETC | : NOT CONSUMING | 999 | 1000 | 957 | 994 | 820 | 957 | 796 | 903 | 789 | 882 | 876 | 959 | 9095 | 9040 |
| SNUFF | : REGULARLY | 1 | 2 | 3 | 0 | 3 | 3 | 6 | 4 | 9 | 14 | 4 | 3 | 35 | 26 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 |
| | : NOT CONSUMING | 999 | 998 | 997 | 1000 | 997 | 997 | 994 | 996 | 991 | 986 | 996 | 997 | 10233 | 9384 |
| BURNT | : REGULARLY | 8 | 6 | 19 | 21 | 39 | 43 | 52 | 80 | 43 | 63 | 31 | 39 | 304 | 363 |
| TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 2 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 8 | 12 |
| POWDER/PASTE | : NOT CONSUMING | 992 | 994 | 981 | 978 | 959 | 956 | 946 | 918 | 956 | 936 | 967 | 960 | 9957 | 9037 |
| CONSUMPTION | : REGULARLY | 10 | 7 | 78 | 25 | 333 | 82 | 432 | 161 | 342 | 184 | 234 | 77 | 2306 | 696 |
| OF TOBACCO | : CASUALLY | 0 | 2 | 6 | 2 | 34 | 3 | 23 | 6 | 33 | 7 | 20 | 3 | 200 | 31 |
| IN ANY FORM | : NOT CONSUMING | 990 | 991 | 915 | 973 | 633 | 914 | 545 | 833 | 625 | 809 | 746 | 920 | 7763 | 8685 |
| MANIPUR | | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | 70 | |
| SMOKING | : REGULARLY | 4 | 0 | 58 | 5 | 383 | 57 | 664 | 260 | 622 | 434 | 292 | 89 | 487 | 144 |
| | : CASUALLY | 0 | 0 | 5 | 8 | 63 | 19 | 67 | 93 | 63 | 73 | 38 | 27 | 64 | 40 |
| | : NOT CONSUMING | 996 | 1000 | 938 | 987 | 555 | 924 | 269 | 647 | 315 | 492 | 671 | 884 | 955 | 1282 |
| CHEWING | : REGULARLY | 0 | 0 | 24 | 9 | 61 | 13 | 58 | 3 | 7 | 5 | 37 | 8 | 70 | 12 |
| ZARDA | : CASUALLY | 0 | 0 | 33 | 3 | 84 | 23 | 77 | 20 | 21 | 6 | 51 | 12 | 91 | 26 |
| DOKTA ETC | : NOT CONSUMING | 1000 | 1000 | 943 | 988 | 855 | 965 | 865 | 977 | 972 | 989 | 912 | 980 | 1345 | 1428 |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 0 | 1 | 0 | 6 | 0 | 0 | 0 | 1 | 0 | 2 | 0 |
| | : CASUALLY | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| | : NOT CONSUMING | 1000 | 1000 | 999 | 1000 | 999 | 1000 | 994 | 1000 | 1000 | 1000 | 998 | 1000 | 1503 | 1466 |
| BURNT | : REGULARLY | 0 | 0 | 1 | 0 | 15 | 0 | 26 | 5 | 21 | 5 | 11 | 1 | 29 | 3 |
| TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 4 | 2 | 3 | 18 | 0 | 0 | 2 | 3 | 4 | 9 |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 1000 | 999 | 1000 | 982 | 998 | 971 | 977 | 979 | 995 | 988 | 996 | 1473 | 1454 |
| CONSUMPTION | : REGULARLY | 4 | 0 | 69 | 14 | 415 | 68 | 665 | 260 | 622 | 434 | 306 | 96 | 511 | 153 |
| OF TOBACCO | : CASUALLY | 0 | 0 | 23 | 11 | 78 | 36 | 69 | 106 | 63 | 73 | 48 | 36 | 88 | 60 |
| IN ANY FORM | : NOT CONSUMING | 996 | 1000 | 908 | 975 | 507 | 896 | 265 | 634 | 315 | 492 | 646 | 868 | 907 | 1253 |
| ** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS. | | | | | | | | | | | | | | | |

** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

| TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 | | | | | | | | | | | | | | | |
|---|-----------------|----------------|--------|-------|--------|-------|--------|-------|--------|-----------------------|--------|--------|--------|-------|--------|
| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | |
| MEGHALAYA | | | | URBAN | | | | | | NO. OF SAMPLE BLOCKS: | | | | 48 | |
| FORM OF TOBACCO | | AGE (IN YEARS) | | | | | | | | | | SAMPLE | | | |
| CONSUMPTION | | PERSONS | | | | | | | | | | | | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | ----- | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | : REGULARLY | 16 | 0 | 49 | 0 | 704 | 27 | 833 | 113 | 463 | 101 | 464 | 24 | 351 | 18 |
| | : CASUALLY | 0 | 0 | 37 | 0 | 24 | 8 | 26 | 0 | 0 | 0 | 23 | 4 | 17 | 2 |
| | : NOT CONSUMING | 984 | 1000 | 914 | 1000 | 272 | 965 | 141 | 887 | 537 | 899 | 513 | 972 | 381 | 669 |
| CHEWING | : REGULARLY | 0 | 0 | 27 | 22 | 88 | 38 | 26 | 72 | 192 | 83 | 56 | 32 | 38 | 22 |
| ZARDA | : CASUALLY | 0 | 4 | 0 | 47 | 23 | 105 | 34 | 140 | 0 | 81 | 15 | 73 | 10 | 53 |
| DOKTA ETC | : NOT CONSUMING | 1000 | 996 | 973 | 931 | 890 | 857 | 939 | 788 | 808 | 836 | 929 | 895 | 701 | 614 |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 749 | 689 |
| BURNT | : REGULARLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 997 | 1000 | 1000 | 1000 | 1000 | 1000 | 999 | 1000 | 748 | 689 |
| CONSUMPTION | : REGULARLY | 16 | 0 | 76 | 22 | 768 | 66 | 849 | 182 | 556 | 185 | 505 | 56 | 379 | 39 |
| OF TOBACCO | : CASUALLY | 0 | 4 | 37 | 47 | 32 | 109 | 26 | 140 | 0 | 81 | 27 | 75 | 19 | 54 |
| IN ANY FORM | : NOT CONSUMING | 984 | 996 | 887 | 931 | 200 | 826 | 125 | 678 | 444 | 735 | 467 | 869 | 351 | 596 |
| | | | | | | | | | | | | | | | |
| MIZORAM | | | | URBAN | | | | | | NO. OF SAMPLE BLOCKS: | | | | 96 | |
| SMOKING | : REGULARLY | 0 | 5 | 289 | 90 | 826 | 325 | 818 | 600 | 754 | 668 | 551 | 260 | 949 | 437 |
| | : CASUALLY | 3 | 0 | 102 | 36 | 46 | 146 | 101 | 201 | 67 | 88 | 63 | 99 | 101 | 165 |
| | : NOT CONSUMING | 997 | 995 | 610 | 874 | 128 | 529 | 81 | 199 | 180 | 244 | 386 | 642 | 704 | 1087 |
| CHEWING | : REGULARLY | 0 | 5 | 42 | 168 | 54 | 156 | 53 | 45 | 28 | 44 | 41 | 116 | 86 | 192 |
| ZARDA | : CASUALLY | 0 | 5 | 71 | 134 | 87 | 143 | 62 | 61 | 33 | 40 | 64 | 104 | 94 | 151 |
| DOKTA ETC | : NOT CONSUMING | 1000 | 990 | 887 | 698 | 859 | 700 | 885 | 894 | 939 | 917 | 895 | 780 | 1574 | 1346 |
| SNUFF | : REGULARLY | 0 | 5 | 2 | 1 | 0 | 1 | 5 | 15 | 0 | 20 | 1 | 4 | 2 | 8 |
| | : CASUALLY | 0 | 0 | 3 | 1 | 0 | 1 | 3 | 3 | 0 | 0 | 1 | 1 | 3 | 3 |
| | : NOT CONSUMING | 1000 | 995 | 995 | 998 | 1000 | 998 | 992 | 982 | 1000 | 980 | 998 | 995 | 1749 | 1678 |
| BURNT | : REGULARLY | 0 | 14 | 9 | 47 | 5 | 53 | 5 | 9 | 0 | 20 | 5 | 38 | 7 | 50 |
| TOBACCO | : CASUALLY | 0 | 0 | 8 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 4 | 1 |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 986 | 984 | 953 | 995 | 946 | 995 | 991 | 1000 | 980 | 993 | 961 | 1743 | 1638 |
| CONSUMPTION | : REGULARLY | 0 | 14 | 334 | 306 | 870 | 525 | 865 | 649 | 781 | 712 | 589 | 408 | 1029 | 673 |
| OF TOBACCO | : CASUALLY | 3 | 5 | 151 | 151 | 61 | 232 | 89 | 207 | 89 | 107 | 80 | 166 | 127 | 264 |
| IN ANY FORM | : NOT CONSUMING | 997 | 981 | 515 | 543 | 69 | 244 | 46 | 144 | 129 | 180 | 331 | 426 | 598 | 752 |
| | | | | | | | | | | | | | | | |
| ** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS. | | | | | | | | | | | | | | | |

** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

| TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 | | | | | | | | | | | | | | | | |
|---|-----------------|--|----------------|--------|-------|--------|-------|--------|-------|--------|-----------------------|--------|--------|--------|-------|--------|
| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | | |
| NAGALAND | | | URBAN | | | | | | | | NO. OF SAMPLE BLOCKS: | | | | 24 | |
| FORM OF TOBACCO | | | AGE (IN YEARS) | | | | | | | | | | SAMPLE | | | |
| CONSUMPTION | | | PERSONS | | | | | | | | | | | | | |
| | | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | ----- | |
| | | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | : REGULARLY | | 0 | 0 | 33 | 0 | 478 | 0 | 481 | 0 | 124 | 0 | 253 | 0 | 127 | 0 |
| | : CASUALLY | | 14 | 0 | 50 | 0 | 17 | 0 | 0 | 0 | 0 | 0 | 22 | 0 | 9 | 0 |
| | : NOT CONSUMING | | 986 | 1000 | 917 | 1000 | 505 | 1000 | 519 | 1000 | 876 | 1000 | 725 | 1000 | 394 | 355 |
| CHEWING | : REGULARLY | | 0 | 0 | 20 | 0 | 76 | 0 | 100 | 0 | 33 | 0 | 48 | 0 | 27 | 0 |
| ZARDA | : CASUALLY | | 0 | 0 | 9 | 0 | 14 | 0 | 145 | 0 | 38 | 0 | 28 | 0 | 18 | 0 |
| DOKTA ETC | : NOT CONSUMING | | 1000 | 1000 | 971 | 1000 | 910 | 1000 | 755 | 1000 | 929 | 1000 | 924 | 1000 | 485 | 355 |
| SNUFF | : REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 530 | 355 |
| BURNT | : REGULARLY | | 0 | 0 | 8 | 0 | 31 | 0 | 37 | 0 | 0 | 0 | 18 | 0 | 8 | 0 |
| TOBACCO | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| POWDER/PASTE | : NOT CONSUMING | | 1000 | 1000 | 992 | 1000 | 969 | 1000 | 963 | 1000 | 1000 | 1000 | 982 | 1000 | 522 | 355 |
| CONSUMPTION | : REGULARLY | | 0 | 0 | 55 | 0 | 560 | 0 | 573 | 0 | 157 | 0 | 303 | 0 | 153 | 0 |
| OF TOBACCO | : CASUALLY | | 14 | 0 | 50 | 0 | 22 | 0 | 100 | 0 | 5 | 0 | 38 | 0 | 18 | 0 |
| IN ANY FORM | : NOT CONSUMING | | 986 | 1000 | 895 | 1000 | 418 | 1000 | 327 | 1000 | 838 | 1000 | 660 | 1000 | 359 | 355 |
| ORISSA | | | URBAN | | | | | | | | NO. OF SAMPLE BLOCKS: | | | | 104 | |
| SMOKING | : REGULARLY | | 0 | 0 | 80 | 2 | 322 | 3 | 366 | 17 | 374 | 10 | 226 | 5 | 367 | 11 |
| | : CASUALLY | | 8 | 19 | 12 | 0 | 60 | 3 | 66 | 0 | 25 | 0 | 38 | 4 | 74 | 4 |
| | : NOT CONSUMING | | 992 | 981 | 909 | 998 | 618 | 994 | 568 | 983 | 600 | 990 | 736 | 991 | 1433 | 1716 |
| CHEWING | : REGULARLY | | 11 | 0 | 54 | 28 | 266 | 162 | 354 | 284 | 268 | 253 | 189 | 125 | 325 | 195 |
| ZARDA | : CASUALLY | | 0 | 26 | 18 | 11 | 49 | 29 | 36 | 13 | 24 | 5 | 31 | 20 | 59 | 29 |
| DOKTA ETC | : NOT CONSUMING | | 989 | 974 | 928 | 962 | 685 | 809 | 610 | 702 | 708 | 742 | 780 | 855 | 1490 | 1507 |
| SNUFF | : REGULARLY | | 0 | 0 | 2 | 0 | 7 | 2 | 37 | 3 | 50 | 5 | 12 | 1 | 29 | 3 |
| | : CASUALLY | | 0 | 19 | 0 | 0 | 0 | 3 | 6 | 0 | 2 | 0 | 1 | 4 | 2 | 4 |
| | : NOT CONSUMING | | 1000 | 981 | 998 | 1000 | 993 | 996 | 957 | 997 | 948 | 995 | 987 | 995 | 1843 | 1724 |
| BURNT | : REGULARLY | | 0 | 7 | 30 | 47 | 140 | 136 | 227 | 223 | 230 | 189 | 112 | 109 | 198 | 186 |
| TOBACCO | : CASUALLY | | 7 | 19 | 1 | 0 | 11 | 7 | 15 | 3 | 11 | 9 | 9 | 6 | 19 | 12 |
| POWDER/PASTE | : NOT CONSUMING | | 993 | 974 | 969 | 953 | 848 | 857 | 758 | 775 | 759 | 802 | 879 | 885 | 1657 | 1533 |
| CONSUMPTION | : REGULARLY | | 11 | 7 | 131 | 74 | 523 | 278 | 659 | 487 | 586 | 400 | 376 | 220 | 645 | 357 |
| OF TOBACCO | : CASUALLY | | 15 | 26 | 24 | 11 | 65 | 32 | 43 | 12 | 38 | 0 | 42 | 21 | 87 | 31 |
| IN ANY FORM | : NOT CONSUMING | | 975 | 967 | 845 | 915 | 413 | 690 | 299 | 501 | 376 | 600 | 582 | 759 | 1142 | 1343 |
| ** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS. | | | | | | | | | | | | | | | | |

TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | | |
|------------------------------|-----------------|--|----------------|--------|-------|--------|-------|--------|-------|--------|-----------------------|--------|--------|--------|-------|--------|
| PUNJAB | | | URBAN | | | | | | | | NO. OF SAMPLE BLOCKS: | | | | 196 | |
| FORM OF TOBACCO | | | AGE (IN YEARS) | | | | | | | | | | SAMPLE | | | |
| CONSUMPTION | | | PERSONS | | | | | | | | | | | | | |
| | | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | ----- | |
| | | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | : REGULARLY | | 6 | 0 | 78 | 2 | 244 | 0 | 198 | 4 | 175 | 0 | 154 | 1 | 480 | 5 |
| | : CASUALLY | | 0 | 0 | 8 | 0 | 20 | 0 | 14 | 0 | 6 | 1 | 12 | 0 | 41 | 1 |
| | : NOT CONSUMING | | 994 | 1000 | 914 | 998 | 736 | 1000 | 788 | 996 | 819 | 999 | 833 | 998 | 3173 | 3270 |
| CHEWING | : REGULARLY | | 0 | 0 | 16 | 0 | 28 | 0 | 27 | 5 | 10 | 0 | 19 | 1 | 57 | 1 |
| | : CASUALLY | | 0 | 0 | 1 | 0 | 4 | 0 | 5 | 0 | 4 | 0 | 3 | 0 | 9 | 0 |
| | : NOT CONSUMING | | 1000 | 1000 | 983 | 1000 | 969 | 1000 | 968 | 995 | 985 | 1000 | 978 | 999 | 3628 | 3275 |
| SNUFF | : REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 |
| | : CASUALLY | | 0 | 0 | 1 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 4 | 0 |
| | : NOT CONSUMING | | 1000 | 1000 | 999 | 1000 | 998 | 1000 | 999 | 999 | 1000 | 1000 | 999 | 999 | 3690 | 3274 |
| BURNT | : REGULARLY | | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 2 | 0 |
| | : CASUALLY | | 0 | 0 | 1 | 0 | 2 | 0 | 5 | 0 | 0 | 0 | 2 | 0 | 7 | 0 |
| | : NOT CONSUMING | | 1000 | 1000 | 999 | 1000 | 997 | 1000 | 995 | 1000 | 998 | 1000 | 997 | 1000 | 3685 | 3276 |
| CONSUMPTION OF TOBACCO | : REGULARLY | | 6 | 0 | 89 | 2 | 260 | 1 | 216 | 10 | 181 | 0 | 166 | 2 | 518 | 8 |
| | : CASUALLY | | 0 | 0 | 8 | 0 | 23 | 0 | 20 | 0 | 6 | 1 | 14 | 0 | 47 | 1 |
| | : NOT CONSUMING | | 994 | 1000 | 903 | 998 | 717 | 999 | 764 | 990 | 813 | 999 | 820 | 997 | 3129 | 3267 |
| RAJASTHAN | | | URBAN | | | | | | | | NO. OF SAMPLE BLOCKS: | | | | 184 | |
| SMOKING | : REGULARLY | | 1 | 0 | 83 | 5 | 357 | 14 | 492 | 55 | 357 | 23 | 243 | 16 | 769 | 37 |
| | : CASUALLY | | 0 | 0 | 3 | 0 | 29 | 2 | 8 | 0 | 30 | 6 | 14 | 1 | 41 | 4 |
| | : NOT CONSUMING | | 999 | 1000 | 914 | 995 | 614 | 984 | 500 | 945 | 613 | 971 | 743 | 982 | 2543 | 2985 |
| CHEWING | : REGULARLY | | 0 | 0 | 32 | 2 | 93 | 20 | 110 | 25 | 80 | 34 | 63 | 15 | 202 | 38 |
| | : CASUALLY | | 0 | 0 | 6 | 0 | 20 | 0 | 8 | 1 | 0 | 4 | 10 | 0 | 27 | 2 |
| | : NOT CONSUMING | | 1000 | 1000 | 962 | 998 | 887 | 980 | 882 | 974 | 920 | 962 | 928 | 985 | 3124 | 2986 |
| SNUFF | : REGULARLY | | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 7 | 0 | 25 | 0 | 4 | 1 | 9 |
| | : CASUALLY | | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| | : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 998 | 998 | 1000 | 993 | 1000 | 975 | 999 | 996 | 3350 | 3017 |
| BURNT | : REGULARLY | | 0 | 0 | 2 | 3 | 4 | 0 | 10 | 8 | 21 | 15 | 5 | 3 | 13 | 8 |
| | : CASUALLY | | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 1 |
| | : NOT CONSUMING | | 1000 | 1000 | 998 | 997 | 994 | 1000 | 990 | 992 | 979 | 985 | 994 | 997 | 3337 | 3017 |
| CONSUMPTION OF TOBACCO | : REGULARLY | | 1 | 0 | 110 | 8 | 427 | 35 | 580 | 87 | 440 | 89 | 293 | 36 | 932 | 86 |
| | : CASUALLY | | 0 | 0 | 8 | 0 | 41 | 2 | 12 | 1 | 30 | 9 | 21 | 2 | 59 | 7 |
| | : NOT CONSUMING | | 999 | 1000 | 881 | 992 | 532 | 962 | 408 | 912 | 530 | 902 | 686 | 962 | 2362 | 2933 |

** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | |
|------------------------------|-----------------|----------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|-----------------------|--------|--------|--------|
| SIKKIM | | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | 16 | |
| FORM OF TOBACCO | | AGE (IN YEARS) | | | | | | | | | | | | SAMPLE | |
| CONSUMPTION | | PERSONS | | | | | | | | | | | | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | ----- | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | : REGULARLY | 0 | 0 | 52 | 0 | 223 | 4 | 228 | 0 | 94 | 0 | 134 | 2 | 35 | 1 |
| | : CASUALLY | 0 | 0 | 35 | 0 | 129 | 0 | 185 | 0 | 0 | 0 | 84 | 0 | 25 | 0 |
| | : NOT CONSUMING | 1000 | 1000 | 912 | 1000 | 648 | 996 | 587 | 1000 | 906 | 1000 | 782 | 998 | 205 | 201 |
| CHEWING | : REGULARLY | 0 | 0 | 81 | 15 | 199 | 0 | 252 | 0 | 0 | 0 | 132 | 4 | 38 | 1 |
| ZARDA | : CASUALLY | 0 | 0 | 16 | 0 | 52 | 0 | 0 | 0 | 0 | 0 | 25 | 0 | 6 | 0 |
| DOKTA ETC | : NOT CONSUMING | 1000 | 1000 | 903 | 985 | 749 | 1000 | 748 | 1000 | 1000 | 1000 | 843 | 996 | 221 | 201 |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 265 | 202 |
| BURNT | : REGULARLY | 0 | 0 | 0 | 0 | 58 | 0 | 0 | 0 | 0 | 0 | 22 | 0 | 6 | 0 |
| TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 942 | 1000 | 1000 | 1000 | 1000 | 1000 | 978 | 1000 | 259 | 202 |
| CONSUMPTION | : REGULARLY | 0 | 0 | 134 | 15 | 440 | 4 | 357 | 0 | 94 | 0 | 258 | 6 | 71 | 2 |
| OF TOBACCO | : CASUALLY | 0 | 0 | 51 | 0 | 169 | 0 | 185 | 0 | 0 | 0 | 104 | 0 | 30 | 0 |
| IN ANY FORM | : NOT CONSUMING | 1000 | 1000 | 815 | 985 | 391 | 996 | 458 | 1000 | 906 | 1000 | 638 | 994 | 164 | 200 |
| TAMIL NADU | | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | 407 | |
| SMOKING | : REGULARLY | 0 | 0 | 43 | 0 | 300 | 2 | 330 | 4 | 180 | 6 | 190 | 2 | 1226 | 10 |
| | : CASUALLY | 0 | 0 | 3 | 0 | 14 | 0 | 19 | 2 | 12 | 3 | 10 | 0 | 65 | 2 |
| | : NOT CONSUMING | 1000 | 1000 | 954 | 1000 | 686 | 998 | 651 | 994 | 808 | 991 | 800 | 998 | 5412 | 6739 |
| CHEWING | : REGULARLY | 0 | 0 | 0 | 1 | 13 | 20 | 52 | 63 | 81 | 75 | 20 | 23 | 131 | 148 |
| ZARDA | : CASUALLY | 0 | 0 | 3 | 1 | 9 | 4 | 9 | 13 | 7 | 3 | 6 | 4 | 41 | 27 |
| DOKTA ETC | : NOT CONSUMING | 1000 | 1000 | 997 | 998 | 977 | 977 | 939 | 924 | 912 | 922 | 974 | 974 | 6531 | 6576 |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 1 | 8 | 2 | 20 | 9 | 28 | 10 | 8 | 3 | 59 | 25 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 2 | 1 | 1 | 0 | 5 | 3 |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 999 | 992 | 997 | 979 | 991 | 970 | 989 | 991 | 996 | 6639 | 6723 |
| BURNT | : REGULARLY | 0 | 0 | 0 | 1 | 7 | 3 | 23 | 36 | 31 | 47 | 9 | 11 | 60 | 75 |
| TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 4 | 0 | 2 | 2 | 0 | 7 | 2 | 1 | 7 | 4 |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 1000 | 1000 | 999 | 990 | 997 | 974 | 962 | 969 | 947 | 989 | 989 | 6636 | 6672 |
| CONSUMPTION | : REGULARLY | 0 | 0 | 43 | 2 | 320 | 25 | 405 | 108 | 294 | 128 | 220 | 36 | 1424 | 246 |
| OF TOBACCO | : CASUALLY | 0 | 0 | 5 | 1 | 20 | 4 | 26 | 13 | 17 | 6 | 14 | 4 | 97 | 29 |
| IN ANY FORM | : NOT CONSUMING | 1000 | 1000 | 951 | 997 | 659 | 970 | 569 | 879 | 688 | 866 | 766 | 960 | 5182 | 6476 |

** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | | |
|------------------------------|-----------------|--|----------------|--------|-------|--------|-------|--------|-------|--------|-----------------------|--------|--------|--------|-------|--------|
| TRIPURA | | | URBAN | | | | | | | | NO. OF SAMPLE BLOCKS: | | | | 56 | |
| FORM OF TOBACCO | | | AGE (IN YEARS) | | | | | | | | | | | SAMPLE | | |
| CONSUMPTION | | | PERSONS | | | | | | | | | | | | | |
| | | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | ----- | |
| | | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | : REGULARLY | | 3 | 0 | 33 | 0 | 648 | 5 | 785 | 0 | 754 | 27 | 448 | 4 | 410 | 5 |
| | : CASUALLY | | 0 | 0 | 0 | 0 | 40 | 11 | 41 | 6 | 17 | 0 | 24 | 5 | 25 | 3 |
| | : NOT CONSUMING | | 997 | 1000 | 967 | 1000 | 312 | 984 | 174 | 994 | 229 | 973 | 528 | 990 | 523 | 947 |
| CHEWING | : REGULARLY | | 5 | 2 | 22 | 85 | 175 | 263 | 286 | 422 | 368 | 296 | 149 | 201 | 135 | 175 |
| ZARDA | : CASUALLY | | 9 | 0 | 9 | 9 | 48 | 55 | 99 | 77 | 36 | 64 | 42 | 39 | 45 | 37 |
| DOKTA ETC | : NOT CONSUMING | | 986 | 998 | 969 | 907 | 777 | 682 | 615 | 501 | 596 | 640 | 809 | 760 | 778 | 743 |
| SNUFF | : REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| | : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 1000 | 997 | 1000 | 1000 | 1000 | 1000 | 1000 | 999 | 958 | 954 |
| BURNT | : REGULARLY | | 0 | 0 | 0 | 0 | 16 | 15 | 24 | 0 | 0 | 23 | 10 | 8 | 6 | 6 |
| TOBACCO | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 5 | 23 | 0 | 0 | 0 | 4 | 2 | 2 | 1 |
| POWDER/PASTE | : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 984 | 980 | 952 | 1000 | 1000 | 977 | 986 | 990 | 950 | 948 |
| CONSUMPTION | : REGULARLY | | 8 | 2 | 50 | 85 | 695 | 267 | 814 | 422 | 788 | 346 | 478 | 206 | 442 | 181 |
| OF TOBACCO | : CASUALLY | | 6 | 0 | 9 | 9 | 39 | 58 | 59 | 83 | 12 | 48 | 29 | 40 | 33 | 38 |
| IN ANY FORM | : NOT CONSUMING | | 986 | 998 | 940 | 907 | 266 | 675 | 127 | 495 | 200 | 606 | 493 | 754 | 483 | 736 |
| UTTAR PRADESH | | | URBAN | | | | | | | | NO. OF SAMPLE BLOCKS: | | | | 448 | |
| SMOKING | : REGULARLY | | 1 | 0 | 64 | 1 | 309 | 6 | 450 | 30 | 375 | 16 | 213 | 8 | 1954 | 59 |
| | : CASUALLY | | 0 | 0 | 4 | 0 | 31 | 1 | 26 | 0 | 11 | 0 | 16 | 0 | 130 | 5 |
| | : NOT CONSUMING | | 999 | 1000 | 932 | 999 | 659 | 994 | 524 | 970 | 614 | 984 | 771 | 992 | 7082 | 7937 |
| CHEWING | : REGULARLY | | 5 | 0 | 49 | 2 | 165 | 15 | 212 | 71 | 271 | 66 | 120 | 21 | 1002 | 195 |
| ZARDA | : CASUALLY | | 0 | 0 | 7 | 0 | 32 | 3 | 25 | 5 | 18 | 2 | 17 | 2 | 149 | 15 |
| DOKTA ETC | : NOT CONSUMING | | 995 | 1000 | 944 | 998 | 803 | 982 | 763 | 924 | 711 | 932 | 862 | 977 | 8015 | 7791 |
| SNUFF | : REGULARLY | | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 10 | 4 |
| | : CASUALLY | | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 1 |
| | : NOT CONSUMING | | 1000 | 1000 | 999 | 1000 | 998 | 1000 | 999 | 999 | 1000 | 1000 | 999 | 1000 | 9153 | 7996 |
| BURNT | : REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 17 | 0 |
| TOBACCO | : CASUALLY | | 0 | 0 | 1 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 6 | 0 |
| POWDER/PASTE | : NOT CONSUMING | | 1000 | 1000 | 999 | 1000 | 997 | 1000 | 1000 | 1000 | 996 | 1000 | 998 | 1000 | 9143 | 8001 |
| CONSUMPTION | : REGULARLY | | 5 | 0 | 100 | 3 | 428 | 21 | 577 | 97 | 550 | 82 | 294 | 28 | 2637 | 245 |
| OF TOBACCO | : CASUALLY | | 0 | 0 | 10 | 0 | 39 | 3 | 23 | 5 | 16 | 2 | 20 | 2 | 180 | 21 |
| IN ANY FORM | : NOT CONSUMING | | 995 | 1000 | 890 | 997 | 532 | 976 | 401 | 898 | 434 | 916 | 685 | 970 | 6349 | 7735 |

| TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 | | | | | | | | | | | | | | | |
|---|-----------------|----------------|--------|-------|--------|-------|--------|-----------------------|--------|------------|--------|--------|--------|-------|--------|
| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | |
| WEST BENGAL | | | | URBAN | | | | NO. OF SAMPLE BLOCKS: | | | | 335 | | | |
| FORM OF TOBACCO | | AGE (IN YEARS) | | | | | | | | | | SAMPLE | | | |
| CONSUMPTION | | PERSONS | | | | | | | | | | | | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | ----- | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | : REGULARLY | 0 | 0 | 81 | 4 | 456 | 4 | 461 | 13 | 309 | 17 | 302 | 6 | 1872 | 35 |
| | : CASUALLY | 0 | 0 | 26 | 0 | 44 | 1 | 28 | 1 | 31 | 0 | 30 | 1 | 193 | 5 |
| | : NOT CONSUMING | 1000 | 1000 | 893 | 996 | 500 | 994 | 511 | 986 | 660 | 983 | 668 | 993 | 3989 | 5093 |
| CHEWING | : REGULARLY | 1 | 1 | 44 | 10 | 160 | 36 | 206 | 100 | 120 | 118 | 118 | 42 | 594 | 199 |
| ZARDA | : CASUALLY | 0 | 0 | 4 | 6 | 25 | 8 | 20 | 6 | 11 | 7 | 15 | 6 | 96 | 30 |
| DOKTA ETC | : NOT CONSUMING | 999 | 999 | 953 | 984 | 816 | 956 | 774 | 894 | 869 | 875 | 867 | 952 | 5364 | 4904 |
| SNUFF | : REGULARLY | 0 | 0 | 1 | 0 | 4 | 2 | 21 | 8 | 56 | 20 | 10 | 4 | 52 | 19 |
| | : CASUALLY | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 4 | 0 | 1 | 0 | 5 | 0 |
| | : NOT CONSUMING | 1000 | 1000 | 998 | 1000 | 995 | 998 | 978 | 992 | 940 | 980 | 989 | 996 | 5997 | 5114 |
| BURNT | : REGULARLY | 0 | 3 | 4 | 8 | 9 | 9 | 17 | 23 | 15 | 19 | 9 | 11 | 53 | 47 |
| TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 3 | 1 | 1 | 0 | 6 | 2 |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 997 | 996 | 992 | 990 | 991 | 981 | 975 | 981 | 980 | 991 | 989 | 5995 | 5084 |
| CONSUMPTION | : REGULARLY | 2 | 4 | 120 | 19 | 591 | 49 | 661 | 138 | 461 | 165 | 411 | 60 | 2428 | 279 |
| OF TOBACCO | : CASUALLY | 0 | 0 | 26 | 6 | 44 | 8 | 35 | 9 | 39 | 7 | 32 | 7 | 204 | 35 |
| IN ANY FORM | : NOT CONSUMING | 998 | 996 | 854 | 975 | 364 | 943 | 304 | 853 | 499 | 829 | 556 | 934 | 3422 | 4819 |
| ----- | | | | | | | | | | | | | | | |
| ANDAMAN & NICOBAR | | | | URBAN | | | | NO. OF SAMPLE BLOCKS: | | | | 40 | | | |
| SMOKING | : REGULARLY | 0 | 0 | 22 | 0 | 252 | 2 | 381 | 32 | 299 | 0 | 175 | 4 | 123 | 3 |
| | : CASUALLY | 0 | 0 | 34 | 0 | 39 | 0 | 31 | 0 | 0 | 0 | 30 | 0 | 24 | 0 |
| | : NOT CONSUMING | 1000 | 1000 | 943 | 1000 | 708 | 998 | 587 | 968 | 701 | 1000 | 795 | 996 | 519 | 530 |
| CHEWING | : REGULARLY | 0 | 0 | 149 | 0 | 391 | 86 | 383 | 230 | 372 | 212 | 271 | 68 | 179 | 38 |
| ZARDA | : CASUALLY | 0 | 0 | 19 | 40 | 27 | 35 | 37 | 0 | 0 | 0 | 22 | 26 | 18 | 11 |
| DOKTA ETC | : NOT CONSUMING | 1000 | 1000 | 833 | 960 | 582 | 879 | 580 | 770 | 628 | 788 | 707 | 906 | 469 | 484 |
| SNUFF | : REGULARLY | 0 | 0 | 0 | 0 | 13 | 0 | 15 | 0 | 0 | 0 | 8 | 0 | 4 | 0 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 987 | 1000 | 985 | 1000 | 1000 | 1000 | 992 | 1000 | 662 | 533 |
| BURNT | : REGULARLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOBACCO | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| POWDER/PASTE | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 666 | 533 |
| CONSUMPTION | : REGULARLY | 0 | 0 | 171 | 0 | 580 | 89 | 657 | 246 | 610 | 212 | 402 | 70 | 267 | 40 |
| OF TOBACCO | : CASUALLY | 0 | 0 | 50 | 40 | 37 | 35 | 23 | 0 | 0 | 0 | 32 | 26 | 23 | 11 |
| IN ANY FORM | : NOT CONSUMING | 1000 | 1000 | 779 | 960 | 383 | 876 | 320 | 754 | 390 | 788 | 565 | 903 | 376 | 482 |
| ----- | | | | | | | | | | | | | | | |
| ** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS. | | | | | | | | | | | | | | | |

** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | |
|------------------------------|--|--|--|--|--|--|--|--|--|-----------------------|--|--|--|--|
| CHANDIGARH | | | | | | | | | | URBAN | | | | |
| | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | | | |
| | | | | | | | | | | 15 | | | | |
| FORM OF TOBACCO | | | | | | | | | | AGE (IN YEARS) | | | | |
| CONSUMPTION | | | | | | | | | | SAMPLE | | | | |
| | | | | | | | | | | PERSONS | | | | |
| | | | | | | | | | | ----- | | | | |
| | | | | | | | | | | 10-14 | | | | |
| | | | | | | | | | | 15-24 | | | | |
| | | | | | | | | | | 25-44 | | | | |
| | | | | | | | | | | 45-59 | | | | |
| | | | | | | | | | | 60 & ABOVE | | | | |
| | | | | | | | | | | ALL ** | | | | |
| | | | | | | | | | | ----- | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |
| | | | | | | | | | | MALE FEMALE | | | | |

TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | | |
|------------------------------|-----------------|--|----------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|-----------------------|--------|-------|--------|
| DAMAN & DIU | | | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | 8 | |
| FORM OF TOBACCO | | | AGE (IN YEARS) | | | | | | | | | | SAMPLE | | | |
| CONSUMPTION | | | PERSONS | | | | | | | | | | | | | |
| | | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | ----- | |
| | | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | : REGULARLY | | 0 | 0 | 0 | 0 | 240 | 0 | 333 | 0 | 480 | 0 | 183 | 0 | 22 | 0 |
| | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 760 | 1000 | 667 | 1000 | 520 | 1000 | 817 | 1000 | 113 | 143 |
| ----- | | | | | | | | | | | | | | | | |
| CHEWING | : REGULARLY | | 0 | 0 | 36 | 0 | 0 | 0 | 49 | 0 | 0 | 0 | 17 | 0 | 3 | 0 |
| ZARDA | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DOKTA ETC | : NOT CONSUMING | | 1000 | 1000 | 964 | 1000 | 1000 | 1000 | 951 | 1000 | 1000 | 1000 | 983 | 1000 | 132 | 143 |
| ----- | | | | | | | | | | | | | | | | |
| SNUFF | : REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 32 | 0 | 5 | 0 | 1 |
| | : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 968 | 1000 | 995 | 135 | 142 |
| ----- | | | | | | | | | | | | | | | | |
| BURNT | : REGULARLY | | 0 | 0 | 0 | 0 | 31 | 0 | 0 | 0 | 0 | 0 | 13 | 0 | 2 | 0 |
| TOBACCO | : CASUALLY | | 0 | 0 | 0 | 0 | 10 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 1 | 0 |
| POWDER/PASTE | : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 958 | 1000 | 1000 | 1000 | 1000 | 1000 | 983 | 1000 | 132 | 143 |
| ----- | | | | | | | | | | | | | | | | |
| CONSUMPTION | : REGULARLY | | 0 | 0 | 36 | 0 | 252 | 0 | 382 | 0 | 480 | 0 | 206 | 0 | 26 | 0 |
| OF TOBACCO | : CASUALLY | | 0 | 0 | 0 | 0 | 10 | 0 | 0 | 0 | 0 | 32 | 4 | 5 | 1 | 1 |
| IN ANY FORM | : NOT CONSUMING | | 1000 | 1000 | 964 | 1000 | 738 | 1000 | 618 | 1000 | 520 | 968 | 790 | 995 | 108 | 142 |
| ----- | | | | | | | | | | | | | | | | |
| DELHI | | | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | 111 | |
| SMOKING | | | ----- | | | | | | | | | | | | | |
| | : REGULARLY | | 0 | 0 | 91 | 6 | 358 | 5 | 329 | 9 | 219 | 40 | 222 | 8 | 323 | 11 |
| | : CASUALLY | | 0 | 0 | 10 | 0 | 9 | 2 | 4 | 0 | 20 | 0 | 8 | 1 | 18 | 2 |
| | : NOT CONSUMING | | 1000 | 1000 | 900 | 994 | 633 | 993 | 666 | 991 | 761 | 960 | 769 | 992 | 1439 | 1478 |
| ----- | | | | | | | | | | | | | | | | |
| CHEWING | : REGULARLY | | 0 | 0 | 8 | 0 | 30 | 11 | 36 | 4 | 29 | 0 | 21 | 5 | 54 | 3 |
| ZARDA | : CASUALLY | | 0 | 0 | 11 | 0 | 8 | 0 | 0 | 0 | 0 | 0 | 6 | 0 | 6 | 1 |
| DOKTA ETC | : NOT CONSUMING | | 1000 | 1000 | 981 | 1000 | 962 | 989 | 964 | 996 | 971 | 1000 | 973 | 995 | 1720 | 1487 |
| ----- | | | | | | | | | | | | | | | | |
| SNUFF | : REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 999 | 1000 | 1779 | 1490 |
| ----- | | | | | | | | | | | | | | | | |
| BURNT | : REGULARLY | | 0 | 0 | 4 | 1 | 15 | 0 | 5 | 0 | 0 | 0 | 7 | 0 | 13 | 1 |
| TOBACCO | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 |
| POWDER/PASTE | : NOT CONSUMING | | 1000 | 1000 | 996 | 999 | 985 | 1000 | 995 | 1000 | 1000 | 1000 | 992 | 1000 | 1765 | 1489 |
| ----- | | | | | | | | | | | | | | | | |
| CONSUMPTION | : REGULARLY | | 0 | 0 | 95 | 7 | 392 | 16 | 348 | 13 | 231 | 40 | 240 | 13 | 371 | 15 |
| OF TOBACCO | : CASUALLY | | 0 | 0 | 21 | 0 | 10 | 2 | 4 | 0 | 20 | 0 | 12 | 1 | 20 | 2 |
| IN ANY FORM | : NOT CONSUMING | | 1000 | 1000 | 884 | 993 | 598 | 982 | 648 | 987 | 748 | 960 | 748 | 986 | 1389 | 1474 |

| TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 | | | | | | | | | | | | | | | | |
|---|-----------------|--|----------------|--------|-------|--------|-------|--------|-------|--------|-----------------------|--------|--------|--------|-------|--------|
| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | | |
| LAKSHADWEEP | | | URBAN | | | | | | | | NO. OF SAMPLE BLOCKS: | | | | 24 | |
| FORM OF TOBACCO | | | AGE (IN YEARS) | | | | | | | | | | SAMPLE | | | |
| CONSUMPTION | | | PERSONS | | | | | | | | | | | | | |
| | | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | ----- | |
| | | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | : REGULARLY | | 0 | 0 | 174 | 0 | 519 | 17 | 573 | 7 | 542 | 0 | 364 | 7 | 174 | 5 |
| | : CASUALLY | | 0 | 0 | 18 | 0 | 43 | 0 | 17 | 0 | 0 | 19 | 23 | 2 | 10 | 1 |
| | : NOT CONSUMING | | 1000 | 1000 | 808 | 1000 | 438 | 983 | 409 | 993 | 458 | 981 | 613 | 992 | 309 | 554 |
| ----- | | | | | | | | | | | | | | | | |
| CHEWING | : REGULARLY | | 0 | 13 | 30 | 55 | 72 | 134 | 97 | 252 | 104 | 230 | 57 | 120 | 33 | 89 |
| ZARDA | : CASUALLY | | 0 | 0 | 16 | 12 | 14 | 35 | 66 | 20 | 10 | 34 | 20 | 21 | 12 | 15 |
| DOKTA ETC | : NOT CONSUMING | | 1000 | 987 | 954 | 933 | 913 | 831 | 837 | 729 | 886 | 736 | 923 | 859 | 448 | 456 |
| ----- | | | | | | | | | | | | | | | | |
| SNUFF | : REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 493 |
| ----- | | | | | | | | | | | | | | | | |
| BURNT | : REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOBACCO | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| POWDER/PASTE | : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 493 | 560 |
| ----- | | | | | | | | | | | | | | | | |
| CONSUMPTION | : REGULARLY | | 0 | 13 | 204 | 55 | 579 | 151 | 647 | 259 | 636 | 230 | 412 | 127 | 201 | 94 |
| OF TOBACCO | : CASUALLY | | 0 | 0 | 18 | 12 | 40 | 35 | 17 | 20 | 10 | 53 | 23 | 22 | 10 | 16 |
| IN ANY FORM | : NOT CONSUMING | | 1000 | 987 | 778 | 933 | 381 | 814 | 336 | 721 | 354 | 717 | 565 | 851 | 282 | 450 |
| ----- | | | | | | | | | | | | | | | | |
| PONDICHERY | | | URBAN | | | | | | | | NO. OF SAMPLE BLOCKS: | | | | 32 | |
| SMOKING | | | | | | | | | | | | | | | | |
| | : REGULARLY | | 0 | 0 | 6 | 0 | 209 | 0 | 236 | 0 | 242 | 11 | 134 | 1 | 77 | 1 |
| | : CASUALLY | | 0 | 0 | 9 | 0 | 23 | 0 | 20 | 8 | 32 | 0 | 16 | 1 | 10 | 1 |
| | : NOT CONSUMING | | 1000 | 1000 | 985 | 1000 | 769 | 1000 | 744 | 992 | 727 | 989 | 850 | 998 | 500 | 623 |
| ----- | | | | | | | | | | | | | | | | |
| CHEWING | : REGULARLY | | 0 | 0 | 0 | 0 | 5 | 4 | 8 | 78 | 20 | 19 | 5 | 15 | 3 | 10 |
| ZARDA | : CASUALLY | | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 8 | 14 | 10 | 3 | 2 | 2 | 2 |
| DOKTA ETC | : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 992 | 996 | 992 | 914 | 966 | 971 | 993 | 983 | 582 | 613 |
| ----- | | | | | | | | | | | | | | | | |
| SNUFF | : REGULARLY | | 0 | 0 | 5 | 0 | 8 | 0 | 0 | 8 | 19 | 0 | 6 | 1 | 4 | 1 |
| | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 37 | 0 | 0 | 0 | 6 | 0 | 2 | 0 |
| | : NOT CONSUMING | | 1000 | 1000 | 995 | 1000 | 992 | 1000 | 963 | 992 | 981 | 1000 | 989 | 999 | 581 | 624 |
| ----- | | | | | | | | | | | | | | | | |
| BURNT | : REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 13 | 0 | 2 | 0 | 1 |
| TOBACCO | : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 11 | 0 | 0 | 0 | 2 | 0 | 1 | 0 |
| POWDER/PASTE | : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 989 | 1000 | 1000 | 987 | 998 | 998 | 586 | 624 |
| ----- | | | | | | | | | | | | | | | | |
| CONSUMPTION | : REGULARLY | | 0 | 0 | 11 | 0 | 221 | 4 | 244 | 86 | 280 | 43 | 144 | 19 | 84 | 13 |
| OF TOBACCO | : CASUALLY | | 0 | 0 | 9 | 0 | 23 | 0 | 60 | 8 | 32 | 10 | 22 | 2 | 12 | 2 |
| IN ANY FORM | : NOT CONSUMING | | 1000 | 1000 | 980 | 1000 | 756 | 996 | 697 | 906 | 688 | 948 | 833 | 979 | 491 | 610 |
| ----- | | | | | | | | | | | | | | | | |
| ** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS. | | | | | | | | | | | | | | | | |

| TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 | | | | | | | | | | | | | | | |
|---|-----------------|----------------|--------|-------|--------|-------|--------|-------|--------|----------------------------|--------|--------|--------|--------|--------|
| PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | |
| ALL-INDIA | | | | URBAN | | | | | | NO. OF SAMPLE BLOCKS: 4650 | | | | | |
| FORM OF TOBACCO | | AGE (IN YEARS) | | | | | | | | | | | | SAMPLE | |
| CONSUMPTION | | PERSONS | | | | | | | | | | | | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL ** | | ----- | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | : REGULARLY | 1 | 0 | 55 | 2 | 305 | 5 | 381 | 18 | 266 | 18 | 202 | 7 | 17891 | 1019 |
| | : CASUALLY | 1 | 1 | 9 | 0 | 28 | 1 | 25 | 2 | 19 | 2 | 18 | 1 | 1825 | 286 |
| | : NOT CONSUMING | 998 | 999 | 936 | 998 | 667 | 993 | 595 | 980 | 715 | 980 | 780 | 992 | 66428 | 77322 |
| CHEWING | : REGULARLY | 1 | 0 | 31 | 4 | 114 | 26 | 141 | 66 | 133 | 72 | 80 | 26 | 6556 | 2300 |
| ZARDA | : CASUALLY | 0 | 1 | 6 | 1 | 17 | 4 | 17 | 6 | 13 | 6 | 12 | 3 | 1198 | 538 |
| DOKTA ETC | : NOT CONSUMING | 999 | 999 | 963 | 994 | 869 | 971 | 842 | 928 | 854 | 922 | 908 | 971 | 78390 | 75789 |
| SNUFF | : REGULARLY | 0 | 0 | 1 | 1 | 3 | 3 | 9 | 8 | 14 | 19 | 4 | 4 | 306 | 245 |
| | : CASUALLY | 0 | 1 | 1 | 0 | 1 | 1 | 1 | 1 | 2 | 0 | 1 | 0 | 58 | 29 |
| | : NOT CONSUMING | 1000 | 999 | 998 | 999 | 996 | 997 | 990 | 991 | 984 | 980 | 995 | 996 | 85780 | 78353 |
| BURNT | : REGULARLY | 2 | 1 | 6 | 6 | 19 | 14 | 28 | 29 | 25 | 28 | 15 | 13 | 1243 | 951 |
| TOBACCO/ | : CASUALLY | 0 | 1 | 1 | 0 | 2 | 1 | 2 | 2 | 1 | 1 | 1 | 1 | 136 | 62 |
| POWDER/PASTE | : NOT CONSUMING | 998 | 998 | 993 | 994 | 979 | 986 | 970 | 970 | 974 | 971 | 984 | 986 | 84765 | 77614 |
| CONSUMPTION | : REGULARLY | 4 | 2 | 87 | 12 | 407 | 45 | 509 | 114 | 395 | 130 | 277 | 47 | 23875 | 4300 |
| OF TOBACCO | : CASUALLY | 1 | 1 | 13 | 2 | 32 | 5 | 27 | 8 | 27 | 7 | 21 | 4 | 2153 | 759 |
| IN ANY FORM | : NOT CONSUMING | 995 | 997 | 901 | 986 | 560 | 950 | 464 | 877 | 578 | 862 | 701 | 949 | 60116 | 73568 |
| ** ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS. | | | | | | | | | | | | | | | |

TABLE (2R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

| ANDHRA PRADESH | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 492 | | | |
|---|--|------------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|------------------------------|--------|----------------|--------|
| FORM OF TOBACCO CONSUMPTION | | AGE (IN YEARS) | | | | | | | | | | | | SAMPLE PERSONS | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL** | | | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | | 19 | 5 | 170 | 22 | 562 | 74 | 674 | 133 | 574 | 144 | 414 | 69 | 3174 | 490 |
| CHWewing ZARDA ETC | | - | - | 3 | 5 | 10 | 21 | 10 | 45 | 25 | 45 | 8 | 21 | 67 | 167 |
| SNUFF | | - | - | - | 1 | - | 2 | - | 4 | 2 | 5 | - | 2 | 3 | 18 |
| BURNT TOB.POWD/PASTE | | - | - | 3 | 7 | 8 | 30 | 15 | 57 | 22 | 71 | 8 | 29 | 63 | 227 |
| SM & CHW | | - | - | 1 | 1 | 7 | - | 6 | 3 | 10 | 3 | 5 | 1 | 41 | 8 |
| SM & BT | | - | - | 1 | - | 4 | - | 8 | - | 4 | 5 | 3 | - | 23 | 3 |
| CHW & SN | | - | - | - | - | - | 1 | - | - | - | 1 | - | - | 1 | 4 |
| CHW & BT | | - | - | - | - | - | 1 | - | 1 | - | 2 | - | - | - | 4 |
| SM, CHW, SN & BT | | - | 1 | - | - | - | - | - | - | - | - | - | - | - | 2 |
| SAMPLE PERSONS | | 17 | 5 | 317 | 69 | 1634 | 360 | 914 | 306 | 490 | 183 | 3372 | 923 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| ARUNACHAL PRADESH | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 120 | | | |
| SMOKING | | 1 | 3 | 120 | 13 | 302 | 68 | 313 | 99 | 226 | 150 | 212 | 55 | 461 | 216 |
| CHWewing ZARDA ETC | | 6 | 3 | 80 | 76 | 87 | 171 | 264 | 250 | 260 | 275 | 114 | 144 | 154 | 213 |
| SNUFF | | - | - | - | - | 4 | 4 | - | - | - | - | 1 | 2 | 1 | 1 |
| BURNT TOB.POWD/PASTE | | - | 6 | 6 | 2 | 64 | 57 | 119 | 90 | 106 | 20 | 53 | 39 | 84 | 65 |
| SM & CHW | | 1 | 1 | 39 | 9 | 98 | 29 | 130 | 102 | 181 | 57 | 81 | 34 | 241 | 92 |
| SM & BT | | - | - | - | - | 22 | 18 | 33 | 29 | 30 | - | 16 | 11 | 52 | 36 |
| SN & BT | | - | - | - | - | - | - | - | 1 | - | - | - | - | - | 1 |
| CHW & SN | | - | - | - | - | - | - | - | - | - | 12 | - | 1 | - | 1 |
| CHW & BT | | - | - | - | - | 2 | 1 | 3 | - | 1 | 11 | 1 | 1 | 4 | 3 |
| SM, CHW, & SN | | - | - | - | - | 1 | - | 3 | - | - | - | 1 | - | 2 | 0 |
| SM, CHW & BT | | - | - | - | - | - | - | - | - | - | - | - | - | 2 | 0 |
| SM, CHW, SN & BT | | - | - | - | - | - | - | 4 | 1 | - | - | 1 | - | 2 | 1 |
| SAMPLE PERSONS | | 3 | 4 | 122 | 71 | 445 | 298 | 318 | 189 | 115 | 67 | 1003 | 629 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE. | | | | | | | | | | | | | | | |
| 'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS. | | | | | | | | | | | | | | | |

TABLE (2R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

| ASSAM | RURAL | | | | | | | | | | | | NO. OF SAMPLE VILLAGES : 320 | |
|---|------------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|-------|--------|------------------------------|--------|
| FORM OF TOBACCO CONSUMPTION | AGE (IN YEARS) | | | | | | | | | | | | SAMPLE PERSONS | |
| | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL** | | | |
| | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | 9 | 2 | 120 | 7 | 465 | 25 | 557 | 61 | 532 | 72 | 309 | 25 | 2210 | 146 |
| CHWewing ZARDA ETC | 6 | 8 | 89 | 50 | 108 | 87 | 56 | 63 | 41 | 78 | 74 | 62 | 525 | 335 |
| SNUFF | - | - | 8 | - | 9 | - | 3 | 2 | 3 | - | 6 | - | 41 | 2 |
| BURNT TOB.POWD/PASTE | 2 | 1 | 17 | 3 | 11 | 14 | 10 | 3 | 4 | 11 | 11 | 8 | 71 | 35 |
| SM & CHW | 3 | - | 54 | 4 | 165 | 20 | 208 | 15 | 101 | 17 | 109 | 12 | 672 | 59 |
| SM & SN | - | - | 1 | - | 2 | - | 1 | - | 1 | - | 1 | - | 9 | 0 |
| SM & BT | - | - | 2 | 2 | 18 | 1 | 17 | - | 13 | 3 | 10 | 1 | 63 | 4 |
| CHW & SN | - | 6 | - | - | - | - | - | - | - | - | - | 1 | - | 2 |
| CHW & BT | - | - | 1 | 1 | 1 | 2 | 3 | - | - | - | 1 | 1 | 7 | 4 |
| SM, CHW & BT | - | - | - | - | 7 | - | 9 | - | 2 | - | 4 | - | 23 | 1 |
| CHW, SN & BT | 1 | - | 1 | 1 | - | 1 | - | - | - | - | 1 | 1 | 6 | 5 |
| SM, CHW, SN & BT | - | - | - | - | 2 | 1 | 2 | - | - | - | 1 | - | 5 | 2 |
| SAMPLE PERSONS | 29 | 11 | 519 | 83 | 1986 | 333 | 827 | 103 | 271 | 65 | 3632 | 595 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | |

| BIHAR | RURAL | | | | | | | | | | | | NO. OF SAMPLE VILLAGES : 699 | |
|---|-------|---|-----|----|------|-----|------|-----|-----|-----|------|-----|------------------------------|-----|
| SMOKING | 1 | - | 13 | 4 | 57 | 32 | 98 | 42 | 74 | 66 | 44 | 25 | 600 | 244 |
| CHWewing ZARDA ETC | 8 | 7 | 153 | 15 | 377 | 29 | 435 | 44 | 445 | 51 | 274 | 27 | 3630 | 291 |
| SNUFF | - | - | 1 | - | - | - | 1 | - | 1 | - | 1 | - | 6 | 1 |
| BURNT TOB.POWD/PASTE | 1 | - | 24 | - | 75 | 3 | 89 | 6 | 94 | 13 | 54 | 3 | 738 | 46 |
| SM & CHW | - | - | 28 | 1 | 129 | 5 | 146 | 8 | 111 | 10 | 84 | 4 | 1015 | 39 |
| SM & SN | - | - | - | - | - | - | - | - | 1 | - | - | - | 3 | 0 |
| SM & BT | - | - | 3 | - | 24 | - | 24 | - | 23 | 1 | 15 | - | 181 | 1 |
| SN & BT | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 3 |
| CHW & SN | - | - | - | - | - | - | 1 | - | - | - | - | - | 4 | 0 |
| CHW & BT | - | - | 1 | - | 4 | - | 3 | - | 4 | - | 2 | - | 36 | 3 |
| SM, CHW, & SN | - | - | - | 1 | - | - | - | - | - | - | - | - | 2 | 1 |
| SM, CHW & BT | - | - | 1 | - | 4 | - | 2 | - | 4 | - | 2 | - | 26 | 0 |
| CHW, SN & BT | - | - | - | - | - | - | - | - | - | - | - | - | 4 | 0 |
| SM, CHW, SN & BT | - | - | 1 | - | - | - | 1 | - | - | - | - | - | 6 | 0 |
| SAMPLE PERSONS | 12 | 7 | 654 | 56 | 3029 | 273 | 1645 | 188 | 912 | 105 | 6252 | 629 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | |

SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.

'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS.

TABLE (2R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

| GOA | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 15 | | | |
|---|--|------------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|------------------------------|--------|----------------|--------|
| FORM OF TOBACCO CONSUMPTION | | AGE (IN YEARS) | | | | | | | | | | | | SAMPLE PERSONS | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL** | | | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | | - | - | 15 | - | 184 | 13 | 510 | 50 | 461 | 87 | 197 | 23 | 55 | 5 |
| CHWewing ZARDA ETC | | - | - | - | - | - | 32 | - | 38 | - | 142 | - | 32 | - | 10 |
| BURNT TOB.POWD/PASTE | | - | - | 5 | - | - | - | - | - | 24 | - | 4 | - | 3 | 0 |
| SM & CHW | | - | - | - | - | 11 | - | 27 | - | 52 | - | 13 | - | 3 | 0 |
| SM & BT | | - | - | - | - | - | - | 29 | - | 13 | - | 6 | - | 2 | 0 |
| SAMPLE PERSONS | | - | - | 2 | - | 19 | 5 | 25 | 4 | 17 | 6 | 63 | 15 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| GUJARAT | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 223 | | | |
| SMOKING | | 3 | - | 148 | 9 | 496 | 20 | 600 | 40 | 537 | 31 | 351 | 19 | 1561 | 71 |
| CHWewing ZARDA ETC | | - | - | 34 | - | 61 | 4 | 36 | 7 | 29 | 9 | 39 | 3 | 197 | 14 |
| SNUFF | | - | - | - | 7 | 2 | 59 | 12 | 161 | 15 | 196 | 4 | 65 | 14 | 265 |
| BURNT TOB.POWD/PASTE | | - | - | 4 | - | 9 | 2 | 13 | 6 | 27 | 10 | 8 | 2 | 48 | 11 |
| SM & CHW | | - | - | 16 | 1 | 33 | - | 24 | 1 | 6 | - | 21 | - | 98 | 2 |
| SM & SN | | - | - | - | - | 1 | - | 1 | - | 13 | 7 | 2 | 1 | 8 | 2 |
| SM & BT | | - | - | - | - | 6 | - | 5 | - | 3 | - | 3 | - | 15 | 1 |
| CHW & BT | | - | - | - | - | 2 | - | - | - | 5 | - | 1 | - | 3 | 0 |
| SM, CHW & BT | | - | - | - | - | - | - | 1 | - | - | - | - | - | 1 | 0 |
| SM, CHW,SN & BT | | - | - | - | - | - | - | 2 | 2 | 2 | 2 | - | 1 | 2 | 2 |
| SAMPLE PERSONS | | 3 | - | 241 | 18 | 993 | 122 | 482 | 138 | 228 | 90 | 1947 | 368 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE. | | | | | | | | | | | | | | | |
| 'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS. | | | | | | | | | | | | | | | |

TABLE (2R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

| HARYANA | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 104 | | | |
|---|--|------------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|------------------------------|--------|----------------|--------|
| FORM OF TOBACCO CONSUMPTION | | AGE (IN YEARS) | | | | | | | | | | | | SAMPLE PERSONS | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL** | | | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | | 14 | - | 268 | 9 | 679 | 68 | 685 | 98 | 567 | 98 | 424 | 48 | 961 | 91 |
| CHWewing ZARDA ETC | | - | - | 3 | - | 8 | - | 4 | - | 11 | - | 5 | - | 12 | 0 |
| SNUFF | | - | - | - | - | - | 4 | - | 26 | 1 | 40 | - | 9 | 1 | 18 |
| BURNT TOB.POWD/PASTE | | - | - | - | - | 7 | 2 | 18 | - | 71 | 6 | 12 | 1 | 38 | 3 |
| SM & CHW | | - | - | - | - | 10 | - | 11 | - | - | - | 4 | - | 10 | 0 |
| SM & SN | | - | - | - | - | - | - | - | - | - | 6 | - | 1 | - | 1 |
| SM & BT | | - | - | 5 | - | 27 | 5 | 76 | 2 | 44 | - | 22 | 2 | 55 | 4 |
| SAMPLE PERSONS | | 5 | - | 169 | 4 | 515 | 47 | 190 | 30 | 198 | 36 | 1077 | 117 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| HIMACHAL PRADESH | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 189 | | | |
| SMOKING | | 2 | - | 130 | 5 | 574 | 17 | 647 | 95 | 618 | 103 | 376 | 32 | 1353 | 132 |
| CHWewing ZARDA ETC | | - | - | 2 | - | 3 | - | 6 | - | 9 | - | 4 | - | 14 | 0 |
| SNUFF | | - | - | - | - | - | - | - | - | 1 | - | - | - | 1 | 0 |
| BURNT TOB.POWD/PASTE | | - | - | - | - | 2 | 3 | 5 | 3 | 24 | 8 | 5 | 2 | 16 | 8 |
| SM & CHW | | - | - | - | - | 5 | - | 6 | - | 7 | 3 | 3 | - | 13 | 1 |
| SM & BT | | - | - | 1 | - | 26 | 2 | 82 | 8 | 68 | 18 | 29 | 4 | 91 | 12 |
| SAMPLE PERSONS | | 2 | - | 129 | 7 | 619 | 28 | 413 | 66 | 325 | 52 | 1488 | 153 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| JAMMU & KASHMIR | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 82 | | | |
| SMOKING | | - | - | 93 | 2 | 568 | 18 | 725 | 55 | 618 | 123 | 365 | 26 | 603 | 36 |
| CHWewing ZARDA ETC | | - | - | - | - | 6 | - | 9 | - | - | - | 3 | - | 5 | 0 |
| SNUFF | | - | - | - | 2 | 4 | 4 | 12 | 14 | 17 | 6 | 5 | 4 | 9 | 10 |
| BURNT TOB.POWD/PASTE | | - | - | - | 2 | 5 | - | 4 | 8 | 8 | - | 3 | 2 | 6 | 3 |
| SM & CHW | | - | - | - | - | 2 | - | 4 | - | - | - | 1 | - | 2 | 0 |
| SM & SN | | - | - | - | - | - | - | 8 | - | 11 | - | 2 | - | 4 | 0 |
| SM & BT | | - | - | - | - | - | - | 16 | - | 13 | - | 4 | - | 6 | 0 |
| SM, CHW, SN & BT | | - | - | - | - | - | - | - | - | 2 | - | - | - | 1 | 0 |
| SAMPLE PERSONS | | - | - | 38 | 3 | 284 | 15 | 179 | 16 | 135 | 15 | 636 | 49 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE. | | | | | | | | | | | | | | | |
| 'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS. | | | | | | | | | | | | | | | |

TABLE (2R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

| KARNATAKA | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 263 | | | |
|---|--|------------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|------------------------------|--------|----------------|--------|
| FORM OF TOBACCO CONSUMPTION | | AGE (IN YEARS) | | | | | | | | | | | | SAMPLE PERSONS | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL** | | | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | | - | 1 | 53 | 2 | 399 | 2 | 497 | 8 | 365 | 7 | 260 | 3 | 1313 | 17 |
| CHWewing ZARDA ETC | | 3 | 2 | 38 | 11 | 73 | 49 | 122 | 121 | 107 | 96 | 63 | 48 | 335 | 251 |
| SNUFF | | - | - | - | 1 | 1 | 3 | 1 | 7 | 12 | 3 | 1 | 3 | 10 | 13 |
| BURNT TOB.POWD/PASTE | | 1 | - | 2 | 3 | 11 | 39 | 31 | 81 | 24 | 84 | 11 | 35 | 66 | 180 |
| SM & CHW | | - | - | 2 | - | 20 | - | 41 | 2 | 42 | 1 | 17 | - | 90 | 2 |
| SM & SN | | - | - | - | - | - | - | - | - | 3 | - | - | - | 1 | 0 |
| SM & BT | | - | - | - | - | 4 | - | 3 | - | 14 | - | 3 | - | 18 | 0 |
| CHW & SN | | - | - | - | - | - | - | - | - | - | - | - | - | 2 | 1 |
| CHW & BT | | - | - | - | 1 | 8 | 4 | 9 | 8 | 21 | 10 | 6 | 4 | 28 | 24 |
| SM, CHW & BT | | - | - | - | - | 2 | - | 3 | - | 3 | - | 2 | - | 7 | 0 |
| SM, CHW, SN & BT | | 5 | 6 | 1 | - | 1 | 3 | 3 | 2 | - | 2 | 2 | 3 | 6 | 9 |
| SAMPLE PERSONS | | 7 | 5 | 116 | 24 | 942 | 187 | 520 | 179 | 291 | 102 | 1876 | 497 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| KERALA | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 256 | | | |
| SMOKING | | 3 | - | 46 | 2 | 453 | 4 | 509 | 11 | 367 | 11 | 290 | 5 | 1242 | 24 |
| CHWewing ZARDA ETC | | - | - | - | 2 | 25 | 34 | 36 | 150 | 73 | 212 | 23 | 60 | 99 | 280 |
| SNUFF | | - | - | - | - | 6 | - | 12 | - | 11 | - | 5 | - | 23 | 1 |
| BURNT TOB.POWD/PASTE | | - | - | - | - | - | 1 | 4 | 2 | 17 | 11 | 3 | 2 | 10 | 9 |
| SM & CHW | | - | - | 1 | - | 20 | 1 | 74 | 2 | 43 | - | 24 | 1 | 91 | 2 |
| SM & SN | | - | - | - | - | 1 | - | 3 | - | - | - | 1 | - | 4 | 0 |
| SM & BT | | - | - | - | - | - | - | 4 | - | - | - | 1 | - | 2 | 0 |
| SM, CHW & BT | | - | - | - | - | 1 | - | - | - | - | - | - | - | 1 | 0 |
| SM, CHW, SN & BT | | - | - | - | - | - | - | 2 | - | - | - | - | - | 2 | 0 |
| SAMPLE PERSONS | | 2 | - | 44 | 4 | 718 | 66 | 455 | 113 | 255 | 133 | 1474 | 316 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE. | | | | | | | | | | | | | | | |
| 'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS. | | | | | | | | | | | | | | | |

TABLE (2R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

| MADHYA PRADESH | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 533 | | | |
|---|--|------------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|------------------------------|--------|----------------|--------|
| FORM OF TOBACCO CONSUMPTION | | AGE (IN YEARS) | | | | | | | | | | | | SAMPLE PERSONS | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL** | | | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | | 2 | 1 | 109 | 5 | 333 | 9 | 384 | 10 | 342 | 16 | 232 | 8 | 2455 | 80 |
| CHWewing ZARDA ETC | | 12 | 3 | 107 | 36 | 242 | 73 | 294 | 114 | 270 | 110 | 181 | 64 | 1923 | 609 |
| SNUFF | | 4 | 1 | 5 | 11 | 2 | 11 | - | 8 | 2 | 8 | 3 | 9 | 32 | 78 |
| BURNT TOB.POWD/PASTE | | 9 | 15 | 37 | 37 | 39 | 41 | 16 | 36 | 20 | 15 | 29 | 33 | 293 | 309 |
| SM & CHW | | 1 | - | 37 | - | 115 | 3 | 121 | 3 | 122 | 3 | 79 | 2 | 859 | 17 |
| SM & SN | | - | - | 1 | - | 3 | - | 2 | 1 | - | - | 1 | - | 13 | 1 |
| SM & BT | | - | - | 4 | - | 8 | - | 9 | - | 9 | - | 6 | - | 64 | 0 |
| SN & BT | | - | - | - | - | - | - | 1 | - | - | - | - | - | - | 1 |
| CHW & SN | | - | - | - | 1 | 3 | 1 | - | 1 | 5 | 2 | 2 | 1 | 15 | 8 |
| CHW & BT | | - | - | 3 | 2 | 5 | 2 | 6 | - | 2 | 2 | 3 | 2 | 38 | 15 |
| SM,CHW, & SN | | - | - | 1 | - | 1 | - | 2 | - | - | - | 1 | - | 9 | 0 |
| SM, CHW & BT | | - | - | 1 | - | 5 | - | 6 | - | 1 | - | 3 | - | 26 | 0 |
| SM, SN & BT | | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 0 |
| CHW, SN & BT | | 1 | - | - | - | - | - | - | - | - | - | - | - | 2 | 2 |
| SM, CHW,SN & BT | | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | - | - | 1 | 1 | 10 | 7 |
| SAMPLE PERSONS | | 47 | 27 | 796 | 204 | 2779 | 468 | 1403 | 277 | 715 | 151 | 5740 | 1127 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| MAHARASTRA | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 445 | | | |
| SMOKING | | 1 | - | 13 | 1 | 146 | - | 205 | 4 | 180 | 6 | 104 | 2 | 785 | 13 |
| CHWewing ZARDA ETC | | 6 | 2 | 74 | 22 | 294 | 96 | 329 | 166 | 285 | 143 | 200 | 83 | 1651 | 636 |
| SNUFF | | 1 | - | 3 | 3 | 1 | 5 | 2 | 17 | 3 | 32 | 2 | 9 | 22 | 70 |
| BURNT TOB.POWD/PASTE | | 37 | 36 | 63 | 94 | 47 | 155 | 43 | 165 | 45 | 142 | 49 | 125 | 401 | 1000 |
| SM & CHW | | - | - | 5 | 1 | 39 | 1 | 43 | 2 | 43 | 1 | 26 | 1 | 200 | 8 |
| SM & SN | | - | - | - | - | 2 | - | 5 | - | 2 | - | 1 | - | 8 | 1 |
| SM & BT | | - | - | 2 | - | 15 | - | 20 | 1 | 22 | - | 11 | - | 84 | 2 |
| SN & BT | | - | - | - | - | - | 1 | - | 2 | 2 | 7 | - | 1 | 1 | 9 |
| CHW & SN | | - | - | 1 | 1 | 2 | - | 3 | 6 | - | 4 | 1 | 2 | 12 | 11 |
| CHW & BT | | 1 | - | 15 | 2 | 78 | 17 | 99 | 40 | 96 | 26 | 56 | 16 | 450 | 130 |
| SM,CHW, & SN | | - | - | 1 | - | - | - | 1 | - | - | - | - | - | 2 | 0 |
| SM, CHW & BT | | - | - | - | - | 4 | - | 7 | - | 14 | - | 4 | - | 37 | 1 |
| SM, SN & BT | | - | - | - | - | - | - | 1 | - | - | 2 | - | - | 1 | 1 |
| CHW, SN & BT | | - | - | - | - | - | - | - | - | 1 | 1 | - | - | 1 | 2 |
| SM, CHW,SN & BT | | - | - | - | - | - | - | 1 | - | - | - | - | - | 1 | 0 |
| SAMPLE PERSONS | | 56 | 42 | 343 | 212 | 1657 | 749 | 994 | 555 | 606 | 326 | 3656 | 1884 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |

SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.

'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS.

TABLE (2R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

| MANIPUR | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 100 | | | |
|---|--|------------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|------------------------------|--------|----------------|--------|
| FORM OF TOBACCO CONSUMPTION | | AGE (IN YEARS) | | | | | | | | | | | | SAMPLE PERSONS | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL** | | | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | | 4 | - | 40 | 20 | 391 | 131 | 593 | 460 | 762 | 501 | 302 | 148 | 606 | 293 |
| CHWewing ZARDA ETC | | 6 | 6 | 58 | 29 | 54 | 51 | 5 | 11 | 5 | 14 | 38 | 30 | 76 | 55 |
| BURNT TOB.POWD/PASTE | | - | - | - | - | 2 | - | 3 | - | - | 13 | 1 | 1 | 3 | 1 |
| SM & CHW | | - | - | 22 | 5 | 152 | 35 | 173 | 44 | 55 | 55 | 92 | 24 | 192 | 47 |
| SM & BT | | - | - | - | - | 2 | 11 | 16 | 20 | 35 | 60 | 6 | 11 | 12 | 23 |
| CHW & BT | | - | - | - | - | 6 | - | 11 | - | - | - | 4 | - | 5 | 0 |
| SM, CHW & BT | | - | - | - | - | 27 | 1 | 19 | - | - | - | 13 | - | 28 | 1 |
| SM, CHW,SN & BT | | - | - | - | - | - | 2 | - | - | - | 9 | - | 1 | - | 2 |
| SAMPLE PERSONS | | 2 | 1 | 57 | 25 | 466 | 159 | 251 | 153 | 146 | 84 | 922 | 422 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| MEGHALAYA | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 112 | | | |
| SMOKING | | 35 | 15 | 307 | 106 | 820 | 293 | 876 | 264 | 895 | 302 | 586 | 194 | 1166 | 297 |
| CHWewing ZARDA ETC | | - | 13 | 14 | 104 | 13 | 125 | 15 | 223 | 1 | 161 | 11 | 120 | 24 | 235 |
| BURNT TOB.POWD/PASTE | | - | - | - | - | - | - | 3 | - | - | - | - | - | 1 | 0 |
| SM & CHW | | - | - | 4 | - | 28 | 3 | 29 | 8 | 57 | - | 19 | 2 | 42 | 6 |
| SM & BT | | - | - | 4 | 5 | 8 | 2 | 4 | 4 | 10 | - | 5 | 3 | 16 | 11 |
| SAMPLE PERSONS | | 8 | 4 | 181 | 122 | 681 | 267 | 295 | 127 | 84 | 29 | 1249 | 549 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| MIZORAM | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 47 | | | |
| SMOKING | | 27 | 33 | 413 | 212 | 742 | 569 | 863 | 776 | 756 | 735 | 548 | 417 | 529 | 363 |
| CHWewing ZARDA ETC | | 21 | 24 | 75 | 177 | 38 | 128 | - | 89 | - | - | 39 | 116 | 38 | 97 |
| BURNT TOB.POWD/PASTE | | - | - | - | 22 | 11 | 6 | 8 | 10 | 101 | 66 | 9 | 13 | 8 | 11 |
| SM & CHW | | 5 | - | 80 | 70 | 140 | 122 | 111 | 59 | - | - | 91 | 74 | 77 | 60 |
| SM & BT | | - | - | - | - | 8 | 4 | - | 12 | 43 | 84 | 5 | 7 | 5 | 6 |
| CHW & BT | | - | - | - | - | 4 | - | - | - | - | - | 2 | - | 1 | 0 |
| SM,CHW, & SN | | - | - | - | - | 5 | 5 | - | - | - | - | 2 | 2 | 1 | 1 |
| SM, CHW & BT | | - | - | - | 7 | 5 | 5 | 12 | - | - | - | 3 | 4 | 2 | 2 |
| SAMPLE PERSONS | | 6 | 5 | 158 | 126 | 322 | 259 | 143 | 117 | 32 | 33 | 661 | 540 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE. | | | | | | | | | | | | | | | |
| 'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS. | | | | | | | | | | | | | | | |

TABLE (2R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

| NAGALAND | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 46 | | | |
|---|--|------------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|------------------------------|--------|----------------|--------|
| FORM OF TOBACCO CONSUMPTION | | AGE (IN YEARS) | | | | | | | | | | | | SAMPLE PERSONS | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL** | | | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | | - | - | 55 | - | 486 | - | 541 | - | 209 | 81 | 254 | 3 | 257 | 2 |
| CHWING ZARDA ETC | | - | - | 3 | 8 | 39 | 16 | 3 | - | 26 | - | 14 | 8 | 19 | 10 |
| SNUFF | | - | - | - | 7 | - | - | - | - | - | - | - | 2 | - | 1 |
| BURNT TOB.POWD/PASTE | | - | - | 16 | - | 3 | - | 10 | - | - | - | 7 | - | 6 | 0 |
| SM & CHW | | - | - | 18 | 1 | 84 | 4 | 64 | - | 34 | - | 42 | 2 | 40 | 2 |
| SM & BT | | - | - | - | - | 1 | - | - | - | - | - | - | - | 2 | 0 |
| CHW, SN & BT | | - | - | - | - | - | 3 | - | - | - | 26 | - | 2 | - | 2 |
| SM, CHW, SN & BT | | - | - | 3 | - | - | - | - | - | - | - | 1 | - | 1 | 0 |
| SAMPLE PERSONS | | 1 | - | 30 | 5 | 176 | 9 | 101 | - | 17 | 3 | 325 | 17 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| ORISSA | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 335 | | | |
| SMOKING | | 11 | 3 | 52 | 6 | 130 | 2 | 122 | 12 | 94 | 3 | 89 | 5 | 556 | 26 |
| CHWING ZARDA ETC | | 19 | 23 | 103 | 132 | 220 | 277 | 197 | 252 | 228 | 253 | 159 | 199 | 946 | 1169 |
| SNUFF | | 1 | 1 | 26 | 18 | 36 | 19 | 51 | 33 | 75 | 41 | 34 | 21 | 207 | 99 |
| BURNT TOB.POWD/PASTE | | 10 | 24 | 35 | 126 | 76 | 221 | 100 | 226 | 83 | 178 | 61 | 167 | 383 | 1055 |
| SM & CHW | | 2 | - | 34 | 3 | 133 | 7 | 143 | 4 | 117 | 2 | 89 | 4 | 518 | 23 |
| SM & SN | | - | - | 14 | 1 | 20 | 1 | 26 | 1 | 9 | 2 | 15 | 1 | 75 | 4 |
| SM & BT | | - | - | 12 | 2 | 53 | 3 | 76 | 8 | 50 | 3 | 38 | 3 | 223 | 12 |
| SN & BT | | - | 2 | 5 | 6 | 19 | 7 | 23 | 15 | 15 | 2 | 13 | 7 | 83 | 41 |
| CHW & SN | | - | - | 7 | 1 | 6 | 9 | 5 | 8 | 9 | 9 | 6 | 5 | 39 | 34 |
| CHW & BT | | 1 | 3 | 10 | 12 | 38 | 40 | 52 | 64 | 47 | 51 | 29 | 33 | 197 | 210 |
| SM, CHW, & SN | | - | - | 3 | - | 6 | 3 | 8 | 3 | 1 | - | 4 | 2 | 22 | 7 |
| SM, CHW & BT | | - | - | 3 | - | 21 | 1 | 33 | - | 38 | - | 17 | - | 110 | 1 |
| SM, SN & BT | | - | - | 3 | - | 7 | - | 7 | 3 | 6 | 3 | 5 | 1 | 34 | 3 |
| CHW, SN & BT | | - | - | - | - | 4 | - | 2 | 2 | 2 | 2 | 2 | 1 | 12 | 4 |
| SM, CHW, SN & BT | | - | - | - | - | - | - | 2 | - | 2 | - | 1 | - | 4 | 0 |
| SAMPLE PERSONS | | 38 | 47 | 424 | 440 | 1618 | 1225 | 826 | 648 | 503 | 328 | 3409 | 2688 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |

SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.

'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS.

TABLE (2R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

| PUNJAB | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 205 | | | |
|---|--|------------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|------------------------------|--------|------|--------|
| FORM OF TOBACCO CONSUMPTION | | AGE (IN YEARS) | | | | | | | | | | SAMPLE PERSONS | | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL** | | | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | | 2 | 1 | 39 | 1 | 147 | 1 | 136 | 3 | 88 | 5 | 87 | 2 | 344 | 8 |
| CHWewing ZARDA ETC | | 1 | - | 9 | - | 43 | 1 | 42 | 1 | 23 | - | 25 | - | 103 | 2 |
| SNUFF | | 2 | - | - | - | 1 | - | - | - | - | 3 | - | - | 2 | 1 |
| BURNT TOB.POWD/PASTE | | - | - | 2 | - | - | 1 | - | - | 16 | 2 | 2 | 1 | 8 | 2 |
| SM & CHW | | - | - | 7 | - | 15 | - | 10 | - | 11 | - | 9 | - | 33 | 0 |
| SM & SN | | - | - | - | - | - | - | - | - | 3 | - | - | - | 1 | 0 |
| SM & BT | | - | - | 1 | - | 3 | - | 9 | - | 4 | 2 | 3 | - | 11 | 1 |
| SAMPLE PERSONS | | 4 | 1 | 65 | 1 | 249 | 3 | 119 | 4 | 65 | 5 | 502 | 14 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| RAJASTHAN | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 312 | | | |
| SMOKING | | 4 | 3 | 205 | 13 | 627 | 46 | 665 | 66 | 557 | 66 | 407 | 37 | 2451 | 213 |
| CHWewing ZARDA ETC | | - | - | 15 | 4 | 29 | 4 | 33 | 1 | 39 | 6 | 22 | 3 | 136 | 21 |
| SNUFF | | 1 | - | - | 1 | - | 1 | 2 | 21 | 4 | 23 | 1 | 6 | 4 | 33 |
| BURNT TOB.POWD/PASTE | | - | - | 2 | - | 4 | - | 7 | 4 | 24 | 4 | 5 | 1 | 34 | 9 |
| SM & CHW | | - | - | 7 | - | 26 | 1 | 15 | 1 | 20 | 3 | 14 | 1 | 85 | 4 |
| SM & SN | | - | - | - | - | 1 | - | 1 | - | - | - | 1 | - | 3 | 0 |
| SM & BT | | - | - | 3 | - | 9 | - | 22 | 1 | 19 | - | 9 | - | 76 | 3 |
| CHW & SN | | - | - | - | - | - | - | - | 1 | - | - | - | - | - | 1 |
| SM,CHW, & SN | | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 0 |
| SM, CHW,SN & BT | | - | - | - | - | 1 | - | - | - | - | - | - | - | 2 | 1 |
| SAMPLE PERSONS | | 6 | 3 | 343 | 28 | 1345 | 111 | 716 | 89 | 382 | 54 | 2792 | 285 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| SIKKIM | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 48 | | | |
| SMOKING | | - | - | 29 | - | 355 | 37 | 528 | 58 | 532 | 140 | 257 | 29 | 217 | 18 |
| CHWewing ZARDA ETC | | - | - | 193 | 7 | 258 | 20 | 187 | 16 | 125 | 78 | 186 | 16 | 159 | 11 |
| BURNT TOB.POWD/PASTE | | - | - | 20 | - | 57 | - | 69 | - | - | - | 38 | - | 33 | 0 |
| SM & CHW | | - | - | 18 | - | 79 | - | 45 | - | 18 | - | 45 | - | 36 | 0 |
| SAMPLE PERSONS | | - | - | 52 | 1 | 258 | 13 | 106 | 6 | 29 | 9 | 445 | 29 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |

SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.

'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS.

TABLE (2R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

| TAMIL NADU | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 391 | | | |
|---|--|------------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|------------------------------|--------|------|--------|
| FORM OF TOBACCO CONSUMPTION | | AGE (IN YEARS) | | | | | | | | | | SAMPLE PERSONS | | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL** | | | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | | - | - | 52 | - | 293 | 5 | 293 | 3 | 173 | 4 | 185 | 3 | 1092 | 14 |
| CHWewing ZARDA ETC | | 1 | 2 | 5 | 3 | 29 | 54 | 69 | 114 | 132 | 127 | 37 | 52 | 257 | 364 |
| SNUFF | | - | - | - | - | 4 | 2 | 21 | 3 | 27 | 10 | 8 | 2 | 56 | 14 |
| BURNT TOB.POWD/PASTE | | - | - | 1 | 3 | 24 | 24 | 63 | 68 | 95 | 85 | 30 | 29 | 190 | 183 |
| SM & CHW | | - | - | 1 | - | 11 | 1 | 42 | - | 16 | 2 | 13 | 1 | 75 | 2 |
| SM & SN | | - | - | - | - | 2 | - | 4 | - | 2 | - | 2 | - | 7 | 0 |
| SM & BT | | - | - | - | - | 4 | - | 11 | 1 | 5 | - | 4 | - | 28 | 1 |
| SN & BT | | - | - | - | - | - | - | 1 | 1 | - | - | - | - | 1 | 2 |
| CHW & SN | | - | - | - | - | - | - | 3 | - | 2 | 1 | 1 | - | 5 | 1 |
| CHW & BT | | - | - | - | - | 3 | 3 | 6 | 9 | 5 | 24 | 3 | 5 | 15 | 32 |
| SM,CHW, & SN | | - | - | - | - | - | - | 2 | - | 2 | - | 1 | - | 3 | 0 |
| SM, CHW & BT | | - | - | - | - | - | - | 5 | - | 1 | - | 1 | - | 7 | 0 |
| SM, SN & BT | | - | - | - | - | - | - | 1 | - | - | - | - | - | 1 | 0 |
| CHW, SN & BT | | - | - | - | - | - | - | - | - | 2 | - | - | - | 3 | 0 |
| SAMPLE PERSONS | | 2 | 1 | 77 | 12 | 768 | 196 | 579 | 239 | 314 | 165 | 1740 | 613 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| TRIPURA | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 153 | | | |
| SMOKING | | 7 | 4 | 125 | 16 | 672 | 47 | 699 | 42 | 527 | 47 | 422 | 33 | 1156 | 92 |
| CHWewing ZARDA ETC | | 4 | 5 | 34 | 75 | 19 | 218 | 27 | 237 | 39 | 271 | 22 | 160 | 70 | 460 |
| SNUFF | | - | - | - | - | - | 2 | - | - | - | - | - | 1 | - | 2 |
| BURNT TOB.POWD/PASTE | | - | - | - | 3 | - | - | 4 | - | 10 | 1 | 1 | 1 | 3 | 3 |
| SM & CHW | | - | - | 25 | 3 | 122 | 11 | 200 | 15 | 228 | 14 | 99 | 8 | 317 | 22 |
| SM & SN | | - | - | - | - | - | 1 | 6 | 3 | 4 | - | 1 | 1 | 3 | 2 |
| SM & BT | | - | - | 6 | - | 10 | 13 | 26 | 9 | 31 | 12 | 12 | 7 | 28 | 14 |
| CHW & BT | | - | - | - | - | 1 | - | - | - | 1 | - | - | - | 2 | 0 |
| SM,CHW, & SN | | - | - | - | - | 1 | 1 | - | 2 | 9 | 4 | 1 | 1 | 3 | 3 |
| SM, CHW & BT | | - | - | - | - | 1 | 1 | 2 | - | 13 | - | 2 | - | 5 | 1 |
| SM, SN & BT | | - | - | - | - | 1 | - | - | - | - | - | - | - | 1 | 0 |
| SM, CHW,SN & BT | | - | - | - | - | 1 | - | - | - | - | - | - | - | 1 | 0 |
| SAMPLE PERSONS | | 6 | 4 | 128 | 64 | 837 | 318 | 420 | 130 | 198 | 83 | 1589 | 599 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |

SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.

'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS.

TABLE (2R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

| UTTAR PRADESH | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 902 | | | |
|---|--|------------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|------------------------------|--------|---------|--------|
| FORM OF TOBACCO | | AGE (IN YEARS) | | | | | | | | | | | | SAMPLE | |
| CONSUMPTION | | | | | | | | | | | | | | PERSONS | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL** | | | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | | 7 | - | 145 | 6 | 398 | 30 | 374 | 61 | 312 | 65 | 251 | 28 | 4494 | 452 |
| CHWewing ZARDA ETC | | 1 | 1 | 49 | 8 | 139 | 42 | 226 | 89 | 289 | 98 | 120 | 40 | 2385 | 659 |
| SNUFF | | - | - | - | - | - | - | - | - | 4 | - | 1 | - | 10 | 4 |
| BURNT TOB.POWD/PASTE | | - | - | 1 | - | 1 | 1 | 6 | 4 | 9 | 1 | 2 | 1 | 44 | 19 |
| SM & CHW | | 1 | - | 31 | 1 | 141 | 7 | 190 | 18 | 145 | 11 | 96 | 6 | 1755 | 104 |
| SM & SN | | - | - | - | - | - | - | 2 | - | - | - | 1 | - | 11 | 0 |
| SM & BT | | - | - | - | - | 3 | - | 6 | - | 9 | 1 | 3 | - | 51 | 2 |
| SN & BT | | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 0 |
| CHW & SN | | - | - | - | - | - | - | 1 | - | - | - | - | - | 3 | 2 |
| CHW & BT | | - | - | - | - | 1 | - | 1 | 1 | 3 | 2 | 1 | - | 14 | 3 |
| SM,CHW, & SN | | - | - | - | - | - | - | 1 | - | - | - | - | - | 3 | 0 |
| SM, CHW & BT | | - | - | - | - | 1 | - | 3 | - | 2 | - | 1 | - | 22 | 1 |
| CHW, SN & BT | | - | - | - | - | - | - | - | - | - | - | - | - | 2 | 0 |
| SM, CHW,SN & BT | | - | - | - | - | - | - | - | - | - | - | - | - | 5 | 1 |
| SAMPLE PERSONS | | 30 | 4 | 1032 | 57 | 3853 | 445 | 2281 | 441 | 1604 | 300 | 8800 | 1247 | X | X |
| REPORTING CONSU- PTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| WEST BENGAL | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 448 | | | |
| SMOKING | | 5 | 1 | 205 | 4 | 565 | 12 | 649 | 27 | 525 | 24 | 393 | 11 | 3303 | 91 |
| CHWewing ZARDA ETC | | 6 | 4 | 39 | 24 | 74 | 75 | 75 | 156 | 110 | 169 | 57 | 70 | 512 | 605 |
| SNUFF | | - | - | - | - | 2 | - | 7 | 3 | 3 | - | 2 | 1 | 18 | 6 |
| BURNT TOB.POWD/PASTE | | 2 | 2 | 8 | 8 | 8 | 19 | 3 | 10 | 11 | 16 | 7 | 12 | 59 | 103 |
| SM & CHW | | 1 | - | 23 | 3 | 88 | 6 | 106 | 13 | 75 | 7 | 60 | 5 | 556 | 47 |
| SM & SN | | - | - | - | - | - | - | 2 | - | - | - | - | - | 4 | 0 |
| SM & BT | | - | - | 2 | - | 5 | - | 8 | - | 11 | - | 4 | - | 40 | 0 |
| CHW & SN | | - | - | - | - | - | - | - | 3 | - | - | - | - | 3 | 3 |
| CHW & BT | | - | 1 | 3 | 2 | 2 | 8 | 1 | 7 | 3 | 6 | 2 | 5 | 16 | 50 |
| SM, CHW & BT | | - | - | 1 | - | 1 | - | 5 | - | 1 | - | 1 | - | 12 | 0 |
| SM, CHW,SN & BT | | - | - | - | - | - | - | - | - | 1 | - | - | - | 2 | 1 |
| SAMPLE PERSONS | | 21 | 12 | 569 | 91 | 2433 | 372 | 1025 | 262 | 477 | 169 | 4525 | 906 | X | X |
| REPORTING CONSU- PTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |

SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.

'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS.

TABLE (2R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

| ANDAMAN & NICOBAR | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 50 | | | |
|---|--|------------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|-----------------------------|--------|------|--------|
| FORM OF TOBACCO CONSUMPTION | | AGE (IN YEARS) | | | | | | | | | | SAMPLE PERSONS | | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL** | | | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | | - | - | 17 | - | 87 | 13 | 157 | 51 | 212 | 31 | 74 | 12 | 91 | 20 |
| CHWewing ZARDA ETC | | - | - | 206 | 68 | 449 | 236 | 489 | 416 | 297 | 321 | 319 | 173 | 337 | 177 |
| BURNT TOB.POWD/PASTE | | - | - | - | 6 | - | - | - | - | - | - | - | 2 | - | 1 |
| SM & CHW | | - | - | 32 | - | 194 | 7 | 216 | 56 | 247 | 49 | 130 | 11 | 137 | 14 |
| SM & SN | | - | - | - | - | - | - | - | - | 5 | - | - | - | 1 | 0 |
| CHW & SN | | - | - | - | - | - | 1 | - | 7 | - | - | - | 1 | - | 4 |
| SM,CHW, & SN | | - | - | - | - | - | - | 3 | - | - | - | - | - | 2 | 0 |
| SAMPLE PERSONS | | - | - | 73 | 21 | 283 | 105 | 166 | 73 | 46 | 17 | 568 | 216 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| CHANDIGARH | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 8 | | | |
| SMOKING | | - | - | 257 | 26 | 311 | 10 | 394 | - | 89 | - | 256 | 13 | 31 | 2 |
| CHWewing ZARDA ETC | | - | - | 20 | - | 161 | - | 155 | - | - | - | 90 | - | 12 | 0 |
| SNUFF | | - | - | - | - | - | - | - | - | 65 | - | 6 | - | 1 | 0 |
| BURNT TOB.POWD/PASTE | | - | - | 28 | - | - | - | - | - | - | - | 8 | - | 1 | 0 |
| SM & CHW | | - | - | - | - | 41 | - | - | - | - | - | 17 | - | 2 | 0 |
| SM & BT | | - | - | - | - | - | - | 33 | - | - | - | 3 | - | 2 | 0 |
| SAMPLE PERSONS | | - | - | 9 | 1 | 27 | 1 | 11 | - | 2 | - | 49 | 2 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| DADER NAGAR-HAVELI | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 24 | | | |
| SMOKING | | - | - | 62 | - | 414 | - | 902 | 14 | 743 | 45 | 361 | 5 | 152 | 2 |
| CHWewing ZARDA ETC | | - | - | 199 | 11 | 279 | - | - | 45 | - | - | 163 | 11 | 67 | 3 |
| SNUFF | | - | - | - | 7 | - | 16 | 15 | 141 | 46 | 158 | 5 | 40 | 2 | 19 |
| BURNT TOB.POWD/PASTE | | - | - | 16 | - | 28 | - | - | - | 14 | - | 16 | - | 10 | 0 |
| SM & CHW | | - | - | - | - | 32 | - | 15 | - | - | - | 15 | - | 6 | 0 |
| SM & BT | | - | - | - | 3 | 12 | - | - | - | - | - | 5 | 1 | 2 | 1 |
| CHW & SN | | - | - | - | - | 5 | - | - | - | - | - | 2 | - | 1 | 0 |
| SAMPLE PERSONS | | - | - | 29 | 3 | 126 | 3 | 62 | 13 | 23 | 6 | 240 | 25 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE. | | | | | | | | | | | | | | | |
| 'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS. | | | | | | | | | | | | | | | |

| TABLE (2R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | | |
|---|--|------------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|--------------------------|--------|---------|--------|--|
| DAMAN & DIU | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : | | | 8 | |
| FORM OF TOBACCO | | AGE (IN YEARS) | | | | | | | | | | | | SAMPLE | | |
| CONSUMPTION | | ----- | | | | | | | | | | | | PERSONS | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL** | | ----- | | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | |
| ----- | | | | | | | | | | | | | | | | |
| SMOKING | | - | - | 98 | - | 194 | 26 | 338 | - | 162 | 188 | 150 | 27 | 24 | 3 | |
| CHWEWING ZARDA ETC | | - | - | 32 | - | 134 | - | 16 | - | 7 | - | 61 | - | 13 | 0 | |
| SNUFF | | - | - | - | - | - | - | - | 156 | - | 240 | - | 44 | - | 5 | |
| BURNT TOB.POWD/PASTE | | - | - | - | - | 68 | - | 133 | - | - | - | 38 | - | 3 | 0 | |
| SM & CHW | | - | - | - | - | 21 | - | 4 | - | - | - | 8 | - | 3 | 0 | |
| CHW & BT | | - | - | - | - | 28 | - | - | - | - | - | 10 | - | 1 | 0 | |
| ----- | | | | | | | | | | | | | | | | |
| SAMPLE PERSONS | | - | - | 8 | - | 24 | 1 | 10 | 2 | 2 | 5 | 44 | 8 | X | X | |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | | |
| ----- | | | | | | | | | | | | | | | | |
| DELHI | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : | | | 7 | |
| ----- | | | | | | | | | | | | | | | | |
| SMOKING | | - | - | 192 | - | 511 | 6 | 482 | - | 746 | 260 | 366 | 35 | 37 | 3 | |
| CHWEWING ZARDA ETC | | - | - | 41 | - | 24 | - | - | - | - | - | 26 | - | 2 | 0 | |
| BURNT TOB.POWD/PASTE | | - | - | - | - | 32 | - | - | - | - | - | 15 | - | 1 | 0 | |
| SM & CHW | | - | - | 41 | - | 24 | - | - | - | - | - | 26 | - | 2 | 0 | |
| ----- | | | | | | | | | | | | | | | | |
| SAMPLE PERSONS | | - | - | 7 | - | 27 | 1 | 5 | - | 3 | 2 | 42 | 3 | X | X | |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | | |
| ----- | | | | | | | | | | | | | | | | |
| LAKSHADWEEP | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : | | | 7 | |
| ----- | | | | | | | | | | | | | | | | |
| SMOKING | | - | - | 76 | - | 375 | 19 | 523 | - | 464 | - | 249 | 7 | 39 | 1 | |
| CHWEWING ZARDA ETC | | 69 | - | 34 | 34 | 98 | 302 | 87 | 574 | 432 | 317 | 102 | 207 | 15 | 37 | |
| BURNT TOB.POWD/PASTE | | - | - | - | - | 46 | - | - | - | - | - | 14 | - | 1 | 0 | |
| SM & CHW | | - | - | - | - | - | - | 71 | - | 82 | - | 17 | - | 3 | 0 | |
| ----- | | | | | | | | | | | | | | | | |
| SAMPLE PERSONS | | 1 | - | 6 | 3 | 24 | 21 | 16 | 13 | 11 | 1 | 58 | 38 | X | X | |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | | |
| ----- | | | | | | | | | | | | | | | | |
| SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE. | | | | | | | | | | | | | | | | |
| 'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS. | | | | | | | | | | | | | | | | |

TABLE (2R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

| PONDICHWERY | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 7 | | | |
|---|--|------------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|-------------------------------|--------|-------|--------|
| FORM OF TOBACCO CONSUMPTION | | AGE (IN YEARS) | | | | | | | | | | SAMPLE PERSONS | | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL** | | | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | | - | - | 119 | - | 167 | - | 205 | 88 | 258 | - | 152 | 11 | 16 | 1 |
| CHWewing ZARDA ETC | | - | - | - | - | 12 | - | 168 | 136 | 102 | 171 | 35 | 35 | 5 | 7 |
| SNUFF | | - | - | - | - | - | - | - | - | 47 | - | 5 | - | 1 | 0 |
| BURNT TOB.POWD/PASTE | | - | - | - | - | - | - | - | 17 | - | - | - | 2 | - | 1 |
| SM & CHW | | - | - | - | - | 25 | - | 105 | - | 79 | - | 31 | - | 3 | 0 |
| SM & SN | | - | - | - | - | - | - | - | - | 79 | - | 9 | - | 1 | 0 |
| SAMPLE PERSONS | | - | - | 3 | - | 10 | - | 5 | 5 | 8 | 4 | 26 | 9 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| ALL-INDIA | | RURAL | | | | | | | | | | NO. OF SAMPLE VILLAGES : 6951 | | | |
| SMOKING | | 5 | 1 | 110 | 7 | 371 | 24 | 406 | 43 | 328 | 46 | 248 | 22 | 3334 | 3466 |
| CHWewing ZARDA ETC | | 4 | 3 | 56 | 20 | 139 | 58 | 172 | 96 | 191 | 101 | 106 | 51 | 13788 | 6718 |
| SNUFF | | 1 | - | 2 | 3 | 3 | 6 | 6 | 14 | 9 | 17 | 4 | 6 | 464 | 661 |
| BURNT TOB.POWD/PASTE | | 4 | 5 | 14 | 18 | 23 | 35 | 30 | 47 | 37 | 43 | 20 | 29 | 2625 | 3284 |
| SM & CHW | | 1 | - | 20 | 1 | 77 | 4 | 96 | 7 | 75 | 5 | 53 | 3 | 7217 | 561 |
| SM & SN | | - | - | 1 | - | 2 | - | 3 | - | 2 | 1 | 1 | - | 156 | 11 |
| SM & BT | | - | - | 2 | - | 11 | - | 16 | 1 | 15 | 1 | 8 | - | 1152 | 137 |
| SN & BT | | - | - | - | - | 1 | - | 1 | 1 | 1 | 1 | 1 | - | 87 | 57 |
| CHW & SN | | - | - | - | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 85 | 72 |
| CHW & BT | | - | - | 2 | 1 | 10 | 5 | 13 | 9 | 14 | 8 | 7 | 4 | 817 | 478 |
| SM,CHW, & SN | | - | - | - | - | 1 | - | 1 | - | - | - | - | - | 50 | 12 |
| SM, CHW & BT | | - | - | - | - | 3 | - | 5 | - | 5 | - | 2 | - | 309 | 8 |
| SM, SN & BT | | - | - | - | - | - | - | - | - | - | - | - | - | 38 | 4 |
| CHW, SN & BT | | - | - | - | - | - | - | - | - | - | - | - | - | 30 | 15 |
| SM, CHW,SN & BT | | - | - | - | - | - | - | 1 | - | - | - | - | - | 50 | 28 |
| SAMPLE PERSONS | | 308 | 183 | 6741 | 1755 | 29147 | 6460 | 15502 | 4486 | 8504 | 2628 | 60202 | 15512 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE. | | | | | | | | | | | | | | | |
| 'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS. | | | | | | | | | | | | | | | |

TABLE (2U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

| ANDHRA PRADESH | | | | URBAN | | | | | | NO. OF SAMPLE BLOCKS: | | | | 365 | |
|---|--|------------------|--------|-------|--------|-------|--------|-------|--------|-----------------------|--------|-------|--------|----------------|--------|
| FORM OF TOBACCO CONSUMPTION | | AGE (IN YEARS) | | | | | | | | | | | | SAMPLE PERSONS | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL** | | ----- | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | | 1 | - | 59 | 4 | 355 | 12 | 490 | 41 | 341 | 49 | 247 | 15 | 1485 | 78 |
| CHWEMING ZARDA ETC | | - | - | 1 | 1 | 9 | 13 | 9 | 31 | 19 | 38 | 6 | 13 | 42 | 77 |
| SNUFF | | - | - | - | - | 2 | 2 | 1 | 1 | 12 | 7 | 2 | 2 | 7 | 8 |
| BURNT TOB.POWD/PASTE | | - | 1 | - | 4 | 3 | 9 | 6 | 24 | 18 | 35 | 3 | 11 | 19 | 65 |
| SM & CHW | | - | - | 2 | - | 3 | - | 9 | - | 2 | 3 | 3 | - | 24 | 1 |
| SM & SN | | - | - | - | - | 1 | - | 3 | - | - | - | 1 | - | 4 | 0 |
| SM & BT | | - | - | - | - | 1 | - | 2 | - | 3 | - | 1 | - | 6 | 0 |
| CHW & BT | | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 0 |
| | | | | | | | | | | | | | | | |
| SAMPLE PERSONS | | 1 | 1 | 103 | 14 | 873 | 78 | 458 | 72 | 153 | 64 | 1588 | 229 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| ARUNACHAL PRADESH | | | | URBAN | | | | | | NO. OF SAMPLE BLOCKS: | | | | 24 | |
| SMOKING | | - | - | 44 | 8 | 200 | 25 | 281 | - | 44 | 132 | 142 | 15 | 58 | 4 |
| CHWEMING ZARDA ETC | | - | - | 48 | 18 | 156 | 100 | 73 | 110 | - | - | 89 | 52 | 42 | 20 |
| SNUFF | | - | - | - | - | - | - | - | - | - | - | - | - | - | 0 |
| BURNT TOB.POWD/PASTE | | - | - | 27 | - | 66 | 18 | 97 | 38 | 83 | - | 53 | 10 | 19 | 3 |
| SM & CHW | | - | - | 28 | - | 124 | 45 | 127 | 76 | - | - | 80 | 24 | 29 | 6 |
| SM & BT | | - | - | - | - | 13 | - | 15 | - | - | - | 8 | - | 3 | 0 |
| SM, CHW & BT | | - | - | - | - | 7 | - | - | - | - | - | 3 | - | 1 | 0 |
| | | | | | | | | | | | | | | | |
| SAMPLE PERSONS | | - | - | 13 | 4 | 111 | 20 | 26 | 8 | 2 | 1 | 152 | 33 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| ASSAM | | | | URBAN | | | | | | NO. OF SAMPLE BLOCKS: | | | | 88 | |
| SMOKING | | 9 | - | 43 | 8 | 365 | 5 | 534 | 23 | 522 | 29 | 265 | 9 | 447 | 13 |
| CHWEMING ZARDA ETC | | - | - | 67 | 33 | 117 | 53 | 91 | 81 | 36 | 66 | 81 | 43 | 135 | 67 |
| SNUFF | | - | - | 6 | - | 11 | - | 5 | - | - | - | 7 | - | 13 | 0 |
| BURNT TOB.POWD/PASTE | | - | - | 5 | 2 | 18 | - | 7 | 5 | - | - | 10 | 1 | 19 | 2 |
| SM & CHW | | - | - | 17 | - | 119 | - | 165 | 1 | 32 | - | 80 | - | 143 | 1 |
| SM & BT | | - | - | - | - | 3 | - | 2 | - | - | - | 1 | - | 4 | 0 |
| SM,CHW, & SN | | - | - | - | - | 1 | - | - | - | - | - | - | - | 1 | 0 |
| SM, CHW & BT | | - | - | - | - | - | - | 8 | - | - | - | 1 | - | 1 | 0 |
| | | | | | | | | | | | | | | | |
| SAMPLE PERSONS | | 2 | - | 73 | 22 | 440 | 31 | 204 | 22 | 44 | 8 | 763 | 83 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE. | | | | | | | | | | | | | | | |
| 'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS | | | | | | | | | | | | | | | |

TABLE (2U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

| BIHAR | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | | | 216 |
|---|-------|------------------|--------|-------|--------|-------|--------|-------|--------|------------|-----------------------|-------|--------|----------------|--------|
| FORM OF TOBACCO CONSUMPTION | | AGE (IN YEARS) | | | | | | | | | | | | SAMPLE PERSONS | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL** | | ----- | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | | - | - | 5 | 2 | 75 | 7 | 106 | 27 | 114 | 37 | 49 | 10 | 221 | 26 |
| CHWEWING ZARDA ETC | | - | - | 53 | 13 | 274 | 21 | 299 | 49 | 263 | 54 | 169 | 22 | 678 | 68 |
| SNUFF | | - | - | - | - | 1 | - | 6 | - | - | - | 1 | - | 3 | 0 |
| BURNT TOB.POWD/PASTE | | - | - | 23 | - | 65 | 3 | 101 | 8 | 63 | 9 | 47 | 3 | 209 | 10 |
| SM & CHW | | - | - | 11 | - | 79 | 1 | 79 | 6 | 54 | 3 | 45 | 1 | 177 | 5 |
| SM & BT | | - | - | 4 | - | 20 | - | 22 | - | 17 | 1 | 12 | - | 53 | 1 |
| CHW & BT | | - | - | 1 | - | 2 | - | 9 | - | 2 | - | 2 | - | 12 | 0 |
| SM, CHW & BT | | - | - | - | - | 7 | - | 9 | - | - | - | 4 | - | 16 | 0 |
| SM, CHW,SN & BT | | - | - | - | - | 1 | 1 | - | - | - | - | - | - | 1 | 1 |
| | | | | | | | | | | | | | | | |
| GOA | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | | | 22 |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | | - | - | 14 | - | 250 | 14 | 343 | 60 | 392 | 31 | 175 | 17 | 66 | 3 |
| CHWEWING ZARDA ETC | | - | - | 49 | - | 21 | 14 | 47 | - | - | - | 29 | 6 | 8 | 1 |
| BURNT TOB.POWD/PASTE | | - | - | - | 15 | 20 | 34 | 28 | - | - | - | 12 | 18 | 3 | 5 |
| SM & CHW | | - | - | 28 | - | 25 | - | - | 8 | - | - | 18 | 1 | 5 | 1 |
| SM & BT | | - | - | - | - | 7 | - | 20 | - | - | - | 6 | - | 2 | 0 |
| | | | | | | | | | | | | | | | |
| SAMPLE PERSONS | | - | - | 7 | 1 | 44 | 6 | 25 | 2 | 8 | 1 | 84 | 10 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| GUJARAT | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | | | 238 |
| SMOKING | | 5 | 1 | 58 | 2 | 280 | 3 | 399 | 13 | 270 | 7 | 196 | 4 | 851 | 17 |
| CHWEWING ZARDA ETC | | - | - | 52 | - | 100 | 7 | 67 | 10 | 28 | 11 | 64 | 5 | 283 | 26 |
| SNUFF | | - | - | - | 1 | 3 | 14 | - | 65 | 18 | 150 | 2 | 26 | 11 | 92 |
| BURNT TOB.POWD/PASTE | | - | - | 4 | - | 10 | - | 6 | - | 7 | 2 | 6 | - | 31 | 2 |
| SM & CHW | | - | - | 6 | - | 26 | - | 22 | - | 4 | 3 | 15 | - | 89 | 1 |
| SM & BT | | - | - | - | - | 1 | - | 3 | - | - | - | 1 | - | 3 | 0 |
| CHW & SN | | - | - | - | - | - | - | 3 | 1 | - | - | 1 | - | 2 | 2 |
| CHW & BT | | - | - | - | 1 | 1 | - | - | - | - | - | - | - | 1 | 1 |
| | | | | | | | | | | | | | | | |
| SAMPLE PERSONS | | 3 | 1 | 142 | 5 | 716 | 38 | 288 | 48 | 122 | 49 | 1271 | 141 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE. | | | | | | | | | | | | | | | |
| 'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS | | | | | | | | | | | | | | | |

TABLE (2U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

| HARYANA | | URBAN | | | | | | | | NO. OF SAMPLE BLOCKS: | | | | 70 | |
|---|--|------------------|--------|-------|--------|-------|--------|-------|--------|-----------------------|--------|-------|--------|----------------|--------|
| FORM OF TOBACCO CONSUMPTION | | AGE (IN YEARS) | | | | | | | | | | | | SAMPLE PERSONS | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL** | | ----- | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | | - | - | 174 | - | 459 | 19 | 518 | 35 | 430 | 52 | 314 | 15 | 378 | 16 |
| CHWEWING ZARDA ETC | | - | - | 2 | - | 16 | - | 14 | 18 | 88 | - | 14 | 2 | 16 | 1 |
| SNUFF | | - | - | - | - | - | - | - | 8 | - | 17 | - | 2 | - | 2 |
| BURNT TOB.POWD/PASTE | | - | - | - | - | 2 | - | - | - | - | 9 | 1 | 1 | 2 | 1 |
| SM & CHW | | - | - | 7 | - | 9 | - | 2 | - | - | - | 6 | - | 8 | 0 |
| SM & BT | | - | - | - | - | - | - | 4 | 6 | - | - | - | 1 | 2 | 1 |
| CHW & SN | | - | - | 5 | - | - | - | - | - | - | - | 1 | - | 1 | 0 |
| CHW & BT | | - | - | - | - | 2 | - | - | - | - | - | 1 | - | 1 | 0 |
| SAMPLE PERSONS | | - | - | 60 | - | 221 | 7 | 79 | 8 | 48 | 6 | 408 | 21 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| HIMACHAL PRADESH | | URBAN | | | | | | | | NO. OF SAMPLE BLOCKS: | | | | 40 | |
| SMOKING | | 9 | - | 140 | 19 | 419 | 13 | 474 | 76 | 314 | 95 | 270 | 28 | 190 | 12 |
| CHWEWING ZARDA ETC | | - | - | 5 | - | 4 | - | 21 | - | 20 | - | 7 | - | 6 | 0 |
| SNUFF | | - | - | - | - | - | - | - | - | - | 12 | - | 1 | - | 1 |
| BURNT TOB.POWD/PASTE | | - | - | - | - | 2 | - | - | - | 56 | - | 4 | - | 3 | 0 |
| SM & BT | | - | - | - | - | - | - | 2 | - | - | 20 | - | 2 | 1 | 1 |
| SAMPLE PERSONS | | 1 | - | 28 | 2 | 98 | 2 | 57 | 4 | 16 | 6 | 200 | 14 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| JAMMU & KASHMIR | | URBAN | | | | | | | | NO. OF SAMPLE BLOCKS: | | | | 53 | |
| SMOKING | | - | - | 35 | - | 246 | - | 404 | 23 | 304 | - | 187 | 3 | 195 | 4 |
| CHWEWING ZARDA ETC | | - | - | - | - | 10 | - | - | - | - | - | 4 | - | 3 | 0 |
| SM & CHW | | - | - | - | - | 5 | - | 18 | - | - | - | 4 | - | 2 | 0 |
| SM & BT | | - | - | - | - | - | - | - | - | 16 | - | 1 | - | 1 | 0 |
| SM, CHW & BT | | - | - | 3 | - | - | - | - | - | - | - | 1 | - | 1 | 0 |
| SM, CHW,SN & BT | | - | - | - | - | 2 | - | - | - | - | - | 1 | - | 1 | 0 |
| SAMPLE PERSONS | | - | - | 11 | - | 101 | - | 66 | 4 | 25 | - | 203 | 4 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE. | | | | | | | | | | | | | | | |
| 'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS | | | | | | | | | | | | | | | |

TABLE (2U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

| KARNATAKA | | URBAN | | | | | | | | NO. OF SAMPLE BLOCKS: | | | | | | 247 | |
|---|--|------------------|--------|-------|--------|-------|--------|-------|--------|-----------------------|--------|-------|--------|----------------|--------|-----|--|
| FORM OF TOBACCO CONSUMPTION | | AGE (IN YEARS) | | | | | | | | | | | | SAMPLE PERSONS | | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL** | | ----- | | | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | | |
| SMOKING | | - | - | 42 | 3 | 308 | 3 | 361 | 7 | 212 | 3 | 192 | 3 | 905 | 13 | | |
| CHWEMING ZARDA ETC | | 2 | - | 19 | 2 | 39 | 18 | 49 | 34 | 50 | 37 | 30 | 15 | 125 | 76 | | |
| SNUFF | | - | - | - | - | 1 | 2 | 11 | 10 | 17 | 4 | 3 | 2 | 12 | 12 | | |
| BURNT TOB.POWD/PASTE | | 1 | - | 1 | - | - | 7 | 1 | 26 | 8 | 29 | 1 | 9 | 6 | 31 | | |
| SM & CHW | | - | - | 2 | - | 20 | - | 26 | - | 6 | - | 12 | - | 49 | 0 | | |
| SM & SN | | - | - | - | - | - | - | - | - | 2 | - | - | - | 2 | 0 | | |
| SM & BT | | - | - | - | - | 1 | - | 5 | - | 1 | - | 1 | - | 7 | 0 | | |
| CHW & BT | | - | - | - | - | 1 | 4 | - | - | - | - | - | 2 | 1 | 4 | | |
| SM, CHW & BT | | - | - | - | - | 1 | 1 | - | - | - | - | - | 1 | 1 | 1 | | |
| CHW, SN & BT | | - | - | - | - | - | 1 | - | 3 | 2 | - | - | 1 | 1 | 2 | | |
| SAMPLE PERSONS | | 2 | - | 72 | 6 | 642 | 58 | 303 | 46 | 90 | 29 | 1109 | 139 | X | X | | |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | | | |
| KERALA | | URBAN | | | | | | | | NO. OF SAMPLE BLOCKS: | | | | | | 183 | |
| SMOKING | | - | - | 51 | 1 | 394 | 6 | 499 | 6 | 372 | 12 | 275 | 5 | 871 | 18 | | |
| CHWEMING ZARDA ETC | | - | - | 3 | - | 7 | 10 | 26 | 108 | 66 | 161 | 14 | 39 | 42 | 144 | | |
| SNUFF | | - | - | 2 | - | 5 | - | 17 | - | 18 | 3 | 7 | - | 23 | 1 | | |
| BURNT TOB.POWD/PASTE | | - | - | - | - | - | - | - | 3 | 2 | 2 | - | 1 | 2 | 4 | | |
| SM & CHW | | - | - | - | - | 12 | - | 40 | 3 | 57 | - | 16 | 1 | 49 | 3 | | |
| SM & SN | | - | - | - | - | 1 | - | - | - | - | - | - | - | 2 | 0 | | |
| SM & BT | | - | - | - | - | 2 | - | - | - | - | - | 1 | - | 2 | 0 | | |
| CHW & SN | | - | - | - | - | - | - | - | - | 9 | - | 1 | - | 1 | 0 | | |
| CHW & BT | | - | - | - | - | - | - | - | - | - | 3 | - | - | - | 1 | | |
| SM, CHW,SN & BT | | - | - | - | - | - | - | 1 | - | - | - | - | - | 1 | 0 | | |
| SAMPLE PERSONS | | - | - | 49 | 3 | 471 | 22 | 308 | 68 | 165 | 78 | 993 | 171 | X | X | | |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | | | |
| SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE. | | | | | | | | | | | | | | | | | |
| 'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS | | | | | | | | | | | | | | | | | |

TABLE (2U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

| MADHYA PRADESH | | | | | URBAN | | | | | NO. OF SAMPLE BLOCKS: | | | | | 325 | |
|---|-----|------------------|--------|-------|--------|-------|--------|-------|--------|-----------------------|--------|-------|--------|----------------|--------|--|
| FORM OF TOBACCO CONSUMPTION | | AGE (IN YEARS) | | | | | | | | | | | | SAMPLE PERSONS | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL** | | ----- | | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | | |
| | | | | | | | | | | | | | | | | |
| SMOKING | 4 | - | 51 | 2 | 274 | 8 | 330 | 12 | 205 | 13 | 171 | 6 | 1055 | 25 | | |
| CHWewing ZARDA ETC | - | - | 36 | 6 | 133 | 39 | 156 | 103 | 211 | 105 | 92 | 37 | 609 | 211 | | |
| SNUFF | - | 2 | 2 | 4 | 9 | 9 | 3 | 5 | 2 | 19 | 4 | 7 | 15 | 26 | | |
| BURNT TOB.POWD/PASTE | 6 | 2 | 7 | 6 | 22 | 22 | 14 | 24 | 24 | 20 | 14 | 15 | 81 | 80 | | |
| SM & CHW | - | - | 14 | - | 64 | 1 | 72 | 7 | 18 | - | 38 | 1 | 242 | 5 | | |
| SM & SN | - | - | - | - | 1 | - | 4 | - | - | - | 1 | - | 5 | 0 | | |
| SM & BT | - | - | 2 | - | 10 | - | 13 | - | 8 | - | 6 | - | 33 | 0 | | |
| SN & BT | - | - | - | - | - | - | 1 | - | - | - | - | - | 1 | 0 | | |
| CHW & SN | - | - | 1 | 1 | 2 | - | 3 | 4 | - | 13 | 1 | 2 | 10 | 7 | | |
| CHW & BT | - | - | 3 | 1 | 2 | 2 | 5 | 2 | - | 2 | 2 | 1 | 13 | 8 | | |
| SM,CHW, & SN | - | - | 2 | - | 2 | - | 1 | - | 5 | - | 1 | - | 8 | 0 | | |
| SM, CHW & BT | - | - | - | - | 3 | - | 1 | - | 2 | - | 1 | - | 8 | 0 | | |
| SM, SN & BT | - | - | - | - | - | - | 1 | - | - | - | - | - | 1 | 0 | | |
| CHW, SN & BT | - | - | - | - | 1 | - | - | 4 | - | - | - | - | 1 | 2 | | |
| SM, CHW,SN & BT | 2 | 2 | 4 | 1 | 2 | - | 2 | 2 | - | - | 2 | 1 | 10 | 4 | | |
| | | | | | | | | | | | | | | | | |
| SAMPLE PERSONS | 10 | 3 | 195 | 29 | 1148 | 167 | 551 | 108 | 188 | 61 | 2092 | 368 | X | X | | |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| MAHARASTRA | | | | | URBAN | | | | | NO. OF SAMPLE BLOCKS: | | | | | 557 | |
| | | | | | | | | | | | | | | | | |
| SMOKING | - | 2 | 23 | 1 | 160 | 2 | 209 | 2 | 134 | 10 | 106 | 2 | 1103 | 17 | | |
| CHWewing ZARDA ETC | 1 | - | 38 | 4 | 143 | 36 | 162 | 79 | 171 | 104 | 99 | 35 | 926 | 308 | | |
| SNUFF | 1 | 2 | 1 | - | 1 | 2 | 4 | 3 | 7 | 11 | 2 | 2 | 20 | 19 | | |
| BURNT TOB.POWD/PASTE | 8 | 6 | 17 | 19 | 20 | 39 | 28 | 64 | 16 | 52 | 18 | 34 | 156 | 315 | | |
| SM & CHW | - | - | 2 | - | 21 | 1 | 23 | - | 20 | 2 | 13 | - | 133 | 3 | | |
| SM & SN | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 0 | | |
| SM & BT | - | - | - | - | 6 | - | 10 | 2 | 8 | - | 4 | - | 51 | 3 | | |
| SN & BT | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | | |
| CHW & SN | - | - | 1 | - | 1 | 1 | 2 | 1 | - | 2 | 1 | - | 10 | 5 | | |
| CHW & BT | - | - | 1 | 2 | 13 | 5 | 14 | 17 | 18 | 9 | 8 | 6 | 90 | 53 | | |
| SM,CHW, & SN | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 0 | | |
| SM, CHW & BT | - | - | 1 | - | 1 | - | 2 | - | 1 | - | 1 | - | 11 | 0 | | |
| CHW, SN & BT | - | - | - | - | - | - | - | - | 2 | 2 | - | - | 2 | 1 | | |
| SM, CHW,SN & BT | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 2 | | |
| | | | | | | | | | | | | | | | | |
| SAMPLE PERSONS | 11 | 11 | 218 | 65 | 1345 | 277 | 656 | 221 | 276 | 153 | 2506 | 727 | X | X | | |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE. | | | | | | | | | | | | | | | | |
| 'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS | | | | | | | | | | | | | | | | |

TABLE (2U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

| MANIPUR | | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | 70 | |
|---|--|------------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|-----------------------|--------|----------------|--------|
| FORM OF TOBACCO CONSUMPTION | | AGE (IN YEARS) | | | | | | | | | | | | SAMPLE PERSONS | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL** | | ----- | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | | 4 | - | 35 | 13 | 346 | 67 | 580 | 320 | 641 | 492 | 262 | 107 | 425 | 163 |
| CHWewing ZARDA ETC | | - | - | 27 | 12 | 43 | 28 | 4 | 13 | - | - | 23 | 15 | 43 | 29 |
| SNUFF | | - | - | - | - | 1 | - | - | - | - | - | 1 | - | 1 | 0 |
| SM & CHW | | - | - | 27 | - | 85 | 7 | 116 | 10 | 23 | 11 | 56 | 5 | 95 | 9 |
| SM & BT | | - | - | - | - | 1 | 2 | 20 | 23 | 16 | 5 | 4 | 4 | 12 | 12 |
| CHW & SN | | - | - | 1 | - | - | - | - | - | - | - | - | - | 1 | 0 |
| CHW & BT | | - | - | 1 | - | 3 | - | - | - | - | - | 2 | - | 3 | 0 |
| SM,CHW, & SN | | - | - | - | - | - | - | 6 | - | - | - | 1 | - | 1 | 0 |
| SM, CHW & BT | | - | - | - | - | 14 | - | 9 | - | 5 | - | 7 | - | 18 | 0 |
| SAMPLE PERSONS | | 1 | - | 41 | 12 | 281 | 57 | 192 | 81 | 84 | 63 | 599 | 213 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| MEGHALAYA | | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | 48 | |
| SMOKING | | 16 | - | 86 | - | 687 | 31 | 814 | 110 | 364 | 101 | 460 | 26 | 349 | 18 |
| CHWewing ZARDA ETC | | - | 4 | 27 | 69 | 72 | 139 | 16 | 209 | 93 | 164 | 45 | 103 | 30 | 73 |
| SM & CHW | | - | - | - | - | 38 | 4 | 45 | 3 | 99 | - | 26 | 2 | 18 | 2 |
| SM & BT | | - | - | - | - | 3 | - | - | - | - | - | 1 | - | 1 | 0 |
| SAMPLE PERSONS | | 1 | 1 | 16 | 14 | 286 | 55 | 85 | 16 | 10 | 7 | 398 | 93 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| MIZORAM | | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | 96 | |
| SMOKING | | 3 | - | 352 | 107 | 785 | 403 | 837 | 735 | 810 | 736 | 556 | 316 | 962 | 541 |
| CHWewing ZARDA ETC | | - | 5 | 81 | 282 | 55 | 239 | 35 | 45 | 50 | 64 | 50 | 181 | 97 | 287 |
| SNUFF | | - | - | 3 | 1 | - | 1 | - | 7 | - | - | 1 | 1 | 2 | 4 |
| BURNT TOB.POWD/PASTE | | - | 9 | 10 | 47 | 3 | 45 | - | 3 | - | - | 4 | 33 | 7 | 43 |
| SM & CHW | | - | - | 31 | 18 | 86 | 60 | 75 | 55 | 10 | - | 54 | 37 | 82 | 51 |
| SM & SN | | - | - | 1 | - | - | - | 3 | 5 | - | - | 1 | 1 | 2 | 2 |
| SM & BT | | - | - | 6 | - | 2 | 8 | - | - | - | - | 2 | 3 | 3 | 4 |
| CHW & SN | | - | - | - | 1 | - | - | - | - | - | - | - | - | - | 1 |
| SM, CHW,SN & BT | | - | 5 | - | - | - | 1 | 5 | 6 | - | 20 | 1 | 3 | 1 | 4 |
| SAMPLE PERSONS | | 1 | 4 | 207 | 189 | 660 | 519 | 240 | 174 | 48 | 51 | 1156 | 937 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE. | | | | | | | | | | | | | | | |
| 'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS | | | | | | | | | | | | | | | |

TABLE (2U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

| NAGALAND | | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | 24 | |
|---|--|------------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|-----------------------|--------|----------------|--------|
| FORM OF TOBACCO CONSUMPTION | | AGE (IN YEARS) | | | | | | | | | | | | SAMPLE PERSONS | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL** | | ----- | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | | 14 | - | 69 | - | 461 | - | 391 | - | 91 | - | 246 | - | 118 | 0 |
| CHWEMING ZARDA ETC | | - | - | 15 | - | 67 | - | 170 | - | 38 | - | 53 | - | 30 | 0 |
| BURNT TOB.POWD/PASTE | | - | - | 8 | - | 19 | - | 22 | - | - | - | 12 | - | 5 | 0 |
| SM & CHW | | - | - | 14 | - | 23 | - | 75 | - | 33 | - | 23 | - | 15 | 0 |
| SM & BT | | - | - | - | - | 11 | - | 15 | - | - | - | 6 | - | 3 | 0 |
| SAMPLE PERSONS | | 1 | - | 13 | - | 104 | - | 49 | - | 4 | - | 171 | - | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| ORISSA | | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | 104 | |
| SMOKING | | 8 | - | 58 | - | 183 | 3 | 152 | 6 | 163 | 10 | 121 | 3 | 212 | 7 |
| CHWEMING ZARDA ETC | | 11 | 7 | 46 | 37 | 129 | 164 | 132 | 261 | 86 | 186 | 89 | 122 | 168 | 179 |
| SNUFF | | - | - | - | - | 1 | - | 19 | - | 12 | - | 4 | - | 8 | 0 |
| BURNT TOB.POWD/PASTE | | 7 | 7 | 12 | 44 | 38 | 115 | 59 | 190 | 65 | 132 | 32 | 91 | 58 | 155 |
| SM & CHW | | - | - | 19 | - | 122 | - | 143 | 5 | 103 | - | 80 | 1 | 119 | 2 |
| SM & SN | | - | - | - | - | 1 | - | 10 | - | 15 | - | 3 | - | 6 | 0 |
| SM & BT | | - | - | 12 | 2 | 49 | - | 68 | 6 | 75 | - | 37 | 1 | 60 | 2 |
| CHW & SN | | - | - | - | - | - | - | - | 3 | 4 | 5 | - | 1 | 1 | 2 |
| CHW & BT | | - | - | 4 | 1 | 35 | 23 | 60 | 30 | 48 | 66 | 27 | 18 | 50 | 36 |
| SM,CHW, & SN | | - | - | - | - | - | - | 3 | - | - | - | - | - | 1 | 0 |
| SM, CHW & BT | | - | - | 1 | - | 26 | - | 44 | - | 31 | - | 19 | - | 34 | 0 |
| SM, SN & BT | | - | - | 1 | - | - | - | 4 | - | 2 | - | 1 | - | 4 | 0 |
| CHW, SN & BT | | - | - | 1 | - | 3 | 2 | - | - | 9 | - | 2 | 1 | 6 | 1 |
| SM, CHW,SN & BT | | - | 19 | - | - | 1 | 3 | 8 | - | 10 | - | 2 | 4 | 5 | 4 |
| SAMPLE PERSONS | | 3 | 5 | 78 | 35 | 382 | 181 | 185 | 113 | 84 | 54 | 732 | 388 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| PUNJAB | | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | 196 | |
| SMOKING | | 6 | - | 79 | 2 | 250 | - | 201 | 4 | 173 | 1 | 157 | 1 | 494 | 6 |
| CHWEMING ZARDA ETC | | - | - | 11 | - | 17 | - | 21 | 5 | 4 | - | 13 | 1 | 39 | 1 |
| SNUFF | | - | - | - | - | - | - | - | 1 | - | - | - | - | - | 2 |
| BURNT TOB.POWD/PASTE | | - | - | - | - | 2 | - | 3 | - | 2 | - | 1 | - | 5 | 0 |
| SM & CHW | | - | - | 5 | - | 13 | - | 9 | - | 10 | - | 8 | - | 23 | 0 |
| SM, CHW,SN & BT | | - | - | 1 | - | 2 | - | 1 | - | - | - | 1 | - | 4 | 0 |
| SAMPLE PERSONS | | 1 | - | 72 | 1 | 329 | 2 | 117 | 5 | 46 | 1 | 565 | 9 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE. | | | | | | | | | | | | | | | |
| 'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS | | | | | | | | | | | | | | | |

Report no. 427: Consumption of Tobacco in India, 1993-94

| TABLE (2U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP | | | | | | | | | | | | | | | |
|---|-----|------------------|--------|-------|--------|-------|--------|-------|-----------------------|------------|--------|-------|--------|---------|--------|
| RAJASTHAN | | | URBAN | | | | | | NO. OF SAMPLE BLOCKS: | | | | 184 | | |
| ----- | | | | | | | | | | | | | | | |
| FORM OF TOBACCO | | AGE (IN YEARS) | | | | | | | | | | | | SAMPLE | |
| CONSUMPTION | | ----- | | | | | | | | | | | | PERSONS | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL** | | ----- | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| ----- | | | | | | | | | | | | | | | |
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | |
| ----- | | | | | | | | | | | | | | | |
| SMOKING | 1 | - | 78 | 3 | 351 | 16 | 466 | 53 | 369 | 25 | 237 | 16 | 748 | 37 | |
| CHWEWING ZARDA ETC | - | - | 31 | 1 | 79 | 19 | 87 | 26 | 68 | 30 | 53 | 14 | 171 | 36 | |
| SNUFF | - | - | - | - | 1 | 2 | - | 2 | - | 21 | - | 3 | 1 | 7 | |
| BURNT TOB.POWD/PASTE | - | - | 2 | 3 | 1 | - | 3 | 1 | 15 | 15 | 3 | 2 | 7 | 7 | |
| SM & CHW | - | - | 8 | 1 | 30 | 1 | 29 | - | 12 | 4 | 17 | 1 | 54 | 3 | |
| SM & BT | - | - | - | - | 1 | - | 5 | 2 | 5 | - | 2 | - | 6 | 1 | |
| SN & BT | - | - | - | - | - | - | - | 6 | - | - | - | 1 | - | 1 | |
| CHW & SN | - | - | - | - | - | - | - | - | - | 4 | - | - | - | 1 | |
| CHW & BT | - | - | - | - | - | - | 2 | - | - | - | - | - | 1 | 0 | |
| SM,CHW, & SN | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 0 | |
| SM, CHW & BT | - | - | - | - | 3 | - | - | - | - | - | 1 | - | 1 | 0 | |
| CHW, SN & BT | - | - | - | - | 1 | - | - | - | - | - | - | - | 1 | 0 | |
| ----- | | | | | | | | | | | | | | | |
| SAMPLE PERSONS | 1 | - | 105 | 5 | 521 | 33 | 248 | 29 | 116 | 26 | 991 | 93 | X | X | |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| ----- | | | | | | | | | | | | | | | |
| SIKKIM | | | URBAN | | | | | | NO. OF SAMPLE BLOCKS: | | | | 16 | | |
| ----- | | | | | | | | | | | | | | | |
| SMOKING | - | - | 88 | - | 301 | 4 | 290 | - | 94 | - | 182 | 2 | 51 | 1 | |
| CHWEWING ZARDA ETC | - | - | 97 | 15 | 199 | - | 129 | - | - | - | 121 | 4 | 35 | 1 | |
| BURNT TOB.POWD/PASTE | - | - | - | - | 58 | - | - | - | - | - | 22 | - | 6 | 0 | |
| SM & CHW | - | - | - | - | 51 | - | 123 | - | - | - | 36 | - | 9 | 0 | |
| ----- | | | | | | | | | | | | | | | |
| SAMPLE PERSONS | - | - | 12 | 1 | 70 | 1 | 18 | - | 1 | - | 101 | 2 | X | X | |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| ----- | | | | | | | | | | | | | | | |
| SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE. | | | | | | | | | | | | | | | |
| 'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS | | | | | | | | | | | | | | | |

TABLE (2U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

| TAMIL NADU | | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | 407 |
|---|--|------------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|-----------------------|--------|-----------|
| FORM OF TOBACCO | | AGE (IN YEARS) | | | | | | | | | | SAMPLE | | |
| CONSUMPTION | | | | | | | | | | | | PERSONS | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL** | | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) (15) |
| SMOKING | | - | - | 45 | - | 304 | 1 | 330 | 4 | 171 | 4 | 192 | 1 | 1236 8 |
| CHWewing ZARDA ETC | | - | - | 3 | 1 | 12 | 22 | 42 | 71 | 73 | 63 | 18 | 24 | 120 160 |
| SNUFF | | - | - | - | 1 | 7 | 3 | 18 | 6 | 23 | 8 | 7 | 3 | 52 22 |
| BURNT TOB.POWD/PASTE | | - | - | - | 1 | 5 | 2 | 17 | 32 | 16 | 41 | 6 | 9 | 44 66 |
| SM & CHW | | - | - | - | - | 6 | - | 14 | - | 9 | 2 | 5 | - | 37 2 |
| SM & SN | | - | - | - | - | - | - | 2 | - | 2 | - | 1 | - | 6 0 |
| SM & BT | | - | - | - | - | 1 | - | 3 | 2 | 8 | 3 | 2 | - | 8 2 |
| SN & BT | | - | - | - | - | - | - | 2 | 1 | 3 | - | 1 | - | 3 2 |
| CHW & SN | | - | - | - | - | - | - | - | 2 | 1 | 4 | - | 1 | 2 4 |
| CHW & BT | | - | - | - | 1 | 2 | 1 | 4 | 3 | 4 | 9 | 2 | 2 | 9 9 |
| SM,CHW, & SN | | - | - | - | - | - | - | - | - | 1 | - | - | - | 1 0 |
| SM, CHW & BT | | - | - | - | - | 2 | - | 1 | - | - | - | 1 | - | 3 0 |
| SAMPLE PERSONS | | - | - | 84 | 4 | 811 | 74 | 449 | 122 | 177 | 75 | 1521 | 275 | X X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | |
| TRIPURA | | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | 56 |
| SMOKING | | - | - | 29 | - | 510 | 3 | 488 | 6 | 395 | 11 | 316 | 3 | 295 3 |
| CHWewing ZARDA ETC | | 11 | 2 | 26 | 93 | 40 | 289 | 35 | 499 | 29 | 344 | 31 | 226 | 38 204 |
| BURNT TOB.POWD/PASTE | | - | - | - | - | - | 1 | - | - | - | 23 | - | 2 | - 3 |
| SM & CHW | | 3 | - | 5 | - | 168 | 10 | 303 | - | 375 | 16 | 146 | 6 | 134 4 |
| SM & SN | | - | - | - | - | - | 3 | - | - | - | - | - | 1 | - 1 |
| CHW & BT | | - | - | - | - | 5 | 19 | 12 | - | - | - | 4 | 8 | 2 4 |
| SM, CHW & BT | | - | - | - | - | 10 | - | 36 | - | - | - | 10 | - | 6 0 |
| SAMPLE PERSONS | | 3 | 1 | 11 | 19 | 260 | 120 | 145 | 50 | 56 | 29 | 475 | 219 | X X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | |
| SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE. | | | | | | | | | | | | | | |
| 'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS | | | | | | | | | | | | | | |

TABLE (2U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

| UTTAR PRADESH | | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | 448 | |
|---|--|------------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|-----------------------|--------|----------------|--------|
| FORM OF TOBACCO CONSUMPTION | | AGE (IN YEARS) | | | | | | | | | | | | SAMPLE PERSONS | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL** | | ----- | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | | - | - | 54 | 1 | 270 | 6 | 362 | 25 | 276 | 16 | 177 | 7 | 1647 | 52 |
| CHWEMING ZARDA ETC | | 3 | - | 42 | 2 | 126 | 18 | 123 | 71 | 176 | 68 | 85 | 22 | 722 | 197 |
| SNUFF | | - | - | - | - | - | - | - | 1 | - | - | - | - | 2 | 4 |
| BURNT TOB.POWD/PASTE | | - | - | - | - | - | - | - | - | 4 | - | - | - | 6 | 0 |
| SM & CHW | | 1 | - | 13 | - | 69 | - | 113 | 5 | 112 | - | 51 | 1 | 416 | 12 |
| SM & SN | | - | - | - | - | 1 | - | - | - | - | - | - | - | 1 | 0 |
| SM & BT | | - | - | - | - | - | - | - | - | - | - | - | - | 10 | 0 |
| CHW & SN | | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 |
| CHW & BT | | - | - | - | - | 1 | - | - | - | - | - | - | - | 2 | 0 |
| SM,CHW, & SN | | - | - | - | - | - | - | 1 | - | - | - | - | - | 5 | 0 |
| SM, CHW & BT | | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 0 |
| SM, CHW,SN & BT | | - | - | 1 | - | 1 | - | - | - | - | - | 1 | - | 4 | 0 |
| SAMPLE PERSONS | | 5 | - | 321 | 8 | 1390 | 77 | 734 | 109 | 367 | 72 | 2817 | 266 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| WEST BENGAL | | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | 335 | |
| SMOKING | | - | - | 96 | 4 | 438 | 4 | 433 | 14 | 295 | 15 | 292 | 6 | 1839 | 35 |
| CHWEMING ZARDA ETC | | 1 | 1 | 36 | 13 | 126 | 40 | 174 | 100 | 89 | 115 | 95 | 44 | 475 | 207 |
| SNUFF | | - | - | 1 | - | 4 | 2 | 20 | 7 | 56 | 16 | 10 | 3 | 51 | 14 |
| BURNT TOB.POWD/PASTE | | - | 3 | 1 | 5 | 5 | 7 | 9 | 20 | 14 | 15 | 5 | 9 | 31 | 36 |
| SM & CHW | | - | - | 9 | - | 57 | 1 | 48 | - | 38 | 1 | 36 | 1 | 202 | 5 |
| SM & SN | | - | - | - | - | 1 | - | 2 | - | 2 | - | 1 | - | 4 | 0 |
| SM & BT | | - | - | 2 | - | 4 | - | 6 | - | 2 | - | 3 | - | 17 | 0 |
| CHW & SN | | - | - | 1 | - | - | - | - | 1 | 2 | 4 | - | 1 | 2 | 4 |
| CHW & BT | | - | - | 2 | 3 | - | 2 | 4 | 4 | - | 4 | 1 | 2 | 8 | 12 |
| SM,CHW, & SN | | - | - | - | - | - | - | - | - | - | - | - | - | - | 0 |
| SM, CHW & BT | | - | - | - | - | - | - | 1 | - | 2 | - | - | - | 3 | 0 |
| CHW, SN & BT | | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| SAMPLE PERSONS | | 2 | 3 | 195 | 26 | 1444 | 104 | 750 | 115 | 241 | 66 | 2632 | 314 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE. | | | | | | | | | | | | | | | |
| 'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS | | | | | | | | | | | | | | | |

TABLE (2U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

| ANDAMAN & NICOBAR | | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | 40 |
|---|--|------------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|-----------------------|--------|-----------|
| FORM OF TOBACCO CONSUMPTION | | AGE (IN YEARS) | | | | | | | | | | SAMPLE PERSONS | | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL** | | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) (15) |
| SMOKING | | - | - | 53 | - | 199 | 2 | 245 | 16 | 238 | - | 140 | 3 | 92 2 |
| CHWewing ZARDA ETC | | - | - | 164 | 40 | 314 | 121 | 252 | 213 | 311 | 212 | 223 | 92 | 140 48 |
| SNUFF | | - | - | - | - | - | - | 15 | - | - | - | 2 | - | 1 0 |
| SM & CHW | | - | - | 3 | - | 91 | - | 168 | 16 | 61 | - | 64 | 2 | 54 1 |
| CHW & SN | | - | - | - | - | 11 | - | - | - | - | - | 5 | - | 2 0 |
| SM, CHW, & SN | | - | - | - | - | 2 | - | - | - | - | - | 1 | - | 1 0 |
| SAMPLE PERSONS | | - | - | 36 | 4 | 180 | 28 | 63 | 15 | 11 | 4 | 290 | 51 | X X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | |
| CHANDIGARH | | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | 15 |
| SMOKING | | - | - | 126 | - | 353 | 18 | 394 | 43 | 95 | - | 240 | 13 | 63 2 |
| CHWewing ZARDA ETC | | - | - | 19 | - | 3 | - | - | - | - | - | 7 | - | 2 0 |
| BURNT TOB. POWD/PASTE | | - | - | - | - | - | - | 67 | - | - | - | 6 | - | 2 0 |
| SM & CHW | | - | - | - | - | 98 | - | - | - | 42 | - | 49 | - | 10 0 |
| SAMPLE PERSONS | | - | - | 12 | - | 49 | 1 | 12 | 1 | 4 | - | 77 | 2 | X X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | |
| DADER NAGAR-HAVELI | | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | 8 |
| SMOKING | | - | - | 23 | - | 229 | - | 579 | - | 361 | - | 209 | - | 29 0 |
| CHWewing ZARDA ETC | | - | - | 75 | - | 59 | 37 | - | 43 | - | - | 45 | 19 | 7 2 |
| SNUFF | | - | - | - | - | - | - | - | - | - | 140 | - | 12 | - 1 |
| BURNT TOB. POWD/PASTE | | - | - | - | - | 42 | - | 81 | - | - | - | 29 | - | 3 0 |
| SAMPLE PERSONS | | - | - | 4 | - | 21 | 1 | 9 | 1 | 5 | 1 | 39 | 3 | X X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | |
| SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE. | | | | | | | | | | | | | | |
| 'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS | | | | | | | | | | | | | | |

TABLE (2U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

| DAMAN & DIU | | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | 8 | |
|---|--|------------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|-----------------------|--------|----------------|--------|
| FORM OF TOBACCO CONSUMPTION | | AGE (IN YEARS) | | | | | | | | | | | | SAMPLE PERSONS | |
| | | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL** | | ----- | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| SMOKING | | - | - | - | - | 220 | - | 333 | - | 480 | - | 176 | - | 21 | 0 |
| CHWEMING ZARDA ETC | | - | - | 36 | - | - | - | 49 | - | - | - | 17 | - | 3 | 0 |
| SNUFF | | - | - | - | - | - | - | - | - | - | 32 | - | 5 | - | 1 |
| BURNT TOB.POWD/PASTE | | - | - | - | - | 23 | - | - | - | - | - | 9 | - | 2 | 0 |
| SM & BT | | - | - | - | - | 19 | - | - | - | - | - | 8 | - | 1 | 0 |
| SAMPLE PERSONS | | - | - | 2 | - | 12 | - | 8 | - | 5 | 1 | 27 | 1 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| DELHI | | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | 111 | |
| SMOKING | | - | - | 93 | 6 | 349 | 7 | 311 | 9 | 230 | 40 | 218 | 8 | 317 | 12 |
| CHWEMING ZARDA ETC | | - | - | 12 | - | 21 | 11 | 14 | 4 | 12 | - | 14 | 5 | 40 | 3 |
| BURNT TOB.POWD/PASTE | | - | - | 4 | 1 | 14 | - | 5 | - | - | - | 7 | - | 10 | 1 |
| SM & CHW | | - | - | 7 | - | 17 | - | 22 | - | 17 | - | 13 | - | 19 | 0 |
| SM & BT | | - | - | - | - | - | - | 1 | - | - | - | - | - | 4 | 0 |
| SM, CHW,SN & BT | | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 |
| SAMPLE PERSONS | | - | - | 44 | 4 | 232 | 7 | 80 | 3 | 35 | 3 | 391 | 17 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| LAKSHADWEEP | | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | 24 | |
| SMOKING | | - | - | 176 | - | 532 | 17 | 501 | 7 | 532 | 19 | 358 | 8 | 166 | 6 |
| CHWEMING ZARDA ETC | | - | 13 | 30 | 67 | 57 | 169 | 74 | 271 | 104 | 264 | 48 | 141 | 27 | 104 |
| SM & CHW | | - | - | 16 | - | 30 | - | 89 | - | 10 | - | 29 | - | 18 | 0 |
| SAMPLE PERSONS | | - | 1 | 30 | 13 | 109 | 46 | 48 | 33 | 24 | 17 | 211 | 110 | X | X |
| REPORTING CONSUMPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | |
| SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE. | | | | | | | | | | | | | | | |
| 'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS | | | | | | | | | | | | | | | |

TABLE (2U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

| | | | | | | | | | | | | | | | | |
|---|------------------|--------|-------|--------|-------|--------|-------|--------|------------|--------|-----------------------|--------|-------|---------|------|--|
| PONDICHERRY | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | | | 32 | |
| ----- | | | | | | | | | | | | | | | | |
| FORM OF TOBACCO | AGE (IN YEARS) | | | | | | | | | | | | | SAMPLE | | |
| CONSUMPTION | ----- | | | | | | | | | | | | | PERSONS | | |
| | 10-14 | | 15-24 | | 25-44 | | 45-59 | | 60 & ABOVE | | ALL** | | ----- | | | |
| | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | | |
| ----- | | | | | | | | | | | | | | | | |
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | | |
| ----- | | | | | | | | | | | | | | | | |
| SMOKING | - | - | 15 | - | 228 | - | 248 | - | 259 | 11 | 146 | 1 | 84 | 1 | | |
| CHWEMING ZARDA ETC | - | - | - | - | 5 | 4 | 8 | 78 | 20 | 29 | 5 | 16 | 3 | 11 | | |
| SNUFF | - | - | 5 | - | 8 | - | 28 | 8 | 19 | - | 10 | 1 | 5 | 1 | | |
| BURNT TOB.POWD/PASTE | - | - | - | - | - | - | 11 | - | - | 13 | 2 | 2 | 1 | 1 | | |
| SM & CHW | - | - | - | - | 4 | - | - | 8 | 14 | - | 3 | 1 | 2 | 1 | | |
| SM & SN | - | - | - | - | - | - | 8 | - | - | - | 1 | - | 1 | 0 | | |
| ----- | | | | | | | | | | | | | | | | |
| SAMPLE PERSONS | - | - | 6 | - | 47 | 1 | 27 | 8 | 16 | 6 | 96 | 15 | X | X | | |
| REPORTING CONSU- | | | | | | | | | | | | | | | | |
| MPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | | |
| ----- | | | | | | | | | | | | | | | | |
| ALL-INDIA | URBAN | | | | | | | | | | NO. OF SAMPLE BLOCKS: | | | | 4650 | |
| ----- | | | | | | | | | | | | | | | | |
| SMOKING | 1 | - | 56 | 2 | 290 | 6 | 348 | 17 | 243 | 18 | 191 | 7 | 16973 | 1140 | | |
| CHWEMING ZARDA ETC | 1 | - | 29 | 5 | 89 | 26 | 103 | 65 | 104 | 70 | 63 | 26 | 5105 | 2541 | | |
| SNUFF | - | - | 1 | 1 | 3 | 3 | 7 | 7 | 13 | 17 | 3 | 4 | 227 | 217 | | |
| BURNT TOB.POWD/PASTE | 2 | 1 | 5 | 5 | 11 | 12 | 15 | 25 | 14 | 24 | 9 | 11 | 737 | 830 | | |
| SM & CHW | - | - | 7 | - | 36 | 1 | 46 | 2 | 34 | 1 | 24 | 1 | 2257 | 118 | | |
| SM & SN | - | - | - | - | - | - | 1 | - | 1 | - | - | - | 34 | 3 | | |
| SM & BT | - | - | 1 | - | 4 | - | 7 | 1 | 6 | - | 3 | - | 293 | 27 | | |
| SN & BT | - | - | - | - | - | - | - | - | - | - | - | - | 5 | 4 | | |
| CHW & SN | - | - | - | - | - | - | 1 | 1 | 1 | 2 | - | - | 33 | 27 | | |
| CHW & BT | - | - | 1 | 1 | 3 | 2 | 5 | 4 | 4 | 4 | 2 | 2 | 194 | 128 | | |
| SM,CHW, & SN | - | - | - | - | - | - | - | - | - | - | - | - | 20 | 0 | | |
| SM, CHW & BT | - | - | - | - | 2 | - | 2 | - | 1 | - | 1 | - | 105 | 1 | | |
| SM, SN & BT | - | - | - | - | - | - | - | - | - | - | - | - | 5 | 0 | | |
| CHW, SN & BT | - | - | - | - | - | - | - | - | 1 | - | - | - | 11 | 7 | | |
| SM, CHW,SN & BT | - | 1 | - | - | - | - | - | - | - | - | - | - | 29 | 16 | | |
| ----- | | | | | | | | | | | | | | | | |
| SAMPLE PERSONS | 50 | 31 | 2363 | 498 | 14157 | 2056 | 6874 | 1521 | 2584 | 953 | 26028 | 5059 | X | X | | |
| REPORTING CONSU- | | | | | | | | | | | | | | | | |
| MPTION OF TOBACCO IN ANY FORM. | | | | | | | | | | | | | | | | |
| ----- | | | | | | | | | | | | | | | | |
| SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE. | | | | | | | | | | | | | | | | |
| 'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS | | | | | | | | | | | | | | | | |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

| ANDHRA PRADESH | | RURAL | | | | NO.OF | | SAMPLE VILLAGES: | | 492 |
|-----------------------------|-----------------|-----------------|--------|-----------|--------|--------|--------|------------------|--------|---------|
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| SMOKING >>>>: REGULARLY | | | | | | | | | | |
| | | 430 | 169 | 330 | 52 | 299 | 38 | 317 | 53 | 3656 |
| | : CASUALLY | 6 | 3 | 8 | 2 | 7 | 1 | 7 | 1 | 93 |
| | : NOT CONSUMING | 564 | 828 | 662 | 946 | 694 | 961 | 676 | 946 | 17659 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 21408 |
| CHEWING >>>>: REGULARLY | | | | | | | | | | |
| | | 17 | 12 | 9 | 19 | 9 | 17 | 10 | 17 | 284 |
| ZARDA | : CASUALLY | 2 | 0 | 2 | 1 | 0 | 0 | 1 | 0 | 11 |
| DOKTA ETC | : NOT CONSUMING | 981 | 988 | 989 | 981 | 991 | 982 | 990 | 983 | 21113 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 21408 |
| SNUFF >>>>: REGULARLY | | | | | | | | | | |
| | | 0 | 3 | 0 | 2 | 0 | 2 | 0 | 2 | 24 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| | : NOT CONSUMING | 1000 | 997 | 1000 | 998 | 1000 | 998 | 1000 | 998 | 21380 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 21408 |
| BURNT >>>>: REGULARLY | | | | | | | | | | |
| | | 7 | 9 | 8 | 33 | 8 | 22 | 8 | 23 | 313 |
| TOBACCO/ | : CASUALLY | 1 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 9 |
| POWDER/PASTE:NOT CONSUMING | | 992 | 991 | 991 | 966 | 991 | 978 | 991 | 977 | 21086 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 21408 |
| CONSUMPTION :REGULARLY | | | | | | | | | | |
| | | 447 | 193 | 343 | 103 | 311 | 77 | 330 | 93 | 4205 |
| OF TOBACCO | :CASUALLY | 7 | 3 | 9 | 3 | 7 | 1 | 8 | 1 | 99 |
| IN ANY FORM.:NOT CONSUMING | | 546 | 804 | 649 | 894 | 682 | 922 | 663 | 906 | 17104 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 21408 |
| ESTD. PERSON:REGULARLY | | | | | | | | | | |
| | | 9407 | 4133 | 15083 | 4621 | 50654 | 12743 | 75144 | 21497 | X |
| REPORTING(00): CASUALLY | | 157 | 62 | 377 | 139 | 1196 | 120 | 1729 | 321 | X |
| CONSUMP. OF : NOT CONSUMING | | 11496 | 17230 | 28559 | 39969 | 111126 | 152134 | 151180 | 209334 | X |
| TOBACCO | : ALL | 21060 | 21425 | 44018 | 44729 | 162975 | 164998 | 228054 | 231152 | X |
| SAMPLE PERSON:REGULARLY | | | | | | | | | | |
| | | 340 | 141 | 619 | 188 | 2336 | 581 | 3295 | 910 | X |
| REPORTING | : CASUALLY | 7 | 2 | 16 | 6 | 60 | 8 | 83 | 16 | X |
| CONSUMP. OF : NOT CONSUMING | | 471 | 679 | 1202 | 1665 | 5615 | 7472 | 7288 | 9816 | X |
| TOBACCO | : ALL | 818 | 822 | 1837 | 1859 | 8011 | 8061 | 10666 | 10742 | X |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

| ARUNACHAL PRADESH | | RURAL | | | | NO.OF | | SAMPLE VILLAGES: | | 120 |
|-----------------------------|--|-----------------|--------|-----------|--------|--------|--------|------------------|--------|---------|
| ----- | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | ----- | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| ----- | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| ----- | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 141 | 41 | 179 | 73 | 149 | 9 | 143 | 37 | 747 |
| : CASUALLY | | 80 | 33 | 50 | 93 | 135 | 67 | 88 | 38 | 361 |
| : NOT CONSUMING | | 779 | 926 | 771 | 835 | 716 | 924 | 769 | 926 | 4027 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 5135 |
| ----- | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 84 | 83 | 0 | 0 | 49 | 48 | 78 | 78 | 322 |
| ZARDA : CASUALLY | | 79 | 61 | 0 | 0 | 23 | 10 | 70 | 54 | 395 |
| DOKTA ETC : NOT CONSUMING | | 837 | 856 | 1000 | 1000 | 929 | 943 | 853 | 868 | 4418 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 5135 |
| ----- | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 3 |
| : CASUALLY | | 2 | 1 | 0 | 0 | 3 | 1 | 2 | 1 | 6 |
| : NOT CONSUMING | | 998 | 998 | 1000 | 1000 | 997 | 999 | 998 | 998 | 5126 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 5135 |
| ----- | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 32 | 23 | 118 | 0 | 28 | 0 | 32 | 20 | 174 |
| TOBACCO/ : CASUALLY | | 23 | 21 | 81 | 0 | 12 | 2 | 21 | 19 | 78 |
| POWDER/PASTE:NOT CONSUMING | | 945 | 956 | 801 | 1000 | 961 | 998 | 947 | 962 | 4883 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 5135 |
| ----- | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 241 | 137 | 179 | 73 | 219 | 49 | 237 | 126 | 1131 |
| OF TOBACCO :CASUALLY | | 115 | 87 | 130 | 93 | 149 | 77 | 120 | 86 | 507 |
| IN ANY FORM.:NOT CONSUMING | | 644 | 775 | 690 | 835 | 632 | 874 | 642 | 788 | 3497 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 5135 |
| ----- | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 637 | 347 | 4 | 1 | 112 | 18 | 753 | 366 | X |
| REPORTING(00): CASUALLY | | 303 | 221 | 3 | 1 | 76 | 28 | 382 | 250 | X |
| CONSUMP. OF : NOT CONSUMING | | 1700 | 1957 | 16 | 10 | 323 | 321 | 2039 | 2289 | X |
| TOBACCO : ALL | | 2640 | 2525 | 23 | 12 | 512 | 368 | 3175 | 2905 | X |
| ----- | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 649 | 394 | 5 | 4 | 63 | 16 | 717 | 414 | X |
| REPORTING : CASUALLY | | 224 | 183 | 2 | 1 | 64 | 33 | 290 | 217 | X |
| CONSUMP. OF : NOT CONSUMING | | 1399 | 1595 | 27 | 13 | 238 | 225 | 1664 | 1833 | X |
| TOBACCO : ALL | | 2272 | 2172 | 34 | 18 | 365 | 274 | 2671 | 2464 | X |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

| ASSAM | | RURAL | | | | NO.OF | | SAMPLE VILLAGES: | | 320 |
|------------------|-----------------|-----------------|--------|-----------|--------|--------|--------|------------------|--------|---------|
| ----- | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| ----- | | | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| ----- | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| ----- | | | | | | | | | | |
| SMOKING >>>>: | REGULARLY | 274 | 29 | 296 | 20 | 276 | 14 | 278 | 17 | 2693 |
| | : CASUALLY | 45 | 25 | 34 | 9 | 60 | 11 | 55 | 13 | 507 |
| | : NOT CONSUMING | 681 | 946 | 670 | 971 | 664 | 975 | 667 | 970 | 13514 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 16714 |
| ----- | | | | | | | | | | |
| CHEWING >>>>: | REGULARLY | 98 | 32 | 56 | 19 | 84 | 35 | 83 | 33 | 1020 |
| ZARDA | : CASUALLY | 50 | 24 | 77 | 36 | 63 | 27 | 62 | 27 | 640 |
| DOKTA ETC | : NOT CONSUMING | 852 | 944 | 867 | 945 | 853 | 938 | 854 | 940 | 15054 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 16714 |
| ----- | | | | | | | | | | |
| SNUFF >>>>: | REGULARLY | 4 | 0 | 1 | 0 | 6 | 0 | 5 | 0 | 49 |
| | : CASUALLY | 0 | 0 | 3 | 0 | 2 | 3 | 2 | 2 | 28 |
| | : NOT CONSUMING | 996 | 1000 | 996 | 1000 | 993 | 997 | 993 | 998 | 16637 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 16714 |
| ----- | | | | | | | | | | |
| BURNT >>>>: | REGULARLY | 16 | 5 | 21 | 11 | 18 | 7 | 18 | 7 | 190 |
| TOBACCO/ | : CASUALLY | 1 | 0 | 6 | 2 | 3 | 2 | 3 | 2 | 43 |
| POWDER/PASTE: | NOT CONSUMING | 984 | 995 | 973 | 987 | 979 | 991 | 979 | 991 | 16481 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 16714 |
| ----- | | | | | | | | | | |
| CONSUMPTION : | REGULARLY | 357 | 65 | 350 | 44 | 340 | 53 | 343 | 53 | 3555 |
| OF TOBACCO : | CASUALLY | 41 | 22 | 59 | 40 | 66 | 34 | 61 | 33 | 693 |
| IN ANY FORM.: | NOT CONSUMING | 602 | 914 | 592 | 917 | 595 | 913 | 595 | 914 | 12466 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 16714 |
| ----- | | | | | | | | | | |
| ESTD. PERSON: | REGULARLY | 5132 | 743 | 3188 | 333 | 25536 | 3309 | 33856 | 4384 | X |
| REPORTING(00): | CASUALLY | 582 | 251 | 535 | 302 | 4920 | 2157 | 6038 | 2711 | X |
| CONSUMP. OF : | NOT CONSUMING | 8649 | 10511 | 5396 | 6998 | 44670 | 57543 | 58715 | 75052 | X |
| TOBACCO | : ALL | 14363 | 11505 | 9119 | 7633 | 75126 | 63010 | 98609 | 82147 | X |
| ----- | | | | | | | | | | |
| SAMPLE PERSON: | REGULARLY | 530 | 64 | 306 | 37 | 2329 | 289 | 3165 | 390 | X |
| REPORTING : | CASUALLY | 42 | 10 | 52 | 28 | 384 | 177 | 478 | 215 | X |
| CONSUMP. OF : | NOT CONSUMING | 842 | 1078 | 514 | 659 | 4102 | 5271 | 5458 | 7008 | X |
| TOBACCO | : ALL | 1414 | 1152 | 872 | 724 | 6815 | 5737 | 9101 | 7613 | X |
| ----- | | | | | | | | | | |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

| BIHAR | | RURAL | | | | NO.OF | | SAMPLE VILLAGES: | | 699 |
|------------------|-----------------|-----------------|--------|-----------|--------|--------|--------|------------------|--------|---------|
| ----- | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | ----- | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| | | ----- | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| ----- | | | | | | | | | | |
| SMOKING >>>>: | REGULARLY | 115 | 16 | 96 | 17 | 78 | 18 | 85 | 18 | 1754 |
| | : CASUALLY | 17 | 8 | 21 | 3 | 17 | 3 | 18 | 4 | 365 |
| | : NOT CONSUMING | 868 | 976 | 882 | 979 | 905 | 979 | 897 | 979 | 34448 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 36567 |
| ----- | | | | | | | | | | |
| CHEWING >>>>: | REGULARLY | 296 | 66 | 265 | 20 | 225 | 13 | 240 | 19 | 4696 |
| ZARDA | : CASUALLY | 16 | 11 | 17 | 1 | 18 | 3 | 18 | 3 | 373 |
| DOKTA ETC | : NOT CONSUMING | 687 | 923 | 718 | 979 | 757 | 984 | 743 | 977 | 31498 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 36567 |
| ----- | | | | | | | | | | |
| SNUFF >>>>: | REGULARLY | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 10 |
| | : CASUALLY | 0 | 0 | 2 | 0 | 1 | 0 | 1 | 0 | 28 |
| | : NOT CONSUMING | 999 | 999 | 998 | 1000 | 999 | 1000 | 999 | 1000 | 36529 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 36567 |
| ----- | | | | | | | | | | |
| BURNT >>>>: | REGULARLY | 45 | 1 | 57 | 2 | 41 | 3 | 45 | 2 | 895 |
| TOBACCO/ | : CASUALLY | 4 | 0 | 11 | 1 | 6 | 0 | 7 | 0 | 155 |
| POWDER/PASTE: | NOT CONSUMING | 950 | 999 | 932 | 997 | 953 | 997 | 948 | 997 | 35517 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 36567 |
| ----- | | | | | | | | | | |
| CONSUMPTION : | REGULARLY | 402 | 79 | 357 | 38 | 296 | 32 | 319 | 37 | 6425 |
| OF TOBACCO : | CASUALLY | 12 | 13 | 23 | 4 | 20 | 5 | 20 | 6 | 476 |
| IN ANY FORM.: | NOT CONSUMING | 586 | 908 | 620 | 958 | 684 | 962 | 662 | 957 | 29666 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 36567 |
| ----- | | | | | | | | | | |
| ESTD. PERSON: | REGULARLY | 10864 | 1955 | 25519 | 2366 | 67111 | 6573 | 103494 | 10895 | X |
| REPORTING(00): | CASUALLY | 326 | 333 | 1614 | 283 | 4441 | 1101 | 6381 | 1717 | X |
| CONSUMP. OF : | NOT CONSUMING | 15818 | 22598 | 44330 | 60400 | 154880 | 196353 | 215028 | 279351 | X |
| TOBACCO | : ALL | 27008 | 24886 | 71464 | 63049 | 226432 | 204028 | 324904 | 291963 | X |
| ----- | | | | | | | | | | |
| SAMPLE PERSON: | REGULARLY | 572 | 85 | 1328 | 114 | 3990 | 336 | 5890 | 535 | X |
| REPORTING : | CASUALLY | 17 | 20 | 96 | 15 | 264 | 64 | 377 | 99 | X |
| CONSUMP. OF : | NOT CONSUMING | 863 | 1197 | 2417 | 3256 | 9766 | 12167 | 13046 | 16620 | X |
| TOBACCO | : ALL | 1452 | 1302 | 3841 | 3385 | 14020 | 12567 | 19313 | 17254 | X |
| ----- | | | | | | | | | | |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

| GOA | RURAL | | | | NO.OF | | SAMPLE VILLAGES: | | 15 | |
|-----------------------------|-------|-----------------|--------|-----------|--------|--------|------------------|------|--------|---------|
| | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 167 | 0 | 232 | 0 | 189 | 21 | 191 | 20 | 64 |
| : CASUALLY | | 0 | 0 | 69 | 0 | 1 | 0 | 5 | 0 | 2 |
| : NOT CONSUMING | | 833 | 1000 | 699 | 1000 | 810 | 979 | 804 | 980 | 578 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 644 |
| | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 0 | 0 | 0 | 53 | 13 | 24 | 12 | 25 | 12 |
| ZARDA : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 3 | 1 |
| DOKTA ETC : NOT CONSUMING | | 1000 | 1000 | 1000 | 947 | 987 | 973 | 988 | 972 | 631 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 644 |
| | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 644 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 644 |
| | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 0 | 0 | 69 | 0 | 5 | 0 | 9 | 0 | 5 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| POWDER/PASTE:NOT CONSUMING | | 1000 | 1000 | 931 | 1000 | 995 | 1000 | 991 | 1000 | 639 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 644 |
| | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 167 | 0 | 232 | 53 | 193 | 45 | 195 | 45 | 76 |
| OF TOBACCO :CASUALLY | | 0 | 0 | 69 | 0 | 1 | 3 | 5 | 3 | 3 |
| IN ANY FORM.:NOT CONSUMING | | 833 | 1000 | 699 | 947 | 807 | 952 | 801 | 952 | 565 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 644 |
| | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 9 | 0 | 36 | 8 | 442 | 115 | 486 | 123 | X |
| REPORTING(00): CASUALLY | | 0 | 0 | 11 | 0 | 1 | 9 | 12 | 9 | X |
| CONSUMP. OF : NOT CONSUMING | | 44 | 55 | 107 | 142 | 1849 | 2427 | 2001 | 2624 | X |
| TOBACCO : ALL | | 53 | 55 | 154 | 150 | 2292 | 2551 | 2499 | 2756 | X |
| | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 1 | 0 | 5 | 1 | 56 | 13 | 62 | 14 | X |
| REPORTING : CASUALLY | | 0 | 0 | 1 | 0 | 1 | 1 | 2 | 1 | X |
| CONSUMP. OF : NOT CONSUMING | | 6 | 7 | 15 | 17 | 228 | 292 | 249 | 316 | X |
| TOBACCO : ALL | | 7 | 7 | 21 | 18 | 285 | 306 | 313 | 331 | X |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

| GUJARAT | | RURAL | | | | NO.OF | | SAMPLE VILLAGES: | | 223 |
|-----------------------------|--|-----------------|--------|-----------|--------|--------|--------|------------------|--------|---------|
| ----- | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| ----- | | | | | | | | | | |
| CONSUMPTION. | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| | | ----- | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| ----- | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 348 | 42 | 290 | 13 | 249 | 5 | 276 | 14 | 1707 |
| : CASUALLY | | 9 | 1 | 5 | 3 | 8 | 1 | 8 | 1 | 59 |
| : NOT CONSUMING | | 643 | 957 | 705 | 985 | 743 | 994 | 716 | 984 | 10080 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 11846 |
| ----- | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 53 | 5 | 27 | 0 | 36 | 3 | 38 | 3 | 268 |
| ZARDA : CASUALLY | | 4 | 0 | 2 | 0 | 10 | 1 | 8 | 1 | 52 |
| DOKTA ETC : NOT CONSUMING | | 943 | 995 | 971 | 1000 | 954 | 996 | 954 | 996 | 11526 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 11846 |
| ----- | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 3 | 41 | 3 | 55 | 4 | 51 | 4 | 49 | 284 |
| : CASUALLY | | 0 | 1 | 0 | 3 | 1 | 1 | 0 | 1 | 9 |
| : NOT CONSUMING | | 997 | 957 | 997 | 942 | 995 | 948 | 996 | 949 | 11553 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 11846 |
| ----- | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 2 | 3 | 7 | 4 | 12 | 1 | 9 | 2 | 78 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 5 |
| POWDER/PASTE:NOT CONSUMING | | 998 | 997 | 993 | 996 | 987 | 998 | 990 | 998 | 11763 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 11846 |
| ----- | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 379 | 87 | 313 | 71 | 290 | 60 | 313 | 67 | 2238 |
| OF TOBACCO :CASUALLY | | 10 | 2 | 5 | 5 | 11 | 2 | 10 | 3 | 81 |
| IN ANY FORM.:NOT CONSUMING | | 611 | 911 | 683 | 924 | 699 | 938 | 677 | 930 | 9527 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 11846 |
| ----- | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 11572 | 2427 | 5199 | 1067 | 25656 | 4915 | 42427 | 8408 | X |
| REPORTING(00): CASUALLY | | 292 | 65 | 81 | 79 | 977 | 193 | 1349 | 337 | X |
| CONSUMP. OF : NOT CONSUMING | | 18639 | 25421 | 11349 | 13850 | 61701 | 76799 | 91690 | 116071 | X |
| TOBACCO : ALL | | 30503 | 27913 | 16629 | 14996 | 88334 | 81907 | 135466 | 124816 | X |
| ----- | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 477 | 93 | 218 | 47 | 1189 | 214 | 1884 | 354 | X |
| REPORTING : CASUALLY | | 16 | 3 | 3 | 2 | 47 | 10 | 66 | 15 | X |
| CONSUMP. OF : NOT CONSUMING | | 765 | 1093 | 473 | 580 | 2919 | 3697 | 4157 | 5370 | X |
| TOBACCO : ALL | | 1258 | 1189 | 694 | 629 | 4155 | 3921 | 6107 | 5739 | X |
| ----- | | | | | | | | | | |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

| HARYANA | | RURAL | | | | NO.OF | | SAMPLE VILLAGES: | | 104 |
|-----------------------------|--|-----------------|--------|-----------|--------|--------|--------|------------------|--------|---------|
| ----- | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | ----- | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| ----- | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| ----- | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 283 | 19 | 325 | 42 | 311 | 33 | 314 | 35 | 1084 |
| : CASUALLY | | 3 | 0 | 8 | 3 | 15 | 3 | 12 | 3 | 43 |
| : NOT CONSUMING | | 714 | 981 | 668 | 955 | 674 | 964 | 674 | 962 | 4992 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 6119 |
| ----- | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 0 | 0 | 13 | 0 | 3 | 0 | 6 | 0 | 18 |
| ZARDA : CASUALLY | | 0 | 0 | 2 | 0 | 1 | 0 | 1 | 0 | 4 |
| DOKTA ETC : NOT CONSUMING | | 1000 | 1000 | 985 | 1000 | 996 | 1000 | 993 | 1000 | 6097 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 6119 |
| ----- | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 16 | 0 | 5 | 0 | 6 | 0 | 6 | 18 |
| : CASUALLY | | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 1 | 2 |
| : NOT CONSUMING | | 1000 | 984 | 1000 | 993 | 1000 | 993 | 1000 | 993 | 6099 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 6119 |
| ----- | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 45 | 0 | 20 | 5 | 22 | 2 | 22 | 3 | 93 |
| TOBACCO/ : CASUALLY | | 13 | 0 | 3 | 0 | 2 | 0 | 2 | 0 | 7 |
| POWDER/PASTE:NOT CONSUMING | | 942 | 1000 | 976 | 995 | 976 | 998 | 975 | 998 | 6019 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 6119 |
| ----- | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 299 | 35 | 339 | 49 | 323 | 39 | 327 | 42 | 1159 |
| OF TOBACCO :CASUALLY | | 0 | 0 | 9 | 3 | 14 | 3 | 12 | 3 | 40 |
| IN ANY FORM.:NOT CONSUMING | | 701 | 965 | 653 | 948 | 663 | 957 | 661 | 955 | 4920 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 6119 |
| ----- | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 524 | 43 | 5985 | 800 | 15507 | 1667 | 22016 | 2511 | X |
| REPORTING(00): CASUALLY | | 0 | 0 | 152 | 52 | 655 | 144 | 806 | 196 | X |
| CONSUMP. OF : NOT CONSUMING | | 1229 | 1206 | 11531 | 15440 | 31784 | 40501 | 44544 | 57147 | X |
| TOBACCO : ALL | | 1754 | 1249 | 17668 | 16292 | 47945 | 42312 | 67367 | 59853 | X |
| ----- | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 20 | 2 | 234 | 32 | 792 | 79 | 1046 | 113 | X |
| REPORTING : CASUALLY | | 0 | 0 | 6 | 2 | 27 | 5 | 33 | 7 | X |
| CONSUMP. OF : NOT CONSUMING | | 44 | 45 | 449 | 604 | 1682 | 2096 | 2175 | 2745 | X |
| TOBACCO : ALL | | 64 | 47 | 689 | 638 | 2501 | 2180 | 3254 | 2865 | X |
| ----- | | | | | | | | | | |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

| HIMACHAL PRADESH | | RURAL | | | | NO.OF | | SAMPLE VILLAGES: | | 189 |
|-----------------------------|--|-----------------|--------|-----------|--------|--------|--------|------------------|--------|---------|
| | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 267 | 40 | 337 | 49 | 291 | 19 | 300 | 27 | 1545 |
| : CASUALLY | | 0 | 0 | 8 | 3 | 14 | 2 | 12 | 2 | 66 |
| : NOT CONSUMING | | 733 | 960 | 655 | 948 | 696 | 979 | 688 | 971 | 8200 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 9811 |
| | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 3 | 0 | 3 | 1 | 5 | 0 | 4 | 0 | 24 |
| ZARDA : CASUALLY | | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 4 |
| DOKTA ETC : NOT CONSUMING | | 997 | 1000 | 997 | 999 | 994 | 1000 | 995 | 1000 | 9783 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 9811 |
| | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : NOT CONSUMING | | 998 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 9810 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 9811 |
| | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 8 | 6 | 17 | 9 | 27 | 3 | 24 | 4 | 118 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 1 | 0 | 2 | 0 | 2 | 0 | 9 |
| POWDER/PASTE:NOT CONSUMING | | 992 | 994 | 982 | 991 | 971 | 997 | 974 | 995 | 9684 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 9811 |
| | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 273 | 46 | 341 | 54 | 298 | 21 | 307 | 30 | 1590 |
| OF TOBACCO :CASUALLY | | 0 | 0 | 9 | 1 | 13 | 1 | 11 | 1 | 60 |
| IN ANY FORM.:NOT CONSUMING | | 727 | 954 | 650 | 945 | 689 | 978 | 681 | 969 | 8161 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 9811 |
| | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 268 | 46 | 1791 | 304 | 4726 | 356 | 6786 | 705 | X |
| REPORTING(00): CASUALLY | | 0 | 0 | 48 | 4 | 204 | 23 | 252 | 26 | X |
| CONSUMP. OF : NOT CONSUMING | | 715 | 950 | 3415 | 5311 | 10920 | 16659 | 15050 | 22920 | X |
| TOBACCO : ALL | | 984 | 995 | 5254 | 5618 | 15850 | 17038 | 22088 | 23651 | X |
| | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 80 | 10 | 341 | 57 | 1019 | 83 | 1440 | 150 | X |
| REPORTING : CASUALLY | | 0 | 0 | 9 | 1 | 43 | 7 | 52 | 8 | X |
| CONSUMP. OF : NOT CONSUMING | | 228 | 303 | 644 | 1005 | 2394 | 3587 | 3266 | 4895 | X |
| TOBACCO : ALL | | 308 | 313 | 994 | 1063 | 3456 | 3677 | 4758 | 5053 | X |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

| JAMMU & KASHMIR | | RURAL | | | | NO.OF | | SAMPLE VILLAGES: | | 82 |
|-----------------------------|-----|------------------|--------|-----------------|--------|--------|--------|------------------|--------|----------------|
| FORMS OF TOBACCO | | | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| (1) | | NUMBER PER 1000 | | | | | | | | SAMPLE PERSONS |
| | | SCHEDULED TRIBES | | SCHEDULED CASTE | | OTHERS | | ALL | | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | | |
| SMOKING >>>>: REGULARLY | | 207 | 23 | 250 | 40 | 257 | 7 | 254 | 18 | 624 |
| : CASUALLY | | 36 | 0 | 23 | 2 | 7 | 1 | 13 | 1 | 29 |
| : NOT CONSUMING | | 758 | 977 | 727 | 958 | 735 | 992 | 733 | 981 | 3971 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 4624 |
| CHEWING >>>>: REGULARLY | | 0 | 0 | 5 | 0 | 1 | 0 | 2 | 0 | 6 |
| ZARDA : CASUALLY | | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 2 |
| DOKTA ETC : NOT CONSUMING | | 1000 | 1000 | 994 | 1000 | 998 | 1000 | 997 | 1000 | 4616 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 4624 |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 1 | 1 | 7 | 4 | 5 | 3 | 24 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : NOT CONSUMING | | 1000 | 1000 | 999 | 999 | 993 | 996 | 995 | 997 | 4600 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 4624 |
| BURNT >>>>: REGULARLY | | 0 | 0 | 5 | 2 | 4 | 1 | 4 | 1 | 14 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 2 |
| POWDER/PASTE:NOT CONSUMING | | 1000 | 1000 | 995 | 998 | 995 | 999 | 995 | 999 | 4608 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 4624 |
| CONSUMPTION :REGULARLY | | 207 | 23 | 259 | 44 | 266 | 12 | 262 | 23 | 660 |
| OF TOBACCO :CASUALLY | | 36 | 0 | 23 | 2 | 6 | 1 | 12 | 1 | 26 |
| IN ANY FORM.:NOT CONSUMING | | 758 | 977 | 718 | 955 | 728 | 987 | 726 | 976 | 3938 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 4624 |
| ESTD. PERSON:REGULARLY | | 43 | 4 | 748 | 131 | 1675 | 74 | 2467 | 209 | X |
| REPORTING(00): CASUALLY | | 7 | 0 | 66 | 5 | 37 | 4 | 111 | 9 | X |
| CONSUMP. OF : NOT CONSUMING | | 158 | 166 | 2078 | 2850 | 4590 | 5987 | 6826 | 9003 | X |
| TOBACCO : ALL | | 208 | 170 | 2893 | 2986 | 6302 | 6066 | 9404 | 9222 | X |
| SAMPLE PERSON:REGULARLY | | 10 | 1 | 165 | 21 | 440 | 23 | 615 | 45 | X |
| REPORTING : CASUALLY | | 2 | 0 | 10 | 2 | 10 | 2 | 22 | 4 | X |
| CONSUMP. OF : NOT CONSUMING | | 39 | 43 | 441 | 580 | 1244 | 1591 | 1724 | 2214 | X |
| TOBACCO : ALL | | 51 | 44 | 616 | 603 | 1694 | 1616 | 2361 | 2263 | X |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

| KARNATAKA | | RURAL | | | | NO.OF | | SAMPLE VILLAGES: | | 263 |
|-----------------------------|--|-----------------|--------|-----------|--------|--------|--------|------------------|--------|---------|
| ----- | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| ----- | | | | | | | | | | |
| CONSUMPTION. | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| ----- | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| ----- | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 233 | 7 | 234 | 2 | 191 | 2 | 204 | 2 | 1373 |
| : CASUALLY | | 15 | 0 | 12 | 0 | 12 | 3 | 13 | 2 | 94 |
| : NOT CONSUMING | | 752 | 993 | 754 | 998 | 796 | 995 | 783 | 995 | 12705 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 14172 |
| ----- | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 57 | 50 | 60 | 46 | 60 | 28 | 60 | 34 | 650 |
| ZARDA : CASUALLY | | 6 | 1 | 10 | 10 | 9 | 8 | 9 | 8 | 106 |
| DOKTA ETC : NOT CONSUMING | | 937 | 949 | 930 | 943 | 931 | 964 | 931 | 958 | 13416 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 14172 |
| ----- | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 1 | 4 | 0 | 0 | 2 | 2 | 1 | 2 | 25 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 2 | 3 | 1 | 2 | 18 |
| : NOT CONSUMING | | 999 | 996 | 1000 | 1000 | 996 | 995 | 997 | 996 | 14129 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 14172 |
| ----- | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 15 | 18 | 13 | 39 | 17 | 28 | 16 | 29 | 310 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 1 | 1 | 3 | 3 | 2 | 2 | 29 |
| POWDER/PASTE:NOT CONSUMING | | 985 | 982 | 987 | 960 | 981 | 969 | 982 | 968 | 13833 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 14172 |
| ----- | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 293 | 79 | 286 | 83 | 251 | 56 | 262 | 64 | 2205 |
| OF TOBACCO :CASUALLY | | 14 | 1 | 18 | 11 | 17 | 10 | 17 | 10 | 172 |
| IN ANY FORM.:NOT CONSUMING | | 693 | 920 | 696 | 906 | 732 | 934 | 721 | 927 | 11795 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 14172 |
| ----- | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 4034 | 1040 | 8586 | 2498 | 26101 | 5815 | 38721 | 9353 | X |
| REPORTING(00): CASUALLY | | 187 | 18 | 529 | 331 | 1778 | 1057 | 2494 | 1407 | X |
| CONSUMP. OF : NOT CONSUMING | | 9549 | 12128 | 20869 | 27423 | 76265 | 96689 | 106682 | 136240 | X |
| TOBACCO : ALL | | 13770 | 13186 | 29984 | 30253 | 104143 | 103561 | 147897 | 147000 | X |
| ----- | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 167 | 41 | 338 | 103 | 1262 | 294 | 1767 | 438 | X |
| REPORTING : CASUALLY | | 8 | 1 | 23 | 13 | 82 | 45 | 113 | 59 | X |
| CONSUMP. OF : NOT CONSUMING | | 397 | 509 | 876 | 1113 | 3972 | 4928 | 5245 | 6550 | X |
| TOBACCO : ALL | | 572 | 551 | 1237 | 1229 | 5316 | 5267 | 7125 | 7047 | X |
| ----- | | | | | | | | | | |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

| KERALA | | RURAL | | | | NO.OF | | SAMPLE VILLAGES: | | 256 |
|-----------------------------|--|-----------------|--------|-----------|--------|--------|--------|------------------|--------|---------|
| ----- | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | ----- | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| | | ----- | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| ----- | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 213 | 0 | 340 | 4 | 216 | 4 | 228 | 4 | 1217 |
| : CASUALLY | | 0 | 0 | 24 | 5 | 27 | 0 | 26 | 1 | 152 |
| : NOT CONSUMING | | 787 | 1000 | 635 | 991 | 757 | 996 | 745 | 995 | 10463 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 11832 |
| ----- | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 81 | 177 | 54 | 89 | 25 | 35 | 29 | 43 | 378 |
| ZARDA : CASUALLY | | 0 | 0 | 19 | 11 | 9 | 8 | 10 | 8 | 99 |
| DOKTA ETC : NOT CONSUMING | | 919 | 823 | 928 | 899 | 967 | 957 | 962 | 949 | 11355 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 11832 |
| ----- | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 3 | 0 | 3 | 0 | 3 | 0 | 20 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 10 |
| : NOT CONSUMING | | 1000 | 1000 | 997 | 1000 | 995 | 1000 | 995 | 1000 | 11802 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 11832 |
| ----- | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 0 | 0 | 7 | 8 | 2 | 1 | 3 | 1 | 20 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 4 |
| POWDER/PASTE:NOT CONSUMING | | 1000 | 1000 | 993 | 992 | 997 | 999 | 997 | 998 | 11808 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 11832 |
| ----- | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 262 | 177 | 379 | 102 | 236 | 40 | 251 | 48 | 1577 |
| OF TOBACCO :CASUALLY | | 0 | 0 | 26 | 13 | 29 | 8 | 28 | 9 | 216 |
| IN ANY FORM.:NOT CONSUMING | | 738 | 823 | 595 | 885 | 735 | 952 | 721 | 943 | 10039 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 11832 |
| ----- | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 356 | 222 | 3273 | 936 | 17746 | 3304 | 21376 | 4462 | X |
| REPORTING(00): CASUALLY | | 0 | 0 | 221 | 122 | 2188 | 686 | 2409 | 808 | X |
| CONSUMP. OF : NOT CONSUMING | | 1005 | 1032 | 5139 | 8124 | 55239 | 78364 | 61383 | 87520 | X |
| TOBACCO : ALL | | 1361 | 1254 | 8633 | 9182 | 75174 | 82354 | 85168 | 92790 | X |
| ----- | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 22 | 14 | 178 | 48 | 1111 | 204 | 1311 | 266 | X |
| REPORTING : CASUALLY | | 0 | 0 | 13 | 7 | 151 | 45 | 164 | 52 | X |
| CONSUMP. OF : NOT CONSUMING | | 62 | 62 | 298 | 453 | 3842 | 5322 | 4202 | 5837 | X |
| TOBACCO : ALL | | 84 | 76 | 489 | 508 | 5104 | 5571 | 5677 | 6155 | X |
| ----- | | | | | | | | | | |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

MADHYA PRADESH RURAL NO.OF SAMPLE VILLAGES: 533

| FORMS OF TOBACCO CONSUMPTION. | | NUMBER PER 1000 | | | | | | | | |
|-------------------------------|--|------------------|--------|-----------------|--------|--------|--------|--------|--------|----------------|
| | | SCHEDULED TRIBES | | SCHEDULED CASTE | | OTHERS | | ALL | | SAMPLE PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| <hr/> | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 207 | 7 | 256 | 10 | 218 | 5 | 222 | 7 | 3319 |
| : CASUALLY | | 14 | 2 | 16 | 2 | 15 | 2 | 15 | 2 | 240 |
| : NOT CONSUMING | | 780 | 991 | 727 | 988 | 767 | 993 | 764 | 992 | 25230 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 28789 |
| <hr/> | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 242 | 71 | 174 | 44 | 157 | 38 | 185 | 49 | 3344 |
| ZARDA : CASUALLY | | 17 | 4 | 14 | 2 | 12 | 2 | 14 | 3 | 224 |
| DOKTA ETC : NOT CONSUMING | | 741 | 925 | 811 | 954 | 831 | 961 | 802 | 949 | 25221 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 28789 |
| <hr/> | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 4 | 5 | 5 | 11 | 5 | 7 | 5 | 7 | 154 |
| : CASUALLY | | 1 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 38 |
| : NOT CONSUMING | | 995 | 994 | 994 | 989 | 994 | 992 | 994 | 992 | 28597 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 28789 |
| <hr/> | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 27 | 29 | 25 | 22 | 30 | 23 | 28 | 25 | 707 |
| TOBACCO/ : CASUALLY | | 4 | 2 | 4 | 1 | 4 | 3 | 4 | 3 | 91 |
| POWDER/PASTE:NOT CONSUMING | | 970 | 970 | 971 | 977 | 967 | 974 | 968 | 973 | 27991 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 28789 |
| <hr/> | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 439 | 110 | 397 | 83 | 357 | 70 | 388 | 84 | 6726 |
| OF TOBACCO :CASUALLY | | 8 | 6 | 10 | 3 | 9 | 5 | 9 | 5 | 200 |
| IN ANY FORM.:NOT CONSUMING | | 553 | 885 | 593 | 914 | 634 | 925 | 603 | 911 | 21863 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 28789 |
| <hr/> | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 32022 | 7775 | 17911 | 3374 | 48396 | 8631 | 98330 | 19780 | X |
| REPORTING(00): CASUALLY | | 605 | 396 | 470 | 117 | 1285 | 577 | 2361 | 1090 | X |
| CONSUMP. OF : NOT CONSUMING | | 40284 | 62652 | 26770 | 37061 | 85995 | 113867 | 153050 | 213580 | X |
| TOBACCO : ALL | | 72912 | 70823 | 45152 | 40552 | 135676 | 123075 | 253740 | 234450 | X |
| <hr/> | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 1709 | 421 | 919 | 174 | 2998 | 505 | 5626 | 1100 | X |
| REPORTING : CASUALLY | | 34 | 22 | 26 | 5 | 80 | 33 | 140 | 60 | X |
| CONSUMP. OF : NOT CONSUMING | | 2216 | 3392 | 1413 | 1953 | 5591 | 7298 | 9220 | 12643 | X |
| TOBACCO : ALL | | 3959 | 3835 | 2358 | 2132 | 8669 | 7836 | 14986 | 13803 | X |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

| MAHARASTRA | | RURAL | | | | NO.OF | | SAMPLE VILLAGES: | | 445 |
|-----------------------------|--|-----------------|--------|-----------|--------|--------|--------|------------------|--------|---------|
| ----- | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| ----- | | | | | | | | | | |
| CONSUMPTION. | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| | | ----- | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| ----- | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 143 | 9 | 108 | 0 | 93 | 1 | 102 | 2 | 1050 |
| : CASUALLY | | 8 | 0 | 4 | 0 | 9 | 0 | 8 | 0 | 94 |
| : NOT CONSUMING | | 848 | 991 | 888 | 1000 | 899 | 998 | 890 | 998 | 20932 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 22076 |
| ----- | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 227 | 106 | 216 | 91 | 202 | 66 | 207 | 75 | 3032 |
| ZARDA : CASUALLY | | 4 | 3 | 9 | 3 | 9 | 3 | 8 | 3 | 120 |
| DOKTA ETC : NOT CONSUMING | | 769 | 891 | 775 | 906 | 790 | 931 | 785 | 922 | 18924 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 22076 |
| ----- | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 4 | 8 | 3 | 4 | 5 | 9 | 4 | 8 | 135 |
| : CASUALLY | | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 8 |
| : NOT CONSUMING | | 996 | 992 | 997 | 996 | 995 | 990 | 996 | 991 | 21933 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 22076 |
| ----- | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 92 | 99 | 113 | 116 | 90 | 113 | 94 | 112 | 2184 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 0 | 1 | 2 | 1 | 2 | 1 | 28 |
| POWDER/PASTE:NOT CONSUMING | | 908 | 901 | 887 | 883 | 908 | 886 | 905 | 887 | 19864 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 22076 |
| ----- | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 379 | 202 | 363 | 192 | 322 | 176 | 336 | 182 | 5490 |
| OF TOBACCO :CASUALLY | | 3 | 3 | 8 | 3 | 11 | 4 | 10 | 4 | 151 |
| IN ANY FORM.:NOT CONSUMING | | 618 | 796 | 629 | 804 | 666 | 820 | 654 | 814 | 16435 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 22076 |
| ----- | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 11513 | 5908 | 13575 | 6900 | 52224 | 27644 | 77312 | 40452 | X |
| REPORTING(00): CASUALLY | | 99 | 77 | 311 | 121 | 1859 | 616 | 2269 | 813 | X |
| CONSUMP. OF : NOT CONSUMING | | 18772 | 23335 | 23492 | 28849 | 107987 | 128664 | 150252 | 180848 | X |
| TOBACCO : ALL | | 30384 | 29320 | 37378 | 35869 | 162071 | 156924 | 229833 | 222113 | X |
| ----- | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 508 | 267 | 590 | 294 | 2502 | 1329 | 3600 | 1890 | X |
| REPORTING : CASUALLY | | 5 | 3 | 12 | 5 | 97 | 29 | 114 | 37 | X |
| CONSUMP. OF : NOT CONSUMING | | 850 | 1050 | 1059 | 1278 | 5619 | 6579 | 7528 | 8907 | X |
| TOBACCO : ALL | | 1363 | 1320 | 1661 | 1577 | 8218 | 7937 | 11242 | 10834 | X |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

| MANIPUR | | RURAL | | | | NO.OF | | SAMPLE VILLAGES: | | 100 |
|-----------------------------|--|-----------------|--------|-----------|--------|--------|--------|------------------|--------|---------|
| ----- | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | ----- | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| | | ----- | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| ----- | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 283 | 110 | 500 | 0 | 281 | 112 | 282 | 111 | 1036 |
| : CASUALLY | | 29 | 17 | 0 | 0 | 30 | 38 | 30 | 29 | 169 |
| : NOT CONSUMING | | 688 | 874 | 500 | 1000 | 689 | 850 | 689 | 860 | 4260 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 5465 |
| ----- | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 34 | 14 | 0 | 0 | 59 | 13 | 49 | 13 | 164 |
| ZARDA : CASUALLY | | 53 | 37 | 0 | 0 | 68 | 24 | 62 | 29 | 242 |
| DOKTA ETC : NOT CONSUMING | | 913 | 948 | 1000 | 1000 | 874 | 963 | 890 | 957 | 5059 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 5465 |
| ----- | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| : NOT CONSUMING | | 1000 | 999 | 1000 | 1000 | 1000 | 999 | 1000 | 999 | 5463 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 5465 |
| ----- | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 3 | 4 | 0 | 0 | 19 | 3 | 12 | 4 | 41 |
| TOBACCO/ : CASUALLY | | 1 | 1 | 0 | 0 | 9 | 9 | 5 | 6 | 34 |
| POWDER/PASTE:NOT CONSUMING | | 996 | 994 | 1000 | 1000 | 973 | 988 | 982 | 990 | 5390 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 5465 |
| ----- | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 297 | 126 | 500 | 0 | 302 | 119 | 300 | 121 | 1108 |
| OF TOBACCO :CASUALLY | | 29 | 26 | 0 | 0 | 53 | 54 | 43 | 43 | 237 |
| IN ANY FORM.:NOT CONSUMING | | 673 | 848 | 500 | 1000 | 645 | 828 | 657 | 836 | 4120 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 5465 |
| ----- | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 683 | 268 | 3 | 0 | 984 | 399 | 1670 | 667 | X |
| REPORTING(00): CASUALLY | | 68 | 56 | 0 | 0 | 173 | 180 | 241 | 237 | X |
| CONSUMP. OF : NOT CONSUMING | | 1547 | 1809 | 3 | 5 | 2102 | 2781 | 3652 | 4596 | X |
| TOBACCO : ALL | | 2298 | 2134 | 5 | 5 | 3259 | 3360 | 5563 | 5499 | X |
| ----- | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 341 | 126 | 1 | 0 | 461 | 179 | 803 | 305 | X |
| REPORTING : CASUALLY | | 44 | 33 | 0 | 0 | 76 | 84 | 120 | 117 | X |
| CONSUMP. OF : NOT CONSUMING | | 837 | 969 | 1 | 2 | 1009 | 1302 | 1847 | 2273 | X |
| TOBACCO : ALL | | 1222 | 1128 | 2 | 2 | 1546 | 1565 | 2770 | 2695 | X |
| ----- | | | | | | | | | | |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

| MEGHALAYA | RURAL | | | | NO.OF SAMPLE VILLAGES: | | | | 112 | |
|-----------------------------|-------|-----------------|--------|-----------|------------------------|--------|--------|------|--------|---------|
| ----- | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| ----- | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| ----- | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 466 | 139 | 219 | 0 | 378 | 20 | 460 | 133 | 1462 |
| : CASUALLY | | 13 | 17 | 0 | 0 | 32 | 0 | 14 | 16 | 83 |
| : NOT CONSUMING | | 521 | 844 | 781 | 1000 | 589 | 980 | 525 | 851 | 3531 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 5076 |
| ----- | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 12 | 27 | 187 | 0 | 94 | 47 | 17 | 28 | 118 |
| ZARDA : CASUALLY | | 7 | 66 | 0 | 0 | 0 | 0 | 6 | 62 | 189 |
| DOKTA ETC : NOT CONSUMING | | 981 | 907 | 813 | 1000 | 906 | 953 | 976 | 910 | 4769 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 5076 |
| ----- | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 5076 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 5076 |
| ----- | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 4 | 2 | 0 | 0 | 4 | 0 | 4 | 2 | 27 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| POWDER/PASTE:NOT CONSUMING | | 996 | 998 | 1000 | 1000 | 996 | 1000 | 996 | 998 | 5048 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 5076 |
| ----- | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 471 | 166 | 406 | 0 | 441 | 67 | 469 | 161 | 1553 |
| OF TOBACCO :CASUALLY | | 14 | 81 | 0 | 0 | 25 | 0 | 15 | 77 | 252 |
| IN ANY FORM.:NOT CONSUMING | | 515 | 753 | 594 | 1000 | 534 | 933 | 516 | 762 | 3271 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 5076 |
| ----- | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 2851 | 966 | 5 | 0 | 159 | 20 | 3015 | 986 | X |
| REPORTING(00): CASUALLY | | 88 | 474 | 0 | 0 | 9 | 0 | 97 | 474 | X |
| CONSUMP. OF : NOT CONSUMING | | 3118 | 4390 | 7 | 16 | 193 | 276 | 3318 | 4682 | X |
| TOBACCO : ALL | | 6057 | 5830 | 12 | 16 | 360 | 296 | 6429 | 6142 | X |
| ----- | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 1152 | 331 | 2 | 0 | 60 | 8 | 1214 | 339 | X |
| REPORTING : CASUALLY | | 37 | 213 | 0 | 0 | 2 | 0 | 39 | 213 | X |
| CONSUMP. OF : NOT CONSUMING | | 1289 | 1800 | 3 | 6 | 75 | 98 | 1367 | 1904 | X |
| TOBACCO : ALL | | 2478 | 2344 | 5 | 6 | 137 | 106 | 2620 | 2456 | X |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

| MIZORAM | RURAL | | | | NO.OF | | SAMPLE VILLAGES: | | 47 | |
|-----------------------------|-------|-----------------|--------|-----------|--------|--------|------------------|------|--------|---------|
| ----- | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | ----- | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| | | ----- | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| ----- | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 480 | 317 | 1000 | 500 | 417 | 400 | 479 | 319 | 945 |
| : CASUALLY | | 19 | 68 | 0 | 0 | 0 | 200 | 19 | 70 | 109 |
| : NOT CONSUMING | | 501 | 615 | 0 | 500 | 583 | 400 | 502 | 612 | 1296 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 2350 |
| ----- | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 50 | 78 | 0 | 0 | 0 | 100 | 49 | 78 | 141 |
| ZARDA : CASUALLY | | 46 | 65 | 0 | 0 | 583 | 500 | 55 | 71 | 138 |
| DOKTA ETC : NOT CONSUMING | | 903 | 857 | 1000 | 1000 | 417 | 400 | 896 | 850 | 2071 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 2350 |
| ----- | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : CASUALLY | | 1 | 0 | 0 | 0 | 83 | 100 | 2 | 1 | 3 |
| : NOT CONSUMING | | 999 | 1000 | 1000 | 1000 | 917 | 900 | 998 | 999 | 2347 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 2350 |
| ----- | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 9 | 14 | 0 | 0 | 0 | 0 | 9 | 14 | 28 |
| TOBACCO/ : CASUALLY | | 2 | 1 | 0 | 0 | 167 | 200 | 5 | 4 | 7 |
| POWDER/PASTE:NOT CONSUMING | | 988 | 985 | 1000 | 1000 | 833 | 800 | 986 | 982 | 2315 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 2350 |
| ----- | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 511 | 401 | 1000 | 500 | 417 | 500 | 510 | 402 | 1072 |
| OF TOBACCO :CASUALLY | | 25 | 83 | 0 | 0 | 167 | 200 | 27 | 84 | 138 |
| IN ANY FORM.:NOT CONSUMING | | 464 | 516 | 0 | 500 | 417 | 300 | 463 | 513 | 1140 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 2350 |
| ----- | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 929 | 650 | 0 | 0 | 12 | 12 | 942 | 662 | X |
| REPORTING(00): CASUALLY | | 45 | 134 | 0 | 0 | 5 | 5 | 50 | 139 | X |
| CONSUMP. OF : NOT CONSUMING | | 844 | 837 | 0 | 0 | 12 | 7 | 857 | 845 | X |
| TOBACCO : ALL | | 1819 | 1621 | 0 | 1 | 29 | 24 | 1848 | 1646 | X |
| ----- | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 624 | 436 | 1 | 1 | 5 | 5 | 630 | 442 | X |
| REPORTING : CASUALLY | | 35 | 99 | 0 | 0 | 2 | 2 | 37 | 101 | X |
| CONSUMP. OF : NOT CONSUMING | | 566 | 565 | 0 | 1 | 5 | 3 | 571 | 569 | X |
| TOBACCO : ALL | | 1225 | 1100 | 1 | 2 | 12 | 10 | 1238 | 1112 | X |
| ----- | | | | | | | | | | |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

| NAGALAND | | RURAL | | | | NO.OF | | SAMPLE VILLAGES: | | 46 |
|-----------------------------|--|-----------------|--------|-----------|--------|--------|--------|------------------|--------|---------|
| ----- | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| ----- | | | | | | | | | | |
| CONSUMPTION. | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| ----- | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| ----- | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 226 | 1 | 0 | 0 | 249 | 0 | 227 | 1 | 290 |
| : CASUALLY | | 8 | 2 | 0 | 0 | 0 | 0 | 7 | 2 | 14 |
| : NOT CONSUMING | | 766 | 996 | 0 | 0 | 751 | 1000 | 765 | 996 | 2228 |
| : ALL | | 1000 | 1000 | 0 | 0 | 1000 | 1000 | 1000 | 1000 | 2532 |
| ----- | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 27 | 4 | 0 | 0 | 58 | 0 | 29 | 3 | 38 |
| ZARDA : CASUALLY | | 17 | 6 | 0 | 0 | 0 | 0 | 16 | 5 | 36 |
| DOKTA ETC : NOT CONSUMING | | 956 | 991 | 0 | 0 | 942 | 1000 | 955 | 991 | 2458 |
| : ALL | | 1000 | 1000 | 0 | 0 | 1000 | 1000 | 1000 | 1000 | 2532 |
| ----- | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : CASUALLY | | 1 | 3 | 0 | 0 | 0 | 0 | 1 | 3 | 4 |
| : NOT CONSUMING | | 999 | 997 | 0 | 0 | 1000 | 1000 | 999 | 997 | 2528 |
| : ALL | | 1000 | 1000 | 0 | 0 | 1000 | 1000 | 1000 | 1000 | 2532 |
| ----- | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 5 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 5 |
| TOBACCO/ : CASUALLY | | 2 | 2 | 0 | 0 | 0 | 0 | 2 | 1 | 6 |
| POWDER/PASTE:NOT CONSUMING | | 993 | 998 | 0 | 0 | 1000 | 1000 | 993 | 999 | 2521 |
| : ALL | | 1000 | 1000 | 0 | 0 | 1000 | 1000 | 1000 | 1000 | 2532 |
| ----- | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 238 | 4 | 0 | 0 | 289 | 0 | 241 | 3 | 309 |
| OF TOBACCO :CASUALLY | | 12 | 10 | 0 | 0 | 0 | 0 | 11 | 9 | 33 |
| IN ANY FORM.:NOT CONSUMING | | 751 | 987 | 0 | 0 | 711 | 1000 | 748 | 988 | 2190 |
| : ALL | | 1000 | 1000 | 0 | 0 | 1000 | 1000 | 1000 | 1000 | 2532 |
| ----- | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 458 | 6 | 0 | 0 | 34 | 0 | 492 | 6 | X |
| REPORTING(00): CASUALLY | | 22 | 17 | 0 | 0 | 0 | 0 | 22 | 17 | X |
| CONSUMP. OF : NOT CONSUMING | | 1444 | 1745 | 0 | 0 | 83 | 93 | 1527 | 1837 | X |
| TOBACCO : ALL | | 1924 | 1768 | 0 | 0 | 117 | 93 | 2041 | 1860 | X |
| ----- | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 290 | 4 | 0 | 0 | 15 | 0 | 305 | 4 | X |
| REPORTING : CASUALLY | | 20 | 13 | 0 | 0 | 0 | 0 | 20 | 13 | X |
| CONSUMP. OF : NOT CONSUMING | | 953 | 1158 | 0 | 0 | 37 | 42 | 990 | 1200 | X |
| TOBACCO : ALL | | 1263 | 1175 | 0 | 0 | 52 | 42 | 1315 | 1217 | X |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

| ORISSA | | RURAL | | | | NO.OF | | SAMPLE VILLAGES: | | 335 |
|----------------------------|-----------------|-----------------|--------|-----------|--------|--------|--------|------------------|--------|---------|
| ----- | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | ----- | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| | | ----- | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| ----- | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 216 | 25 | 222 | 6 | 132 | 4 | 170 | 10 | 1400 |
| | : CASUALLY | 23 | 5 | 29 | 2 | 26 | 1 | 26 | 2 | 221 |
| | : NOT CONSUMING | 761 | 970 | 749 | 992 | 842 | 995 | 804 | 988 | 15049 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 16670 |
| ----- | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 276 | 269 | 206 | 183 | 176 | 119 | 207 | 168 | 2932 |
| ZARDA | : CASUALLY | 26 | 11 | 33 | 28 | 25 | 19 | 26 | 19 | 375 |
| DOKTA ETC | : NOT CONSUMING | 699 | 719 | 761 | 788 | 800 | 862 | 767 | 813 | 13363 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 16670 |
| ----- | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 68 | 48 | 63 | 30 | 53 | 18 | 59 | 28 | 648 |
| | : CASUALLY | 2 | 1 | 3 | 1 | 2 | 1 | 2 | 1 | 25 |
| | : NOT CONSUMING | 931 | 951 | 934 | 969 | 945 | 981 | 939 | 972 | 15997 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 16670 |
| ----- | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 83 | 150 | 136 | 177 | 117 | 142 | 112 | 150 | 2150 |
| TOBACCO/ | : CASUALLY | 6 | 5 | 19 | 14 | 17 | 14 | 14 | 12 | 238 |
| POWDER/PASTE:NOT CONSUMING | | 910 | 845 | 845 | 809 | 867 | 844 | 874 | 838 | 14282 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 16670 |
| ----- | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 501 | 438 | 434 | 354 | 345 | 257 | 402 | 320 | 5689 |
| OF TOBACCO | :CASUALLY | 16 | 16 | 29 | 28 | 29 | 26 | 26 | 24 | 436 |
| IN ANY FORM.:NOT CONSUMING | | 482 | 545 | 537 | 617 | 625 | 717 | 572 | 656 | 10545 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 16670 |
| ----- | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 17809 | 15301 | 11573 | 8939 | 27086 | 20447 | 56468 | 44687 | X |
| REPORTING(00): CASUALLY | | 584 | 572 | 770 | 716 | 2306 | 2065 | 3661 | 3353 | X |
| CONSUMP. OF | : NOT CONSUMING | 17139 | 19033 | 14334 | 15571 | 49027 | 56984 | 80499 | 91589 | X |
| TOBACCO | : ALL | 35532 | 34906 | 26676 | 25225 | 78420 | 79497 | 140628 | 139628 | X |
| ----- | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 913 | 776 | 619 | 473 | 1675 | 1233 | 3207 | 2482 | X |
| REPORTING | : CASUALLY | 30 | 30 | 46 | 39 | 143 | 148 | 219 | 217 | X |
| CONSUMP. OF | : NOT CONSUMING | 920 | 1047 | 819 | 890 | 3176 | 3693 | 4915 | 5630 | X |
| TOBACCO | : ALL | 1863 | 1853 | 1484 | 1402 | 4994 | 5074 | 8341 | 8329 | X |
| ----- | | | | | | | | | | |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

| PUNJAB | | RURAL | | | | NO.OF | | SAMPLE VILLAGES: | | 205 |
|-----------------------------|--|-----------------|--------|-----------|--------|--------|--------|------------------|--------|---------|
| ----- | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| ----- | | | | | | | | | | |
| CONSUMPTION. | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| ----- | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| ----- | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 160 | 0 | 102 | 2 | 52 | 1 | 73 | 1 | 382 |
| : CASUALLY | | 0 | 0 | 7 | 1 | 1 | 0 | 3 | 0 | 19 |
| : NOT CONSUMING | | 840 | 1000 | 891 | 997 | 947 | 999 | 924 | 998 | 10743 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 11144 |
| ----- | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 0 | 0 | 45 | 0 | 13 | 0 | 25 | 0 | 134 |
| ZARDA : CASUALLY | | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 6 |
| DOKTA ETC : NOT CONSUMING | | 1000 | 1000 | 953 | 1000 | 986 | 1000 | 974 | 1000 | 11004 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 11144 |
| ----- | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 4 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| : NOT CONSUMING | | 1000 | 1000 | 999 | 1000 | 999 | 1000 | 999 | 1000 | 11139 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 11144 |
| ----- | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 14 | 0 | 3 | 0 | 4 | 0 | 4 | 0 | 19 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 3 |
| POWDER/PASTE:NOT CONSUMING | | 986 | 1000 | 997 | 998 | 996 | 1000 | 996 | 999 | 11122 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 11144 |
| ----- | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 174 | 0 | 135 | 2 | 66 | 2 | 94 | 2 | 497 |
| OF TOBACCO :CASUALLY | | 0 | 0 | 6 | 2 | 2 | 0 | 3 | 1 | 25 |
| IN ANY FORM.:NOT CONSUMING | | 826 | 1000 | 859 | 996 | 932 | 998 | 902 | 997 | 10622 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 11144 |
| ----- | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 192 | 0 | 3596 | 51 | 2777 | 60 | 6564 | 111 | X |
| REPORTING(00): CASUALLY | | 0 | 0 | 152 | 49 | 91 | 0 | 243 | 49 | X |
| CONSUMP. OF : NOT CONSUMING | | 909 | 1241 | 22884 | 22863 | 38993 | 38435 | 62786 | 62540 | X |
| TOBACCO : ALL | | 1101 | 1241 | 26632 | 22963 | 41861 | 38496 | 69593 | 62700 | X |
| ----- | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 13 | 0 | 254 | 5 | 219 | 6 | 486 | 11 | X |
| REPORTING : CASUALLY | | 0 | 0 | 13 | 4 | 8 | 0 | 21 | 4 | X |
| CONSUMP. OF : NOT CONSUMING | | 63 | 85 | 1601 | 1618 | 3693 | 3562 | 5357 | 5265 | X |
| TOBACCO : ALL | | 76 | 85 | 1868 | 1627 | 3920 | 3568 | 5864 | 5280 | X |
| ----- | | | | | | | | | | |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

| RAJASTHAN | | RURAL | | | | NO.OF | | SAMPLE VILLAGES: | | 312 |
|-----------------------------|--|-----------------|--------|-----------|--------|--------|--------|------------------|--------|---------|
| ----- | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| ----- | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| ----- | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| ----- | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 360 | 34 | 328 | 33 | 281 | 20 | 302 | 25 | 2758 |
| : CASUALLY | | 6 | 1 | 6 | 4 | 9 | 2 | 8 | 2 | 90 |
| : NOT CONSUMING | | 635 | 964 | 666 | 963 | 710 | 978 | 690 | 973 | 14003 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 16851 |
| ----- | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 19 | 4 | 27 | 3 | 24 | 2 | 24 | 3 | 230 |
| ZARDA : CASUALLY | | 1 | 0 | 2 | 0 | 3 | 1 | 3 | 0 | 24 |
| DOKTA ETC : NOT CONSUMING | | 980 | 996 | 971 | 997 | 973 | 997 | 974 | 997 | 16597 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 16851 |
| ----- | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 5 | 2 | 5 | 1 | 4 | 1 | 4 | 39 |
| : CASUALLY | | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 9 |
| : NOT CONSUMING | | 1000 | 994 | 998 | 995 | 998 | 996 | 999 | 995 | 16803 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 16851 |
| ----- | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 2 | 1 | 6 | 1 | 13 | 1 | 10 | 1 | 121 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 7 |
| POWDER/PASTE:NOT CONSUMING | | 998 | 999 | 994 | 999 | 987 | 999 | 990 | 999 | 16723 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 16851 |
| ----- | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 375 | 44 | 353 | 40 | 302 | 27 | 323 | 32 | 3007 |
| OF TOBACCO :CASUALLY | | 4 | 2 | 6 | 4 | 8 | 2 | 7 | 2 | 79 |
| IN ANY FORM.:NOT CONSUMING | | 621 | 954 | 641 | 956 | 690 | 971 | 670 | 965 | 13765 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 16851 |
| ----- | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 9514 | 1098 | 10246 | 1056 | 31031 | 2529 | 50791 | 4684 | X |
| REPORTING(00): CASUALLY | | 107 | 56 | 164 | 100 | 776 | 182 | 1048 | 337 | X |
| CONSUMP. OF : NOT CONSUMING | | 15738 | 23690 | 18592 | 24973 | 70922 | 91334 | 105252 | 139997 | X |
| TOBACCO : ALL | | 25358 | 24844 | 29002 | 26129 | 102730 | 94045 | 157090 | 145018 | X |
| ----- | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 470 | 60 | 504 | 56 | 1767 | 150 | 2741 | 266 | X |
| REPORTING : CASUALLY | | 8 | 3 | 8 | 5 | 43 | 12 | 59 | 20 | X |
| CONSUMP. OF : NOT CONSUMING | | 822 | 1182 | 906 | 1232 | 4209 | 5414 | 5937 | 7828 | X |
| TOBACCO : ALL | | 1300 | 1245 | 1418 | 1293 | 6019 | 5576 | 8737 | 8114 | X |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

| SIKKIM | | RURAL | | | | NO.OF | | SAMPLE VILLAGES: | | 48 |
|-----------------------------|--|-----------------|--------|-----------|--------|--------|--------|------------------|--------|---------|
| | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 61 | 7 | 208 | 0 | 130 | 14 | 119 | 12 | 143 |
| : CASUALLY | | 100 | 5 | 75 | 0 | 129 | 14 | 120 | 11 | 128 |
| : NOT CONSUMING | | 839 | 988 | 717 | 1000 | 742 | 972 | 762 | 977 | 1793 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 2064 |
| | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 158 | 8 | 78 | 31 | 168 | 4 | 161 | 6 | 178 |
| ZARDA : CASUALLY | | 11 | 13 | 20 | 25 | 24 | 4 | 21 | 7 | 28 |
| DOKTA ETC : NOT CONSUMING | | 831 | 979 | 902 | 944 | 808 | 992 | 818 | 987 | 1858 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 2064 |
| | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 2064 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 2064 |
| | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 17 | 0 | 29 | 0 | 34 | 0 | 30 | 0 | 32 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| POWDER/PASTE:NOT CONSUMING | | 983 | 1000 | 971 | 1000 | 966 | 1000 | 970 | 1000 | 2031 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 2064 |
| | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 233 | 14 | 282 | 31 | 310 | 18 | 291 | 18 | 332 |
| OF TOBACCO :CASUALLY | | 103 | 18 | 95 | 25 | 132 | 18 | 124 | 18 | 142 |
| IN ANY FORM.:NOT CONSUMING | | 664 | 968 | 623 | 944 | 558 | 964 | 585 | 964 | 1590 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 2064 |
| | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 82 | 4 | 24 | 2 | 355 | 17 | 461 | 23 | X |
| REPORTING(00): CASUALLY | | 36 | 5 | 8 | 2 | 152 | 17 | 196 | 23 | X |
| CONSUMP. OF : NOT CONSUMING | | 233 | 263 | 52 | 63 | 641 | 919 | 926 | 1245 | X |
| TOBACCO : ALL | | 351 | 271 | 84 | 67 | 1149 | 953 | 1583 | 1291 | X |
| | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 55 | 2 | 15 | 1 | 247 | 12 | 317 | 15 | X |
| REPORTING : CASUALLY | | 26 | 3 | 5 | 1 | 97 | 10 | 128 | 14 | X |
| CONSUMP. OF : NOT CONSUMING | | 186 | 212 | 29 | 36 | 463 | 664 | 678 | 912 | X |
| TOBACCO : ALL | | 267 | 217 | 49 | 38 | 807 | 686 | 1123 | 941 | X |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

TAMIL NADU RURAL NO.OF SAMPLE VILLAGES: 391

| FORMS OF TOBACCO CONSUMPTION. | | NUMBER PER 1000 | | | | | | | | |
|-------------------------------|--|------------------|--------|-----------------|--------|--------|--------|--------|--------|----------------|
| | | SCHEDULED TRIBES | | SCHEDULED CASTE | | OTHERS | | ALL | | SAMPLE PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| <hr/> | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 145 | 0 | 199 | 3 | 139 | 2 | 154 | 2 | 1160 |
| : CASUALLY | | 10 | 0 | 9 | 0 | 9 | 1 | 9 | 0 | 72 |
| : NOT CONSUMING | | 844 | 1000 | 792 | 997 | 852 | 997 | 836 | 997 | 15010 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 16242 |
| <hr/> | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 24 | 65 | 54 | 67 | 34 | 33 | 39 | 42 | 696 |
| ZARDA : CASUALLY | | 15 | 24 | 8 | 3 | 3 | 4 | 5 | 4 | 69 |
| DOKTA ETC : NOT CONSUMING | | 961 | 911 | 937 | 930 | 962 | 963 | 956 | 954 | 15477 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 16242 |
| <hr/> | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 8 | 1 | 9 | 2 | 8 | 2 | 85 |
| : CASUALLY | | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 9 |
| : NOT CONSUMING | | 1000 | 1000 | 991 | 999 | 990 | 997 | 991 | 998 | 16148 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 16242 |
| <hr/> | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 6 | 42 | 48 | 39 | 22 | 22 | 28 | 27 | 435 |
| TOBACCO/ : CASUALLY | | 14 | 14 | 3 | 3 | 1 | 0 | 2 | 1 | 29 |
| POWDER/PASTE:NOT CONSUMING | | 980 | 944 | 950 | 958 | 977 | 978 | 970 | 972 | 15778 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 16242 |
| <hr/> | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 167 | 96 | 284 | 106 | 191 | 55 | 214 | 69 | 2222 |
| OF TOBACCO :CASUALLY | | 32 | 24 | 12 | 5 | 11 | 5 | 12 | 5 | 136 |
| IN ANY FORM.:NOT CONSUMING | | 801 | 880 | 703 | 889 | 798 | 940 | 774 | 926 | 13884 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 16242 |
| <hr/> | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 586 | 338 | 12828 | 5052 | 24886 | 7209 | 38299 | 12600 | X |
| REPORTING(00): CASUALLY | | 111 | 85 | 551 | 245 | 1464 | 631 | 2126 | 961 | X |
| CONSUMP. OF : NOT CONSUMING | | 2803 | 3090 | 31743 | 42322 | 103892 | 123538 | 138437 | 168950 | X |
| TOBACCO : ALL | | 3500 | 3514 | 45122 | 47619 | 130241 | 131378 | 178863 | 182511 | X |
| <hr/> | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 30 | 21 | 493 | 205 | 1126 | 347 | 1649 | 573 | X |
| REPORTING : CASUALLY | | 5 | 4 | 24 | 9 | 65 | 29 | 94 | 42 | X |
| CONSUMP. OF : NOT CONSUMING | | 135 | 149 | 1271 | 1652 | 4911 | 5766 | 6317 | 7567 | X |
| TOBACCO : ALL | | 170 | 174 | 1788 | 1866 | 6102 | 6142 | 8060 | 8182 | X |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

| TRIPURA | | RURAL | | | | NO.OF | | SAMPLE VILLAGES: | | 153 |
|----------------------------|-----------------|-----------------|--------|-----------|--------|--------|--------|------------------|--------|---------|
| ----- | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | ----- | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| ----- | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| ----- | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 399 | 134 | 417 | 27 | 394 | 20 | 400 | 37 | 1589 |
| | : CASUALLY | 26 | 14 | 13 | 0 | 12 | 2 | 14 | 3 | 66 |
| | : NOT CONSUMING | 575 | 852 | 571 | 973 | 593 | 978 | 586 | 960 | 5317 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 6972 |
| ----- | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 60 | 98 | 68 | 94 | 69 | 102 | 68 | 99 | 652 |
| ZARDA | : CASUALLY | 36 | 34 | 29 | 33 | 27 | 31 | 29 | 32 | 234 |
| DOKTA ETC | : NOT CONSUMING | 905 | 868 | 903 | 873 | 904 | 867 | 904 | 869 | 6086 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 6972 |
| ----- | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 2 | 2 | 0 | 2 | 1 | 2 | 1 | 2 | 8 |
| | : CASUALLY | 7 | 4 | 0 | 0 | 1 | 1 | 1 | 1 | 8 |
| | : NOT CONSUMING | 992 | 994 | 1000 | 998 | 998 | 998 | 998 | 997 | 6956 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 6972 |
| ----- | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 29 | 35 | 9 | 3 | 7 | 0 | 10 | 6 | 51 |
| TOBACCO/ | : CASUALLY | 10 | 3 | 1 | 0 | 0 | 0 | 2 | 1 | 7 |
| POWDER/PASTE:NOT CONSUMING | | 961 | 962 | 990 | 997 | 993 | 999 | 988 | 993 | 6914 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 6972 |
| ----- | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 412 | 215 | 435 | 118 | 417 | 121 | 420 | 134 | 2027 |
| OF TOBACCO | :CASUALLY | 26 | 44 | 10 | 32 | 11 | 30 | 13 | 32 | 171 |
| IN ANY FORM.:NOT CONSUMING | | 562 | 741 | 555 | 849 | 572 | 849 | 567 | 834 | 4774 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 6972 |
| ----- | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 703 | 315 | 1118 | 286 | 3066 | 818 | 4887 | 1420 | X |
| REPORTING(00): CASUALLY | | 44 | 65 | 26 | 77 | 83 | 199 | 153 | 341 | X |
| CONSUMP. OF | : NOT CONSUMING | 960 | 1086 | 1426 | 2053 | 4212 | 5722 | 6598 | 8860 | X |
| TOBACCO | : ALL | 1707 | 1466 | 2570 | 2416 | 7361 | 6739 | 11638 | 10622 | X |
| ----- | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 258 | 110 | 335 | 93 | 947 | 284 | 1540 | 487 | X |
| REPORTING | : CASUALLY | 15 | 23 | 8 | 25 | 29 | 71 | 52 | 119 | X |
| CONSUMP. OF | : NOT CONSUMING | 326 | 387 | 449 | 612 | 1306 | 1694 | 2081 | 2693 | X |
| TOBACCO | : ALL | 599 | 520 | 792 | 730 | 2282 | 2049 | 3673 | 3299 | X |
| ----- | | | | | | | | | | |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

| UTTAR PRADESH | | RURAL | | | | NO.OF | | SAMPLE VILLAGES: | | 902 |
|-----------------------------|--|-----------------|--------|-----------|--------|--------|--------|------------------|--------|---------|
| ----- | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| ----- | | | | | | | | | | |
| CONSUMPTION. | | ----- | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| ----- | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| ----- | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 191 | 23 | 274 | 45 | 217 | 16 | 231 | 23 | 6413 |
| : CASUALLY | | 2 | 0 | 19 | 4 | 17 | 2 | 17 | 2 | 511 |
| : NOT CONSUMING | | 807 | 977 | 707 | 952 | 766 | 983 | 752 | 975 | 45237 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 52161 |
| ----- | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 165 | 36 | 154 | 39 | 131 | 28 | 136 | 31 | 4420 |
| ZARDA : CASUALLY | | 12 | 0 | 19 | 4 | 18 | 3 | 18 | 3 | 557 |
| DOKTA ETC : NOT CONSUMING | | 823 | 964 | 827 | 957 | 852 | 969 | 846 | 966 | 47184 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 52161 |
| ----- | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 32 |
| : CASUALLY | | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 12 |
| : NOT CONSUMING | | 1000 | 1000 | 999 | 1000 | 999 | 1000 | 999 | 1000 | 52117 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 52161 |
| ----- | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 0 | 0 | 6 | 2 | 4 | 1 | 4 | 1 | 140 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 25 |
| POWDER/PASTE:NOT CONSUMING | | 1000 | 1000 | 993 | 998 | 996 | 999 | 995 | 999 | 51996 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 52161 |
| ----- | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 300 | 55 | 365 | 79 | 303 | 42 | 318 | 51 | 9500 |
| OF TOBACCO :CASUALLY | | 8 | 0 | 18 | 6 | 17 | 4 | 18 | 4 | 581 |
| IN ANY FORM.:NOT CONSUMING | | 692 | 945 | 617 | 915 | 679 | 954 | 665 | 945 | 42080 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 52161 |
| ----- | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 1526 | 278 | 49352 | 9608 | 128020 | 15927 | 178898 | 25812 | X |
| REPORTING(00): CASUALLY | | 39 | 0 | 2473 | 756 | 7333 | 1438 | 9845 | 2194 | X |
| CONSUMP. OF : NOT CONSUMING | | 3521 | 4801 | 83442 | 110988 | 286906 | 363182 | 373869 | 478971 | X |
| TOBACCO : ALL | | 5086 | 5079 | 135267 | 121352 | 422259 | 380547 | 562612 | 506977 | X |
| ----- | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 84 | 13 | 1995 | 383 | 6266 | 759 | 8345 | 1155 | X |
| REPORTING : CASUALLY | | 2 | 0 | 99 | 29 | 374 | 77 | 475 | 106 | X |
| CONSUMP. OF : NOT CONSUMING | | 201 | 267 | 3394 | 4549 | 14846 | 18823 | 18441 | 23639 | X |
| TOBACCO : ALL | | 287 | 280 | 5488 | 4961 | 21486 | 19659 | 27261 | 24900 | X |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

| WEST BENGAL | | RURAL | | | | NO.OF | | SAMPLE VILLAGES: | | 448 |
|-----------------------------|--|-----------------|--------|-----------|--------|--------|--------|------------------|--------|---------|
| ----- | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | ----- | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| | | ----- | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| ----- | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 370 | 23 | 331 | 11 | 297 | 7 | 314 | 10 | 3737 |
| : CASUALLY | | 38 | 7 | 26 | 2 | 19 | 3 | 23 | 3 | 327 |
| : NOT CONSUMING | | 591 | 969 | 643 | 986 | 683 | 990 | 663 | 987 | 19409 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 23473 |
| ----- | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 156 | 137 | 67 | 47 | 54 | 44 | 66 | 53 | 1441 |
| ZARDA : CASUALLY | | 99 | 21 | 23 | 2 | 13 | 7 | 23 | 7 | 376 |
| DOKTA ETC : NOT CONSUMING | | 745 | 842 | 911 | 950 | 933 | 949 | 911 | 940 | 21656 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 23473 |
| ----- | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 1 | 2 | 2 | 0 | 2 | 1 | 32 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| : NOT CONSUMING | | 1000 | 1000 | 999 | 998 | 998 | 1000 | 998 | 999 | 23436 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 23473 |
| ----- | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 5 | 13 | 10 | 9 | 10 | 13 | 10 | 12 | 260 |
| TOBACCO/ : CASUALLY | | 0 | 1 | 1 | 2 | 1 | 0 | 1 | 1 | 26 |
| POWDER/PASTE:NOT CONSUMING | | 995 | 986 | 989 | 990 | 988 | 986 | 989 | 987 | 23187 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 23473 |
| ----- | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 467 | 162 | 384 | 64 | 340 | 60 | 364 | 70 | 5049 |
| OF TOBACCO :CASUALLY | | 30 | 17 | 26 | 5 | 22 | 8 | 24 | 8 | 401 |
| IN ANY FORM.:NOT CONSUMING | | 503 | 821 | 591 | 931 | 639 | 932 | 613 | 922 | 18023 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 23473 |
| ----- | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 9132 | 3454 | 32065 | 4855 | 51548 | 8721 | 92744 | 17030 | X |
| REPORTING(00): CASUALLY | | 586 | 374 | 2139 | 417 | 3291 | 1145 | 6016 | 1936 | X |
| CONSUMP. OF : NOT CONSUMING | | 9826 | 17559 | 49389 | 71158 | 96976 | 135657 | 156190 | 224374 | X |
| TOBACCO : ALL | | 19543 | 21388 | 83594 | 76430 | 151814 | 145523 | 254951 | 243340 | X |
| ----- | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 372 | 135 | 1352 | 212 | 2510 | 468 | 4234 | 815 | X |
| REPORTING : CASUALLY | | 26 | 16 | 103 | 20 | 174 | 62 | 303 | 98 | X |
| CONSUMP. OF : NOT CONSUMING | | 417 | 751 | 2175 | 3090 | 4889 | 6701 | 7481 | 10542 | X |
| TOBACCO : ALL | | 815 | 902 | 3630 | 3322 | 7573 | 7231 | 12018 | 11455 | X |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

| ANDAMAN & NICOBAR IS. | | RURAL | | | | NO.OF | | SAMPLE VILLAGES: | | 50 |
|-----------------------------|--|-----------------|--------|-----------|--------|--------|--------|------------------|--------|---------|
| ----- | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| ----- | | | | | | | | | | |
| CONSUMPTION. | | ----- | | | | | | | | SAMPLE |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | PERSONS |
| | | TRIBES | | CASTE | | | | | | |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| | | ----- | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| ----- | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 94 | 30 | 246 | 0 | 154 | 8 | 137 | 15 | 224 |
| : CASUALLY | | 14 | 6 | 0 | 0 | 26 | 1 | 22 | 3 | 43 |
| : NOT CONSUMING | | 892 | 964 | 754 | 1000 | 820 | 991 | 841 | 983 | 2389 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 2656 |
| ----- | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 410 | 163 | 309 | 216 | 284 | 95 | 323 | 119 | 589 |
| ZARDA : CASUALLY | | 18 | 27 | 46 | 0 | 28 | 15 | 25 | 18 | 84 |
| DOKTA ETC : NOT CONSUMING | | 572 | 810 | 645 | 784 | 687 | 890 | 651 | 863 | 1983 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 2656 |
| ----- | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : CASUALLY | | 2 | 3 | 0 | 0 | 0 | 0 | 1 | 1 | 7 |
| : NOT CONSUMING | | 998 | 998 | 1000 | 1000 | 1000 | 1000 | 999 | 999 | 2649 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 2656 |
| ----- | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 1 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| POWDER/PASTE:NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 1000 | 998 | 1000 | 999 | 2655 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 2656 |
| ----- | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 445 | 174 | 355 | 216 | 358 | 103 | 385 | 127 | 706 |
| OF TOBACCO :CASUALLY | | 15 | 29 | 46 | 0 | 25 | 16 | 22 | 20 | 81 |
| IN ANY FORM.:NOT CONSUMING | | 541 | 796 | 599 | 784 | 617 | 881 | 593 | 853 | 1869 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 2656 |
| ----- | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 139 | 51 | 7 | 4 | 245 | 64 | 391 | 119 | X |
| REPORTING(00): CASUALLY | | 5 | 9 | 1 | 0 | 17 | 10 | 22 | 19 | X |
| CONSUMP. OF : NOT CONSUMING | | 169 | 233 | 12 | 15 | 421 | 550 | 603 | 798 | X |
| TOBACCO : ALL | | 313 | 293 | 20 | 19 | 683 | 624 | 1016 | 936 | X |
| ----- | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 236 | 103 | 9 | 5 | 284 | 69 | 529 | 177 | X |
| REPORTING : CASUALLY | | 19 | 28 | 1 | 0 | 21 | 12 | 41 | 40 | X |
| CONSUMP. OF : NOT CONSUMING | | 280 | 371 | 13 | 18 | 524 | 663 | 817 | 1052 | X |
| TOBACCO : ALL | | 535 | 502 | 23 | 23 | 829 | 744 | 1387 | 1269 | X |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

| CHANDIGARH | | RURAL | | | | NO.OF | | SAMPLE VILLAGES: | | 8 |
|-----------------------------|--|-----------------|--------|-----------|--------|--------|--------|------------------|--------|---------|
| ----- | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| ----- | | | | | | | | | | |
| CONSUMPTION. | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| ----- | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| ----- | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 0 | 0 | 179 | 28 | 188 | 0 | 183 | 9 | 35 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 18 | 0 | 12 | 0 | 2 |
| : NOT CONSUMING | | 1000 | 1000 | 821 | 972 | 793 | 1000 | 805 | 991 | 300 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 337 |
| ----- | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 0 | 0 | 60 | 0 | 63 | 0 | 61 | 0 | 12 |
| ZARDA : CASUALLY | | 0 | 0 | 0 | 0 | 22 | 0 | 14 | 0 | 2 |
| DOKTA ETC : NOT CONSUMING | | 1000 | 1000 | 940 | 1000 | 915 | 1000 | 925 | 1000 | 323 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 337 |
| ----- | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 13 | 0 | 0 | 0 | 4 | 0 | 1 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : NOT CONSUMING | | 1000 | 1000 | 987 | 1000 | 1000 | 1000 | 996 | 1000 | 336 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 337 |
| ----- | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 4 | 0 | 2 | 0 | 2 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 17 | 0 | 0 | 0 | 6 | 0 | 1 |
| POWDER/PASTE:NOT CONSUMING | | 1000 | 1000 | 983 | 1000 | 996 | 1000 | 992 | 1000 | 334 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 337 |
| ----- | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 0 | 0 | 252 | 28 | 242 | 0 | 241 | 9 | 47 |
| OF TOBACCO :CASUALLY | | 0 | 0 | 17 | 0 | 31 | 0 | 26 | 0 | 4 |
| IN ANY FORM.:NOT CONSUMING | | 1000 | 1000 | 731 | 972 | 727 | 1000 | 732 | 991 | 286 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 337 |
| ----- | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 0 | 0 | 36 | 3 | 70 | 0 | 105 | 3 | X |
| REPORTING(00): CASUALLY | | 0 | 0 | 2 | 0 | 9 | 0 | 12 | 0 | X |
| CONSUMP. OF : NOT CONSUMING | | 6 | 6 | 104 | 97 | 209 | 188 | 320 | 291 | X |
| TOBACCO : ALL | | 6 | 6 | 143 | 100 | 288 | 188 | 437 | 294 | X |
| ----- | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 0 | 0 | 15 | 2 | 30 | 0 | 45 | 2 | X |
| REPORTING : CASUALLY | | 0 | 0 | 1 | 0 | 3 | 0 | 4 | 0 | X |
| CONSUMP. OF : NOT CONSUMING | | 5 | 7 | 50 | 46 | 93 | 85 | 148 | 138 | X |
| TOBACCO : ALL | | 5 | 7 | 66 | 48 | 126 | 85 | 197 | 140 | X |
| ----- | | | | | | | | | | |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

| DADRA & NAGAR HAVELI | | RURAL | | | | NO.OF | | SAMPLE VILLAGES: | | 24 |
|-----------------------------|--|-----------------|--------|-----------|--------|--------|--------|------------------|--------|---------|
| ----- | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| ----- | | | | | | | | | | |
| CONSUMPTION. | | ----- | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| ----- | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| ----- | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 263 | 4 | 269 | 0 | 374 | 0 | 267 | 4 | 159 |
| : CASUALLY | | 2 | 1 | 21 | 0 | 90 | 0 | 6 | 1 | 4 |
| : NOT CONSUMING | | 735 | 995 | 709 | 1000 | 536 | 1000 | 728 | 996 | 1038 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1201 |
| ----- | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 127 | 9 | 199 | 0 | 0 | 0 | 129 | 8 | 78 |
| ZARDA : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DOKTA ETC : NOT CONSUMING | | 873 | 991 | 801 | 1000 | 1000 | 1000 | 871 | 992 | 1123 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1201 |
| ----- | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 2 | 21 | 21 | 125 | 0 | 0 | 4 | 29 | 20 |
| : CASUALLY | | 0 | 0 | 21 | 20 | 0 | 0 | 2 | 2 | 2 |
| : NOT CONSUMING | | 998 | 979 | 958 | 855 | 1000 | 1000 | 995 | 969 | 1179 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1201 |
| ----- | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 16 | 1 | 0 | 0 | 22 | 0 | 15 | 1 | 13 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| POWDER/PASTE:NOT CONSUMING | | 984 | 999 | 1000 | 1000 | 978 | 1000 | 985 | 999 | 1188 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1201 |
| ----- | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 398 | 36 | 447 | 125 | 396 | 0 | 402 | 42 | 263 |
| OF TOBACCO :CASUALLY | | 0 | 0 | 21 | 20 | 90 | 0 | 4 | 2 | 3 |
| IN ANY FORM.:NOT CONSUMING | | 602 | 964 | 532 | 855 | 514 | 1000 | 594 | 956 | 935 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1201 |
| ----- | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 208 | 17 | 20 | 6 | 6 | 0 | 234 | 23 | X |
| REPORTING(00): CASUALLY | | 0 | 0 | 1 | 1 | 1 | 0 | 2 | 1 | X |
| CONSUMP. OF : NOT CONSUMING | | 315 | 463 | 24 | 39 | 8 | 18 | 346 | 521 | X |
| TOBACCO : ALL | | 523 | 480 | 44 | 46 | 15 | 18 | 583 | 545 | X |
| ----- | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 208 | 16 | 23 | 8 | 8 | 0 | 239 | 24 | X |
| REPORTING : CASUALLY | | 0 | 0 | 1 | 1 | 1 | 0 | 2 | 1 | X |
| CONSUMP. OF : NOT CONSUMING | | 335 | 472 | 28 | 43 | 20 | 37 | 383 | 552 | X |
| TOBACCO : ALL | | 543 | 488 | 52 | 52 | 29 | 37 | 624 | 577 | X |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| DAMAN & DIU | | RURAL | | | | NO.OF | | SAMPLE VILLAGES: | | 8 |
|-----------------------------|--|-----------------|--------|-----------|--------|--------|--------|------------------|--------|---------|
| ----- | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| ----- | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| ----- | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| ----- | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 132 | 43 | 0 | 0 | 121 | 8 | 123 | 14 | 27 |
| : CASUALLY | | 25 | 43 | 0 | 0 | 4 | 0 | 8 | 7 | 3 |
| : NOT CONSUMING | | 843 | 913 | 0 | 0 | 875 | 992 | 869 | 979 | 368 |
| : ALL | | 1000 | 1000 | 0 | 0 | 1000 | 1000 | 1000 | 1000 | 398 |
| ----- | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 141 | 0 | 0 | 0 | 36 | 0 | 57 | 0 | 16 |
| ZARDA : CASUALLY | | 0 | 0 | 0 | 0 | 11 | 0 | 8 | 0 | 1 |
| DOKTA ETC : NOT CONSUMING | | 859 | 1000 | 0 | 0 | 953 | 1000 | 934 | 1000 | 381 |
| : ALL | | 1000 | 1000 | 0 | 0 | 1000 | 1000 | 1000 | 1000 | 398 |
| ----- | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 0 | 41 | 0 | 34 | 5 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : NOT CONSUMING | | 1000 | 1000 | 0 | 0 | 1000 | 959 | 1000 | 966 | 393 |
| : ALL | | 1000 | 1000 | 0 | 0 | 1000 | 1000 | 1000 | 1000 | 398 |
| ----- | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 51 | 0 | 40 | 0 | 4 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| POWDER/PASTE:NOT CONSUMING | | 1000 | 1000 | 0 | 0 | 949 | 1000 | 960 | 1000 | 394 |
| : ALL | | 1000 | 1000 | 0 | 0 | 1000 | 1000 | 1000 | 1000 | 398 |
| ----- | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 273 | 43 | 0 | 0 | 200 | 50 | 215 | 49 | 49 |
| OF TOBACCO :CASUALLY | | 25 | 43 | 0 | 0 | 4 | 0 | 8 | 7 | 3 |
| IN ANY FORM.:NOT CONSUMING | | 702 | 913 | 0 | 0 | 796 | 950 | 777 | 944 | 346 |
| : ALL | | 1000 | 1000 | 0 | 0 | 1000 | 1000 | 1000 | 1000 | 398 |
| ----- | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 14 | 2 | 0 | 0 | 40 | 9 | 53 | 11 | X |
| REPORTING(00): CASUALLY | | 1 | 2 | 0 | 0 | 1 | 0 | 2 | 2 | X |
| CONSUMP. OF : NOT CONSUMING | | 35 | 34 | 0 | 0 | 158 | 181 | 193 | 214 | X |
| TOBACCO : ALL | | 50 | 37 | 0 | 0 | 198 | 190 | 248 | 227 | X |
| ----- | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 12 | 1 | 0 | 0 | 30 | 6 | 42 | 7 | X |
| REPORTING : CASUALLY | | 1 | 1 | 0 | 0 | 1 | 0 | 2 | 1 | X |
| CONSUMP. OF : NOT CONSUMING | | 28 | 30 | 0 | 0 | 135 | 153 | 163 | 183 | X |
| TOBACCO : ALL | | 41 | 32 | 0 | 0 | 166 | 159 | 207 | 191 | X |

Report no. 427: Consumption of Tobacco in India, 1993-94
A - 91

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

| | | | | | | | | | | |
|-----------------------------|-------|-----------------|--------|-----------|--------|--------|------------------|------|--------|---------|
| LAKSHADWEEP | RURAL | | | | NO.OF | | SAMPLE VILLAGES: | | 7 | |
| ----- | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| ----- | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| ----- | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| ----- | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 155 | 7 | 158 | 0 | 1000 | 0 | 162 | 5 | 35 |
| : CASUALLY | | 20 | 0 | 142 | 0 | 0 | 0 | 48 | 0 | 9 |
| : NOT CONSUMING | | 825 | 993 | 700 | 1000 | 0 | 1000 | 790 | 995 | 347 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 391 |
| ----- | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 115 | 133 | 0 | 143 | 0 | 0 | 87 | 134 | 47 |
| ZARDA : CASUALLY | | 0 | 20 | 24 | 61 | 0 | 0 | 6 | 29 | 8 |
| DOKTA ETC : NOT CONSUMING | | 885 | 847 | 976 | 796 | 1000 | 1000 | 907 | 836 | 336 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 391 |
| ----- | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 391 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 391 |
| ----- | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 14 | 0 | 0 | 0 | 0 | 0 | 11 | 0 | 1 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| POWDER/PASTE:NOT CONSUMING | | 986 | 1000 | 1000 | 1000 | 1000 | 1000 | 989 | 1000 | 390 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 391 |
| ----- | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 274 | 140 | 158 | 143 | 1000 | 0 | 252 | 140 | 81 |
| OF TOBACCO :CASUALLY | | 20 | 20 | 142 | 61 | 0 | 0 | 48 | 29 | 16 |
| IN ANY FORM.:NOT CONSUMING | | 706 | 840 | 700 | 796 | 0 | 1000 | 700 | 831 | 294 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 391 |
| ----- | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 18 | 11 | 3 | 3 | 1 | 0 | 22 | 14 | X |
| REPORTING(00): CASUALLY | | 1 | 2 | 3 | 1 | 0 | 0 | 4 | 3 | X |
| CONSUMP. OF : NOT CONSUMING | | 46 | 65 | 14 | 19 | 0 | 1 | 60 | 84 | X |
| TOBACCO : ALL | | 65 | 78 | 20 | 23 | 1 | 1 | 86 | 102 | X |
| ----- | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 43 | 25 | 6 | 6 | 1 | 0 | 50 | 31 | X |
| REPORTING : CASUALLY | | 3 | 4 | 6 | 3 | 0 | 0 | 9 | 7 | X |
| CONSUMP. OF : NOT CONSUMING | | 102 | 128 | 27 | 36 | 0 | 1 | 129 | 165 | X |
| TOBACCO : ALL | | 148 | 157 | 39 | 45 | 1 | 1 | 188 | 203 | X |
| ----- | | | | | | | | | | |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

| PONDICHERY | | RURAL | | | | NO.OF | | SAMPLE VILLAGES: | | 7 |
|-----------------------------|--|-----------------|--------|-----------|--------|--------|--------|------------------|--------|---------|
| ----- | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| ----- | | | | | | | | | | |
| CONSUMPTION. | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| ----- | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| ----- | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 0 | 0 | 120 | 0 | 148 | 15 | 135 | 9 | 21 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : NOT CONSUMING | | 1000 | 1000 | 880 | 1000 | 852 | 985 | 865 | 991 | 304 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 325 |
| ----- | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 0 | 0 | 18 | 0 | 67 | 49 | 46 | 28 | 15 |
| ZARDA : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DOKTA ETC : NOT CONSUMING | | 1000 | 1000 | 982 | 1000 | 933 | 951 | 954 | 972 | 310 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 325 |
| ----- | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 18 | 0 | 10 | 0 | 2 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 982 | 1000 | 990 | 1000 | 323 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 325 |
| ----- | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 2 | 1 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| POWDER/PASTE:NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 1000 | 997 | 1000 | 998 | 324 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 325 |
| ----- | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 0 | 0 | 120 | 0 | 197 | 67 | 163 | 39 | 35 |
| OF TOBACCO :CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| IN ANY FORM.:NOT CONSUMING | | 1000 | 1000 | 880 | 1000 | 803 | 933 | 837 | 961 | 290 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 325 |
| ----- | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 0 | 0 | 75 | 0 | 168 | 49 | 243 | 49 | X |
| REPORTING(00): CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| CONSUMP. OF : NOT CONSUMING | | 15 | 45 | 547 | 477 | 682 | 686 | 1244 | 1207 | X |
| TOBACCO : ALL | | 15 | 45 | 622 | 477 | 850 | 735 | 1487 | 1257 | X |
| ----- | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 0 | 0 | 7 | 0 | 19 | 9 | 26 | 9 | X |
| REPORTING : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| CONSUMP. OF : NOT CONSUMING | | 1 | 3 | 43 | 39 | 108 | 96 | 152 | 138 | X |
| TOBACCO : ALL | | 1 | 3 | 50 | 39 | 127 | 105 | 178 | 147 | X |
| ----- | | | | | | | | | | |

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND HOUSEHOLD GROUP

| ALL-INDIA | | RURAL | | | | NO.OF | | SAMPLE VILLAGES: | | 6951 |
|----------------------------|-----------------|-----------------|--------|--------|--------|---------|---------|------------------|---------|---------|
| ----- | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| ----- | | | | | | | | | | |
| CONSUMPTION. | | SCHEDULED | | | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| ----- | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| ----- | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 255 | 35 | 244 | 22 | 202 | 13 | 217 | 17 | 42691 |
| | : CASUALLY | 16 | 5 | 16 | 2 | 16 | 2 | 16 | 2 | 3975 |
| | : NOT CONSUMING | 729 | 961 | 740 | 976 | 782 | 985 | 767 | 981 | 309623 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 356289 |
| ----- | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 161 | 80 | 118 | 44 | 103 | 31 | 112 | 39 | 25959 |
| ZARDA | : CASUALLY | 20 | 9 | 15 | 4 | 13 | 5 | 14 | 5 | 4400 |
| DOKTA ETC | : NOT CONSUMING | 819 | 911 | 867 | 952 | 884 | 964 | 874 | 956 | 325930 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 356289 |
| ----- | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 9 | 12 | 4 | 4 | 4 | 5 | 5 | 6 | 1624 |
| | : CASUALLY | 1 | 1 | 1 | 0 | 1 | 1 | 1 | 1 | 237 |
| | : NOT CONSUMING | 990 | 987 | 995 | 995 | 995 | 994 | 994 | 994 | 354428 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 356289 |
| ----- | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 31 | 37 | 29 | 26 | 25 | 23 | 27 | 25 | 8433 |
| TOBACCO/ | : CASUALLY | 2 | 1 | 3 | 2 | 3 | 1 | 3 | 1 | 845 |
| POWDER/PASTE:NOT CONSUMING | | 966 | 962 | 967 | 973 | 972 | 976 | 971 | 973 | 347011 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 356289 |
| ----- | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 407 | 153 | 348 | 89 | 297 | 68 | 319 | 82 | 70628 |
| OF TOBACCO | :CASUALLY | 13 | 11 | 17 | 7 | 17 | 7 | 17 | 7 | 5462 |
| IN ANY FORM.:NOT CONSUMING | | 579 | 837 | 636 | 904 | 686 | 925 | 664 | 911 | 280199 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 356289 |
| ----- | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 131262 | 47436 | 222150 | 53202 | 607670 | 131491 | 961082 | 232129 | X |
| REPORTING(00): CASUALLY | | 4297 | 3273 | 10709 | 3920 | 35327 | 12587 | 50333 | 19780 | X |
| CONSUMP. OF | : NOT CONSUMING | 186755 | 259736 | 406210 | 537582 | 1405991 | 1789297 | 1998955 | 2586614 | X |
| TOBACCO | : ALL | 322313 | 310445 | 639069 | 594704 | 2048988 | 1933375 | 3010370 | 2838524 | X |
| ----- | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 10187 | 3693 | 10884 | 2570 | 35791 | 7503 | 56862 | 13766 | X |
| REPORTING | : CASUALLY | 626 | 714 | 584 | 223 | 2349 | 966 | 3559 | 1903 | X |
| CONSUMP. OF | : NOT CONSUMING | 15649 | 20640 | 20654 | 27061 | 86798 | 109397 | 123101 | 157098 | X |
| TOBACCO | : ALL | 26462 | 25047 | 32122 | 29854 | 124938 | 117866 | 183522 | 172767 | X |
| ----- | | | | | | | | | | |

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| ANDHRA PRADESH | | URBAN | | | | NO.OF SAMPLE BLOCK: | | | | 365 |
|-----------------------------|--|-----------------|--------|-----------|--------|---------------------|--------|-------|--------|---------|
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| SMOKING >>>>: REGULARLY | | 262 | 29 | 233 | 25 | 182 | 11 | 189 | 12 | 1550 |
| : CASUALLY | | 3 | 0 | 12 | 2 | 4 | 0 | 5 | 0 | 49 |
| : NOT CONSUMING | | 734 | 971 | 755 | 973 | 814 | 989 | 806 | 988 | 14313 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 15912 |
| CHEWING >>>>: REGULARLY | | 0 | 2 | 2 | 2 | 6 | 11 | 6 | 10 | 125 |
| ZARDA : CASUALLY | | 0 | 0 | 2 | 0 | 2 | 0 | 2 | 0 | 20 |
| DOKTA ETC : NOT CONSUMING | | 1000 | 998 | 996 | 998 | 992 | 989 | 993 | 990 | 15767 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 15912 |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 0 | 4 | 2 | 1 | 1 | 1 | 17 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| : NOT CONSUMING | | 1000 | 1000 | 1000 | 996 | 998 | 999 | 998 | 999 | 15893 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 15912 |
| BURNT >>>>: REGULARLY | | 3 | 9 | 9 | 27 | 2 | 6 | 3 | 8 | 86 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| POWDER/PASTE:NOT CONSUMING | | 997 | 991 | 991 | 973 | 997 | 993 | 997 | 991 | 15821 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 15912 |
| CONSUMPTION :REGULARLY | | 265 | 40 | 240 | 58 | 190 | 28 | 196 | 31 | 1758 |
| OF TOBACCO :CASUALLY | | 3 | 0 | 12 | 2 | 5 | 1 | 6 | 1 | 60 |
| IN ANY FORM.:NOT CONSUMING | | 731 | 960 | 748 | 940 | 805 | 971 | 798 | 968 | 14094 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 15912 |
| ESTD. PERSON:REGULARLY | | 627 | 88 | 1703 | 392 | 13916 | 2000 | 16245 | 2480 | X |
| REPORTING(00): CASUALLY | | 8 | 0 | 84 | 13 | 385 | 58 | 477 | 70 | X |
| CONSUMP. OF : NOT CONSUMING | | 1728 | 2119 | 5301 | 6313 | 59060 | 68251 | 66090 | 76683 | X |
| TOBACCO : ALL | | 2363 | 2208 | 7088 | 6718 | 73361 | 70308 | 82812 | 79234 | X |
| SAMPLE PERSON:REGULARLY | | 52 | 9 | 179 | 40 | 1306 | 172 | 1537 | 221 | X |
| REPORTING : CASUALLY | | 1 | 0 | 8 | 1 | 42 | 8 | 51 | 9 | X |
| CONSUMP. OF : NOT CONSUMING | | 146 | 178 | 511 | 632 | 5928 | 6699 | 6585 | 7509 | X |
| TOBACCO : ALL | | 199 | 187 | 698 | 673 | 7276 | 6879 | 8173 | 7739 | X |

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| ARUNACHAL PRADESH | | URBAN | | | | NO.OF SAMPLE BLOCK: | | | | 24 |
|-----------------------------|--|-----------------|--------|-----------|--------|---------------------|--------|------|--------|---------|
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| SMOKING >>>>: REGULARLY | | 116 | 26 | 25 | 0 | 161 | 23 | 144 | 23 | 81 |
| : CASUALLY | | 36 | 13 | 282 | 95 | 23 | 0 | 40 | 8 | 20 |
| : NOT CONSUMING | | 849 | 961 | 693 | 905 | 816 | 977 | 816 | 969 | 737 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 838 |
| CHEWING >>>>: REGULARLY | | 30 | 19 | 282 | 0 | 69 | 30 | 72 | 26 | 50 |
| ZARDA : CASUALLY | | 22 | 23 | 71 | 0 | 80 | 41 | 67 | 34 | 49 |
| DOKTA ETC : NOT CONSUMING | | 948 | 958 | 647 | 1000 | 850 | 929 | 861 | 940 | 739 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 838 |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 838 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 838 |
| BURNT >>>>: REGULARLY | | 23 | 12 | 0 | 0 | 35 | 0 | 30 | 3 | 14 |
| TOBACCO/ : CASUALLY | | 30 | 19 | 0 | 0 | 19 | 0 | 20 | 5 | 12 |
| POWDER/PASTE:NOT CONSUMING | | 946 | 969 | 1000 | 1000 | 947 | 1000 | 949 | 992 | 812 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 838 |
| CONSUMPTION :REGULARLY | | 156 | 58 | 307 | 0 | 243 | 53 | 228 | 52 | 135 |
| OF TOBACCO :CASUALLY | | 49 | 23 | 141 | 95 | 73 | 26 | 72 | 28 | 51 |
| IN ANY FORM.:NOT CONSUMING | | 795 | 918 | 552 | 905 | 683 | 921 | 701 | 920 | 652 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 838 |
| ESTD. PERSON:REGULARLY | | 15 | 6 | 7 | 0 | 79 | 13 | 102 | 19 | X |
| REPORTING(00): CASUALLY | | 5 | 2 | 3 | 2 | 24 | 6 | 32 | 10 | X |
| CONSUMP. OF : NOT CONSUMING | | 78 | 88 | 13 | 16 | 222 | 233 | 313 | 337 | X |
| TOBACCO : ALL | | 98 | 96 | 24 | 18 | 325 | 253 | 447 | 366 | X |
| SAMPLE PERSON:REGULARLY | | 17 | 6 | 5 | 0 | 93 | 14 | 115 | 20 | X |
| REPORTING : CASUALLY | | 6 | 3 | 2 | 1 | 30 | 9 | 38 | 13 | X |
| CONSUMP. OF : NOT CONSUMING | | 74 | 88 | 10 | 15 | 231 | 234 | 315 | 337 | X |
| TOBACCO : ALL | | 97 | 97 | 17 | 16 | 354 | 257 | 468 | 370 | X |

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| ASSAM | URBAN | NO.OF SAMPLE BLOCK: | | | | | | | | 88 |
|-------------------------------|------------------|---------------------|-----------------|--------|--------|--------|-------|--------|----------------|----|
| FORMS OF TOBACCO CONSUMPTION. | | | | | | | | | | |
| NUMBER PER 1000 | | | | | | | | | | |
| | SCHEDULED TRIBES | | SCHEDULED CASTE | | OTHERS | | ALL | | SAMPLE PERSONS | |
| | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | | |
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | |
| SMOKING >>>>: REGULARLY | 274 | 0 | 291 | 40 | 231 | 3 | 237 | 5 | 493 | |
| : CASUALLY | 39 | 0 | 59 | 0 | 53 | 2 | 52 | 2 | 118 | |
| : NOT CONSUMING | 687 | 1000 | 650 | 960 | 716 | 995 | 711 | 993 | 3178 | |
| : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 3789 | |
| CHEWING >>>>: REGULARLY | 147 | 30 | 83 | 15 | 92 | 22 | 93 | 22 | 240 | |
| ZARDA : CASUALLY | 45 | 18 | 46 | 25 | 41 | 12 | 42 | 14 | 109 | |
| DOKTA ETC : NOT CONSUMING | 807 | 952 | 871 | 960 | 867 | 965 | 865 | 964 | 3440 | |
| : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 3789 | |
| SNUFF >>>>: REGULARLY | 0 | 0 | 16 | 0 | 5 | 0 | 6 | 0 | 13 | |
| : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| : NOT CONSUMING | 1000 | 1000 | 984 | 1000 | 994 | 1000 | 994 | 1000 | 3775 | |
| : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 3789 | |
| BURNT >>>>: REGULARLY | 20 | 9 | 27 | 0 | 8 | 1 | 10 | 1 | 24 | |
| TOBACCO/ : CASUALLY | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 2 | |
| POWDER/PASTE:NOT CONSUMING | 980 | 991 | 973 | 1000 | 991 | 999 | 990 | 999 | 3763 | |
| : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 3789 | |
| CONSUMPTION :REGULARLY | 366 | 39 | 372 | 55 | 309 | 26 | 315 | 28 | 699 | |
| OF TOBACCO :CASUALLY | 23 | 18 | 46 | 25 | 57 | 15 | 55 | 16 | 148 | |
| IN ANY FORM.:NOT CONSUMING | 611 | 943 | 582 | 920 | 634 | 960 | 630 | 956 | 2942 | |
| : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 3789 | |
| ESTD. PERSON:REGULARLY | 151 | 16 | 258 | 38 | 2975 | 222 | 3385 | 276 | X | |
| REPORTING(00): CASUALLY | 10 | 7 | 32 | 17 | 547 | 127 | 589 | 151 | X | |
| CONSUMP. OF : NOT CONSUMING | 253 | 379 | 403 | 638 | 6112 | 8323 | 6768 | 9340 | X | |
| TOBACCO : ALL | 414 | 402 | 693 | 693 | 9635 | 8672 | 10741 | 9768 | X | |
| SAMPLE PERSON:REGULARLY | 38 | 4 | 59 | 8 | 547 | 43 | 644 | 55 | X | |
| REPORTING : CASUALLY | 1 | 2 | 9 | 3 | 110 | 23 | 120 | 28 | X | |
| CONSUMP. OF : NOT CONSUMING | 51 | 78 | 89 | 140 | 1093 | 1491 | 1233 | 1709 | X | |
| TOBACCO : ALL | 90 | 84 | 157 | 151 | 1750 | 1557 | 1997 | 1792 | X | |

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| BIHAR | | URBAN | | | | NO.OF SAMPLE BLOCK: | | | | 216 |
|-----------------------------|--|-----------------|--------|-----------|--------|---------------------|--------|-------|--------|---------|
| | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 88 | 13 | 56 | 2 | 62 | 7 | 63 | 7 | 371 |
| : CASUALLY | | 24 | 0 | 27 | 6 | 20 | 1 | 21 | 2 | 132 |
| : NOT CONSUMING | | 888 | 987 | 917 | 992 | 917 | 992 | 916 | 991 | 10096 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 10599 |
| | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 222 | 62 | 175 | 13 | 145 | 11 | 153 | 14 | 863 |
| ZARDA : CASUALLY | | 32 | 0 | 4 | 1 | 15 | 3 | 15 | 3 | 97 |
| DOKTA ETC : NOT CONSUMING | | 746 | 938 | 821 | 986 | 840 | 985 | 833 | 983 | 9639 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 10599 |
| | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 5 |
| : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 998 | 1000 | 999 | 1000 | 10593 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 10599 |
| | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 60 | 5 | 67 | 1 | 43 | 2 | 47 | 2 | 283 |
| TOBACCO/ : CASUALLY | | 3 | 0 | 5 | 0 | 3 | 1 | 4 | 1 | 22 |
| POWDER/PASTE:NOT CONSUMING | | 937 | 995 | 929 | 999 | 954 | 997 | 950 | 997 | 10294 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 10599 |
| | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 334 | 80 | 260 | 16 | 219 | 20 | 230 | 23 | 1346 |
| OF TOBACCO :CASUALLY | | 29 | 0 | 13 | 7 | 22 | 4 | 21 | 4 | 139 |
| IN ANY FORM.:NOT CONSUMING | | 637 | 920 | 727 | 977 | 759 | 976 | 749 | 973 | 9114 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 10599 |
| | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 754 | 178 | 1584 | 78 | 8366 | 625 | 10704 | 881 | X |
| REPORTING(00): CASUALLY | | 66 | 0 | 82 | 34 | 836 | 117 | 983 | 151 | X |
| CONSUMP. OF : NOT CONSUMING | | 1440 | 2040 | 4431 | 4704 | 28999 | 30798 | 34870 | 37542 | X |
| TOBACCO : ALL | | 2260 | 2218 | 6097 | 4815 | 38201 | 31541 | 46558 | 38574 | X |
| | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 82 | 18 | 189 | 10 | 979 | 68 | 1250 | 96 | X |
| REPORTING : CASUALLY | | 6 | 0 | 10 | 4 | 107 | 12 | 123 | 16 | X |
| CONSUMP. OF : NOT CONSUMING | | 166 | 214 | 517 | 555 | 3708 | 3954 | 4391 | 4723 | X |
| TOBACCO : ALL | | 254 | 232 | 716 | 569 | 4794 | 4034 | 5764 | 4835 | X |

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| GOA | URBAN | | | | NO.OF SAMPLE BLOCK: | | | | 22 | |
|-----------------------------|-------|---------------------|--------|--------------------|---------------------|--------|--------|------|--------|-------------------|
| | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED TRIBES | | SCHEDULED CASTE | | OTHERS | | ALL | | SAMPLE PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 186 | 0 | 76 | 229 | 145 | 8 | 144 | 16 | 71 |
| : CASUALLY | | 151 | 0 | 0 | 0 | 12 | 0 | 16 | 0 | 6 |
| : NOT CONSUMING | | 663 | 1000 | 924 | 771 | 843 | 992 | 840 | 984 | 770 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 847 |
| | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 151 | 0 | 424 | 0 | 25 | 6 | 37 | 6 | 15 |
| ZARDA : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DOKTA ETC : NOT CONSUMING | | 849 | 1000 | 576 | 1000 | 975 | 994 | 963 | 994 | 832 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 847 |
| | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 847 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 847 |
| | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 91 | 79 | 0 | 0 | 12 | 13 | 14 | 15 | 10 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| POWDER/PASTE:NOT CONSUMING | | 909 | 921 | 1000 | 1000 | 988 | 987 | 986 | 985 | 837 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 847 |
| | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 337 | 79 | 500 | 229 | 172 | 27 | 184 | 35 | 90 |
| OF TOBACCO :CASUALLY | | 0 | 0 | 0 | 0 | 9 | 0 | 8 | 0 | 4 |
| IN ANY FORM.:NOT CONSUMING | | 663 | 921 | 500 | 771 | 819 | 973 | 807 | 965 | 753 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 847 |
| | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 17 | 4 | 24 | 14 | 324 | 47 | 365 | 65 | X |
| REPORTING(00): CASUALLY | | 0 | 0 | 0 | 0 | 16 | 0 | 16 | 0 | X |
| CONSUMP. OF : NOT CONSUMING | | 32 | 52 | 24 | 48 | 1541 | 1696 | 1598 | 1796 | X |
| TOBACCO : ALL | | 49 | 57 | 48 | 62 | 1882 | 1743 | 1979 | 1861 | X |
| | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 3 | 1 | 4 | 1 | 73 | 8 | 80 | 10 | X |
| REPORTING : CASUALLY | | 0 | 0 | 0 | 0 | 4 | 0 | 4 | 0 | X |
| CONSUMP. OF : NOT CONSUMING | | 7 | 10 | 9 | 8 | 342 | 377 | 358 | 395 | X |
| TOBACCO : ALL | | 10 | 11 | 13 | 9 | 419 | 385 | 442 | 405 | X |

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| GUJARAT | | URBAN | | | | NO.OF SAMPLE BLOCK: | | | | 238 |
|-----------------------------|-----------------|-----------------|--------|-----------|--------|---------------------|--------|-------|--------|---------|
| | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 300 | 4 | 172 | 7 | 148 | 1 | 157 | 2 | 885 |
| | : CASUALLY | 15 | 0 | 8 | 1 | 7 | 1 | 8 | 1 | 77 |
| | : NOT CONSUMING | 685 | 996 | 821 | 991 | 845 | 997 | 835 | 997 | 9991 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 10953 |
| | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 91 | 0 | 76 | 1 | 48 | 4 | 53 | 4 | 348 |
| ZARDA | : CASUALLY | 4 | 0 | 9 | 0 | 10 | 1 | 10 | 1 | 59 |
| DOKTA ETC | : NOT CONSUMING | 906 | 1000 | 915 | 999 | 942 | 995 | 938 | 995 | 10546 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 10953 |
| | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 37 | 0 | 17 | 2 | 20 | 2 | 20 | 103 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 4 |
| | : NOT CONSUMING | 1000 | 963 | 1000 | 983 | 997 | 979 | 998 | 979 | 10846 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 10953 |
| | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 8 | 0 | 5 | 1 | 5 | 0 | 5 | 0 | 36 |
| TOBACCO/ | : CASUALLY | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 3 |
| POWDER/PASTE:NOT CONSUMING | | 992 | 1000 | 995 | 999 | 994 | 1000 | 994 | 1000 | 10914 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 10953 |
| | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 386 | 41 | 240 | 25 | 195 | 25 | 209 | 26 | 1308 |
| OF TOBACCO :CASUALLY | | 15 | 0 | 13 | 1 | 14 | 3 | 14 | 3 | 107 |
| IN ANY FORM.:NOT CONSUMING | | 599 | 959 | 748 | 973 | 791 | 972 | 777 | 971 | 9538 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 10953 |
| | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 1150 | 108 | 1746 | 165 | 10796 | 1279 | 13692 | 1553 | X |
| REPORTING(00): CASUALLY | | 45 | 0 | 92 | 10 | 777 | 146 | 913 | 156 | X |
| CONSUMP. OF : NOT CONSUMING | | 1782 | 2549 | 5442 | 6328 | 43747 | 49032 | 50970 | 57909 | X |
| TOBACCO | : ALL | 2977 | 2657 | 7279 | 6502 | 55320 | 50458 | 65576 | 59617 | X |
| | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 82 | 13 | 138 | 18 | 959 | 98 | 1179 | 129 | X |
| REPORTING | : CASUALLY | 4 | 0 | 10 | 2 | 80 | 11 | 94 | 13 | X |
| CONSUMP. OF : NOT CONSUMING | | 166 | 209 | 464 | 552 | 3908 | 4239 | 4538 | 5000 | X |
| TOBACCO | : ALL | 252 | 222 | 612 | 572 | 4947 | 4348 | 5811 | 5142 | X |

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| HARYANA | | URBAN | | | | NO.OF SAMPLE BLOCK: | | | | 70 |
|-----------------------------|--|-----------------|--------|-----------|--------|---------------------|--------|-------|--------|---------|
| | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 337 | 0 | 285 | 16 | 216 | 6 | 229 | 8 | 377 |
| : CASUALLY | | 0 | 0 | 13 | 18 | 15 | 2 | 15 | 4 | 28 |
| : NOT CONSUMING | | 663 | 1000 | 702 | 966 | 769 | 993 | 757 | 988 | 2718 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 3123 |
| | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 0 | 0 | 44 | 0 | 8 | 2 | 14 | 2 | 22 |
| ZARDA : CASUALLY | | 0 | 0 | 4 | 0 | 2 | 0 | 2 | 0 | 5 |
| DOKTA ETC : NOT CONSUMING | | 1000 | 1000 | 951 | 1000 | 991 | 998 | 984 | 998 | 3096 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 3123 |
| | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 2 | 3 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 999 | 998 | 999 | 998 | 3120 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 3123 |
| | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 0 | 0 | 2 | 0 | 1 | 1 | 1 | 1 | 6 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| POWDER/PASTE:NOT CONSUMING | | 1000 | 1000 | 998 | 1000 | 999 | 999 | 998 | 999 | 3116 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 3123 |
| | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 337 | 0 | 319 | 16 | 223 | 11 | 241 | 12 | 400 |
| OF TOBACCO :CASUALLY | | 0 | 0 | 13 | 18 | 16 | 1 | 15 | 4 | 29 |
| IN ANY FORM.:NOT CONSUMING | | 663 | 1000 | 668 | 966 | 761 | 988 | 744 | 984 | 2694 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 3123 |
| | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 36 | 0 | 1383 | 56 | 4381 | 183 | 5800 | 239 | X |
| REPORTING(00): CASUALLY | | 0 | 0 | 56 | 63 | 311 | 16 | 367 | 79 | X |
| CONSUMP. OF : NOT CONSUMING | | 70 | 74 | 2891 | 3369 | 14943 | 16365 | 17904 | 19807 | X |
| TOBACCO : ALL | | 106 | 74 | 4330 | 3487 | 19635 | 16564 | 24071 | 20125 | X |
| | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 2 | 0 | 78 | 4 | 302 | 14 | 382 | 18 | X |
| REPORTING : CASUALLY | | 0 | 0 | 3 | 2 | 23 | 1 | 26 | 3 | X |
| CONSUMP. OF : NOT CONSUMING | | 6 | 6 | 183 | 206 | 1094 | 1199 | 1283 | 1411 | X |
| TOBACCO : ALL | | 8 | 6 | 264 | 212 | 1419 | 1214 | 1691 | 1432 | X |

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| HIMACHAL PRADESH | | URBAN | | | | NO.OF SAMPLE BLOCK: | | | | 40 |
|-----------------------------|--|-----------------|--------|-----------|--------|---------------------|--------|------|--------|---------|
| | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 210 | 304 | 240 | 46 | 199 | 12 | 207 | 25 | 190 |
| : CASUALLY | | 0 | 0 | 10 | 6 | 21 | 0 | 18 | 1 | 17 |
| : NOT CONSUMING | | 790 | 696 | 750 | 948 | 780 | 988 | 774 | 973 | 1265 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1472 |
| | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 0 | 0 | 6 | 0 | 6 | 0 | 6 | 0 | 6 |
| ZARDA : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 2 | 1 |
| DOKTA ETC : NOT CONSUMING | | 1000 | 1000 | 994 | 1000 | 994 | 997 | 994 | 998 | 1465 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1472 |
| | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 1000 | 999 | 1000 | 999 | 1471 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1472 |
| | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 0 | 0 | 14 | 6 | 1 | 0 | 4 | 1 | 5 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| POWDER/PASTE:NOT CONSUMING | | 1000 | 1000 | 986 | 994 | 999 | 1000 | 996 | 999 | 1467 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1472 |
| | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 210 | 304 | 260 | 52 | 206 | 13 | 217 | 27 | 201 |
| OF TOBACCO :CASUALLY | | 0 | 0 | 10 | 0 | 21 | 3 | 18 | 2 | 17 |
| IN ANY FORM.:NOT CONSUMING | | 790 | 696 | 730 | 948 | 773 | 984 | 765 | 970 | 1254 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1472 |
| | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 8 | 13 | 117 | 19 | 389 | 19 | 515 | 51 | X |
| REPORTING(00): CASUALLY | | 0 | 0 | 4 | 0 | 39 | 4 | 44 | 4 | X |
| CONSUMP. OF : NOT CONSUMING | | 32 | 30 | 328 | 340 | 1459 | 1415 | 1819 | 1786 | X |
| TOBACCO : ALL | | 40 | 43 | 450 | 359 | 1888 | 1438 | 2377 | 1840 | X |
| | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 2 | 3 | 34 | 5 | 150 | 7 | 186 | 15 | X |
| REPORTING : CASUALLY | | 0 | 0 | 1 | 0 | 15 | 1 | 16 | 1 | X |
| CONSUMP. OF : NOT CONSUMING | | 12 | 9 | 91 | 93 | 508 | 541 | 611 | 643 | X |
| TOBACCO : ALL | | 14 | 12 | 126 | 98 | 673 | 549 | 813 | 659 | X |

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| JAMMU & KASHMIR | | URBAN | | | | NO.OF SAMPLE BLOCK: | | | | 53 |
|-----------------------------|--|-----------------|--------|-----------|--------|---------------------|--------|------|--------|---------|
| | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 17 | 0 | 213 | 10 | 129 | 1 | 138 | 2 | 185 |
| : CASUALLY | | 0 | 0 | 18 | 0 | 15 | 0 | 15 | 0 | 19 |
| : NOT CONSUMING | | 983 | 1000 | 769 | 990 | 857 | 999 | 847 | 998 | 2345 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 2549 |
| | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 0 | 0 | 10 | 0 | 6 | 0 | 6 | 0 | 5 |
| ZARDA : CASUALLY | | 0 | 0 | 7 | 0 | 1 | 0 | 1 | 0 | 2 |
| DOKTA ETC : NOT CONSUMING | | 1000 | 1000 | 983 | 1000 | 994 | 1000 | 992 | 1000 | 2542 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 2549 |
| | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 |
| : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 999 | 1000 | 1000 | 1000 | 2548 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 2549 |
| | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 2 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 2 |
| POWDER/PASTE:NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 998 | 999 | 998 | 999 | 2545 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 2549 |
| | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 17 | 0 | 213 | 10 | 131 | 1 | 140 | 2 | 187 |
| OF TOBACCO :CASUALLY | | 0 | 0 | 25 | 0 | 15 | 1 | 16 | 1 | 21 |
| IN ANY FORM.:NOT CONSUMING | | 983 | 1000 | 762 | 990 | 855 | 998 | 845 | 997 | 2341 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 2549 |
| | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 1 | 0 | 81 | 4 | 324 | 3 | 405 | 6 | X |
| REPORTING(00): CASUALLY | | 0 | 0 | 10 | 0 | 36 | 1 | 46 | 1 | X |
| CONSUMP. OF : NOT CONSUMING | | 47 | 32 | 289 | 359 | 2115 | 2235 | 2451 | 2626 | X |
| TOBACCO : ALL | | 48 | 32 | 380 | 363 | 2475 | 2239 | 2902 | 2634 | X |
| | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 1 | 0 | 42 | 2 | 140 | 2 | 183 | 4 | X |
| REPORTING : CASUALLY | | 0 | 0 | 5 | 0 | 15 | 1 | 20 | 1 | X |
| CONSUMP. OF : NOT CONSUMING | | 24 | 24 | 158 | 185 | 950 | 1000 | 1132 | 1209 | X |
| TOBACCO : ALL | | 25 | 24 | 205 | 187 | 1105 | 1003 | 1335 | 1214 | X |

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| KARNATAKA | | URBAN | | | | NO.OF SAMPLE BLOCK: | | | | 247 |
|-----------------------------|--|-----------------|--------|-----------|--------|---------------------|--------|-------|--------|---------|
| | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| | | | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 221 | 0 | 200 | 5 | 141 | 2 | 151 | 2 | 898 |
| : CASUALLY | | 18 | 0 | 9 | 0 | 12 | 1 | 12 | 1 | 80 |
| : NOT CONSUMING | | 761 | 1000 | 791 | 995 | 847 | 997 | 837 | 997 | 10519 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 11497 |
| | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 18 | 17 | 42 | 27 | 26 | 8 | 28 | 11 | 213 |
| ZARDA : CASUALLY | | 12 | 2 | 5 | 5 | 6 | 3 | 6 | 3 | 48 |
| DOKTA ETC : NOT CONSUMING | | 970 | 981 | 953 | 967 | 968 | 989 | 966 | 986 | 11236 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 11497 |
| | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 5 | 0 | 11 | 3 | 2 | 3 | 3 | 30 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : NOT CONSUMING | | 1000 | 995 | 1000 | 989 | 997 | 998 | 997 | 997 | 11467 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 11497 |
| | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 11 | 30 | 5 | 20 | 1 | 7 | 2 | 9 | 55 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 2 | 0 | 0 | 0 | 1 | 0 | 3 |
| POWDER/PASTE:NOT CONSUMING | | 989 | 970 | 993 | 980 | 999 | 993 | 998 | 991 | 11439 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 11497 |
| | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 239 | 46 | 230 | 47 | 163 | 17 | 174 | 22 | 1136 |
| OF TOBACCO :CASUALLY | | 18 | 2 | 12 | 5 | 17 | 4 | 16 | 4 | 118 |
| IN ANY FORM.:NOT CONSUMING | | 743 | 952 | 758 | 948 | 820 | 979 | 810 | 974 | 10243 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 11497 |
| | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 492 | 93 | 1672 | 335 | 8415 | 829 | 10579 | 1256 | X |
| REPORTING(00): CASUALLY | | 36 | 4 | 88 | 38 | 860 | 193 | 984 | 235 | X |
| CONSUMP. OF : NOT CONSUMING | | 1527 | 1908 | 5515 | 6739 | 42209 | 47508 | 49251 | 56155 | X |
| TOBACCO : ALL | | 2055 | 2005 | 7274 | 7111 | 51484 | 48530 | 60813 | 57646 | X |
| | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 48 | 9 | 151 | 29 | 815 | 84 | 1014 | 122 | X |
| REPORTING : CASUALLY | | 3 | 1 | 10 | 5 | 83 | 16 | 96 | 22 | X |
| CONSUMP. OF : NOT CONSUMING | | 157 | 194 | 497 | 614 | 4137 | 4644 | 4791 | 5452 | X |
| TOBACCO : ALL | | 208 | 204 | 658 | 648 | 5035 | 4744 | 5901 | 5596 | X |

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| KERALA | | URBAN | | | | NO.OF SAMPLE BLOCK: | | | | 183 |
|-----------------------------|--|-----------------|--------|-----------|--------|---------------------|--------|-------|--------|---------|
| | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 270 | 0 | 301 | 12 | 203 | 4 | 210 | 4 | 795 |
| : CASUALLY | | 6 | 0 | 40 | 0 | 33 | 1 | 34 | 1 | 156 |
| : NOT CONSUMING | | 724 | 1000 | 658 | 988 | 763 | 995 | 756 | 995 | 7230 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 8181 |
| | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 60 | 0 | 21 | 74 | 18 | 27 | 18 | 29 | 192 |
| ZARDA : CASUALLY | | 0 | 0 | 8 | 11 | 8 | 5 | 8 | 5 | 50 |
| DOKTA ETC : NOT CONSUMING | | 940 | 1000 | 972 | 915 | 974 | 968 | 973 | 965 | 7939 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 8181 |
| | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 10 | 0 | 5 | 0 | 5 | 0 | 22 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 6 |
| : NOT CONSUMING | | 1000 | 1000 | 990 | 1000 | 993 | 1000 | 993 | 1000 | 8153 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 8181 |
| | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 7 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 3 |
| POWDER/PASTE:NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 999 | 999 | 999 | 999 | 8171 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 8181 |
| | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 330 | 0 | 318 | 86 | 219 | 31 | 226 | 34 | 985 |
| OF TOBACCO :CASUALLY | | 6 | 0 | 38 | 11 | 36 | 6 | 36 | 6 | 185 |
| IN ANY FORM.:NOT CONSUMING | | 664 | 1000 | 644 | 903 | 744 | 963 | 738 | 960 | 7011 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 8181 |
| | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 68 | 0 | 555 | 145 | 5745 | 854 | 6368 | 999 | X |
| REPORTING(00): CASUALLY | | 1 | 0 | 66 | 19 | 954 | 157 | 1021 | 176 | X |
| CONSUMP. OF : NOT CONSUMING | | 136 | 211 | 1125 | 1527 | 19507 | 26567 | 20768 | 28305 | X |
| TOBACCO : ALL | | 205 | 211 | 1747 | 1691 | 26205 | 27579 | 28158 | 29480 | X |
| | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 10 | 0 | 70 | 19 | 761 | 125 | 841 | 144 | X |
| REPORTING : CASUALLY | | 1 | 0 | 8 | 4 | 146 | 26 | 155 | 30 | X |
| CONSUMP. OF : NOT CONSUMING | | 18 | 31 | 150 | 201 | 2793 | 3818 | 2961 | 4050 | X |
| TOBACCO : ALL | | 29 | 31 | 228 | 224 | 3700 | 3969 | 3957 | 4224 | X |

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| MADHYA PRADESH | | URBAN | | | | NO.OF SAMPLE BLOCK: | | | | 325 |
|-----------------------------|--|-----------------|--------|-----------|--------|---------------------|--------|-------|--------|---------|
| ----- | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| ----- | | | | | | | | | | |
| CONSUMPTION. | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| ----- | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| ----- | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 211 | 3 | 200 | 8 | 134 | 5 | 151 | 5 | 1249 |
| : CASUALLY | | 17 | 3 | 20 | 6 | 16 | 0 | 17 | 1 | 151 |
| : NOT CONSUMING | | 773 | 994 | 780 | 986 | 850 | 995 | 832 | 993 | 14504 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 15904 |
| ----- | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 97 | 43 | 106 | 47 | 89 | 26 | 93 | 31 | 1018 |
| ZARDA : CASUALLY | | 10 | 0 | 22 | 9 | 10 | 1 | 12 | 2 | 124 |
| DOKTA ETC : NOT CONSUMING | | 893 | 957 | 872 | 944 | 900 | 973 | 895 | 967 | 14762 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 15904 |
| ----- | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 2 | 1 | 7 | 6 | 5 | 6 | 5 | 6 | 66 |
| : CASUALLY | | 0 | 3 | 8 | 5 | 2 | 1 | 3 | 2 | 26 |
| : NOT CONSUMING | | 998 | 996 | 985 | 989 | 993 | 992 | 992 | 992 | 15812 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 15904 |
| ----- | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 36 | 30 | 10 | 10 | 18 | 11 | 18 | 12 | 214 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 10 | 8 | 1 | 1 | 3 | 2 | 33 |
| POWDER/PASTE:NOT CONSUMING | | 964 | 970 | 980 | 983 | 981 | 988 | 980 | 986 | 15657 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 15904 |
| ----- | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 298 | 72 | 286 | 66 | 219 | 46 | 236 | 51 | 2291 |
| OF TOBACCO :CASUALLY | | 9 | 6 | 27 | 13 | 17 | 2 | 18 | 4 | 181 |
| IN ANY FORM.:NOT CONSUMING | | 693 | 922 | 687 | 921 | 764 | 953 | 746 | 945 | 13432 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 15904 |
| ----- | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 1639 | 326 | 3929 | 821 | 13074 | 2420 | 18642 | 3568 | X |
| REPORTING(00): CASUALLY | | 50 | 26 | 372 | 160 | 990 | 86 | 1412 | 272 | X |
| CONSUMP. OF : NOT CONSUMING | | 3817 | 4194 | 9448 | 11406 | 45577 | 50541 | 58842 | 66141 | X |
| TOBACCO : ALL | | 5507 | 4546 | 13749 | 12387 | 59642 | 53047 | 78897 | 69981 | X |
| ----- | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 143 | 27 | 380 | 79 | 1419 | 243 | 1942 | 349 | X |
| REPORTING : CASUALLY | | 8 | 2 | 36 | 17 | 111 | 7 | 155 | 26 | X |
| CONSUMP. OF : NOT CONSUMING | | 324 | 388 | 889 | 1097 | 5083 | 5651 | 6296 | 7136 | X |
| TOBACCO : ALL | | 475 | 417 | 1305 | 1193 | 6613 | 5901 | 8393 | 7511 | X |

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| MAHARASTRA | | URBAN | | | | NO.OF SAMPLE BLOCK: | | | | 557 |
|-----------------------------|--|-----------------|--------|-----------|--------|---------------------|--------|--------|--------|---------|
| | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 101 | 4 | 112 | 0 | 82 | 2 | 87 | 2 | 1147 |
| : CASUALLY | | 10 | 0 | 6 | 0 | 14 | 1 | 13 | 1 | 184 |
| : NOT CONSUMING | | 889 | 996 | 881 | 1000 | 904 | 997 | 900 | 997 | 22913 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 24244 |
| | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 149 | 61 | 106 | 68 | 87 | 24 | 92 | 32 | 1456 |
| ZARDA : CASUALLY | | 4 | 4 | 9 | 1 | 7 | 1 | 7 | 2 | 92 |
| DOKTA ETC : NOT CONSUMING | | 847 | 934 | 886 | 931 | 906 | 975 | 901 | 967 | 22696 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 24244 |
| | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 3 | 7 | 2 | 3 | 3 | 2 | 3 | 2 | 62 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| : NOT CONSUMING | | 997 | 993 | 998 | 997 | 997 | 998 | 997 | 997 | 24179 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 24244 |
| | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 51 | 43 | 54 | 59 | 19 | 26 | 25 | 32 | 677 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 20 |
| POWDER/PASTE:NOT CONSUMING | | 949 | 957 | 946 | 941 | 980 | 973 | 974 | 967 | 23547 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 24244 |
| | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 267 | 105 | 242 | 120 | 175 | 50 | 188 | 62 | 3017 |
| OF TOBACCO :CASUALLY | | 12 | 4 | 13 | 1 | 17 | 3 | 16 | 3 | 234 |
| IN ANY FORM.:NOT CONSUMING | | 721 | 890 | 745 | 879 | 808 | 947 | 796 | 935 | 20993 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 24244 |
| | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 1356 | 555 | 4836 | 2180 | 20300 | 5176 | 26492 | 7911 | X |
| REPORTING(00): CASUALLY | | 61 | 24 | 263 | 22 | 1984 | 317 | 2308 | 363 | X |
| CONSUMP. OF : NOT CONSUMING | | 3652 | 4705 | 14881 | 15942 | 93503 | 98477 | 112037 | 119124 | X |
| TOBACCO : ALL | | 5069 | 5284 | 19980 | 18144 | 115787 | 103970 | 140836 | 127398 | X |
| | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 115 | 52 | 381 | 195 | 1816 | 458 | 2312 | 705 | X |
| REPORTING : CASUALLY | | 4 | 2 | 25 | 2 | 172 | 29 | 201 | 33 | X |
| CONSUMP. OF : NOT CONSUMING | | 325 | 397 | 1138 | 1269 | 8679 | 9185 | 10142 | 10851 | X |
| TOBACCO : ALL | | 444 | 451 | 1544 | 1466 | 10667 | 9672 | 12655 | 11589 | X |

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| MANIPUR | | URBAN | | | | NO.OF SAMPLE BLOCK: | | | | 70 |
|-----------------------------|-----------------|-----------------|--------|-----------|--------|---------------------|--------|------|--------|---------|
| | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 290 | 35 | 195 | 0 | 227 | 81 | 235 | 73 | 631 |
| | : CASUALLY | 0 | 12 | 153 | 0 | 32 | 25 | 30 | 23 | 105 |
| | : NOT CONSUMING | 710 | 953 | 652 | 1000 | 741 | 894 | 735 | 905 | 2963 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 3699 |
| | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 32 | 5 | 0 | 0 | 30 | 7 | 29 | 6 | 82 |
| ZARDA | : CASUALLY | 84 | 2 | 0 | 0 | 36 | 12 | 42 | 10 | 119 |
| DOKTA ETC | : NOT CONSUMING | 884 | 993 | 1000 | 1000 | 934 | 982 | 929 | 984 | 3498 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 3699 |
| | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 5 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | : NOT CONSUMING | 995 | 1000 | 1000 | 1000 | 999 | 1000 | 999 | 1000 | 3696 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 3699 |
| | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 10 | 1 | 9 | 1 | 32 |
| TOBACCO/ | : CASUALLY | 0 | 0 | 0 | 0 | 2 | 3 | 1 | 3 | 13 |
| POWDER/PASTE:NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 988 | 996 | 990 | 997 | 3654 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 3699 |
| | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 292 | 37 | 195 | 0 | 240 | 87 | 246 | 78 | 664 |
| OF TOBACCO :CASUALLY | | 5 | 14 | 153 | 0 | 42 | 33 | 39 | 30 | 151 |
| IN ANY FORM.:NOT CONSUMING | | 703 | 949 | 652 | 1000 | 718 | 880 | 714 | 892 | 2884 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 3699 |
| | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 83 | 12 | 7 | 0 | 416 | 150 | 507 | 161 | X |
| REPORTING(00): CASUALLY | | 2 | 5 | 6 | 0 | 74 | 57 | 81 | 62 | X |
| CONSUMP. OF : NOT CONSUMING | | 200 | 305 | 25 | 29 | 1244 | 1510 | 1470 | 1844 | X |
| TOBACCO | : ALL | 285 | 322 | 38 | 29 | 1734 | 1717 | 2058 | 2067 | X |
| | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 55 | 8 | 12 | 0 | 444 | 145 | 511 | 153 | X |
| REPORTING : CASUALLY | | 1 | 3 | 7 | 0 | 82 | 58 | 90 | 61 | X |
| CONSUMP. OF : NOT CONSUMING | | 100 | 167 | 34 | 41 | 1147 | 1395 | 1281 | 1603 | X |
| TOBACCO | : ALL | 156 | 178 | 53 | 41 | 1673 | 1598 | 1882 | 1817 | X |

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| MEGHALAYA | | URBAN | | | | NO.OF SAMPLE BLOCK: | | | | 48 |
|-----------------------------|-----------------|-----------------|--------|-----------|--------|---------------------|--------|------|--------|---------|
| | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 385 | 22 | 294 | 0 | 285 | 17 | 346 | 20 | 370 |
| | : CASUALLY | 18 | 2 | 0 | 0 | 19 | 5 | 17 | 3 | 19 |
| | : NOT CONSUMING | 597 | 976 | 706 | 1000 | 697 | 978 | 637 | 977 | 1501 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1890 |
| | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 6 | 19 | 28 | 0 | 107 | 38 | 42 | 24 | 60 |
| ZARDA | : CASUALLY | 3 | 65 | 0 | 0 | 26 | 44 | 11 | 56 | 63 |
| DOKTA ETC | : NOT CONSUMING | 990 | 916 | 972 | 1000 | 867 | 918 | 947 | 920 | 1767 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1890 |
| | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 1 | 1 |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 1000 | 996 | 1000 | 999 | 1889 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1890 |
| | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOBACCO/ | : CASUALLY | 0 | 0 | 0 | 0 | 3 | 0 | 1 | 0 | 1 |
| POWDER/PASTE:NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 997 | 1000 | 999 | 1000 | 1889 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1890 |
| | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 387 | 41 | 322 | 0 | 367 | 54 | 377 | 44 | 419 |
| OF TOBACCO :CASUALLY | | 18 | 67 | 0 | 0 | 27 | 47 | 20 | 59 | 74 |
| IN ANY FORM.:NOT CONSUMING | | 595 | 892 | 678 | 1000 | 607 | 898 | 603 | 898 | 1397 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1890 |
| | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 241 | 27 | 16 | 0 | 130 | 16 | 387 | 43 | X |
| REPORTING(00): CASUALLY | | 11 | 43 | 0 | 0 | 10 | 14 | 21 | 57 | X |
| CONSUMP. OF : NOT CONSUMING | | 370 | 582 | 34 | 35 | 216 | 259 | 620 | 877 | X |
| TOBACCO | : ALL | 623 | 653 | 50 | 35 | 355 | 289 | 1028 | 977 | X |
| | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 242 | 30 | 14 | 0 | 123 | 10 | 379 | 40 | X |
| REPORTING : CASUALLY | | 10 | 43 | 0 | 0 | 9 | 12 | 19 | 55 | X |
| CONSUMP. OF : NOT CONSUMING | | 365 | 539 | 32 | 33 | 196 | 232 | 593 | 804 | X |
| TOBACCO | : ALL | 617 | 612 | 46 | 33 | 328 | 254 | 991 | 899 | X |

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| MIZORAM | URBAN | | | | NO.OF SAMPLE BLOCK: | | | | 96 | |
|-----------------------------|-------|-----------------|--------|-----------|---------------------|--------|--------|------|--------|---------|
| | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 425 | 207 | 397 | 86 | 391 | 190 | 425 | 206 | 1392 |
| : CASUALLY | | 48 | 78 | 66 | 148 | 34 | 0 | 48 | 78 | 266 |
| : NOT CONSUMING | | 527 | 714 | 538 | 766 | 575 | 810 | 527 | 716 | 2707 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 4365 |
| | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 28 | 92 | 314 | 0 | 110 | 144 | 33 | 92 | 280 |
| ZARDA : CASUALLY | | 49 | 84 | 77 | 204 | 0 | 0 | 49 | 83 | 246 |
| DOKTA ETC : NOT CONSUMING | | 923 | 824 | 610 | 796 | 890 | 856 | 919 | 825 | 3839 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 4365 |
| | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 2 | 3 | 0 | 0 | 0 | 0 | 2 | 3 | 11 |
| : CASUALLY | | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 6 |
| : NOT CONSUMING | | 998 | 996 | 1000 | 1000 | 1000 | 1000 | 998 | 996 | 4348 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 4365 |
| | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 4 | 31 | 0 | 0 | 0 | 0 | 4 | 30 | 58 |
| TOBACCO/ : CASUALLY | | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 5 |
| POWDER/PASTE:NOT CONSUMING | | 994 | 969 | 1000 | 1000 | 1000 | 1000 | 994 | 969 | 4302 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 4365 |
| | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 450 | 325 | 710 | 86 | 475 | 334 | 454 | 324 | 1709 |
| OF TOBACCO :CASUALLY | | 62 | 133 | 66 | 352 | 34 | 0 | 61 | 132 | 392 |
| IN ANY FORM.:NOT CONSUMING | | 489 | 542 | 224 | 562 | 491 | 666 | 485 | 544 | 2264 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 4365 |
| | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 361 | 252 | 8 | 0 | 5 | 3 | 374 | 256 | X |
| REPORTING(00): CASUALLY | | 50 | 103 | 1 | 2 | 0 | 0 | 51 | 105 | X |
| CONSUMP. OF : NOT CONSUMING | | 392 | 421 | 3 | 2 | 5 | 6 | 400 | 430 | X |
| TOBACCO : ALL | | 803 | 777 | 11 | 4 | 10 | 9 | 825 | 790 | X |
| | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 981 | 662 | 35 | 2 | 18 | 11 | 1034 | 675 | X |
| REPORTING : CASUALLY | | 123 | 261 | 2 | 4 | 2 | 0 | 127 | 265 | X |
| CONSUMP. OF : NOT CONSUMING | | 1042 | 1151 | 22 | 9 | 19 | 21 | 1083 | 1181 | X |
| TOBACCO : ALL | | 2146 | 2074 | 59 | 15 | 39 | 32 | 2244 | 2121 | X |

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| NAGALAND | | URBAN | | | | NO.OF SAMPLE BLOCK: | | | | 24 |
|-----------------------------|--|-----------------|--------|-----------|--------|---------------------|--------|------|--------|---------|
| ----- | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| ----- | | | | | | | | | | |
| CONSUMPTION. | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| ----- | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| ----- | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 180 | 0 | 363 | 0 | 209 | 0 | 192 | 0 | 127 |
| : CASUALLY | | 19 | 0 | 0 | 0 | 14 | 0 | 17 | 0 | 9 |
| : NOT CONSUMING | | 802 | 1000 | 637 | 1000 | 777 | 1000 | 791 | 1000 | 1036 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1172 |
| ----- | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 24 | 0 | 0 | 0 | 60 | 0 | 36 | 0 | 27 |
| ZARDA : CASUALLY | | 20 | 0 | 110 | 0 | 21 | 0 | 21 | 0 | 18 |
| DOKTA ETC : NOT CONSUMING | | 956 | 1000 | 890 | 1000 | 919 | 1000 | 942 | 1000 | 1127 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1172 |
| ----- | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1172 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1172 |
| ----- | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 40 | 0 | 14 | 0 | 8 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| POWDER/PASTE:NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 960 | 1000 | 986 | 1000 | 1164 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1172 |
| ----- | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 191 | 0 | 363 | 0 | 295 | 0 | 230 | 0 | 153 |
| OF TOBACCO :CASUALLY | | 27 | 0 | 110 | 0 | 28 | 0 | 29 | 0 | 18 |
| IN ANY FORM.:NOT CONSUMING | | 782 | 1000 | 526 | 1000 | 677 | 1000 | 741 | 1000 | 1001 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1172 |
| ----- | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 102 | 0 | 4 | 0 | 87 | 0 | 192 | 0 | X |
| REPORTING(00): CASUALLY | | 14 | 0 | 1 | 0 | 8 | 0 | 24 | 0 | X |
| CONSUMP. OF : NOT CONSUMING | | 416 | 415 | 6 | 2 | 198 | 164 | 620 | 582 | X |
| TOBACCO : ALL | | 532 | 415 | 11 | 2 | 293 | 164 | 836 | 582 | X |
| ----- | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 87 | 0 | 3 | 0 | 63 | 0 | 153 | 0 | X |
| REPORTING : CASUALLY | | 11 | 0 | 1 | 0 | 6 | 0 | 18 | 0 | X |
| CONSUMP. OF : NOT CONSUMING | | 378 | 359 | 7 | 4 | 138 | 115 | 523 | 478 | X |
| TOBACCO : ALL | | 476 | 359 | 11 | 4 | 207 | 115 | 694 | 478 | X |

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| ORISSA | | URBAN | | | | NO.OF SAMPLE BLOCK: | | | | 104 |
|-----------------------------|-----------------|-----------------|--------|-----------|--------|---------------------|--------|-------|--------|---------|
| | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 203 | 0 | 218 | 0 | 169 | 6 | 180 | 4 | 379 |
| | : CASUALLY | 30 | 0 | 49 | 0 | 27 | 6 | 30 | 4 | 80 |
| | : NOT CONSUMING | 767 | 1000 | 732 | 1000 | 803 | 988 | 790 | 991 | 4074 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 4533 |
| | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 171 | 111 | 260 | 200 | 128 | 81 | 151 | 101 | 521 |
| ZARDA | : CASUALLY | 23 | 6 | 22 | 15 | 25 | 19 | 24 | 17 | 89 |
| DOKTA ETC | : NOT CONSUMING | 806 | 882 | 717 | 785 | 847 | 900 | 825 | 883 | 3923 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 4533 |
| | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 10 | 0 | 3 | 3 | 11 | 1 | 10 | 1 | 32 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 1 | 5 | 1 | 4 | 7 |
| | : NOT CONSUMING | 990 | 1000 | 997 | 997 | 988 | 994 | 989 | 995 | 4494 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 4533 |
| | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 138 | 171 | 111 | 94 | 78 | 72 | 89 | 87 | 385 |
| TOBACCO/ | : CASUALLY | 4 | 2 | 11 | 2 | 6 | 7 | 7 | 6 | 32 |
| POWDER/PASTE:NOT CONSUMING | | 858 | 827 | 878 | 904 | 916 | 921 | 904 | 907 | 4116 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 4533 |
| | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 390 | 269 | 390 | 262 | 269 | 146 | 299 | 177 | 1004 |
| OF TOBACCO :CASUALLY | | 25 | 8 | 43 | 17 | 33 | 19 | 33 | 17 | 119 |
| IN ANY FORM.:NOT CONSUMING | | 585 | 722 | 567 | 721 | 698 | 835 | 668 | 806 | 3410 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 4533 |
| | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 985 | 634 | 1098 | 672 | 4411 | 2095 | 6494 | 3402 | X |
| REPORTING(00): CASUALLY | | 63 | 20 | 122 | 43 | 540 | 267 | 725 | 330 | X |
| CONSUMP. OF : NOT CONSUMING | | 1476 | 1702 | 1596 | 1846 | 11422 | 11944 | 14494 | 15492 | X |
| TOBACCO | : ALL | 2524 | 2356 | 2816 | 2562 | 16373 | 14306 | 21713 | 19224 | X |
| | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 92 | 61 | 99 | 64 | 454 | 234 | 645 | 359 | X |
| REPORTING | : CASUALLY | 5 | 2 | 17 | 4 | 65 | 26 | 87 | 32 | X |
| CONSUMP. OF : NOT CONSUMING | | 142 | 164 | 173 | 195 | 1319 | 1417 | 1634 | 1776 | X |
| TOBACCO | : ALL | 239 | 227 | 289 | 263 | 1838 | 1677 | 2366 | 2167 | X |

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| PUNJAB | | URBAN | | | | NO.OF SAMPLE BLOCK: | | | | 196 |
|-----------------------------|--|-----------------|--------|-----------|--------|---------------------|--------|-------|--------|---------|
| | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 70 | 0 | 174 | 2 | 104 | 1 | 120 | 1 | 486 |
| : CASUALLY | | 0 | 0 | 6 | 0 | 11 | 0 | 9 | 0 | 42 |
| : NOT CONSUMING | | 930 | 1000 | 820 | 998 | 885 | 999 | 871 | 999 | 8237 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 8765 |
| | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 0 | 0 | 27 | 0 | 12 | 1 | 15 | 1 | 58 |
| ZARDA : CASUALLY | | 0 | 0 | 5 | 0 | 1 | 0 | 2 | 0 | 9 |
| DOKTA ETC : NOT CONSUMING | | 1000 | 1000 | 967 | 1000 | 987 | 999 | 983 | 999 | 8698 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 8765 |
| | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 |
| : CASUALLY | | 0 | 0 | 2 | 0 | 1 | 0 | 1 | 0 | 4 |
| : NOT CONSUMING | | 1000 | 1000 | 998 | 999 | 999 | 1000 | 999 | 1000 | 8759 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 8765 |
| | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 3 | 0 | 1 | 0 | 1 | 0 | 8 |
| POWDER/PASTE:NOT CONSUMING | | 1000 | 1000 | 997 | 1000 | 998 | 1000 | 998 | 1000 | 8755 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 8765 |
| | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 70 | 0 | 189 | 3 | 112 | 1 | 129 | 2 | 527 |
| OF TOBACCO :CASUALLY | | 0 | 0 | 9 | 0 | 12 | 0 | 11 | 0 | 49 |
| IN ANY FORM.:NOT CONSUMING | | 930 | 1000 | 802 | 997 | 876 | 998 | 860 | 998 | 8189 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 8765 |
| | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 17 | 0 | 1226 | 15 | 2426 | 27 | 3669 | 42 | X |
| REPORTING(00): CASUALLY | | 0 | 0 | 60 | 0 | 250 | 6 | 310 | 6 | X |
| CONSUMP. OF : NOT CONSUMING | | 223 | 142 | 5215 | 5610 | 18970 | 19575 | 24408 | 25326 | X |
| TOBACCO : ALL | | 240 | 142 | 6500 | 5625 | 21647 | 19608 | 28387 | 25375 | X |
| | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 4 | 0 | 158 | 4 | 357 | 4 | 519 | 8 | X |
| REPORTING : CASUALLY | | 0 | 0 | 12 | 0 | 35 | 2 | 47 | 2 | X |
| CONSUMP. OF : NOT CONSUMING | | 29 | 17 | 719 | 771 | 3373 | 3280 | 4121 | 4068 | X |
| TOBACCO : ALL | | 33 | 17 | 889 | 775 | 3765 | 3286 | 4687 | 4078 | X |

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| RAJASTHAN | | URBAN | | | | NO.OF SAMPLE BLOCK: | | | | 184 |
|-----------------------------|--|-----------------|--------|-----------|--------|---------------------|--------|-------|--------|---------|
| | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 343 | 36 | 293 | 31 | 156 | 8 | 180 | 12 | 807 |
| : CASUALLY | | 34 | 0 | 0 | 0 | 12 | 2 | 10 | 1 | 46 |
| : NOT CONSUMING | | 623 | 964 | 707 | 969 | 832 | 991 | 809 | 986 | 7594 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 8447 |
| | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 61 | 0 | 42 | 11 | 47 | 12 | 47 | 11 | 241 |
| ZARDA : CASUALLY | | 0 | 0 | 3 | 0 | 8 | 0 | 7 | 0 | 29 |
| DOKTA ETC : NOT CONSUMING | | 939 | 1000 | 955 | 989 | 945 | 988 | 946 | 988 | 8177 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 8447 |
| | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 32 | 0 | 0 | 0 | 3 | 0 | 3 | 10 |
| : CASUALLY | | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 |
| : NOT CONSUMING | | 1000 | 968 | 999 | 1000 | 1000 | 997 | 999 | 997 | 8435 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 8447 |
| | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 0 | 64 | 6 | 0 | 3 | 2 | 4 | 2 | 21 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 6 |
| POWDER/PASTE:NOT CONSUMING | | 1000 | 936 | 993 | 1000 | 996 | 998 | 996 | 997 | 8420 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 8447 |
| | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 357 | 100 | 322 | 42 | 195 | 23 | 218 | 27 | 1020 |
| OF TOBACCO :CASUALLY | | 21 | 0 | 3 | 0 | 18 | 2 | 15 | 2 | 68 |
| IN ANY FORM.:NOT CONSUMING | | 623 | 900 | 676 | 958 | 787 | 975 | 767 | 971 | 7359 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 8447 |
| | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 321 | 77 | 2363 | 295 | 7648 | 788 | 10331 | 1160 | X |
| REPORTING(00): CASUALLY | | 19 | 0 | 19 | 0 | 690 | 64 | 728 | 64 | X |
| CONSUMP. OF : NOT CONSUMING | | 560 | 694 | 4960 | 6786 | 30822 | 33761 | 36342 | 41241 | X |
| TOBACCO : ALL | | 899 | 771 | 7342 | 7081 | 39160 | 34613 | 47401 | 42465 | X |
| | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 28 | 4 | 175 | 20 | 730 | 63 | 933 | 87 | X |
| REPORTING : CASUALLY | | 2 | 0 | 2 | 0 | 56 | 8 | 60 | 8 | X |
| CONSUMP. OF : NOT CONSUMING | | 51 | 69 | 405 | 527 | 3024 | 3283 | 3480 | 3879 | X |
| TOBACCO : ALL | | 81 | 73 | 582 | 547 | 3810 | 3354 | 4473 | 3974 | X |

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| SIKKIM | | URBAN | | | | NO.OF SAMPLE BLOCK: | | | | 16 |
|-----------------------------|--|-----------------|--------|-----------|--------|---------------------|--------|------|--------|---------|
| | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 29 | 0 | 94 | 0 | 133 | 2 | 109 | 1 | 36 |
| : CASUALLY | | 49 | 0 | 162 | 0 | 69 | 0 | 68 | 0 | 25 |
| : NOT CONSUMING | | 922 | 1000 | 744 | 1000 | 798 | 998 | 823 | 999 | 510 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 571 |
| | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 63 | 0 | 83 | 0 | 121 | 4 | 107 | 3 | 39 |
| ZARDA : CASUALLY | | 28 | 0 | 0 | 0 | 19 | 0 | 20 | 0 | 6 |
| DOKTA ETC : NOT CONSUMING | | 909 | 1000 | 917 | 1000 | 860 | 996 | 873 | 997 | 526 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 571 |
| | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 571 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 571 |
| | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 14 | 0 | 0 | 0 | 20 | 0 | 18 | 0 | 6 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| POWDER/PASTE:NOT CONSUMING | | 986 | 1000 | 1000 | 1000 | 980 | 1000 | 982 | 1000 | 565 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 571 |
| | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 93 | 0 | 94 | 0 | 249 | 6 | 210 | 5 | 73 |
| OF TOBACCO :CASUALLY | | 60 | 0 | 162 | 0 | 88 | 0 | 84 | 0 | 30 |
| IN ANY FORM.:NOT CONSUMING | | 847 | 1000 | 744 | 1000 | 664 | 994 | 706 | 995 | 468 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 571 |
| | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 3 | 0 | 0 | 0 | 26 | 1 | 29 | 1 | X |
| REPORTING(00): CASUALLY | | 2 | 0 | 1 | 0 | 9 | 0 | 12 | 0 | X |
| CONSUMP. OF : NOT CONSUMING | | 26 | 26 | 4 | 4 | 69 | 79 | 99 | 110 | X |
| TOBACCO : ALL | | 30 | 26 | 5 | 4 | 105 | 80 | 140 | 110 | X |
| | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 8 | 0 | 2 | 0 | 61 | 2 | 71 | 2 | X |
| REPORTING : CASUALLY | | 6 | 0 | 1 | 0 | 23 | 0 | 30 | 0 | X |
| CONSUMP. OF : NOT CONSUMING | | 50 | 57 | 6 | 7 | 162 | 186 | 218 | 250 | X |
| TOBACCO : ALL | | 64 | 57 | 9 | 7 | 246 | 188 | 319 | 252 | X |

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| TAMIL NADU | | URBAN | | | | NO.OF SAMPLE BLOCK: | | | | 407 |
|-----------------------------|--|-----------------|--------|-----------|--------|---------------------|--------|-------|--------|---------|
| | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 216 | 0 | 229 | 0 | 142 | 2 | 155 | 1 | 1239 |
| : CASUALLY | | 4 | 0 | 9 | 0 | 8 | 0 | 8 | 0 | 67 |
| : NOT CONSUMING | | 779 | 1000 | 762 | 1000 | 851 | 998 | 837 | 998 | 15067 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 16373 |
| | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 6 | 29 | 30 | 38 | 14 | 15 | 16 | 19 | 279 |
| ZARDA : CASUALLY | | 15 | 0 | 13 | 9 | 4 | 2 | 5 | 3 | 68 |
| DOKTA ETC : NOT CONSUMING | | 979 | 971 | 957 | 953 | 982 | 983 | 979 | 978 | 16026 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 16373 |
| | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 1 | 0 | 2 | 7 | 8 | 2 | 7 | 3 | 84 |
| : CASUALLY | | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 8 |
| : NOT CONSUMING | | 999 | 1000 | 998 | 993 | 992 | 998 | 993 | 997 | 16281 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 16373 |
| | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 18 | 0 | 8 | 12 | 7 | 8 | 7 | 9 | 135 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 3 | 0 | 1 | 1 | 1 | 1 | 11 |
| POWDER/PASTE:NOT CONSUMING | | 982 | 1000 | 989 | 988 | 992 | 991 | 991 | 991 | 16227 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 16373 |
| | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 242 | 29 | 258 | 53 | 164 | 26 | 179 | 30 | 1673 |
| OF TOBACCO :CASUALLY | | 19 | 0 | 14 | 8 | 11 | 3 | 12 | 3 | 126 |
| IN ANY FORM.:NOT CONSUMING | | 739 | 971 | 728 | 939 | 824 | 971 | 810 | 967 | 14574 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 16373 |
| | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 336 | 47 | 3574 | 737 | 13636 | 2158 | 17546 | 2942 | X |
| REPORTING(00): CASUALLY | | 27 | 0 | 195 | 111 | 935 | 232 | 1156 | 343 | X |
| CONSUMP. OF : NOT CONSUMING | | 1029 | 1607 | 10071 | 13136 | 68416 | 80353 | 79515 | 95096 | X |
| TOBACCO : ALL | | 1392 | 1654 | 13839 | 13984 | 82987 | 82742 | 98218 | 98381 | X |
| | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 18 | 3 | 277 | 69 | 1132 | 174 | 1427 | 246 | X |
| REPORTING : CASUALLY | | 2 | 0 | 13 | 10 | 82 | 19 | 97 | 29 | X |
| CONSUMP. OF : NOT CONSUMING | | 66 | 90 | 790 | 1020 | 5853 | 6755 | 6709 | 7865 | X |
| TOBACCO : ALL | | 86 | 93 | 1080 | 1099 | 7067 | 6948 | 8233 | 8140 | X |

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| TRIPURA | | URBAN | | | | NO.OF SAMPLE BLOCK: | | | | 56 |
|-----------------------------|--|-----------------|--------|-----------|--------|---------------------|--------|------|--------|---------|
| | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 371 | 0 | 379 | 0 | 358 | 5 | 361 | 4 | 416 |
| : CASUALLY | | 12 | 0 | 41 | 3 | 16 | 5 | 19 | 4 | 28 |
| : NOT CONSUMING | | 618 | 1000 | 581 | 997 | 627 | 990 | 619 | 992 | 1877 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 2321 |
| | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 173 | 224 | 80 | 138 | 125 | 167 | 120 | 164 | 310 |
| ZARDA : CASUALLY | | 19 | 62 | 16 | 24 | 38 | 32 | 34 | 32 | 82 |
| DOKTA ETC : NOT CONSUMING | | 807 | 714 | 904 | 837 | 837 | 801 | 846 | 805 | 1929 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 2321 |
| | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 |
| : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 1000 | 999 | 1000 | 999 | 2320 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 2321 |
| | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 46 | 0 | 11 | 10 | 6 | 6 | 8 | 7 | 12 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 0 | 0 | 4 | 2 | 3 | 2 | 3 |
| POWDER/PASTE:NOT CONSUMING | | 954 | 1000 | 989 | 990 | 990 | 992 | 988 | 992 | 2306 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 2321 |
| | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 392 | 224 | 403 | 138 | 382 | 173 | 385 | 169 | 624 |
| OF TOBACCO :CASUALLY | | 12 | 62 | 30 | 27 | 23 | 32 | 23 | 32 | 71 |
| IN ANY FORM.:NOT CONSUMING | | 597 | 714 | 567 | 834 | 595 | 794 | 591 | 799 | 1626 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 2321 |
| | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 24 | 10 | 104 | 40 | 536 | 235 | 663 | 285 | X |
| REPORTING(00): CASUALLY | | 1 | 3 | 8 | 8 | 32 | 44 | 40 | 55 | X |
| CONSUMP. OF : NOT CONSUMING | | 36 | 33 | 146 | 238 | 836 | 1080 | 1017 | 1351 | X |
| TOBACCO : ALL | | 60 | 46 | 257 | 285 | 1403 | 1360 | 1721 | 1691 | X |
| | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 19 | 8 | 63 | 21 | 360 | 153 | 442 | 182 | X |
| REPORTING : CASUALLY | | 1 | 3 | 5 | 6 | 27 | 29 | 33 | 38 | X |
| CONSUMP. OF : NOT CONSUMING | | 37 | 28 | 92 | 149 | 570 | 750 | 699 | 927 | X |
| TOBACCO : ALL | | 57 | 39 | 160 | 176 | 957 | 932 | 1174 | 1147 | X |

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

UTTAR PRADESH URBAN NO.OF SAMPLE BLOCKS : 448

| FORMS OF TOBACCO CONSUMPTION. | NUMBER PER 1000 | | | | | | | | |
|----------------------------------|---------------------|--------|--------------------|--------|--------|--------|--------|--------|-------------------|
| | SCHEDULED TRIBES | | SCHEDULED CASTE | | OTHERS | | ALL | | SAMPLE PERSONS |
| | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | |
| SMOKING >>>>: REGULARLY | 263 | 0 | 217 | 9 | 148 | 5 | 158 | 6 | 2013 |
| : CASUALLY | 0 | 0 | 21 | 0 | 11 | 0 | 12 | 0 | 136 |
| : NOT CONSUMING | 737 | 1000 | 763 | 991 | 841 | 995 | 830 | 994 | 20962 |
| : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 23111 |
| CHEWING >>>>: REGULARLY | 189 | 0 | 98 | 15 | 87 | 16 | 89 | 15 | 1198 |
| ZARDA : CASUALLY | 33 | 0 | 19 | 2 | 12 | 1 | 13 | 1 | 165 |
| DOKTA ETC : NOT CONSUMING | 778 | 1000 | 883 | 983 | 901 | 983 | 898 | 983 | 21748 |
| : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 23111 |
| SNUFF >>>>: REGULARLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14 |
| : CASUALLY | 33 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| : NOT CONSUMING | 967 | 1000 | 1000 | 1000 | 999 | 1000 | 999 | 1000 | 23093 |
| : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 23111 |
| BURNT >>>>: REGULARLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 17 |
| TOBACCO/ : CASUALLY | 33 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 6 |
| POWDER/PASTE:NOT CONSUMING | 967 | 1000 | 1000 | 1000 | 999 | 1000 | 999 | 1000 | 23088 |
| : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 23111 |
| CONSUMPTION :REGULARLY | 406 | 0 | 289 | 23 | 206 | 20 | 219 | 21 | 2883 |
| OF TOBACCO :CASUALLY | 0 | 0 | 24 | 2 | 14 | 1 | 15 | 1 | 203 |
| IN ANY FORM.:NOT CONSUMING | 594 | 1000 | 688 | 975 | 780 | 978 | 766 | 978 | 20025 |
| : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 23111 |
| ESTD. PERSON:REGULARLY | 348 | 0 | 5345 | 379 | 23944 | 2112 | 29636 | 2491 | X |
| REPORTING(00): CASUALLY | 0 | 0 | 435 | 29 | 1632 | 148 | 2067 | 177 | X |
| CONSUMP. OF : NOT CONSUMING | 509 | 840 | 12718 | 15959 | 90669 | 101484 | 103896 | 118283 | X |
| TOBACCO : ALL | 857 | 840 | 18498 | 16367 | 116245 | 103744 | 135599 | 120951 | X |
| SAMPLE PERSON:REGULARLY | 18 | 2 | 412 | 38 | 2207 | 206 | 2637 | 246 | X |
| REPORTING : CASUALLY | 0 | 0 | 35 | 1 | 147 | 20 | 182 | 21 | X |
| CONSUMP. OF : NOT CONSUMING | 37 | 56 | 1002 | 1259 | 8415 | 9256 | 9454 | 10571 | X |
| TOBACCO : ALL | 55 | 58 | 1449 | 1298 | 10769 | 9482 | 12273 | 10838 | X |

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

WEST BENGAL URBAN NO.OF SAMPLE BLOCKS : 335

| FORMS OF TOBACCO CONSUMPTION. | NUMBER PER 1000 | | | | | | | | |
|----------------------------------|---------------------|--------|--------------------|--------|--------|--------|-------|--------|-------------------|
| | SCHEDULED TRIBES | | SCHEDULED CASTE | | OTHERS | | ALL | | SAMPLE PERSONS |
| | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | |
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| SMOKING >>>>: REGULARLY | 180 | 10 | 289 | 12 | 242 | 4 | 249 | 5 | 1909 |
| : CASUALLY | 49 | 2 | 31 | 2 | 24 | 0 | 25 | 1 | 201 |
| : NOT CONSUMING | 771 | 988 | 680 | 986 | 734 | 996 | 725 | 994 | 11407 |
| : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 13517 |
| CHEWING >>>>: REGULARLY | 104 | 7 | 150 | 42 | 86 | 34 | 98 | 34 | 793 |
| ZARDA : CASUALLY | 40 | 0 | 22 | 6 | 10 | 6 | 13 | 5 | 130 |
| DOKTA ETC : NOT CONSUMING | 856 | 993 | 829 | 952 | 903 | 961 | 890 | 960 | 12594 |
| : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 13517 |
| SNUFF >>>>: REGULARLY | 5 | 0 | 8 | 2 | 8 | 3 | 8 | 3 | 71 |
| : CASUALLY | 0 | 0 | 2 | 0 | 0 | 0 | 1 | 0 | 5 |
| : NOT CONSUMING | 995 | 1000 | 990 | 998 | 991 | 997 | 991 | 997 | 13441 |
| : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 13517 |
| BURNT >>>>: REGULARLY | 4 | 0 | 10 | 11 | 7 | 9 | 7 | 9 | 100 |
| TOBACCO/ : CASUALLY | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 8 |
| POWDER/PASTE:NOT CONSUMING | 996 | 1000 | 989 | 989 | 993 | 991 | 992 | 991 | 13409 |
| : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 13517 |
| CONSUMPTION :REGULARLY | 265 | 17 | 401 | 64 | 328 | 47 | 339 | 49 | 2709 |
| OF TOBACCO :CASUALLY | 47 | 2 | 30 | 7 | 26 | 6 | 27 | 6 | 245 |
| IN ANY FORM.:NOT CONSUMING | 689 | 981 | 568 | 929 | 646 | 947 | 633 | 945 | 10563 |
| : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 13517 |
| ESTD. PERSON:REGULARLY | 343 | 22 | 5705 | 702 | 21556 | 2672 | 27604 | 3396 | X |
| REPORTING(00): CASUALLY | 61 | 3 | 431 | 81 | 1725 | 338 | 2217 | 422 | X |
| CONSUMP. OF : NOT CONSUMING | 894 | 1273 | 8083 | 10241 | 42520 | 54285 | 51497 | 65798 | X |
| TOBACCO : ALL | 1298 | 1298 | 14219 | 11023 | 65801 | 57296 | 81318 | 69616 | X |
| SAMPLE PERSON:REGULARLY | 41 | 3 | 459 | 54 | 1929 | 223 | 2429 | 280 | X |
| REPORTING : CASUALLY | 5 | 1 | 33 | 7 | 169 | 30 | 207 | 38 | X |
| CONSUMP. OF : NOT CONSUMING | 80 | 116 | 705 | 917 | 3849 | 4896 | 4634 | 5929 | X |
| TOBACCO : ALL | 126 | 120 | 1197 | 978 | 5947 | 5149 | 7270 | 6247 | X |

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| ANDAMAN & NICOBAR IS. | | URBAN | | | | NO.OF SAMPLE BLOCKS : | | | | 40 |
|-----------------------------|--|-----------------|--------|-----------|--------|-----------------------|--------|------|--------|---------|
| | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 65 | 23 | 203 | 0 | 142 | 2 | 140 | 3 | 126 |
| : CASUALLY | | 3 | 0 | 28 | 0 | 26 | 0 | 24 | 0 | 24 |
| : NOT CONSUMING | | 932 | 977 | 769 | 1000 | 832 | 998 | 836 | 997 | 1355 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1505 |
| | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 524 | 92 | 266 | 48 | 197 | 50 | 218 | 53 | 218 |
| ZARDA : CASUALLY | | 0 | 0 | 24 | 0 | 18 | 22 | 17 | 21 | 29 |
| DOKTA ETC : NOT CONSUMING | | 476 | 908 | 710 | 952 | 784 | 927 | 764 | 927 | 1258 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1505 |
| | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 7 | 0 | 6 | 0 | 4 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 993 | 1000 | 994 | 1000 | 1501 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1505 |
| | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| POWDER/PASTE:NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1505 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1505 |
| | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 566 | 115 | 328 | 48 | 308 | 51 | 324 | 55 | 308 |
| OF TOBACCO :CASUALLY | | 0 | 0 | 28 | 0 | 28 | 22 | 26 | 21 | 34 |
| IN ANY FORM.:NOT CONSUMING | | 434 | 885 | 644 | 952 | 664 | 926 | 650 | 925 | 1163 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1505 |
| | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 14 | 2 | 5 | 0 | 120 | 16 | 139 | 18 | X |
| REPORTING(00): CASUALLY | | 0 | 0 | 0 | 0 | 11 | 7 | 11 | 7 | X |
| CONSUMP. OF : NOT CONSUMING | | 11 | 16 | 9 | 8 | 259 | 288 | 279 | 313 | X |
| TOBACCO : ALL | | 25 | 19 | 15 | 9 | 389 | 311 | 429 | 338 | X |
| | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 29 | 4 | 11 | 1 | 228 | 35 | 268 | 40 | X |
| REPORTING : CASUALLY | | 0 | 0 | 1 | 0 | 22 | 11 | 23 | 11 | X |
| CONSUMP. OF : NOT CONSUMING | | 19 | 34 | 21 | 19 | 498 | 572 | 538 | 625 | X |
| TOBACCO : ALL | | 48 | 38 | 33 | 20 | 748 | 618 | 829 | 676 | X |

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| CHANDIGARH | | URBAN | | | | NO.OF SAMPLE BLOCKS : | | | | 15 |
|-----------------------------|--|-----------------|--------|-----------|--------|-----------------------|--------|------|--------|---------|
| ----- | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| ----- | | | | | | | | | | |
| CONSUMPTION. | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| ----- | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| ----- | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 0 | 0 | 197 | 27 | 250 | 6 | 239 | 10 | 73 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 7 | 0 | 5 | 0 | 2 |
| : NOT CONSUMING | | 0 | 0 | 803 | 973 | 744 | 994 | 756 | 990 | 462 |
| : ALL | | 0 | 0 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 537 |
| ----- | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 0 | 0 | 21 | 0 | 44 | 0 | 39 | 0 | 10 |
| ZARDA : CASUALLY | | 0 | 0 | 0 | 0 | 10 | 0 | 8 | 0 | 2 |
| DOKTA ETC : NOT CONSUMING | | 0 | 0 | 979 | 1000 | 946 | 1000 | 953 | 1000 | 525 |
| : ALL | | 0 | 0 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 537 |
| ----- | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : NOT CONSUMING | | 0 | 0 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 537 |
| : ALL | | 0 | 0 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 537 |
| ----- | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 0 | 0 | 22 | 0 | 0 | 0 | 4 | 0 | 1 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 |
| POWDER/PASTE:NOT CONSUMING | | 0 | 0 | 978 | 1000 | 999 | 1000 | 995 | 1000 | 535 |
| : ALL | | 0 | 0 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 537 |
| ----- | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 0 | 0 | 240 | 27 | 252 | 6 | 249 | 10 | 76 |
| OF TOBACCO :CASUALLY | | 0 | 0 | 0 | 0 | 8 | 0 | 6 | 0 | 3 |
| IN ANY FORM.:NOT CONSUMING | | 0 | 0 | 760 | 973 | 741 | 994 | 745 | 990 | 458 |
| : ALL | | 0 | 0 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 537 |
| ----- | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 0 | 0 | 128 | 12 | 528 | 10 | 656 | 22 | X |
| REPORTING(00): CASUALLY | | 0 | 0 | 0 | 0 | 16 | 0 | 16 | 0 | X |
| CONSUMP. OF : NOT CONSUMING | | 0 | 0 | 407 | 416 | 1556 | 1807 | 1962 | 2223 | X |
| TOBACCO : ALL | | 0 | 0 | 535 | 428 | 2100 | 1818 | 2635 | 2245 | X |
| ----- | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 0 | 0 | 14 | 1 | 60 | 1 | 74 | 2 | X |
| REPORTING : CASUALLY | | 0 | 0 | 0 | 0 | 3 | 0 | 3 | 0 | X |
| CONSUMP. OF : NOT CONSUMING | | 0 | 0 | 36 | 41 | 182 | 199 | 218 | 240 | X |
| TOBACCO : ALL | | 0 | 0 | 50 | 42 | 245 | 200 | 295 | 242 | X |

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| DADRA & NAGAR HAVELI | | URBAN | | | | NO.OF SAMPLE BLOCKS : | | | | 8 |
|-----------------------------|--|-----------------|--------|-----------|--------|-----------------------|--------|------|--------|---------|
| | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 237 | 0 | 188 | 0 | 94 | 0 | 157 | 0 | 29 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : NOT CONSUMING | | 763 | 1000 | 812 | 1000 | 906 | 1000 | 843 | 1000 | 305 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 334 |
| | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 40 | 20 | 0 | 0 | 17 | 10 | 26 | 15 | 7 |
| ZARDA : CASUALLY | | 0 | 0 | 0 | 0 | 14 | 0 | 8 | 0 | 2 |
| DOKTA ETC : NOT CONSUMING | | 960 | 980 | 1000 | 1000 | 968 | 990 | 966 | 985 | 325 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 334 |
| | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 0 | 22 | 0 | 9 | 1 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 1000 | 978 | 1000 | 991 | 333 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 334 |
| | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 34 | 0 | 0 | 0 | 14 | 0 | 22 | 0 | 3 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| POWDER/PASTE:NOT CONSUMING | | 966 | 1000 | 1000 | 1000 | 986 | 1000 | 978 | 1000 | 331 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 334 |
| | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 311 | 20 | 188 | 0 | 125 | 32 | 204 | 24 | 40 |
| OF TOBACCO :CASUALLY | | 0 | 0 | 0 | 0 | 14 | 0 | 8 | 0 | 2 |
| IN ANY FORM.:NOT CONSUMING | | 689 | 980 | 812 | 1000 | 861 | 968 | 788 | 976 | 292 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 334 |
| | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 6 | 0 | 0 | 0 | 3 | 1 | 9 | 1 | X |
| REPORTING(00): CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| CONSUMP. OF : NOT CONSUMING | | 13 | 21 | 1 | 2 | 22 | 18 | 36 | 41 | X |
| TOBACCO : ALL | | 19 | 21 | 2 | 2 | 25 | 18 | 46 | 42 | X |
| | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 24 | 1 | 2 | 0 | 11 | 2 | 37 | 3 | X |
| REPORTING : CASUALLY | | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | X |
| CONSUMP. OF : NOT CONSUMING | | 53 | 83 | 11 | 15 | 70 | 60 | 134 | 158 | X |
| TOBACCO : ALL | | 77 | 84 | 13 | 15 | 83 | 62 | 173 | 161 | X |

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| DAMAN & DIU | | URBAN | | | | NO.OF SAMPLE BLOCKS : | | | | 8 |
|-----------------------------|--|-----------------|--------|-----------|--------|-----------------------|--------|------|--------|---------|
| | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 333 | 0 | 0 | 0 | 136 | 0 | 141 | 0 | 22 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : NOT CONSUMING | | 667 | 1000 | 0 | 0 | 864 | 1000 | 859 | 1000 | 325 |
| : ALL | | 1000 | 1000 | 0 | 0 | 1000 | 1000 | 1000 | 1000 | 347 |
| | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 14 | 0 | 13 | 0 | 3 |
| ZARDA : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DOKTA ETC : NOT CONSUMING | | 1000 | 1000 | 0 | 0 | 986 | 1000 | 987 | 1000 | 344 |
| : ALL | | 1000 | 1000 | 0 | 0 | 1000 | 1000 | 1000 | 1000 | 347 |
| | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 5 | 1 |
| : NOT CONSUMING | | 1000 | 1000 | 0 | 0 | 1000 | 995 | 1000 | 995 | 346 |
| : ALL | | 1000 | 1000 | 0 | 0 | 1000 | 1000 | 1000 | 1000 | 347 |
| | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 10 | 0 | 10 | 0 | 2 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 0 | 0 | 3 | 0 | 3 | 0 | 1 |
| POWDER/PASTE:NOT CONSUMING | | 1000 | 1000 | 0 | 0 | 986 | 1000 | 987 | 1000 | 344 |
| : ALL | | 1000 | 1000 | 0 | 0 | 1000 | 1000 | 1000 | 1000 | 347 |
| | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 333 | 0 | 0 | 0 | 153 | 0 | 158 | 0 | 26 |
| OF TOBACCO :CASUALLY | | 0 | 0 | 0 | 0 | 3 | 5 | 3 | 5 | 2 |
| IN ANY FORM.:NOT CONSUMING | | 667 | 1000 | 0 | 0 | 843 | 995 | 838 | 995 | 319 |
| : ALL | | 1000 | 1000 | 0 | 0 | 1000 | 1000 | 1000 | 1000 | 347 |
| | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 1 | 0 | 0 | 0 | 24 | 0 | 25 | 0 | X |
| REPORTING(00): CASUALLY | | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | X |
| CONSUMP. OF : NOT CONSUMING | | 3 | 4 | 0 | 0 | 130 | 157 | 133 | 160 | X |
| TOBACCO : ALL | | 4 | 4 | 0 | 0 | 154 | 157 | 158 | 161 | X |
| | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 2 | 0 | 0 | 0 | 24 | 0 | 26 | 0 | X |
| REPORTING : CASUALLY | | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | X |
| CONSUMP. OF : NOT CONSUMING | | 4 | 5 | 0 | 0 | 140 | 170 | 144 | 175 | X |
| TOBACCO : ALL | | 6 | 5 | 0 | 0 | 165 | 171 | 171 | 176 | X |

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| DELHI | | URBAN | | | | NO.OF SAMPLE BLOCKS : | | | | 111 |
|-----------------------------|-----------------|-----------------|--------|-----------|--------|-----------------------|--------|-------|--------|---------|
| | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 168 | 52 | 293 | 8 | 142 | 6 | 174 | 7 | 335 |
| | : CASUALLY | 15 | 0 | 10 | 0 | 5 | 1 | 6 | 1 | 20 |
| | : NOT CONSUMING | 816 | 948 | 697 | 992 | 853 | 993 | 820 | 992 | 3691 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 4046 |
| | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 0 | 0 | 36 | 20 | 11 | 1 | 16 | 4 | 57 |
| ZARDA | : CASUALLY | 0 | 0 | 0 | 0 | 6 | 0 | 5 | 0 | 7 |
| DOKTA ETC | : NOT CONSUMING | 1000 | 1000 | 964 | 980 | 983 | 999 | 979 | 996 | 3982 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 4046 |
| | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | : NOT CONSUMING | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 4044 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 4046 |
| | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 0 | 0 | 12 | 0 | 4 | 0 | 6 | 0 | 14 |
| TOBACCO/ | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| POWDER/PASTE:NOT CONSUMING | | 1000 | 1000 | 988 | 1000 | 995 | 1000 | 994 | 1000 | 4029 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 4046 |
| | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 168 | 52 | 325 | 28 | 152 | 7 | 187 | 11 | 387 |
| OF TOBACCO :CASUALLY | | 15 | 0 | 10 | 0 | 9 | 1 | 9 | 1 | 22 |
| IN ANY FORM.:NOT CONSUMING | | 816 | 948 | 665 | 972 | 839 | 993 | 804 | 988 | 3637 |
| | : ALL | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 4046 |
| | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 178 | 32 | 2629 | 151 | 4688 | 162 | 7496 | 346 | X |
| REPORTING(00): CASUALLY | | 16 | 0 | 78 | 0 | 264 | 19 | 359 | 19 | X |
| CONSUMP. OF : NOT CONSUMING | | 863 | 594 | 5379 | 5208 | 25895 | 24342 | 32137 | 30144 | X |
| TOBACCO | : ALL | 1057 | 627 | 8087 | 5359 | 30848 | 24522 | 39992 | 30508 | X |
| | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 6 | 2 | 90 | 5 | 275 | 9 | 371 | 16 | X |
| REPORTING | : CASUALLY | 1 | 0 | 6 | 0 | 13 | 2 | 20 | 2 | X |
| CONSUMP. OF : NOT CONSUMING | | 46 | 33 | 180 | 189 | 1585 | 1604 | 1811 | 1826 | X |
| TOBACCO | : ALL | 53 | 35 | 276 | 194 | 1873 | 1615 | 2202 | 1844 | X |

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| LAKSHADWEEP | | URBAN | | | | NO.OF SAMPLE BLOCKS : | | | | 24 |
|----------------------------|-----------------|-----------------|--------|-----------|--------|-----------------------|--------|------|--------|---------|
| ----- | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| ----- | | | | | | | | | | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| ----- | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 288 | 6 | 0 | 0 | 108 | 0 | 282 | 5 | 182 |
| | : CASUALLY | 18 | 1 | 0 | 0 | 0 | 0 | 18 | 1 | 11 |
| | : NOT CONSUMING | 694 | 993 | 0 | 0 | 892 | 1000 | 701 | 993 | 1149 |
| | : ALL | 1000 | 1000 | 0 | 0 | 1000 | 1000 | 1000 | 1000 | 1342 |
| ----- | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 47 | 99 | 0 | 0 | 0 | 0 | 45 | 97 | 123 |
| ZARDA | : CASUALLY | 17 | 17 | 0 | 0 | 0 | 0 | 16 | 16 | 28 |
| DOKTA ETC | : NOT CONSUMING | 937 | 884 | 0 | 0 | 1000 | 1000 | 939 | 887 | 1191 |
| | : ALL | 1000 | 1000 | 0 | 0 | 1000 | 1000 | 1000 | 1000 | 1342 |
| ----- | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | : NOT CONSUMING | 1000 | 1000 | 0 | 0 | 1000 | 1000 | 1000 | 1000 | 1342 |
| | : ALL | 1000 | 1000 | 0 | 0 | 1000 | 1000 | 1000 | 1000 | 1342 |
| ----- | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOBACCO/ | : CASUALLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| POWDER/PASTE:NOT CONSUMING | | 1000 | 1000 | 0 | 0 | 1000 | 1000 | 1000 | 1000 | 1342 |
| | : ALL | 1000 | 1000 | 0 | 0 | 1000 | 1000 | 1000 | 1000 | 1342 |
| ----- | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 326 | 105 | 0 | 0 | 108 | 0 | 319 | 102 | 298 |
| OF TOBACCO | :CASUALLY | 19 | 18 | 0 | 0 | 0 | 0 | 18 | 18 | 27 |
| IN ANY FORM.:NOT CONSUMING | | 655 | 877 | 0 | 0 | 892 | 1000 | 663 | 880 | 1017 |
| | : ALL | 1000 | 1000 | 0 | 0 | 1000 | 1000 | 1000 | 1000 | 1342 |
| ----- | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 29 | 10 | 0 | 0 | 0 | 0 | 29 | 10 | X |
| REPORTING(00): CASUALLY | | 2 | 2 | 0 | 0 | 0 | 0 | 2 | 2 | X |
| CONSUMP. OF | : NOT CONSUMING | 58 | 85 | 0 | 0 | 3 | 2 | 61 | 88 | X |
| TOBACCO | : ALL | 89 | 97 | 0 | 0 | 3 | 2 | 92 | 100 | X |
| ----- | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 201 | 94 | 0 | 0 | 3 | 0 | 204 | 94 | X |
| REPORTING | : CASUALLY | 11 | 16 | 0 | 0 | 0 | 0 | 11 | 16 | X |
| CONSUMP. OF | : NOT CONSUMING | 414 | 566 | 0 | 0 | 20 | 17 | 434 | 583 | X |
| TOBACCO | : ALL | 626 | 676 | 0 | 0 | 23 | 17 | 649 | 693 | X |

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| PONDICHERY | | URBAN | | | | NO.OF SAMPLE BLOCKS : | | | | 32 |
|-----------------------------|--|-----------------|--------|-----------|--------|-----------------------|--------|------|--------|---------|
| | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 0 | 0 | 254 | 0 | 97 | 1 | 109 | 1 | 78 |
| : CASUALLY | | 0 | 0 | 18 | 0 | 13 | 1 | 13 | 1 | 11 |
| : NOT CONSUMING | | 1000 | 1000 | 728 | 1000 | 890 | 998 | 878 | 998 | 1376 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1465 |
| | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 4 | 14 | 4 | 13 | 13 |
| ZARDA : CASUALLY | | 0 | 0 | 0 | 0 | 2 | 2 | 2 | 2 | 4 |
| DOKTA ETC : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 994 | 984 | 994 | 986 | 1448 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1465 |
| | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 5 | 1 | 5 | 1 | 5 |
| : CASUALLY | | 0 | 0 | 0 | 0 | 5 | 0 | 5 | 0 | 2 |
| : NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 990 | 999 | 991 | 999 | 1458 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1465 |
| | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 |
| TOBACCO/ : CASUALLY | | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 1 |
| POWDER/PASTE:NOT CONSUMING | | 1000 | 1000 | 1000 | 1000 | 999 | 999 | 999 | 999 | 1463 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1465 |
| | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 0 | 0 | 254 | 0 | 106 | 17 | 117 | 16 | 97 |
| OF TOBACCO :CASUALLY | | 0 | 0 | 18 | 0 | 19 | 2 | 18 | 2 | 14 |
| IN ANY FORM.:NOT CONSUMING | | 1000 | 1000 | 728 | 1000 | 876 | 981 | 864 | 982 | 1354 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1465 |
| | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 0 | 0 | 46 | 0 | 208 | 37 | 254 | 37 | X |
| REPORTING(00): CASUALLY | | 0 | 0 | 3 | 0 | 36 | 4 | 40 | 4 | X |
| CONSUMP. OF : NOT CONSUMING | | 22 | 22 | 131 | 158 | 1716 | 2078 | 1870 | 2258 | X |
| TOBACCO : ALL | | 22 | 22 | 180 | 158 | 1960 | 2119 | 2163 | 2299 | X |
| | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 0 | 0 | 12 | 0 | 72 | 13 | 84 | 13 | X |
| REPORTING : CASUALLY | | 0 | 0 | 1 | 0 | 11 | 2 | 12 | 2 | X |
| CONSUMP. OF : NOT CONSUMING | | 4 | 4 | 38 | 50 | 586 | 672 | 628 | 726 | X |
| TOBACCO : ALL | | 4 | 4 | 51 | 50 | 669 | 687 | 724 | 741 | X |

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000
PERSONS BY SEX AND HOUSEHOLD GROUP

| ALL-INDIA | | URBAN | | | | NO.OF SAMPLE BLOCKS : | | | | 4650 |
|-----------------------------|--|-----------------|--------|-----------|--------|-----------------------|--------|---------|--------|---------|
| | | | | | | | | | | |
| FORMS OF TOBACCO | | NUMBER PER 1000 | | | | | | | | |
| CONSUMPTION. | | | | | | | | | | |
| | | SCHEDULED | | SCHEDULED | | OTHERS | | ALL | | SAMPLE |
| | | TRIBES | | CASTE | | | | | | PERSONS |
| | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | |
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) |
| | | | | | | | | | | |
| SMOKING >>>>: REGULARLY | | 209 | 14 | 210 | 9 | 148 | 4 | 158 | 5 | 18942 |
| : CASUALLY | | 18 | 3 | 15 | 2 | 14 | 1 | 14 | 1 | 2129 |
| : NOT CONSUMING | | 774 | 983 | 775 | 990 | 839 | 995 | 828 | 994 | 187177 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 208248 |
| | | | | | | | | | | |
| CHEWING >>>>: REGULARLY | | 95 | 38 | 83 | 34 | 58 | 17 | 63 | 20 | 8872 |
| ZARDA : CASUALLY | | 14 | 5 | 12 | 4 | 9 | 2 | 9 | 3 | 1752 |
| DOKTA ETC : NOT CONSUMING | | 891 | 957 | 905 | 963 | 933 | 980 | 928 | 977 | 197624 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 208248 |
| | | | | | | | | | | |
| SNUFF >>>>: REGULARLY | | 2 | 6 | 2 | 4 | 3 | 3 | 3 | 3 | 555 |
| : CASUALLY | | 1 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 91 |
| : NOT CONSUMING | | 997 | 994 | 997 | 996 | 996 | 997 | 996 | 996 | 207602 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 208248 |
| | | | | | | | | | | |
| BURNT >>>>: REGULARLY | | 33 | 31 | 18 | 17 | 10 | 9 | 12 | 10 | 2216 |
| TOBACCO/ : CASUALLY | | 2 | 0 | 2 | 1 | 1 | 1 | 1 | 1 | 205 |
| POWDER/PASTE:NOT CONSUMING | | 966 | 968 | 980 | 983 | 989 | 991 | 987 | 989 | 205827 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 208248 |
| | | | | | | | | | | |
| CONSUMPTION :REGULARLY | | 304 | 84 | 284 | 58 | 202 | 32 | 217 | 37 | 28243 |
| OF TOBACCO :CASUALLY | | 17 | 8 | 18 | 5 | 17 | 3 | 17 | 4 | 2944 |
| IN ANY FORM.:NOT CONSUMING | | 679 | 908 | 699 | 937 | 781 | 965 | 766 | 959 | 177061 |
| : ALL | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 208248 |
| | | | | | | | | | | |
| ESTD. PERSON:REGULARLY | | 9707 | 2515 | 40151 | 7248 | 169477 | 24154 | 219335 | 33917 | X |
| REPORTING(00): CASUALLY | | 548 | 242 | 2512 | 651 | 13993 | 2430 | 17053 | 3323 | X |
| CONSUMP. OF : NOT CONSUMING | | 21697 | 27162 | 98879 | 117411 | 653961 | 734634 | 774537 | 879208 | X |
| TOBACCO : ALL | | 31951 | 29919 | 141542 | 125310 | 837431 | 761218 | 1010925 | 916447 | X |
| | | | | | | | | | | |
| SAMPLE PERSON:REGULARLY | | 2450 | 1024 | 3548 | 689 | 17911 | 2621 | 23909 | 4334 | X |
| REPORTING : CASUALLY | | 212 | 339 | 263 | 73 | 1693 | 364 | 2168 | 776 | X |
| CONSUMP. OF : NOT CONSUMING | | 4393 | 5364 | 8979 | 10813 | 69600 | 77912 | 82972 | 94089 | X |
| TOBACCO : ALL | | 7055 | 6727 | 12790 | 11575 | 89204 | 80897 | 109049 | 99199 | X |