

Census of Population and Housing (F3)- Range Edit (For DS Division files – 95 % Sample)_____ (Modify in Data Entry)

Files needed for doing modifications are

POP2001R.MNU
POP2001R.BAT
MOD_F3R.AP

These files should be in F3_2001P folder additional to previous files


Step 1.

Make Directory called F395XXXX for working.

Copy DS Division file to working folder.

- District file is CX95DDdd.BCH After First Run
 - District file is R195DDdd.BCH After Second Run
 - District file is R295DDdd.BCH After Third Run
- X – Cluster Code, XXXX – 1st four Characters in District Name
DD – District Code, dd – DS Division Code

Step 2. Type **POP2001R**



Step 3: Enter

Type DS Division file name & enter

- CX95DDdd.BCH After First Run
 - R195DDdd.BCH After Second Run
 - R295DDdd.BCH After Third Run
- X – Cluster Code, XXXX – 1st four Characters in District Name
DD – District Code, dd – DS Division Code

Step 4: After doing all corrections rename the data file

- | <u>Before Corrections</u> | | <u>After Corrections</u> |
|---------------------------|--------|--------------------------|
| • CX95DDdd.BCH | —————> | R195DDdd.BCH |
| • R195DDdd.BCH | —————> | R295DDdd.BCH |
| • R295DDdd.BCH | —————> | R395DDdd.BCH |
| • | | |

* ûÛ´ô õÛø`µÑ Record Type <ìè× à`õ.

äæß ùÛ<&æß &÷À{ \$

1 <ìè× ûô÷ÀßèÛ µõ\$øõÝø` µÑ. äææð <`± &`ç] \$<æß õÛÃ× {`æ.

ä´ùÛ&\$ Delete æøù à<&ßö\$<Û÷ÀÛ à÷À\$Û ûô÷ÀßèÛ×\$µèß
µõ\$øõÝø` û´óæß Delete æøùßù.

2 <ìè× Housing Unit µõ\$øõÝø` µÑ. äææð <`± &`ç] \$<æß õÛÃ×
µù\$ {`æ.

3 <ìè× Householdß µõ\$øõÝø` µÑ. äææð <`± &`ç] \$<æß õÛÃ×
µù\$ {`æ.

* Quest ID ×ùôµ<ùß &ð{ùß æø à`õßµõß Questionnaire ID
ùÛ<`Í÷ÀÛ µù\$<ù ý< µùùßð´ð×Û.

äß<\$µ×ß ûÛ´ô õÛø`µÑ " - " &ð{ùß æø à`õ.
ùÛ<`Í÷ÀÛ æÛÎµÆ÷ÀÛ Questionnaire ID û´óæß ùÛ<`Í÷ÀÛ
æøùßù.

Census of Population & Housing 2001 (95 % Sample)
F3 - Range Edit Runs


Steps to be done only in very beginning

1. Make directory called F3_2001R in Root Directory
2. Add F3_2001R to Path line in AUTOEXEC.BAT file
3. Copy following files to F3_2001R Directory

DOUGMENU.EXE	REPQUEST.EXE
XEDIT.BAT	REPSUM.EXE
XREPORTS.BAT	DMENUR.BAT
RANGE95.MNU	RANGE95.BAT
RAN_FRM3.EXE	RAN_FRM3.MSG
RAN_FRM3.ERR	
4. Make directory called POP2001 in Root Directory
5. Make sub Directories called ROWDATA, WRITE in POP2001 Directory

Steps to be done in each Range Edit Run

1. Copy Data File to ROWDATA Sub Directory
 - * For First Run CX95DDdd.BCH
(X – Cluster Code, DD – District Code, dd – DS Division Code)
 - * For Second Run
R195DDdd.BCH
(DD for District Code, dd – DS Division Code)
 - * For Third Run
R295DDdd.BCH
(DD for District Code, dd – DS Division Code)
2. Change Directory to POP2001
3. Type RANGE95 & Hit Enter



4. Follow the instructions in the Menu.
5. After doing above steps
Print DIARY.LST, WRITE\RX95DDdd.SUM
WRITE\RXDDdd.WRT (Where X - 1,2,3 Relevant Run
DD for District Code, dd – DS Division Code)

Census of Population & Housing 2001 (95 % Sample)
F3 - Consistency Edit(s) Runs

Steps to be done only in very beginning


1. Make directory called F3_2001C in Root Directory
2. Add F3_2001C to Path line in AUTOEXEC.BAT file
3. Copy following files to F3_2001C Directory

DOUGMENU.EXE	REPQUEST.EXE
XEDIT.BAT	REPSUM.EXE
XREPORTS.BAT	DMENUC.BAT
CONSIS95.MNU	CONSIS95.BAT
CON_F3_1.EXE	CON_F3_2.MSG
CON_F3_1.ERR	CON_F3_2.EXE
CON_F3_1.MSG	CON_F3_2.ERR
SMALLSUM.EXE	SMALLSUM.MSG
SMALLSUM.ERR	
4. Make directory called POP2001 in Root Directory
5. Make sub Directories called ROWDATA, WRITE in POP2001 Directory

Steps to be done in each Consistency 1 (A) Edit Run

1. Copy Data File to ROWDATA Sub Directory
 - * For First Run RC95DDdd.BCH
 - * For Second Run
A195DDdd.BCH
 - * For Third Run
A295DDdd.BCH
 - *

(DD - District Code, dd – DS Division Code)
2. Change Directory to POP2001
3. Type CONSYS95 & Hit Enter



4. Follow the instructions in the Menu.

5. After doing above steps

Print DIARY.TXT,

WRITE\AX95 DDdd.SUM

WRITE\AX95DDdd.QST (Where X - 1,2,3 Relevant Run
DD - District Code, dd - DS Division Code)

Steps to be done in each Consistency 2 (B) Edit Run

1. Copy Data File to ROWDATA Sub Directory

* For First Run AC95DDdd.BCH

* For Second Run

B195DDdd.BCH

* For Third Run


B295DDdd.BCH

*

(DD - District Code, dd - DS Division Code)

Change Directory to POP2001

2. Type CON SIS95 & Hit Enter



3. Follow the instructions in the Menu.

4. After doing above steps

Print DIARY.TXT,

WRITE\BX95 DDdd.SUM

WRITE\BX95DDdd.QST (Where X - 1,2,3 Relevant Run
DD - District Code, dd - DS Division Code)

Census of Population and Housing (F3)- Consistency Edit (A)
(For DS Division files – 95 % Sample) (Modify in Data Entry)

Files needed for doing modifications are

POP2001A.MNU
POP2001A.BAT
MOD_F3A.AP

These files should be in F3_2001P folder additional to previous files

Step 1.

Make Directory called F395XXXX for working.

Copy DS Division file to working folder.

- District file is RC95DDdd.BCH After First Run
 - District file is A195DDdd.BCH After Second Run
 - District file is A295DDdd.BCH After Third Run
 -
- (DD - District Code, dd – DS Division Code)

Step 2. Type **POP2001A**



Step 3: Enter

Type DS Division file name & enter

- RC95DDdd.BCH After First Run
 - A195DDdd.BCH After Second Run
 - A295DDdd.BCH After Third Run
 -
- (DD - District Code, dd – DS Division Code)

Step 4: After doing all corrections rename the data file

- | <u>Before Corrections</u> | | <u>After Corrections</u> |
|---------------------------|--------|--------------------------|
| • RC95DDdd.BCH | —————> | A195DDdd.BCH |
| • A195DDdd.BCH | —————> | A295DDdd.BCH |
| • A295DDdd.BCH | —————> | A395DDdd.BCH |
| • | | |
- (DD - District Code, dd – DS Division Code)

Census of Population and Housing (F3)- Consistency Edit (B)
(For DS Division files – 95 % Sample) (Modify in Data Entry)

Files needed for doing modifications are

POP2001B.MNU
POP2001B.BAT
MOD_F3B.AP

These files should be in F3_2001P folder additional to previous files

Step 1.

Make Directory called F395XXXX for working.


Copy DS Division file to working folder.

- District file is AC95DDdd.BCH After First Run
- District file is B195DDdd.BCH After Second Run
- District file is B295DDdd.BCH After Third Run

.....

(DD - District Code, dd – DS Division Code)

Step 2. Type **POP2001B**



Step 3: Enter

Type DS Division file name & enter

- AC95DDdd.BCH After First Run
- B195DDdd.BCH After Second Run
- B295DDdd.BCH After Third Run
-

(DD - District Code, dd – DS Division Code)

Step 4: After doing all corrections rename the data file

- | <u>Before Corrections</u> | | <u>After Corrections</u> |
|---------------------------|--------|--------------------------|
| • AC95DDdd.BCH | —————> | B195DDdd.BCH |
| • B195DDdd.BCH | —————> | B295DDdd.BCH |
| • B295DDdd.BCH | —————> | B395DDdd.BCH |
| • | | |

(DD - District Code, dd – DS Division Code)

Census of Population & Housing 2001 (5 % Sample)
F3 - Imputations


Steps to be done only in very beginning

1. Make directory called F3_2001i in Root Directory
2. Add F3_2001i to Path line in AUTOEXEC.BAT file
3. Copy following files to F3_2001i Directory

DOUGMENU.EXE		REPQUEST.EXE
XEDIT.BAT		REPSUM.EXE
XREPORTS.BAT		DMENUI.BAT
IMPUTE.MNU		IMPUTE.BAT
IM_FRM31.EXE	IM_FRM31.ERR	IM_FRM31.MSG
SMALLSUM.EXE	SMALLSUM.MSG	SMALLSUM.ERR
IM_FRM32.EXE	IM_FRM32.ERR	IM_FRM32.MSG
4. Make directory called POP2001 in Root Directory
5. Make sub Directories called ROWDATA, WRITE in POP2001 Directory

Steps to be done

1. Copy Data File to ROWDATA Sub Directory
 - * F305BCDD.BCH
(**DD** for District Code)
2. Change Directory to POP2001
3. Type IMPUTE & Hit Enter



4. Follow the instructions in the Menu.
5. After doing above steps
Print DIARY.TXT, DIARY.DAT
WRITE\F305IPDD.SUM WRITE\F305IPDD.QST
WRITE\F305IMDD.SUM WRITE\F305IMDD.QST
(Where **DD** for District Code)
6. Copy imputed data file into diskette
F305IMDD.BCH (Where **DD** for District Code)

Census of Population and Housing (F3)- Range Edit
(For District files – 10 % Sample)
(Modify in Data Entry)

Files needed for doing modifications are

POP2001R.MNU
POP2001R.BAT
MOD_F3R.AP

These files should be in F3_2001P folder additional to previous files


Step 1.

Make Directory called F310XXXX for working.

Copy District file to working folder.

- District file is F310XXXX.BCH After First Run
 - District file is F310R1DD.BCH After Second Run
 - District file is F310R2DD.BCH After Third Run
- XXXX – First 4 characters in District Name
DD – District Code

Step 2. Type **POP2001R**



Step 3: Enter

Type District file name & enter

- F310XXXX.BCH After First Run
 - F310R1DD.BCH After Second Run
 - F310R2DD.BCH After Third Run
- XXXX – First 4 characters in District Name
DD – District Code

Step 4: After doing all corrections rename the data file

- | <u>Before Corrections</u> | | <u>After Corrections</u> |
|---------------------------|---|--------------------------|
| F310XXXX.BCH | → | F310R1DD.BCH |
| F310R1DD.BCH | → | F310R2DD.BCH |
| F310R2DD.BCH | → | F310R3DD.BCH |
- XXXX – First 4 characters in District Name
DD – District Code

Census of Population & Housing 2001 (10 % Sample)
F3 - Range Edit Runs

Steps to be done only in very beginning

1. Make directory called F3_2001R in Root Directory
2. Add F3_2001R to Path line in AUTOEXEC.BAT file
3. Copy following files to F3_2001R Directory

DOUGMENU.EXE	REPQUEST.EXE
XEDIT.BAT	REPSUM.EXE
XREPORTS.BAT	DMENUR.BAT
RANGE10.MNU	RANGE10.BAT
RAN_FRM3.EXE	RAN_FRM3.MSG
RAN_FRM3.ERR	
4. Make directory called POP2001 in Root Directory
5. Make sub Directories called ROWDATA, WRITE in POP2001 Directory

Steps to be done in each Range Edit Run

1. Copy Data File to ROWDATA Sub Directory
 - * For First Run F310XXXX.BCH
(XXXX for first four characters in District Name)
 - * For Second Run
F310R1DD.BCH
(DD for District Code)
 - * For Third Run
F310R2DD.BCH
(DD for District Code)
2. Change Directory to POP2001
3. Type RANGE10 & Hit Enter



4. Follow the instructions in the Menu.
5. After doing above steps
Print DIARY.LST,
WRITE\F310RXDD.SUM
WRITE\F310RXDD.WRT (Where X - 1,2,3 Relevant Run
DD for District Code)

Census of Population & Housing 2001 (5 % Sample)

F3 - Add Inflation Factors


Steps to be done only in very beginning

1. Make directory called F3_2001F in Root Directory
2. Add F3_2001F to Path line in AUTOEXEC.BAT file
3. Copy following files to F3_2001F Directory

DOUGMENU.EXE	XEDIT.BAT
REPSUM.EXE	XREPORTS.BAT
DMENUF.BAT	INFLATE.MNU
INFLATE.BAT	ADDINF05.EXE
ADDINF05.ERR	ADDINF05.MSG
REPQUEST.EXE	
4. Make directory called POP2001 in Root Directory
5. Make sub Directories called ROWDATA, WRITE in POP2001 Directory

Steps to be done

1. Copy Imputed Data File to WRITE Sub Directory
 - * F305IMDD.BCH (DD for District Code)
- Copy Sorted Lookup File to ROWDATA Sub Directory
 - * F305XXXX.LKP (XXXX for First 4 Characters in District Name)
2. Change Directory to POP2001
3. Type INFLATE & Hit Enter



4. Follow the instructions in the Menu.
5. After doing above steps
Print DIARY.LST,
WRITE\F305IFDD.SUM (Where DD for District Code)
WRITE\F305IFDD.QST
6. Copy inflated data file into diskette
F305IFDD.BCH (Where DD for District Code)

Census of Population & Housing 2001 (10 % Sample)
F3 - Consistency Edit(s) Runs


Steps to be done only in very beginning

1. Make directory called F3_2001C in Root Directory
2. Add F3_2001C to Path line in AUTOEXEC.BAT file
3. Copy following files to F3_2001C Directory

DOUGMENU.EXE	REPQUEST.EXE
XEDIT.BAT	REPSUM.EXE
XREPORTS.BAT	DMENUC.BAT
CONSIS10.MNU	CONSIS10.BAT
CON_F3_1.EXE	CON_F3_2.MSG
CON_F3_1.ERR	CON_F3_2.EXE
CON_F3_1.MSG	CON_F3_2.ERR
SMALLSUM.EXE	SMALLSUM.MSG
SMALLSUM.ERR	
4. Make directory called POP2001 in Root Directory
5. Make sub Directories called ROWDATA, WRITE in POP2001 Directory

Steps to be done in each Consistency 1 (A) Edit Run


1. Copy Data File to ROWDATA Sub Directory
 - * For First Run F310RCDD.BCH
(DD for District Code)
 - * For Second Run
F310A1DD.BCH
(DD for District Code)
 - * For Third Run
F310A2DD.BCH
(DD for District Code)
2. Change Directory to POP2001
3. Type CONSIS10 & Hit Enter



4. Follow the instructions in the Menu.
5. After doing above steps
Print DIARY.TXT,
WRITE\F310AXDD.SUM
WRITE\F310AXDD.QST (Where X - 1,2,3 Relevant Run
DD for District Code)

Steps to be done in each Consistency 2 (B) Edit Run

1. Copy Data File to ROWDATA Sub Directory
 - * For First Run F310ACDD.BCH
(DD for District Code)
 - * For Second Run
F310B1DD.BCH
(DD for District Code)
 - * For Third Run
F310B2DD.BCH
(DD for District Code)
2. Change Directory to POP2001
3. Type CONSYS10 & Hit Enter



4. Follow the instructions in the Menu.
5. After doing above steps
Print DIARY.TXT,
WRITE\F310BXDD.SUM
WRITE\F310BXDD.QST (Where X - 1,2,3 Relevant Run
DD for District Code)

Census of Population & Housing 2001 (100 % Data)

F3 - Imputations

Steps to be done only in very beginning

1. Make directory called F3_2001i in Root Directory
1. Add F3_2001i to Path line in AUTOEXEC.BAT file
2. Copy following files to F3_2001i Directory

DOUGMENU.EXE	REPQUEST.EXE	
XEDIT.BAT	REPSUM.EXE	
XREPORTS.BAT	DMENUI.BAT	
IMPUTE.MNU	IMPUTE.BAT	
IM_FRM31.EXE	IM_FRM31.ERR	IM_FRM31.MSG
SMALLSUM.EXE	SMALLSUM.MSG	SMALLSUM.ERR
IM_FRM32.EXE	IM_FRM32.ERR	IM_FRM32.MSG
ADDINF00.EXE	ADDINF00.MSG	
3. Make directory called POP2001 in Root Directory
4. Make sub Directories called TABDATA, WRITE in POP2001 Directory

Steps to be done

1. Copy Data File to TABDATA Sub Directory
 - * F300BCDD.BCH
(**DD** for District Code)
2. Change Directory to POP2001
3. Type IMPUTE & Hit Enter



4. Follow the instructions in the Menu.
5. After doing above steps
Print DIARY.TXT, DIARY.DAT
WRITE\F300IPDD.SUM
WRITE\F300IMDD.SUM WRITE\F300IFDD.SUM
(Where **DD** for District Code)
6. Copy imputed data file into S/390
F300IFDD.BCH (Where **DD** for District Code)