

Somalia MICS 2006 Indicators: Numerators and Denominators

INDICATOR	NUMERATOR	DENOMINATOR
1 Under-five mortality rate	Probability of dying by exact age 5 years	
2 Infant mortality rate	Probability of dying by exact age 1 year	
3 Maternal mortality ratio	Number of deaths of women from pregnancy-related causes in a given year	Number of live births in the year (expressed per 100,000 births)
4 Skilled attendant at delivery	Number of women aged 15-49 years with a birth in the 2 years preceding the survey that were attended during childbirth by skilled health personnel	Total number of women surveyed aged 15-49 years with a birth in the 2 years preceding the survey
5 Institutional deliveries	Number of women aged 15-49 years with a birth in the 2 years preceding the survey that delivered in a health facility	Total number of women surveyed aged 15-49 years with a birth in 2 years preceding the survey
6 Underweight prevalence	Number of children under age five that fall below minus two standard deviations from the median weight for age of the NCHS/WHO standard (moderate and severe); number that fall below minus three standard deviations (severe)	Total number of children under age five that were weighed
7 Stunting prevalence	Number of children under age five that fall below minus two standard deviations from the median height for age of the NCHS/WHO standard (moderate and severe); number that fall below minus three standard deviations (severe)	Total number of children under age five measured
8 Wasting prevalence	Number of children under age five that fall below minus two standard deviations from the median weight for height of the NCHS/WHO standard (moderate and severe); number that fall below minus three standard deviations (severe)	Total number of children under age five weighed and measured
9 Low-birth weight infants	Number of last live births in the 2 years preceding the survey weighing below 2,500 grams	Total number of last live births in the 2 years preceding the survey
10 Infants weighed at birth	Number of last live births in the 2 years preceding the survey that were weighed at birth	Total number of last live births in the 2 years preceding the survey
11 Use of improved drinking water sources	Number of household members living in households using improved sources of drinking water	Total number of household members in households surveyed
12 Use of improved sanitation facilities	Number of household members using improved sanitation facilities	Total number of household members in households surveyed
13 Water treatment	Number of household members using water that has been treated	Total number of household members in households surveyed
14 Disposal of child's faeces	Number of children under age three whose (last) stools were disposed of safely	Total number of children under age three surveyed

INDICATOR	NUMERATOR	DENOMINATOR
15 Exclusive breastfeeding rate	Number of infants aged 0-5 months that are exclusively breastfed	Total number of infants aged 0-5 months surveyed
16 Continued breastfeeding rate	Number of infants aged 12-15 months, and 20-23 months, that are currently breastfeeding	Total number of children aged 12-15 months and 20-23 months surveyed
17 Timely complementary feeding rate	Number of infants aged 6-9 months that are receiving breastmilk and complementary foods	Total number of infants aged 6-9 months surveyed
18 Frequency of complementary feeding	Number of infants aged 6-11 months that receive breastmilk and complementary food at least the minimum recommended number of times per day (two times per day for infants aged 6-8 months, three times per day for infants aged 9-11 months)	Total number of infants aged 6-11 months surveyed
19 Adequately fed infants	Number of infants aged 0-11 months that are appropriately fed: infants aged 0-5 months that are exclusively breastfed and infants aged 6-11 months that are breastfed and ate solid or semi-solid foods the appropriate number of times (see above) yesterday	Total number of infants aged 0-11 months surveyed
20 Antenatal care	Number of women aged 15-49 years that were attended at least once during pregnancy in the 2 years preceding the survey by skilled health personnel	Total number of women surveyed aged 15-49 years with a birth in the 2 years preceding the survey
21 Contraceptive prevalence	Number of women currently married or in union aged 15-49 years that are using (or whose partner is using) a contraceptive method (either modern or traditional)	Total number of women aged 15-49 years that are currently married or in union
22 Antibiotic treatment of suspected pneumonia	Number of children aged 0-59 months with suspected pneumonia in the previous 2 weeks receiving antibiotics	Total number of children aged 0-59 months with suspected pneumonia in the previous 2 weeks
23 Care-seeking for suspected pneumonia	Number of children aged 0-59 months with suspected pneumonia in the previous 2 weeks that are taken to an appropriate health provider	Total number of children aged 0-59 months with suspected pneumonia in the previous 2 weeks
24 Solid fuels	Number of residents in households that use solid fuels (wood, charcoal, crop residues and dung) as the primary source of domestic energy to cook	Total number of residents in households surveyed
25 Tuberculosis immunization coverage	Number of children aged 12-23 months receiving BCG vaccine before their first birthday	Total number of children aged 12-23 months surveyed
26 Polio immunization coverage	Number of children aged 12-23 months receiving OPV3 vaccine before their first birthday	Total number of children aged 12-23 months surveyed
27 Immunization coverage for diphtheria, pertussis and tetanus (DPT)	Number of children aged 12-23 months receiving DPT3 vaccine before their first birthday	Total number of children aged 12-23 months surveyed
28 Measles immunization coverage	Number of children aged 12-23 months receiving measles vaccine before their first birthday	Total number of children aged 12-23 months surveyed
31 Fully immunized children	Number of children aged 12-23 months receiving DPT1-3, OPV-1-3, BCG and measles vaccines before their first birthday	Total number of children aged 12-23 months surveyed
32 Neonatal tetanus protection	Number of mothers with live births in the previous 2 years that were given at least two doses of tetanus toxoid (TT) vaccine within the appropriate interval prior to giving birth	Total number of women surveyed aged 15-49 years with a birth in the year preceding the survey

INDICATOR	NUMERATOR	DENOMINATOR
33 Use of oral rehydration therapy (ORT)	Number of children aged 0-59 months with diarrhoea in the previous 2 weeks that received oral rehydration salts and/or an appropriate household solution	Total number of children aged 0-59 months with diarrhoea in the previous 2 weeks
34 Home management of diarrhoea	Number of children aged 0-59 months with diarrhoea in the previous 2 weeks that received more fluids AND continued eating somewhat less, the same or more food	Total number of children aged 0-59 months with diarrhoea in the previous 2 weeks
35 Received ORT or increased fluids and continued feeding	Number of children aged 0-59 months with diarrhoea that received ORT (oral rehydration salts or an appropriate household solution) or received more fluids AND continued eating somewhat less, the same or more food	Total number of children aged 0-59 months with diarrhoea in the previous 2 weeks
36 Household availability of insecticide-treated nets (ITNs)	Number of households with at least one mosquito net, either permanently treated or treated within the previous year	Total number of households surveyed
37 Under-fives sleeping under insecticide- treated nets	Number of children aged 0-59 months that slept under an insecticide-treated mosquito net the previous night	Total number of children aged 0-59 months surveyed
38 Under-fives sleeping under mosquito nets	Number of children aged 0-59 months that slept under a mosquito net the previous night	Total number of children aged 0-59 months surveyed
39 Antimalarial treatment (under-fives)	Number of children aged 0-59 months reported to have had fever in the previous 2 weeks that were treated with an appropriate antimalarial within 24 hours of onset	Total number of children aged 0-59 months reported to have had fever in the previous 2 weeks
40 Intermittent preventive malaria treatment (pregnant women)	Number of women receiving appropriate intermittent medication to prevent malaria (defined as at least 2 doses of SP/Fansidar) during the last pregnancy, leading to a live birth within the 2 years preceding the survey	Total number of women that have had a live birth within the 2 years preceding the survey
41 Iodized salt consumption	Number of households with salt testing 15 parts per million or more of iodine/iodate	Total number of households surveyed
42 Vitamin A supplementation (under-fives)	Number of children aged 6-59 months receiving at least one high-dose vitamin A supplement in the previous 6 months	Total number of children aged 6-59 months surveyed
43 Vitamin A supplementation (post-partum mothers)	Number of women with a live birth in the 2 years preceding the survey that received a high-dose vitamin A supplement within 8 weeks after birth	Total number of women that had a live birth in the 2 years preceding the survey
44 Content of antenatal care	Number of women with a live birth in the 2 years preceding the survey that received antenatal care during the last pregnancy	Total number of women with a live birth in the 2 years preceding the survey
45 Timely initiation of breastfeeding	Number of women with a live birth in the 2 years preceding the survey that put the newborn infant to the breast within 1 hour of birth	Total number of women with a live birth in the 2 years preceding the survey
46 Support for learning	Number of children aged 0-59 months living in households in which an adult has engaged in four or more activities to promote learning and school readiness in the past 3 days	Total number of children aged 0-59 months surveyed
47 Father's support for learning	Number of children aged 0-59 months whose father has engaged in one or more activities to promote learning and school readiness in the past 3 days	Total number of children aged 0-59 months
52 Pre-school attendance	Number of children aged 36-59 months that attend some form of early childhood education programme	Total number of children aged 36-59 months surveyed
53 School readiness	Number of children in first grade that attended some form of pre-school the previous year	Total number of children in the first grade surveyed

INDICATOR	NUMERATOR	DENOMINATOR
54 Net intake rate in primary education	Number of children of school-entry age that are currently attending first grade	Total number of children of primary- school entry age surveyed
55 Net primary school attendance rate	Number of children of primary-school age currently attending primary or secondary school	Total number of children of primary- school age surveyed
56 Net secondary school attendance rate	Number of children of secondary-school age currently attending secondary school or higher	Total number of children of secondary-school age surveyed
57 Children reaching grade five	Proportion of children entering the first grade of primary school that eventually reach grade five	
58 Transition rate to secondary school	Number of children that were in the last grade of primary school during the previous school year that attend secondary school	Total number of children that were in the last grade of primary school during the previous school year surveyed
59 Primary completion rate	Number of children (of any age) attending the last grade of primary school (excluding repeaters)	Total number of children of primary school completion age (age appropriate to final grade of primary school) surveyed
60 Adult literacy rate	Number of women aged 15-24 years that are able to read a short simple statement about everyday life	Total number of women aged 15-24 years surveyed
61 Gender parity index	Proportion of girls in primary and secondary education	Proportion of boys in primary and secondary education
62 Birth registration	Number of children aged 0-59 months whose births are reported registered	Total number of children aged 0-59 months surveyed
63 Prevalence of female genital mutilation/cutting (FGM/C)	Number of women aged 15-49 years that reported undergoing <u>any</u> form of genital mutilation/cutting	Total number of women aged 15-49 years surveyed
64 Prevalence of extreme form of FGM/C	Number of women aged 15-49 years that reported undergoing an extreme form of genital mutilation/cutting (such as infibulation)	Total number of women aged 15-49 years surveyed
65 Prevalence of FGM/C among daughters	Number of women aged 15-49 years that reported that at least one daughter had undergone female genital mutilation/cutting	Total number of women aged 15-49 years surveyed that have at least one living daughter
66 Approval for FGM/C	Number of women aged 15-49 years favouring the continuation of female genital mutilation/cutting	Total number of women aged 15-49 years surveyed
67 Marriage before age 15 and age 18	Number of women that were first married or in union by the exact age of 15 and the exact age of 18, by age groups	Total number of women aged 15-49 years and 20-49 years surveyed, by age groups
68 Young women aged 15-19 years currently married or in union	Number of women aged 15-19 years currently married or in union	Total number of women aged 15-19 years surveyed
69 Spousal age difference	Number of women married/in union aged 15-19 years and 20-24 years with a difference in age of 10 or more years between them and their current spouse	Total number of women aged 15-19 and 20-24 years surveyed that are currently married or in union
70 Polygyny	Number of women in a polygynous union	Total number of women aged 15-49 years

INDICATOR	NUMERATOR	DENOMINATOR
		surveyed that are currently married or in union
71 Child labour	Number of children aged 5-14 years that are involved in child labour	Total number of children aged 5-14 years surveyed
72 Labourer students	Number of children aged 5-14 years involved in child labour activities that attend school	Total number of children aged 5-14 years involved in child labour activities
73 Student labourers	Number of children aged 5-14 years attending school that are involved in child labour activities	Total number of children aged 5-14 years attending school
75 Prevalence of orphans	Number of children under age 18 with at least one dead parent	Total number of children under age 18 surveyed
77 School attendance of orphans versus non-orphans	Proportion of double orphans (both mother and father dead) aged 10-14 years attending school	Proportion of children aged 10-14 years, both of whose parents are alive, that are living with at least one parent and are attending school
78 Children's living arrangements	Number of children aged 0-17 years not living with a biological parent	Total number of children aged 0-17 years surveyed
79 Malnutrition among children orphaned	Proportion of orphaned children under age five that are moderately or severely underweight, of all orphaned children under age five that are weighed	Proportion of children not classified as orphaned under age five that are moderately or severely underweight, of all children not classified as orphaned under age five that are weighed
82 Comprehensive knowledge about HIV prevention among young people	Number of women aged 15-24 years that correctly identify two ways of avoiding HIV infection and reject three common misconceptions about HIV transmission	Total number of women aged 15-24 years surveyed
86 Attitude towards people with HIV/AIDS	Number of women expressing acceptance on all four questions about people with HIV or AIDS	Total number of women surveyed
87 Women who know where to be tested for HIV	Number of women that state knowledge of a place to be tested	Total number of women surveyed
88 Women who have been tested for HIV	Number of women that report being tested for HIV	Total number of women surveyed
89 Knowledge of mother-to-child transmission of HIV	Number of women that correctly identify all three means of vertical transmission	Total number of women surveyed
98 Unmet need for family planning	Number of women that are currently married that want to space their births or limit the number of children they have and that are not currently using contraception	Total number of women interviewed that are currently married or in union
99 Demand satisfied for family planning	Number of women currently married that are currently using contraception	Number of women currently married or in union that have an unmet need for contraception or that are currently using contraception
100 Attitudes towards domestic violence	Number of married women that consider that a husband/partner is justified in hitting or beating his wife in at least one of the following circumstances: (1) she goes out without telling him, (2) she neglects the children,	Total number of women surveyed

INDICATOR	NUMERATOR	DENOMINATOR
	(3) she argues with him, (4) she refuses sex with him, (5) she burns the food	
101 Child disability	Number of children aged 2-9 years with at least one of nine reported disabilities: (1) delay in sitting, standing or walking, (2) difficulty seeing, either in the daytime or at night, (3) appears to have difficulty hearing, (4) difficulty in understanding instructions, (5) difficulty walking or moving arms or has weakness or stiffness of limbs, (6) has fits, becomes rigid, loses consciousness, (7) does not learn to do things like other children his/her age, (8) cannot speak or cannot be understood in words, (9) appears mentally backward, dull or slow	Total number of children aged 2-9 surveyed