

Global School-Based Student Health Survey 2016

Ministry of Health

report_generated_on: November 2, 2023

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER
ARE_2016_GSHS_v01_M

TITLE
Global School-Based Student Health Survey 2016

COUNTRY

Name	Country code
United Arab Emirates	ARE

STUDY TYPE
Global School-Based Student Health Survey

SERIES INFORMATION
This is the third GSHS conducted by the United Arab Emirates.

ABSTRACT
The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA
Sample survey data [ssd]

UNIT OF ANALYSIS
Individuals

Version

VERSION DESCRIPTION
Public-use dataset

Scope

NOTES
The following core modules were included in the survey:
dietary behaviours
hygiene
mental health
physical activity
protective factors
tobacco use
violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword
adolescents

school health
noncommunicable diseases
risk factors
protective factors
health surveys
diet
nutrition
hygiene
mental health
physical activity
tobacco use
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE

National

UNIVERSE

School-going adolescents aged 13-17 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
Ministry of Health

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE

A two-stage cluster sample design was used to produce data representative of all students in grades 8-12 in United Arab Emirates. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

The school response rate was 94%, the student response rate was 85%, and the overall response rate was 80%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

data_collection

DATES OF DATA COLLECTION

Start	End
2016	2016

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

dietary behaviours

hygiene

mental health

physical activity

protective factors

tobacco use

violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

(1) to acknowledge the data source.

(2) to share any planned publications with WHO prior to publication.

(3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.

(4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_ARE_2016_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Melanie Cowan		World Health Organization	Documentation of data
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2020-02-12

DDI DOCUMENT VERSION

Identical to a metadata (ARE_2016_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
ARE2016 (National)	5849	141
ARE2016 (Private Schools)	2962	141
ARE2016 (Public Schools)	2887	141

Data file: ARE2016 (National)

Cases: 5849

variables: 141

variables

ID	Name	Label	Question
V1	Q1	Custom Age	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V16	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V17	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V18	Q18	Serious injury type	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Serious injury cause	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V21	Q21	Bullied how	During the past 30 days, how were you bullied most often?
V22	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V23	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V24	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Close friends	How many close friends do you have?
V28	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V29	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V34	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V35	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Initiation of drug use	How old were you when you first used drugs?
V41	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V45	Q45	Age first had sex	How old were you when you had sexual intercourse for the first time?
V46	Q46	Number of sex partners	During your life, with how many people have you had sexual intercourse?
V47	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Physical activity past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V51	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V54	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V60	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V61	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V62	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V63	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V64	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V65	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V66	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V67	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V68	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V69	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V70	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V71	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V72	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V73	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V74	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V75	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V76	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V77	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V78	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V79	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V80	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V81	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V82	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V83	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V84	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V85	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V86	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V88	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V89	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V90	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V91	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V92	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V93	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V94	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V95	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V96	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V97	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V98	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V99	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V100	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V101	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V102	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V103	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V104	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V105	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V106	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V107	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V108	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V109	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V110	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V111	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V115	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V116	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V117	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V118	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V119	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V120	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V121	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V122	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V123	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V124	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V125	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V126	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V127	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V128	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V129	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V130	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V131	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V132	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V133	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V134	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V135	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V136	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V137	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V138	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V139	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V140	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V141	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V142	weight		
V143	stratum		
V144	psu		

total: 141

Data file: ARE2016 (Private Schools)

Cases: 2962

variables: 141

variables

ID	Name	Label	Question
V145	Q1	Custom Age	How old are you?
V146	Q2	Sex	What is your sex?
V147	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V148	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V149	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V150	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V151	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V152	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V153	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V154	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V155	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V156	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V157	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V158	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V159	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V160	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V161	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V162	Q18	Serious injury type	During the past 12 months, what was the most serious injury that happened to you?
V163	Q19	Serious injury cause	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V164	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V165	Q21	Bullied how	During the past 30 days, how were you bullied most often?
V166	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V167	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V168	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V169	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V170	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V171	Q27	Close friends	How many close friends do you have?
V172	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V173	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V174	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V175	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V176	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V177	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V178	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V179	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V180	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V181	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V182	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V183	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V184	Q40	Initiation of drug use	How old were you when you first used drugs?
V185	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V186	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V187	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V188	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V189	Q45	Age first had sex	How old were you when you had sexual intercourse for the first time?
V190	Q46	Number of sex partners	During your life, with how many people have you had sexual intercourse?
V191	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V192	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V193	Q49	Physical activity past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V194	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V195	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V196	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V197	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V198	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V199	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V200	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V201	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V202	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V203	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V204	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V205	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V206	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V207	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V208	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V209	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V210	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V211	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V212	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V213	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V214	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V215	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V216	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V217	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V218	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V219	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V220	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V221	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V222	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V223	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V224	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V225	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V226	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V227	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V228	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V229	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V230	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V231	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V232	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V233	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V234	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V235	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V236	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V237	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V238	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V239	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V240	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V241	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V242	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V243	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V244	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V245	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V246	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V247	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V248	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V249	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V250	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V251	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V252	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V253	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V254	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V255	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V259	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V260	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V261	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V262	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V263	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V264	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V265	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V266	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V267	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V268	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V269	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V270	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V271	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V272	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V273	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V274	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V275	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V276	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V277	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V278	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V279	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V280	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V281	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V282	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V283	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V284	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V285	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V286	weight		
V287	stratum		
V288	psu		

total: 141

Data file: ARE2016 (Public Schools)

Cases: 2887

variables: 141

variables

ID	Name	Label	Question
V289	Q1	Custom Age	How old are you?
V290	Q2	Sex	What is your sex?
V291	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V292	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V293	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V294	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V295	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V296	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V297	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V298	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V299	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V300	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V301	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V302	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V303	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V304	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V305	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V306	Q18	Serious injury type	During the past 12 months, what was the most serious injury that happened to you?
V307	Q19	Serious injury cause	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V308	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V309	Q21	Bullied how	During the past 30 days, how were you bullied most often?
V310	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V311	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V312	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V313	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V314	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V315	Q27	Close friends	How many close friends do you have?
V316	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V317	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V318	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V319	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V320	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V321	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V322	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V323	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V324	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V325	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V326	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V327	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V328	Q40	Initiation of drug use	How old were you when you first used drugs?
V329	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V330	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V331	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V332	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V333	Q45	Age first had sex	How old were you when you had sexual intercourse for the first time?
V334	Q46	Number of sex partners	During your life, with how many people have you had sexual intercourse?
V335	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V336	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V337	Q49	Physical activity past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V338	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V339	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V340	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V341	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V342	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V343	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V344	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V345	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V346	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V347	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V348	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V349	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V350	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V351	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V352	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V353	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V354	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V355	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V356	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V357	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V358	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V359	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V360	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V361	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V362	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V363	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V364	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V365	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V366	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V367	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V368	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V369	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V370	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V371	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V372	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V373	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V374	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V375	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V376	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V377	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V378	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V379	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V380	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V381	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V382	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V383	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V384	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V385	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V386	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V387	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V388	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V389	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V390	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V391	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V392	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V393	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V394	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V395	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V396	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V397	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V398	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V399	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V403	qnunwtg	Were underweight	Percentage of students who were underweight ($<-2SD$ from median for BMI by age and sex)
V404	qnowtg	Were overweight	Percentage of students who were overweight ($>+1SD$ from median for BMI by age and sex)
V405	qnobeseg	Were obese	Percentage of students who were obese ($>+2SD$ from median for BMI by age and sex)
V406	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V407	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V408	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V409	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V410	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V411	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V412	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V413	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V414	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V415	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V416	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V417	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V418	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V419	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V420	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V421	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V422	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V423	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V424	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V425	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V426	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V427	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V428	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V429	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V430	weight		
V431	stratum		
V432	psu		

total: 141

Q1: Custom Age**Data file: ARE2016 (National)****Overview**

Valid: 5826 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	41	0.7%
2	12 years old	281	4.8%
3	13 years old	911	15.6%
4	14 years old	1126	19.3%
5	15 years old	1153	19.8%
6	16 years old	1089	18.7%
7	17 years old	871	15%
8	18 years old or older	354	6.1%
Sysmiss		23	

Q10: Fast food eating**Data file: ARE2016 (National)****Overview**

Valid: 5835 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1344	23%
2	1 day	1871	32.1%
3	2 days	1254	21.5%

4	3 days	644	11%
5	4 days	283	4.9%
6	5 days	167	2.9%
7	6 days	60	1%
8	7 days	212	3.6%
Sysmiss		14	

Q2: Sex

Data file: ARE2016 (National)

Overview

Valid: 5804 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	2763	47.6%
2	Female	3041	52.4%
Sysmiss		45	

Q3: In what grade are you

Data file: ARE2016 (National)

Overview

Valid: 5733 Invalid: 116

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Grade 7	244	4.3%
2	Grade 8	1215	21.2%
3	Grade 9	1156	20.2%

4	Grade 10	1207	21.1%
5	Grade 11	976	17%
6	Grade 12	935	16.3%
Sysmiss		116	

Q4: How tall are you

Data file: ARE2016 (National)

Overview

Valid: 5353 Invalid: 496 Minimum: 1.3 Maximum: 1.98 Mean: 1.618 Standard deviation: 0.0918
 Type: Continuous Decimal: 2 Width: 4 Range: 1.27 - 1.87 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: ARE2016 (National)

Overview

Valid: 5353 Invalid: 496 Minimum: 25 Maximum: 180 Mean: 60.842 Standard deviation: 17.892
 Type: Continuous Decimal: 2 Width: 6 Range: 28 - 116 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: ARE2016 (National)

Overview

Valid: 5817 Invalid: 32
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	2979	51.2%
2	Rarely	1172	20.1%
3	Sometimes	1085	18.7%
4	Most of the time	431	7.4%
5	Always	150	2.6%
Sysmiss		32	

Q7: No fruit eating

Data file: ARE2016 (National)

Overview

Valid: 5746 Invalid: 103

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	355	6.2%
2	Less than one time per day	2276	39.6%
3	1 time per day	1223	21.3%
4	2 times per day	927	16.1%
5	3 times per day	475	8.3%
6	4 times per day	176	3.1%
7	5 or more times per day	314	5.5%
Sysmiss		103	

Q8: No vegetable eating**Data file: ARE2016 (National)****Overview**

Valid: 5813 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	410	7.1%
2	Less than one time per day	1779	30.6%
3	1 time per day	1525	26.2%
4	2 times per day	932	16%
5	3 times per day	534	9.2%
6	4 times per day	193	3.3%
7	5 or more times per day	440	7.6%
Sysmiss		36	

Q9: Soft drinks**Data file: ARE2016 (National)****Overview**

Valid: 5760 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	1077	18.7%
2	Less than one time per day	2631	45.7%

3	1 time per day	835	14.5%
4	2 times per day	564	9.8%
5	3 times per day	261	4.5%
6	4 times per day	103	1.8%
7	5 or more times per day	289	5%
Sysmiss		89	

Q11: Tooth brushing

Data file: ARE2016 (National)

Overview

Valid: 5762 Invalid: 87

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	182	3.2%
2	Less than 1 time per day	564	9.8%
3	1 time per day	1405	24.4%
4	2 times per day	2353	40.8%
5	3 times per day	740	12.8%
6	4 or more times per day	518	9%
Sysmiss		87	

Q12: Hand washing before eating

Data file: ARE2016 (National)

Overview

Valid: 5795 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	157	2.7%
2	Rarely	345	6%
3	Sometimes	717	12.4%
4	Most of the time	1320	22.8%
5	Always	3256	56.2%
Sysmiss		54	

Q13: Hand washing after toilet

Data file: ARE2016 (National)

Overview

Valid: 5780 Invalid: 69

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	88	1.5%
2	Rarely	133	2.3%
3	Sometimes	278	4.8%
4	Most of the time	625	10.8%
5	Always	4656	80.6%
Sysmiss		69	

Q14: Hand washing with soap

Data file: ARE2016 (National)

Overview

Valid: 5748 Invalid: 101

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	87	1.5%
2	Rarely	148	2.6%
3	Sometimes	466	8.1%
4	Most of the time	1142	19.9%
5	Always	3905	67.9%
Sysmiss		101	

Q15: Physically attacked

Data file: ARE2016 (National)

Overview

Valid: 5805 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	4312	74.3%
2	1 time	565	9.7%
3	2 or 3 times	458	7.9%
4	4 or 5 times	178	3.1%
5	6 or 7 times	64	1.1%
6	8 or 9 times	37	0.6%
7	10 or 11 times	32	0.6%
8	12 or more times	159	2.7%
Sysmiss		44	

Q16: Physical fighting**Data file: ARE2016 (National)****Overview**

Valid: 5810 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	3581	61.6%
2	1 time	843	14.5%
3	2 or 3 times	691	11.9%
4	4 or 5 times	236	4.1%
5	6 or 7 times	106	1.8%
6	8 or 9 times	53	0.9%
7	10 or 11 times	38	0.7%
8	12 or more times	262	4.5%
Sysmiss		39	

Q17: Seriously injured**Data file: ARE2016 (National)****Overview**

Valid: 5158 Invalid: 691

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	2980	57.8%
2	1 time	1106	21.4%
3	2 or 3 times	646	12.5%
4	4 or 5 times	187	3.6%
5	6 or 7 times	84	1.6%
6	8 or 9 times	50	1%
7	10 or 11 times	22	0.4%
8	12 or more times	83	1.6%
Sysmiss		691	

Q18: Serious injury type

Data file: ARE2016 (National)

Overview

Valid: 5327 Invalid: 522

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	3492	65.6%
2	Broken bone/dislocated joint	523	9.8%
3	I had a cut or stab wound	323	6.1%
4	Concussion/head injury	162	3%
5	I had a gunshot wound	41	0.8%
6	I had a bad burn	115	2.2%
7	I was poisoned	68	1.3%
8	Something else happened to me	603	11.3%
Sysmiss		522	

Q19: Serious injury cause

Data file: ARE2016 (National)

Overview

Valid: 5298 Invalid: 551

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	3473	65.6%
2	Motor vehicle accident	182	3.4%
3	I fell	348	6.6%
4	Something fell on me or hit me	332	6.3%
5	I was attacked	109	2.1%
6	Was in a fire	46	0.9%
7	breathed something bad	38	0.7%
8	Something else	770	14.5%
Sysmiss		551	

Q20: Bullied

Data file: ARE2016 (National)

Overview

Valid: 5515 Invalid: 334

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	4081	74%

2	1 or 2 days	814	14.8%
3	3 to 5 days	238	4.3%
4	6 to 9 days	129	2.3%
5	10 to 19 days	86	1.6%
6	20 to 29 days	54	1%
7	All 30 days	113	2%
Sysmiss		334	

Q21: Bullied how

Data file: ARE2016 (National)

Overview

Valid: 5594 Invalid: 255

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	4498	80.4%
2	Kicked, pushed, or shoved	176	3.1%
3	Made fun of race	142	2.5%
4	Made fun because of religion	48	0.9%
5	Made fun of about sex	184	3.3%
6	Left out of activities	78	1.4%
7	Made fun of about body	161	2.9%
8	Some other way	307	5.5%
Sysmiss		255	

Q22: Felt lonely

Data file: ARE2016 (National)

Overview

Valid: 5768 Invalid: 81

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	2393	41.5%
2	Rarely	1298	22.5%
3	Sometimes	1259	21.8%
4	Most of the time	532	9.2%
5	Always	286	5%
Sysmiss		81	

Q23: Could not sleep

Data file: ARE2016 (National)

Overview

Valid: 5763 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	1897	32.9%
2	Rarely	1539	26.7%
3	Sometimes	1363	23.7%
4	Most of the time	685	11.9%
5	Always	279	4.8%
Sysmiss		86	

Q24: Considered suicide**Data file: ARE2016 (National)****Overview**

Valid: 3370 Invalid: 2479

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	492	14.6%
2	No	2878	85.4%
Sysmiss		2479	

Q25: Made a suicide plan**Data file: ARE2016 (National)****Overview**

Valid: 3367 Invalid: 2482

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	397	11.8%
2	No	2970	88.2%
Sysmiss		2482	

Q26: Attempted suicide**Data file: ARE2016 (National)**

Overview

Valid: 3409 Invalid: 2440

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	3020	88.6%
2	1 time	237	7%
3	2 or 3 times	78	2.3%
4	4 or 5 times	44	1.3%
5	6 or more times	30	0.9%
Sysmiss		2440	

Q27: Close friends

Data file: ARE2016 (National)

Overview

Valid: 5736 Invalid: 113

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	418	7.3%
2	1	559	9.7%
3	2	915	16%
4	3 or more	3844	67%
Sysmiss		113	

Q28: Initiation of cigarette use**Data file: ARE2016 (National)****Overview**

Valid: 5547 Invalid: 302

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	4162	75%
2	7 years old or younger	255	4.6%
3	8 or 9 years old	210	3.8%
4	10 or 11 years old	189	3.4%
5	12 or 13 years old	326	5.9%
6	14 or 15 years old	278	5%
7	16 or 17 years old	114	2.1%
8	18 years old or older	13	0.2%
Sysmiss		302	

Q29: Current cigarette use**Data file: ARE2016 (National)****Overview**

Valid: 5648 Invalid: 201

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	4976	88.1%
2	1 or 2 days	228	4%

3	3 to 5 days	108	1.9%
4	6 to 9 days	86	1.5%
5	10 to 19 days	62	1.1%
6	20 to 29 days	58	1%
7	All 30 days	130	2.3%
Sysmiss		201	

Q30: Other tobacco use

Data file: ARE2016 (National)

Overview

Valid: 5784 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	4958	85.7%
2	1 or 2 days	317	5.5%
3	3 to 5 days	154	2.7%
4	6 to 9 days	89	1.5%
5	10 to 19 days	67	1.2%
6	20 to 29 days	47	0.8%
7	All 30 days	152	2.6%
Sysmiss		65	

Q31: Smoking cessation

Data file: ARE2016 (National)

Overview

Valid: 5585 Invalid: 264

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	4551	81.5%
2	Did not smoke cigarettes	416	7.4%
3	Yes	433	7.8%
4	No	185	3.3%
Sysmiss		264	

Q32: Smoking in their presence

Data file: ARE2016 (National)

Overview

Valid: 5744 Invalid: 105

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	2744	47.8%
2	1 or 2 days	1276	22.2%
3	3 or 4 days	547	9.5%
4	5 or 6 days	258	4.5%
5	All 7 days	919	16%
Sysmiss		105	

Q33: Parental tobacco use

Data file: ARE2016 (National)

Overview

Valid: 5746 Invalid: 103

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	4221	73.5%
2	My father or male guardian	853	14.8%
3	My mother or female guardian	127	2.2%
4	Both	176	3.1%
5	I do not know	369	6.4%
Sysmiss		103	

Q34: Initiation of alcohol use

Data file: ARE2016 (National)

Overview

Valid: 0 Invalid: 5849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category
1	Never drank alcohol
2	7 years old or younger
3	8 or 9 years old
4	10 or 11 years old
5	12 or 13 years old
6	14 or 15 years old

7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q35: Current alcohol use

Data file: ARE2016 (National)

Overview

Valid: 0 Invalid: 5849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category
1	0 days
2	1 or 2 days
3	3 to 5 days
4	6 to 9 days
5	10 to 19 days
6	20 to 29 days
7	All 30 days
Sysmiss	

Q36: Drank 2+ drinks

Data file: ARE2016 (National)

Overview

Valid: 0 Invalid: 5849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category
1	Did not drink in past 30 days
2	Less than one drink
3	1 drink
4	2 drinks
5	3 drinks
6	4 drinks
7	5 or more drinks
Sysmiss	

Q37: Source of alcohol

Data file: ARE2016 (National)

Overview

Valid: 0 Invalid: 5849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category
1	Did not drink in past 30 days
2	I bought in a store
3	I gave someone money to buy
4	I got it from my friends
5	I got it from my family
6	I stole it
7	Some other way
Sysmiss	

Q38: Really drunk**Data file: ARE2016 (National)****Overview**

Valid: 0 Invalid: 5849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 or more times
Sysmiss	

Q39: Trouble from drinking**Data file: ARE2016 (National)****Overview**

Valid: 0 Invalid: 5849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category
1	0 times

2	1 or 2 times
3	3 to 9 times
4	10 or more times
Sysmiss	

Q40: Initiation of drug use

Data file: ARE2016 (National)

Overview

Valid: 0 Invalid: 5849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category
1	I have never used drugs
2	7 years old or younger
3	8 or 9 years old
4	10 or 11 years old
5	12 or 13 years old
6	14 or 15 years old
7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q41: Ever marijuana use

Data file: ARE2016 (National)

Overview

Valid: 0 Invalid: 5849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 to 19 times
5	20 or more times
Sysmiss	

Q42: Current marijuana use

Data file: ARE2016 (National)

Overview

Valid: 0 Invalid: 5849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 to 19 times
5	20 or more times
Sysmiss	

Q43: Amphetamine or methamphetamine use

Data file: ARE2016 (National)

Overview

Valid: 0 Invalid: 5849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 to 19 times
5	20 or more times
Sysmiss	

Q44: Ever sexual intercourse

Data file: ARE2016 (National)

Overview

Valid: 3352 Invalid: 2497

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	365	10.9%
2	No	2987	89.1%
Sysmiss		2497	

Q45: Age first had sex**Data file: ARE2016 (National)****Overview**

Valid: 0 Invalid: 5849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category
1	Never had sex
2	11 years old or younger
3	12 years old
4	13 years old
5	14 years old
6	15 years old
7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q46: Number of sex partners**Data file: ARE2016 (National)****Overview**

Valid: 0 Invalid: 5849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category
1	Never had sex
2	1 person

3	2 people
4	3 people
5	4 people
6	5 people
7	6 or more people
Sysmiss	

Q47: Condom use

Data file: ARE2016 (National)

Overview

Valid: 0 Invalid: 5849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category
1	Never had sex
2	Yes
3	No
Sysmiss	

Q48: Birth control used

Data file: ARE2016 (National)

Overview

Valid: 0 Invalid: 5849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category
1	Never had sex
2	Yes
3	No
4	I do not know
Sysmiss	

Q49: Physical activity past 7 days**Data file: ARE2016 (National)****Overview**

Valid: 5735 Invalid: 114

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	1286	22.4%
2	1 day	1016	17.7%
3	2 days	843	14.7%
4	3 days	713	12.4%
5	4 days	417	7.3%
6	5 days	383	6.7%
7	6 days	190	3.3%
8	7 days	887	15.5%
Sysmiss		114	

Q50: Walk or bike to school**Data file: ARE2016 (National)****Overview**

Valid: 5784 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	4686	81%
2	1 day	317	5.5%
3	2 days	204	3.5%
4	3 days	140	2.4%
5	4 days	71	1.2%
6	5 days	92	1.6%
7	6 days	23	0.4%
8	7 days	251	4.3%
Sysmiss		65	

Q51: PE attendance**Data file: ARE2016 (National)****Overview**

Valid: 5716 Invalid: 133

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	1491	26.1%
2	1 day	1423	24.9%
3	2 days	1222	21.4%

4	3 days	435	7.6%
5	4 days	136	2.4%
6	5 or more days	1009	17.7%
Sysmiss		133	

Q52: Sitting activities

Data file: ARE2016 (National)

Overview

Valid: 5735 Invalid: 114

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	960	16.7%
2	1 to 2 hours per day	1455	25.4%
3	3 to 4 hours per day	1356	23.6%
4	5 to 6 hours per day	899	15.7%
5	7 to 8 hours per day	352	6.1%
6	More than 8 hours per day	713	12.4%
Sysmiss		114	

Q53: Miss school no permission

Data file: ARE2016 (National)

Overview

Valid: 5678 Invalid: 171

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	3217	56.7%
2	1 or 2 days	1563	27.5%
3	3 to 5 days	561	9.9%
4	6 to 9 days	163	2.9%
5	10 or more days	174	3.1%
Sysmiss		171	

Q54: Other students kind and helpful

Data file: ARE2016 (National)

Overview

Valid: 5708 Invalid: 141

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	492	8.6%
2	Rarely	503	8.8%
3	Sometimes	1068	18.7%
4	Most of the time	1541	27%
5	Always	2104	36.9%
Sysmiss		141	

Q55: Parents check homework

Data file: ARE2016 (National)

Overview

Valid: 5698 Invalid: 151

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	1230	21.6%
2	Rarely	872	15.3%
3	Sometimes	1107	19.4%
4	Most of the time	1033	18.1%
5	Always	1456	25.6%
Sysmiss		151	

Q56: Parents understand problems

Data file: ARE2016 (National)

Overview

Valid: 5662 Invalid: 187

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	1149	20.3%
2	Rarely	796	14.1%
3	Sometimes	1107	19.6%
4	Most of the time	1042	18.4%
5	Always	1568	27.7%
Sysmiss		187	

Q57: Parents know about free time

Data file: ARE2016 (National)

Overview

Valid: 5686 Invalid: 163

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	903	15.9%
2	Rarely	691	12.2%
3	Sometimes	1082	19%
4	Most of the time	1321	23.2%
5	Always	1689	29.7%
Sysmiss		163	

Q58: Parents go through their things

Data file: ARE2016 (National)

Overview

Valid: 5667 Invalid: 182 Mean: 1.732 Standard deviation: 1.114

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		3479	61.4%
2		995	17.6%
3		655	11.6%
4		307	5.4%
5		231	4.1%
Sysmiss		182	

QN6: Most of the time or always went hungry**Data file: ARE2016 (National)****Overview**

Valid: 5817 Invalid: 32 Mean: 1.9 Standard deviation: 0.3
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		581	10%
2		5236	90%
Sysmiss		32	

QN7: Did not eat fruit**Data file: ARE2016 (National)****Overview**

Valid: 5746 Invalid: 103 Mean: 1.938 Standard deviation: 0.241
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		355	6.2%
2		5391	93.8%
Sysmiss		103	

QN8: Did not eat vegetables**Data file: ARE2016 (National)****Overview**

Valid: 5813 Invalid: 36 Mean: 1.929 Standard deviation: 0.256

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		410	7.1%
2		5403	92.9%
Sysmiss		36	

QN9: Did not drink carbonated soft drinks

Data file: ARE2016 (National)

Overview

Valid: 5760 Invalid: 89 Mean: 1.813 Standard deviation: 0.39
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1077	18.7%
2		4683	81.3%
Sysmiss		89	

QN10: Did not eat food from a fast food restaurant

Data file: ARE2016 (National)

Overview

Valid: 5835 Invalid: 14 Mean: 1.77 Standard deviation: 0.421
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1344	23%
2		4491	77%
Sysmiss		14	

QN11: Usually cleaned or brushed their teeth

Data file: ARE2016 (National)

Overview

Valid: 5762 Invalid: 87 Mean: 1.129 Standard deviation: 0.336
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		5016	87.1%
2		746	12.9%
Sysmiss		87	

QN12: Never or rarely washed their hands before eating

Data file: ARE2016 (National)

Overview

Valid: 5795 Invalid: 54 Mean: 1.913 Standard deviation: 0.281
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		502	8.7%
2		5293	91.3%
Sysmiss		54	

QN13: Never or rarely washed their hands after using the toilet or latrine**Data file: ARE2016 (National)****Overview**

Valid: 5780 Invalid: 69 Mean: 1.962 Standard deviation: 0.192
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		221	3.8%
2		5559	96.2%
Sysmiss		69	

QN14: Never or rarely used soap when washing their hands**Data file: ARE2016 (National)****Overview**

Valid: 5748 Invalid: 101 Mean: 1.959 Standard deviation: 0.198
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		235	4.1%
2		5513	95.9%
Sysmiss		101	

QN15: Were physically attacked**Data file: ARE2016 (National)****Overview**

Valid: 5805 Invalid: 44 Mean: 1.743 Standard deviation: 0.437
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		1493	25.7%
2		4312	74.3%
Sysmiss		44	

QN16: Were in a physical fight

Data file: ARE2016 (National)

Overview

Valid: 5810 Invalid: 39 Mean: 1.616 Standard deviation: 0.486
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		2229	38.4%
2		3581	61.6%
Sysmiss		39	

QN17: Were seriously injured

Data file: ARE2016 (National)

Overview

Valid: 5158 Invalid: 691 Mean: 1.578 Standard deviation: 0.494
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		2178	42.2%
2		2980	57.8%
Sysmiss		691	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: ARE2016 (National)

Overview

Valid: 1835 Invalid: 4014 Mean: 1.715 Standard deviation: 0.452
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		523	28.5%
2		1312	71.5%
Sysmiss		4014	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: ARE2016 (National)

Overview

Valid: 1825 Invalid: 4024 Mean: 1.9 Standard deviation: 0.3
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		182	10%
2		1643	90%
Sysmiss		4024	

QN20: Were bullied**Data file: ARE2016 (National)****Overview**

Valid: 5515 Invalid: 334 Mean: 1.74 Standard deviation: 0.439
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1434	26%
2		4081	74%
Sysmiss		334	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors**Data file: ARE2016 (National)****Overview**

Valid: 1096 Invalid: 4753 Mean: 1.839 Standard deviation: 0.367
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		176	16.1%
2		920	83.9%
Sysmiss		4753	

QN22: Most of the time or always felt lonely**Data file: ARE2016 (National)****Overview**

Valid: 5768 Invalid: 81 Mean: 1.858 Standard deviation: 0.349
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		818	14.2%
2		4950	85.8%
Sysmiss		81	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: ARE2016 (National)

Overview

Valid: 5763 Invalid: 86 Mean: 1.833 Standard deviation: 0.373
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		964	16.7%
2		4799	83.3%
Sysmiss		86	

QN24: Seriously considered attempting suicide

Data file: ARE2016 (National)

Overview

Valid: 3370 Invalid: 2479 Mean: 1.854 Standard deviation: 0.353
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		492	14.6%
2		2878	85.4%
Sysmiss		2479	

QN25: Made a plan about how they would attempt suicide

Data file: ARE2016 (National)

Overview

Valid: 3367 Invalid: 2482 Mean: 1.882 Standard deviation: 0.323
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		397	11.8%
2		2970	88.2%
Sysmiss		2482	

QN26: Attempted suicide

Data file: ARE2016 (National)

Overview

Valid: 3409 Invalid: 2440 Mean: 1.886 Standard deviation: 0.318
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		389	11.4%
2		3020	88.6%
Sysmiss		2440	

QN27: Did not have any close friends**Data file: ARE2016 (National)****Overview**

Valid: 5736 Invalid: 113 Mean: 1.927 Standard deviation: 0.26
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1		418	7.3%
2		5318	92.7%
Sysmiss		113	

QN28: Tried a cigarette before age 14 years**Data file: ARE2016 (National)****Overview**

Valid: 1385 Invalid: 4464 Mean: 1.292 Standard deviation: 0.455
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1		980	70.8%
2		405	29.2%
Sysmiss		4464	

QN29: Currently smoked cigarettes**Data file: ARE2016 (National)****Overview**

Valid: 5648 Invalid: 201 Mean: 1.881 Standard deviation: 0.324
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		672	11.9%
2		4976	88.1%
Sysmiss		201	

QN30: Currently used any tobacco products other than cigarettes

Data file: ARE2016 (National)

Overview

Valid: 5784 Invalid: 65 Mean: 1.857 Standard deviation: 0.35
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		826	14.3%
2		4958	85.7%
Sysmiss		65	

QN31: Tried to quit smoking cigarettes

Data file: ARE2016 (National)

Overview

Valid: 618 Invalid: 5231 Mean: 1.299 Standard deviation: 0.458
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		433	70.1%
2		185	29.9%
Sysmiss		5231	

QN32: Reported that people smoked in their presence

Data file: ARE2016 (National)

Overview

Valid: 5744 Invalid: 105 Mean: 1.478 Standard deviation: 0.5
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		3000	52.2%
2		2744	47.8%
Sysmiss		105	

QN33: Had parents or guardians who used any form of tobacco

Data file: ARE2016 (National)

Overview

Valid: 5746 Invalid: 103 Mean: 1.799 Standard deviation: 0.401
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1		1156	20.1%
2		4590	79.9%
Sysmiss		103	

QN34: Drank alcohol before age 14 years**Data file: ARE2016 (National)****Overview**

Valid: 0 Invalid: 5849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category
Sysmiss	

QN35: Currently drank alcohol**Data file: ARE2016 (National)****Overview**

Valid: 0 Invalid: 5849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN36: Usually drank two or more drinks per day**Data file: ARE2016 (National)****Overview**

Valid: 0 Invalid: 5849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN37: Usually obtained the alcohol they drank from friends**Data file: ARE2016 (National)****Overview**

Valid: 0 Invalid: 5849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN47: Used a condom**Data file: ARE2016 (National)****Overview**

Valid: 0 Invalid: 5849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN38: Ever drank so much alcohol that they were really drunk**Data file: ARE2016 (National)****Overview**

Valid: 0 Invalid: 5849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: ARE2016 (National)

Overview

Valid: 0 Invalid: 5849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QN40: Used drugs before age 14 years

Data file: ARE2016 (National)

Overview

Valid: 0 Invalid: 5849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category
Sysmiss	

QN41: Ever used marijuana**Data file: ARE2016 (National)****Overview**

Valid: 0 Invalid: 5849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QN42: Currently used marijuana**Data file: ARE2016 (National)****Overview**

Valid: 0 Invalid: 5849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN43: Ever used amphetamines or methamphetamines**Data file: ARE2016 (National)****Overview**

Valid: 0 Invalid: 5849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QN44: Ever had sexual intercourse

Data file: ARE2016 (National)

Overview

Valid: 3352 Invalid: 2497 Mean: 1.891 Standard deviation: 0.312
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1		365	10.9%
2		2987	89.1%
Sysmiss		2497	

QN45: Had sexual intercourse before age 14 years

Data file: ARE2016 (National)

Overview

Valid: 0 Invalid: 5849
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN46: Had sexual intercourse with two or more persons

Data file: ARE2016 (National)

Overview

Valid: 0 Invalid: 5849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category
Sysmiss	

QN48: Used a method of birth control other than condoms**Data file: ARE2016 (National)****Overview**

Valid: 0 Invalid: 5849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN49: Were not physically active**Data file: ARE2016 (National)****Overview**

Valid: 5735 Invalid: 114 Mean: 1.776 Standard deviation: 0.417

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases
-------	----------	-------

1		1286	22.4%
2		4449	77.6%
Sysmiss		114	

QN50: Did not walk or ride a bicycle to or from school

Data file: ARE2016 (National)

Overview

Valid: 5784 Invalid: 65 Mean: 1.19 Standard deviation: 0.392
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		4686	81%
2		1098	19%
Sysmiss		65	

QN51: Did not attend physical education classes

Data file: ARE2016 (National)

Overview

Valid: 5716 Invalid: 133 Mean: 1.739 Standard deviation: 0.439
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		1491	26.1%
2		4225	73.9%
Sysmiss		133	

QN52: Spent three or more hours per day doing sitting activities**Data file: ARE2016 (National)****Overview**

Valid: 5735 Invalid: 114 Mean: 1.421 Standard deviation: 0.494
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
1		3320	57.9%
2		2415	42.1%
Sysmiss		114	

QN53: Missed classes or school without permission**Data file: ARE2016 (National)****Overview**

Valid: 5678 Invalid: 171 Mean: 1.567 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2461	43.3%
2		3217	56.7%
Sysmiss		171	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful**Data file: ARE2016 (National)****Overview**

Valid: 5708 Invalid: 141 Mean: 1.361 Standard deviation: 0.48
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		3645	63.9%
2		2063	36.1%
Sysmiss		141	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: ARE2016 (National)

Overview

Valid: 5698 Invalid: 151 Mean: 1.563 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2489	43.7%
2		3209	56.3%
Sysmiss		151	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: ARE2016 (National)

Overview

Valid: 5662 Invalid: 187 Mean: 1.539 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems

and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2610	46.1%
2		3052	53.9%
Sysmiss		187	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: ARE2016 (National)

Overview

Valid: 5686 Invalid: 163 Mean: 1.471 Standard deviation: 0.499
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		3010	52.9%
2		2676	47.1%
Sysmiss		163	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: ARE2016 (National)

Overview

Valid: 5667 Invalid: 182 Mean: 1.211 Standard deviation: 0.408
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		4474	78.9%

2		1193	21.1%
Sysmiss		182	

QNUNWTG: Were underweight

Data file: ARE2016 (National)

Overview

Valid: 5353 Invalid: 496 Mean: 1.964 Standard deviation: 0.186
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		192	3.6%
2		5161	96.4%
Sysmiss		496	

QNOWTG: Were overweight

Data file: ARE2016 (National)

Overview

Valid: 5353 Invalid: 496 Mean: 1.61 Standard deviation: 0.488
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		2087	39%
2		3266	61%
Sysmiss		496	

QNOBESEG: Were obese

Data file: ARE2016 (National)

Overview

Valid: 5353 Invalid: 496 Mean: 1.825 Standard deviation: 0.38
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		939	17.5%
2		4414	82.5%
Sysmiss		496	

QNFRLG: Usually ate fruit less than one time per day

Data file: ARE2016 (National)

Overview

Valid: 5746 Invalid: 103 Mean: 1.604 Standard deviation: 0.489
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2276	39.6%
2		3470	60.4%
Sysmiss		103	

QNFR1G: Usually ate fruit one or more times per day

Data file: ARE2016 (National)

Overview

Valid: 5746 Invalid: 103 Mean: 1.458 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		3115	54.2%
2		2631	45.8%
Sysmiss		103	

QNFR2G: Usually ate fruit two or more times per day**Data file: ARE2016 (National)****Overview**

Valid: 5746 Invalid: 103 Mean: 1.671 Standard deviation: 0.47
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1892	32.9%
2		3854	67.1%
Sysmiss		103	

QNFR3G: Usually ate fruit three or more times per day**Data file: ARE2016 (National)****Overview**

Valid: 5746 Invalid: 103 Mean: 1.832 Standard deviation: 0.374
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		965	16.8%
2		4781	83.2%
Sysmiss		103	

QNVEGLG: Usually ate vegetables less than one time per day**Data file: ARE2016 (National)****Overview**

Valid: 5813 Invalid: 36 Mean: 1.694 Standard deviation: 0.461
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1779	30.6%
2		4034	69.4%
Sysmiss		36	

QNVEG1G: Usually ate vegetables one or more times per day**Data file: ARE2016 (National)****Overview**

Valid: 5813 Invalid: 36 Mean: 1.377 Standard deviation: 0.485
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		3624	62.3%
2		2189	37.7%
Sysmiss		36	

QNVEG2G: Usually ate vegetables two or more times per day**Data file: ARE2016 (National)****Overview**

Valid: 5813 Invalid: 36 Mean: 1.639 Standard deviation: 0.48
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2099	36.1%
2		3714	63.9%
Sysmiss		36	

QNVEG3G: Usually ate vegetables three or more times per day

Data file: ARE2016 (National)

Overview

Valid: 5813 Invalid: 36 Mean: 1.799 Standard deviation: 0.401
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1167	20.1%
2		4646	79.9%
Sysmiss		36	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: ARE2016 (National)

Overview

Valid: 5760 Invalid: 89 Mean: 1.543 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		2631	45.7%
2		3129	54.3%
Sysmiss		89	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day

Data file: ARE2016 (National)

Overview

Valid: 5760 Invalid: 89 Mean: 1.644 Standard deviation: 0.479
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2052	35.6%
2		3708	64.4%
Sysmiss		89	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day

Data file: ARE2016 (National)

Overview

Valid: 5760 Invalid: 89 Mean: 1.789 Standard deviation: 0.408
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1217	21.1%
2		4543	78.9%
Sysmiss		89	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day**Data file: ARE2016 (National)****Overview**

Valid: 5760 Invalid: 89 Mean: 1.887 Standard deviation: 0.317
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		653	11.3%
2		5107	88.7%
Sysmiss		89	

QNFF1G: Ate food from a fast food restaurant one or more days**Data file: ARE2016 (National)****Overview**

Valid: 5835 Invalid: 14 Mean: 1.23 Standard deviation: 0.421
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		4491	77%
2		1344	23%
Sysmiss		14	

QNFF2G: Ate food from a fast food restaurant two or more days**Data file: ARE2016 (National)****Overview**

Valid: 5835 Invalid: 14 Mean: 1.551 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2620	44.9%
2		3215	55.1%
Sysmiss		14	

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: ARE2016 (National)

Overview

Valid: 5835 Invalid: 14 Mean: 1.766 Standard deviation: 0.423
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1366	23.4%
2		4469	76.6%
Sysmiss		14	

QNC2G: Were bullied and could not sleep at night

Data file: ARE2016 (National)

Overview

Valid: 890 Invalid: 4959 Mean: 1.578 Standard deviation: 0.494
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		376	42.2%
2		514	57.8%
Sysmiss		4959	

QNTOB2G: Currently used any tobacco product

Data file: ARE2016 (National)

Overview

Valid: 5708 Invalid: 141 Mean: 1.822 Standard deviation: 0.383
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1017	17.8%
2		4691	82.2%
Sysmiss		141	

QNNOTB2G: Did not currently use any tobacco products

Data file: ARE2016 (National)

Overview

Valid: 5625 Invalid: 224 Mean: 1.166 Standard deviation: 0.372
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		4691	83.4%
2		934	16.6%
Sysmiss		224	

QNBCANYG: Used a method of birth control**Data file: ARE2016 (National)****Overview**

Valid: 0 Invalid: 5849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk**Data file: ARE2016 (National)****Overview**

Valid: 0 Invalid: 5849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days**Data file: ARE2016 (National)****Overview**

Valid: 5735 Invalid: 114 Mean: 1.745 Standard deviation: 0.436

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1460	25.5%
2		4275	74.5%
Sysmiss		114	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: ARE2016 (National)

Overview

Valid: 5735 Invalid: 114 Mean: 1.845 Standard deviation: 0.362
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		887	15.5%
2		4848	84.5%
Sysmiss		114	

QNPE3G: Attended physical education classes on three or more days

Data file: ARE2016 (National)

Overview

Valid: 5716 Invalid: 133 Mean: 1.724 Standard deviation: 0.447
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		1580	27.6%
2		4136	72.4%

Sysmiss		133	
---------	--	-----	--

QNPE5G: Attended physical education classes on five or more days

Data file: ARE2016 (National)

Overview

Valid: 5716 Invalid: 133 Mean: 1.823 Standard deviation: 0.381
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		1009	17.7%
2		4707	82.3%
Sysmiss		133	

WEIGHT:

Data file: ARE2016 (National)

Overview

Valid: 5849 Invalid: 0 Mean: 40.386 Standard deviation: 18.052
Type: Continuous Decimal: 0 Width: 10 Range: 42.0329 - 329.5608 Format: Numeric

STRATUM:

Data file: ARE2016 (National)

Overview

Valid: 5849 Invalid: 0 Mean: 201601502.248 Standard deviation: 501.736
Type: Discrete Decimal: 0 Width: 9 Range: 201501001 - 201501019 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
201601001		253	4.3%
201601002		121	2.1%
201601003		182	3.1%

201601004		210	3.6%
201601005		184	3.1%
201601006		147	2.5%
201601007		209	3.6%
201601008		258	4.4%
201601009		296	5.1%
201601010		160	2.7%
201601011		211	3.6%
201601012		236	4%
201601013		185	3.2%
201601014		310	5.3%
201602001		79	1.4%
201602002		41	0.7%
201602003		176	3%
201602004		147	2.5%
201602005		133	2.3%
201602006		231	3.9%
201602007		261	4.5%
201602008		229	3.9%
201602009		104	1.8%
201602010		188	3.2%
201602011		233	4%
201602012		179	3.1%
201602013		241	4.1%
201602014		231	3.9%
201602015		227	3.9%
201602016		187	3.2%

PSU:**Data file: ARE2016 (National)****Overview**

Valid: 5849 Invalid: 0 Mean: 16.857 Standard deviation: 8.542
 Type: Continuous Decimal: 0 Width: 5 Range: 1 - 38 Format: Numeric

Q1: Custom Age**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2950 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	21	0.7%
2	12 years old	247	8.4%
3	13 years old	621	21.1%
4	14 years old	651	22.1%
5	15 years old	543	18.4%
6	16 years old	424	14.4%
7	17 years old	295	10%
8	18 years old or older	148	5%
Sysmiss		12	

Q2: Sex**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2944 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1508	51.2%
2	Female	1436	48.8%
Sysmiss		18	

Q3: In what grade are you**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2911 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Grade 7	221	7.6%
2	Grade 8	725	24.9%
3	Grade 9	665	22.8%
4	Grade 10	569	19.5%
5	Grade 11	381	13.1%
6	Grade 12	350	12%
Sysmiss		51	

Q4: How tall are you**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2708 Invalid: 254 Minimum: 1.3 Maximum: 1.98 Mean: 1.627 Standard deviation: 0.0965

Type: Continuous Decimal: 2 Width: 4 Range: 1.27 - 1.87 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2708 Invalid: 254 Minimum: 25 Maximum: 179 Mean: 60.284 Standard deviation: 16.459

Type: Continuous Decimal: 2 Width: 6 Range: 28 - 116 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: ARE2016 (Private Schools)

Overview

Valid: 2946 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1650	56%
2	Rarely	568	19.3%
3	Sometimes	535	18.2%
4	Most of the time	143	4.9%
5	Always	50	1.7%
Sysmiss		16	

Q7: No fruit eating

Data file: ARE2016 (Private Schools)

Overview

Valid: 2914 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	145	5%
2	Less than one time per day	757	26%
3	1 time per day	798	27.4%
4	2 times per day	651	22.3%
5	3 times per day	313	10.7%
6	4 times per day	84	2.9%
7	5 or more times per day	166	5.7%
Sysmiss		48	

Q8: No vegetable eating

Data file: ARE2016 (Private Schools)

Overview

Valid: 2948 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	138	4.7%
2	Less than one time per day	633	21.5%
3	1 time per day	843	28.6%
4	2 times per day	616	20.9%
5	3 times per day	369	12.5%
6	4 times per day	134	4.5%
7	5 or more times per day	215	7.3%
Sysmiss		14	

Q9: Soft drinks

Data file: ARE2016 (Private Schools)

Overview

Valid: 2929 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	713	24.3%
2	Less than one time per day	1325	45.2%
3	1 time per day	403	13.8%
4	2 times per day	260	8.9%
5	3 times per day	105	3.6%
6	4 times per day	42	1.4%
7	5 or more times per day	81	2.8%
Sysmiss		33	

Q10: Fast food eating

Data file: ARE2016 (Private Schools)

Overview

Valid: 2955 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	702	23.8%
2	1 day	1040	35.2%
3	2 days	612	20.7%
4	3 days	310	10.5%

5	4 days	129	4.4%
6	5 days	59	2%
7	6 days	19	0.6%
8	7 days	84	2.8%
Sysmiss		7	

Q11: Tooth brushing

Data file: ARE2016 (Private Schools)

Overview

Valid: 2929 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	60	2%
2	Less than 1 time per day	229	7.8%
3	1 time per day	735	25.1%
4	2 times per day	1340	45.7%
5	3 times per day	378	12.9%
6	4 or more times per day	187	6.4%
Sysmiss		33	

Q12: Hand washing before eating

Data file: ARE2016 (Private Schools)

Overview

Valid: 2942 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	57	1.9%
2	Rarely	152	5.2%
3	Sometimes	396	13.5%
4	Most of the time	777	26.4%
5	Always	1560	53%
Sysmiss		20	

Q13: Hand washing after toilet

Data file: ARE2016 (Private Schools)

Overview

Valid: 2938 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	34	1.2%
2	Rarely	36	1.2%
3	Sometimes	122	4.2%
4	Most of the time	291	9.9%
5	Always	2455	83.6%
Sysmiss		24	

Q14: Hand washing with soap

Data file: ARE2016 (Private Schools)

Overview

Valid: 2925 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	36	1.2%
2	Rarely	71	2.4%
3	Sometimes	255	8.7%
4	Most of the time	595	20.3%
5	Always	1968	67.3%
Sysmiss		37	

Q15: Physically attacked

Data file: ARE2016 (Private Schools)

Overview

Valid: 2958 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	2135	72.2%
2	1 time	299	10.1%
3	2 or 3 times	280	9.5%
4	4 or 5 times	93	3.1%
5	6 or 7 times	28	0.9%
6	8 or 9 times	18	0.6%
7	10 or 11 times	17	0.6%
8	12 or more times	88	3%
Sysmiss		4	

Q16: Physical fighting**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2948 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	1741	59.1%
2	1 time	460	15.6%
3	2 or 3 times	384	13%
4	4 or 5 times	124	4.2%
5	6 or 7 times	56	1.9%
6	8 or 9 times	35	1.2%
7	10 or 11 times	22	0.7%
8	12 or more times	126	4.3%
Sysmiss		14	

Q17: Seriously injured**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2621 Invalid: 341

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	1437	54.8%
2	1 time	608	23.2%
3	2 or 3 times	361	13.8%
4	4 or 5 times	93	3.5%
5	6 or 7 times	41	1.6%
6	8 or 9 times	27	1%
7	10 or 11 times	11	0.4%
8	12 or more times	43	1.6%
Sysmiss		341	

Q18: Serious injury type

Data file: ARE2016 (Private Schools)

Overview

Valid: 2715 Invalid: 247

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1726	63.6%
2	Broken bone/dislocated joint	288	10.6%
3	I had a cut or stab wound	188	6.9%
4	Concussion/head injury	72	2.7%
5	I had a gunshot wound	15	0.6%
6	I had a bad burn	47	1.7%
7	I was poisoned	22	0.8%
8	Something else happened to me	357	13.1%
Sysmiss		247	

Q19: Serious injury cause

Data file: ARE2016 (Private Schools)

Overview

Valid: 2678 Invalid: 284

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1680	62.7%
2	Motor vehicle accident	81	3%
3	I fell	256	9.6%
4	Something fell on me or hit me	146	5.5%
5	I was attacked	64	2.4%
6	Was in a fire	29	1.1%
7	breathed something bad	21	0.8%
8	Something else	401	15%
Sysmiss		284	

Q20: Bullied

Data file: ARE2016 (Private Schools)

Overview

Valid: 2816 Invalid: 146

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	2086	74.1%

2	1 or 2 days	412	14.6%
3	3 to 5 days	122	4.3%
4	6 to 9 days	71	2.5%
5	10 to 19 days	44	1.6%
6	20 to 29 days	29	1%
7	All 30 days	52	1.8%
Sysmiss		146	

Q21: Bullied how

Data file: ARE2016 (Private Schools)

Overview

Valid: 2828 Invalid: 134

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	2222	78.6%
2	Kicked, pushed, or shoved	83	2.9%
3	Made fun of race	72	2.5%
4	Made fun because of religion	16	0.6%
5	Made fun of about sex	87	3.1%
6	Left out of activities	52	1.8%
7	Made fun of about body	106	3.7%
8	Some other way	190	6.7%
Sysmiss		134	

Q22: Felt lonely

Data file: ARE2016 (Private Schools)

Overview

Valid: 2929 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	1149	39.2%
2	Rarely	694	23.7%
3	Sometimes	723	24.7%
4	Most of the time	247	8.4%
5	Always	116	4%
Sysmiss		33	

Q23: Could not sleep

Data file: ARE2016 (Private Schools)

Overview

Valid: 2928 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	941	32.1%
2	Rarely	801	27.4%
3	Sometimes	755	25.8%
4	Most of the time	315	10.8%
5	Always	116	4%
Sysmiss		34	

Q24: Considered suicide**Data file: ARE2016 (Private Schools)****Overview**

Valid: 1692 Invalid: 1270

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	199	11.8%
2	No	1493	88.2%
Sysmiss		1270	

Q25: Made a suicide plan**Data file: ARE2016 (Private Schools)****Overview**

Valid: 1699 Invalid: 1263

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	158	9.3%
2	No	1541	90.7%
Sysmiss		1263	

Q26: Attempted suicide**Data file: ARE2016 (Private Schools)**

Overview

Valid: 1710 Invalid: 1252

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	1572	91.9%
2	1 time	91	5.3%
3	2 or 3 times	26	1.5%
4	4 or 5 times	11	0.6%
5	6 or more times	10	0.6%
Sysmiss		1252	

Q27: Close friends

Data file: ARE2016 (Private Schools)

Overview

Valid: 2918 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	182	6.2%
2	1	273	9.4%
3	2	507	17.4%
4	3 or more	1956	67%
Sysmiss		44	

Q28: Initiation of cigarette use**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2839 Invalid: 123

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2218	78.1%
2	7 years old or younger	111	3.9%
3	8 or 9 years old	86	3%
4	10 or 11 years old	71	2.5%
5	12 or 13 years old	160	5.6%
6	14 or 15 years old	138	4.9%
7	16 or 17 years old	49	1.7%
8	18 years old or older	6	0.2%
Sysmiss		123	

Q29: Current cigarette use**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2910 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	2647	91%
2	1 or 2 days	87	3%

3	3 to 5 days	34	1.2%
4	6 to 9 days	35	1.2%
5	10 to 19 days	28	1%
6	20 to 29 days	20	0.7%
7	All 30 days	59	2%
Sysmiss		52	

Q30: Other tobacco use

Data file: ARE2016 (Private Schools)

Overview

Valid: 2945 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	2557	86.8%
2	1 or 2 days	156	5.3%
3	3 to 5 days	69	2.3%
4	6 to 9 days	50	1.7%
5	10 to 19 days	28	1%
6	20 to 29 days	21	0.7%
7	All 30 days	64	2.2%
Sysmiss		17	

Q31: Smoking cessation

Data file: ARE2016 (Private Schools)

Overview

Valid: 2864 Invalid: 98

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2425	84.7%
2	Did not smoke cigarettes	167	5.8%
3	Yes	186	6.5%
4	No	86	3%
Sysmiss		98	

Q32: Smoking in their presence

Data file: ARE2016 (Private Schools)

Overview

Valid: 2923 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	1441	49.3%
2	1 or 2 days	690	23.6%
3	3 or 4 days	264	9%
4	5 or 6 days	120	4.1%
5	All 7 days	408	14%
Sysmiss		39	

Q33: Parental tobacco use

Data file: ARE2016 (Private Schools)

Overview

Valid: 2929 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	2113	72.1%
2	My father or male guardian	462	15.8%
3	My mother or female guardian	62	2.1%
4	Both	106	3.6%
5	I do not know	186	6.4%
Sysmiss		33	

Q34: Initiation of alcohol use

Data file: ARE2016 (Private Schools)

Overview

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category
1	Never drank alcohol
2	7 years old or younger
3	8 or 9 years old
4	10 or 11 years old
5	12 or 13 years old
6	14 or 15 years old

7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q35: Current alcohol use

Data file: ARE2016 (Private Schools)

Overview

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category
1	0 days
2	1 or 2 days
3	3 to 5 days
4	6 to 9 days
5	10 to 19 days
6	20 to 29 days
7	All 30 days
Sysmiss	

Q36: Drank 2+ drinks

Data file: ARE2016 (Private Schools)

Overview

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category
1	Did not drink in past 30 days
2	Less than one drink
3	1 drink
4	2 drinks
5	3 drinks
6	4 drinks
7	5 or more drinks
Sysmiss	

Q37: Source of alcohol

Data file: ARE2016 (Private Schools)

Overview

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category
1	Did not drink in past 30 days
2	I bought in a store
3	I gave someone money to buy
4	I got it from my friends
5	I got it from my family
6	I stole it
7	Some other way
Sysmiss	

Q38: Really drunk**Data file: ARE2016 (Private Schools)****Overview**

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 or more times
Sysmiss	

Q39: Trouble from drinking**Data file: ARE2016 (Private Schools)****Overview**

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category
1	0 times

2	1 or 2 times
3	3 to 9 times
4	10 or more times
Sysmiss	

Q40: Initiation of drug use

Data file: ARE2016 (Private Schools)

Overview

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category
1	I have never used drugs
2	7 years old or younger
3	8 or 9 years old
4	10 or 11 years old
5	12 or 13 years old
6	14 or 15 years old
7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q41: Ever marijuana use

Data file: ARE2016 (Private Schools)

Overview

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 to 19 times
5	20 or more times
Sysmiss	

Q42: Current marijuana use

Data file: ARE2016 (Private Schools)

Overview

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 to 19 times
5	20 or more times
Sysmiss	

Q43: Amphetamine or methamphetamine use

Data file: ARE2016 (Private Schools)

Overview

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 to 19 times
5	20 or more times
Sysmiss	

Q44: Ever sexual intercourse

Data file: ARE2016 (Private Schools)

Overview

Valid: 1681 Invalid: 1281

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	152	9%
2	No	1529	91%
Sysmiss		1281	

Q45: Age first had sex**Data file: ARE2016 (Private Schools)****Overview**

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category
1	Never had sex
2	11 years old or younger
3	12 years old
4	13 years old
5	14 years old
6	15 years old
7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q46: Number of sex partners**Data file: ARE2016 (Private Schools)****Overview**

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category
1	Never had sex
2	1 person

3	2 people
4	3 people
5	4 people
6	5 people
7	6 or more people
Sysmiss	

Q47: Condom use

Data file: ARE2016 (Private Schools)

Overview

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category
1	Never had sex
2	Yes
3	No
Sysmiss	

Q48: Birth control used

Data file: ARE2016 (Private Schools)

Overview

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category
1	Never had sex
2	Yes
3	No
4	I do not know
Sysmiss	

Q49: Physical activity past 7 days**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2904 Invalid: 58

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	515	17.7%
2	1 day	461	15.9%
3	2 days	408	14%
4	3 days	363	12.5%
5	4 days	253	8.7%
6	5 days	250	8.6%
7	6 days	135	4.6%
8	7 days	519	17.9%
Sysmiss		58	

Q50: Walk or bike to school**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2927 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	2443	83.5%
2	1 day	136	4.6%
3	2 days	71	2.4%
4	3 days	55	1.9%
5	4 days	34	1.2%
6	5 days	60	2%
7	6 days	11	0.4%
8	7 days	117	4%
Sysmiss		35	

Q51: PE attendance

Data file: ARE2016 (Private Schools)

Overview

Valid: 2907 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	708	24.4%
2	1 day	894	30.8%
3	2 days	611	21%

4	3 days	221	7.6%
5	4 days	65	2.2%
6	5 or more days	408	14%
Sysmiss		55	

Q52: Sitting activities

Data file: ARE2016 (Private Schools)

Overview

Valid: 2910 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	420	14.4%
2	1 to 2 hours per day	794	27.3%
3	3 to 4 hours per day	772	26.5%
4	5 to 6 hours per day	464	15.9%
5	7 to 8 hours per day	169	5.8%
6	More than 8 hours per day	291	10%
Sysmiss		52	

Q53: Miss school no permission

Data file: ARE2016 (Private Schools)

Overview

Valid: 2900 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	2018	69.6%
2	1 or 2 days	593	20.4%
3	3 to 5 days	188	6.5%
4	6 to 9 days	46	1.6%
5	10 or more days	55	1.9%
Sysmiss		62	

Q54: Other students kind and helpful

Data file: ARE2016 (Private Schools)

Overview

Valid: 2899 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	230	7.9%
2	Rarely	283	9.8%
3	Sometimes	670	23.1%
4	Most of the time	933	32.2%
5	Always	783	27%
Sysmiss		63	

Q55: Parents check homework

Data file: ARE2016 (Private Schools)

Overview

Valid: 2893 Invalid: 69

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	683	23.6%
2	Rarely	451	15.6%
3	Sometimes	597	20.6%
4	Most of the time	516	17.8%
5	Always	646	22.3%
Sysmiss		69	

Q56: Parents understand problems

Data file: ARE2016 (Private Schools)

Overview

Valid: 2876 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	495	17.2%
2	Rarely	382	13.3%
3	Sometimes	595	20.7%
4	Most of the time	578	20.1%
5	Always	826	28.7%
Sysmiss		86	

Q57: Parents know about free time

Data file: ARE2016 (Private Schools)

Overview

Valid: 2892 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	349	12.1%
2	Rarely	337	11.7%
3	Sometimes	557	19.3%
4	Most of the time	752	26%
5	Always	897	31%
Sysmiss		70	

Q58: Parents go through their things

Data file: ARE2016 (Private Schools)

Overview

Valid: 2879 Invalid: 83 Mean: 1.814 Standard deviation: 1.125

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		1610	55.9%
2		600	20.8%
3		386	13.4%
4		160	5.6%
5		123	4.3%
Sysmiss		83	

QN6: Most of the time or always went hungry**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2946 Invalid: 16 Mean: 1.934 Standard deviation: 0.247
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		193	6.6%
2		2753	93.4%
Sysmiss		16	

QN7: Did not eat fruit**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2914 Invalid: 48 Mean: 1.95 Standard deviation: 0.217
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		145	5%
2		2769	95%
Sysmiss		48	

QN8: Did not eat vegetables**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2948 Invalid: 14 Mean: 1.953 Standard deviation: 0.211

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		138	4.7%
2		2810	95.3%
Sysmiss		14	

QN9: Did not drink carbonated soft drinks

Data file: ARE2016 (Private Schools)

Overview

Valid: 2929 Invalid: 33 Mean: 1.757 Standard deviation: 0.429
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		713	24.3%
2		2216	75.7%
Sysmiss		33	

QN10: Did not eat food from a fast food restaurant

Data file: ARE2016 (Private Schools)

Overview

Valid: 2955 Invalid: 7 Mean: 1.762 Standard deviation: 0.426
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		702	23.8%
2		2253	76.2%
Sysmiss		7	

QN11: Usually cleaned or brushed their teeth

Data file: ARE2016 (Private Schools)

Overview

Valid: 2929 Invalid: 33 Mean: 1.099 Standard deviation: 0.298
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2640	90.1%
2		289	9.9%
Sysmiss		33	

QN12: Never or rarely washed their hands before eating

Data file: ARE2016 (Private Schools)

Overview

Valid: 2942 Invalid: 20 Mean: 1.929 Standard deviation: 0.257
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		209	7.1%
2		2733	92.9%
Sysmiss		20	

QN13: Never or rarely washed their hands after using the toilet or latrine**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2938 Invalid: 24 Mean: 1.976 Standard deviation: 0.153
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		70	2.4%
2		2868	97.6%
Sysmiss		24	

QN14: Never or rarely used soap when washing their hands**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2925 Invalid: 37 Mean: 1.963 Standard deviation: 0.188
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		107	3.7%
2		2818	96.3%
Sysmiss		37	

QN15: Were physically attacked**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2958 Invalid: 4 Mean: 1.722 Standard deviation: 0.448
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		823	27.8%
2		2135	72.2%
Sysmiss		4	

QN16: Were in a physical fight

Data file: ARE2016 (Private Schools)

Overview

Valid: 2948 Invalid: 14 Mean: 1.591 Standard deviation: 0.492
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		1207	40.9%
2		1741	59.1%
Sysmiss		14	

QN17: Were seriously injured

Data file: ARE2016 (Private Schools)

Overview

Valid: 2621 Invalid: 341 Mean: 1.548 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		1184	45.2%
2		1437	54.8%
Sysmiss		341	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: ARE2016 (Private Schools)

Overview

Valid: 989 Invalid: 1973 Mean: 1.709 Standard deviation: 0.455
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		288	29.1%
2		701	70.9%
Sysmiss		1973	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: ARE2016 (Private Schools)

Overview

Valid: 998 Invalid: 1964 Mean: 1.919 Standard deviation: 0.273
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		81	8.1%
2		917	91.9%
Sysmiss		1964	

QN20: Were bullied**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2816 Invalid: 146 Mean: 1.741 Standard deviation: 0.438
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		730	25.9%
2		2086	74.1%
Sysmiss		146	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors**Data file: ARE2016 (Private Schools)****Overview**

Valid: 606 Invalid: 2356 Mean: 1.863 Standard deviation: 0.344
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		83	13.7%
2		523	86.3%
Sysmiss		2356	

QN22: Most of the time or always felt lonely**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2929 Invalid: 33 Mean: 1.876 Standard deviation: 0.33
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		363	12.4%
2		2566	87.6%
Sysmiss		33	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: ARE2016 (Private Schools)

Overview

Valid: 2928 Invalid: 34 Mean: 1.853 Standard deviation: 0.354
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		431	14.7%
2		2497	85.3%
Sysmiss		34	

QN24: Seriously considered attempting suicide

Data file: ARE2016 (Private Schools)

Overview

Valid: 1692 Invalid: 1270 Mean: 1.882 Standard deviation: 0.322
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		199	11.8%
2		1493	88.2%
Sysmiss		1270	

QN25: Made a plan about how they would attempt suicide

Data file: ARE2016 (Private Schools)

Overview

Valid: 1699 Invalid: 1263 Mean: 1.907 Standard deviation: 0.291
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		158	9.3%
2		1541	90.7%
Sysmiss		1263	

QN26: Attempted suicide

Data file: ARE2016 (Private Schools)

Overview

Valid: 1710 Invalid: 1252 Mean: 1.919 Standard deviation: 0.272
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		138	8.1%
2		1572	91.9%
Sysmiss		1252	

QN27: Did not have any close friends**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2918 Invalid: 44 Mean: 1.938 Standard deviation: 0.242
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1		182	6.2%
2		2736	93.8%
Sysmiss		44	

QN28: Tried a cigarette before age 14 years**Data file: ARE2016 (Private Schools)****Overview**

Valid: 621 Invalid: 2341 Mean: 1.311 Standard deviation: 0.463
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1		428	68.9%
2		193	31.1%
Sysmiss		2341	

QN29: Currently smoked cigarettes**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2910 Invalid: 52 Mean: 1.91 Standard deviation: 0.287
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		263	9%
2		2647	91%
Sysmiss		52	

QN30: Currently used any tobacco products other than cigarettes

Data file: ARE2016 (Private Schools)

Overview

Valid: 2945 Invalid: 17 Mean: 1.868 Standard deviation: 0.338
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		388	13.2%
2		2557	86.8%
Sysmiss		17	

QN31: Tried to quit smoking cigarettes

Data file: ARE2016 (Private Schools)

Overview

Valid: 272 Invalid: 2690 Mean: 1.316 Standard deviation: 0.466
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		186	68.4%
2		86	31.6%
Sysmiss		2690	

QN32: Reported that people smoked in their presence

Data file: ARE2016 (Private Schools)

Overview

Valid: 2923 Invalid: 39 Mean: 1.493 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1482	50.7%
2		1441	49.3%
Sysmiss		39	

QN33: Had parents or guardians who used any form of tobacco

Data file: ARE2016 (Private Schools)

Overview

Valid: 2929 Invalid: 33 Mean: 1.785 Standard deviation: 0.411
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1		630	21.5%
2		2299	78.5%
Sysmiss		33	

QN34: Drank alcohol before age 14 years**Data file: ARE2016 (Private Schools)****Overview**

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category
Sysmiss	

QN35: Currently drank alcohol**Data file: ARE2016 (Private Schools)****Overview**

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN36: Usually drank two or more drinks per day**Data file: ARE2016 (Private Schools)****Overview**

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN37: Usually obtained the alcohol they drank from friends**Data file: ARE2016 (Private Schools)****Overview**

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN38: Ever drank so much alcohol that they were really drunk**Data file: ARE2016 (Private Schools)****Overview**

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol**Data file: ARE2016 (Private Schools)****Overview**

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QN40: Used drugs before age 14 years

Data file: ARE2016 (Private Schools)

Overview

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category
Sysmiss	

QN41: Ever used marijuana

Data file: ARE2016 (Private Schools)

Overview

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QN42: Currently used marijuana**Data file: ARE2016 (Private Schools)****Overview**

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN43: Ever used amphetamines or methamphetamines**Data file: ARE2016 (Private Schools)****Overview**

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QN44: Ever had sexual intercourse**Data file: ARE2016 (Private Schools)****Overview**

Valid: 1681 Invalid: 1281 Mean: 1.91 Standard deviation: 0.287

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1		152	9%
2		1529	91%
Sysmiss		1281	

QN45: Had sexual intercourse before age 14 years

Data file: ARE2016 (Private Schools)

Overview

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN46: Had sexual intercourse with two or more persons

Data file: ARE2016 (Private Schools)

Overview

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category
Sysmiss	

QN47: Used a condom

Data file: ARE2016 (Private Schools)

Overview

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN48: Used a method of birth control other than condoms**Data file: ARE2016 (Private Schools)****Overview**

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN49: Were not physically active**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2904 Invalid: 58 Mean: 1.823 Standard deviation: 0.382

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		515	17.7%
2		2389	82.3%
Sysmiss		58	

QN50: Did not walk or ride a bicycle to or from school

Data file: ARE2016 (Private Schools)

Overview

Valid: 2927 Invalid: 35 Mean: 1.165 Standard deviation: 0.372
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2443	83.5%
2		484	16.5%
Sysmiss		35	

QN51: Did not attend physical education classes

Data file: ARE2016 (Private Schools)

Overview

Valid: 2907 Invalid: 55 Mean: 1.756 Standard deviation: 0.429
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		708	24.4%
2		2199	75.6%
Sysmiss		55	

QN52: Spent three or more hours per day doing sitting activities**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2910 Invalid: 52 Mean: 1.417 Standard deviation: 0.493
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
1		1696	58.3%
2		1214	41.7%
Sysmiss		52	

QN53: Missed classes or school without permission**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2900 Invalid: 62 Mean: 1.696 Standard deviation: 0.46
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		882	30.4%
2		2018	69.6%
Sysmiss		62	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2899 Invalid: 63 Mean: 1.408 Standard deviation: 0.492
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1716	59.2%
2		1183	40.8%
Sysmiss		63	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: ARE2016 (Private Schools)

Overview

Valid: 2893 Invalid: 69 Mean: 1.598 Standard deviation: 0.49
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1162	40.2%
2		1731	59.8%
Sysmiss		69	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: ARE2016 (Private Schools)

Overview

Valid: 2876 Invalid: 86 Mean: 1.512 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems

and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1404	48.8%
2		1472	51.2%
Sysmiss		86	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: ARE2016 (Private Schools)

Overview

Valid: 2892 Invalid: 70 Mean: 1.43 Standard deviation: 0.495
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1649	57%
2		1243	43%
Sysmiss		70	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: ARE2016 (Private Schools)

Overview

Valid: 2879 Invalid: 83 Mean: 1.232 Standard deviation: 0.422
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2210	76.8%

2		669	23.2%
Sysmiss		83	

QNUNWTG: Were underweight

Data file: ARE2016 (Private Schools)

Overview

Valid: 2708 Invalid: 254 Mean: 1.966 Standard deviation: 0.18
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		91	3.4%
2		2617	96.6%
Sysmiss		254	

QNOWTG: Were overweight

Data file: ARE2016 (Private Schools)

Overview

Valid: 2708 Invalid: 254 Mean: 1.612 Standard deviation: 0.487
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		1052	38.8%
2		1656	61.2%
Sysmiss		254	

QNOBESEG: Were obese

Data file: ARE2016 (Private Schools)

Overview

Valid: 2708 Invalid: 254 Mean: 1.844 Standard deviation: 0.363
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		423	15.6%
2		2285	84.4%
Sysmiss		254	

QNFRLG: Usually ate fruit less than one time per day

Data file: ARE2016 (Private Schools)

Overview

Valid: 2914 Invalid: 48 Mean: 1.74 Standard deviation: 0.439
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		757	26%
2		2157	74%
Sysmiss		48	

QNFR1G: Usually ate fruit one or more times per day

Data file: ARE2016 (Private Schools)

Overview

Valid: 2914 Invalid: 48 Mean: 1.31 Standard deviation: 0.462
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2012	69%
2		902	31%
Sysmiss		48	

QNFR2G: Usually ate fruit two or more times per day**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2914 Invalid: 48 Mean: 1.583 Standard deviation: 0.493
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1214	41.7%
2		1700	58.3%
Sysmiss		48	

QNFR3G: Usually ate fruit three or more times per day**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2914 Invalid: 48 Mean: 1.807 Standard deviation: 0.395
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		563	19.3%
2		2351	80.7%
Sysmiss		48	

QNVEGLG: Usually ate vegetables less than one time per day**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2948 Invalid: 14 Mean: 1.785 Standard deviation: 0.411
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		633	21.5%
2		2315	78.5%
Sysmiss		14	

QNVEG1G: Usually ate vegetables one or more times per day**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2948 Invalid: 14 Mean: 1.262 Standard deviation: 0.44
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2177	73.8%
2		771	26.2%
Sysmiss		14	

QNVEG2G: Usually ate vegetables two or more times per day**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2948 Invalid: 14 Mean: 1.547 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1334	45.3%
2		1614	54.7%
Sysmiss		14	

QNVEG3G: Usually ate vegetables three or more times per day

Data file: ARE2016 (Private Schools)

Overview

Valid: 2948 Invalid: 14 Mean: 1.756 Standard deviation: 0.429
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		718	24.4%
2		2230	75.6%
Sysmiss		14	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: ARE2016 (Private Schools)

Overview

Valid: 2929 Invalid: 33 Mean: 1.548 Standard deviation: 0.498
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		1325	45.2%
2		1604	54.8%
Sysmiss		33	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day

Data file: ARE2016 (Private Schools)

Overview

Valid: 2929 Invalid: 33 Mean: 1.696 Standard deviation: 0.46
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		891	30.4%
2		2038	69.6%
Sysmiss		33	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day

Data file: ARE2016 (Private Schools)

Overview

Valid: 2929 Invalid: 33 Mean: 1.833 Standard deviation: 0.373
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		488	16.7%
2		2441	83.3%
Sysmiss		33	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2929 Invalid: 33 Mean: 1.922 Standard deviation: 0.268
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		228	7.8%
2		2701	92.2%
Sysmiss		33	

QNFF1G: Ate food from a fast food restaurant one or more days**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2955 Invalid: 7 Mean: 1.238 Standard deviation: 0.426
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2253	76.2%
2		702	23.8%
Sysmiss		7	

QNFF2G: Ate food from a fast food restaurant two or more days**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2955 Invalid: 7 Mean: 1.59 Standard deviation: 0.492
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1213	41%
2		1742	59%
Sysmiss		7	

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: ARE2016 (Private Schools)

Overview

Valid: 2955 Invalid: 7 Mean: 1.797 Standard deviation: 0.403
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		601	20.3%
2		2354	79.7%
Sysmiss		7	

QNC2G: Were bullied and could not sleep at night

Data file: ARE2016 (Private Schools)

Overview

Valid: 402 Invalid: 2560 Mean: 1.592 Standard deviation: 0.492
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		164	40.8%
2		238	59.2%
Sysmiss		2560	

QNTOB2G: Currently used any tobacco product

Data file: ARE2016 (Private Schools)

Overview

Valid: 2928 Invalid: 34 Mean: 1.849 Standard deviation: 0.358
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		442	15.1%
2		2486	84.9%
Sysmiss		34	

QNNOTB2G: Did not currently use any tobacco products

Data file: ARE2016 (Private Schools)

Overview

Valid: 2904 Invalid: 58 Mean: 1.144 Standard deviation: 0.351
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2486	85.6%
2		418	14.4%
Sysmiss		58	

QNBCANYG: Used a method of birth control**Data file: ARE2016 (Private Schools)****Overview**

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk**Data file: ARE2016 (Private Schools)****Overview**

Valid: 0 Invalid: 2962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days**Data file: ARE2016 (Private Schools)****Overview**

Valid: 2904 Invalid: 58 Mean: 1.689 Standard deviation: 0.463

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		904	31.1%
2		2000	68.9%
Sysmiss		58	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: ARE2016 (Private Schools)

Overview

Valid: 2904 Invalid: 58 Mean: 1.821 Standard deviation: 0.383
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		519	17.9%
2		2385	82.1%
Sysmiss		58	

QNPE3G: Attended physical education classes on three or more days

Data file: ARE2016 (Private Schools)

Overview

Valid: 2907 Invalid: 55 Mean: 1.761 Standard deviation: 0.426
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		694	23.9%
2		2213	76.1%

Sysmiss		55	
---------	--	----	--

QNPE5G: Attended physical education classes on five or more days

Data file: ARE2016 (Private Schools)

Overview

Valid: 2907 Invalid: 55 Mean: 1.86 Standard deviation: 0.347
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		408	14%
2		2499	86%
Sysmiss		55	

WEIGHT:

Data file: ARE2016 (Private Schools)

Overview

Valid: 2962 Invalid: 0 Mean: 48.863 Standard deviation: 21.073
 Type: Continuous Decimal: 0 Width: 10 Range: 42.0329 - 329.5608 Format: Numeric Weighted: yes

STRATUM:

Data file: ARE2016 (Private Schools)

Overview

Valid: 2962 Invalid: 0 Mean: 201601007.891 Standard deviation: 38.937
 Type: Discrete Decimal: 0 Width: 9 Range: 201501001 - 201501019 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
201601001		253	8.5%
201601002		121	4.1%
201601003		182	6.1%

201601004		210	7.1%
201601005		184	6.2%
201601006		147	5%
201601007		209	7.1%
201601008		258	8.7%
201601009		296	10%
201601010		160	5.4%
201601011		211	7.1%
201601012		236	8%
201601013		185	6.2%
201601014		310	10.5%

PSU:

Data file: ARE2016 (Private Schools)

Overview

Valid: 2962 Invalid: 0 Mean: 15.327 Standard deviation: 8.263
 Type: Continuous Decimal: 0 Width: 5 Range: 1 - 38 Format: Numeric

Q1: Custom Age**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2876 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	20	0.7%
2	12 years old	34	1.2%
3	13 years old	290	10.1%
4	14 years old	475	16.5%
5	15 years old	610	21.2%
6	16 years old	665	23.1%
7	17 years old	576	20%
8	18 years old or older	206	7.2%
Sysmiss		11	

Q2: Sex**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2860 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1255	43.9%
2	Female	1605	56.1%
Sysmiss		27	

Q3: In what grade are you**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2822 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Grade 7	23	0.8%
2	Grade 8	490	17.4%
3	Grade 9	491	17.4%
4	Grade 10	638	22.6%
5	Grade 11	595	21.1%
6	Grade 12	585	20.7%
Sysmiss		65	

Q4: How tall are you**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2645 Invalid: 242 Minimum: 1.32 Maximum: 1.98 Mean: 1.609 Standard deviation: 0.0857

Type: Continuous Decimal: 2 Width: 4 Range: 1.27 - 1.87 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2645 Invalid: 242 Minimum: 25 Maximum: 180 Mean: 61.412 Standard deviation: 19.235

Type: Continuous Decimal: 2 Width: 6 Range: 28 - 116 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: ARE2016 (Public Schools)

Overview

Valid: 2871 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1329	46.3%
2	Rarely	604	21%
3	Sometimes	550	19.2%
4	Most of the time	288	10%
5	Always	100	3.5%
Sysmiss		16	

Q7: No fruit eating

Data file: ARE2016 (Public Schools)

Overview

Valid: 2832 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	210	7.4%
2	Less than one time per day	1519	53.6%
3	1 time per day	425	15%
4	2 times per day	276	9.7%
5	3 times per day	162	5.7%
6	4 times per day	92	3.2%
7	5 or more times per day	148	5.2%
Sysmiss		55	

Q8: No vegetable eating

Data file: ARE2016 (Public Schools)

Overview

Valid: 2865 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	272	9.5%
2	Less than one time per day	1146	40%
3	1 time per day	682	23.8%
4	2 times per day	316	11%
5	3 times per day	165	5.8%
6	4 times per day	59	2.1%
7	5 or more times per day	225	7.9%
Sysmiss		22	

Q9: Soft drinks

Data file: ARE2016 (Public Schools)

Overview

Valid: 2831 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	364	12.9%
2	Less than one time per day	1306	46.1%
3	1 time per day	432	15.3%
4	2 times per day	304	10.7%
5	3 times per day	156	5.5%
6	4 times per day	61	2.2%
7	5 or more times per day	208	7.3%
Sysmiss		56	

Q10: Fast food eating

Data file: ARE2016 (Public Schools)

Overview

Valid: 2880 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	642	22.3%
2	1 day	831	28.9%
3	2 days	642	22.3%
4	3 days	334	11.6%

5	4 days	154	5.3%
6	5 days	108	3.8%
7	6 days	41	1.4%
8	7 days	128	4.4%
Sysmiss		7	

Q11: Tooth brushing

Data file: ARE2016 (Public Schools)

Overview

Valid: 2833 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	122	4.3%
2	Less than 1 time per day	335	11.8%
3	1 time per day	670	23.6%
4	2 times per day	1013	35.8%
5	3 times per day	362	12.8%
6	4 or more times per day	331	11.7%
Sysmiss		54	

Q12: Hand washing before eating

Data file: ARE2016 (Public Schools)

Overview

Valid: 2853 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	100	3.5%
2	Rarely	193	6.8%
3	Sometimes	321	11.3%
4	Most of the time	543	19%
5	Always	1696	59.4%
Sysmiss		34	

Q13: Hand washing after toilet

Data file: ARE2016 (Public Schools)

Overview

Valid: 2842 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	54	1.9%
2	Rarely	97	3.4%
3	Sometimes	156	5.5%
4	Most of the time	334	11.8%
5	Always	2201	77.4%
Sysmiss		45	

Q14: Hand washing with soap

Data file: ARE2016 (Public Schools)

Overview

Valid: 2823 Invalid: 64

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	51	1.8%
2	Rarely	77	2.7%
3	Sometimes	211	7.5%
4	Most of the time	547	19.4%
5	Always	1937	68.6%
Sysmiss		64	

Q15: Physically attacked

Data file: ARE2016 (Public Schools)

Overview

Valid: 2847 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	2177	76.5%
2	1 time	266	9.3%
3	2 or 3 times	178	6.3%
4	4 or 5 times	85	3%
5	6 or 7 times	36	1.3%
6	8 or 9 times	19	0.7%
7	10 or 11 times	15	0.5%
8	12 or more times	71	2.5%
Sysmiss		40	

Q16: Physical fighting**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2862 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	1840	64.3%
2	1 time	383	13.4%
3	2 or 3 times	307	10.7%
4	4 or 5 times	112	3.9%
5	6 or 7 times	50	1.7%
6	8 or 9 times	18	0.6%
7	10 or 11 times	16	0.6%
8	12 or more times	136	4.8%
Sysmiss		25	

Q17: Seriously injured**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2537 Invalid: 350

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	1543	60.8%
2	1 time	498	19.6%
3	2 or 3 times	285	11.2%
4	4 or 5 times	94	3.7%
5	6 or 7 times	43	1.7%
6	8 or 9 times	23	0.9%
7	10 or 11 times	11	0.4%
8	12 or more times	40	1.6%
Sysmiss		350	

Q18: Serious injury type

Data file: ARE2016 (Public Schools)

Overview

Valid: 2612 Invalid: 275

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1766	67.6%
2	Broken bone/dislocated joint	235	9%
3	I had a cut or stab wound	135	5.2%
4	Concussion/head injury	90	3.4%
5	I had a gunshot wound	26	1%
6	I had a bad burn	68	2.6%
7	I was poisoned	46	1.8%
8	Something else happened to me	246	9.4%
Sysmiss		275	

Q19: Serious injury cause

Data file: ARE2016 (Public Schools)

Overview

Valid: 2620 Invalid: 267

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1793	68.4%
2	Motor vehicle accident	101	3.9%
3	I fell	92	3.5%
4	Something fell on me or hit me	186	7.1%
5	I was attacked	45	1.7%
6	Was in a fire	17	0.6%
7	breathed something bad	17	0.6%
8	Something else	369	14.1%
Sysmiss		267	

Q20: Bullied

Data file: ARE2016 (Public Schools)

Overview

Valid: 2699 Invalid: 188

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	1995	73.9%

2	1 or 2 days	402	14.9%
3	3 to 5 days	116	4.3%
4	6 to 9 days	58	2.1%
5	10 to 19 days	42	1.6%
6	20 to 29 days	25	0.9%
7	All 30 days	61	2.3%
Sysmiss		188	

Q21: Bullied how

Data file: ARE2016 (Public Schools)

Overview

Valid: 2766 Invalid: 121

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	2276	82.3%
2	Kicked, pushed, or shoved	93	3.4%
3	Made fun of race	70	2.5%
4	Made fun because of religion	32	1.2%
5	Made fun of about sex	97	3.5%
6	Left out of activities	26	0.9%
7	Made fun of about body	55	2%
8	Some other way	117	4.2%
Sysmiss		121	

Q22: Felt lonely

Data file: ARE2016 (Public Schools)

Overview

Valid: 2839 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	1244	43.8%
2	Rarely	604	21.3%
3	Sometimes	536	18.9%
4	Most of the time	285	10%
5	Always	170	6%
Sysmiss		48	

Q23: Could not sleep

Data file: ARE2016 (Public Schools)

Overview

Valid: 2835 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	956	33.7%
2	Rarely	738	26%
3	Sometimes	608	21.4%
4	Most of the time	370	13.1%
5	Always	163	5.7%
Sysmiss		52	

Q24: Considered suicide**Data file: ARE2016 (Public Schools)****Overview**

Valid: 1678 Invalid: 1209

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	293	17.5%
2	No	1385	82.5%
Sysmiss		1209	

Q25: Made a suicide plan**Data file: ARE2016 (Public Schools)****Overview**

Valid: 1668 Invalid: 1219

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	239	14.3%
2	No	1429	85.7%
Sysmiss		1219	

Q26: Attempted suicide**Data file: ARE2016 (Public Schools)**

Overview

Valid: 1699 Invalid: 1188

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	1448	85.2%
2	1 time	146	8.6%
3	2 or 3 times	52	3.1%
4	4 or 5 times	33	1.9%
5	6 or more times	20	1.2%
Sysmiss		1188	

Q27: Close friends

Data file: ARE2016 (Public Schools)

Overview

Valid: 2818 Invalid: 69

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	236	8.4%
2	1	286	10.1%
3	2	408	14.5%
4	3 or more	1888	67%
Sysmiss		69	

Q28: Initiation of cigarette use**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2708 Invalid: 179

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1944	71.8%
2	7 years old or younger	144	5.3%
3	8 or 9 years old	124	4.6%
4	10 or 11 years old	118	4.4%
5	12 or 13 years old	166	6.1%
6	14 or 15 years old	140	5.2%
7	16 or 17 years old	65	2.4%
8	18 years old or older	7	0.3%
Sysmiss		179	

Q29: Current cigarette use**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2738 Invalid: 149

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	2329	85.1%
2	1 or 2 days	141	5.1%

3	3 to 5 days	74	2.7%
4	6 to 9 days	51	1.9%
5	10 to 19 days	34	1.2%
6	20 to 29 days	38	1.4%
7	All 30 days	71	2.6%
Sysmiss		149	

Q30: Other tobacco use

Data file: ARE2016 (Public Schools)

Overview

Valid: 2839 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	2401	84.6%
2	1 or 2 days	161	5.7%
3	3 to 5 days	85	3%
4	6 to 9 days	39	1.4%
5	10 to 19 days	39	1.4%
6	20 to 29 days	26	0.9%
7	All 30 days	88	3.1%
Sysmiss		48	

Q31: Smoking cessation

Data file: ARE2016 (Public Schools)

Overview

Valid: 2721 Invalid: 166

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2126	78.1%
2	Did not smoke cigarettes	249	9.2%
3	Yes	247	9.1%
4	No	99	3.6%
Sysmiss		166	

Q32: Smoking in their presence

Data file: ARE2016 (Public Schools)

Overview

Valid: 2821 Invalid: 66

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	1303	46.2%
2	1 or 2 days	586	20.8%
3	3 or 4 days	283	10%
4	5 or 6 days	138	4.9%
5	All 7 days	511	18.1%
Sysmiss		66	

Q33: Parental tobacco use

Data file: ARE2016 (Public Schools)

Overview

Valid: 2817 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	2108	74.8%
2	My father or male guardian	391	13.9%
3	My mother or female guardian	65	2.3%
4	Both	70	2.5%
5	I do not know	183	6.5%
Sysmiss		70	

Q34: Initiation of alcohol use

Data file: ARE2016 (Public Schools)

Overview

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category
1	Never drank alcohol
2	7 years old or younger
3	8 or 9 years old
4	10 or 11 years old
5	12 or 13 years old
6	14 or 15 years old

7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q35: Current alcohol use

Data file: ARE2016 (Public Schools)

Overview

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category
1	0 days
2	1 or 2 days
3	3 to 5 days
4	6 to 9 days
5	10 to 19 days
6	20 to 29 days
7	All 30 days
Sysmiss	

Q36: Drank 2+ drinks

Data file: ARE2016 (Public Schools)

Overview

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category
1	Did not drink in past 30 days
2	Less than one drink
3	1 drink
4	2 drinks
5	3 drinks
6	4 drinks
7	5 or more drinks
Sysmiss	

Q37: Source of alcohol

Data file: ARE2016 (Public Schools)

Overview

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category
1	Did not drink in past 30 days
2	I bought in a store
3	I gave someone money to buy
4	I got it from my friends
5	I got it from my family
6	I stole it
7	Some other way
Sysmiss	

Q38: Really drunk**Data file: ARE2016 (Public Schools)****Overview**

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 or more times
Sysmiss	

Q39: Trouble from drinking**Data file: ARE2016 (Public Schools)****Overview**

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category
1	0 times

2	1 or 2 times
3	3 to 9 times
4	10 or more times
Sysmiss	

Q40: Initiation of drug use

Data file: ARE2016 (Public Schools)

Overview

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category
1	I have never used drugs
2	7 years old or younger
3	8 or 9 years old
4	10 or 11 years old
5	12 or 13 years old
6	14 or 15 years old
7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q41: Ever marijuana use

Data file: ARE2016 (Public Schools)

Overview

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 to 19 times
5	20 or more times
Sysmiss	

Q42: Current marijuana use

Data file: ARE2016 (Public Schools)

Overview

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 to 19 times
5	20 or more times
Sysmiss	

Q43: Amphetamine or methamphetamine use

Data file: ARE2016 (Public Schools)

Overview

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 to 19 times
5	20 or more times
Sysmiss	

Q44: Ever sexual intercourse

Data file: ARE2016 (Public Schools)

Overview

Valid: 1671 Invalid: 1216

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	213	12.7%
2	No	1458	87.3%
Sysmiss		1216	

Q45: Age first had sex**Data file: ARE2016 (Public Schools)****Overview**

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category
1	Never had sex
2	11 years old or younger
3	12 years old
4	13 years old
5	14 years old
6	15 years old
7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q46: Number of sex partners**Data file: ARE2016 (Public Schools)****Overview**

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category
1	Never had sex
2	1 person

3	2 people
4	3 people
5	4 people
6	5 people
7	6 or more people
Sysmiss	

Q47: Condom use

Data file: ARE2016 (Public Schools)

Overview

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category
1	Never had sex
2	Yes
3	No
Sysmiss	

Q48: Birth control used

Data file: ARE2016 (Public Schools)

Overview

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category
1	Never had sex
2	Yes
3	No
4	I do not know
Sysmiss	

Q49: Physical activity past 7 days**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2831 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	771	27.2%
2	1 day	555	19.6%
3	2 days	435	15.4%
4	3 days	350	12.4%
5	4 days	164	5.8%
6	5 days	133	4.7%
7	6 days	55	1.9%
8	7 days	368	13%
Sysmiss		56	

Q50: Walk or bike to school**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2857 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	2243	78.5%
2	1 day	181	6.3%
3	2 days	133	4.7%
4	3 days	85	3%
5	4 days	37	1.3%
6	5 days	32	1.1%
7	6 days	12	0.4%
8	7 days	134	4.7%
Sysmiss		30	

Q51: PE attendance**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2809 Invalid: 78

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	783	27.9%
2	1 day	529	18.8%
3	2 days	611	21.8%

4	3 days	214	7.6%
5	4 days	71	2.5%
6	5 or more days	601	21.4%
Sysmiss		78	

Q52: Sitting activities

Data file: ARE2016 (Public Schools)

Overview

Valid: 2825 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	540	19.1%
2	1 to 2 hours per day	661	23.4%
3	3 to 4 hours per day	584	20.7%
4	5 to 6 hours per day	435	15.4%
5	7 to 8 hours per day	183	6.5%
6	More than 8 hours per day	422	14.9%
Sysmiss		62	

Q53: Miss school no permission

Data file: ARE2016 (Public Schools)

Overview

Valid: 2778 Invalid: 109

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	1199	43.2%
2	1 or 2 days	970	34.9%
3	3 to 5 days	373	13.4%
4	6 to 9 days	117	4.2%
5	10 or more days	119	4.3%
Sysmiss		109	

Q54: Other students kind and helpful

Data file: ARE2016 (Public Schools)

Overview

Valid: 2809 Invalid: 78

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	262	9.3%
2	Rarely	220	7.8%
3	Sometimes	398	14.2%
4	Most of the time	608	21.6%
5	Always	1321	47%
Sysmiss		78	

Q55: Parents check homework

Data file: ARE2016 (Public Schools)

Overview

Valid: 2805 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	547	19.5%
2	Rarely	421	15%
3	Sometimes	510	18.2%
4	Most of the time	517	18.4%
5	Always	810	28.9%
Sysmiss		82	

Q56: Parents understand problems

Data file: ARE2016 (Public Schools)

Overview

Valid: 2786 Invalid: 101

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	654	23.5%
2	Rarely	414	14.9%
3	Sometimes	512	18.4%
4	Most of the time	464	16.7%
5	Always	742	26.6%
Sysmiss		101	

Q57: Parents know about free time

Data file: ARE2016 (Public Schools)

Overview

Valid: 2794 Invalid: 93

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	554	19.8%
2	Rarely	354	12.7%
3	Sometimes	525	18.8%
4	Most of the time	569	20.4%
5	Always	792	28.3%
Sysmiss		93	

Q58: Parents go through their things

Data file: ARE2016 (Public Schools)

Overview

Valid: 2788 Invalid: 99 Mean: 1.648 Standard deviation: 1.097

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		1869	67%
2		395	14.2%
3		269	9.6%
4		147	5.3%
5		108	3.9%
Sysmiss		99	

QN6: Most of the time or always went hungry**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2871 Invalid: 16 Mean: 1.865 Standard deviation: 0.342
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		388	13.5%
2		2483	86.5%
Sysmiss		16	

QN7: Did not eat fruit**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2832 Invalid: 55 Mean: 1.926 Standard deviation: 0.262
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		210	7.4%
2		2622	92.6%
Sysmiss		55	

QN8: Did not eat vegetables**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2865 Invalid: 22 Mean: 1.905 Standard deviation: 0.293

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		272	9.5%
2		2593	90.5%
Sysmiss		22	

QN9: Did not drink carbonated soft drinks

Data file: ARE2016 (Public Schools)

Overview

Valid: 2831 Invalid: 56 Mean: 1.871 Standard deviation: 0.335
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		364	12.9%
2		2467	87.1%
Sysmiss		56	

QN10: Did not eat food from a fast food restaurant

Data file: ARE2016 (Public Schools)

Overview

Valid: 2880 Invalid: 7 Mean: 1.777 Standard deviation: 0.416
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		642	22.3%
2		2238	77.7%
Sysmiss		7	

QN11: Usually cleaned or brushed their teeth

Data file: ARE2016 (Public Schools)

Overview

Valid: 2833 Invalid: 54 Mean: 1.161 Standard deviation: 0.368
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2376	83.9%
2		457	16.1%
Sysmiss		54	

QN12: Never or rarely washed their hands before eating

Data file: ARE2016 (Public Schools)

Overview

Valid: 2853 Invalid: 34 Mean: 1.897 Standard deviation: 0.304
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		293	10.3%
2		2560	89.7%
Sysmiss		34	

QN13: Never or rarely washed their hands after using the toilet or latrine**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2842 Invalid: 45 Mean: 1.947 Standard deviation: 0.224
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		151	5.3%
2		2691	94.7%
Sysmiss		45	

QN14: Never or rarely used soap when washing their hands**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2823 Invalid: 64 Mean: 1.955 Standard deviation: 0.208
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		128	4.5%
2		2695	95.5%
Sysmiss		64	

QN15: Were physically attacked**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2847 Invalid: 40 Mean: 1.765 Standard deviation: 0.424
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		670	23.5%
2		2177	76.5%
Sysmiss		40	

QN16: Were in a physical fight

Data file: ARE2016 (Public Schools)

Overview

Valid: 2862 Invalid: 25 Mean: 1.643 Standard deviation: 0.479
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		1022	35.7%
2		1840	64.3%
Sysmiss		25	

QN17: Were seriously injured

Data file: ARE2016 (Public Schools)

Overview

Valid: 2537 Invalid: 350 Mean: 1.608 Standard deviation: 0.488
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		994	39.2%
2		1543	60.8%
Sysmiss		350	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: ARE2016 (Public Schools)

Overview

Valid: 846 Invalid: 2041 Mean: 1.722 Standard deviation: 0.448
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		235	27.8%
2		611	72.2%
Sysmiss		2041	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: ARE2016 (Public Schools)

Overview

Valid: 827 Invalid: 2060 Mean: 1.878 Standard deviation: 0.328
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		101	12.2%
2		726	87.8%
Sysmiss		2060	

QN20: Were bullied**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2699 Invalid: 188 Mean: 1.739 Standard deviation: 0.439
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		704	26.1%
2		1995	73.9%
Sysmiss		188	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors**Data file: ARE2016 (Public Schools)****Overview**

Valid: 490 Invalid: 2397 Mean: 1.81 Standard deviation: 0.393
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		93	19%
2		397	81%
Sysmiss		2397	

QN22: Most of the time or always felt lonely**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2839 Invalid: 48 Mean: 1.84 Standard deviation: 0.367
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		455	16%
2		2384	84%
Sysmiss		48	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: ARE2016 (Public Schools)

Overview

Valid: 2835 Invalid: 52 Mean: 1.812 Standard deviation: 0.391
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		533	18.8%
2		2302	81.2%
Sysmiss		52	

QN24: Seriously considered attempting suicide

Data file: ARE2016 (Public Schools)

Overview

Valid: 1678 Invalid: 1209 Mean: 1.825 Standard deviation: 0.38
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		293	17.5%
2		1385	82.5%
Sysmiss		1209	

QN25: Made a plan about how they would attempt suicide

Data file: ARE2016 (Public Schools)

Overview

Valid: 1668 Invalid: 1219 Mean: 1.857 Standard deviation: 0.35
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		239	14.3%
2		1429	85.7%
Sysmiss		1219	

QN26: Attempted suicide

Data file: ARE2016 (Public Schools)

Overview

Valid: 1699 Invalid: 1188 Mean: 1.852 Standard deviation: 0.355
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		251	14.8%
2		1448	85.2%
Sysmiss		1188	

QN27: Did not have any close friends**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2818 Invalid: 69 Mean: 1.916 Standard deviation: 0.277
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1		236	8.4%
2		2582	91.6%
Sysmiss		69	

QN28: Tried a cigarette before age 14 years**Data file: ARE2016 (Public Schools)****Overview**

Valid: 764 Invalid: 2123 Mean: 1.277 Standard deviation: 0.448
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1		552	72.3%
2		212	27.7%
Sysmiss		2123	

QN29: Currently smoked cigarettes**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2738 Invalid: 149 Mean: 1.851 Standard deviation: 0.357
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		409	14.9%
2		2329	85.1%
Sysmiss		149	

QN30: Currently used any tobacco products other than cigarettes

Data file: ARE2016 (Public Schools)

Overview

Valid: 2839 Invalid: 48 Mean: 1.846 Standard deviation: 0.361
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		438	15.4%
2		2401	84.6%
Sysmiss		48	

QN31: Tried to quit smoking cigarettes

Data file: ARE2016 (Public Schools)

Overview

Valid: 346 Invalid: 2541 Mean: 1.286 Standard deviation: 0.453
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		247	71.4%
2		99	28.6%
Sysmiss		2541	

QN32: Reported that people smoked in their presence

Data file: ARE2016 (Public Schools)

Overview

Valid: 2821 Invalid: 66 Mean: 1.462 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1518	53.8%
2		1303	46.2%
Sysmiss		66	

QN33: Had parents or guardians who used any form of tobacco

Data file: ARE2016 (Public Schools)

Overview

Valid: 2817 Invalid: 70 Mean: 1.813 Standard deviation: 0.39
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1		526	18.7%
2		2291	81.3%
Sysmiss		70	

QN34: Drank alcohol before age 14 years**Data file: ARE2016 (Public Schools)****Overview**

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category
Sysmiss	

QN35: Currently drank alcohol**Data file: ARE2016 (Public Schools)****Overview**

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN36: Usually drank two or more drinks per day**Data file: ARE2016 (Public Schools)****Overview**

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN37: Usually obtained the alcohol they drank from friends**Data file: ARE2016 (Public Schools)****Overview**

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN38: Ever drank so much alcohol that they were really drunk**Data file: ARE2016 (Public Schools)****Overview**

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol**Data file: ARE2016 (Public Schools)****Overview**

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QN40: Used drugs before age 14 years

Data file: ARE2016 (Public Schools)

Overview

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category
Sysmiss	

QN41: Ever used marijuana

Data file: ARE2016 (Public Schools)

Overview

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QN42: Currently used marijuana**Data file: ARE2016 (Public Schools)****Overview**

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN43: Ever used amphetamines or methamphetamines**Data file: ARE2016 (Public Schools)****Overview**

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QN44: Ever had sexual intercourse**Data file: ARE2016 (Public Schools)****Overview**

Valid: 1671 Invalid: 1216 Mean: 1.873 Standard deviation: 0.334

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1		213	12.7%
2		1458	87.3%
Sysmiss		1216	

QN45: Had sexual intercourse before age 14 years

Data file: ARE2016 (Public Schools)

Overview

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN46: Had sexual intercourse with two or more persons

Data file: ARE2016 (Public Schools)

Overview

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category
Sysmiss	

QN47: Used a condom

Data file: ARE2016 (Public Schools)

Overview

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN48: Used a method of birth control other than condoms**Data file: ARE2016 (Public Schools)****Overview**

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN49: Were not physically active**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2831 Invalid: 56 Mean: 1.728 Standard deviation: 0.445

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		771	27.2%
2		2060	72.8%
Sysmiss		56	

QN50: Did not walk or ride a bicycle to or from school

Data file: ARE2016 (Public Schools)

Overview

Valid: 2857 Invalid: 30 Mean: 1.215 Standard deviation: 0.411
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2243	78.5%
2		614	21.5%
Sysmiss		30	

QN51: Did not attend physical education classes

Data file: ARE2016 (Public Schools)

Overview

Valid: 2809 Invalid: 78 Mean: 1.721 Standard deviation: 0.448
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		783	27.9%
2		2026	72.1%
Sysmiss		78	

QN52: Spent three or more hours per day doing sitting activities**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2825 Invalid: 62 Mean: 1.425 Standard deviation: 0.494
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
1		1624	57.5%
2		1201	42.5%
Sysmiss		62	

QN53: Missed classes or school without permission**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2778 Invalid: 109 Mean: 1.432 Standard deviation: 0.495
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1579	56.8%
2		1199	43.2%
Sysmiss		109	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2809 Invalid: 78 Mean: 1.313 Standard deviation: 0.464
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1929	68.7%
2		880	31.3%
Sysmiss		78	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: ARE2016 (Public Schools)

Overview

Valid: 2805 Invalid: 82 Mean: 1.527 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1327	47.3%
2		1478	52.7%
Sysmiss		82	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: ARE2016 (Public Schools)

Overview

Valid: 2786 Invalid: 101 Mean: 1.567 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems

and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1206	43.3%
2		1580	56.7%
Sysmiss		101	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: ARE2016 (Public Schools)

Overview

Valid: 2794 Invalid: 93 Mean: 1.513 Standard deviation: 0.5
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1361	48.7%
2		1433	51.3%
Sysmiss		93	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: ARE2016 (Public Schools)

Overview

Valid: 2788 Invalid: 99 Mean: 1.188 Standard deviation: 0.391
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2264	81.2%

2		524	18.8%
Sysmiss		99	

QNUNWTG: Were underweight

Data file: ARE2016 (Public Schools)

Overview

Valid: 2645 Invalid: 242 Mean: 1.962 Standard deviation: 0.192
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		101	3.8%
2		2544	96.2%
Sysmiss		242	

QNOWTG: Were overweight

Data file: ARE2016 (Public Schools)

Overview

Valid: 2645 Invalid: 242 Mean: 1.609 Standard deviation: 0.488
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		1035	39.1%
2		1610	60.9%
Sysmiss		242	

QNOBESEG: Were obese

Data file: ARE2016 (Public Schools)

Overview

Valid: 2645 Invalid: 242 Mean: 1.805 Standard deviation: 0.396
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese ($> +2SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		516	19.5%
2		2129	80.5%
Sysmiss		242	

QNFRLG: Usually ate fruit less than one time per day

Data file: ARE2016 (Public Schools)

Overview

Valid: 2832 Invalid: 55 Mean: 1.464 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1519	53.6%
2		1313	46.4%
Sysmiss		55	

QNFR1G: Usually ate fruit one or more times per day

Data file: ARE2016 (Public Schools)

Overview

Valid: 2832 Invalid: 55 Mean: 1.611 Standard deviation: 0.488
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1103	38.9%
2		1729	61.1%
Sysmiss		55	

QNFR2G: Usually ate fruit two or more times per day**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2832 Invalid: 55 Mean: 1.761 Standard deviation: 0.427
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		678	23.9%
2		2154	76.1%
Sysmiss		55	

QNFR3G: Usually ate fruit three or more times per day**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2832 Invalid: 55 Mean: 1.858 Standard deviation: 0.349
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		402	14.2%
2		2430	85.8%
Sysmiss		55	

QNVEGLG: Usually ate vegetables less than one time per day**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2865 Invalid: 22 Mean: 1.6 Standard deviation: 0.49
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1146	40%
2		1719	60%
Sysmiss		22	

QNVEG1G: Usually ate vegetables one or more times per day**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2865 Invalid: 22 Mean: 1.495 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1447	50.5%
2		1418	49.5%
Sysmiss		22	

QNVEG2G: Usually ate vegetables two or more times per day**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2865 Invalid: 22 Mean: 1.733 Standard deviation: 0.442
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		765	26.7%
2		2100	73.3%
Sysmiss		22	

QNVEG3G: Usually ate vegetables three or more times per day

Data file: ARE2016 (Public Schools)

Overview

Valid: 2865 Invalid: 22 Mean: 1.843 Standard deviation: 0.364
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		449	15.7%
2		2416	84.3%
Sysmiss		22	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: ARE2016 (Public Schools)

Overview

Valid: 2831 Invalid: 56 Mean: 1.539 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		1306	46.1%
2		1525	53.9%
Sysmiss		56	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day

Data file: ARE2016 (Public Schools)

Overview

Valid: 2831 Invalid: 56 Mean: 1.59 Standard deviation: 0.492
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1161	41%
2		1670	59%
Sysmiss		56	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day

Data file: ARE2016 (Public Schools)

Overview

Valid: 2831 Invalid: 56 Mean: 1.742 Standard deviation: 0.437
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		729	25.8%
2		2102	74.2%
Sysmiss		56	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2831 Invalid: 56 Mean: 1.85 Standard deviation: 0.357
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		425	15%
2		2406	85%
Sysmiss		56	

QNFF1G: Ate food from a fast food restaurant one or more days**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2880 Invalid: 7 Mean: 1.223 Standard deviation: 0.416
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2238	77.7%
2		642	22.3%
Sysmiss		7	

QNFF2G: Ate food from a fast food restaurant two or more days**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2880 Invalid: 7 Mean: 1.511 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1407	48.9%
2		1473	51.1%
Sysmiss		7	

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: ARE2016 (Public Schools)

Overview

Valid: 2880 Invalid: 7 Mean: 1.734 Standard deviation: 0.442
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		765	26.6%
2		2115	73.4%
Sysmiss		7	

QNC2G: Were bullied and could not sleep at night

Data file: ARE2016 (Public Schools)

Overview

Valid: 488 Invalid: 2399 Mean: 1.566 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		212	43.4%
2		276	56.6%
Sysmiss		2399	

QNTOB2G: Currently used any tobacco product

Data file: ARE2016 (Public Schools)

Overview

Valid: 2780 Invalid: 107 Mean: 1.793 Standard deviation: 0.405
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		575	20.7%
2		2205	79.3%
Sysmiss		107	

QNNOTB2G: Did not currently use any tobacco products

Data file: ARE2016 (Public Schools)

Overview

Valid: 2721 Invalid: 166 Mean: 1.19 Standard deviation: 0.392
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2205	81%
2		516	19%
Sysmiss		166	

QNBCANYG: Used a method of birth control**Data file: ARE2016 (Public Schools)****Overview**

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk**Data file: ARE2016 (Public Schools)****Overview**

Valid: 0 Invalid: 2887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days**Data file: ARE2016 (Public Schools)****Overview**

Valid: 2831 Invalid: 56 Mean: 1.804 Standard deviation: 0.397

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		556	19.6%
2		2275	80.4%
Sysmiss		56	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: ARE2016 (Public Schools)

Overview

Valid: 2831 Invalid: 56 Mean: 1.87 Standard deviation: 0.336
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		368	13%
2		2463	87%
Sysmiss		56	

QNPE3G: Attended physical education classes on three or more days

Data file: ARE2016 (Public Schools)

Overview

Valid: 2809 Invalid: 78 Mean: 1.685 Standard deviation: 0.465
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		886	31.5%
2		1923	68.5%

Sysmiss		78	
---------	--	----	--

QNPE5G: Attended physical education classes on five or more days

Data file: ARE2016 (Public Schools)

Overview

Valid: 2809 Invalid: 78 Mean: 1.786 Standard deviation: 0.41
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		601	21.4%
2		2208	78.6%
Sysmiss		78	

WEIGHT:

Data file: ARE2016 (Public Schools)

Overview

Valid: 2887 Invalid: 0 Mean: 31.688 Standard deviation: 7.433
Type: Continuous Decimal: 0 Width: 10 Range: 42.0329 - 329.5608 Format: Numeric Weighted: yes

STRATUM:

Data file: ARE2016 (Public Schools)

Overview

Valid: 2887 Invalid: 0 Mean: 201602009.449 Standard deviation: 16.679
Type: Discrete Decimal: 0 Width: 9 Range: 201501001 - 201501019 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
201602001		79	2.7%
201602002		41	1.4%
201602003		176	6.1%

201602004		147	5.1%
201602005		133	4.6%
201602006		231	8%
201602007		261	9%
201602008		229	7.9%
201602009		104	3.6%
201602010		188	6.5%
201602011		233	8.1%
201602012		179	6.2%
201602013		241	8.3%
201602014		231	8%
201602015		227	7.9%
201602016		187	6.5%

PSU:

Data file: ARE2016 (Public Schools)

Overview

Valid: 2887 Invalid: 0 Mean: 18.426 Standard deviation: 8.54
 Type: Continuous Decimal: 0 Width: 5 Range: 1 - 38 Format: Numeric

study_resources

questionnaires

Questionnaire (English)

title Questionnaire (English)
filename 2016_UAE_GSHS_Questionnaire.pdf

Questionnaire (Arabic)

title Questionnaire (Arabic)
filename 2016_UAE_GSHS_Questionnaire_AR.pdf

reports

Fact Sheet (National)

title Fact Sheet (National)
filename UAE-2016-gshs-fact-sheet.pdf

Fact Sheet (Public Schools)

title Fact Sheet (Public Schools)
filename UAE-2016-gshs-fact-sheet-public.pdf

Fact Sheet (Private Schools)

title Fact Sheet (Private Schools)
filename UAE-2016-gshs-fact-sheet-private.pdf

technical_documents

Codebook (National)

title Codebook (National)
filename 2016AEH Public Use Codebook.pdf

Codebook (Public Schools)

title Codebook (Public Schools)
filename 2016AEYH Public Use Codebook.pdf

Codebook (Private Schools)

title Codebook (Private Schools)

filename 2016AEXH Public Use Codebook.pdf
