

# Global School-Based Student Health Survey 2012

**Ministry of Health, Ministry of Education**

report\_generated\_on: November 2, 2023

visit\_data\_catalog\_at: <http://catalog.ihsn.org/>

## Identification

### SURVEY ID NUMBER

ARG\_2012\_GSHS\_v01\_M

### TITLE

Global School-Based Student Health Survey 2012

### COUNTRY

Name	Country code
Argentina	ARG

### STUDY TYPE

Global School-Based Student Health Survey

### SERIES INFORMATION

This is the second GSHS conducted by Argentina.

### ABSTRACT

The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

### KIND OF DATA

Sample survey data [ssd]

### UNIT OF ANALYSIS

Individuals

## Version

### VERSION DESCRIPTION

Public-use dataset

### VERSION DATE

2018-08-02

## Scope

### NOTES

The following core modules were included in the survey:

alcohol use  
 dietary behaviours  
 drug use  
 hygiene  
 mental health  
 physical activity  
 protective factors  
 sexual behaviours  
 tobacco use  
 violence and unintentional injury

### TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

## KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
hygiene
mental health
physical activity
sexual behaviours
tobacco use
violence and unintentional injury
overweight
obesity
bullying

## Coverage

## GEOGRAPHIC COVERAGE

National coverage, Buenos Aires, Catamarca, Chaco, Chubut, Cordoba, Corrientes, Ciudad de Buenos Aires, Entre Rios, Jujuy, La Pampa, La Rioja, Mendoza, Misiones, Neuquen, Rio Negro, Salta, San Juan, San Luis, Santa Cruz, Santa Fe, Santiago del Estero, Tierra del Fuego and Tucuman

## UNIVERSE

School-going adolescents aged 13-17 years.

## Producers and sponsors

## PRIMARY INVESTIGATORS

Name
Ministry of Health
Ministry of Education

## FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

## Sampling

### SAMPLING PROCEDURE

The Argentina GSHS was a school-based survey of students in grades 8th EGB, 9th EGB, 1st Pol. A two-stage cluster sample design was used to produce data representative of all students in grades 8th EGB, 9th EGB, 1st Pol in Argentina. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

### RESPONSE RATE

The school response rate was 91%, the student response rate was 79%, and the overall response rate was 71%.

### WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

## data\_collection

### DATES OF DATA COLLECTION

Start	End
2012-09	2012-12

### DATA COLLECTION MODE

self-administered

## questionnaires

### QUESTIONNAIRES

The following core modules were included in the survey:

alcohol use

dietary behaviours

drug use

hygiene

mental health

physical activity

protective factors

sexual behaviours

tobacco use

violence and unintentional injury

## data\_processing

### DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

## Access policy

### CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	<a href="#">Link</a>

## ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

## CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

## Disclaimer and copyrights

## DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

## Metadata production

## DDI DOCUMENT ID

DDI\_ARG\_2012\_GSHS\_v01\_M

## PRODUCERS

Name	Abbreviation	Affiliation	Role
Yue Wu		World Health Organization	Documentation of data
Melanie Cowan		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

## DATE OF METADATA PRODUCTION

2018-08-02

## DDI DOCUMENT VERSION

Identical to a metadata (ARG\_2012\_GSHS\_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

**data\_dictionary**

<b>Data file</b>	<b>Cases</b>	<b>variables</b>
<b>2012ARG_National_Public_Use</b> National public-use dataset	28368	123
<b>ARG2012_BuenosAires_Public_Use</b> Buenos Aires public-use dataset	1039	123
<b>ARG2012_Catamarca_Public_Use</b> Catamarca public-use dataset	2105	123
<b>ARG2012_Chaco_Public_Use</b> Chaco public-use dataset	957	123
<b>ARG2012_Chubut_Public_Use</b> Chubut public-use dataset	1356	123
<b>ARG2012_Cordoba_Public_Use</b> Cordoba public-use dataset	1234	123
<b>ARG2012_Corrientes_Public_Use</b> Corrientes public-use dataset	1020	123
<b>ARG2012_CiudadDeBuenosAires_Public_Use</b> Ciudad de Buenos Aires public-use dataset	1118	123
<b>ARG2012_EntreRios_Public_Use</b> Entre Rios public-use dataset	1274	123
<b>ARG2012_Jujuy_Public_Use</b> Jujuy public-use dataset	1195	123
<b>ARG2012_LaPampa_Public_Use</b> La Pampa public-use dataset	1479	123
<b>ARG2012_LaRioja_Public_Use</b> La Rioja public-use dataset	1134	123
<b>ARG2012_Mendoza_Public_Use</b> Mendoza public-use dataset	1118	123
<b>ARG2012_Misiones_Public_Use</b> Misiones public-use dataset	1451	123
<b>ARG2012_Neuquen_Public_Use</b> Neuquen public-use dataset	823	123
<b>ARG2012_RioNegro_Public_Use</b> Rio Negro public-use dataset	1126	123
<b>ARG2012_Salta_Public_Use</b> Salta public-use dataset	1151	123
<b>ARG2012_SanJuan_Public_Use</b> San Juan public-use dataset	1210	123
<b>ARG2012_SanLuis_Public_Use</b> San Luis public-use dataset	1820	123
<b>ARG2012_SantaCruz_Public_Use</b> Santa Cruz public-use dataset	1280	123
<b>ARG2012_SantaFe_Public_Use</b> Santa Fe public-use dataset	1278	123
<b>ARG2012_SantiagoDelEstro_Public_Use</b> Santiago Del Estro public-use dataset	1234	123

**ARG2012\_TierraDelFuego\_Public\_Use**

Tierra Del Fuego public-use dataset

521

123

**ARG2012\_Tucuman\_Public\_Use**

Tucuman public-use dataset

1445

123





**Data file: 2012ARG\_National\_Public\_Use**

National public-use dataset

Cases: 28368

variables: 123

**variables**

ID	Name	Label	Question
V1	Q1	How old are you	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V16	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V17	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V18	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V21	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V22	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V23	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V24	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Number close friends	How many close friends do you have?
V28	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V29	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V34	Q34	Age first drink alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V35	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Age first drugs	How old were you when you first used drugs?
V41	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	Q44	Ever had sex	Have you ever had sexual intercourse?
V45	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V46	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V47	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V51	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V54	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V60	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V61	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V62	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V63	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V64	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V65	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V66	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V67	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V68	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V69	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V70	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V71	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V72	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V73	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V74	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V75	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months

ID	Name	Label	Question
V76	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V77	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V78	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V79	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V80	QN27	No close friends	Percentage of students who had no close friends
V81	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V82	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V83	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V84	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V85	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V86	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	QN34	Age first alcohol before 14	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V88	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V89	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V90	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V91	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V92	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V93	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V94	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V95	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V96	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V97	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V98	QN45	Age first sexual intercourse before 14	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V99	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V100	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse
V101	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

ID	Name	Label	Question
V102	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V103	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V104	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V105	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V106	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V107	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V108	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V109	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V110	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V111	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V115	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V116	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V117	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V118	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V119	qnanytbq	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V120	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V121	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V122	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V123	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V124	weight	Weight	
V125	stratum	Stratum	
V126	psu	Primary Sampling Unit	

total: 123

**Data file: ARG2012\_BuenosAires\_Public\_Use**

Buenos Aires public-use dataset

Cases: 1039

variables: 123

**variables**

ID	Name	Label	Question
V127	Q1	How old are you	How old are you?
V128	Q2	Sex	What is your sex?
V129	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V130	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V131	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V132	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V133	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V134	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V135	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V136	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V137	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V138	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V139	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V140	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V141	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V142	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V143	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V144	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V145	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V146	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V147	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V148	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V149	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V150	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V151	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V152	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V153	Q27	Number close friends	How many close friends do you have?
V154	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V155	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V156	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V157	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V158	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V159	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V160	Q34	Age first drink alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V161	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V162	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V163	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V164	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V165	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V166	Q40	Age first drugs	How old were you when you first used drugs?
V167	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V168	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V169	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V170	Q44	Ever had sex	Have you ever had sexual intercourse?
V171	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V172	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V173	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V174	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V175	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V176	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V177	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V178	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V179	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V180	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V181	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V182	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V183	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V184	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V185	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V186	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V187	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V188	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V189	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V190	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V191	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V192	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V193	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V194	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V195	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V196	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V197	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V198	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V199	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V200	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V201	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months



ID	Name	Label	Question
V202	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V203	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V204	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V205	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V206	QN27	No close friends	Percentage of students who had no close friends
V207	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V208	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V209	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V210	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V211	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V212	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V213	QN34	Age first alcohol before 14	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V214	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V215	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V216	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V217	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V218	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V219	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V220	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V221	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V222	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V223	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V224	QN45	Age first sexual intercourse before 14	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V225	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V226	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse
V227	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

ID	Name	Label	Question
V228	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V229	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V230	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V231	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V232	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V233	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V234	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V235	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V236	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V237	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V241	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V242	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V243	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V244	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V245	qnanytbq	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V246	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V247	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V248	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V249	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V250	weight	Weight	
V251	stratum	Stratum	
V252	psu	Primary Sampling Unit	

total: 123

**Data file: ARG2012\_Catamarca\_Public\_Use**

Catamarca public-use dataset

Cases: 2105

variables: 123

**variables**

ID	Name	Label	Question
V253	Q1	How old are you	How old are you?
V254	Q2	Sex	What is your sex?
V255	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V256	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V257	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V258	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V259	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V260	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V261	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V262	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V263	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V264	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V265	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V266	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V267	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V268	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V269	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V270	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V271	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V272	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V273	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V274	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V275	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V276	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V277	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V278	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V279	Q27	Number close friends	How many close friends do you have?
V280	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V281	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V282	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V283	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V284	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V285	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V286	Q34	Age first drink alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V287	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V288	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V289	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V290	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V291	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V292	Q40	Age first drugs	How old were you when you first used drugs?
V293	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V294	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V295	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V296	Q44	Ever had sex	Have you ever had sexual intercourse?
V297	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V298	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V299	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V300	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V301	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V302	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V303	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V304	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V305	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V306	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V307	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V308	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V309	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V310	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V311	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V312	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V313	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V314	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V315	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V316	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V317	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V318	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V319	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V320	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V321	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V322	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V323	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V324	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V325	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V326	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V327	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months

ID	Name	Label	Question
V328	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V329	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V330	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V331	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V332	QN27	No close friends	Percentage of students who had no close friends
V333	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V334	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V335	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V336	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V337	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V338	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V339	QN34	Age first alcohol before 14	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V340	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V341	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V342	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V343	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V344	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V345	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V346	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V347	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V348	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V349	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V350	QN45	Age first sexual intercourse before 14	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V351	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V352	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse
V353	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

ID	Name	Label	Question
V354	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V355	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V356	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V357	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V358	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V359	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V360	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V361	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V362	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V363	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V367	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V368	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V369	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V370	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V371	qnanytbq	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V372	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V373	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V374	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V375	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V376	weight	Weight	
V377	stratum	Stratum	
V378	psu	Primary Sampling Unit	

total: 123

**Data file: ARG2012\_Chaco\_Public\_Use**

Chaco public-use dataset

Cases: 957

variables: 123

**variables**

ID	Name	Label	Question
V379	Q1	How old are you	How old are you?
V380	Q2	Sex	What is your sex?
V381	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V382	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V383	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V384	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V385	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V386	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V387	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V388	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V389	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V390	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V391	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V392	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V393	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V394	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V395	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V396	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V397	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V398	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V399	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V400	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?



ID	Name	Label	Question
V401	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V402	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V403	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V404	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V405	Q27	Number close friends	How many close friends do you have?
V406	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V407	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V408	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V409	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V410	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V411	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V412	Q34	Age first drink alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V413	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V414	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V415	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V416	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V417	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V418	Q40	Age first drugs	How old were you when you first used drugs?
V419	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V420	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V421	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V422	Q44	Ever had sex	Have you ever had sexual intercourse?
V423	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V424	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V425	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V426	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V427	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V428	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V429	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V430	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V431	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V432	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V433	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V434	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V435	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V436	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V437	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V438	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V439	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V440	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V441	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V442	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V443	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V444	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V445	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V446	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V447	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V448	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V449	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V450	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V451	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V452	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V453	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months

ID	Name	Label	Question
V454	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V455	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V456	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V457	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V458	QN27	No close friends	Percentage of students who had no close friends
V459	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V460	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V461	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V462	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V463	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V464	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V465	QN34	Age first alcohol before 14	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V466	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V467	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V468	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V469	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V470	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V471	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V472	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V473	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V474	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V475	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V476	QN45	Age first sexual intercourse before 14	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V477	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V478	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse
V479	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

ID	Name	Label	Question
V480	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V481	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V482	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V483	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V484	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V485	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V486	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V487	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V488	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V489	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V493	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V494	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V495	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V496	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V497	qnanytbq	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V498	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V499	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V500	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V501	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V502	weight	Weight	
V503	stratum	Stratum	
V504	psu	Primary Sampling Unit	

total: 123

**Data file: ARG2012\_Chubut\_Public\_Use**

Chubut public-use dataset

Cases:	1356
variables:	123

**variables**

ID	Name	Label	Question
V505	Q1	How old are you	How old are you?
V506	Q2	Sex	What is your sex?
V507	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V508	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V509	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V510	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V511	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V512	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V513	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V514	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V515	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V516	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V517	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V518	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V519	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V520	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V521	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V522	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V523	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V524	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V525	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V526	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V527	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V528	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V529	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V530	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V531	Q27	Number close friends	How many close friends do you have?
V532	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V533	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V534	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V535	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V536	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V537	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V538	Q34	Age first drink alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V539	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V540	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V541	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V542	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V543	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V544	Q40	Age first drugs	How old were you when you first used drugs?
V545	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V546	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V547	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V548	Q44	Ever had sex	Have you ever had sexual intercourse?
V549	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V550	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V551	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V552	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V553	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V554	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V555	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V556	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V557	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V558	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V559	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V560	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V561	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V562	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V563	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V564	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V565	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V566	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V567	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V568	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V569	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V570	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V571	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V572	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V573	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V574	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V575	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V576	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V577	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V578	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V579	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months

ID	Name	Label	Question
V580	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V581	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V582	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V583	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V584	QN27	No close friends	Percentage of students who had no close friends
V585	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V586	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V587	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V588	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V589	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V590	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V591	QN34	Age first alcohol before 14	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V592	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V593	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V594	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V595	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V596	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V597	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V598	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V599	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V600	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V601	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V602	QN45	Age first sexual intercourse before 14	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V603	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V604	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse
V605	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse



ID	Name	Label	Question
V606	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V607	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V608	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V609	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V610	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V611	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V612	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V613	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V614	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V615	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V619	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V620	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V621	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V622	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V623	qnanytbq	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V624	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V625	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V626	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V627	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V628	weight	Weight	
V629	stratum	Stratum	
V630	psu	Primary Sampling Unit	

total: 123

**Data file: ARG2012\_Cordoba\_Public\_Use**

Cordoba public-use dataset

Cases: 1234

variables: 123

**variables**

ID	Name	Label	Question
V631	Q1	How old are you	How old are you?
V632	Q2	Sex	What is your sex?
V633	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V634	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V635	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V636	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V637	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V638	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V639	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V640	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V641	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V642	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V643	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V644	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V645	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V646	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V647	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V648	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V649	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V650	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V651	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V652	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V653	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V654	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V655	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V656	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V657	Q27	Number close friends	How many close friends do you have?
V658	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V659	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V660	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V661	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V662	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V663	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V664	Q34	Age first drink alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V665	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V666	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V667	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V668	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V669	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V670	Q40	Age first drugs	How old were you when you first used drugs?
V671	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V672	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V673	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V674	Q44	Ever had sex	Have you ever had sexual intercourse?
V675	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V676	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V677	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V678	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V679	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V680	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V681	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V682	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V683	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V684	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V685	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V686	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V687	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V688	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V689	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V690	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V691	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V692	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V693	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V694	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V695	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V696	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V697	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V698	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V699	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V700	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V701	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V702	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V703	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V704	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V705	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months

ID	Name	Label	Question
V706	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V707	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V708	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V709	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V710	QN27	No close friends	Percentage of students who had no close friends
V711	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V712	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V713	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V714	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V715	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V716	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V717	QN34	Age first alcohol before 14	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V718	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V719	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V720	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V721	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V722	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V723	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V724	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V725	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V726	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V727	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V728	QN45	Age first sexual intercourse before 14	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V729	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V730	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse
V731	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

ID	Name	Label	Question
V732	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V733	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V734	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V735	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V736	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V737	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V738	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V739	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V740	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V741	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V745	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V746	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V747	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V748	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V749	qnanytbq	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V750	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V751	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V752	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V753	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V754	weight	Weight	
V755	stratum	Stratum	
V756	psu	Primary Sampling Unit	

total: 123

**Data file: ARG2012\_Corrientes\_Public\_Use**

Corrientes public-use dataset

Cases: 1020

variables: 123

**variables**

ID	Name	Label	Question
V757	Q1	How old are you	How old are you?
V758	Q2	Sex	What is your sex?
V759	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V760	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V761	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V762	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V763	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V764	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V765	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V766	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V767	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V768	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V769	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V770	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V771	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V772	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V773	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V774	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V775	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V776	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V777	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V778	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V779	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V780	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V781	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V782	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V783	Q27	Number close friends	How many close friends do you have?
V784	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V785	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V786	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V787	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V788	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V789	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V790	Q34	Age first drink alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V791	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V792	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V793	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V794	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V795	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V796	Q40	Age first drugs	How old were you when you first used drugs?
V797	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V798	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V799	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V800	Q44	Ever had sex	Have you ever had sexual intercourse?
V801	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V802	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V803	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V804	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V805	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V806	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?



ID	Name	Label	Question
V807	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V808	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V809	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V810	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V811	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V812	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V813	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V814	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V815	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V816	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V817	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V818	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V819	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V820	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V821	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V822	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V823	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V824	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V825	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V826	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V827	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V828	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V829	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V830	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V831	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months

ID	Name	Label	Question
V832	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V833	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V834	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V835	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V836	QN27	No close friends	Percentage of students who had no close friends
V837	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V838	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V839	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V840	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V841	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V842	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V843	QN34	Age first alcohol before 14	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V844	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V845	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V846	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V847	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V848	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V849	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V850	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V851	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V852	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V853	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V854	QN45	Age first sexual intercourse before 14	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V855	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V856	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse
V857	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

ID	Name	Label	Question
V858	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V859	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V860	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V861	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V862	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V863	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V864	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V865	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V866	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V867	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V871	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V872	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V873	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V874	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V875	qnanytbq	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V876	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V877	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V878	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V879	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V880	weight	Weight	
V881	stratum	Stratum	
V882	psu	Primary Sampling Unit	

total: 123

**Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use**

Ciudad de Buenos Aires public-use dataset

Cases: 1118

variables: 123

**variables**

ID	Name	Label	Question
V883	Q1	How old are you	How old are you?
V884	Q2	Sex	What is your sex?
V885	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V886	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V887	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V888	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V889	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V890	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V891	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V892	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V893	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V894	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V895	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V896	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V897	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V898	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V899	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V900	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V901	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V902	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V903	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V904	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V905	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V906	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V907	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V908	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V909	Q27	Number close friends	How many close friends do you have?
V910	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V911	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V912	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V913	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V914	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V915	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V916	Q34	Age first drink alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V917	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V918	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V919	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V920	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V921	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V922	Q40	Age first drugs	How old were you when you first used drugs?
V923	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V924	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V925	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V926	Q44	Ever had sex	Have you ever had sexual intercourse?
V927	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V928	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V929	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V930	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V931	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V932	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V933	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V934	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V935	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V936	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V937	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V938	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V939	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V940	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V941	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V942	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V943	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V944	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V945	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V946	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V947	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V948	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V949	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V950	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V951	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V952	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V953	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V954	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V955	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V956	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V957	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months

ID	Name	Label	Question
V958	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V959	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V960	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V961	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V962	QN27	No close friends	Percentage of students who had no close friends
V963	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V964	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V965	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V966	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V967	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V968	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V969	QN34	Age first alcohol before 14	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V970	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V971	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V972	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V973	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V974	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V975	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V976	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V977	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V978	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V979	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V980	QN45	Age first sexual intercourse before 14	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V981	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V982	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

ID	Name	Label	Question
V983	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse
V984	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V985	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V986	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V987	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V988	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V989	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V990	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V991	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V992	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V993	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V997	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V998	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V999	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V1000	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V1001	qnanytbg	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V1002	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V1003	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V1004	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V1005	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V1006	weight	Weight	
V1007	stratum	Stratum	
V1008	psu	Primary Sampling Unit	

total: 123



**Data file: ARG2012\_EntreRios\_Public\_Use**

Entre Rios public-use dataset

Cases: 1274

variables: 123

**variables**

ID	Name	Label	Question
V1009	Q1	How old are you	How old are you?
V1010	Q2	Sex	What is your sex?
V1011	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V1012	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V1013	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V1014	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V1015	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V1016	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V1017	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V1018	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V1019	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V1020	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V1021	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V1022	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V1023	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V1024	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V1025	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V1026	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V1027	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V1028	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V1029	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V1030	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V1031	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V1032	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V1033	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V1034	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V1035	Q27	Number close friends	How many close friends do you have?
V1036	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V1037	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V1038	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V1039	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V1040	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V1041	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V1042	Q34	Age first drink alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V1043	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V1044	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V1045	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V1046	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V1047	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V1048	Q40	Age first drugs	How old were you when you first used drugs?
V1049	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V1050	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V1051	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V1052	Q44	Ever had sex	Have you ever had sexual intercourse?
V1053	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V1054	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V1055	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V1056	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V1057	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V1058	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V1059	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V1060	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V1061	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V1062	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V1063	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V1064	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V1065	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V1066	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V1067	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V1068	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V1069	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V1070	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V1071	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V1072	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V1073	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V1074	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V1075	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V1076	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V1077	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V1078	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V1079	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V1080	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V1081	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V1082	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V1083	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months

ID	Name	Label	Question
V1084	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V1085	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V1086	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V1087	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V1088	QN27	No close friends	Percentage of students who had no close friends
V1089	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V1090	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V1091	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V1092	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V1093	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V1094	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V1095	QN34	Age first alcohol before 14	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V1096	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V1097	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V1098	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V1099	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V1100	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V1101	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V1102	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V1103	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V1104	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V1105	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V1106	QN45	Age first sexual intercourse before 14	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V1107	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V1108	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

ID	Name	Label	Question
V1109	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse
V1110	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V1111	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V1112	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V1113	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V1114	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V1115	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V1116	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V1117	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V1118	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V1119	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V1123	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V1124	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V1125	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V1126	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V1127	qnanytbg	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V1128	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V1129	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V1130	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V1131	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V1132	weight	Weight	
V1133	stratum	Stratum	
V1134	psu	Primary Sampling Unit	

total: 123

**Data file: ARG2012\_Jujuy\_Public\_Use**

Jujuy public-use dataset

Cases: 1195

variables: 123

**variables**

ID	Name	Label	Question
V1135	Q1	How old are you	How old are you?
V1136	Q2	Sex	What is your sex?
V1137	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V1138	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V1139	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V1140	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V1141	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V1142	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V1143	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V1144	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V1145	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V1146	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V1147	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V1148	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V1149	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V1150	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V1151	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V1152	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V1153	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V1154	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V1155	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V1156	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V1157	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V1158	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V1159	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V1160	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V1161	Q27	Number close friends	How many close friends do you have?
V1162	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V1163	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V1164	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V1165	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V1166	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V1167	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V1168	Q34	Age first drink alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V1169	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V1170	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V1171	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V1172	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V1173	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V1174	Q40	Age first drugs	How old were you when you first used drugs?
V1175	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V1176	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V1177	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V1178	Q44	Ever had sex	Have you ever had sexual intercourse?
V1179	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V1180	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V1181	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V1182	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V1183	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V1184	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V1185	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V1186	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V1187	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V1188	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V1189	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V1190	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V1191	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V1192	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V1193	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V1194	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V1195	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V1196	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V1197	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V1198	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V1199	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V1200	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V1201	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V1202	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V1203	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V1204	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V1205	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V1206	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V1207	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V1208	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V1209	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months



ID	Name	Label	Question
V1210	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V1211	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V1212	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V1213	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V1214	QN27	No close friends	Percentage of students who had no close friends
V1215	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V1216	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V1217	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V1218	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V1219	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V1220	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V1221	QN34	Age first alcohol before 14	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V1222	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V1223	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V1224	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V1225	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V1226	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V1227	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V1228	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V1229	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V1230	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V1231	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V1232	QN45	Age first sexual intercourse before 14	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V1233	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V1234	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

ID	Name	Label	Question
V1235	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse
V1236	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V1237	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V1238	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V1239	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V1240	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V1241	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V1242	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V1243	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V1244	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V1245	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V1249	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V1250	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V1251	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V1252	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V1253	qnanytbg	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V1254	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V1255	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V1256	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V1257	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V1258	weight	Weight	
V1259	stratum	Stratum	
V1260	psu	Primary Sampling Unit	

total: 123

**Data file: ARG2012\_LaPampa\_Public\_Use**

La Pampa public-use dataset

Cases: 1479

variables: 123

**variables**

ID	Name	Label	Question
V1261	Q1	How old are you	How old are you?
V1262	Q2	Sex	What is your sex?
V1263	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V1264	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V1265	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V1266	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V1267	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V1268	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V1269	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V1270	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V1271	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V1272	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V1273	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V1274	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V1275	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V1276	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V1277	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V1278	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V1279	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V1280	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V1281	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V1282	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V1283	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V1284	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V1285	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V1286	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V1287	Q27	Number close friends	How many close friends do you have?
V1288	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V1289	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V1290	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V1291	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V1292	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V1293	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V1294	Q34	Age first drink alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V1295	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V1296	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V1297	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V1298	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V1299	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V1300	Q40	Age first drugs	How old were you when you first used drugs?
V1301	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V1302	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V1303	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V1304	Q44	Ever had sex	Have you ever had sexual intercourse?
V1305	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V1306	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V1307	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V1308	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V1309	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V1310	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V1311	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V1312	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V1313	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V1314	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V1315	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V1316	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V1317	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V1318	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V1319	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V1320	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V1321	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V1322	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V1323	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V1324	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V1325	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V1326	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V1327	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V1328	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V1329	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V1330	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V1331	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V1332	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V1333	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V1334	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V1335	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months

ID	Name	Label	Question
V1336	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V1337	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V1338	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V1339	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V1340	QN27	No close friends	Percentage of students who had no close friends
V1341	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V1342	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V1343	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V1344	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V1345	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V1346	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V1347	QN34	Age first alcohol before 14	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V1348	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V1349	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V1350	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V1351	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V1352	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V1353	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V1354	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V1355	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V1356	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V1357	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V1358	QN45	Age first sexual intercourse before 14	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V1359	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V1360	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

ID	Name	Label	Question
V1361	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse
V1362	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V1363	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V1364	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V1365	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V1366	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V1367	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V1368	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V1369	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V1370	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V1371	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V1375	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V1376	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V1377	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V1378	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V1379	qnanytbg	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V1380	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V1381	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V1382	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V1383	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V1384	weight	Weight	
V1385	stratum	Stratum	
V1386	psu	Primary Sampling Unit	

total: 123

**Data file: ARG2012\_LaRioja\_Public\_Use**

La Rioja public-use dataset

Cases: 1134

variables: 123

**variables**

ID	Name	Label	Question
V1387	Q1	How old are you	How old are you?
V1388	Q2	Sex	What is your sex?
V1389	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V1390	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V1391	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V1392	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V1393	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V1394	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V1395	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V1396	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V1397	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V1398	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V1399	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V1400	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V1401	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V1402	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V1403	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V1404	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V1405	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V1406	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V1407	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V1408	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?



ID	Name	Label	Question
V1409	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V1410	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V1411	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V1412	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V1413	Q27	Number close friends	How many close friends do you have?
V1414	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V1415	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V1416	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V1417	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V1418	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V1419	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V1420	Q34	Age first drink alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V1421	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V1422	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V1423	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V1424	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V1425	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V1426	Q40	Age first drugs	How old were you when you first used drugs?
V1427	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V1428	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V1429	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V1430	Q44	Ever had sex	Have you ever had sexual intercourse?
V1431	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V1432	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V1433	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V1434	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V1435	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V1436	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V1437	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V1438	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V1439	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V1440	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V1441	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V1442	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V1443	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V1444	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V1445	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V1446	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V1447	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V1448	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V1449	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V1450	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V1451	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V1452	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V1453	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V1454	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V1455	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V1456	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V1457	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V1458	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V1459	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V1460	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V1461	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months

ID	Name	Label	Question
V1462	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V1463	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V1464	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V1465	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V1466	QN27	No close friends	Percentage of students who had no close friends
V1467	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V1468	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V1469	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V1470	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V1471	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V1472	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V1473	QN34	Age first alcohol before 14	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V1474	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V1475	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V1476	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V1477	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V1478	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V1479	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V1480	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V1481	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V1482	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V1483	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V1484	QN45	Age first sexual intercourse before 14	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V1485	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V1486	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

ID	Name	Label	Question
V1487	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse
V1488	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V1489	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V1490	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V1491	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V1492	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V1493	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V1494	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V1495	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V1496	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V1497	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V1501	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V1502	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V1503	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V1504	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V1505	qnanytbg	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V1506	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V1507	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V1508	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V1509	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V1510	weight	Weight	
V1511	stratum	Stratum	
V1512	psu	Primary Sampling Unit	

total: 123

**Data file: ARG2012\_Mendoza\_Public\_Use**

Mendoza public-use dataset

Cases: 1118

variables: 123

**variables**

ID	Name	Label	Question
V1513	Q1	How old are you	How old are you?
V1514	Q2	Sex	What is your sex?
V1515	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V1516	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V1517	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V1518	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V1519	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V1520	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V1521	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V1522	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V1523	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V1524	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V1525	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V1526	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V1527	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V1528	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V1529	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V1530	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V1531	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V1532	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V1533	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V1534	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V1535	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V1536	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V1537	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V1538	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V1539	Q27	Number close friends	How many close friends do you have?
V1540	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V1541	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V1542	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V1543	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V1544	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V1545	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V1546	Q34	Age first drink alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V1547	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V1548	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V1549	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V1550	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V1551	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V1552	Q40	Age first drugs	How old were you when you first used drugs?
V1553	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V1554	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V1555	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V1556	Q44	Ever had sex	Have you ever had sexual intercourse?
V1557	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V1558	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V1559	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V1560	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V1561	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V1562	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V1563	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V1564	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V1565	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V1566	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V1567	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V1568	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V1569	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V1570	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V1571	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V1572	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V1573	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V1574	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V1575	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V1576	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V1577	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V1578	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V1579	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V1580	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V1581	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V1582	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V1583	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V1584	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V1585	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V1586	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V1587	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months

ID	Name	Label	Question
V1588	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V1589	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V1590	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V1591	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V1592	QN27	No close friends	Percentage of students who had no close friends
V1593	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V1594	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V1595	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V1596	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V1597	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V1598	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V1599	QN34	Age first alcohol before 14	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V1600	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V1601	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V1602	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V1603	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V1604	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V1605	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V1606	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V1607	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V1608	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V1609	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V1610	QN45	Age first sexual intercourse before 14	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V1611	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V1612	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse



ID	Name	Label	Question
V1613	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse
V1614	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V1615	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V1616	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V1617	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V1618	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V1619	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V1620	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V1621	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V1622	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V1623	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V1627	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V1628	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V1629	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V1630	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V1631	qnanytbg	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V1632	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V1633	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V1634	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V1635	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V1636	weight	Weight	
V1637	stratum	Stratum	
V1638	psu	Primary Sampling Unit	

total: 123

**Data file: ARG2012\_Misiones\_Public\_Use**

Misiones public-use dataset

Cases: 1451

variables: 123

**variables**

ID	Name	Label	Question
V1639	Q1	How old are you	How old are you?
V1640	Q2	Sex	What is your sex?
V1641	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V1642	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V1643	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V1644	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V1645	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V1646	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V1647	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V1648	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V1649	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V1650	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V1651	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V1652	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V1653	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V1654	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V1655	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V1656	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V1657	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V1658	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V1659	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V1660	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V1661	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V1662	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V1663	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V1664	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V1665	Q27	Number close friends	How many close friends do you have?
V1666	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V1667	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V1668	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V1669	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V1670	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V1671	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V1672	Q34	Age first drink alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V1673	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V1674	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V1675	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V1676	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V1677	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V1678	Q40	Age first drugs	How old were you when you first used drugs?
V1679	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V1680	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V1681	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V1682	Q44	Ever had sex	Have you ever had sexual intercourse?
V1683	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V1684	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V1685	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V1686	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V1687	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V1688	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V1689	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V1690	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V1691	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V1692	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V1693	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V1694	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V1695	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V1696	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V1697	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V1698	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V1699	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V1700	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V1701	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V1702	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V1703	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V1704	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V1705	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V1706	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V1707	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V1708	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V1709	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V1710	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V1711	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V1712	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V1713	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months

ID	Name	Label	Question
V1714	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V1715	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V1716	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V1717	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V1718	QN27	No close friends	Percentage of students who had no close friends
V1719	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V1720	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V1721	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V1722	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V1723	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V1724	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V1725	QN34	Age first alcohol before 14	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V1726	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V1727	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V1728	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V1729	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V1730	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V1731	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V1732	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V1733	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V1734	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V1735	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V1736	QN45	Age first sexual intercourse before 14	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V1737	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V1738	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

ID	Name	Label	Question
V1739	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse
V1740	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V1741	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V1742	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V1743	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V1744	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V1745	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V1746	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V1747	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V1748	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V1749	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V1753	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V1754	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V1755	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V1756	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V1757	qnanytbq	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V1758	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V1759	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V1760	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V1761	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V1762	weight	Weight	
V1763	stratum	Stratum	
V1764	psu	Primary Sampling Unit	

total: 123

**Data file: ARG2012\_Neuquen\_Public\_Use**

Neuquen public-use dataset

Cases: 823

variables: 123

**variables**

ID	Name	Label	Question
V1765	Q1	How old are you	How old are you?
V1766	Q2	Sex	What is your sex?
V1767	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V1768	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V1769	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V1770	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V1771	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V1772	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V1773	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V1774	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V1775	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V1776	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V1777	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V1778	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V1779	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V1780	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V1781	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V1782	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V1783	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V1784	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V1785	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V1786	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V1787	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V1788	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V1789	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V1790	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V1791	Q27	Number close friends	How many close friends do you have?
V1792	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V1793	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V1794	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V1795	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V1796	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V1797	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V1798	Q34	Age first drink alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V1799	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V1800	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V1801	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V1802	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V1803	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V1804	Q40	Age first drugs	How old were you when you first used drugs?
V1805	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V1806	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V1807	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V1808	Q44	Ever had sex	Have you ever had sexual intercourse?
V1809	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V1810	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V1811	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V1812	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V1813	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V1814	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?



ID	Name	Label	Question
V1815	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V1816	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V1817	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V1818	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V1819	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V1820	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V1821	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V1822	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V1823	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V1824	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V1825	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V1826	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V1827	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V1828	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V1829	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V1830	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V1831	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V1832	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V1833	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V1834	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V1835	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V1836	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V1837	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V1838	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V1839	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months

ID	Name	Label	Question
V1840	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V1841	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V1842	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V1843	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V1844	QN27	No close friends	Percentage of students who had no close friends
V1845	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V1846	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V1847	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V1848	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V1849	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V1850	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V1851	QN34	Age first alcohol before 14	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V1852	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V1853	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V1854	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V1855	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V1856	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V1857	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V1858	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V1859	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V1860	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V1861	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V1862	QN45	Age first sexual intercourse before 14	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V1863	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V1864	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

ID	Name	Label	Question
V1865	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse
V1866	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V1867	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V1868	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V1869	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V1870	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V1871	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V1872	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V1873	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V1874	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V1875	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V1879	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V1880	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V1881	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V1882	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V1883	qnanytbg	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V1884	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V1885	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V1886	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V1887	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V1888	weight	Weight	
V1889	stratum	Stratum	
V1890	psu	Primary Sampling Unit	

total: 123

**Data file: ARG2012\_RioNegro\_Public\_Use**

Rio Negro public-use dataset

Cases: 1126

variables: 123

**variables**

ID	Name	Label	Question
V1891	Q1	How old are you	How old are you?
V1892	Q2	Sex	What is your sex?
V1893	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V1894	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V1895	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V1896	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V1897	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V1898	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V1899	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V1900	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V1901	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V1902	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V1903	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V1904	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V1905	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V1906	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V1907	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V1908	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V1909	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V1910	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V1911	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V1912	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V1913	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V1914	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V1915	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V1916	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V1917	Q27	Number close friends	How many close friends do you have?
V1918	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V1919	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V1920	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V1921	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V1922	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V1923	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V1924	Q34	Age first drink alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V1925	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V1926	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V1927	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V1928	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V1929	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V1930	Q40	Age first drugs	How old were you when you first used drugs?
V1931	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V1932	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V1933	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V1934	Q44	Ever had sex	Have you ever had sexual intercourse?
V1935	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V1936	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V1937	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V1938	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V1939	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V1940	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V1941	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V1942	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V1943	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V1944	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V1945	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V1946	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V1947	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V1948	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V1949	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V1950	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V1951	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V1952	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V1953	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V1954	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V1955	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V1956	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V1957	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V1958	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V1959	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V1960	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V1961	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V1962	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V1963	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V1964	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V1965	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months

ID	Name	Label	Question
V1966	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V1967	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V1968	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V1969	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V1970	QN27	No close friends	Percentage of students who had no close friends
V1971	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V1972	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V1973	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V1974	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V1975	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V1976	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V1977	QN34	Age first alcohol before 14	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V1978	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V1979	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V1980	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V1981	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V1982	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V1983	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V1984	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V1985	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V1986	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V1987	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V1988	QN45	Age first sexual intercourse before 14	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V1989	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V1990	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

ID	Name	Label	Question
V1991	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse
V1992	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V1993	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V1994	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V1995	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V1996	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V1997	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V1998	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V1999	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V2000	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V2001	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V2005	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V2006	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V2007	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V2008	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V2009	qnanytbg	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V2010	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V2011	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V2012	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V2013	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V2014	weight	Weight	
V2015	stratum	Stratum	
V2016	psu	Primary Sampling Unit	

total: 123



**Data file: ARG2012\_Salta\_Public\_Use**

Salta public-use dataset

Cases:	1151
variables:	123

**variables**

ID	Name	Label	Question
V2017	Q1	How old are you	How old are you?
V2018	Q2	Sex	What is your sex?
V2019	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V2020	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V2021	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V2022	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V2023	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V2024	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V2025	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V2026	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V2027	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V2028	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V2029	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V2030	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V2031	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V2032	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V2033	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V2034	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V2035	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V2036	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V2037	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V2038	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V2039	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V2040	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V2041	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V2042	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V2043	Q27	Number close friends	How many close friends do you have?
V2044	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V2045	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V2046	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V2047	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V2048	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V2049	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V2050	Q34	Age first drink alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V2051	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V2052	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V2053	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V2054	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V2055	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V2056	Q40	Age first drugs	How old were you when you first used drugs?
V2057	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V2058	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V2059	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V2060	Q44	Ever had sex	Have you ever had sexual intercourse?
V2061	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V2062	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V2063	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V2064	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V2065	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V2066	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V2067	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V2068	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V2069	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V2070	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V2071	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V2072	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V2073	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V2074	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V2075	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V2076	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V2077	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V2078	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V2079	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V2080	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V2081	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V2082	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V2083	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V2084	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V2085	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V2086	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V2087	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V2088	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V2089	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V2090	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V2091	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months

ID	Name	Label	Question
V2092	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V2093	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V2094	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V2095	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V2096	QN27	No close friends	Percentage of students who had no close friends
V2097	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V2098	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V2099	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V2100	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V2101	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V2102	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V2103	QN34	Age first alcohol before 14	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V2104	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V2105	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V2106	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V2107	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V2108	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V2109	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V2110	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V2111	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V2112	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V2113	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V2114	QN45	Age first sexual intercourse before 14	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V2115	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V2116	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

ID	Name	Label	Question
V2117	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse
V2118	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V2119	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V2120	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V2121	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V2122	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V2123	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V2124	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V2125	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V2126	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V2127	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V2131	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V2132	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V2133	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V2134	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V2135	qnanytbg	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V2136	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V2137	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V2138	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V2139	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V2140	weight	Weight	
V2141	stratum	Stratum	
V2142	psu	Primary Sampling Unit	

total: 123

**Data file: ARG2012\_SanJuan\_Public\_Use**

San Juan public-use dataset

Cases: 1210

variables: 123

**variables**

ID	Name	Label	Question
V2143	Q1	How old are you	How old are you?
V2144	Q2	Sex	What is your sex?
V2145	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V2146	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V2147	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V2148	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V2149	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V2150	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V2151	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V2152	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V2153	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V2154	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V2155	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V2156	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V2157	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V2158	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V2159	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V2160	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V2161	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V2162	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V2163	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V2164	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V2165	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V2166	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V2167	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V2168	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V2169	Q27	Number close friends	How many close friends do you have?
V2170	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V2171	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V2172	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V2173	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V2174	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V2175	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V2176	Q34	Age first drink alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V2177	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V2178	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V2179	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V2180	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V2181	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V2182	Q40	Age first drugs	How old were you when you first used drugs?
V2183	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V2184	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V2185	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V2186	Q44	Ever had sex	Have you ever had sexual intercourse?
V2187	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V2188	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V2189	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V2190	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V2191	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V2192	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V2193	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V2194	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V2195	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V2196	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V2197	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V2198	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V2199	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V2200	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V2201	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V2202	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V2203	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V2204	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V2205	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V2206	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V2207	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V2208	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V2209	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V2210	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V2211	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V2212	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V2213	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V2214	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V2215	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V2216	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V2217	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months



ID	Name	Label	Question
V2218	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V2219	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V2220	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V2221	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V2222	QN27	No close friends	Percentage of students who had no close friends
V2223	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V2224	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V2225	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V2226	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V2227	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V2228	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V2229	QN34	Age first alcohol before 14	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V2230	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V2231	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V2232	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V2233	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V2234	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V2235	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V2236	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V2237	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V2238	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V2239	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V2240	QN45	Age first sexual intercourse before 14	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V2241	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V2242	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

ID	Name	Label	Question
V2243	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse
V2244	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V2245	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V2246	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V2247	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V2248	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V2249	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V2250	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V2251	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V2252	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V2253	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V2257	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V2258	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V2259	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V2260	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V2261	qnanytbg	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V2262	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V2263	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V2264	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V2265	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V2266	weight	Weight	
V2267	stratum	Stratum	
V2268	psu	Primary Sampling Unit	

total: 123

**Data file: ARG2012\_SanLuis\_Public\_Use**

San Luis public-use dataset

Cases: 1820

variables: 123

**variables**

ID	Name	Label	Question
V2269	Q1	How old are you	How old are you?
V2270	Q2	Sex	What is your sex?
V2271	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V2272	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V2273	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V2274	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V2275	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V2276	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V2277	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V2278	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V2279	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V2280	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V2281	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V2282	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V2283	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V2284	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V2285	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V2286	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V2287	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V2288	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V2289	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V2290	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V2291	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V2292	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V2293	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V2294	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V2295	Q27	Number close friends	How many close friends do you have?
V2296	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V2297	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V2298	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V2299	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V2300	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V2301	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V2302	Q34	Age first drink alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V2303	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V2304	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V2305	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V2306	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V2307	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V2308	Q40	Age first drugs	How old were you when you first used drugs?
V2309	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V2310	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V2311	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V2312	Q44	Ever had sex	Have you ever had sexual intercourse?
V2313	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V2314	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V2315	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V2316	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V2317	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V2318	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V2319	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V2320	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V2321	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V2322	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V2323	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V2324	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V2325	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V2326	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V2327	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V2328	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V2329	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V2330	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V2331	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V2332	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V2333	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V2334	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V2335	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V2336	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V2337	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V2338	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V2339	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V2340	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V2341	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V2342	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V2343	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months

ID	Name	Label	Question
V2344	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V2345	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V2346	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V2347	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V2348	QN27	No close friends	Percentage of students who had no close friends
V2349	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V2350	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V2351	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V2352	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V2353	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V2354	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V2355	QN34	Age first alcohol before 14	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V2356	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V2357	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V2358	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V2359	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V2360	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V2361	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V2362	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V2363	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V2364	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V2365	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V2366	QN45	Age first sexual intercourse before 14	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V2367	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V2368	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

ID	Name	Label	Question
V2369	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse
V2370	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V2371	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V2372	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V2373	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V2374	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V2375	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V2376	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V2377	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V2378	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V2379	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V2383	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V2384	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V2385	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V2386	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V2387	qnanytbq	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V2388	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V2389	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V2390	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V2391	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V2392	weight	Weight	
V2393	stratum	Stratum	
V2394	psu	Primary Sampling Unit	

total: 123

**Data file: ARG2012\_SantaCruz\_Public\_Use**

Santa Cruz public-use dataset

Cases: 1280

variables: 123

**variables**

ID	Name	Label	Question
V2395	Q1	How old are you	How old are you?
V2396	Q2	Sex	What is your sex?
V2397	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V2398	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V2399	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V2400	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V2401	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V2402	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V2403	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V2404	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V2405	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V2406	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V2407	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V2408	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V2409	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V2410	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V2411	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V2412	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V2413	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V2414	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V2415	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V2416	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?



ID	Name	Label	Question
V2417	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V2418	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V2419	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V2420	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V2421	Q27	Number close friends	How many close friends do you have?
V2422	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V2423	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V2424	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V2425	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V2426	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V2427	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V2428	Q34	Age first drink alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V2429	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V2430	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V2431	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V2432	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V2433	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V2434	Q40	Age first drugs	How old were you when you first used drugs?
V2435	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V2436	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V2437	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V2438	Q44	Ever had sex	Have you ever had sexual intercourse?
V2439	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V2440	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V2441	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V2442	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V2443	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V2444	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V2445	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V2446	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V2447	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V2448	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V2449	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V2450	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V2451	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V2452	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V2453	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V2454	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V2455	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V2456	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V2457	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V2458	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V2459	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V2460	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V2461	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V2462	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V2463	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V2464	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V2465	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V2466	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V2467	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V2468	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V2469	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months

ID	Name	Label	Question
V2470	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V2471	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V2472	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V2473	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V2474	QN27	No close friends	Percentage of students who had no close friends
V2475	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V2476	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V2477	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V2478	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V2479	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V2480	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V2481	QN34	Age first alcohol before 14	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V2482	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V2483	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V2484	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V2485	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V2486	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V2487	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V2488	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V2489	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V2490	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V2491	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V2492	QN45	Age first sexual intercourse before 14	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V2493	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V2494	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

ID	Name	Label	Question
V2495	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse
V2496	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V2497	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V2498	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V2499	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V2500	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V2501	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V2502	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V2503	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V2504	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V2505	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V2509	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V2510	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V2511	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V2512	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V2513	qnanytbg	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V2514	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V2515	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V2516	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V2517	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V2518	weight	Weight	
V2519	stratum	Stratum	
V2520	psu	Primary Sampling Unit	

total: 123

**Data file: ARG2012\_SantaFe\_Public\_Use**

Santa Fe public-use dataset

Cases:	1278
variables:	123

**variables**

ID	Name	Label	Question
V2521	Q1	How old are you	How old are you?
V2522	Q2	Sex	What is your sex?
V2523	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V2524	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V2525	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V2526	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V2527	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V2528	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V2529	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V2530	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V2531	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V2532	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V2533	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V2534	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V2535	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V2536	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V2537	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V2538	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V2539	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V2540	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V2541	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V2542	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V2543	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V2544	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V2545	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V2546	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V2547	Q27	Number close friends	How many close friends do you have?
V2548	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V2549	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V2550	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V2551	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V2552	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V2553	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V2554	Q34	Age first drink alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V2555	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V2556	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V2557	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V2558	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V2559	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V2560	Q40	Age first drugs	How old were you when you first used drugs?
V2561	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V2562	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V2563	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V2564	Q44	Ever had sex	Have you ever had sexual intercourse?
V2565	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V2566	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V2567	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V2568	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V2569	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V2570	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V2571	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V2572	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V2573	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V2574	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V2575	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V2576	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V2577	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V2578	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V2579	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V2580	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V2581	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V2582	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V2583	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V2584	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V2585	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V2586	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V2587	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V2588	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V2589	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V2590	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V2591	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V2592	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V2593	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V2594	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V2595	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months

ID	Name	Label	Question
V2596	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V2597	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V2598	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V2599	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V2600	QN27	No close friends	Percentage of students who had no close friends
V2601	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V2602	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V2603	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V2604	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V2605	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V2606	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V2607	QN34	Age first alcohol before 14	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V2608	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V2609	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V2610	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V2611	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V2612	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V2613	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V2614	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V2615	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V2616	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V2617	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V2618	QN45	Age first sexual intercourse before 14	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V2619	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V2620	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse



ID	Name	Label	Question
V2621	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse
V2622	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V2623	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V2624	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V2625	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V2626	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V2627	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V2628	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V2629	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V2630	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V2631	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V2635	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V2636	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V2637	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V2638	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V2639	qnanytbq	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V2640	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V2641	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V2642	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V2643	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V2644	weight	Weight	
V2645	stratum	Stratum	
V2646	psu	Primary Sampling Unit	

total: 123

**Data file: ARG2012\_SantiagoDelEstro\_Public\_Use**

Santiago Del Estro public-use dataset

Cases: 1234

variables: 123

**variables**

ID	Name	Label	Question
V2647	Q1	How old are you	How old are you?
V2648	Q2	Sex	What is your sex?
V2649	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V2650	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V2651	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V2652	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V2653	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V2654	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V2655	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V2656	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V2657	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V2658	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V2659	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V2660	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V2661	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V2662	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V2663	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V2664	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V2665	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V2666	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V2667	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V2668	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V2669	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V2670	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V2671	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V2672	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V2673	Q27	Number close friends	How many close friends do you have?
V2674	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V2675	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V2676	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V2677	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V2678	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V2679	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V2680	Q34	Age first drink alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V2681	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V2682	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V2683	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V2684	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V2685	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V2686	Q40	Age first drugs	How old were you when you first used drugs?
V2687	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V2688	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V2689	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V2690	Q44	Ever had sex	Have you ever had sexual intercourse?
V2691	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V2692	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V2693	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V2694	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V2695	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V2696	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V2697	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V2698	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V2699	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V2700	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V2701	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V2702	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V2703	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V2704	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V2705	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V2706	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V2707	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V2708	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V2709	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V2710	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V2711	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V2712	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V2713	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V2714	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V2715	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V2716	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V2717	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V2718	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V2719	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V2720	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V2721	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months

ID	Name	Label	Question
V2722	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V2723	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V2724	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V2725	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V2726	QN27	No close friends	Percentage of students who had no close friends
V2727	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V2728	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V2729	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V2730	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V2731	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V2732	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V2733	QN34	Age first alcohol before 14	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V2734	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V2735	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V2736	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V2737	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V2738	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V2739	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V2740	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V2741	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V2742	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V2743	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V2744	QN45	Age first sexual intercourse before 14	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V2745	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V2746	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

ID	Name	Label	Question
V2747	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse
V2748	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V2749	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V2750	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V2751	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V2752	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V2753	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V2754	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V2755	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V2756	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V2757	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V2761	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V2762	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V2763	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V2764	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V2765	qnanytbq	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V2766	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V2767	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V2768	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V2769	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V2770	weight	Weight	
V2771	stratum	Stratum	
V2772	psu	Primary Sampling Unit	

total: 123

**Data file: ARG2012\_TierraDelFuego\_Public\_Use**

Tierra Del Fuego public-use dataset

Cases: 521

variables: 123

**variables**

ID	Name	Label	Question
V2773	Q1	How old are you	How old are you?
V2774	Q2	Sex	What is your sex?
V2775	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V2776	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V2777	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V2778	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V2779	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V2780	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V2781	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V2782	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V2783	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V2784	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V2785	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V2786	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V2787	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V2788	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V2789	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V2790	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V2791	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V2792	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V2793	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V2794	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V2795	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V2796	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V2797	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V2798	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V2799	Q27	Number close friends	How many close friends do you have?
V2800	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V2801	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V2802	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V2803	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V2804	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V2805	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V2806	Q34	Age first drink alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V2807	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V2808	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V2809	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V2810	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V2811	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V2812	Q40	Age first drugs	How old were you when you first used drugs?
V2813	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V2814	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V2815	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V2816	Q44	Ever had sex	Have you ever had sexual intercourse?
V2817	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V2818	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V2819	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V2820	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V2821	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V2822	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?



ID	Name	Label	Question
V2823	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V2824	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V2825	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V2826	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V2827	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V2828	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V2829	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V2830	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V2831	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V2832	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V2833	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V2834	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V2835	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V2836	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V2837	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V2838	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V2839	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V2840	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V2841	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V2842	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V2843	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V2844	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V2845	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V2846	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V2847	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months

ID	Name	Label	Question
V2848	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V2849	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V2850	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V2851	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V2852	QN27	No close friends	Percentage of students who had no close friends
V2853	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V2854	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V2855	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V2856	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V2857	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V2858	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V2859	QN34	Age first alcohol before 14	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V2860	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V2861	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V2862	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V2863	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V2864	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V2865	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V2866	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V2867	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V2868	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V2869	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V2870	QN45	Age first sexual intercourse before 14	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V2871	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V2872	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

ID	Name	Label	Question
V2873	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse
V2874	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V2875	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V2876	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V2877	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V2878	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V2879	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V2880	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V2881	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V2882	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V2883	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V2887	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V2888	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V2889	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V2890	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V2891	qnanytbg	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V2892	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V2893	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V2894	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V2895	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V2896	weight	Weight	
V2897	stratum	Stratum	
V2898	psu	Primary Sampling Unit	

total: 123

**Data file: ARG2012\_Tucuman\_Public\_Use**

Tucuman public-use dataset

Cases: 1445

variables: 123

**variables**

ID	Name	Label	Question
V2899	Q1	How old are you	How old are you?
V2900	Q2	Sex	What is your sex?
V2901	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V2902	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V2903	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V2904	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V2905	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V2906	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V2907	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V2908	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V2909	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V2910	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V2911	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V2912	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V2913	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V2914	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V2915	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V2916	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V2917	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V2918	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V2919	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V2920	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V2921	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V2922	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V2923	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V2924	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V2925	Q27	Number close friends	How many close friends do you have?
V2926	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V2927	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V2928	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V2929	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V2930	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V2931	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V2932	Q34	Age first drink alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V2933	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V2934	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V2935	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V2936	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V2937	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V2938	Q40	Age first drugs	How old were you when you first used drugs?
V2939	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V2940	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V2941	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V2942	Q44	Ever had sex	Have you ever had sexual intercourse?
V2943	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V2944	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V2945	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V2946	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V2947	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V2948	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V2949	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V2950	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V2951	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V2952	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V2953	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V2954	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V2955	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V2956	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V2957	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V2958	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V2959	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V2960	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V2961	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V2962	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V2963	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V2964	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V2965	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V2966	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V2967	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V2968	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V2969	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V2970	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V2971	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V2972	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V2973	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months

ID	Name	Label	Question
V2974	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V2975	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V2976	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V2977	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V2978	QN27	No close friends	Percentage of students who had no close friends
V2979	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V2980	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V2981	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V2982	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V2983	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V2984	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V2985	QN34	Age first alcohol before 14	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V2986	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V2987	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V2988	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V2989	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V2990	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V2991	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V2992	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V2993	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V2994	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V2995	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V2996	QN45	Age first sexual intercourse before 14	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V2997	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V2998	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

ID	Name	Label	Question
V2999	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse
V3000	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V3001	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V3002	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V3003	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V3004	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V3005	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V3006	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V3007	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V3008	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V3009	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V3013	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V3014	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V3015	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V3016	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V3017	qnanytbg	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V3018	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V3019	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V3020	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V3021	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V3022	weight	Weight	
V3023	stratum	Stratum	
V3024	psu	Primary Sampling Unit	

total: 123





**Q1: How old are you****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 28134 Invalid: 234

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	79	0.3%
2	12 years old	638	2.3%
3	13 years old	4989	17.7%
4	14 years old	8177	29.1%
5	15 years old	7724	27.5%
6	16 years old or older	6527	23.2%
Sysmiss		234	

**Q10: Ate fast food past 7 days****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 28173 Invalid: 195

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

## LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	19869	70.5%
2	1 day	4609	16.4%
3	2 days	1840	6.5%
4	3 days	851	3%
5	4 days	360	1.3%

6	5 days	197	0.7%
7	6 days	91	0.3%
8	7 days	356	1.3%
Sysmiss		195	

## Q2: Sex

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 27988 Invalid: 380

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	13364	47.7%
2	Female	14624	52.3%
Sysmiss		380	

## Q3: In what grade are you

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 27547 Invalid: 821

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	8th EGB	9288	33.7%
2	9th EGB	9972	36.2%
3	1st Pol	8287	30.1%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%

Sysmiss

821

**Q4: How tall are you****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 17624 Invalid: 10744 Minimum: 1.2 Maximum: 2 Mean: 1.635 Standard deviation: 0.0987

Type: Continuous Decimal: 2 Width: 5 Range: 1.2 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q5: How much do you weigh****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 17624 Invalid: 10744 Minimum: 30 Maximum: 180 Mean: 57.573 Standard deviation: 12.252

Type: Continuous Decimal: 2 Width: 5 Range: 30 - 180 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 28021 Invalid: 347

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	17611	62.8%
2	Rarely	5966	21.3%
3	Sometimes	3374	12%
4	Most of the time	584	2.1%
5	Always	486	1.7%
Sysmiss		347	

### Q7: Eat fruit per day past 30 days

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 28106 Invalid: 262

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	3186	11.3%
2	Less than one time per day	6166	21.9%
3	1 time per day	8399	29.9%
4	2 times per day	5639	20.1%
5	3 times per day	2493	8.9%
6	4 times per day	805	2.9%
7	5 or more times per day	1418	5%
Sysmiss		262	

### Q8: Eat vegetables past 30 days

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 28021 Invalid: 347

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 7    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	2044	7.3%
2	Less than one time per day	4996	17.8%
3	1 time per day	10244	36.6%
4	2 times per day	7096	25.3%
5	3 times per day	1486	5.3%
6	4 times per day	591	2.1%
7	5 or more times per day	1564	5.6%
Sysmiss		347	

## Q9: Drink soft drinks past 30 days

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 28045    Invalid: 323

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 7    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	2591	9.2%
2	Less than one time per day	7195	25.7%
3	1 time per day	5479	19.5%
4	2 times per day	4570	16.3%
5	3 times per day	2926	10.4%
6	4 times per day	1478	5.3%

7	5 or more times per day	3806	13.6%
Sysmiss		323	

## Q11: How many times per day brush teeth

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 28132 Invalid: 236

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	554	2%
2	Less than 1 time per day	1438	5.1%
3	1 time per day	4544	16.2%
4	2 times per day	8832	31.4%
5	3 times per day	9030	32.1%
6	4 or more times per day	3734	13.3%
Sysmiss		236	

## Q12: Wash hands before eating past 30 days

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 27962 Invalid: 406

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	811	2.9%
2	Rarely	2267	8.1%
3	Sometimes	4530	16.2%
4	Most of the time	7648	27.4%
5	Always	12706	45.4%
Sysmiss		406	

### Q13: Wash hands after toilet past 30 day

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 28121 Invalid: 247

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	585	2.1%
2	Rarely	997	3.5%
3	Sometimes	2201	7.8%
4	Most of the time	4748	16.9%
5	Always	19590	69.7%
Sysmiss		247	

### Q14: Used soap on hands past 30 days

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 28017 Invalid: 351

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION



During the past 30 days, how often did you use soap when washing your hands?

#### CATEGORIES

Value	Category	Cases	
1	Never	563	2%
2	Rarely	1327	4.7%
3	Sometimes	3404	12.1%
4	Most of the time	6531	23.3%
5	Always	16192	57.8%
Sysmiss		351	

### Q15: Times attacked past 12 mo.

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 27887 Invalid: 481

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

#### CATEGORIES

Value	Category	Cases	
1	0 times	21100	75.7%
2	1 time	2995	10.7%
3	2 or 3 times	1938	6.9%
4	4 or 5 times	520	1.9%
5	6 or 7 times	260	0.9%
6	8 or 9 times	207	0.7%
7	10 or 11 times	92	0.3%
8	12 or more times	775	2.8%
Sysmiss		481	

### Q16: How many times in fight 12 mos

Data file: 2012ARG\_National\_Public\_Use

## Overview

Valid: 28256    Invalid: 112  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	18708	66.2%
2	1 time	4017	14.2%
3	2 or 3 times	2806	9.9%
4	4 or 5 times	860	3%
5	6 or 7 times	436	1.5%
6	8 or 9 times	237	0.8%
7	10 or 11 times	141	0.5%
8	12 or more times	1051	3.7%
Sysmiss		112	

## Q17: How many times injured past 12 months

Data file: 2012ARG\_National\_Public\_Use

## Overview

Valid: 24814    Invalid: 3554  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	16171	65.2%
2	1 time	5490	22.1%
3	2 or 3 times	2144	8.6%

4	4 or 5 times	461	1.9%
5	6 or 7 times	177	0.7%
6	8 or 9 times	98	0.4%
7	10 or 11 times	48	0.2%
8	12 or more times	225	0.9%
Sysmiss		3554	

## Q18: What was serious injury past 12 mo.

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 25563 Invalid: 2805

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

#### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

#### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	18894	73.9%
2	Broken bone/dislocated joint	1662	6.5%
3	I had a cut or stab wound	495	1.9%
4	Concussion/head injury	532	2.1%
5	I had a gunshot wound	104	0.4%
6	I had a bad burn	182	0.7%
7	I was poisoned	105	0.4%
8	Something else happened to me	3589	14%
Sysmiss		2805	

## Q19: Cause of injury past 12 mo.

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 25306 Invalid: 3062

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	18540	73.3%
2	Motor vehicle accident	601	2.4%
3	I fell	2495	9.9%
4	Something fell on me or hit me	544	2.1%
5	I was attacked	392	1.5%
6	Was in a fire	80	0.3%
7	breathed something bad	101	0.4%
8	Something else	2553	10.1%
Sysmiss		3062	

## Q20: How many days bullied past 30 days

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 26988 Invalid: 1380

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	20239	75%
2	1 or 2 days	4041	15%
3	3 to 5 days	1062	3.9%
4	6 to 9 days	507	1.9%
5	10 to 19 days	323	1.2%

6	20 to 29 days	180	0.7%
7	All 30 days	636	2.4%
Sysmiss		1380	

## Q21: How bullied past 30 days

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 26748 Invalid: 1620

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	21396	80%
2	Kicked, pushed, or shoved	488	1.8%
3	Made fun of race	394	1.5%
4	Made fun because of religion	162	0.6%
5	Made fun of about sex	783	2.9%
6	Left out of activities	337	1.3%
7	Made fun of about body	1321	4.9%
8	Some other way	1867	7%
Sysmiss		1620	

## Q22: Times felt lonely past 12 mo.

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 27706 Invalid: 662

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	10943	39.5%
2	Rarely	7508	27.1%
3	Sometimes	6359	23%
4	Most of the time	1968	7.1%
5	Always	928	3.3%
Sysmiss		662	

### Q23: Times could not sleep past 12 mo.

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 28164 Invalid: 204

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	10104	35.9%
2	Rarely	8649	30.7%
3	Sometimes	6783	24.1%
4	Most of the time	1916	6.8%
5	Always	712	2.5%
Sysmiss		204	

### Q24: Ever considered suicide 12 mos

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 27573 Invalid: 795

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	5032	18.2%
2	No	22541	81.8%
Sysmiss		795	

## Q25: Ever make suicide plan 12 mos

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 27800 Invalid: 568

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	4587	16.5%
2	No	23213	83.5%
Sysmiss		568	

## Q26: Times attempted suicide 12 mos.

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 27885 Invalid: 483

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	23367	83.8%
2	1 time	2667	9.6%
3	2 or 3 times	1054	3.8%
4	4 or 5 times	400	1.4%
5	6 or more times	397	1.4%
Sysmiss		483	

### Q27: Number close friends

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 27579 Invalid: 789

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	1471	5.3%
2	1	2227	8.1%
3	2	4017	14.6%
4	3 or more	19864	72%
Sysmiss		789	

### Q28: Age first tried cigarette

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 27542 Invalid: 826

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	15633	56.8%
2	7 years old or younger	822	3%
3	8 or 9 years old	943	3.4%
4	10 or 11 years old	2177	7.9%
5	12 or 13 years old	4301	15.6%
6	14 or 15 years old	3190	11.6%
7	16 years old or older	476	1.7%
Sysmiss		826	

## Q29: How many days smoked 30 days

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 27832 Invalid: 536

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	21256	76.4%
2	1 or 2 days	2479	8.9%
3	3 to 5 days	1019	3.7%
4	6 to 9 days	698	2.5%
5	10 to 19 days	710	2.6%
6	20 to 29 days	451	1.6%
7	All 30 days	1219	4.4%
Sysmiss		536	

**Q30: Other tobacco past 30 days****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 28076 Invalid: 292

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

**CATEGORIES**

Value	Category	Cases	
1	0 days	25937	92.4%
2	1 or 2 days	1025	3.7%
3	3 to 5 days	424	1.5%
4	6 to 9 days	198	0.7%
5	10 to 19 days	168	0.6%
6	20 to 29 days	77	0.3%
7	All 30 days	247	0.9%
Sysmiss		292	

**Q31: Try stop smoking past 12 mo.****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 27555 Invalid: 813

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 12 months, have you ever tried to stop smoking cigarettes?

**CATEGORIES**

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	18314	66.5%
2	Did not smoke cigarettes	2994	10.9%
3	Yes	4376	15.9%
4	No	1871	6.8%
Sysmiss		813	

### Q32: Others present smoking past 7 days

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 27872 Invalid: 496

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	6973	25%
2	1 or 2 days	7464	26.8%
3	3 or 4 days	3769	13.5%
4	5 or 6 days	1961	7%
5	All 7 days	7705	27.6%
Sysmiss		496	

### Q33: Parents who use tobacco

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 27979 Invalid: 389

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	17056	61%
2	My father or male guardian	4730	16.9%
3	My mother or female guardian	2726	9.7%
4	Both	2661	9.5%
5	I do not know	806	2.9%
Sysmiss		389	

**Q34: Age first drink alcohol****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 25980 Invalid: 2388

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

## CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	6856	26.4%
2	7 years old or younger	1428	5.5%
3	8 or 9 years old	1231	4.7%
4	10 or 11 years old	2808	10.8%
5	12 or 13 years old	7101	27.3%
6	14 or 15 years old	5785	22.3%
7	16 years old or older	771	3%
Sysmiss		2388	

**Q35: Days one drink or more past 30 days****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 26828 Invalid: 1540

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

### CATEGORIES

Value	Category	Cases	
1	0 days	12490	46.6%
2	1 or 2 days	7003	26.1%
3	3 to 5 days	2884	10.7%
4	6 to 9 days	1867	7%
5	10 to 19 days	1410	5.3%
6	20 to 29 days	548	2%
7	All 30 days	626	2.3%
Sysmiss		1540	

## Q36: Number of drinks past 30 days

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 27437 Invalid: 931

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	12063	44%
2	Less than one drink	3196	11.6%
3	1 drink	2207	8%
4	2 drinks	1984	7.2%
5	3 drinks	1912	7%
6	4 drinks	1233	4.5%

7	5 or more drinks	4842	17.6%
Sysmiss		931	

### Q37: How got drinks past 30 days

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 26972 Invalid: 1396

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

##### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	12573	46.6%
2	I bought in a store	4096	15.2%
3	I gave someone money to buy	909	3.4%
4	I got it from my friends	5196	19.3%
5	I got it from my family	1742	6.5%
6	I stole it	175	0.6%
7	Some other way	2281	8.5%
Sysmiss		1396	

### Q38: Times drunk during life

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 27540 Invalid: 828

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	18423	66.9%
2	1 or 2 times	5827	21.2%
3	3 to 9 times	2047	7.4%
4	10 or more times	1243	4.5%
Sysmiss		828	

### Q39: Number of troubles as result of drinking

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 27077 Invalid: 1291

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	20825	76.9%
2	1 or 2 times	4224	15.6%
3	3 to 9 times	1191	4.4%
4	10 or more times	837	3.1%
Sysmiss		1291	

### Q40: Age first drugs

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 27084 Invalid: 1284

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

How old were you when you first used drugs?

### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	23384	86.3%
2	7 years old or younger	358	1.3%
3	8 or 9 years old	236	0.9%
4	10 or 11 years old	303	1.1%
5	12 or 13 years old	924	3.4%
6	14 or 15 years old	1485	5.5%
7	16 years old or older	394	1.5%
Sysmiss		1284	

## Q41: Times used marijuana lifetime

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 27074 Invalid: 1294

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	23858	88.1%
2	1 or 2 times	992	3.7%
3	3 to 9 times	848	3.1%
4	10 to 19 times	427	1.6%
5	20 or more times	949	3.5%
Sysmiss		1294	



**Q42: Times used marijuana past 30 days****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 27521 Invalid: 847

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	25140	91.3%
2	1 or 2 times	1003	3.6%
3	3 to 9 times	658	2.4%
4	10 to 19 times	296	1.1%
5	20 or more times	424	1.5%
Sysmiss		847	

**Q43: Times used amphetamines lifetime****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 27504 Invalid: 864

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	26690	97%

2	1 or 2 times	399	1.5%
3	3 to 9 times	180	0.7%
4	10 to 19 times	100	0.4%
5	20 or more times	135	0.5%
Sysmiss		864	

**Q44: Ever had sex****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 26338 Invalid: 2030

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

Have you ever had sexual intercourse?

## CATEGORIES

Value	Category	Cases	
1	Yes	11420	43.4%
2	No	14918	56.6%
Sysmiss		2030	

**Q45: Age first sexual intercourse****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 26740 Invalid: 1628

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	16706	62.5%

2	11 years old or younger	1169	4.4%
3	12 years old	1215	4.5%
4	13 years old	1925	7.2%
5	14 years old	2822	10.6%
6	15 years old	2098	7.8%
7	16 years old or older	805	3%
Sysmiss		1628	

## Q46: How many sex partners

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 27133 Invalid: 1235

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	17215	63.4%
2	1 person	4336	16%
3	2 people	1917	7.1%
4	3 people	1202	4.4%
5	4 people	690	2.5%
6	5 people	439	1.6%
7	6 or more people	1334	4.9%
Sysmiss		1235	

## Q47: Used condom at last intercourse

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 26824 Invalid: 1544

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	17032	63.5%
2	Yes	7367	27.5%
3	No	2425	9%
Sysmiss		1544	

## Q48: Used birth control last intercourse

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 26824 Invalid: 1544

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	17040	63.5%
2	Yes	4900	18.3%
3	No	3377	12.6%
4	I do not know	1507	5.6%
Sysmiss		1544	

## Q49: Days active 60 min plus past 7 days

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 27551 Invalid: 817

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

### CATEGORIES

Value	Category	Cases	
1	0 days	4191	15.2%
2	1 day	4176	15.2%
3	2 days	5486	19.9%
4	3 days	3240	11.8%
5	4 days	2282	8.3%
6	5 days	2235	8.1%
7	6 days	928	3.4%
8	7 days	5013	18.2%
Sysmiss		817	

## Q50: Walk or bike to school past 7 days

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 27295    Invalid: 1073

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

### CATEGORIES

Value	Category	Cases	
1	0 days	8529	31.2%
2	1 day	1965	7.2%
3	2 days	1526	5.6%

4	3 days	1173	4.3%
5	4 days	978	3.6%
6	5 days	3752	13.7%
7	6 days	467	1.7%
8	7 days	8905	32.6%
Sysmiss		1073	

## Q51: Days went to PE each week

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 26766 Invalid: 1602

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

#### CATEGORIES

Value	Category	Cases	
1	0 days	2162	8.1%
2	1 day	4571	17.1%
3	2 days	12922	48.3%
4	3 days	930	3.5%
5	4 days	602	2.2%
6	5 or more days	5579	20.8%
Sysmiss		1602	

## Q52: Time spent sitting on usual day

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 27296 Invalid: 1072

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	5884	21.6%
2	1 to 2 hours per day	8419	30.8%
3	3 to 4 hours per day	7179	26.3%
4	5 to 6 hours per day	2916	10.7%
5	7 to 8 hours per day	1004	3.7%
6	More than 8 hours per day	1894	6.9%
Sysmiss		1072	

## Q53: Miss school no permission past 30 days

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 27205 Invalid: 1163

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

### CATEGORIES

Value	Category	Cases	
1	0 days	17535	64.5%
2	1 or 2 days	5353	19.7%
3	3 to 5 days	2167	8%
4	6 to 9 days	883	3.2%
5	10 or more days	1267	4.7%
Sysmiss		1163	

**Q54: Others helpful in school past 30 days****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 26955 Invalid: 1413

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

## CATEGORIES

Value	Category	Cases	
1	Never	2493	9.2%
2	Rarely	4663	17.3%
3	Sometimes	6472	24%
4	Most of the time	7282	27%
5	Always	6045	22.4%
Sysmiss		1413	

**Q55: Parents check homework past 30 days****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 27251 Invalid: 1117

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

## CATEGORIES

Value	Category	Cases	
1	Never	8965	32.9%
2	Rarely	5208	19.1%
3	Sometimes	4730	17.4%
4	Most of the time	3698	13.6%
5	Always	4650	17.1%



Sysmiss		1117	
---------	--	------	--

## Q56: Parent understand troubles past 30 days

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 27064 Invalid: 1304

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

#### CATEGORIES

Value	Category	Cases	
1	Never	4856	17.9%
2	Rarely	4409	16.3%
3	Sometimes	5012	18.5%
4	Most of the time	4904	18.1%
5	Always	7883	29.1%
Sysmiss		1304	

## Q57: Parent know what you do past 30 days

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 26867 Invalid: 1501

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	4636	17.3%
2	Rarely	3678	13.7%

3	Sometimes	4399	16.4%
4	Most of the time	5330	19.8%
5	Always	8824	32.8%
Sysmiss		1501	

### Q58: Parent go through things past 30 days

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 26980 Invalid: 1388

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

##### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

##### CATEGORIES

Value	Category	Cases	
1		12148	45%
2		6084	22.6%
3		4504	16.7%
4		2225	8.2%
5		2019	7.5%
Sysmiss		1388	

### QN6: Went hungry most of time/always past 30 days

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 28021 Invalid: 347

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1070	3.8%
2	No	26951	96.2%
Sysmiss		347	

**QN7: Ate fruit 2+ times per day past 30 days****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 28106    Invalid: 262

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	10355	36.8%
2	No	17751	63.2%
Sysmiss		262	

**QN8: Ate vegetables 3+ times per day past 30 day****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 28021    Invalid: 347

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	3641	13%
2	No	24380	87%
Sysmiss		347	

**QN9: Drank soft drinks 1+ times per day past 30 day****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 28045 Invalid: 323

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	18259	65.1%
2	No	9786	34.9%
Sysmiss		323	

**QN10: Ate fast food 3+ days past 7 day****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 28173 Invalid: 195

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

## CATEGORIES

Value	Category	Cases	
1	Yes	1855	6.6%
2	No	26318	93.4%
Sysmiss		195	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 28132 Invalid: 236

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	1992	7.1%
2	No	26140	92.9%
Sysmiss		236	

## QN12: Never/rarely wash hands before eating past 30 days

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 27962 Invalid: 406

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	3078	11%
2	No	24884	89%
Sysmiss		406	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 28121 Invalid: 247

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1582	5.6%
2	No	26539	94.4%
Sysmiss		247	

### QN14: Never/rarely use soap on hands past 30 days

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 28017 Invalid: 351

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	1890	6.7%
2	No	26127	93.3%
Sysmiss		351	

### QN15: Attacked 1+ times past 12 months

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 27887 Invalid: 481

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	6787	24.3%
2	No	21100	75.7%
Sysmiss		481	

**QN16: In fight 1+ times past 12 months****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 28256 Invalid: 112

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	9548	33.8%
2	No	18708	66.2%
Sysmiss		112	

**QN17: Seriously injured 1+ times past 12 months****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 24814 Invalid: 3554

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	8643	34.8%
2	No	16171	65.2%
Sysmiss		3554	

**QN18: Broken bone as most serious injury****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 6669 Invalid: 21699

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

### CATEGORIES

Value	Category	Cases	
1	Yes	1662	24.9%
2	No	5007	75.1%
Sysmiss		21699	

## QN19: Motor vehicle caused most serious injury

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 6766 Invalid: 21602

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	601	8.9%
2	No	6165	91.1%
Sysmiss		21602	

## QN20: Bullied 1+ of past 30 days

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 26988 Invalid: 1380

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES



Value	Category	Cases	
1	Yes	6749	25%
2	No	20239	75%
Sysmiss		1380	

## QN21: Of students bullied, most often hit, kicked, etc

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 5352 Invalid: 23016

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

#### CATEGORIES

Value	Category	Cases	
1	Yes	488	9.1%
2	No	4864	90.9%
Sysmiss		23016	

## QN22: Lonely most times/always past 12 months

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 27706 Invalid: 662

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	2896	10.5%
2	No	24810	89.5%
Sysmiss		662	

**QN23: Worry prevented sleep most time/always past 12 mos****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 28164 Invalid: 204

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	2628	9.3%
2	No	25536	90.7%
Sysmiss		204	

**QN24: Considered suicide past 12 months****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 27573 Invalid: 795

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	5032	18.2%
2	No	22541	81.8%
Sysmiss		795	

**QN25: Made suicide plan past 12 months****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 27800 Invalid: 568

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	4587	16.5%
2	No	23213	83.5%
Sysmiss		568	

### QN26: 1+ times attempt suicide 12 mos.

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 27885 Invalid: 483

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	4518	16.2%
2	No	23367	83.8%
Sysmiss		483	

### QN27: No close friends

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 27579 Invalid: 789

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1471	5.3%
2	No	26108	94.7%
Sysmiss		789	

### QN28: Age first cigarette before 14

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 11909 Invalid: 16459

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

##### CATEGORIES

Value	Category	Cases	
1	Yes	8243	69.2%
2	No	3666	30.8%
Sysmiss		16459	

### QN29: Smoked cigarettes 1+ of past 30 days

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 27832 Invalid: 536

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	6576	23.6%
2	No	21256	76.4%
Sysmiss		536	

**QN30: Used other tobacco 1+ of past 30 days****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 28076 Invalid: 292

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	2139	7.6%
2	No	25937	92.4%
Sysmiss		292	

**QN31: Tried to quit smoking past 12 months****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 6247 Invalid: 22121

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

**CATEGORIES**

Value	Category	Cases	
1	Yes	4376	70%
2	No	1871	30%
Sysmiss		22121	

**QN32: Others present smoking 1+ of past 7 days****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 27872 Invalid: 496

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	20899	75%
2	No	6973	25%
Sysmiss		496	

## QN33: Either/Both parents use tobacco

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 27979 Invalid: 389

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	10117	36.2%
2	No	17862	63.8%
Sysmiss		389	

## QN34: Age first alcohol before 14

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 19124 Invalid: 9244

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	12568	65.7%
2	No	6556	34.3%
Sysmiss		9244	

**QN35: Drank 1+ days past 30 days****Data file:** 2012ARG\_National\_Public\_Use**Overview**

Valid: 26828    Invalid: 1540

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	14338	53.4%
2	No	12490	46.6%
Sysmiss		1540	

**QN36: Of current drinkers, drank 2+ drinks/day 30 days****Data file:** 2012ARG\_National\_Public\_Use**Overview**

Valid: 15374    Invalid: 12994

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

## CATEGORIES

Value	Category	Cases	
1	Yes	9971	64.9%
2	No	5403	35.1%
Sysmiss		12994	

**QN37: Of current drinkers, got alcohol from friends****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 14399 Invalid: 13969

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

## CATEGORIES

Value	Category	Cases	
1	Yes	5196	36.1%
2	No	9203	63.9%
Sysmiss		13969	

**QN47: Used condom at last sex****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 9792 Invalid: 18576

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	7367	75.2%
2	No	2425	24.8%
Sysmiss		18576	

**QN38: 1+ times drunk in lifetime****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 27540 Invalid: 828

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	9117	33.1%
2	No	18423	66.9%
Sysmiss		828	

## QN39: Alcohol trouble 1+ times in lifetime

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 27077 Invalid: 1291

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

### CATEGORIES

Value	Category	Cases	
1	Yes	6252	23.1%
2	No	20825	76.9%
Sysmiss		1291	

## QN40: Age first drugs before 14

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 3700 Invalid: 24668

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1821	49.2%
2	No	1879	50.8%
Sysmiss		24668	

### QN41: Marijuana 1+ times in lifetime

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 27074 Invalid: 1294

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

##### CATEGORIES

Value	Category	Cases	
1	Yes	3216	11.9%
2	No	23858	88.1%
Sysmiss		1294	

### QN42: Marijuana 1+ times p 30 days

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 27521 Invalid: 847

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	2381	8.7%
2	No	25140	91.3%
Sysmiss		847	

**QN43: Amphetamines 1+ times lifetime****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 27504 Invalid: 864

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	814	3%
2	No	26690	97%
Sysmiss		864	

**QN44: Ever had sex****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 26338 Invalid: 2030

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	11420	43.4%
2	No	14918	56.6%
Sysmiss		2030	

**QN45: Age first sexual intercourse before 14****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 10034 Invalid: 18334

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

### CATEGORIES

Value	Category	Cases	
1	Yes	4309	42.9%
2	No	5725	57.1%
Sysmiss		18334	

## QN46: 2+ sex partners lifetime

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 27133 Invalid: 1235

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	5582	20.6%
2	No	21551	79.4%
Sysmiss		1235	

## QN48: Used birth control at last sex

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 9784 Invalid: 18584

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	4900	50.1%
2	No	4884	49.9%
Sysmiss		18584	

### QN49: Active 60+ mins/day for 5+ of past 7 days

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 27551 Invalid: 817

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	8176	29.7%
2	No	19375	70.3%
Sysmiss		817	

### QN50: Walk/Bike to/from school 0 of past 7 days

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 27295 Invalid: 1073

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	8529	31.2%
2	No	18766	68.8%
Sysmiss		1073	

**QN51: 3+ days PE each week****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 26766 Invalid: 1602

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	7111	26.6%
2	No	19655	73.4%
Sysmiss		1602	

**QN52: Sitting activities 3+ hours/day of usual day****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 27296 Invalid: 1072

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

## CATEGORIES

Value	Category	Cases	
1	Yes	12993	47.6%
2	No	14303	52.4%
Sysmiss		1072	

**QN53: Miss school no permission 1+ of past 30 days****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 27205 Invalid: 1163

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	9670	35.5%
2	No	17535	64.5%
Sysmiss		1163	

### QN54: Students most/always kind 30 days

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 26955 Invalid: 1413

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	13327	49.4%
2	No	13628	50.6%
Sysmiss		1413	

### QN55: Parents most/always check homework

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 27251 Invalid: 1117

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	8348	30.6%
2	No	18903	69.4%
Sysmiss		1117	

## QN56: Parents most/always understand problems

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 27064 Invalid: 1304

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	12787	47.2%
2	No	14277	52.8%
Sysmiss		1304	

## QN57: Parents most/always know about free time

Data file: 2012ARG\_National\_Public\_Use

### Overview

Valid: 26867 Invalid: 1501

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	14154	52.7%
2	No	12713	47.3%
Sysmiss		1501	



**QN58: Parents never/rarely go thru things****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 26980 Invalid: 1388

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	18232	67.6%
2	No	8748	32.4%
Sysmiss		1388	

**QNOWTG: Overweight****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 17624 Invalid: 10744

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

**CATEGORIES**

Value	Category	Cases	
1	Yes	4789	27.2%
2	No	12835	72.8%
Sysmiss		10744	

**QNOBESEG: Obese****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 17624 Invalid: 10744

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were obese (&gt;+2SD from median for BMI by age and sex)

## CATEGORIES

Value	Category	Cases	
1	Yes	984	5.6%
2	No	16640	94.4%
Sysmiss		10744	

**QNUNWTG: Underweight**

Data file: 2012ARG\_National\_Public\_Use

**Overview**

Valid: 17624    Invalid: 10744

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were underweight (&lt;-2SD from median for BMI by age and sex)

## CATEGORIES

Value	Category	Cases	
1	Yes	434	2.5%
2	No	17190	97.5%
Sysmiss		10744	

**QNFRVGG: Ate 5+ fruits/vegetables 30 days**

Data file: 2012ARG\_National\_Public\_Use

**Overview**

Valid: 27885    Invalid: 483

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	4909	17.6%
2	No	22976	82.4%
Sysmiss		483	

### QNANYTBG: Used any tobacco past 30 days

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 27748 Invalid: 620

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	6827	24.6%
2	No	20921	75.4%
Sysmiss		620	

### QNPA7G: Physically active all past 7 days

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 27551 Invalid: 817

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	5013	18.2%
2	No	22538	81.8%
Sysmiss		817	

**QNPE5G: Attended PE 5+ days each week****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 26766 Invalid: 1602

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	5579	20.8%
2	No	21187	79.2%
Sysmiss		1602	

**QNC1G: Among heavy drinkers, ever sex****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 8410 Invalid: 19958

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	5599	66.6%
2	No	2811	33.4%
Sysmiss		19958	

**QNC2G: Among those worried, currently bullied****Data file: 2012ARG\_National\_Public\_Use****Overview**

Valid: 2426 Invalid: 25942

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	1053	43.4%
2	No	1373	56.6%
Sysmiss		25942	

### WEIGHT: Weight

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 28368 Invalid: 0 Minimum: 3.22 Maximum: 1361.225 Mean: 49.502 Standard deviation: 77.289  
Type: Continuous Decimal: 0 Width: 10 Range: 3.2196 - 1361.2246 Format: Numeric

### STRATUM: Stratum

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 28368 Invalid: 0 Minimum: 201201001 Maximum: 201224012 Mean: 201212453.166 Standard deviation: 7075.015  
Type: Continuous Decimal: 0 Width: 9 Range: 201201001 - 201224012 Format: Numeric

### PSU: Primary Sampling Unit

Data file: 2012ARG\_National\_Public\_Use

#### Overview

Valid: 28368 Invalid: 0 Minimum: 1 Maximum: 36 Mean: 13.034 Standard deviation: 7.018  
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 36 Format: Numeric

**Q1: How old are you****Data file: ARG2012\_BuenosAires\_Public\_Use****Overview**

Valid: 1033 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	4	0.4%
2	12 years old	162	15.7%
3	13 years old	298	28.8%
4	14 years old	319	30.9%
5	15 years old	171	16.6%
6	16 years old or older	79	7.6%
Sysmiss		6	

**Q2: Sex****Data file: ARG2012\_BuenosAires\_Public\_Use****Overview**

Valid: 1030 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	490	47.6%
2	Female	540	52.4%
Sysmiss		9	

**Q3: In what grade are you****Data file: ARG2012\_BuenosAires\_Public\_Use**

## Overview

Valid: 1003 Invalid: 36  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

### CATEGORIES

Value	Category	Cases	
1	8th EGB	437	43.6%
2	9th EGB	388	38.7%
3	1st Pol	178	17.7%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		36	

## Q4: How tall are you

Data file: ARG2012\_BuenosAires\_Public\_Use

## Overview

Valid: 617 Invalid: 422 Minimum: 1.3 Maximum: 1.93 Mean: 1.61 Standard deviation: 0.0944  
 Type: Continuous Decimal: 2 Width: 5 Range: 1.2 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q5: How much do you weigh

Data file: ARG2012\_BuenosAires\_Public\_Use

## Overview

Valid: 617 Invalid: 422 Minimum: 31 Maximum: 111 Mean: 55.6 Standard deviation: 11.736  
 Type: Continuous Decimal: 2 Width: 5 Range: 30 - 180 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days**

**Data file:** ARG2012\_BuenosAires\_Public\_Use

**Overview**

Valid: 1022 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	687	67.2%
2	Rarely	185	18.1%
3	Sometimes	120	11.7%
4	Most of the time	16	1.6%
5	Always	14	1.4%
Sysmiss		17	

**Q7: Eat fruit per day past 30 days**

**Data file:** ARG2012\_BuenosAires\_Public\_Use

**Overview**

Valid: 1033 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	90	8.7%



2	Less than one time per day	212	20.5%
3	1 time per day	282	27.3%
4	2 times per day	284	27.5%
5	3 times per day	91	8.8%
6	4 times per day	29	2.8%
7	5 or more times per day	45	4.4%
Sysmiss		6	

## Q8: Eat vegetables past 30 days

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 1029 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	122	11.9%
2	Less than one time per day	202	19.6%
3	1 time per day	349	33.9%
4	2 times per day	220	21.4%
5	3 times per day	69	6.7%
6	4 times per day	25	2.4%
7	5 or more times per day	42	4.1%
Sysmiss		10	

## Q9: Drink soft drinks past 30 days

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 1027 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	116	11.3%
2	Less than one time per day	200	19.5%
3	1 time per day	156	15.2%
4	2 times per day	164	16%
5	3 times per day	127	12.4%
6	4 times per day	80	7.8%
7	5 or more times per day	184	17.9%
Sysmiss		12	

## Q10: Ate fast food past 7 days

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 1032 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	662	64.1%
2	1 day	205	19.9%
3	2 days	80	7.8%
4	3 days	41	4%
5	4 days	14	1.4%
6	5 days	9	0.9%
7	6 days	5	0.5%

8	7 days	16	1.6%
Sysmiss		7	

## Q11: How many times per day brush teeth

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 1031 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	31	3%
2	Less than 1 time per day	54	5.2%
3	1 time per day	136	13.2%
4	2 times per day	369	35.8%
5	3 times per day	303	29.4%
6	4 or more times per day	138	13.4%
Sysmiss		8	

## Q12: Wash hands before eating past 30 days

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 1010 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	39	3.9%
2	Rarely	67	6.6%
3	Sometimes	168	16.6%
4	Most of the time	256	25.3%
5	Always	480	47.5%
Sysmiss		29	

### Q13: Wash hands after toilet past 30 day

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 1027 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	26	2.5%
2	Rarely	37	3.6%
3	Sometimes	65	6.3%
4	Most of the time	167	16.3%
5	Always	732	71.3%
Sysmiss		12	

### Q14: Used soap on hands past 30 days

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 1027 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

#### CATEGORIES

Value	Category	Cases	
1	Never	16	1.6%
2	Rarely	40	3.9%
3	Sometimes	96	9.3%
4	Most of the time	194	18.9%
5	Always	681	66.3%
Sysmiss		12	

### Q15: Times attacked past 12 mo.

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 1028 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

#### CATEGORIES

Value	Category	Cases	
1	0 times	743	72.3%
2	1 time	131	12.7%
3	2 or 3 times	65	6.3%
4	4 or 5 times	36	3.5%
5	6 or 7 times	6	0.6%
6	8 or 9 times	8	0.8%
7	10 or 11 times	5	0.5%
8	12 or more times	34	3.3%
Sysmiss		11	

### Q16: How many times in fight 12 mos

Data file: ARG2012\_BuenosAires\_Public\_Use

## Overview

Valid: 1038 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	656	63.2%
2	1 time	155	14.9%
3	2 or 3 times	82	7.9%
4	4 or 5 times	24	2.3%
5	6 or 7 times	27	2.6%
6	8 or 9 times	19	1.8%
7	10 or 11 times	13	1.3%
8	12 or more times	62	6%
Sysmiss		1	

## Q17: How many times injured past 12 months

Data file: ARG2012\_BuenosAires\_Public\_Use

## Overview

Valid: 890 Invalid: 149

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	601	67.5%
2	1 time	185	20.8%
3	2 or 3 times	61	6.9%

4	4 or 5 times	15	1.7%
5	6 or 7 times	3	0.3%
6	8 or 9 times	3	0.3%
7	10 or 11 times	0	0%
8	12 or more times	22	2.5%
Sysmiss		149	

### Q18: What was serious injury past 12 mo.

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 944 Invalid: 95

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	714	75.6%
2	Broken bone/dislocated joint	50	5.3%
3	I had a cut or stab wound	26	2.8%
4	Concussion/head injury	11	1.2%
5	I had a gunshot wound	7	0.7%
6	I had a bad burn	5	0.5%
7	I was poisoned	6	0.6%
8	Something else happened to me	125	13.2%
Sysmiss		95	

### Q19: Cause of injury past 12 mo.

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 915 Invalid: 124

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	673	73.6%
2	Motor vehicle accident	18	2%
3	I fell	71	7.8%
4	Something fell on me or hit me	26	2.8%
5	I was attacked	8	0.9%
6	Was in a fire	5	0.5%
7	breathed something bad	5	0.5%
8	Something else	109	11.9%
Sysmiss		124	

## Q20: How many days bullied past 30 days

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 985 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	752	76.3%
2	1 or 2 days	133	13.5%
3	3 to 5 days	29	2.9%
4	6 to 9 days	22	2.2%
5	10 to 19 days	14	1.4%



6	20 to 29 days	13	1.3%
7	All 30 days	22	2.2%
Sysmiss		54	

## Q21: How bullied past 30 days

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 977 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	781	79.9%
2	Kicked, pushed, or shoved	17	1.7%
3	Made fun of race	15	1.5%
4	Made fun because of religion	4	0.4%
5	Made fun of about sex	31	3.2%
6	Left out of activities	14	1.4%
7	Made fun of about body	53	5.4%
8	Some other way	62	6.3%
Sysmiss		62	

## Q22: Times felt lonely past 12 mo.

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 1015 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	431	42.5%
2	Rarely	245	24.1%
3	Sometimes	245	24.1%
4	Most of the time	55	5.4%
5	Always	39	3.8%
Sysmiss		24	

### Q23: Times could not sleep past 12 mo.

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 1036 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	438	42.3%
2	Rarely	294	28.4%
3	Sometimes	218	21%
4	Most of the time	58	5.6%
5	Always	28	2.7%
Sysmiss		3	

### Q24: Ever considered suicide 12 mos

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 1008 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	160	15.9%
2	No	848	84.1%
Sysmiss		31	

## Q25: Ever make suicide plan 12 mos

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 1018 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	147	14.4%
2	No	871	85.6%
Sysmiss		21	

## Q26: Times attempted suicide 12 mos.

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 1025 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	860	83.9%
2	1 time	98	9.6%
3	2 or 3 times	34	3.3%
4	4 or 5 times	17	1.7%
5	6 or more times	16	1.6%
Sysmiss		14	

### Q27: Number close friends

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 1013 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	60	5.9%
2	1	88	8.7%
3	2	137	13.5%
4	3 or more	728	71.9%
Sysmiss		26	

### Q28: Age first tried cigarette

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 1014 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	724	71.4%
2	7 years old or younger	43	4.2%
3	8 or 9 years old	20	2%
4	10 or 11 years old	58	5.7%
5	12 or 13 years old	105	10.4%
6	14 or 15 years old	59	5.8%
7	16 years old or older	5	0.5%
Sysmiss		25	

## Q29: How many days smoked 30 days

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 1024 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	874	85.4%
2	1 or 2 days	55	5.4%
3	3 to 5 days	19	1.9%
4	6 to 9 days	27	2.6%
5	10 to 19 days	12	1.2%
6	20 to 29 days	9	0.9%
7	All 30 days	28	2.7%
Sysmiss		15	

**Q30: Other tobacco past 30 days****Data file:** ARG2012\_BuenosAires\_Public\_Use**Overview**

Valid: 1036 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	967	93.3%
2	1 or 2 days	33	3.2%
3	3 to 5 days	9	0.9%
4	6 to 9 days	9	0.9%
5	10 to 19 days	3	0.3%
6	20 to 29 days	3	0.3%
7	All 30 days	12	1.2%
Sysmiss		3	

**Q31: Try stop smoking past 12 mo.****Data file:** ARG2012\_BuenosAires\_Public\_Use**Overview**

Valid: 1006 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

## CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	800	79.5%
2	Did not smoke cigarettes	42	4.2%
3	Yes	101	10%
4	No	63	6.3%
Sysmiss		33	

### Q32: Others present smoking past 7 days

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 1024 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	277	27.1%
2	1 or 2 days	244	23.8%
3	3 or 4 days	103	10.1%
4	5 or 6 days	77	7.5%
5	All 7 days	323	31.5%
Sysmiss		15	

### Q33: Parents who use tobacco

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 1025 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	588	57.4%
2	My father or male guardian	162	15.8%
3	My mother or female guardian	123	12%
4	Both	128	12.5%
5	I do not know	24	2.3%
Sysmiss		14	

**Q34: Age first drink alcohol****Data file: ARG2012\_BuenosAires\_Public\_Use****Overview**

Valid: 950 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

## CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	329	34.6%
2	7 years old or younger	69	7.3%
3	8 or 9 years old	46	4.8%
4	10 or 11 years old	121	12.7%
5	12 or 13 years old	269	28.3%
6	14 or 15 years old	107	11.3%
7	16 years old or older	9	0.9%
Sysmiss		89	

**Q35: Days one drink or more past 30 days****Data file: ARG2012\_BuenosAires\_Public\_Use****Overview**

Valid: 985 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

### CATEGORIES

Value	Category	Cases	
1	0 days	568	57.7%
2	1 or 2 days	217	22%
3	3 to 5 days	62	6.3%
4	6 to 9 days	49	5%
5	10 to 19 days	30	3%
6	20 to 29 days	24	2.4%
7	All 30 days	35	3.6%
Sysmiss		54	

## Q36: Number of drinks past 30 days

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 1014 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	542	53.5%
2	Less than one drink	123	12.1%
3	1 drink	69	6.8%
4	2 drinks	66	6.5%
5	3 drinks	86	8.5%
6	4 drinks	19	1.9%

7	5 or more drinks	109	10.7%
Sysmiss		25	

### Q37: How got drinks past 30 days

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 992 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

##### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	569	57.4%
2	I bought in a store	108	10.9%
3	I gave someone money to buy	17	1.7%
4	I got it from my friends	111	11.2%
5	I got it from my family	109	11%
6	I stole it	14	1.4%
7	Some other way	64	6.5%
Sysmiss		47	

### Q38: Times drunk during life

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 1016 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	779	76.7%
2	1 or 2 times	153	15.1%
3	3 to 9 times	52	5.1%
4	10 or more times	32	3.1%
Sysmiss		23	

### Q39: Number of troubles as result of drinking

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 989 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	806	81.5%
2	1 or 2 times	104	10.5%
3	3 to 9 times	50	5.1%
4	10 or more times	29	2.9%
Sysmiss		50	

### Q40: Age first drugs

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 981 Invalid: 58

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

How old were you when you first used drugs?

### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	896	91.3%
2	7 years old or younger	15	1.5%
3	8 or 9 years old	7	0.7%
4	10 or 11 years old	10	1%
5	12 or 13 years old	25	2.5%
6	14 or 15 years old	24	2.4%
7	16 years old or older	4	0.4%
Sysmiss		58	

## Q41: Times used marijuana lifetime

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 991 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	915	92.3%
2	1 or 2 times	22	2.2%
3	3 to 9 times	18	1.8%
4	10 to 19 times	12	1.2%
5	20 or more times	24	2.4%
Sysmiss		48	

**Q42: Times used marijuana past 30 days****Data file: ARG2012\_BuenosAires\_Public\_Use****Overview**

Valid: 1007 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	952	94.5%
2	1 or 2 times	22	2.2%
3	3 to 9 times	16	1.6%
4	10 to 19 times	6	0.6%
5	20 or more times	11	1.1%
Sysmiss		32	

**Q43: Times used amphetamines lifetime****Data file: ARG2012\_BuenosAires\_Public\_Use****Overview**

Valid: 1019 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	990	97.2%

2	1 or 2 times	13	1.3%
3	3 to 9 times	4	0.4%
4	10 to 19 times	1	0.1%
5	20 or more times	11	1.1%
Sysmiss		20	

**Q44: Ever had sex****Data file: ARG2012\_BuenosAires\_Public\_Use****Overview**

Valid: 983 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

Have you ever had sexual intercourse?

## CATEGORIES

Value	Category	Cases	
1	Yes	366	37.2%
2	No	617	62.8%
Sysmiss		56	

**Q45: Age first sexual intercourse****Data file: ARG2012\_BuenosAires\_Public\_Use****Overview**

Valid: 1002 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	693	69.2%

2	11 years old or younger	60	6%
3	12 years old	59	5.9%
4	13 years old	103	10.3%
5	14 years old	63	6.3%
6	15 years old	19	1.9%
7	16 years old or older	5	0.5%
Sysmiss		37	

## Q46: How many sex partners

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 1013 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	699	69%
2	1 person	116	11.5%
3	2 people	94	9.3%
4	3 people	35	3.5%
5	4 people	22	2.2%
6	5 people	7	0.7%
7	6 or more people	40	3.9%
Sysmiss		26	

## Q47: Used condom at last intercourse

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 995 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	700	70.4%
2	Yes	216	21.7%
3	No	79	7.9%
Sysmiss		44	

## Q48: Used birth control last intercourse

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 1000 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	695	69.5%
2	Yes	140	14%
3	No	125	12.5%
4	I do not know	40	4%
Sysmiss		39	

## Q49: Days active 60 min plus past 7 days

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 1017 Invalid: 22



Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

**CATEGORIES**

Value	Category	Cases	
1	0 days	154	15.1%
2	1 day	169	16.6%
3	2 days	245	24.1%
4	3 days	95	9.3%
5	4 days	92	9%
6	5 days	76	7.5%
7	6 days	28	2.8%
8	7 days	158	15.5%
Sysmiss		22	

**Q50: Walk or bike to school past 7 days****Data file:** ARG2012\_BuenosAires\_Public\_Use**Overview**

Valid: 1008    Invalid: 31

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

**CATEGORIES**

Value	Category	Cases	
1	0 days	306	30.4%
2	1 day	72	7.1%
3	2 days	63	6.3%

4	3 days	48	4.8%
5	4 days	53	5.3%
6	5 days	125	12.4%
7	6 days	22	2.2%
8	7 days	319	31.6%
Sysmiss		31	

## Q51: Days went to PE each week

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 990 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

#### CATEGORIES

Value	Category	Cases	
1	0 days	66	6.7%
2	1 day	117	11.8%
3	2 days	560	56.6%
4	3 days	15	1.5%
5	4 days	33	3.3%
6	5 or more days	199	20.1%
Sysmiss		49	

## Q52: Time spent sitting on usual day

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 1001 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	181	18.1%
2	1 to 2 hours per day	285	28.5%
3	3 to 4 hours per day	262	26.2%
4	5 to 6 hours per day	128	12.8%
5	7 to 8 hours per day	43	4.3%
6	More than 8 hours per day	102	10.2%
Sysmiss		38	

## Q53: Miss school no permission past 30 days

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 989 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

### CATEGORIES

Value	Category	Cases	
1	0 days	727	73.5%
2	1 or 2 days	112	11.3%
3	3 to 5 days	74	7.5%
4	6 to 9 days	35	3.5%
5	10 or more days	41	4.1%
Sysmiss		50	

**Q54: Others helpful in school past 30 days****Data file: ARG2012\_BuenosAires\_Public\_Use****Overview**

Valid: 984 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

## CATEGORIES

Value	Category	Cases	
1	Never	117	11.9%
2	Rarely	144	14.6%
3	Sometimes	248	25.2%
4	Most of the time	284	28.9%
5	Always	191	19.4%
Sysmiss		55	

**Q55: Parents check homework past 30 days****Data file: ARG2012\_BuenosAires\_Public\_Use****Overview**

Valid: 1007 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

## CATEGORIES

Value	Category	Cases	
1	Never	342	34%
2	Rarely	140	13.9%
3	Sometimes	181	18%
4	Most of the time	136	13.5%
5	Always	208	20.7%

Sysmiss		32	
---------	--	----	--

## Q56: Parent understand troubles past 30 days

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 999 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

#### CATEGORIES

Value	Category	Cases	
1	Never	182	18.2%
2	Rarely	115	11.5%
3	Sometimes	198	19.8%
4	Most of the time	165	16.5%
5	Always	339	33.9%
Sysmiss		40	

## Q57: Parent know what you do past 30 days

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 1000 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	195	19.5%
2	Rarely	99	9.9%

3	Sometimes	157	15.7%
4	Most of the time	187	18.7%
5	Always	362	36.2%
Sysmiss		39	

### Q58: Parent go through things past 30 days

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 989 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

##### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

##### CATEGORIES

Value	Category	Cases	
1		451	45.6%
2		224	22.6%
3		158	16%
4		81	8.2%
5		75	7.6%
Sysmiss		50	

### QN6: Went hungry most of time/always past 30 days

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 1022 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	30	2.9%
2	No	992	97.1%
Sysmiss		17	

**QN7: Ate fruit 2+ times per day past 30 days****Data file:** ARG2012\_BuenosAires\_Public\_Use**Overview**

Valid: 1033 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	449	43.5%
2	No	584	56.5%
Sysmiss		6	

**QN8: Ate vegetables 3+ times per day past 30 day****Data file:** ARG2012\_BuenosAires\_Public\_Use**Overview**

Valid: 1029 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	136	13.2%
2	No	893	86.8%
Sysmiss		10	

**QN9: Drank soft drinks 1+ times per day past 30 day****Data file: ARG2012\_BuenosAires\_Public\_Use****Overview**

Valid: 1027 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	711	69.2%
2	No	316	30.8%
Sysmiss		12	

**QN10: Ate fast food 3+ days past 7 day****Data file: ARG2012\_BuenosAires\_Public\_Use****Overview**

Valid: 1032 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

## CATEGORIES

Value	Category	Cases	
1	Yes	85	8.2%
2	No	947	91.8%
Sysmiss		7	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: ARG2012\_BuenosAires\_Public\_Use****Overview**

Valid: 1031 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	85	8.2%
2	No	946	91.8%
Sysmiss		8	

## QN12: Never/rarely wash hands before eating past 30 days

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 1010 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	106	10.5%
2	No	904	89.5%
Sysmiss		29	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 1027 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	63	6.1%
2	No	964	93.9%
Sysmiss		12	

### QN14: Never/rarely use soap on hands past 30 days

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 1027 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	56	5.5%
2	No	971	94.5%
Sysmiss		12	

### QN15: Attacked 1+ times past 12 months

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 1028 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	285	27.7%
2	No	743	72.3%
Sysmiss		11	

**QN16: In fight 1+ times past 12 months****Data file: ARG2012\_BuenosAires\_Public\_Use****Overview**

Valid: 1038 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	382	36.8%
2	No	656	63.2%
Sysmiss		1	

**QN17: Seriously injured 1+ times past 12 months****Data file: ARG2012\_BuenosAires\_Public\_Use****Overview**

Valid: 890 Invalid: 149

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	289	32.5%
2	No	601	67.5%
Sysmiss		149	

**QN18: Broken bone as most serious injury****Data file: ARG2012\_BuenosAires\_Public\_Use****Overview**

Valid: 230 Invalid: 809

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

### CATEGORIES

Value	Category	Cases	
1	Yes	50	21.7%
2	No	180	78.3%
Sysmiss		809	

## QN19: Motor vehicle caused most serious injury

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 242 Invalid: 797

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	18	7.4%
2	No	224	92.6%
Sysmiss		797	

## QN20: Bullied 1+ of past 30 days

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 985 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	233	23.7%
2	No	752	76.3%
Sysmiss		54	

### QN21: Of students bullied, most often hit, kicked, etc

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 196 Invalid: 843

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

##### CATEGORIES

Value	Category	Cases	
1	Yes	17	8.7%
2	No	179	91.3%
Sysmiss		843	

### QN22: Lonely most times/always past 12 months

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 1015 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	94	9.3%
2	No	921	90.7%
Sysmiss		24	

**QN23: Worry prevented sleep most time/always past 12 mos****Data file: ARG2012\_BuenosAires\_Public\_Use****Overview**

Valid: 1036 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	86	8.3%
2	No	950	91.7%
Sysmiss		3	

**QN24: Considered suicide past 12 months****Data file: ARG2012\_BuenosAires\_Public\_Use****Overview**

Valid: 1008 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	160	15.9%
2	No	848	84.1%
Sysmiss		31	

**QN25: Made suicide plan past 12 months****Data file: ARG2012\_BuenosAires\_Public\_Use****Overview**

Valid: 1018 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	147	14.4%
2	No	871	85.6%
Sysmiss		21	

### QN26: 1+ times attempt suicide 12 mos.

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 1025 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	165	16.1%
2	No	860	83.9%
Sysmiss		14	

### QN27: No close friends

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 1013 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	60	5.9%
2	No	953	94.1%
Sysmiss		26	

**QN28: Age first cigarette before 14****Data file:** ARG2012\_BuenosAires\_Public\_Use**Overview**

Valid: 290    Invalid: 749

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	226	77.9%
2	No	64	22.1%
Sysmiss		749	

**QN29: Smoked cigarettes 1+ of past 30 days****Data file:** ARG2012\_BuenosAires\_Public\_Use**Overview**

Valid: 1024    Invalid: 15

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	150	14.6%
2	No	874	85.4%
Sysmiss		15	



**QN30: Used other tobacco 1+ of past 30 days****Data file:** ARG2012\_BuenosAires\_Public\_Use**Overview**

Valid: 1036 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	69	6.7%
2	No	967	93.3%
Sysmiss		3	

**QN31: Tried to quit smoking past 12 months****Data file:** ARG2012\_BuenosAires\_Public\_Use**Overview**

Valid: 164 Invalid: 875

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	101	61.6%
2	No	63	38.4%
Sysmiss		875	

**QN32: Others present smoking 1+ of past 7 days****Data file:** ARG2012\_BuenosAires\_Public\_Use**Overview**

Valid: 1024 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	747	72.9%
2	No	277	27.1%
Sysmiss		15	

## QN33: Either/Both parents use tobacco

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 1025 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	413	40.3%
2	No	612	59.7%
Sysmiss		14	

## QN34: Age first alcohol before 14

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 621 Invalid: 418

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	505	81.3%
2	No	116	18.7%
Sysmiss		418	

**QN35: Drank 1+ days past 30 days****Data file:** ARG2012\_BuenosAires\_Public\_Use**Overview**

Valid: 985 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	417	42.3%
2	No	568	57.7%
Sysmiss		54	

**QN36: Of current drinkers, drank 2+ drinks/day 30 days****Data file:** ARG2012\_BuenosAires\_Public\_Use**Overview**

Valid: 472 Invalid: 567

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

## CATEGORIES

Value	Category	Cases	
1	Yes	280	59.3%
2	No	192	40.7%
Sysmiss		567	

**QN37: Of current drinkers, got alcohol from friends****Data file: ARG2012\_BuenosAires\_Public\_Use****Overview**

Valid: 423 Invalid: 616

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

## CATEGORIES

Value	Category	Cases	
1	Yes	111	26.2%
2	No	312	73.8%
Sysmiss		616	

**QN38: 1+ times drunk in lifetime****Data file: ARG2012\_BuenosAires\_Public\_Use****Overview**

Valid: 1016 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	237	23.3%
2	No	779	76.7%
Sysmiss		23	

**QN39: Alcohol trouble 1+ times in lifetime****Data file: ARG2012\_BuenosAires\_Public\_Use****Overview**

Valid: 989 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

### CATEGORIES

Value	Category	Cases	
1	Yes	183	18.5%
2	No	806	81.5%
Sysmiss		50	

### QN40: Age first drugs before 14

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 85 Invalid: 954

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
1	Yes	57	67.1%
2	No	28	32.9%
Sysmiss		954	

### QN41: Marijuana 1+ times in lifetime

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 991 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	76	7.7%
2	No	915	92.3%
Sysmiss		48	

**QN42: Marijuana 1+ times p 30 days****Data file:** ARG2012\_BuenosAires\_Public\_Use**Overview**

Valid: 1007 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	55	5.5%
2	No	952	94.5%
Sysmiss		32	

**QN43: Amphetamines 1+ times lifetime****Data file:** ARG2012\_BuenosAires\_Public\_Use**Overview**

Valid: 1019 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	29	2.8%
2	No	990	97.2%
Sysmiss		20	

**QN44: Ever had sex****Data file:** ARG2012\_BuenosAires\_Public\_Use**Overview**

Valid: 983 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	366	37.2%
2	No	617	62.8%
Sysmiss		56	

**QN45: Age first sexual intercourse before 14****Data file:** ARG2012\_BuenosAires\_Public\_Use**Overview**

Valid: 309 Invalid: 730

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	222	71.8%
2	No	87	28.2%
Sysmiss		730	

**QN46: 2+ sex partners lifetime****Data file:** ARG2012\_BuenosAires\_Public\_Use**Overview**

Valid: 1013 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	198	19.5%
2	No	815	80.5%
Sysmiss		26	

### QN47: Used condom at last sex

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 295 Invalid: 744

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	216	73.2%
2	No	79	26.8%
Sysmiss		744	

### QN48: Used birth control at last sex

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 305 Invalid: 734

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

### CATEGORIES



Value	Category	Cases	
1	Yes	140	45.9%
2	No	165	54.1%
Sysmiss		734	

### QN49: Active 60+ mins/day for 5+ of past 7 days

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 1017 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	262	25.8%
2	No	755	74.2%
Sysmiss		22	

### QN50: Walk/Bike to/from school 0 of past 7 days

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 1008 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	306	30.4%
2	No	702	69.6%
Sysmiss		31	

**QN51: 3+ days PE each week****Data file: ARG2012\_BuenosAires\_Public\_Use****Overview**

Valid: 990 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	247	24.9%
2	No	743	75.1%
Sysmiss		49	

**QN52: Sitting activities 3+ hours/day of usual day****Data file: ARG2012\_BuenosAires\_Public\_Use****Overview**

Valid: 1001 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

## CATEGORIES

Value	Category	Cases	
1	Yes	535	53.4%
2	No	466	46.6%
Sysmiss		38	

**QN53: Miss school no permission 1+ of past 30 days****Data file: ARG2012\_BuenosAires\_Public\_Use****Overview**

Valid: 989 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	262	26.5%
2	No	727	73.5%
Sysmiss		50	

### QN54: Students most/always kind 30 days

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 984 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	475	48.3%
2	No	509	51.7%
Sysmiss		55	

### QN55: Parents most/always check homework

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 1007 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	344	34.2%
2	No	663	65.8%
Sysmiss		32	

## QN56: Parents most/always understand problems

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 999 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	504	50.5%
2	No	495	49.5%
Sysmiss		40	

## QN57: Parents most/always know about free time

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 1000 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	549	54.9%
2	No	451	45.1%
Sysmiss		39	

**QN58: Parents never/rarely go thru things****Data file:** ARG2012\_BuenosAires\_Public\_Use**Overview**

Valid: 989 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	675	68.3%
2	No	314	31.7%
Sysmiss		50	

**QNOWTG: Overweight****Data file:** ARG2012\_BuenosAires\_Public\_Use**Overview**

Valid: 0 Invalid: 1039

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

**CATEGORIES**

Value	Category
1	Yes
2	No
Sysmiss	

**QNOBESEG: Obese****Data file:** ARG2012\_BuenosAires\_Public\_Use**Overview**

Valid: 0 Invalid: 1039

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese ( $>+2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

## QNUNWTG: Underweight

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 0    Invalid: 1039

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were underweight ( $<-2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

## QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: ARG2012\_BuenosAires\_Public\_Use

### Overview

Valid: 1028    Invalid: 11

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	183	17.8%
2	No	845	82.2%
Sysmiss		11	

### QNANYTBG: Used any tobacco past 30 days

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 1024 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	178	17.4%
2	No	846	82.6%
Sysmiss		15	

### QNPA7G: Physically active all past 7 days

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 1017 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	158	15.5%
2	No	859	84.5%
Sysmiss		22	

**QNPE5G: Attended PE 5+ days each week****Data file: ARG2012\_BuenosAires\_Public\_Use****Overview**

Valid: 990 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	199	20.1%
2	No	791	79.9%
Sysmiss		49	

**QNC1G: Among heavy drinkers, ever sex****Data file: ARG2012\_BuenosAires\_Public\_Use****Overview**

Valid: 224 Invalid: 815

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	153	68.3%
2	No	71	31.7%
Sysmiss		815	

**QNC2G: Among those worried, currently bullied****Data file: ARG2012\_BuenosAires\_Public\_Use****Overview**

Valid: 80 Invalid: 959

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	39	48.8%
2	No	41	51.3%
Sysmiss		959	

### WEIGHT: Weight

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 1039   Invalid: 0   Minimum: 214.818   Maximum: 1361.225   Mean: 368.214   Standard deviation: 161.772

Type: Continuous   Decimal: 0   Width: 10   Range: 3.2196 - 1361.2246   Format: Numeric

### STRATUM: Stratum

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 1039   Invalid: 0   Minimum: 201201001   Maximum: 201201012   Mean: 201201007.418   Standard deviation: 12.564

Type: Continuous   Decimal: 0   Width: 9   Range: 201201001 - 201224012   Format: Numeric

### PSU: Primary Sampling Unit

Data file: ARG2012\_BuenosAires\_Public\_Use

#### Overview

Valid: 1039   Invalid: 0   Minimum: 1   Maximum: 25   Mean: 14.407   Standard deviation: 7.286

Type: Continuous   Decimal: 0   Width: 5   Range: 1 - 36   Format: Numeric

**Q1: How old are you****Data file: ARG2012\_Catamarca\_Public\_Use****Overview**

Valid: 2096 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	6	0.3%
2	12 years old	53	2.5%
3	13 years old	324	15.5%
4	14 years old	600	28.6%
5	15 years old	593	28.3%
6	16 years old or older	520	24.8%
Sysmiss		9	

**Q2: Sex****Data file: ARG2012\_Catamarca\_Public\_Use****Overview**

Valid: 2073 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	1008	48.6%
2	Female	1065	51.4%
Sysmiss		32	

**Q3: In what grade are you****Data file: ARG2012\_Catamarca\_Public\_Use**

## Overview

Valid: 2024   Invalid: 81  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

### CATEGORIES

Value	Category	Cases	
1	8th EGB	580	28.7%
2	9th EGB	772	38.1%
3	1st Pol	672	33.2%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		81	

## Q4: How tall are you

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 1147   Invalid: 958   Minimum: 1.3   Maximum: 1.96   Mean: 1.637   Standard deviation: 0.0992  
 Type: Continuous   Decimal: 2   Width: 5   Range: 1.2 - 2   Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q5: How much do you weigh

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 1147   Invalid: 958   Minimum: 35   Maximum: 116   Mean: 57.325   Standard deviation: 11.497  
 Type: Continuous   Decimal: 2   Width: 5   Range: 30 - 180   Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days**

**Data file:** ARG2012\_Catamarca\_Public\_Use

**Overview**

Valid: 2078 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	1139	54.8%
2	Rarely	563	27.1%
3	Sometimes	265	12.8%
4	Most of the time	48	2.3%
5	Always	63	3%
Sysmiss		27	

**Q7: Eat fruit per day past 30 days**

**Data file:** ARG2012\_Catamarca\_Public\_Use

**Overview**

Valid: 2086 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	220	10.5%

2	Less than one time per day	412	19.8%
3	1 time per day	632	30.3%
4	2 times per day	421	20.2%
5	3 times per day	186	8.9%
6	4 times per day	70	3.4%
7	5 or more times per day	145	7%
Sysmiss		19	

## Q8: Eat vegetables past 30 days

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 2064 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	126	6.1%
2	Less than one time per day	339	16.4%
3	1 time per day	862	41.8%
4	2 times per day	427	20.7%
5	3 times per day	98	4.7%
6	4 times per day	50	2.4%
7	5 or more times per day	162	7.8%
Sysmiss		41	

## Q9: Drink soft drinks past 30 days

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 2080 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	139	6.7%
2	Less than one time per day	412	19.8%
3	1 time per day	430	20.7%
4	2 times per day	357	17.2%
5	3 times per day	264	12.7%
6	4 times per day	127	6.1%
7	5 or more times per day	351	16.9%
Sysmiss		25	

## Q10: Ate fast food past 7 days

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 2084 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	1207	57.9%
2	1 day	409	19.6%
3	2 days	215	10.3%
4	3 days	106	5.1%
5	4 days	50	2.4%
6	5 days	26	1.2%
7	6 days	20	1%

8	7 days	51	2.4%
Sysmiss		21	

## Q11: How many times per day brush teeth

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 2078 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	35	1.7%
2	Less than 1 time per day	103	5%
3	1 time per day	328	15.8%
4	2 times per day	583	28.1%
5	3 times per day	721	34.7%
6	4 or more times per day	308	14.8%
Sysmiss		27	

## Q12: Wash hands before eating past 30 days

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 2065 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	49	2.4%
2	Rarely	186	9%
3	Sometimes	322	15.6%
4	Most of the time	553	26.8%
5	Always	955	46.2%
Sysmiss		40	

### Q13: Wash hands after toilet past 30 day

Data file: ARG2012\_Catamarca\_Public\_Use

#### Overview

Valid: 2082 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	31	1.5%
2	Rarely	76	3.7%
3	Sometimes	129	6.2%
4	Most of the time	341	16.4%
5	Always	1505	72.3%
Sysmiss		23	

### Q14: Used soap on hands past 30 days

Data file: ARG2012\_Catamarca\_Public\_Use

#### Overview

Valid: 2072 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION



During the past 30 days, how often did you use soap when washing your hands?

#### CATEGORIES

Value	Category	Cases	
1	Never	41	2%
2	Rarely	127	6.1%
3	Sometimes	293	14.1%
4	Most of the time	496	23.9%
5	Always	1115	53.8%
Sysmiss		33	

### Q15: Times attacked past 12 mo.

Data file: ARG2012\_Catamarca\_Public\_Use

#### Overview

Valid: 2069 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1451	70.1%
2	1 time	275	13.3%
3	2 or 3 times	166	8%
4	4 or 5 times	59	2.9%
5	6 or 7 times	24	1.2%
6	8 or 9 times	14	0.7%
7	10 or 11 times	8	0.4%
8	12 or more times	72	3.5%
Sysmiss		36	

### Q16: How many times in fight 12 mos

Data file: ARG2012\_Catamarca\_Public\_Use

## Overview

Valid: 2098 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	1192	56.8%
2	1 time	348	16.6%
3	2 or 3 times	273	13%
4	4 or 5 times	94	4.5%
5	6 or 7 times	46	2.2%
6	8 or 9 times	24	1.1%
7	10 or 11 times	14	0.7%
8	12 or more times	107	5.1%
Sysmiss		7	

## Q17: How many times injured past 12 months

Data file: ARG2012\_Catamarca\_Public\_Use

## Overview

Valid: 1814 Invalid: 291

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	1081	59.6%
2	1 time	448	24.7%
3	2 or 3 times	193	10.6%

4	4 or 5 times	48	2.6%
5	6 or 7 times	14	0.8%
6	8 or 9 times	11	0.6%
7	10 or 11 times	6	0.3%
8	12 or more times	13	0.7%
Sysmiss		291	

### Q18: What was serious injury past 12 mo.

Data file: ARG2012\_Catamarca\_Public\_Use

#### Overview

Valid: 1863 Invalid: 242

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1324	71.1%
2	Broken bone/dislocated joint	146	7.8%
3	I had a cut or stab wound	38	2%
4	Concussion/head injury	52	2.8%
5	I had a gunshot wound	6	0.3%
6	I had a bad burn	17	0.9%
7	I was poisoned	10	0.5%
8	Something else happened to me	270	14.5%
Sysmiss		242	

### Q19: Cause of injury past 12 mo.

Data file: ARG2012\_Catamarca\_Public\_Use

#### Overview

Valid: 1836 Invalid: 269

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1286	70%
2	Motor vehicle accident	68	3.7%
3	I fell	250	13.6%
4	Something fell on me or hit me	22	1.2%
5	I was attacked	28	1.5%
6	Was in a fire	10	0.5%
7	breathed something bad	9	0.5%
8	Something else	163	8.9%
Sysmiss		269	

## Q20: How many days bullied past 30 days

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 1975 Invalid: 130

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	1395	70.6%
2	1 or 2 days	350	17.7%
3	3 to 5 days	88	4.5%
4	6 to 9 days	40	2%
5	10 to 19 days	27	1.4%

6	20 to 29 days	12	0.6%
7	All 30 days	63	3.2%
Sysmiss		130	

## Q21: How bullied past 30 days

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 1942 Invalid: 163

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	1499	77.2%
2	Kicked, pushed, or shoved	48	2.5%
3	Made fun of race	28	1.4%
4	Made fun because of religion	4	0.2%
5	Made fun of about sex	58	3%
6	Left out of activities	33	1.7%
7	Made fun of about body	111	5.7%
8	Some other way	161	8.3%
Sysmiss		163	

## Q22: Times felt lonely past 12 mo.

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 2058 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	792	38.5%
2	Rarely	536	26%
3	Sometimes	443	21.5%
4	Most of the time	203	9.9%
5	Always	84	4.1%
Sysmiss		47	

### Q23: Times could not sleep past 12 mo.

Data file: ARG2012\_Catamarca\_Public\_Use

#### Overview

Valid: 2095 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	691	33%
2	Rarely	613	29.3%
3	Sometimes	562	26.8%
4	Most of the time	167	8%
5	Always	62	3%
Sysmiss		10	

### Q24: Ever considered suicide 12 mos

Data file: ARG2012\_Catamarca\_Public\_Use

#### Overview

Valid: 2047 Invalid: 58

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	476	23.3%
2	No	1571	76.7%
Sysmiss		58	

## Q25: Ever make suicide plan 12 mos

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 2071 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	416	20.1%
2	No	1655	79.9%
Sysmiss		34	

## Q26: Times attempted suicide 12 mos.

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 2065 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1695	82.1%
2	1 time	208	10.1%
3	2 or 3 times	96	4.6%
4	4 or 5 times	31	1.5%
5	6 or more times	35	1.7%
Sysmiss		40	

### Q27: Number close friends

Data file: ARG2012\_Catamarca\_Public\_Use

#### Overview

Valid: 2046 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	116	5.7%
2	1	171	8.4%
3	2	273	13.3%
4	3 or more	1486	72.6%
Sysmiss		59	

### Q28: Age first tried cigarette

Data file: ARG2012\_Catamarca\_Public\_Use

#### Overview

Valid: 2045 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1109	54.2%
2	7 years old or younger	61	3%
3	8 or 9 years old	76	3.7%
4	10 or 11 years old	170	8.3%
5	12 or 13 years old	315	15.4%
6	14 or 15 years old	255	12.5%
7	16 years old or older	59	2.9%
Sysmiss		60	

## Q29: How many days smoked 30 days

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 2064 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	1511	73.2%
2	1 or 2 days	259	12.5%
3	3 to 5 days	75	3.6%
4	6 to 9 days	45	2.2%
5	10 to 19 days	69	3.3%
6	20 to 29 days	26	1.3%
7	All 30 days	79	3.8%
Sysmiss		41	

**Q30: Other tobacco past 30 days****Data file: ARG2012\_Catamarca\_Public\_Use****Overview**

Valid: 2083 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	1929	92.6%
2	1 or 2 days	77	3.7%
3	3 to 5 days	30	1.4%
4	6 to 9 days	10	0.5%
5	10 to 19 days	8	0.4%
6	20 to 29 days	8	0.4%
7	All 30 days	21	1%
Sysmiss		22	

**Q31: Try stop smoking past 12 mo.****Data file: ARG2012\_Catamarca\_Public\_Use****Overview**

Valid: 2041 Invalid: 64

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

## CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	1286	63%
2	Did not smoke cigarettes	247	12.1%
3	Yes	382	18.7%
4	No	126	6.2%
Sysmiss		64	

### Q32: Others present smoking past 7 days

Data file: ARG2012\_Catamarca\_Public\_Use

#### Overview

Valid: 2062 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	510	24.7%
2	1 or 2 days	585	28.4%
3	3 or 4 days	282	13.7%
4	5 or 6 days	141	6.8%
5	All 7 days	544	26.4%
Sysmiss		43	

### Q33: Parents who use tobacco

Data file: ARG2012\_Catamarca\_Public\_Use

#### Overview

Valid: 2064 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	1321	64%
2	My father or male guardian	350	17%
3	My mother or female guardian	167	8.1%
4	Both	151	7.3%
5	I do not know	75	3.6%
Sysmiss		41	

**Q34: Age first drink alcohol****Data file: ARG2012\_Catamarca\_Public\_Use****Overview**

Valid: 1887 Invalid: 218

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

## CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	509	27%
2	7 years old or younger	84	4.5%
3	8 or 9 years old	65	3.4%
4	10 or 11 years old	174	9.2%
5	12 or 13 years old	495	26.2%
6	14 or 15 years old	483	25.6%
7	16 years old or older	77	4.1%
Sysmiss		218	

**Q35: Days one drink or more past 30 days****Data file: ARG2012\_Catamarca\_Public\_Use****Overview**

Valid: 1962 Invalid: 143

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

### CATEGORIES

Value	Category	Cases	
1	0 days	905	46.1%
2	1 or 2 days	531	27.1%
3	3 to 5 days	204	10.4%
4	6 to 9 days	103	5.2%
5	10 to 19 days	113	5.8%
6	20 to 29 days	44	2.2%
7	All 30 days	62	3.2%
Sysmiss		143	

## Q36: Number of drinks past 30 days

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 2030 Invalid: 75

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	859	42.3%
2	Less than one drink	265	13.1%
3	1 drink	155	7.6%
4	2 drinks	128	6.3%
5	3 drinks	128	6.3%
6	4 drinks	102	5%

7	5 or more drinks	393	19.4%
Sysmiss		75	

### Q37: How got drinks past 30 days

Data file: ARG2012\_Catamarca\_Public\_Use

#### Overview

Valid: 1985 Invalid: 120

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

##### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	940	47.4%
2	I bought in a store	312	15.7%
3	I gave someone money to buy	88	4.4%
4	I got it from my friends	439	22.1%
5	I got it from my family	47	2.4%
6	I stole it	11	0.6%
7	Some other way	148	7.5%
Sysmiss		120	

### Q38: Times drunk during life

Data file: ARG2012\_Catamarca\_Public\_Use

#### Overview

Valid: 2023 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	1345	66.5%
2	1 or 2 times	426	21.1%
3	3 to 9 times	147	7.3%
4	10 or more times	105	5.2%
Sysmiss		82	

### Q39: Number of troubles as result of drinking

Data file: ARG2012\_Catamarca\_Public\_Use

#### Overview

Valid: 1998 Invalid: 107

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	1560	78.1%
2	1 or 2 times	287	14.4%
3	3 to 9 times	90	4.5%
4	10 or more times	61	3.1%
Sysmiss		107	

### Q40: Age first drugs

Data file: ARG2012\_Catamarca\_Public\_Use

#### Overview

Valid: 1999 Invalid: 106

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

How old were you when you first used drugs?

### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1786	89.3%
2	7 years old or younger	25	1.3%
3	8 or 9 years old	11	0.6%
4	10 or 11 years old	12	0.6%
5	12 or 13 years old	46	2.3%
6	14 or 15 years old	92	4.6%
7	16 years old or older	27	1.4%
Sysmiss		106	

## Q41: Times used marijuana lifetime

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 1993 Invalid: 112

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	1812	90.9%
2	1 or 2 times	65	3.3%
3	3 to 9 times	52	2.6%
4	10 to 19 times	20	1%
5	20 or more times	44	2.2%
Sysmiss		112	



**Q42: Times used marijuana past 30 days****Data file: ARG2012\_Catamarca\_Public\_Use****Overview**

Valid: 2030 Invalid: 75

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1892	93.2%
2	1 or 2 times	60	3%
3	3 to 9 times	42	2.1%
4	10 to 19 times	13	0.6%
5	20 or more times	23	1.1%
Sysmiss		75	

**Q43: Times used amphetamines lifetime****Data file: ARG2012\_Catamarca\_Public\_Use****Overview**

Valid: 2030 Invalid: 75

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1981	97.6%

2	1 or 2 times	26	1.3%
3	3 to 9 times	12	0.6%
4	10 to 19 times	8	0.4%
5	20 or more times	3	0.1%
Sysmiss		75	

#### Q44: Ever had sex

Data file: ARG2012\_Catamarca\_Public\_Use

##### Overview

Valid: 1944 Invalid: 161

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

###### LITERAL QUESTION

Have you ever had sexual intercourse?

###### CATEGORIES

Value	Category	Cases	
1	Yes	995	51.2%
2	No	949	48.8%
Sysmiss		161	

#### Q45: Age first sexual intercourse

Data file: ARG2012\_Catamarca\_Public\_Use

##### Overview

Valid: 1975 Invalid: 130

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

###### LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

###### CATEGORIES

Value	Category	Cases	
1	Never had sex	1096	55.5%

2	11 years old or younger	88	4.5%
3	12 years old	105	5.3%
4	13 years old	162	8.2%
5	14 years old	237	12%
6	15 years old	226	11.4%
7	16 years old or older	61	3.1%
Sysmiss		130	

## Q46: How many sex partners

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 1999 Invalid: 106

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	1127	56.4%
2	1 person	371	18.6%
3	2 people	166	8.3%
4	3 people	113	5.7%
5	4 people	68	3.4%
6	5 people	40	2%
7	6 or more people	114	5.7%
Sysmiss		106	

## Q47: Used condom at last intercourse

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 1975 Invalid: 130

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	1121	56.8%
2	Yes	616	31.2%
3	No	238	12.1%
Sysmiss		130	

## Q48: Used birth control last intercourse

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 1968 Invalid: 137

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	1118	56.8%
2	Yes	452	23%
3	No	257	13.1%
4	I do not know	141	7.2%
Sysmiss		137	

## Q49: Days active 60 min plus past 7 days

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 2039 Invalid: 66

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

### CATEGORIES

Value	Category	Cases	
1	0 days	366	17.9%
2	1 day	340	16.7%
3	2 days	367	18%
4	3 days	210	10.3%
5	4 days	127	6.2%
6	5 days	140	6.9%
7	6 days	56	2.7%
8	7 days	433	21.2%
Sysmiss		66	

## Q50: Walk or bike to school past 7 days

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 2008    Invalid: 97

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

### CATEGORIES

Value	Category	Cases	
1	0 days	555	27.6%
2	1 day	144	7.2%
3	2 days	98	4.9%

4	3 days	73	3.6%
5	4 days	56	2.8%
6	5 days	292	14.5%
7	6 days	34	1.7%
8	7 days	756	37.6%
Sysmiss		97	

## Q51: Days went to PE each week

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 1969 Invalid: 136

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

#### CATEGORIES

Value	Category	Cases	
1	0 days	196	10%
2	1 day	369	18.7%
3	2 days	757	38.4%
4	3 days	98	5%
5	4 days	52	2.6%
6	5 or more days	497	25.2%
Sysmiss		136	

## Q52: Time spent sitting on usual day

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 2021 Invalid: 84

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	552	27.3%
2	1 to 2 hours per day	598	29.6%
3	3 to 4 hours per day	463	22.9%
4	5 to 6 hours per day	174	8.6%
5	7 to 8 hours per day	68	3.4%
6	More than 8 hours per day	166	8.2%
Sysmiss		84	

## Q53: Miss school no permission past 30 days

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 2022 Invalid: 83

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

### CATEGORIES

Value	Category	Cases	
1	0 days	1137	56.2%
2	1 or 2 days	455	22.5%
3	3 to 5 days	193	9.5%
4	6 to 9 days	94	4.6%
5	10 or more days	143	7.1%
Sysmiss		83	

**Q54: Others helpful in school past 30 days****Data file: ARG2012\_Catamarca\_Public\_Use****Overview**

Valid: 2011 Invalid: 94

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

## CATEGORIES

Value	Category	Cases	
1	Never	243	12.1%
2	Rarely	426	21.2%
3	Sometimes	445	22.1%
4	Most of the time	485	24.1%
5	Always	412	20.5%
Sysmiss		94	

**Q55: Parents check homework past 30 days****Data file: ARG2012\_Catamarca\_Public\_Use****Overview**

Valid: 2024 Invalid: 81

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

## CATEGORIES

Value	Category	Cases	
1	Never	624	30.8%
2	Rarely	454	22.4%
3	Sometimes	325	16.1%
4	Most of the time	269	13.3%
5	Always	352	17.4%



Sysmiss		81	
---------	--	----	--

## Q56: Parent understand troubles past 30 days

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 2015 Invalid: 90

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

#### CATEGORIES

Value	Category	Cases	
1	Never	424	21%
2	Rarely	357	17.7%
3	Sometimes	345	17.1%
4	Most of the time	400	19.9%
5	Always	489	24.3%
Sysmiss		90	

## Q57: Parent know what you do past 30 days

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 1993 Invalid: 112

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	463	23.2%
2	Rarely	350	17.6%

3	Sometimes	315	15.8%
4	Most of the time	359	18%
5	Always	506	25.4%
Sysmiss		112	

## Q58: Parent go through things past 30 days

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 2007 Invalid: 98

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

#### CATEGORIES

Value	Category	Cases	
1		925	46.1%
2		463	23.1%
3		287	14.3%
4		151	7.5%
5		181	9%
Sysmiss		98	

## QN6: Went hungry most of time/always past 30 days

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 2078 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	111	5.3%
2	No	1967	94.7%
Sysmiss		27	

**QN7: Ate fruit 2+ times per day past 30 days****Data file:** ARG2012\_Catamarca\_Public\_Use**Overview**

Valid: 2086 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	822	39.4%
2	No	1264	60.6%
Sysmiss		19	

**QN8: Ate vegetables 3+ times per day past 30 day****Data file:** ARG2012\_Catamarca\_Public\_Use**Overview**

Valid: 2064 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	310	15%
2	No	1754	85%
Sysmiss		41	

**QN9: Drank soft drinks 1+ times per day past 30 day****Data file: ARG2012\_Catamarca\_Public\_Use****Overview**

Valid: 2080 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	1529	73.5%
2	No	551	26.5%
Sysmiss		25	

**QN10: Ate fast food 3+ days past 7 day****Data file: ARG2012\_Catamarca\_Public\_Use****Overview**

Valid: 2084 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

## CATEGORIES

Value	Category	Cases	
1	Yes	253	12.1%
2	No	1831	87.9%
Sysmiss		21	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: ARG2012\_Catamarca\_Public\_Use****Overview**

Valid: 2078 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	138	6.6%
2	No	1940	93.4%
Sysmiss		27	

## QN12: Never/rarely wash hands before eating past 30 days

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 2065 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	235	11.4%
2	No	1830	88.6%
Sysmiss		40	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 2082 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	107	5.1%
2	No	1975	94.9%
Sysmiss		23	

### QN14: Never/rarely use soap on hands past 30 days

Data file: ARG2012\_Catamarca\_Public\_Use

#### Overview

Valid: 2072 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	168	8.1%
2	No	1904	91.9%
Sysmiss		33	

### QN15: Attacked 1+ times past 12 months

Data file: ARG2012\_Catamarca\_Public\_Use

#### Overview

Valid: 2069 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	618	29.9%
2	No	1451	70.1%
Sysmiss		36	

**QN16: In fight 1+ times past 12 months****Data file:** ARG2012\_Catamarca\_Public\_Use**Overview**

Valid: 2098 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	906	43.2%
2	No	1192	56.8%
Sysmiss		7	

**QN17: Seriously injured 1+ times past 12 months****Data file:** ARG2012\_Catamarca\_Public\_Use**Overview**

Valid: 1814 Invalid: 291

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	733	40.4%
2	No	1081	59.6%
Sysmiss		291	

**QN18: Broken bone as most serious injury****Data file:** ARG2012\_Catamarca\_Public\_Use**Overview**

Valid: 539 Invalid: 1566

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

### CATEGORIES

Value	Category	Cases	
1	Yes	146	27.1%
2	No	393	72.9%
Sysmiss		1566	

## QN19: Motor vehicle caused most serious injury

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 550 Invalid: 1555

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	68	12.4%
2	No	482	87.6%
Sysmiss		1555	

## QN20: Bullied 1+ of past 30 days

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 1975 Invalid: 130

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES



Value	Category	Cases	
1	Yes	580	29.4%
2	No	1395	70.6%
Sysmiss		130	

## QN21: Of students bullied, most often hit, kicked, etc

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 443 Invalid: 1662

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

#### CATEGORIES

Value	Category	Cases	
1	Yes	48	10.8%
2	No	395	89.2%
Sysmiss		1662	

## QN22: Lonely most times/always past 12 months

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 2058 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	287	13.9%
2	No	1771	86.1%
Sysmiss		47	

**QN23: Worry prevented sleep most time/always past 12 mos****Data file: ARG2012\_Catamarca\_Public\_Use****Overview**

Valid: 2095 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	229	10.9%
2	No	1866	89.1%
Sysmiss		10	

**QN24: Considered suicide past 12 months****Data file: ARG2012\_Catamarca\_Public\_Use****Overview**

Valid: 2047 Invalid: 58

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	476	23.3%
2	No	1571	76.7%
Sysmiss		58	

**QN25: Made suicide plan past 12 months****Data file: ARG2012\_Catamarca\_Public\_Use****Overview**

Valid: 2071 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	416	20.1%
2	No	1655	79.9%
Sysmiss		34	

### QN26: 1+ times attempt suicide 12 mos.

Data file: ARG2012\_Catamarca\_Public\_Use

#### Overview

Valid: 2065 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	370	17.9%
2	No	1695	82.1%
Sysmiss		40	

### QN27: No close friends

Data file: ARG2012\_Catamarca\_Public\_Use

#### Overview

Valid: 2046 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	116	5.7%
2	No	1930	94.3%
Sysmiss		59	

**QN28: Age first cigarette before 14****Data file:** ARG2012\_Catamarca\_Public\_Use**Overview**

Valid: 936 Invalid: 1169

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	622	66.5%
2	No	314	33.5%
Sysmiss		1169	

**QN29: Smoked cigarettes 1+ of past 30 days****Data file:** ARG2012\_Catamarca\_Public\_Use**Overview**

Valid: 2064 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	553	26.8%
2	No	1511	73.2%
Sysmiss		41	

**QN30: Used other tobacco 1+ of past 30 days****Data file: ARG2012\_Catamarca\_Public\_Use****Overview**

Valid: 2083 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	154	7.4%
2	No	1929	92.6%
Sysmiss		22	

**QN31: Tried to quit smoking past 12 months****Data file: ARG2012\_Catamarca\_Public\_Use****Overview**

Valid: 508 Invalid: 1597

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	382	75.2%
2	No	126	24.8%
Sysmiss		1597	

**QN32: Others present smoking 1+ of past 7 days****Data file: ARG2012\_Catamarca\_Public\_Use****Overview**

Valid: 2062 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	1552	75.3%
2	No	510	24.7%
Sysmiss		43	

## QN33: Either/Both parents use tobacco

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 2064 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	668	32.4%
2	No	1396	67.6%
Sysmiss		41	

## QN34: Age first alcohol before 14

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 1378 Invalid: 727

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	818	59.4%
2	No	560	40.6%
Sysmiss		727	

**QN35: Drank 1+ days past 30 days****Data file:** ARG2012\_Catamarca\_Public\_Use**Overview**

Valid: 1962 Invalid: 143

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	1057	53.9%
2	No	905	46.1%
Sysmiss		143	

**QN36: Of current drinkers, drank 2+ drinks/day 30 days****Data file:** ARG2012\_Catamarca\_Public\_Use**Overview**

Valid: 1171 Invalid: 934

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

## CATEGORIES

Value	Category	Cases	
1	Yes	751	64.1%
2	No	420	35.9%
Sysmiss		934	

**QN37: Of current drinkers, got alcohol from friends****Data file: ARG2012\_Catamarca\_Public\_Use****Overview**

Valid: 1045 Invalid: 1060

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

## CATEGORIES

Value	Category	Cases	
1	Yes	439	42%
2	No	606	58%
Sysmiss		1060	

**QN38: 1+ times drunk in lifetime****Data file: ARG2012\_Catamarca\_Public\_Use****Overview**

Valid: 2023 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	678	33.5%
2	No	1345	66.5%
Sysmiss		82	

**QN39: Alcohol trouble 1+ times in lifetime****Data file: ARG2012\_Catamarca\_Public\_Use****Overview**

Valid: 1998 Invalid: 107

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

### CATEGORIES

Value	Category	Cases	
1	Yes	438	21.9%
2	No	1560	78.1%
Sysmiss		107	

### QN40: Age first drugs before 14

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 213 Invalid: 1892

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
1	Yes	94	44.1%
2	No	119	55.9%
Sysmiss		1892	

### QN41: Marijuana 1+ times in lifetime

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 1993 Invalid: 112

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	181	9.1%
2	No	1812	90.9%
Sysmiss		112	

### QN42: Marijuana 1+ times p 30 days

Data file: ARG2012\_Catamarca\_Public\_Use

#### Overview

Valid: 2030 Invalid: 75

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	138	6.8%
2	No	1892	93.2%
Sysmiss		75	

### QN43: Amphetamines 1+ times lifetime

Data file: ARG2012\_Catamarca\_Public\_Use

#### Overview

Valid: 2030 Invalid: 75

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

##### CATEGORIES

Value	Category	Cases	
1	Yes	49	2.4%
2	No	1981	97.6%
Sysmiss		75	

**QN44: Ever had sex****Data file:** ARG2012\_Catamarca\_Public\_Use**Overview**

Valid: 1944 Invalid: 161

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	995	51.2%
2	No	949	48.8%
Sysmiss		161	

**QN45: Age first sexual intercourse before 14****Data file:** ARG2012\_Catamarca\_Public\_Use**Overview**

Valid: 879 Invalid: 1226

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	355	40.4%
2	No	524	59.6%
Sysmiss		1226	

**QN46: 2+ sex partners lifetime****Data file:** ARG2012\_Catamarca\_Public\_Use**Overview**

Valid: 1999 Invalid: 106

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	501	25.1%
2	No	1498	74.9%
Sysmiss		106	

### QN47: Used condom at last sex

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 854 Invalid: 1251

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	616	72.1%
2	No	238	27.9%
Sysmiss		1251	

### QN48: Used birth control at last sex

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 850 Invalid: 1255

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	452	53.2%
2	No	398	46.8%
Sysmiss		1255	

### QN49: Active 60+ mins/day for 5+ of past 7 days

Data file: ARG2012\_Catamarca\_Public\_Use

#### Overview

Valid: 2039 Invalid: 66

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	629	30.8%
2	No	1410	69.2%
Sysmiss		66	

### QN50: Walk/Bike to/from school 0 of past 7 days

Data file: ARG2012\_Catamarca\_Public\_Use

#### Overview

Valid: 2008 Invalid: 97

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	555	27.6%
2	No	1453	72.4%
Sysmiss		97	

**QN51: 3+ days PE each week****Data file:** ARG2012\_Catamarca\_Public\_Use**Overview**

Valid: 1969 Invalid: 136

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	647	32.9%
2	No	1322	67.1%
Sysmiss		136	

**QN52: Sitting activities 3+ hours/day of usual day****Data file:** ARG2012\_Catamarca\_Public\_Use**Overview**

Valid: 2021 Invalid: 84

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

## CATEGORIES

Value	Category	Cases	
1	Yes	871	43.1%
2	No	1150	56.9%
Sysmiss		84	

**QN53: Miss school no permission 1+ of past 30 days****Data file:** ARG2012\_Catamarca\_Public\_Use**Overview**

Valid: 2022 Invalid: 83

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	885	43.8%
2	No	1137	56.2%
Sysmiss		83	

### QN54: Students most/always kind 30 days

Data file: ARG2012\_Catamarca\_Public\_Use

#### Overview

Valid: 2011 Invalid: 94

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	897	44.6%
2	No	1114	55.4%
Sysmiss		94	

### QN55: Parents most/always check homework

Data file: ARG2012\_Catamarca\_Public\_Use

#### Overview

Valid: 2024 Invalid: 81

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	621	30.7%
2	No	1403	69.3%
Sysmiss		81	

## QN56: Parents most/always understand problems

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 2015 Invalid: 90

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	889	44.1%
2	No	1126	55.9%
Sysmiss		90	

## QN57: Parents most/always know about free time

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 1993 Invalid: 112

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	865	43.4%
2	No	1128	56.6%
Sysmiss		112	



**QN58: Parents never/rarely go thru things****Data file:** ARG2012\_Catamarca\_Public\_Use**Overview**

Valid: 2007    Invalid: 98

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	1388	69.2%
2	No	619	30.8%
Sysmiss		98	

**QNOWTG: Overweight****Data file:** ARG2012\_Catamarca\_Public\_Use**Overview**

Valid: 0    Invalid: 2105

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

## CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

**QNOBESEG: Obese****Data file:** ARG2012\_Catamarca\_Public\_Use**Overview**

Valid: 0    Invalid: 2105

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese ( $>+2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

## QNUNWTG: Underweight

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 0    Invalid: 2105

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were underweight ( $<-2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

## QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 2056    Invalid: 49

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	412	20%
2	No	1644	80%
Sysmiss		49	

## QNANYTBG: Used any tobacco past 30 days

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 2054 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	565	27.5%
2	No	1489	72.5%
Sysmiss		51	

## QNPA7G: Physically active all past 7 days

Data file: ARG2012\_Catamarca\_Public\_Use

### Overview

Valid: 2039 Invalid: 66

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

#### CATEGORIES

Value	Category	Cases	
1	Yes	433	21.2%
2	No	1606	78.8%
Sysmiss		66	

**QNPE5G: Attended PE 5+ days each week****Data file: ARG2012\_Catamarca\_Public\_Use****Overview**

Valid: 1969 Invalid: 136

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	497	25.2%
2	No	1472	74.8%
Sysmiss		136	

**QNC1G: Among heavy drinkers, ever sex****Data file: ARG2012\_Catamarca\_Public\_Use****Overview**

Valid: 629 Invalid: 1476

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	461	73.3%
2	No	168	26.7%
Sysmiss		1476	

**QNC2G: Among those worried, currently bullied****Data file: ARG2012\_Catamarca\_Public\_Use****Overview**

Valid: 205 Invalid: 1900

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	93	45.4%
2	No	112	54.6%
Sysmiss		1900	

### WEIGHT: Weight

Data file: ARG2012\_Catamarca\_Public\_Use

#### Overview

Valid: 2105 Invalid: 0 Minimum: 6.787 Maximum: 25.515 Mean: 11.082 Standard deviation: 3.204  
Type: Continuous Decimal: 0 Width: 10 Range: 3.2196 - 1361.2246 Format: Numeric

### STRATUM: Stratum

Data file: ARG2012\_Catamarca\_Public\_Use

#### Overview

Valid: 2105 Invalid: 0 Minimum: 201202001 Maximum: 201202012 Mean: 201202005.894 Standard deviation: 20.882  
Type: Continuous Decimal: 0 Width: 9 Range: 201201001 - 201224012 Format: Numeric

### PSU: Primary Sampling Unit

Data file: ARG2012\_Catamarca\_Public\_Use

#### Overview

Valid: 2105 Invalid: 0 Minimum: 1 Maximum: 24 Mean: 11.305 Standard deviation: 6.669  
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 36 Format: Numeric

**Q1: How old are you****Data file: ARG2012\_Chaco\_Public\_Use****Overview**

Valid: 950 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	4	0.4%
2	12 years old	2	0.2%
3	13 years old	198	20.8%
4	14 years old	291	30.6%
5	15 years old	265	27.9%
6	16 years old or older	190	20%
Sysmiss		7	

**Q2: Sex****Data file: ARG2012\_Chaco\_Public\_Use****Overview**

Valid: 942 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	467	49.6%
2	Female	475	50.4%
Sysmiss		15	

**Q3: In what grade are you****Data file: ARG2012\_Chaco\_Public\_Use**

## Overview

Valid: 945 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

### CATEGORIES

Value	Category	Cases	
1	8th EGB	489	51.7%
2	9th EGB	282	29.8%
3	1st Pol	174	18.4%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		12	

## Q4: How tall are you

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 694 Invalid: 263 Minimum: 1.27 Maximum: 1.99 Mean: 1.622 Standard deviation: 0.115

Type: Continuous Decimal: 2 Width: 5 Range: 1.2 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q5: How much do you weigh

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 694 Invalid: 263 Minimum: 32 Maximum: 129 Mean: 56.135 Standard deviation: 11.212

Type: Continuous Decimal: 2 Width: 5 Range: 30 - 180 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days**

**Data file:** ARG2012\_Chaco\_Public\_Use

**Overview**

Valid: 946 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	592	62.6%
2	Rarely	198	20.9%
3	Sometimes	96	10.1%
4	Most of the time	28	3%
5	Always	32	3.4%
Sysmiss		11	

**Q7: Eat fruit per day past 30 days**

**Data file:** ARG2012\_Chaco\_Public\_Use

**Overview**

Valid: 943 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	136	14.4%



2	Less than one time per day	190	20.1%
3	1 time per day	232	24.6%
4	2 times per day	164	17.4%
5	3 times per day	114	12.1%
6	4 times per day	29	3.1%
7	5 or more times per day	78	8.3%
Sysmiss		14	

## Q8: Eat vegetables past 30 days

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 942 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	86	9.1%
2	Less than one time per day	156	16.6%
3	1 time per day	354	37.6%
4	2 times per day	195	20.7%
5	3 times per day	56	5.9%
6	4 times per day	23	2.4%
7	5 or more times per day	72	7.6%
Sysmiss		15	

## Q9: Drink soft drinks past 30 days

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 944 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	85	9%
2	Less than one time per day	201	21.3%
3	1 time per day	206	21.8%
4	2 times per day	175	18.5%
5	3 times per day	82	8.7%
6	4 times per day	33	3.5%
7	5 or more times per day	162	17.2%
Sysmiss		13	

## Q10: Ate fast food past 7 days

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 950 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	637	67.1%
2	1 day	153	16.1%
3	2 days	80	8.4%
4	3 days	30	3.2%
5	4 days	12	1.3%
6	5 days	14	1.5%
7	6 days	2	0.2%

8	7 days	22	2.3%
Sysmiss		7	

## Q11: How many times per day brush teeth

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 946 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	20	2.1%
2	Less than 1 time per day	34	3.6%
3	1 time per day	151	16%
4	2 times per day	255	27%
5	3 times per day	336	35.5%
6	4 or more times per day	150	15.9%
Sysmiss		11	

## Q12: Wash hands before eating past 30 days

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 943 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	35	3.7%
2	Rarely	73	7.7%
3	Sometimes	131	13.9%
4	Most of the time	246	26.1%
5	Always	458	48.6%
Sysmiss		14	

### Q13: Wash hands after toilet past 30 day

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 950 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	25	2.6%
2	Rarely	35	3.7%
3	Sometimes	59	6.2%
4	Most of the time	148	15.6%
5	Always	683	71.9%
Sysmiss		7	

### Q14: Used soap on hands past 30 days

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 945 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

#### CATEGORIES

Value	Category	Cases	
1	Never	29	3.1%
2	Rarely	51	5.4%
3	Sometimes	119	12.6%
4	Most of the time	242	25.6%
5	Always	504	53.3%
Sysmiss		12	

### Q15: Times attacked past 12 mo.

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 939 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

#### CATEGORIES

Value	Category	Cases	
1	0 times	732	78%
2	1 time	102	10.9%
3	2 or 3 times	55	5.9%
4	4 or 5 times	13	1.4%
5	6 or 7 times	8	0.9%
6	8 or 9 times	5	0.5%
7	10 or 11 times	3	0.3%
8	12 or more times	21	2.2%
Sysmiss		18	

### Q16: How many times in fight 12 mos

Data file: ARG2012\_Chaco\_Public\_Use

## Overview

Valid: 953 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	656	68.8%
2	1 time	124	13%
3	2 or 3 times	70	7.3%
4	4 or 5 times	31	3.3%
5	6 or 7 times	9	0.9%
6	8 or 9 times	2	0.2%
7	10 or 11 times	9	0.9%
8	12 or more times	52	5.5%
Sysmiss		4	

## Q17: How many times injured past 12 months

Data file: ARG2012\_Chaco\_Public\_Use

## Overview

Valid: 832 Invalid: 125

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	555	66.7%
2	1 time	187	22.5%
3	2 or 3 times	62	7.5%

4	4 or 5 times	13	1.6%
5	6 or 7 times	5	0.6%
6	8 or 9 times	1	0.1%
7	10 or 11 times	0	0%
8	12 or more times	9	1.1%
Sysmiss		125	

### Q18: What was serious injury past 12 mo.

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 853 Invalid: 104

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	649	76.1%
2	Broken bone/dislocated joint	46	5.4%
3	I had a cut or stab wound	20	2.3%
4	Concussion/head injury	20	2.3%
5	I had a gunshot wound	2	0.2%
6	I had a bad burn	6	0.7%
7	I was poisoned	4	0.5%
8	Something else happened to me	106	12.4%
Sysmiss		104	

### Q19: Cause of injury past 12 mo.

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 860 Invalid: 97

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	654	76%
2	Motor vehicle accident	20	2.3%
3	I fell	71	8.3%
4	Something fell on me or hit me	17	2%
5	I was attacked	14	1.6%
6	Was in a fire	2	0.2%
7	breathed something bad	2	0.2%
8	Something else	80	9.3%
Sysmiss		97	

## Q20: How many days bullied past 30 days

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 901 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	679	75.4%
2	1 or 2 days	134	14.9%
3	3 to 5 days	39	4.3%
4	6 to 9 days	11	1.2%
5	10 to 19 days	8	0.9%



6	20 to 29 days	8	0.9%
7	All 30 days	22	2.4%
Sysmiss		56	

## Q21: How bullied past 30 days

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 903 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	732	81.1%
2	Kicked, pushed, or shoved	25	2.8%
3	Made fun of race	20	2.2%
4	Made fun because of religion	3	0.3%
5	Made fun of about sex	18	2%
6	Left out of activities	9	1%
7	Made fun of about body	32	3.5%
8	Some other way	64	7.1%
Sysmiss		54	

## Q22: Times felt lonely past 12 mo.

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 937 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	408	43.5%
2	Rarely	240	25.6%
3	Sometimes	190	20.3%
4	Most of the time	63	6.7%
5	Always	36	3.8%
Sysmiss		20	

### Q23: Times could not sleep past 12 mo.

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 948 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	354	37.3%
2	Rarely	294	31%
3	Sometimes	209	22%
4	Most of the time	63	6.6%
5	Always	28	3%
Sysmiss		9	

### Q24: Ever considered suicide 12 mos

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 935 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	161	17.2%
2	No	774	82.8%
Sysmiss		22	

## Q25: Ever make suicide plan 12 mos

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 941 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	158	16.8%
2	No	783	83.2%
Sysmiss		16	

## Q26: Times attempted suicide 12 mos.

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 943 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	783	83%
2	1 time	100	10.6%
3	2 or 3 times	28	3%
4	4 or 5 times	16	1.7%
5	6 or more times	16	1.7%
Sysmiss		14	

### Q27: Number close friends

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 935 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	59	6.3%
2	1	105	11.2%
3	2	119	12.7%
4	3 or more	652	69.7%
Sysmiss		22	

### Q28: Age first tried cigarette

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 915 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	613	67%
2	7 years old or younger	40	4.4%
3	8 or 9 years old	23	2.5%
4	10 or 11 years old	46	5%
5	12 or 13 years old	90	9.8%
6	14 or 15 years old	92	10.1%
7	16 years old or older	11	1.2%
Sysmiss		42	

## Q29: How many days smoked 30 days

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 937 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	778	83%
2	1 or 2 days	70	7.5%
3	3 to 5 days	22	2.3%
4	6 to 9 days	17	1.8%
5	10 to 19 days	16	1.7%
6	20 to 29 days	7	0.7%
7	All 30 days	27	2.9%
Sysmiss		20	

**Q30: Other tobacco past 30 days****Data file: ARG2012\_Chaco\_Public\_Use****Overview**

Valid: 952 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

**CATEGORIES**

Value	Category	Cases	
1	0 days	879	92.3%
2	1 or 2 days	28	2.9%
3	3 to 5 days	13	1.4%
4	6 to 9 days	6	0.6%
5	10 to 19 days	6	0.6%
6	20 to 29 days	0	0%
7	All 30 days	20	2.1%
Sysmiss		5	

**Q31: Try stop smoking past 12 mo.****Data file: ARG2012\_Chaco\_Public\_Use****Overview**

Valid: 921 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 12 months, have you ever tried to stop smoking cigarettes?

**CATEGORIES**

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	709	77%
2	Did not smoke cigarettes	66	7.2%
3	Yes	101	11%
4	No	45	4.9%
Sysmiss		36	

### Q32: Others present smoking past 7 days

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 944 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	323	34.2%
2	1 or 2 days	235	24.9%
3	3 or 4 days	94	10%
4	5 or 6 days	48	5.1%
5	All 7 days	244	25.8%
Sysmiss		13	

### Q33: Parents who use tobacco

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 951 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	673	70.8%
2	My father or male guardian	143	15%
3	My mother or female guardian	45	4.7%
4	Both	58	6.1%
5	I do not know	32	3.4%
Sysmiss		6	

**Q34: Age first drink alcohol****Data file: ARG2012\_Chaco\_Public\_Use****Overview**

Valid: 868 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

## CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	254	29.3%
2	7 years old or younger	51	5.9%
3	8 or 9 years old	40	4.6%
4	10 or 11 years old	93	10.7%
5	12 or 13 years old	209	24.1%
6	14 or 15 years old	197	22.7%
7	16 years old or older	24	2.8%
Sysmiss		89	

**Q35: Days one drink or more past 30 days****Data file: ARG2012\_Chaco\_Public\_Use****Overview**

Valid: 900 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

### CATEGORIES

Value	Category	Cases	
1	0 days	441	49%
2	1 or 2 days	235	26.1%
3	3 to 5 days	93	10.3%
4	6 to 9 days	47	5.2%
5	10 to 19 days	37	4.1%
6	20 to 29 days	19	2.1%
7	All 30 days	28	3.1%
Sysmiss		57	

## Q36: Number of drinks past 30 days

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 923 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	413	44.7%
2	Less than one drink	97	10.5%
3	1 drink	74	8%
4	2 drinks	72	7.8%
5	3 drinks	57	6.2%
6	4 drinks	38	4.1%

7	5 or more drinks	172	18.6%
Sysmiss		34	

### Q37: How got drinks past 30 days

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 913 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

##### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	435	47.6%
2	I bought in a store	117	12.8%
3	I gave someone money to buy	25	2.7%
4	I got it from my friends	188	20.6%
5	I got it from my family	77	8.4%
6	I stole it	9	1%
7	Some other way	62	6.8%
Sysmiss		44	

### Q38: Times drunk during life

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 929 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	677	72.9%
2	1 or 2 times	165	17.8%
3	3 to 9 times	53	5.7%
4	10 or more times	34	3.7%
Sysmiss		28	

### Q39: Number of troubles as result of drinking

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 921 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	752	81.7%
2	1 or 2 times	109	11.8%
3	3 to 9 times	31	3.4%
4	10 or more times	29	3.1%
Sysmiss		36	

### Q40: Age first drugs

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 913 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

How old were you when you first used drugs?

### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	825	90.4%
2	7 years old or younger	12	1.3%
3	8 or 9 years old	10	1.1%
4	10 or 11 years old	13	1.4%
5	12 or 13 years old	17	1.9%
6	14 or 15 years old	25	2.7%
7	16 years old or older	11	1.2%
Sysmiss		44	

## Q41: Times used marijuana lifetime

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 915 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	845	92.3%
2	1 or 2 times	26	2.8%
3	3 to 9 times	20	2.2%
4	10 to 19 times	10	1.1%
5	20 or more times	14	1.5%
Sysmiss		42	

**Q42: Times used marijuana past 30 days****Data file: ARG2012\_Chaco\_Public\_Use****Overview**

Valid: 935 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	886	94.8%
2	1 or 2 times	14	1.5%
3	3 to 9 times	19	2%
4	10 to 19 times	7	0.7%
5	20 or more times	9	1%
Sysmiss		22	

**Q43: Times used amphetamines lifetime****Data file: ARG2012\_Chaco\_Public\_Use****Overview**

Valid: 927 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	896	96.7%

2	1 or 2 times	14	1.5%
3	3 to 9 times	7	0.8%
4	10 to 19 times	5	0.5%
5	20 or more times	5	0.5%
Sysmiss		30	

#### Q44: Ever had sex

Data file: ARG2012\_Chaco\_Public\_Use

##### Overview

Valid: 887 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

###### LITERAL QUESTION

Have you ever had sexual intercourse?

###### CATEGORIES

Value	Category	Cases	
1	Yes	398	44.9%
2	No	489	55.1%
Sysmiss		70	

#### Q45: Age first sexual intercourse

Data file: ARG2012\_Chaco\_Public\_Use

##### Overview

Valid: 899 Invalid: 58

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

###### LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

###### CATEGORIES

Value	Category	Cases	
1	Never had sex	567	63.1%

2	11 years old or younger	57	6.3%
3	12 years old	48	5.3%
4	13 years old	63	7%
5	14 years old	90	10%
6	15 years old	54	6%
7	16 years old or older	20	2.2%
Sysmiss		58	

## Q46: How many sex partners

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 923 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	587	63.6%
2	1 person	126	13.7%
3	2 people	69	7.5%
4	3 people	38	4.1%
5	4 people	26	2.8%
6	5 people	11	1.2%
7	6 or more people	66	7.2%
Sysmiss		34	

## Q47: Used condom at last intercourse

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 905 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	602	66.5%
2	Yes	227	25.1%
3	No	76	8.4%
Sysmiss		52	

## Q48: Used birth control last intercourse

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 908 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	594	65.4%
2	Yes	172	18.9%
3	No	96	10.6%
4	I do not know	46	5.1%
Sysmiss		49	

## Q49: Days active 60 min plus past 7 days

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 941 Invalid: 16



Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

**CATEGORIES**

Value	Category	Cases	
1	0 days	167	17.7%
2	1 day	136	14.5%
3	2 days	176	18.7%
4	3 days	113	12%
5	4 days	66	7%
6	5 days	59	6.3%
7	6 days	20	2.1%
8	7 days	204	21.7%
Sysmiss		16	

**Q50: Walk or bike to school past 7 days****Data file:** ARG2012\_Chaco\_Public\_Use**Overview**

Valid: 931    Invalid: 26

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

**CATEGORIES**

Value	Category	Cases	
1	0 days	279	30%
2	1 day	72	7.7%
3	2 days	38	4.1%

4	3 days	45	4.8%
5	4 days	20	2.1%
6	5 days	138	14.8%
7	6 days	8	0.9%
8	7 days	331	35.6%
Sysmiss		26	

## Q51: Days went to PE each week

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 912 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

#### CATEGORIES

Value	Category	Cases	
1	0 days	93	10.2%
2	1 day	78	8.6%
3	2 days	462	50.7%
4	3 days	22	2.4%
5	4 days	15	1.6%
6	5 or more days	242	26.5%
Sysmiss		45	

## Q52: Time spent sitting on usual day

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 930 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	287	30.9%
2	1 to 2 hours per day	288	31%
3	3 to 4 hours per day	176	18.9%
4	5 to 6 hours per day	77	8.3%
5	7 to 8 hours per day	30	3.2%
6	More than 8 hours per day	72	7.7%
Sysmiss		27	

## Q53: Miss school no permission past 30 days

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 924 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

### CATEGORIES

Value	Category	Cases	
1	0 days	584	63.2%
2	1 or 2 days	209	22.6%
3	3 to 5 days	60	6.5%
4	6 to 9 days	26	2.8%
5	10 or more days	45	4.9%
Sysmiss		33	

**Q54: Others helpful in school past 30 days****Data file: ARG2012\_Chaco\_Public\_Use****Overview**

Valid: 907 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

## CATEGORIES

Value	Category	Cases	
1	Never	112	12.3%
2	Rarely	172	19%
3	Sometimes	200	22.1%
4	Most of the time	202	22.3%
5	Always	221	24.4%
Sysmiss		50	

**Q55: Parents check homework past 30 days****Data file: ARG2012\_Chaco\_Public\_Use****Overview**

Valid: 925 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

## CATEGORIES

Value	Category	Cases	
1	Never	311	33.6%
2	Rarely	151	16.3%
3	Sometimes	134	14.5%
4	Most of the time	121	13.1%
5	Always	208	22.5%

Sysmiss		32	
---------	--	----	--

## Q56: Parent understand troubles past 30 days

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 917 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

#### CATEGORIES

Value	Category	Cases	
1	Never	197	21.5%
2	Rarely	153	16.7%
3	Sometimes	150	16.4%
4	Most of the time	153	16.7%
5	Always	264	28.8%
Sysmiss		40	

## Q57: Parent know what you do past 30 days

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 919 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	200	21.8%
2	Rarely	133	14.5%

3	Sometimes	138	15%
4	Most of the time	168	18.3%
5	Always	280	30.5%
Sysmiss		38	

## Q58: Parent go through things past 30 days

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 922 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

#### CATEGORIES

Value	Category	Cases	
1		452	49%
2		167	18.1%
3		150	16.3%
4		79	8.6%
5		74	8%
Sysmiss		35	

## QN6: Went hungry most of time/always past 30 days

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 946 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	60	6.3%
2	No	886	93.7%
Sysmiss		11	

**QN7: Ate fruit 2+ times per day past 30 days****Data file:** ARG2012\_Chaco\_Public\_Use**Overview**

Valid: 943 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	385	40.8%
2	No	558	59.2%
Sysmiss		14	

**QN8: Ate vegetables 3+ times per day past 30 day****Data file:** ARG2012\_Chaco\_Public\_Use**Overview**

Valid: 942 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	151	16%
2	No	791	84%
Sysmiss		15	

**QN9: Drank soft drinks 1+ times per day past 30 day****Data file: ARG2012\_Chaco\_Public\_Use****Overview**

Valid: 944 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	658	69.7%
2	No	286	30.3%
Sysmiss		13	

**QN10: Ate fast food 3+ days past 7 day****Data file: ARG2012\_Chaco\_Public\_Use****Overview**

Valid: 950 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

## CATEGORIES

Value	Category	Cases	
1	Yes	80	8.4%
2	No	870	91.6%
Sysmiss		7	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: ARG2012\_Chaco\_Public\_Use****Overview**

Valid: 946 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	54	5.7%
2	No	892	94.3%
Sysmiss		11	

## QN12: Never/rarely wash hands before eating past 30 days

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 943 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	108	11.5%
2	No	835	88.5%
Sysmiss		14	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 950 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	60	6.3%
2	No	890	93.7%
Sysmiss		7	

### QN14: Never/rarely use soap on hands past 30 days

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 945 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	80	8.5%
2	No	865	91.5%
Sysmiss		12	

### QN15: Attacked 1+ times past 12 months

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 939 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	207	22%
2	No	732	78%
Sysmiss		18	

**QN16: In fight 1+ times past 12 months****Data file:** ARG2012\_Chaco\_Public\_Use**Overview**

Valid: 953 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	297	31.2%
2	No	656	68.8%
Sysmiss		4	

**QN17: Seriously injured 1+ times past 12 months****Data file:** ARG2012\_Chaco\_Public\_Use**Overview**

Valid: 832 Invalid: 125

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	277	33.3%
2	No	555	66.7%
Sysmiss		125	

**QN18: Broken bone as most serious injury****Data file:** ARG2012\_Chaco\_Public\_Use**Overview**

Valid: 204 Invalid: 753

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

### CATEGORIES

Value	Category	Cases	
1	Yes	46	22.5%
2	No	158	77.5%
Sysmiss		753	

## QN19: Motor vehicle caused most serious injury

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 206 Invalid: 751

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	20	9.7%
2	No	186	90.3%
Sysmiss		751	

## QN20: Bullied 1+ of past 30 days

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 901 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	222	24.6%
2	No	679	75.4%
Sysmiss		56	

### QN21: Of students bullied, most often hit, kicked, etc

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 171 Invalid: 786

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

##### CATEGORIES

Value	Category	Cases	
1	Yes	25	14.6%
2	No	146	85.4%
Sysmiss		786	

### QN22: Lonely most times/always past 12 months

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 937 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	99	10.6%
2	No	838	89.4%
Sysmiss		20	

**QN23: Worry prevented sleep most time/always past 12 mos****Data file: ARG2012\_Chaco\_Public\_Use****Overview**

Valid: 948 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	91	9.6%
2	No	857	90.4%
Sysmiss		9	

**QN24: Considered suicide past 12 months****Data file: ARG2012\_Chaco\_Public\_Use****Overview**

Valid: 935 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	161	17.2%
2	No	774	82.8%
Sysmiss		22	

**QN25: Made suicide plan past 12 months****Data file: ARG2012\_Chaco\_Public\_Use****Overview**

Valid: 941 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	158	16.8%
2	No	783	83.2%
Sysmiss		16	

### QN26: 1+ times attempt suicide 12 mos.

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 943 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	160	17%
2	No	783	83%
Sysmiss		14	

### QN27: No close friends

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 935 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	59	6.3%
2	No	876	93.7%
Sysmiss		22	

### QN28: Age first cigarette before 14

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 302 Invalid: 655

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

##### CATEGORIES

Value	Category	Cases	
1	Yes	199	65.9%
2	No	103	34.1%
Sysmiss		655	

### QN29: Smoked cigarettes 1+ of past 30 days

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 937 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	159	17%
2	No	778	83%
Sysmiss		20	



**QN30: Used other tobacco 1+ of past 30 days****Data file: ARG2012\_Chaco\_Public\_Use****Overview**

Valid: 952 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	73	7.7%
2	No	879	92.3%
Sysmiss		5	

**QN31: Tried to quit smoking past 12 months****Data file: ARG2012\_Chaco\_Public\_Use****Overview**

Valid: 146 Invalid: 811

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	101	69.2%
2	No	45	30.8%
Sysmiss		811	

**QN32: Others present smoking 1+ of past 7 days****Data file: ARG2012\_Chaco\_Public\_Use****Overview**

Valid: 944 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	621	65.8%
2	No	323	34.2%
Sysmiss		13	

## QN33: Either/Both parents use tobacco

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 951 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	246	25.9%
2	No	705	74.1%
Sysmiss		6	

## QN34: Age first alcohol before 14

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 614 Invalid: 343

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	393	64%
2	No	221	36%
Sysmiss		343	

**QN35: Drank 1+ days past 30 days****Data file:** ARG2012\_Chaco\_Public\_Use**Overview**

Valid: 900 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	459	51%
2	No	441	49%
Sysmiss		57	

**QN36: Of current drinkers, drank 2+ drinks/day 30 days****Data file:** ARG2012\_Chaco\_Public\_Use**Overview**

Valid: 510 Invalid: 447

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

## CATEGORIES

Value	Category	Cases	
1	Yes	339	66.5%
2	No	171	33.5%
Sysmiss		447	

**QN37: Of current drinkers, got alcohol from friends****Data file:** ARG2012\_Chaco\_Public\_Use**Overview**

Valid: 478 Invalid: 479

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

## CATEGORIES

Value	Category	Cases	
1	Yes	188	39.3%
2	No	290	60.7%
Sysmiss		479	

**QN38: 1+ times drunk in lifetime****Data file:** ARG2012\_Chaco\_Public\_Use**Overview**

Valid: 929 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	252	27.1%
2	No	677	72.9%
Sysmiss		28	

**QN39: Alcohol trouble 1+ times in lifetime****Data file:** ARG2012\_Chaco\_Public\_Use**Overview**

Valid: 921 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

### CATEGORIES

Value	Category	Cases	
1	Yes	169	18.3%
2	No	752	81.7%
Sysmiss		36	

## QN40: Age first drugs before 14

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 88 Invalid: 869

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
1	Yes	52	59.1%
2	No	36	40.9%
Sysmiss		869	

## QN41: Marijuana 1+ times in lifetime

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 915 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	70	7.7%
2	No	845	92.3%
Sysmiss		42	

**QN42: Marijuana 1+ times p 30 days****Data file:** ARG2012\_Chaco\_Public\_Use**Overview**

Valid: 935 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	49	5.2%
2	No	886	94.8%
Sysmiss		22	

**QN43: Amphetamines 1+ times lifetime****Data file:** ARG2012\_Chaco\_Public\_Use**Overview**

Valid: 927 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	31	3.3%
2	No	896	96.7%
Sysmiss		30	

**QN44: Ever had sex****Data file:** ARG2012\_Chaco\_Public\_Use**Overview**

Valid: 887 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	398	44.9%
2	No	489	55.1%
Sysmiss		70	

**QN45: Age first sexual intercourse before 14****Data file:** ARG2012\_Chaco\_Public\_Use**Overview**

Valid: 332 Invalid: 625

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	168	50.6%
2	No	164	49.4%
Sysmiss		625	

**QN46: 2+ sex partners lifetime****Data file:** ARG2012\_Chaco\_Public\_Use**Overview**

Valid: 923 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	210	22.8%
2	No	713	77.2%
Sysmiss		34	

### QN47: Used condom at last sex

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 303 Invalid: 654

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	227	74.9%
2	No	76	25.1%
Sysmiss		654	

### QN48: Used birth control at last sex

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 314 Invalid: 643

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

### CATEGORIES



Value	Category	Cases	
1	Yes	172	54.8%
2	No	142	45.2%
Sysmiss		643	

### Q49: Active 60+ mins/day for 5+ of past 7 days

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 941 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	283	30.1%
2	No	658	69.9%
Sysmiss		16	

### Q50: Walk/Bike to/from school 0 of past 7 days

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 931 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	279	30%
2	No	652	70%
Sysmiss		26	

**QN51: 3+ days PE each week****Data file: ARG2012\_Chaco\_Public\_Use****Overview**

Valid: 912 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	279	30.6%
2	No	633	69.4%
Sysmiss		45	

**QN52: Sitting activities 3+ hours/day of usual day****Data file: ARG2012\_Chaco\_Public\_Use****Overview**

Valid: 930 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

## CATEGORIES

Value	Category	Cases	
1	Yes	355	38.2%
2	No	575	61.8%
Sysmiss		27	

**QN53: Miss school no permission 1+ of past 30 days****Data file: ARG2012\_Chaco\_Public\_Use****Overview**

Valid: 924 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	340	36.8%
2	No	584	63.2%
Sysmiss		33	

### QN54: Students most/always kind 30 days

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 907 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	423	46.6%
2	No	484	53.4%
Sysmiss		50	

### QN55: Parents most/always check homework

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 925 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	329	35.6%
2	No	596	64.4%
Sysmiss		32	

## QN56: Parents most/always understand problems

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 917 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	417	45.5%
2	No	500	54.5%
Sysmiss		40	

## QN57: Parents most/always know about free time

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 919 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	448	48.7%
2	No	471	51.3%
Sysmiss		38	

**QN58: Parents never/rarely go thru things****Data file:** ARG2012\_Chaco\_Public\_Use**Overview**

Valid: 922 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	619	67.1%
2	No	303	32.9%
Sysmiss		35	

**QNOWTG: Overweight****Data file:** ARG2012\_Chaco\_Public\_Use**Overview**

Valid: 694 Invalid: 263

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

**CATEGORIES**

Value	Category	Cases	
1	Yes	187	26.9%
2	No	507	73.1%
Sysmiss		263	

**QNOBESEG: Obese****Data file:** ARG2012\_Chaco\_Public\_Use**Overview**

Valid: 694 Invalid: 263

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese ( $>+2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1	Yes	34	4.9%
2	No	660	95.1%
Sysmiss		263	

## QNUNWTG: Underweight

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 694    Invalid: 263

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were underweight ( $<-2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1	Yes	14	2%
2	No	680	98%
Sysmiss		263	

## QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 935    Invalid: 22

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	217	23.2%
2	No	718	76.8%
Sysmiss		22	

## QNANYTBG: Used any tobacco past 30 days

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 934 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	166	17.8%
2	No	768	82.2%
Sysmiss		23	

## QNPA7G: Physically active all past 7 days

Data file: ARG2012\_Chaco\_Public\_Use

### Overview

Valid: 941 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

#### CATEGORIES

Value	Category	Cases	
1	Yes	204	21.7%
2	No	737	78.3%
Sysmiss		16	

**QNPE5G: Attended PE 5+ days each week****Data file:** ARG2012\_Chaco\_Public\_Use**Overview**

Valid: 912 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	242	26.5%
2	No	670	73.5%
Sysmiss		45	

**QNC1G: Among heavy drinkers, ever sex****Data file:** ARG2012\_Chaco\_Public\_Use**Overview**

Valid: 223 Invalid: 734

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	151	67.7%
2	No	72	32.3%
Sysmiss		734	

**QNC2G: Among those worried, currently bullied****Data file:** ARG2012\_Chaco\_Public\_Use**Overview**

Valid: 80 Invalid: 877

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	29	36.3%
2	No	51	63.8%
Sysmiss		877	

### WEIGHT: Weight

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 957 Invalid: 0 Minimum: 21.718 Maximum: 91.811 Mean: 36.332 Standard deviation: 11.639  
Type: Continuous Decimal: 0 Width: 10 Range: 3.2196 - 1361.2246 Format: Numeric

### STRATUM: Stratum

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 957 Invalid: 0 Minimum: 201203001 Maximum: 201203012 Mean: 201203006.998 Standard deviation: 8.28  
Type: Continuous Decimal: 0 Width: 9 Range: 201201001 - 201224012 Format: Numeric

### PSU: Primary Sampling Unit

Data file: ARG2012\_Chaco\_Public\_Use

#### Overview

Valid: 957 Invalid: 0 Minimum: 1 Maximum: 24 Mean: 13.603 Standard deviation: 7.153  
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 36 Format: Numeric

**Q1: How old are you****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 1345 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	2	0.1%
2	12 years old	3	0.2%
3	13 years old	171	12.7%
4	14 years old	366	27.2%
5	15 years old	436	32.4%
6	16 years old or older	367	27.3%
Sysmiss		11	

**Q2: Sex****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 1340 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	589	44%
2	Female	751	56%
Sysmiss		16	

**Q3: In what grade are you****Data file: ARG2012\_Chubut\_Public\_Use**

## Overview

Valid: 1326 Invalid: 30  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

### CATEGORIES

Value	Category	Cases	
1	8th EGB	255	19.2%
2	9th EGB	561	42.3%
3	1st Pol	510	38.5%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		30	

## Q4: How tall are you

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 825 Invalid: 531 Minimum: 1.3 Maximum: 1.91 Mean: 1.64 Standard deviation: 0.0917  
 Type: Continuous Decimal: 2 Width: 5 Range: 1.2 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q5: How much do you weigh

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 825 Invalid: 531 Minimum: 37 Maximum: 166 Mean: 58.935 Standard deviation: 11.962  
 Type: Continuous Decimal: 2 Width: 5 Range: 30 - 180 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days**

Data file: ARG2012\_Chubut\_Public\_Use

**Overview**

Valid: 1341 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	774	57.7%
2	Rarely	315	23.5%
3	Sometimes	212	15.8%
4	Most of the time	32	2.4%
5	Always	8	0.6%
Sysmiss		15	

**Q7: Eat fruit per day past 30 days**

Data file: ARG2012\_Chubut\_Public\_Use

**Overview**

Valid: 1343 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	139	10.3%

2	Less than one time per day	367	27.3%
3	1 time per day	388	28.9%
4	2 times per day	256	19.1%
5	3 times per day	103	7.7%
6	4 times per day	36	2.7%
7	5 or more times per day	54	4%
Sysmiss		13	

## Q8: Eat vegetables past 30 days

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1330 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	90	6.8%
2	Less than one time per day	262	19.7%
3	1 time per day	440	33.1%
4	2 times per day	383	28.8%
5	3 times per day	79	5.9%
6	4 times per day	21	1.6%
7	5 or more times per day	55	4.1%
Sysmiss		26	

## Q9: Drink soft drinks past 30 days

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1338 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	148	11.1%
2	Less than one time per day	453	33.9%
3	1 time per day	242	18.1%
4	2 times per day	177	13.2%
5	3 times per day	124	9.3%
6	4 times per day	63	4.7%
7	5 or more times per day	131	9.8%
Sysmiss		18	

## Q10: Ate fast food past 7 days

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1351 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	1119	82.8%
2	1 day	135	10%
3	2 days	49	3.6%
4	3 days	20	1.5%
5	4 days	11	0.8%
6	5 days	6	0.4%
7	6 days	2	0.1%

8	7 days	9	0.7%
Sysmiss		5	

## Q11: How many times per day brush teeth

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1344 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	21	1.6%
2	Less than 1 time per day	60	4.5%
3	1 time per day	238	17.7%
4	2 times per day	477	35.5%
5	3 times per day	393	29.2%
6	4 or more times per day	155	11.5%
Sysmiss		12	

## Q12: Wash hands before eating past 30 days

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1344 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	60	4.5%
2	Rarely	151	11.2%
3	Sometimes	259	19.3%
4	Most of the time	391	29.1%
5	Always	483	35.9%
Sysmiss		12	

### Q13: Wash hands after toilet past 30 day

Data file: ARG2012\_Chubut\_Public\_Use

#### Overview

Valid: 1348 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	27	2%
2	Rarely	52	3.9%
3	Sometimes	109	8.1%
4	Most of the time	250	18.5%
5	Always	910	67.5%
Sysmiss		8	

### Q14: Used soap on hands past 30 days

Data file: ARG2012\_Chubut\_Public\_Use

#### Overview

Valid: 1337 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION



During the past 30 days, how often did you use soap when washing your hands?

## CATEGORIES

Value	Category	Cases	
1	Never	30	2.2%
2	Rarely	46	3.4%
3	Sometimes	166	12.4%
4	Most of the time	321	24%
5	Always	774	57.9%
Sysmiss		19	

### Q15: Times attacked past 12 mo.

Data file: ARG2012\_Chubut\_Public\_Use

#### Overview

Valid: 1325 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

##### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

## CATEGORIES

Value	Category	Cases	
1	0 times	1032	77.9%
2	1 time	126	9.5%
3	2 or 3 times	91	6.9%
4	4 or 5 times	20	1.5%
5	6 or 7 times	10	0.8%
6	8 or 9 times	13	1%
7	10 or 11 times	5	0.4%
8	12 or more times	28	2.1%
Sysmiss		31	

### Q16: How many times in fight 12 mos

Data file: ARG2012\_Chubut\_Public\_Use

## Overview

Valid: 1352 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	971	71.8%
2	1 time	152	11.2%
3	2 or 3 times	112	8.3%
4	4 or 5 times	39	2.9%
5	6 or 7 times	19	1.4%
6	8 or 9 times	10	0.7%
7	10 or 11 times	5	0.4%
8	12 or more times	44	3.3%
Sysmiss		4	

## Q17: How many times injured past 12 months

Data file: ARG2012\_Chubut\_Public\_Use

## Overview

Valid: 1182 Invalid: 174

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	752	63.6%
2	1 time	266	22.5%
3	2 or 3 times	119	10.1%

4	4 or 5 times	23	1.9%
5	6 or 7 times	7	0.6%
6	8 or 9 times	2	0.2%
7	10 or 11 times	2	0.2%
8	12 or more times	11	0.9%
Sysmiss		174	

### Q18: What was serious injury past 12 mo.

Data file: ARG2012\_Chubut\_Public\_Use

#### Overview

Valid: 1201 Invalid: 155

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	842	70.1%
2	Broken bone/dislocated joint	78	6.5%
3	I had a cut or stab wound	15	1.2%
4	Concussion/head injury	26	2.2%
5	I had a gunshot wound	9	0.7%
6	I had a bad burn	5	0.4%
7	I was poisoned	7	0.6%
8	Something else happened to me	219	18.2%
Sysmiss		155	

### Q19: Cause of injury past 12 mo.

Data file: ARG2012\_Chubut\_Public\_Use

#### Overview

Valid: 1196 Invalid: 160

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	839	70.2%
2	Motor vehicle accident	17	1.4%
3	I fell	122	10.2%
4	Something fell on me or hit me	35	2.9%
5	I was attacked	23	1.9%
6	Was in a fire	1	0.1%
7	breathed something bad	5	0.4%
8	Something else	154	12.9%
Sysmiss		160	

## Q20: How many days bullied past 30 days

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1291 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	1000	77.5%
2	1 or 2 days	165	12.8%
3	3 to 5 days	49	3.8%
4	6 to 9 days	19	1.5%
5	10 to 19 days	20	1.5%

6	20 to 29 days	8	0.6%
7	All 30 days	30	2.3%
Sysmiss		65	

## Q21: How bullied past 30 days

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1275 Invalid: 81

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	1026	80.5%
2	Kicked, pushed, or shoved	10	0.8%
3	Made fun of race	22	1.7%
4	Made fun because of religion	8	0.6%
5	Made fun of about sex	36	2.8%
6	Left out of activities	18	1.4%
7	Made fun of about body	67	5.3%
8	Some other way	88	6.9%
Sysmiss		81	

## Q22: Times felt lonely past 12 mo.

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1327 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	456	34.4%
2	Rarely	364	27.4%
3	Sometimes	341	25.7%
4	Most of the time	119	9%
5	Always	47	3.5%
Sysmiss		29	

### Q23: Times could not sleep past 12 mo.

Data file: ARG2012\_Chubut\_Public\_Use

#### Overview

Valid: 1345 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	443	32.9%
2	Rarely	410	30.5%
3	Sometimes	350	26%
4	Most of the time	104	7.7%
5	Always	38	2.8%
Sysmiss		11	

### Q24: Ever considered suicide 12 mos

Data file: ARG2012\_Chubut\_Public\_Use

#### Overview

Valid: 1332 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	294	22.1%
2	No	1038	77.9%
Sysmiss		24	

## Q25: Ever make suicide plan 12 mos

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1339 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	241	18%
2	No	1098	82%
Sysmiss		17	

## Q26: Times attempted suicide 12 mos.

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1340 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1111	82.9%
2	1 time	138	10.3%
3	2 or 3 times	57	4.3%
4	4 or 5 times	20	1.5%
5	6 or more times	14	1%
Sysmiss		16	

### Q27: Number close friends

Data file: ARG2012\_Chubut\_Public\_Use

#### Overview

Valid: 1317 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	50	3.8%
2	1	89	6.8%
3	2	238	18.1%
4	3 or more	940	71.4%
Sysmiss		39	

### Q28: Age first tried cigarette

Data file: ARG2012\_Chubut\_Public\_Use

#### Overview

Valid: 1325 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	614	46.3%
2	7 years old or younger	46	3.5%
3	8 or 9 years old	70	5.3%
4	10 or 11 years old	147	11.1%
5	12 or 13 years old	280	21.1%
6	14 or 15 years old	153	11.5%
7	16 years old or older	15	1.1%
Sysmiss		31	

## Q29: How many days smoked 30 days

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1335 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	962	72.1%
2	1 or 2 days	109	8.2%
3	3 to 5 days	67	5%
4	6 to 9 days	49	3.7%
5	10 to 19 days	49	3.7%
6	20 to 29 days	26	1.9%
7	All 30 days	73	5.5%
Sysmiss		21	

**Q30: Other tobacco past 30 days****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 1348 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	1204	89.3%
2	1 or 2 days	68	5%
3	3 to 5 days	33	2.4%
4	6 to 9 days	12	0.9%
5	10 to 19 days	18	1.3%
6	20 to 29 days	5	0.4%
7	All 30 days	8	0.6%
Sysmiss		8	

**Q31: Try stop smoking past 12 mo.****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 1320 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

## CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	774	58.6%
2	Did not smoke cigarettes	178	13.5%
3	Yes	241	18.3%
4	No	127	9.6%
Sysmiss		36	

### Q32: Others present smoking past 7 days

Data file: ARG2012\_Chubut\_Public\_Use

#### Overview

Valid: 1330 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	294	22.1%
2	1 or 2 days	355	26.7%
3	3 or 4 days	215	16.2%
4	5 or 6 days	90	6.8%
5	All 7 days	376	28.3%
Sysmiss		26	

### Q33: Parents who use tobacco

Data file: ARG2012\_Chubut\_Public\_Use

#### Overview

Valid: 1342 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	775	57.7%
2	My father or male guardian	217	16.2%
3	My mother or female guardian	151	11.3%
4	Both	177	13.2%
5	I do not know	22	1.6%
Sysmiss		14	

**Q34: Age first drink alcohol****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 1274 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

## CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	249	19.5%
2	7 years old or younger	85	6.7%
3	8 or 9 years old	65	5.1%
4	10 or 11 years old	151	11.9%
5	12 or 13 years old	394	30.9%
6	14 or 15 years old	305	23.9%
7	16 years old or older	25	2%
Sysmiss		82	

**Q35: Days one drink or more past 30 days****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 1300 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

### CATEGORIES

Value	Category	Cases	
1	0 days	519	39.9%
2	1 or 2 days	338	26%
3	3 to 5 days	179	13.8%
4	6 to 9 days	127	9.8%
5	10 to 19 days	86	6.6%
6	20 to 29 days	28	2.2%
7	All 30 days	23	1.8%
Sysmiss		56	

## Q36: Number of drinks past 30 days

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1322 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	498	37.7%
2	Less than one drink	135	10.2%
3	1 drink	103	7.8%
4	2 drinks	106	8%
5	3 drinks	102	7.7%
6	4 drinks	76	5.7%

7	5 or more drinks	302	22.8%
Sysmiss		34	

### Q37: How got drinks past 30 days

Data file: ARG2012\_Chubut\_Public\_Use

#### Overview

Valid: 1303 Invalid: 53

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

##### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	507	38.9%
2	I bought in a store	218	16.7%
3	I gave someone money to buy	32	2.5%
4	I got it from my friends	264	20.3%
5	I got it from my family	92	7.1%
6	I stole it	6	0.5%
7	Some other way	184	14.1%
Sysmiss		53	

### Q38: Times drunk during life

Data file: ARG2012\_Chubut\_Public\_Use

#### Overview

Valid: 1323 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	781	59%
2	1 or 2 times	313	23.7%
3	3 to 9 times	141	10.7%
4	10 or more times	88	6.7%
Sysmiss		33	

### Q39: Number of troubles as result of drinking

Data file: ARG2012\_Chubut\_Public\_Use

#### Overview

Valid: 1309 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	924	70.6%
2	1 or 2 times	253	19.3%
3	3 to 9 times	89	6.8%
4	10 or more times	43	3.3%
Sysmiss		47	

### Q40: Age first drugs

Data file: ARG2012\_Chubut\_Public\_Use

#### Overview

Valid: 1277 Invalid: 79

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

How old were you when you first used drugs?

### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	958	75%
2	7 years old or younger	11	0.9%
3	8 or 9 years old	18	1.4%
4	10 or 11 years old	30	2.3%
5	12 or 13 years old	84	6.6%
6	14 or 15 years old	154	12.1%
7	16 years old or older	22	1.7%
Sysmiss		79	

## Q41: Times used marijuana lifetime

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1280 Invalid: 76

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	994	77.7%
2	1 or 2 times	75	5.9%
3	3 to 9 times	85	6.6%
4	10 to 19 times	40	3.1%
5	20 or more times	86	6.7%
Sysmiss		76	



**Q42: Times used marijuana past 30 days****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 1304 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1097	84.1%
2	1 or 2 times	97	7.4%
3	3 to 9 times	53	4.1%
4	10 to 19 times	27	2.1%
5	20 or more times	30	2.3%
Sysmiss		52	

**Q43: Times used amphetamines lifetime****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 1317 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1264	96%

2	1 or 2 times	40	3%
3	3 to 9 times	7	0.5%
4	10 to 19 times	3	0.2%
5	20 or more times	3	0.2%
Sysmiss		39	

**Q44: Ever had sex****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 1264 Invalid: 92

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

Have you ever had sexual intercourse?

## CATEGORIES

Value	Category	Cases	
1	Yes	543	43%
2	No	721	57%
Sysmiss		92	

**Q45: Age first sexual intercourse****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 1274 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	776	60.9%

2	11 years old or younger	51	4%
3	12 years old	57	4.5%
4	13 years old	96	7.5%
5	14 years old	143	11.2%
6	15 years old	113	8.9%
7	16 years old or older	38	3%
Sysmiss		82	

## Q46: How many sex partners

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1287 Invalid: 69

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	803	62.4%
2	1 person	198	15.4%
3	2 people	92	7.1%
4	3 people	54	4.2%
5	4 people	43	3.3%
6	5 people	30	2.3%
7	6 or more people	67	5.2%
Sysmiss		69	

## Q47: Used condom at last intercourse

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1282 Invalid: 74

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	803	62.6%
2	Yes	350	27.3%
3	No	129	10.1%
Sysmiss		74	

## Q48: Used birth control last intercourse

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1282 Invalid: 74

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	803	62.6%
2	Yes	222	17.3%
3	No	189	14.7%
4	I do not know	68	5.3%
Sysmiss		74	

## Q49: Days active 60 min plus past 7 days

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1302 Invalid: 54

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

**CATEGORIES**

Value	Category	Cases	
1	0 days	160	12.3%
2	1 day	144	11.1%
3	2 days	293	22.5%
4	3 days	151	11.6%
5	4 days	127	9.8%
6	5 days	130	10%
7	6 days	61	4.7%
8	7 days	236	18.1%
Sysmiss		54	

**Q50: Walk or bike to school past 7 days****Data file:** ARG2012\_Chubut\_Public\_Use**Overview**

Valid: 1301    Invalid: 55

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

**CATEGORIES**

Value	Category	Cases	
1	0 days	492	37.8%
2	1 day	74	5.7%
3	2 days	68	5.2%

4	3 days	75	5.8%
5	4 days	37	2.8%
6	5 days	156	12%
7	6 days	21	1.6%
8	7 days	378	29.1%
Sysmiss		55	

## Q51: Days went to PE each week

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1261 Invalid: 95

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

#### CATEGORIES

Value	Category	Cases	
1	0 days	76	6%
2	1 day	141	11.2%
3	2 days	674	53.4%
4	3 days	32	2.5%
5	4 days	60	4.8%
6	5 or more days	278	22%
Sysmiss		95	

## Q52: Time spent sitting on usual day

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1292 Invalid: 64

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	216	16.7%
2	1 to 2 hours per day	380	29.4%
3	3 to 4 hours per day	391	30.3%
4	5 to 6 hours per day	173	13.4%
5	7 to 8 hours per day	50	3.9%
6	More than 8 hours per day	82	6.3%
Sysmiss		64	

## Q53: Miss school no permission past 30 days

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1288 Invalid: 68

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

### CATEGORIES

Value	Category	Cases	
1	0 days	885	68.7%
2	1 or 2 days	222	17.2%
3	3 to 5 days	99	7.7%
4	6 to 9 days	35	2.7%
5	10 or more days	47	3.6%
Sysmiss		68	

**Q54: Others helpful in school past 30 days****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 1274 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

## CATEGORIES

Value	Category	Cases	
1	Never	89	7%
2	Rarely	208	16.3%
3	Sometimes	349	27.4%
4	Most of the time	390	30.6%
5	Always	238	18.7%
Sysmiss		82	

**Q55: Parents check homework past 30 days****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 1286 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

## CATEGORIES

Value	Category	Cases	
1	Never	464	36.1%
2	Rarely	277	21.5%
3	Sometimes	230	17.9%
4	Most of the time	155	12.1%
5	Always	160	12.4%



Sysmiss		70	
---------	--	----	--

## Q56: Parent understand troubles past 30 days

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1271 Invalid: 85

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

#### CATEGORIES

Value	Category	Cases	
1	Never	228	17.9%
2	Rarely	226	17.8%
3	Sometimes	236	18.6%
4	Most of the time	232	18.3%
5	Always	349	27.5%
Sysmiss		85	

## Q57: Parent know what you do past 30 days

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1266 Invalid: 90

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	181	14.3%
2	Rarely	149	11.8%

3	Sometimes	212	16.7%
4	Most of the time	265	20.9%
5	Always	459	36.3%
Sysmiss		90	

### Q58: Parent go through things past 30 days

Data file: ARG2012\_Chubut\_Public\_Use

#### Overview

Valid: 1272 Invalid: 84

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

##### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

##### CATEGORIES

Value	Category	Cases	
1		556	43.7%
2		315	24.8%
3		227	17.8%
4		97	7.6%
5		77	6.1%
Sysmiss		84	

### QN6: Went hungry most of time/always past 30 days

Data file: ARG2012\_Chubut\_Public\_Use

#### Overview

Valid: 1341 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	40	3%
2	No	1301	97%
Sysmiss		15	

**QN7: Ate fruit 2+ times per day past 30 days****Data file:** ARG2012\_Chubut\_Public\_Use**Overview**

Valid: 1343 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	449	33.4%
2	No	894	66.6%
Sysmiss		13	

**QN8: Ate vegetables 3+ times per day past 30 day****Data file:** ARG2012\_Chubut\_Public\_Use**Overview**

Valid: 1330 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	155	11.7%
2	No	1175	88.3%
Sysmiss		26	

**QN9: Drank soft drinks 1+ times per day past 30 day****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 1338 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	737	55.1%
2	No	601	44.9%
Sysmiss		18	

**QN10: Ate fast food 3+ days past 7 day****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 1351 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

## CATEGORIES

Value	Category	Cases	
1	Yes	48	3.6%
2	No	1303	96.4%
Sysmiss		5	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 1344 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	81	6%
2	No	1263	94%
Sysmiss		12	

## QN12: Never/rarely wash hands before eating past 30 days

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1344 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	211	15.7%
2	No	1133	84.3%
Sysmiss		12	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1348 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	79	5.9%
2	No	1269	94.1%
Sysmiss		8	

### QN14: Never/rarely use soap on hands past 30 days

Data file: ARG2012\_Chubut\_Public\_Use

#### Overview

Valid: 1337 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	76	5.7%
2	No	1261	94.3%
Sysmiss		19	

### QN15: Attacked 1+ times past 12 months

Data file: ARG2012\_Chubut\_Public\_Use

#### Overview

Valid: 1325 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	293	22.1%
2	No	1032	77.9%
Sysmiss		31	

**QN16: In fight 1+ times past 12 months****Data file:** ARG2012\_Chubut\_Public\_Use**Overview**

Valid: 1352 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	381	28.2%
2	No	971	71.8%
Sysmiss		4	

**QN17: Seriously injured 1+ times past 12 months****Data file:** ARG2012\_Chubut\_Public\_Use**Overview**

Valid: 1182 Invalid: 174

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	430	36.4%
2	No	752	63.6%
Sysmiss		174	

**QN18: Broken bone as most serious injury****Data file:** ARG2012\_Chubut\_Public\_Use**Overview**

Valid: 359 Invalid: 997

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

### CATEGORIES

Value	Category	Cases	
1	Yes	78	21.7%
2	No	281	78.3%
Sysmiss		997	

## QN19: Motor vehicle caused most serious injury

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 357 Invalid: 999

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	17	4.8%
2	No	340	95.2%
Sysmiss		999	

## QN20: Bullied 1+ of past 30 days

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1291 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES



Value	Category	Cases	
1	Yes	291	22.5%
2	No	1000	77.5%
Sysmiss		65	

## QN21: Of students bullied, most often hit, kicked, etc

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 249 Invalid: 1107

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

#### CATEGORIES

Value	Category	Cases	
1	Yes	10	4%
2	No	239	96%
Sysmiss		1107	

## QN22: Lonely most times/always past 12 months

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1327 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	166	12.5%
2	No	1161	87.5%
Sysmiss		29	

**QN23: Worry prevented sleep most time/always past 12 mos****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 1345 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	142	10.6%
2	No	1203	89.4%
Sysmiss		11	

**QN24: Considered suicide past 12 months****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 1332 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	294	22.1%
2	No	1038	77.9%
Sysmiss		24	

**QN25: Made suicide plan past 12 months****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 1339 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	241	18%
2	No	1098	82%
Sysmiss		17	

### QN26: 1+ times attempt suicide 12 mos.

Data file: ARG2012\_Chubut\_Public\_Use

#### Overview

Valid: 1340 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	229	17.1%
2	No	1111	82.9%
Sysmiss		16	

### QN27: No close friends

Data file: ARG2012\_Chubut\_Public\_Use

#### Overview

Valid: 1317 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	50	3.8%
2	No	1267	96.2%
Sysmiss		39	

## QN28: Age first cigarette before 14

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 711 Invalid: 645

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

#### CATEGORIES

Value	Category	Cases	
1	Yes	543	76.4%
2	No	168	23.6%
Sysmiss		645	

## QN29: Smoked cigarettes 1+ of past 30 days

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1335 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	373	27.9%
2	No	962	72.1%
Sysmiss		21	

**QN30: Used other tobacco 1+ of past 30 days****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 1348 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	144	10.7%
2	No	1204	89.3%
Sysmiss		8	

**QN31: Tried to quit smoking past 12 months****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 368 Invalid: 988

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	241	65.5%
2	No	127	34.5%
Sysmiss		988	

**QN32: Others present smoking 1+ of past 7 days****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 1330 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	1036	77.9%
2	No	294	22.1%
Sysmiss		26	

## QN33: Either/Both parents use tobacco

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1342 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	545	40.6%
2	No	797	59.4%
Sysmiss		14	

## QN34: Age first alcohol before 14

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1025 Invalid: 331

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	695	67.8%
2	No	330	32.2%
Sysmiss		331	

**QN35: Drank 1+ days past 30 days****Data file:** ARG2012\_Chubut\_Public\_Use**Overview**

Valid: 1300 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	781	60.1%
2	No	519	39.9%
Sysmiss		56	

**QN36: Of current drinkers, drank 2+ drinks/day 30 days****Data file:** ARG2012\_Chubut\_Public\_Use**Overview**

Valid: 824 Invalid: 532

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

## CATEGORIES

Value	Category	Cases	
1	Yes	586	71.1%
2	No	238	28.9%
Sysmiss		532	

**QN37: Of current drinkers, got alcohol from friends****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 796 Invalid: 560

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

## CATEGORIES

Value	Category	Cases	
1	Yes	264	33.2%
2	No	532	66.8%
Sysmiss		560	

**QN38: 1+ times drunk in lifetime****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 1323 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	542	41%
2	No	781	59%
Sysmiss		33	

**QN39: Alcohol trouble 1+ times in lifetime****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 1309 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

### CATEGORIES

Value	Category	Cases	
1	Yes	385	29.4%
2	No	924	70.6%
Sysmiss		47	

## QN40: Age first drugs before 14

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 319 Invalid: 1037

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
1	Yes	143	44.8%
2	No	176	55.2%
Sysmiss		1037	

## QN41: Marijuana 1+ times in lifetime

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1280 Invalid: 76

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	286	22.3%
2	No	994	77.7%
Sysmiss		76	

**QN42: Marijuana 1+ times p 30 days****Data file:** ARG2012\_Chubut\_Public\_Use**Overview**

Valid: 1304 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	207	15.9%
2	No	1097	84.1%
Sysmiss		52	

**QN43: Amphetamines 1+ times lifetime****Data file:** ARG2012\_Chubut\_Public\_Use**Overview**

Valid: 1317 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	53	4%
2	No	1264	96%
Sysmiss		39	

**QN44: Ever had sex****Data file:** ARG2012\_Chubut\_Public\_Use**Overview**

Valid: 1264 Invalid: 92

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	543	43%
2	No	721	57%
Sysmiss		92	

**QN45: Age first sexual intercourse before 14****Data file:** ARG2012\_Chubut\_Public\_Use**Overview**

Valid: 498 Invalid: 858

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	204	41%
2	No	294	59%
Sysmiss		858	

**QN46: 2+ sex partners lifetime****Data file:** ARG2012\_Chubut\_Public\_Use**Overview**

Valid: 1287 Invalid: 69

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	286	22.2%
2	No	1001	77.8%
Sysmiss		69	

### QN47: Used condom at last sex

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 479 Invalid: 877

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	350	73.1%
2	No	129	26.9%
Sysmiss		877	

### QN48: Used birth control at last sex

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 479 Invalid: 877

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	222	46.3%
2	No	257	53.7%
Sysmiss		877	

### QN49: Active 60+ mins/day for 5+ of past 7 days

Data file: ARG2012\_Chubut\_Public\_Use

#### Overview

Valid: 1302 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	427	32.8%
2	No	875	67.2%
Sysmiss		54	

### QN50: Walk/Bike to/from school 0 of past 7 days

Data file: ARG2012\_Chubut\_Public\_Use

#### Overview

Valid: 1301 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	492	37.8%
2	No	809	62.2%
Sysmiss		55	

**QN51: 3+ days PE each week****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 1261 Invalid: 95

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	370	29.3%
2	No	891	70.7%
Sysmiss		95	

**QN52: Sitting activities 3+ hours/day of usual day****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 1292 Invalid: 64

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

## CATEGORIES

Value	Category	Cases	
1	Yes	696	53.9%
2	No	596	46.1%
Sysmiss		64	

**QN53: Miss school no permission 1+ of past 30 days****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 1288 Invalid: 68

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	403	31.3%
2	No	885	68.7%
Sysmiss		68	

### QN54: Students most/always kind 30 days

Data file: ARG2012\_Chubut\_Public\_Use

#### Overview

Valid: 1274 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	628	49.3%
2	No	646	50.7%
Sysmiss		82	

### QN55: Parents most/always check homework

Data file: ARG2012\_Chubut\_Public\_Use

#### Overview

Valid: 1286 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	315	24.5%
2	No	971	75.5%
Sysmiss		70	

## QN56: Parents most/always understand problems

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1271 Invalid: 85

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	581	45.7%
2	No	690	54.3%
Sysmiss		85	

## QN57: Parents most/always know about free time

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1266 Invalid: 90

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	724	57.2%
2	No	542	42.8%
Sysmiss		90	



**QN58: Parents never/rarely go thru things****Data file:** ARG2012\_Chubut\_Public\_Use**Overview**

Valid: 1272 Invalid: 84

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	871	68.5%
2	No	401	31.5%
Sysmiss		84	

**QNOWTG: Overweight****Data file:** ARG2012\_Chubut\_Public\_Use**Overview**

Valid: 825 Invalid: 531

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

**CATEGORIES**

Value	Category	Cases	
1	Yes	242	29.3%
2	No	583	70.7%
Sysmiss		531	

**QNOBESEG: Obese****Data file:** ARG2012\_Chubut\_Public\_Use**Overview**

Valid: 825 Invalid: 531

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese ( $>+2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1	Yes	46	5.6%
2	No	779	94.4%
Sysmiss		531	

## QNUNWTG: Underweight

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 825    Invalid: 531

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were underweight ( $<-2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1	Yes	14	1.7%
2	No	811	98.3%
Sysmiss		531	

## QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1324    Invalid: 32

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	210	15.9%
2	No	1114	84.1%
Sysmiss		32	

## QNANYTBG: Used any tobacco past 30 days

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1334 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	392	29.4%
2	No	942	70.6%
Sysmiss		22	

## QNPA7G: Physically active all past 7 days

Data file: ARG2012\_Chubut\_Public\_Use

### Overview

Valid: 1302 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

#### CATEGORIES

Value	Category	Cases	
1	Yes	236	18.1%
2	No	1066	81.9%
Sysmiss		54	

**QNPE5G: Attended PE 5+ days each week****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 1261 Invalid: 95

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	278	22%
2	No	983	78%
Sysmiss		95	

**QNC1G: Among heavy drinkers, ever sex****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 501 Invalid: 855

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	329	65.7%
2	No	172	34.3%
Sysmiss		855	

**QNC2G: Among those worried, currently bullied****Data file: ARG2012\_Chubut\_Public\_Use****Overview**

Valid: 134 Invalid: 1222

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	45	33.6%
2	No	89	66.4%
Sysmiss		1222	

### WEIGHT: Weight

Data file: ARG2012\_Chubut\_Public\_Use

#### Overview

Valid: 1356 Invalid: 0 Minimum: 10.651 Maximum: 113.412 Mean: 21.411 Standard deviation: 12.584  
Type: Continuous Decimal: 0 Width: 10 Range: 3.2196 - 1361.2246 Format: Numeric

### STRATUM: Stratum

Data file: ARG2012\_Chubut\_Public\_Use

#### Overview

Valid: 1356 Invalid: 0 Minimum: 201204001 Maximum: 201204012 Mean: 201204007.952 Standard deviation: 19.975  
Type: Continuous Decimal: 0 Width: 9 Range: 201201001 - 201224012 Format: Numeric

### PSU: Primary Sampling Unit

Data file: ARG2012\_Chubut\_Public\_Use

#### Overview

Valid: 1356 Invalid: 0 Minimum: 1 Maximum: 24 Mean: 15.47 Standard deviation: 7.232  
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 36 Format: Numeric

**Q1: How old are you****Data file: ARG2012\_Cordoba\_Public\_Use****Overview**

Valid: 1218 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	7	0.6%
2	12 years old	2	0.2%
3	13 years old	225	18.5%
4	14 years old	369	30.3%
5	15 years old	395	32.4%
6	16 years old or older	220	18.1%
Sysmiss		16	

**Q2: Sex****Data file: ARG2012\_Cordoba\_Public\_Use****Overview**

Valid: 1220 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	555	45.5%
2	Female	665	54.5%
Sysmiss		14	

**Q3: In what grade are you****Data file: ARG2012\_Cordoba\_Public\_Use**

## Overview

Valid: 1117 Invalid: 117

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

### CATEGORIES

Value	Category	Cases	
1	8th EGB	5	0.4%
2	9th EGB	488	43.7%
3	1st Pol	624	55.9%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		117	

## Q4: How tall are you

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 917 Invalid: 317 Minimum: 1.3 Maximum: 1.99 Mean: 1.638 Standard deviation: 0.0993

Type: Continuous Decimal: 2 Width: 5 Range: 1.2 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q5: How much do you weigh

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 917 Invalid: 317 Minimum: 35 Maximum: 150 Mean: 55.923 Standard deviation: 12.102

Type: Continuous Decimal: 2 Width: 5 Range: 30 - 180 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days**

**Data file:** ARG2012\_Cordoba\_Public\_Use

**Overview**

Valid: 1221 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	791	64.8%
2	Rarely	247	20.2%
3	Sometimes	142	11.6%
4	Most of the time	28	2.3%
5	Always	13	1.1%
Sysmiss		13	

**Q7: Eat fruit per day past 30 days**

**Data file:** ARG2012\_Cordoba\_Public\_Use

**Overview**

Valid: 1224 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	133	10.9%



2	Less than one time per day	280	22.9%
3	1 time per day	362	29.6%
4	2 times per day	259	21.2%
5	3 times per day	99	8.1%
6	4 times per day	42	3.4%
7	5 or more times per day	49	4%
Sysmiss		10	

## Q8: Eat vegetables past 30 days

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1223 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	95	7.8%
2	Less than one time per day	225	18.4%
3	1 time per day	404	33%
4	2 times per day	372	30.4%
5	3 times per day	67	5.5%
6	4 times per day	24	2%
7	5 or more times per day	36	2.9%
Sysmiss		11	

## Q9: Drink soft drinks past 30 days

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1217 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	110	9%
2	Less than one time per day	361	29.7%
3	1 time per day	188	15.4%
4	2 times per day	190	15.6%
5	3 times per day	129	10.6%
6	4 times per day	52	4.3%
7	5 or more times per day	187	15.4%
Sysmiss		17	

## Q10: Ate fast food past 7 days

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1227 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	866	70.6%
2	1 day	245	20%
3	2 days	64	5.2%
4	3 days	27	2.2%
5	4 days	11	0.9%
6	5 days	4	0.3%
7	6 days	2	0.2%

8	7 days	8	0.7%
Sysmiss		7	

## Q11: How many times per day brush teeth

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1229 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	14	1.1%
2	Less than 1 time per day	57	4.6%
3	1 time per day	233	19%
4	2 times per day	439	35.7%
5	3 times per day	357	29%
6	4 or more times per day	129	10.5%
Sysmiss		5	

## Q12: Wash hands before eating past 30 days

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1217 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	35	2.9%
2	Rarely	108	8.9%
3	Sometimes	220	18.1%
4	Most of the time	323	26.5%
5	Always	531	43.6%
Sysmiss		17	

### Q13: Wash hands after toilet past 30 day

Data file: ARG2012\_Cordoba\_Public\_Use

#### Overview

Valid: 1224 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	30	2.5%
2	Rarely	60	4.9%
3	Sometimes	132	10.8%
4	Most of the time	215	17.6%
5	Always	787	64.3%
Sysmiss		10	

### Q14: Used soap on hands past 30 days

Data file: ARG2012\_Cordoba\_Public\_Use

#### Overview

Valid: 1217 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

#### CATEGORIES

Value	Category	Cases	
1	Never	30	2.5%
2	Rarely	52	4.3%
3	Sometimes	153	12.6%
4	Most of the time	293	24.1%
5	Always	689	56.6%
Sysmiss		17	

### Q15: Times attacked past 12 mo.

Data file: ARG2012\_Cordoba\_Public\_Use

#### Overview

Valid: 1214 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

#### CATEGORIES

Value	Category	Cases	
1	0 times	936	77.1%
2	1 time	113	9.3%
3	2 or 3 times	81	6.7%
4	4 or 5 times	32	2.6%
5	6 or 7 times	8	0.7%
6	8 or 9 times	8	0.7%
7	10 or 11 times	4	0.3%
8	12 or more times	32	2.6%
Sysmiss		20	

### Q16: How many times in fight 12 mos

Data file: ARG2012\_Cordoba\_Public\_Use

## Overview

Valid: 1229 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	831	67.6%
2	1 time	173	14.1%
3	2 or 3 times	112	9.1%
4	4 or 5 times	43	3.5%
5	6 or 7 times	15	1.2%
6	8 or 9 times	11	0.9%
7	10 or 11 times	1	0.1%
8	12 or more times	43	3.5%
Sysmiss		5	

## Q17: How many times injured past 12 months

Data file: ARG2012\_Cordoba\_Public\_Use

## Overview

Valid: 1081 Invalid: 153

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	739	68.4%
2	1 time	226	20.9%
3	2 or 3 times	82	7.6%

4	4 or 5 times	14	1.3%
5	6 or 7 times	7	0.6%
6	8 or 9 times	3	0.3%
7	10 or 11 times	1	0.1%
8	12 or more times	9	0.8%
Sysmiss		153	

### Q18: What was serious injury past 12 mo.

Data file: ARG2012\_Cordoba\_Public\_Use

#### Overview

Valid: 1115 Invalid: 119

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	847	76%
2	Broken bone/dislocated joint	69	6.2%
3	I had a cut or stab wound	28	2.5%
4	Concussion/head injury	24	2.2%
5	I had a gunshot wound	1	0.1%
6	I had a bad burn	5	0.4%
7	I was poisoned	5	0.4%
8	Something else happened to me	136	12.2%
Sysmiss		119	

### Q19: Cause of injury past 12 mo.

Data file: ARG2012\_Cordoba\_Public\_Use

#### Overview

Valid: 1101 Invalid: 133

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	829	75.3%
2	Motor vehicle accident	17	1.5%
3	I fell	93	8.4%
4	Something fell on me or hit me	28	2.5%
5	I was attacked	16	1.5%
6	Was in a fire	1	0.1%
7	breathed something bad	5	0.5%
8	Something else	112	10.2%
Sysmiss		133	

## Q20: How many days bullied past 30 days

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1173 Invalid: 61

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	883	75.3%
2	1 or 2 days	183	15.6%
3	3 to 5 days	45	3.8%
4	6 to 9 days	23	2%
5	10 to 19 days	11	0.9%



6	20 to 29 days	6	0.5%
7	All 30 days	22	1.9%
Sysmiss		61	

## Q21: How bullied past 30 days

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1164 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	933	80.2%
2	Kicked, pushed, or shoved	18	1.5%
3	Made fun of race	11	0.9%
4	Made fun because of religion	12	1%
5	Made fun of about sex	34	2.9%
6	Left out of activities	21	1.8%
7	Made fun of about body	61	5.2%
8	Some other way	74	6.4%
Sysmiss		70	

## Q22: Times felt lonely past 12 mo.

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1201 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	499	41.5%
2	Rarely	328	27.3%
3	Sometimes	265	22.1%
4	Most of the time	78	6.5%
5	Always	31	2.6%
Sysmiss		33	

### Q23: Times could not sleep past 12 mo.

Data file: ARG2012\_Cordoba\_Public\_Use

#### Overview

Valid: 1224 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	418	34.2%
2	Rarely	407	33.3%
3	Sometimes	312	25.5%
4	Most of the time	61	5%
5	Always	26	2.1%
Sysmiss		10	

### Q24: Ever considered suicide 12 mos

Data file: ARG2012\_Cordoba\_Public\_Use

#### Overview

Valid: 1168 Invalid: 66

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	198	17%
2	No	970	83%
Sysmiss		66	

## Q25: Ever make suicide plan 12 mos

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1167 Invalid: 67

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	193	16.5%
2	No	974	83.5%
Sysmiss		67	

## Q26: Times attempted suicide 12 mos.

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1175 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	977	83.1%
2	1 time	123	10.5%
3	2 or 3 times	51	4.3%
4	4 or 5 times	14	1.2%
5	6 or more times	10	0.9%
Sysmiss		59	

### Q27: Number close friends

Data file: ARG2012\_Cordoba\_Public\_Use

#### Overview

Valid: 1203 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	45	3.7%
2	1	80	6.7%
3	2	175	14.5%
4	3 or more	903	75.1%
Sysmiss		31	

### Q28: Age first tried cigarette

Data file: ARG2012\_Cordoba\_Public\_Use

#### Overview

Valid: 1212 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	721	59.5%
2	7 years old or younger	25	2.1%
3	8 or 9 years old	37	3.1%
4	10 or 11 years old	82	6.8%
5	12 or 13 years old	183	15.1%
6	14 or 15 years old	153	12.6%
7	16 years old or older	11	0.9%
Sysmiss		22	

## Q29: How many days smoked 30 days

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1221 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	950	77.8%
2	1 or 2 days	99	8.1%
3	3 to 5 days	44	3.6%
4	6 to 9 days	35	2.9%
5	10 to 19 days	24	2%
6	20 to 29 days	19	1.6%
7	All 30 days	50	4.1%
Sysmiss		13	

**Q30: Other tobacco past 30 days****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 1230 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

**CATEGORIES**

Value	Category	Cases	
1	0 days	1142	92.8%
2	1 or 2 days	47	3.8%
3	3 to 5 days	20	1.6%
4	6 to 9 days	6	0.5%
5	10 to 19 days	4	0.3%
6	20 to 29 days	2	0.2%
7	All 30 days	9	0.7%
Sysmiss		4	

**Q31: Try stop smoking past 12 mo.****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 1214 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 12 months, have you ever tried to stop smoking cigarettes?

**CATEGORIES**

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	839	69.1%
2	Did not smoke cigarettes	116	9.6%
3	Yes	185	15.2%
4	No	74	6.1%
Sysmiss		20	

### Q32: Others present smoking past 7 days

Data file: ARG2012\_Cordoba\_Public\_Use

#### Overview

Valid: 1213 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	287	23.7%
2	1 or 2 days	322	26.5%
3	3 or 4 days	192	15.8%
4	5 or 6 days	82	6.8%
5	All 7 days	330	27.2%
Sysmiss		21	

### Q33: Parents who use tobacco

Data file: ARG2012\_Cordoba\_Public\_Use

#### Overview

Valid: 1231 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	736	59.8%
2	My father or male guardian	202	16.4%
3	My mother or female guardian	130	10.6%
4	Both	138	11.2%
5	I do not know	25	2%
Sysmiss		3	

**Q34: Age first drink alcohol****Data file: ARG2012\_Cordoba\_Public\_Use****Overview**

Valid: 1155 Invalid: 79

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

## CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	255	22.1%
2	7 years old or younger	50	4.3%
3	8 or 9 years old	63	5.5%
4	10 or 11 years old	148	12.8%
5	12 or 13 years old	345	29.9%
6	14 or 15 years old	274	23.7%
7	16 years old or older	20	1.7%
Sysmiss		79	

**Q35: Days one drink or more past 30 days****Data file: ARG2012\_Cordoba\_Public\_Use****Overview**

Valid: 1171 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

### CATEGORIES

Value	Category	Cases	
1	0 days	484	41.3%
2	1 or 2 days	333	28.4%
3	3 to 5 days	147	12.6%
4	6 to 9 days	109	9.3%
5	10 to 19 days	53	4.5%
6	20 to 29 days	18	1.5%
7	All 30 days	27	2.3%
Sysmiss		63	

## Q36: Number of drinks past 30 days

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1198 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	485	40.5%
2	Less than one drink	132	11%
3	1 drink	97	8.1%
4	2 drinks	92	7.7%
5	3 drinks	97	8.1%
6	4 drinks	61	5.1%

7	5 or more drinks	234	19.5%
Sysmiss		36	

### Q37: How got drinks past 30 days

Data file: ARG2012\_Cordoba\_Public\_Use

#### Overview

Valid: 1178 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

##### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	484	41.1%
2	I bought in a store	169	14.3%
3	I gave someone money to buy	48	4.1%
4	I got it from my friends	259	22%
5	I got it from my family	92	7.8%
6	I stole it	12	1%
7	Some other way	114	9.7%
Sysmiss		56	

### Q38: Times drunk during life

Data file: ARG2012\_Cordoba\_Public\_Use

#### Overview

Valid: 1214 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	795	65.5%
2	1 or 2 times	285	23.5%
3	3 to 9 times	86	7.1%
4	10 or more times	48	4%
Sysmiss		20	

### Q39: Number of troubles as result of drinking

Data file: ARG2012\_Cordoba\_Public\_Use

#### Overview

Valid: 1193 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	917	76.9%
2	1 or 2 times	197	16.5%
3	3 to 9 times	49	4.1%
4	10 or more times	30	2.5%
Sysmiss		41	

### Q40: Age first drugs

Data file: ARG2012\_Cordoba\_Public\_Use

#### Overview

Valid: 1199 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

How old were you when you first used drugs?

### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1041	86.8%
2	7 years old or younger	15	1.3%
3	8 or 9 years old	5	0.4%
4	10 or 11 years old	19	1.6%
5	12 or 13 years old	47	3.9%
6	14 or 15 years old	62	5.2%
7	16 years old or older	10	0.8%
Sysmiss		35	

## Q41: Times used marijuana lifetime

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1192 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	1060	88.9%
2	1 or 2 times	42	3.5%
3	3 to 9 times	44	3.7%
4	10 to 19 times	19	1.6%
5	20 or more times	27	2.3%
Sysmiss		42	

**Q42: Times used marijuana past 30 days****Data file: ARG2012\_Cordoba\_Public\_Use****Overview**

Valid: 1212 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1122	92.6%
2	1 or 2 times	37	3.1%
3	3 to 9 times	23	1.9%
4	10 to 19 times	18	1.5%
5	20 or more times	12	1%
Sysmiss		22	

**Q43: Times used amphetamines lifetime****Data file: ARG2012\_Cordoba\_Public\_Use****Overview**

Valid: 1217 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1179	96.9%

2	1 or 2 times	19	1.6%
3	3 to 9 times	12	1%
4	10 to 19 times	4	0.3%
5	20 or more times	3	0.2%
Sysmiss		17	

**Q44: Ever had sex****Data file: ARG2012\_Cordoba\_Public\_Use****Overview**

Valid: 1097 Invalid: 137

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

Have you ever had sexual intercourse?

## CATEGORIES

Value	Category	Cases	
1	Yes	360	32.8%
2	No	737	67.2%
Sysmiss		137	

**Q45: Age first sexual intercourse****Data file: ARG2012\_Cordoba\_Public\_Use****Overview**

Valid: 1125 Invalid: 109

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	803	71.4%

2	11 years old or younger	38	3.4%
3	12 years old	47	4.2%
4	13 years old	59	5.2%
5	14 years old	96	8.5%
6	15 years old	67	6%
7	16 years old or older	15	1.3%
Sysmiss		109	

## Q46: How many sex partners

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1128 Invalid: 106

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	813	72.1%
2	1 person	155	13.7%
3	2 people	47	4.2%
4	3 people	39	3.5%
5	4 people	23	2%
6	5 people	11	1%
7	6 or more people	40	3.5%
Sysmiss		106	

## Q47: Used condom at last intercourse

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1129 Invalid: 105

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	820	72.6%
2	Yes	232	20.5%
3	No	77	6.8%
Sysmiss		105	

## Q48: Used birth control last intercourse

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1131 Invalid: 103

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	814	72%
2	Yes	159	14.1%
3	No	117	10.3%
4	I do not know	41	3.6%
Sysmiss		103	

## Q49: Days active 60 min plus past 7 days

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1216 Invalid: 18



Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

### CATEGORIES

Value	Category	Cases	
1	0 days	167	13.7%
2	1 day	150	12.3%
3	2 days	304	25%
4	3 days	136	11.2%
5	4 days	106	8.7%
6	5 days	106	8.7%
7	6 days	48	3.9%
8	7 days	199	16.4%
Sysmiss		18	

## Q50: Walk or bike to school past 7 days

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1210    Invalid: 24

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

### CATEGORIES

Value	Category	Cases	
1	0 days	464	38.3%
2	1 day	74	6.1%
3	2 days	62	5.1%

4	3 days	51	4.2%
5	4 days	41	3.4%
6	5 days	142	11.7%
7	6 days	18	1.5%
8	7 days	358	29.6%
Sysmiss		24	

### Q51: Days went to PE each week

Data file: ARG2012\_Cordoba\_Public\_Use

#### Overview

Valid: 1180 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

##### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

##### CATEGORIES

Value	Category	Cases	
1	0 days	56	4.7%
2	1 day	97	8.2%
3	2 days	783	66.4%
4	3 days	30	2.5%
5	4 days	16	1.4%
6	5 or more days	198	16.8%
Sysmiss		54	

### Q52: Time spent sitting on usual day

Data file: ARG2012\_Cordoba\_Public\_Use

#### Overview

Valid: 1215 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	215	17.7%
2	1 to 2 hours per day	372	30.6%
3	3 to 4 hours per day	353	29.1%
4	5 to 6 hours per day	147	12.1%
5	7 to 8 hours per day	53	4.4%
6	More than 8 hours per day	75	6.2%
Sysmiss		19	

## Q53: Miss school no permission past 30 days

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1212 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

### CATEGORIES

Value	Category	Cases	
1	0 days	882	72.8%
2	1 or 2 days	178	14.7%
3	3 to 5 days	71	5.9%
4	6 to 9 days	29	2.4%
5	10 or more days	52	4.3%
Sysmiss		22	

**Q54: Others helpful in school past 30 days****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 1200 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

## CATEGORIES

Value	Category	Cases	
1	Never	100	8.3%
2	Rarely	186	15.5%
3	Sometimes	298	24.8%
4	Most of the time	346	28.8%
5	Always	270	22.5%
Sysmiss		34	

**Q55: Parents check homework past 30 days****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 1215 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

## CATEGORIES

Value	Category	Cases	
1	Never	532	43.8%
2	Rarely	224	18.4%
3	Sometimes	170	14%
4	Most of the time	127	10.5%
5	Always	162	13.3%

Sysmiss		19	
---------	--	----	--

## Q56: Parent understand troubles past 30 days

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1210 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

#### CATEGORIES

Value	Category	Cases	
1	Never	195	16.1%
2	Rarely	179	14.8%
3	Sometimes	229	18.9%
4	Most of the time	228	18.8%
5	Always	379	31.3%
Sysmiss		24	

## Q57: Parent know what you do past 30 days

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1198 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	194	16.2%
2	Rarely	141	11.8%

3	Sometimes	180	15%
4	Most of the time	280	23.4%
5	Always	403	33.6%
Sysmiss		36	

### Q58: Parent go through things past 30 days

Data file: ARG2012\_Cordoba\_Public\_Use

#### Overview

Valid: 1198 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

##### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

##### CATEGORIES

Value	Category	Cases	
1		547	45.7%
2		270	22.5%
3		214	17.9%
4		97	8.1%
5		70	5.8%
Sysmiss		36	

### QN6: Went hungry most of time/always past 30 days

Data file: ARG2012\_Cordoba\_Public\_Use

#### Overview

Valid: 1221 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	41	3.4%
2	No	1180	96.6%
Sysmiss		13	

**QN7: Ate fruit 2+ times per day past 30 days****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 1224 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	449	36.7%
2	No	775	63.3%
Sysmiss		10	

**QN8: Ate vegetables 3+ times per day past 30 day****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 1223 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	127	10.4%
2	No	1096	89.6%
Sysmiss		11	

**QN9: Drank soft drinks 1+ times per day past 30 day****Data file: ARG2012\_Cordoba\_Public\_Use****Overview**

Valid: 1217 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	746	61.3%
2	No	471	38.7%
Sysmiss		17	

**QN10: Ate fast food 3+ days past 7 day****Data file: ARG2012\_Cordoba\_Public\_Use****Overview**

Valid: 1227 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

## CATEGORIES

Value	Category	Cases	
1	Yes	52	4.2%
2	No	1175	95.8%
Sysmiss		7	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: ARG2012\_Cordoba\_Public\_Use****Overview**

Valid: 1229 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	71	5.8%
2	No	1158	94.2%
Sysmiss		5	

## QN12: Never/rarely wash hands before eating past 30 days

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1217 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	143	11.8%
2	No	1074	88.2%
Sysmiss		17	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1224 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	90	7.4%
2	No	1134	92.6%
Sysmiss		10	

**QN14: Never/rarely use soap on hands past 30 days****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 1217 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	82	6.7%
2	No	1135	93.3%
Sysmiss		17	

**QN15: Attacked 1+ times past 12 months****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 1214 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	278	22.9%
2	No	936	77.1%
Sysmiss		20	

**QN16: In fight 1+ times past 12 months****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 1229 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	398	32.4%
2	No	831	67.6%
Sysmiss		5	

**QN17: Seriously injured 1+ times past 12 months****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 1081 Invalid: 153

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	342	31.6%
2	No	739	68.4%
Sysmiss		153	

**QN18: Broken bone as most serious injury****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 268 Invalid: 966

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

### CATEGORIES

Value	Category	Cases	
1	Yes	69	25.7%
2	No	199	74.3%
Sysmiss		966	

## QN19: Motor vehicle caused most serious injury

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 272 Invalid: 962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	17	6.3%
2	No	255	93.8%
Sysmiss		962	

## QN20: Bullied 1+ of past 30 days

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1173 Invalid: 61

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	290	24.7%
2	No	883	75.3%
Sysmiss		61	

### QN21: Of students bullied, most often hit, kicked, etc

Data file: ARG2012\_Cordoba\_Public\_Use

#### Overview

Valid: 231 Invalid: 1003

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

##### CATEGORIES

Value	Category	Cases	
1	Yes	18	7.8%
2	No	213	92.2%
Sysmiss		1003	

### QN22: Lonely most times/always past 12 months

Data file: ARG2012\_Cordoba\_Public\_Use

#### Overview

Valid: 1201 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	109	9.1%
2	No	1092	90.9%
Sysmiss		33	

**QN23: Worry prevented sleep most time/always past 12 mos****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 1224 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

**CATEGORIES**

Value	Category	Cases	
1	Yes	87	7.1%
2	No	1137	92.9%
Sysmiss		10	

**QN24: Considered suicide past 12 months****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 1168 Invalid: 66

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who ever seriously considered attempting suicide during the past 12 months

**CATEGORIES**

Value	Category	Cases	
1	Yes	198	17%
2	No	970	83%
Sysmiss		66	

**QN25: Made suicide plan past 12 months****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 1167 Invalid: 67

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	193	16.5%
2	No	974	83.5%
Sysmiss		67	

### QN26: 1+ times attempt suicide 12 mos.

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1175 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	198	16.9%
2	No	977	83.1%
Sysmiss		59	

### QN27: No close friends

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1203 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	45	3.7%
2	No	1158	96.3%
Sysmiss		31	

**QN28: Age first cigarette before 14****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 491    Invalid: 743

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	327	66.6%
2	No	164	33.4%
Sysmiss		743	

**QN29: Smoked cigarettes 1+ of past 30 days****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 1221    Invalid: 13

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	271	22.2%
2	No	950	77.8%
Sysmiss		13	



**QN30: Used other tobacco 1+ of past 30 days****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 1230 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	88	7.2%
2	No	1142	92.8%
Sysmiss		4	

**QN31: Tried to quit smoking past 12 months****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 259 Invalid: 975

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	185	71.4%
2	No	74	28.6%
Sysmiss		975	

**QN32: Others present smoking 1+ of past 7 days****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 1213 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	926	76.3%
2	No	287	23.7%
Sysmiss		21	

## QN33: Either/Both parents use tobacco

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1231 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	470	38.2%
2	No	761	61.8%
Sysmiss		3	

## QN34: Age first alcohol before 14

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 900 Invalid: 334

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	606	67.3%
2	No	294	32.7%
Sysmiss		334	

**QN35: Drank 1+ days past 30 days****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 1171 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	687	58.7%
2	No	484	41.3%
Sysmiss		63	

**QN36: Of current drinkers, drank 2+ drinks/day 30 days****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 713 Invalid: 521

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

## CATEGORIES

Value	Category	Cases	
1	Yes	484	67.9%
2	No	229	32.1%
Sysmiss		521	

**QN37: Of current drinkers, got alcohol from friends****Data file: ARG2012\_Cordoba\_Public\_Use****Overview**

Valid: 694 Invalid: 540

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

**CATEGORIES**

Value	Category	Cases	
1	Yes	259	37.3%
2	No	435	62.7%
Sysmiss		540	

**QN38: 1+ times drunk in lifetime****Data file: ARG2012\_Cordoba\_Public\_Use****Overview**

Valid: 1214 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

**CATEGORIES**

Value	Category	Cases	
1	Yes	419	34.5%
2	No	795	65.5%
Sysmiss		20	

**QN39: Alcohol trouble 1+ times in lifetime****Data file: ARG2012\_Cordoba\_Public\_Use****Overview**

Valid: 1193 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

### CATEGORIES

Value	Category	Cases	
1	Yes	276	23.1%
2	No	917	76.9%
Sysmiss		41	

### QN40: Age first drugs before 14

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 158 Invalid: 1076

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
1	Yes	86	54.4%
2	No	72	45.6%
Sysmiss		1076	

### QN41: Marijuana 1+ times in lifetime

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1192 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	132	11.1%
2	No	1060	88.9%
Sysmiss		42	

**QN42: Marijuana 1+ times p 30 days****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 1212 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	90	7.4%
2	No	1122	92.6%
Sysmiss		22	

**QN43: Amphetamines 1+ times lifetime****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 1217 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	38	3.1%
2	No	1179	96.9%
Sysmiss		17	

**QN44: Ever had sex****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 1097 Invalid: 137

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	360	32.8%
2	No	737	67.2%
Sysmiss		137	

**QN45: Age first sexual intercourse before 14****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 322 Invalid: 912

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	144	44.7%
2	No	178	55.3%
Sysmiss		912	

**QN46: 2+ sex partners lifetime****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 1128 Invalid: 106

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	160	14.2%
2	No	968	85.8%
Sysmiss		106	

### QN47: Used condom at last sex

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 309 Invalid: 925

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	232	75.1%
2	No	77	24.9%
Sysmiss		925	

### QN48: Used birth control at last sex

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 317 Invalid: 917

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

### CATEGORIES



Value	Category	Cases	
1	Yes	159	50.2%
2	No	158	49.8%
Sysmiss		917	

### QN49: Active 60+ mins/day for 5+ of past 7 days

Data file: ARG2012\_Cordoba\_Public\_Use

#### Overview

Valid: 1216 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	353	29%
2	No	863	71%
Sysmiss		18	

### QN50: Walk/Bike to/from school 0 of past 7 days

Data file: ARG2012\_Cordoba\_Public\_Use

#### Overview

Valid: 1210 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	464	38.3%
2	No	746	61.7%
Sysmiss		24	

**QN51: 3+ days PE each week****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 1180 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	244	20.7%
2	No	936	79.3%
Sysmiss		54	

**QN52: Sitting activities 3+ hours/day of usual day****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 1215 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

## CATEGORIES

Value	Category	Cases	
1	Yes	628	51.7%
2	No	587	48.3%
Sysmiss		19	

**QN53: Miss school no permission 1+ of past 30 days****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 1212 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	330	27.2%
2	No	882	72.8%
Sysmiss		22	

## QN54: Students most/always kind 30 days

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1200 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	616	51.3%
2	No	584	48.7%
Sysmiss		34	

## QN55: Parents most/always check homework

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1215 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	289	23.8%
2	No	926	76.2%
Sysmiss		19	

## QN56: Parents most/always understand problems

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1210 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	607	50.2%
2	No	603	49.8%
Sysmiss		24	

## QN57: Parents most/always know about free time

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1198 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	683	57%
2	No	515	43%
Sysmiss		36	

**QN58: Parents never/rarely go thru things****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 1198    Invalid: 36

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	817	68.2%
2	No	381	31.8%
Sysmiss		36	

**QNOWTG: Overweight****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 917    Invalid: 317

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

**CATEGORIES**

Value	Category	Cases	
1	Yes	198	21.6%
2	No	719	78.4%
Sysmiss		317	

**QNOBESEG: Obese****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 917    Invalid: 317

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1	Yes	42	4.6%
2	No	875	95.4%
Sysmiss		317	

## QNUNWTG: Underweight

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 917    Invalid: 317

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1	Yes	31	3.4%
2	No	886	96.6%
Sysmiss		317	

## QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: ARG2012\_Cordoba\_Public\_Use

### Overview

Valid: 1218    Invalid: 16

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	187	15.4%
2	No	1031	84.6%
Sysmiss		16	

### QNANYTBG: Used any tobacco past 30 days

Data file: ARG2012\_Cordoba\_Public\_Use

#### Overview

Valid: 1218 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	281	23.1%
2	No	937	76.9%
Sysmiss		16	

### QNPA7G: Physically active all past 7 days

Data file: ARG2012\_Cordoba\_Public\_Use

#### Overview

Valid: 1216 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	199	16.4%
2	No	1017	83.6%
Sysmiss		18	

**QNPE5G: Attended PE 5+ days each week****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 1180 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	198	16.8%
2	No	982	83.2%
Sysmiss		54	

**QNC1G: Among heavy drinkers, ever sex****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 368 Invalid: 866

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	186	50.5%
2	No	182	49.5%
Sysmiss		866	

**QNC2G: Among those worried, currently bullied****Data file:** ARG2012\_Cordoba\_Public\_Use**Overview**

Valid: 81 Invalid: 1153

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	37	45.7%
2	No	44	54.3%
Sysmiss		1153	

### WEIGHT: Weight

Data file: ARG2012\_Cordoba\_Public\_Use

#### Overview

Valid: 1234 Invalid: 0 Minimum: 44.594 Maximum: 158.231 Mean: 79.043 Standard deviation: 26.561  
Type: Continuous Decimal: 0 Width: 10 Range: 3.2196 - 1361.2246 Format: Numeric

### STRATUM: Stratum

Data file: ARG2012\_Cordoba\_Public\_Use

#### Overview

Valid: 1234 Invalid: 0 Minimum: 201206001 Maximum: 201206010 Mean: 201206005.883 Standard deviation: 18.226  
Type: Continuous Decimal: 0 Width: 9 Range: 201201001 - 201224012 Format: Numeric

### PSU: Primary Sampling Unit

Data file: ARG2012\_Cordoba\_Public\_Use

#### Overview

Valid: 1234 Invalid: 0 Minimum: 1 Maximum: 20 Mean: 11.245 Standard deviation: 5.52  
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 36 Format: Numeric

**Q1: How old are you****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 1015 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	6	0.6%
2	12 years old	105	10.3%
3	13 years old	231	22.8%
4	14 years old	238	23.4%
5	15 years old	195	19.2%
6	16 years old or older	240	23.6%
Sysmiss		5	

**Q2: Sex****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 999 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	512	51.3%
2	Female	487	48.7%
Sysmiss		21	

**Q3: In what grade are you****Data file: ARG2012\_Corrientes\_Public\_Use**

## Overview

Valid: 1014 Invalid: 6  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

### CATEGORIES

Value	Category	Cases	
1	8th EGB	316	31.2%
2	9th EGB	341	33.6%
3	1st Pol	357	35.2%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		6	

## Q4: How tall are you

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 631 Invalid: 389 Minimum: 1.3 Maximum: 1.93 Mean: 1.616 Standard deviation: 0.106  
Type: Continuous Decimal: 2 Width: 5 Range: 1.2 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q5: How much do you weigh

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 631 Invalid: 389 Minimum: 30 Maximum: 145 Mean: 55.46 Standard deviation: 12.253  
Type: Continuous Decimal: 2 Width: 5 Range: 30 - 180 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days**

**Data file:** ARG2012\_Corrientes\_Public\_Use

**Overview**

Valid: 1005 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	640	63.7%
2	Rarely	190	18.9%
3	Sometimes	133	13.2%
4	Most of the time	19	1.9%
5	Always	23	2.3%
Sysmiss		15	

**Q7: Eat fruit per day past 30 days**

**Data file:** ARG2012\_Corrientes\_Public\_Use

**Overview**

Valid: 1006 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	128	12.7%

2	Less than one time per day	193	19.2%
3	1 time per day	308	30.6%
4	2 times per day	187	18.6%
5	3 times per day	95	9.4%
6	4 times per day	29	2.9%
7	5 or more times per day	66	6.6%
Sysmiss		14	

## Q8: Eat vegetables past 30 days

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 1001 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	95	9.5%
2	Less than one time per day	159	15.9%
3	1 time per day	368	36.8%
4	2 times per day	224	22.4%
5	3 times per day	59	5.9%
6	4 times per day	25	2.5%
7	5 or more times per day	71	7.1%
Sysmiss		19	

## Q9: Drink soft drinks past 30 days

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 999 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	76	7.6%
2	Less than one time per day	195	19.5%
3	1 time per day	242	24.2%
4	2 times per day	179	17.9%
5	3 times per day	103	10.3%
6	4 times per day	46	4.6%
7	5 or more times per day	158	15.8%
Sysmiss		21	

## Q10: Ate fast food past 7 days

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 1012 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	669	66.1%
2	1 day	189	18.7%
3	2 days	73	7.2%
4	3 days	32	3.2%
5	4 days	27	2.7%
6	5 days	7	0.7%
7	6 days	2	0.2%

8	7 days	13	1.3%
Sysmiss		8	

## Q11: How many times per day brush teeth

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 1011 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	11	1.1%
2	Less than 1 time per day	36	3.6%
3	1 time per day	101	10%
4	2 times per day	265	26.2%
5	3 times per day	396	39.2%
6	4 or more times per day	202	20%
Sysmiss		9	

## Q12: Wash hands before eating past 30 days

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 1006 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	19	1.9%
2	Rarely	78	7.8%
3	Sometimes	127	12.6%
4	Most of the time	277	27.5%
5	Always	505	50.2%
Sysmiss		14	

### Q13: Wash hands after toilet past 30 day

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 1009 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	22	2.2%
2	Rarely	23	2.3%
3	Sometimes	54	5.4%
4	Most of the time	144	14.3%
5	Always	766	75.9%
Sysmiss		11	

### Q14: Used soap on hands past 30 days

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 1008 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION



During the past 30 days, how often did you use soap when washing your hands?

#### CATEGORIES

Value	Category	Cases	
1	Never	25	2.5%
2	Rarely	39	3.9%
3	Sometimes	115	11.4%
4	Most of the time	248	24.6%
5	Always	581	57.6%
Sysmiss		12	

### Q15: Times attacked past 12 mo.

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 1001 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

#### CATEGORIES

Value	Category	Cases	
1	0 times	755	75.4%
2	1 time	119	11.9%
3	2 or 3 times	60	6%
4	4 or 5 times	13	1.3%
5	6 or 7 times	13	1.3%
6	8 or 9 times	8	0.8%
7	10 or 11 times	1	0.1%
8	12 or more times	32	3.2%
Sysmiss		19	

### Q16: How many times in fight 12 mos

Data file: ARG2012\_Corrientes\_Public\_Use

## Overview

Valid: 1013 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	695	68.6%
2	1 time	143	14.1%
3	2 or 3 times	92	9.1%
4	4 or 5 times	28	2.8%
5	6 or 7 times	10	1%
6	8 or 9 times	9	0.9%
7	10 or 11 times	3	0.3%
8	12 or more times	33	3.3%
Sysmiss		7	

## Q17: How many times injured past 12 months

Data file: ARG2012\_Corrientes\_Public\_Use

## Overview

Valid: 887 Invalid: 133

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	581	65.5%
2	1 time	193	21.8%
3	2 or 3 times	73	8.2%

4	4 or 5 times	21	2.4%
5	6 or 7 times	4	0.5%
6	8 or 9 times	4	0.5%
7	10 or 11 times	4	0.5%
8	12 or more times	7	0.8%
Sysmiss		133	

### Q18: What was serious injury past 12 mo.

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 923 Invalid: 97

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	707	76.6%
2	Broken bone/dislocated joint	45	4.9%
3	I had a cut or stab wound	23	2.5%
4	Concussion/head injury	25	2.7%
5	I had a gunshot wound	3	0.3%
6	I had a bad burn	8	0.9%
7	I was poisoned	2	0.2%
8	Something else happened to me	110	11.9%
Sysmiss		97	

### Q19: Cause of injury past 12 mo.

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 912 Invalid: 108

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	699	76.6%
2	Motor vehicle accident	29	3.2%
3	I fell	74	8.1%
4	Something fell on me or hit me	18	2%
5	I was attacked	10	1.1%
6	Was in a fire	7	0.8%
7	breathed something bad	2	0.2%
8	Something else	73	8%
Sysmiss		108	

## Q20: How many days bullied past 30 days

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 960 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	713	74.3%
2	1 or 2 days	156	16.3%
3	3 to 5 days	43	4.5%
4	6 to 9 days	18	1.9%
5	10 to 19 days	6	0.6%

6	20 to 29 days	5	0.5%
7	All 30 days	19	2%
Sysmiss		60	

## Q21: How bullied past 30 days

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 959 Invalid: 61

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	784	81.8%
2	Kicked, pushed, or shoved	21	2.2%
3	Made fun of race	19	2%
4	Made fun because of religion	7	0.7%
5	Made fun of about sex	27	2.8%
6	Left out of activities	9	0.9%
7	Made fun of about body	35	3.6%
8	Some other way	57	5.9%
Sysmiss		61	

## Q22: Times felt lonely past 12 mo.

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 990 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	372	37.6%
2	Rarely	277	28%
3	Sometimes	231	23.3%
4	Most of the time	65	6.6%
5	Always	45	4.5%
Sysmiss		30	

### Q23: Times could not sleep past 12 mo.

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 1014 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	361	35.6%
2	Rarely	309	30.5%
3	Sometimes	245	24.2%
4	Most of the time	74	7.3%
5	Always	25	2.5%
Sysmiss		6	

### Q24: Ever considered suicide 12 mos

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 989 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	154	15.6%
2	No	835	84.4%
Sysmiss		31	

## Q25: Ever make suicide plan 12 mos

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 994 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	155	15.6%
2	No	839	84.4%
Sysmiss		26	

## Q26: Times attempted suicide 12 mos.

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 1000 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	838	83.8%
2	1 time	97	9.7%
3	2 or 3 times	44	4.4%
4	4 or 5 times	15	1.5%
5	6 or more times	6	0.6%
Sysmiss		20	

### Q27: Number close friends

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 987 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	63	6.4%
2	1	86	8.7%
3	2	145	14.7%
4	3 or more	693	70.2%
Sysmiss		33	

### Q28: Age first tried cigarette

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 981 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	688	70.1%
2	7 years old or younger	23	2.3%
3	8 or 9 years old	23	2.3%
4	10 or 11 years old	47	4.8%
5	12 or 13 years old	99	10.1%
6	14 or 15 years old	81	8.3%
7	16 years old or older	20	2%
Sysmiss		39	

## Q29: How many days smoked 30 days

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 995 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	841	84.5%
2	1 or 2 days	67	6.7%
3	3 to 5 days	28	2.8%
4	6 to 9 days	11	1.1%
5	10 to 19 days	13	1.3%
6	20 to 29 days	10	1%
7	All 30 days	25	2.5%
Sysmiss		25	

**Q30: Other tobacco past 30 days****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 1005 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

**CATEGORIES**

Value	Category	Cases	
1	0 days	955	95%
2	1 or 2 days	26	2.6%
3	3 to 5 days	11	1.1%
4	6 to 9 days	7	0.7%
5	10 to 19 days	1	0.1%
6	20 to 29 days	2	0.2%
7	All 30 days	3	0.3%
Sysmiss		15	

**Q31: Try stop smoking past 12 mo.****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 979 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 12 months, have you ever tried to stop smoking cigarettes?

**CATEGORIES**

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	761	77.7%
2	Did not smoke cigarettes	88	9%
3	Yes	91	9.3%
4	No	39	4%
Sysmiss		41	

### Q32: Others present smoking past 7 days

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 1002 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	330	32.9%
2	1 or 2 days	296	29.5%
3	3 or 4 days	103	10.3%
4	5 or 6 days	44	4.4%
5	All 7 days	229	22.9%
Sysmiss		18	

### Q33: Parents who use tobacco

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 1003 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	701	69.9%
2	My father or male guardian	146	14.6%
3	My mother or female guardian	69	6.9%
4	Both	59	5.9%
5	I do not know	28	2.8%
Sysmiss		17	

**Q34: Age first drink alcohol****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 923 Invalid: 97

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

## CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	239	25.9%
2	7 years old or younger	72	7.8%
3	8 or 9 years old	62	6.7%
4	10 or 11 years old	111	12%
5	12 or 13 years old	209	22.6%
6	14 or 15 years old	180	19.5%
7	16 years old or older	50	5.4%
Sysmiss		97	

**Q35: Days one drink or more past 30 days****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 961 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

### CATEGORIES

Value	Category	Cases	
1	0 days	450	46.8%
2	1 or 2 days	293	30.5%
3	3 to 5 days	79	8.2%
4	6 to 9 days	44	4.6%
5	10 to 19 days	46	4.8%
6	20 to 29 days	19	2%
7	All 30 days	30	3.1%
Sysmiss		59	

## Q36: Number of drinks past 30 days

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 986 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	444	45%
2	Less than one drink	129	13.1%
3	1 drink	69	7%
4	2 drinks	80	8.1%
5	3 drinks	56	5.7%
6	4 drinks	39	4%

7	5 or more drinks	169	17.1%
Sysmiss		34	

### Q37: How got drinks past 30 days

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 981 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

##### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	479	48.8%
2	I bought in a store	132	13.5%
3	I gave someone money to buy	35	3.6%
4	I got it from my friends	183	18.7%
5	I got it from my family	72	7.3%
6	I stole it	7	0.7%
7	Some other way	73	7.4%
Sysmiss		39	

### Q38: Times drunk during life

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 990 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	725	73.2%
2	1 or 2 times	184	18.6%
3	3 to 9 times	46	4.6%
4	10 or more times	35	3.5%
Sysmiss		30	

### Q39: Number of troubles as result of drinking

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 962 Invalid: 58

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	781	81.2%
2	1 or 2 times	132	13.7%
3	3 to 9 times	28	2.9%
4	10 or more times	21	2.2%
Sysmiss		58	

### Q40: Age first drugs

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 981 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

How old were you when you first used drugs?

### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	914	93.2%
2	7 years old or younger	15	1.5%
3	8 or 9 years old	8	0.8%
4	10 or 11 years old	5	0.5%
5	12 or 13 years old	8	0.8%
6	14 or 15 years old	17	1.7%
7	16 years old or older	14	1.4%
Sysmiss		39	

## Q41: Times used marijuana lifetime

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 987 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	936	94.8%
2	1 or 2 times	22	2.2%
3	3 to 9 times	11	1.1%
4	10 to 19 times	7	0.7%
5	20 or more times	11	1.1%
Sysmiss		33	



**Q42: Times used marijuana past 30 days****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 998 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	956	95.8%
2	1 or 2 times	21	2.1%
3	3 to 9 times	8	0.8%
4	10 to 19 times	6	0.6%
5	20 or more times	7	0.7%
Sysmiss		22	

**Q43: Times used amphetamines lifetime****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 993 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	966	97.3%

2	1 or 2 times	16	1.6%
3	3 to 9 times	4	0.4%
4	10 to 19 times	5	0.5%
5	20 or more times	2	0.2%
Sysmiss		27	

**Q44: Ever had sex****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 956 Invalid: 64

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

Have you ever had sexual intercourse?

## CATEGORIES

Value	Category	Cases	
1	Yes	458	47.9%
2	No	498	52.1%
Sysmiss		64	

**Q45: Age first sexual intercourse****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 972 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	603	62%

2	11 years old or younger	54	5.6%
3	12 years old	53	5.5%
4	13 years old	65	6.7%
5	14 years old	87	9%
6	15 years old	77	7.9%
7	16 years old or older	33	3.4%
Sysmiss		48	

## Q46: How many sex partners

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 994 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	621	62.5%
2	1 person	160	16.1%
3	2 people	76	7.6%
4	3 people	41	4.1%
5	4 people	16	1.6%
6	5 people	15	1.5%
7	6 or more people	65	6.5%
Sysmiss		26	

## Q47: Used condom at last intercourse

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 973 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	611	62.8%
2	Yes	299	30.7%
3	No	63	6.5%
Sysmiss		47	

## Q48: Used birth control last intercourse

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 981 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	612	62.4%
2	Yes	194	19.8%
3	No	114	11.6%
4	I do not know	61	6.2%
Sysmiss		39	

## Q49: Days active 60 min plus past 7 days

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 999 Invalid: 21

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

**CATEGORIES**

Value	Category	Cases	
1	0 days	156	15.6%
2	1 day	166	16.6%
3	2 days	204	20.4%
4	3 days	93	9.3%
5	4 days	58	5.8%
6	5 days	62	6.2%
7	6 days	31	3.1%
8	7 days	229	22.9%
Sysmiss		21	

**Q50: Walk or bike to school past 7 days****Data file:** ARG2012\_Corrientes\_Public\_Use**Overview**

Valid: 989    Invalid: 31

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

**CATEGORIES**

Value	Category	Cases	
1	0 days	305	30.8%
2	1 day	71	7.2%
3	2 days	68	6.9%

4	3 days	28	2.8%
5	4 days	29	2.9%
6	5 days	129	13%
7	6 days	11	1.1%
8	7 days	348	35.2%
Sysmiss		31	

### Q51: Days went to PE each week

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 980 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

##### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

##### CATEGORIES

Value	Category	Cases	
1	0 days	71	7.2%
2	1 day	96	9.8%
3	2 days	505	51.5%
4	3 days	51	5.2%
5	4 days	26	2.7%
6	5 or more days	231	23.6%
Sysmiss		40	

### Q52: Time spent sitting on usual day

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 1003 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	318	31.7%
2	1 to 2 hours per day	318	31.7%
3	3 to 4 hours per day	190	18.9%
4	5 to 6 hours per day	69	6.9%
5	7 to 8 hours per day	29	2.9%
6	More than 8 hours per day	79	7.9%
Sysmiss		17	

## Q53: Miss school no permission past 30 days

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 1001 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

### CATEGORIES

Value	Category	Cases	
1	0 days	629	62.8%
2	1 or 2 days	204	20.4%
3	3 to 5 days	81	8.1%
4	6 to 9 days	35	3.5%
5	10 or more days	52	5.2%
Sysmiss		19	

**Q54: Others helpful in school past 30 days****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 987 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about your experiences at school and at home.

**LITERAL QUESTION**

During the past 30 days, how often were most of the students in your school kind and helpful?

**CATEGORIES**

Value	Category	Cases	
1	Never	100	10.1%
2	Rarely	203	20.6%
3	Sometimes	239	24.2%
4	Most of the time	239	24.2%
5	Always	206	20.9%
Sysmiss		33	

**Q55: Parents check homework past 30 days****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 999 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about your experiences at school and at home.

**LITERAL QUESTION**

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

**CATEGORIES**

Value	Category	Cases	
1	Never	284	28.4%
2	Rarely	179	17.9%
3	Sometimes	166	16.6%
4	Most of the time	130	13%
5	Always	240	24%



Sysmiss		21	
---------	--	----	--

## Q56: Parent understand troubles past 30 days

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 986 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

#### CATEGORIES

Value	Category	Cases	
1	Never	183	18.6%
2	Rarely	171	17.3%
3	Sometimes	169	17.1%
4	Most of the time	182	18.5%
5	Always	281	28.5%
Sysmiss		34	

## Q57: Parent know what you do past 30 days

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 971 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	177	18.2%
2	Rarely	144	14.8%

3	Sometimes	167	17.2%
4	Most of the time	176	18.1%
5	Always	307	31.6%
Sysmiss		49	

### Q58: Parent go through things past 30 days

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 983 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

##### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

##### CATEGORIES

Value	Category	Cases	
1		436	44.4%
2		213	21.7%
3		163	16.6%
4		80	8.1%
5		91	9.3%
Sysmiss		37	

### QN6: Went hungry most of time/always past 30 days

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 1005 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	42	4.2%
2	No	963	95.8%
Sysmiss		15	

**QN7: Ate fruit 2+ times per day past 30 days****Data file:** ARG2012\_Corrientes\_Public\_Use**Overview**

Valid: 1006 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	377	37.5%
2	No	629	62.5%
Sysmiss		14	

**QN8: Ate vegetables 3+ times per day past 30 day****Data file:** ARG2012\_Corrientes\_Public\_Use**Overview**

Valid: 1001 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	155	15.5%
2	No	846	84.5%
Sysmiss		19	

**QN9: Drank soft drinks 1+ times per day past 30 day****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 999    Invalid: 21

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	728	72.9%
2	No	271	27.1%
Sysmiss		21	

**QN10: Ate fast food 3+ days past 7 day****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 1012    Invalid: 8

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

## CATEGORIES

Value	Category	Cases	
1	Yes	81	8%
2	No	931	92%
Sysmiss		8	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 1011    Invalid: 9

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	47	4.6%
2	No	964	95.4%
Sysmiss		9	

## QN12: Never/rarely wash hands before eating past 30 days

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 1006 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	97	9.6%
2	No	909	90.4%
Sysmiss		14	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 1009 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	45	4.5%
2	No	964	95.5%
Sysmiss		11	

### QN14: Never/rarely use soap on hands past 30 days

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 1008 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	64	6.3%
2	No	944	93.7%
Sysmiss		12	

### QN15: Attacked 1+ times past 12 months

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 1001 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	246	24.6%
2	No	755	75.4%
Sysmiss		19	

**QN16: In fight 1+ times past 12 months****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 1013 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	318	31.4%
2	No	695	68.6%
Sysmiss		7	

**QN17: Seriously injured 1+ times past 12 months****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 887 Invalid: 133

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	306	34.5%
2	No	581	65.5%
Sysmiss		133	

**QN18: Broken bone as most serious injury****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 216 Invalid: 804

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

### CATEGORIES

Value	Category	Cases	
1	Yes	45	20.8%
2	No	171	79.2%
Sysmiss		804	

## QN19: Motor vehicle caused most serious injury

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 213 Invalid: 807

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	29	13.6%
2	No	184	86.4%
Sysmiss		807	

## QN20: Bullied 1+ of past 30 days

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 960 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES



Value	Category	Cases	
1	Yes	247	25.7%
2	No	713	74.3%
Sysmiss		60	

### QN21: Of students bullied, most often hit, kicked, etc

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 175 Invalid: 845

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

##### CATEGORIES

Value	Category	Cases	
1	Yes	21	12%
2	No	154	88%
Sysmiss		845	

### QN22: Lonely most times/always past 12 months

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 990 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	110	11.1%
2	No	880	88.9%
Sysmiss		30	

**QN23: Worry prevented sleep most time/always past 12 mos****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 1014 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	99	9.8%
2	No	915	90.2%
Sysmiss		6	

**QN24: Considered suicide past 12 months****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 989 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	154	15.6%
2	No	835	84.4%
Sysmiss		31	

**QN25: Made suicide plan past 12 months****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 994 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	155	15.6%
2	No	839	84.4%
Sysmiss		26	

### QN26: 1+ times attempt suicide 12 mos.

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 1000 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	162	16.2%
2	No	838	83.8%
Sysmiss		20	

### QN27: No close friends

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 987 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	63	6.4%
2	No	924	93.6%
Sysmiss		33	

**QN28: Age first cigarette before 14****Data file:** ARG2012\_Corrientes\_Public\_Use**Overview**

Valid: 293    Invalid: 727

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	192	65.5%
2	No	101	34.5%
Sysmiss		727	

**QN29: Smoked cigarettes 1+ of past 30 days****Data file:** ARG2012\_Corrientes\_Public\_Use**Overview**

Valid: 995    Invalid: 25

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	154	15.5%
2	No	841	84.5%
Sysmiss		25	

**QN30: Used other tobacco 1+ of past 30 days****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 1005 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	50	5%
2	No	955	95%
Sysmiss		15	

**QN31: Tried to quit smoking past 12 months****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 130 Invalid: 890

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	91	70%
2	No	39	30%
Sysmiss		890	

**QN32: Others present smoking 1+ of past 7 days****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 1002 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	672	67.1%
2	No	330	32.9%
Sysmiss		18	

## QN33: Either/Both parents use tobacco

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 1003 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	274	27.3%
2	No	729	72.7%
Sysmiss		17	

## QN34: Age first alcohol before 14

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 684 Invalid: 336

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	454	66.4%
2	No	230	33.6%
Sysmiss		336	

**QN35: Drank 1+ days past 30 days****Data file:** ARG2012\_Corrientes\_Public\_Use**Overview**

Valid: 961 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	511	53.2%
2	No	450	46.8%
Sysmiss		59	

**QN36: Of current drinkers, drank 2+ drinks/day 30 days****Data file:** ARG2012\_Corrientes\_Public\_Use**Overview**

Valid: 542 Invalid: 478

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

## CATEGORIES

Value	Category	Cases	
1	Yes	344	63.5%
2	No	198	36.5%
Sysmiss		478	

**QN37: Of current drinkers, got alcohol from friends****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 502 Invalid: 518

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

## CATEGORIES

Value	Category	Cases	
1	Yes	183	36.5%
2	No	319	63.5%
Sysmiss		518	

**QN38: 1+ times drunk in lifetime****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 990 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	265	26.8%
2	No	725	73.2%
Sysmiss		30	

**QN39: Alcohol trouble 1+ times in lifetime****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 962 Invalid: 58

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

### CATEGORIES

Value	Category	Cases	
1	Yes	181	18.8%
2	No	781	81.2%
Sysmiss		58	

### QN40: Age first drugs before 14

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 67 Invalid: 953

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
1	Yes	36	53.7%
2	No	31	46.3%
Sysmiss		953	

### QN41: Marijuana 1+ times in lifetime

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 987 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	51	5.2%
2	No	936	94.8%
Sysmiss		33	

**QN42: Marijuana 1+ times p 30 days****Data file:** ARG2012\_Corrientes\_Public\_Use**Overview**

Valid: 998 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	42	4.2%
2	No	956	95.8%
Sysmiss		22	

**QN43: Amphetamines 1+ times lifetime****Data file:** ARG2012\_Corrientes\_Public\_Use**Overview**

Valid: 993 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	27	2.7%
2	No	966	97.3%
Sysmiss		27	

**QN44: Ever had sex****Data file:** ARG2012\_Corrientes\_Public\_Use**Overview**

Valid: 956 Invalid: 64

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	458	47.9%
2	No	498	52.1%
Sysmiss		64	

**QN45: Age first sexual intercourse before 14****Data file:** ARG2012\_Corrientes\_Public\_Use**Overview**

Valid: 369 Invalid: 651

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	172	46.6%
2	No	197	53.4%
Sysmiss		651	

**QN46: 2+ sex partners lifetime****Data file:** ARG2012\_Corrientes\_Public\_Use**Overview**

Valid: 994 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	213	21.4%
2	No	781	78.6%
Sysmiss		26	

### QN47: Used condom at last sex

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 362 Invalid: 658

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	299	82.6%
2	No	63	17.4%
Sysmiss		658	

### QN48: Used birth control at last sex

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 369 Invalid: 651

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	194	52.6%
2	No	175	47.4%
Sysmiss		651	

### QN49: Active 60+ mins/day for 5+ of past 7 days

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 999 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	322	32.2%
2	No	677	67.8%
Sysmiss		21	

### QN50: Walk/Bike to/from school 0 of past 7 days

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 989 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	305	30.8%
2	No	684	69.2%
Sysmiss		31	

**QN51: 3+ days PE each week****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 980 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	308	31.4%
2	No	672	68.6%
Sysmiss		40	

**QN52: Sitting activities 3+ hours/day of usual day****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 1003 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

## CATEGORIES

Value	Category	Cases	
1	Yes	367	36.6%
2	No	636	63.4%
Sysmiss		17	

**QN53: Miss school no permission 1+ of past 30 days****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 1001 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	372	37.2%
2	No	629	62.8%
Sysmiss		19	

## QN54: Students most/always kind 30 days

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 987 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	445	45.1%
2	No	542	54.9%
Sysmiss		33	

## QN55: Parents most/always check homework

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 999 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	370	37%
2	No	629	63%
Sysmiss		21	

### QN56: Parents most/always understand problems

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 986 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	463	47%
2	No	523	53%
Sysmiss		34	

### QN57: Parents most/always know about free time

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 971 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	483	49.7%
2	No	488	50.3%
Sysmiss		49	



**QN58: Parents never/rarely go thru things****Data file:** ARG2012\_Corrientes\_Public\_Use**Overview**

Valid: 983 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	649	66%
2	No	334	34%
Sysmiss		37	

**QNOWTG: Overweight****Data file:** ARG2012\_Corrientes\_Public\_Use**Overview**

Valid: 631 Invalid: 389

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

**CATEGORIES**

Value	Category	Cases	
1	Yes	157	24.9%
2	No	474	75.1%
Sysmiss		389	

**QNOBESEG: Obese****Data file:** ARG2012\_Corrientes\_Public\_Use**Overview**

Valid: 631 Invalid: 389

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

---

## LITERAL QUESTION

Percentage of students who were obese (&gt;+2SD from median for BMI by age and sex)

## CATEGORIES

Value	Category	Cases	
1	Yes	34	5.4%
2	No	597	94.6%
Sysmiss		389	

**QNUNWTG: Underweight**

Data file: ARG2012\_Corrientes\_Public\_Use

**Overview**

Valid: 631    Invalid: 389

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

---

## LITERAL QUESTION

Percentage of students who were underweight (&lt;-2SD from median for BMI by age and sex)

## CATEGORIES

Value	Category	Cases	
1	Yes	18	2.9%
2	No	613	97.1%
Sysmiss		389	

**QNFRVGG: Ate 5+ fruits/vegetables 30 days**

Data file: ARG2012\_Corrientes\_Public\_Use

**Overview**

Valid: 996    Invalid: 24

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

---

## LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	213	21.4%
2	No	783	78.6%
Sysmiss		24	

## QNANYTBG: Used any tobacco past 30 days

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 994 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	162	16.3%
2	No	832	83.7%
Sysmiss		26	

## QNPA7G: Physically active all past 7 days

Data file: ARG2012\_Corrientes\_Public\_Use

### Overview

Valid: 999 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

#### CATEGORIES

Value	Category	Cases	
1	Yes	229	22.9%
2	No	770	77.1%
Sysmiss		21	

**QNPE5G: Attended PE 5+ days each week****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 980 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	231	23.6%
2	No	749	76.4%
Sysmiss		40	

**QNC1G: Among heavy drinkers, ever sex****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 245 Invalid: 775

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	193	78.8%
2	No	52	21.2%
Sysmiss		775	

**QNC2G: Among those worried, currently bullied****Data file: ARG2012\_Corrientes\_Public\_Use****Overview**

Valid: 84 Invalid: 936

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	34	40.5%
2	No	50	59.5%
Sysmiss		936	

### WEIGHT: Weight

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 1020 Invalid: 0 Minimum: 25.59 Maximum: 143.265 Mean: 49.651 Standard deviation: 16.094  
Type: Continuous Decimal: 0 Width: 10 Range: 3.2196 - 1361.2246 Format: Numeric

### STRATUM: Stratum

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 1020 Invalid: 0 Minimum: 201207001 Maximum: 201207012 Mean: 201207006.748 Standard deviation: 19.848  
Type: Continuous Decimal: 0 Width: 9 Range: 201201001 - 201224012 Format: Numeric

### PSU: Primary Sampling Unit

Data file: ARG2012\_Corrientes\_Public\_Use

#### Overview

Valid: 1020 Invalid: 0 Minimum: 1 Maximum: 25 Mean: 13.087 Standard deviation: 6.829  
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 36 Format: Numeric

**Q1: How old are you****Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use****Overview**

Valid: 1106 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	1	0.1%
2	12 years old	6	0.5%
3	13 years old	230	20.8%
4	14 years old	340	30.7%
5	15 years old	298	26.9%
6	16 years old or older	231	20.9%
Sysmiss		12	

**Q2: Sex****Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use****Overview**

Valid: 1104 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	580	52.5%
2	Female	524	47.5%
Sysmiss		14	

**Q3: In what grade are you****Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use**

## Overview

Valid: 1103 Invalid: 15  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

### CATEGORIES

Value	Category	Cases	
1	8th EGB	435	39.4%
2	9th EGB	380	34.5%
3	1st Pol	288	26.1%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		15	

## Q4: How tall are you

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

## Overview

Valid: 618 Invalid: 500 Minimum: 1.4 Maximum: 1.95 Mean: 1.65 Standard deviation: 0.0962  
 Type: Continuous Decimal: 2 Width: 5 Range: 1.2 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q5: How much do you weigh

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

## Overview

Valid: 618 Invalid: 500 Minimum: 34 Maximum: 150 Mean: 58.026 Standard deviation: 13.082  
 Type: Continuous Decimal: 2 Width: 5 Range: 30 - 180 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days**

**Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use

**Overview**

Valid: 1109 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	747	67.4%
2	Rarely	203	18.3%
3	Sometimes	122	11%
4	Most of the time	19	1.7%
5	Always	18	1.6%
Sysmiss		9	

**Q7: Eat fruit per day past 30 days**

**Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use

**Overview**

Valid: 1110 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	89	8%



2	Less than one time per day	304	27.4%
3	1 time per day	339	30.5%
4	2 times per day	230	20.7%
5	3 times per day	84	7.6%
6	4 times per day	20	1.8%
7	5 or more times per day	44	4%
Sysmiss		8	

## Q8: Eat vegetables past 30 days

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1110 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	78	7%
2	Less than one time per day	210	18.9%
3	1 time per day	362	32.6%
4	2 times per day	307	27.7%
5	3 times per day	71	6.4%
6	4 times per day	26	2.3%
7	5 or more times per day	56	5%
Sysmiss		8	

## Q9: Drink soft drinks past 30 days

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1112 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	148	13.3%
2	Less than one time per day	339	30.5%
3	1 time per day	196	17.6%
4	2 times per day	123	11.1%
5	3 times per day	110	9.9%
6	4 times per day	49	4.4%
7	5 or more times per day	147	13.2%
Sysmiss		6	

## Q10: Ate fast food past 7 days

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1113 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	625	56.2%
2	1 day	314	28.2%
3	2 days	92	8.3%
4	3 days	41	3.7%
5	4 days	16	1.4%
6	5 days	7	0.6%
7	6 days	4	0.4%

8	7 days	14	1.3%
Sysmiss		5	

## Q11: How many times per day brush teeth

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1108 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	17	1.5%
2	Less than 1 time per day	47	4.2%
3	1 time per day	216	19.5%
4	2 times per day	458	41.3%
5	3 times per day	279	25.2%
6	4 or more times per day	91	8.2%
Sysmiss		10	

## Q12: Wash hands before eating past 30 days

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1092 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	46	4.2%
2	Rarely	115	10.5%
3	Sometimes	247	22.6%
4	Most of the time	315	28.8%
5	Always	369	33.8%
Sysmiss		26	

### Q13: Wash hands after toilet past 30 day

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1101 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	40	3.6%
2	Rarely	55	5%
3	Sometimes	111	10.1%
4	Most of the time	224	20.3%
5	Always	671	60.9%
Sysmiss		17	

### Q14: Used soap on hands past 30 days

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1107 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

## CATEGORIES

Value	Category	Cases	
1	Never	29	2.6%
2	Rarely	43	3.9%
3	Sometimes	134	12.1%
4	Most of the time	247	22.3%
5	Always	654	59.1%
Sysmiss		11	

### Q15: Times attacked past 12 mo.

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1099 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

## LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

## CATEGORIES

Value	Category	Cases	
1	0 times	854	77.7%
2	1 time	92	8.4%
3	2 or 3 times	75	6.8%
4	4 or 5 times	23	2.1%
5	6 or 7 times	18	1.6%
6	8 or 9 times	6	0.5%
7	10 or 11 times	0	0%
8	12 or more times	31	2.8%
Sysmiss		19	

### Q16: How many times in fight 12 mos

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

## Overview

Valid: 1114 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	789	70.8%
2	1 time	127	11.4%
3	2 or 3 times	109	9.8%
4	4 or 5 times	21	1.9%
5	6 or 7 times	16	1.4%
6	8 or 9 times	6	0.5%
7	10 or 11 times	7	0.6%
8	12 or more times	39	3.5%
Sysmiss		4	

## Q17: How many times injured past 12 months

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

## Overview

Valid: 996 Invalid: 122

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	666	66.9%
2	1 time	211	21.2%
3	2 or 3 times	80	8%

4	4 or 5 times	18	1.8%
5	6 or 7 times	5	0.5%
6	8 or 9 times	6	0.6%
7	10 or 11 times	2	0.2%
8	12 or more times	8	0.8%
Sysmiss		122	

### Q18: What was serious injury past 12 mo.

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1026 Invalid: 92

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	755	73.6%
2	Broken bone/dislocated joint	102	9.9%
3	I had a cut or stab wound	16	1.6%
4	Concussion/head injury	18	1.8%
5	I had a gunshot wound	5	0.5%
6	I had a bad burn	1	0.1%
7	I was poisoned	4	0.4%
8	Something else happened to me	125	12.2%
Sysmiss		92	

### Q19: Cause of injury past 12 mo.

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1015 Invalid: 103

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	744	73.3%
2	Motor vehicle accident	11	1.1%
3	I fell	90	8.9%
4	Something fell on me or hit me	36	3.5%
5	I was attacked	11	1.1%
6	Was in a fire	0	0%
7	breathed something bad	6	0.6%
8	Something else	117	11.5%
Sysmiss		103	

## Q20: How many days bullied past 30 days

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1075 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	858	79.8%
2	1 or 2 days	139	12.9%
3	3 to 5 days	34	3.2%
4	6 to 9 days	13	1.2%
5	10 to 19 days	15	1.4%



6	20 to 29 days	6	0.6%
7	All 30 days	10	0.9%
Sysmiss		43	

## Q21: How bullied past 30 days

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1067 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	905	84.8%
2	Kicked, pushed, or shoved	17	1.6%
3	Made fun of race	10	0.9%
4	Made fun because of religion	11	1%
5	Made fun of about sex	25	2.3%
6	Left out of activities	19	1.8%
7	Made fun of about body	25	2.3%
8	Some other way	55	5.2%
Sysmiss		51	

## Q22: Times felt lonely past 12 mo.

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1097 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	482	43.9%
2	Rarely	309	28.2%
3	Sometimes	218	19.9%
4	Most of the time	69	6.3%
5	Always	19	1.7%
Sysmiss		21	

### Q23: Times could not sleep past 12 mo.

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1110 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	440	39.6%
2	Rarely	350	31.5%
3	Sometimes	239	21.5%
4	Most of the time	57	5.1%
5	Always	24	2.2%
Sysmiss		8	

### Q24: Ever considered suicide 12 mos

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1090 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	151	13.9%
2	No	939	86.1%
Sysmiss		28	

## Q25: Ever make suicide plan 12 mos

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1108 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	150	13.5%
2	No	958	86.5%
Sysmiss		10	

## Q26: Times attempted suicide 12 mos.

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1108 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	973	87.8%
2	1 time	84	7.6%
3	2 or 3 times	28	2.5%
4	4 or 5 times	8	0.7%
5	6 or more times	15	1.4%
Sysmiss		10	

### Q27: Number close friends

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1099 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	63	5.7%
2	1	79	7.2%
3	2	132	12%
4	3 or more	825	75.1%
Sysmiss		19	

### Q28: Age first tried cigarette

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1096 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	742	67.7%
2	7 years old or younger	33	3%
3	8 or 9 years old	15	1.4%
4	10 or 11 years old	40	3.6%
5	12 or 13 years old	110	10%
6	14 or 15 years old	139	12.7%
7	16 years old or older	17	1.6%
Sysmiss		22	

## Q29: How many days smoked 30 days

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1105 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	944	85.4%
2	1 or 2 days	70	6.3%
3	3 to 5 days	24	2.2%
4	6 to 9 days	11	1%
5	10 to 19 days	21	1.9%
6	20 to 29 days	8	0.7%
7	All 30 days	27	2.4%
Sysmiss		13	

**Q30: Other tobacco past 30 days****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 1112 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

**CATEGORIES**

Value	Category	Cases	
1	0 days	1058	95.1%
2	1 or 2 days	20	1.8%
3	3 to 5 days	12	1.1%
4	6 to 9 days	11	1%
5	10 to 19 days	3	0.3%
6	20 to 29 days	2	0.2%
7	All 30 days	6	0.5%
Sysmiss		6	

**Q31: Try stop smoking past 12 mo.****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 1096 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 12 months, have you ever tried to stop smoking cigarettes?

**CATEGORIES**

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	843	76.9%
2	Did not smoke cigarettes	91	8.3%
3	Yes	105	9.6%
4	No	57	5.2%
Sysmiss		22	

### Q32: Others present smoking past 7 days

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1104 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	389	35.2%
2	1 or 2 days	290	26.3%
3	3 or 4 days	143	13%
4	5 or 6 days	81	7.3%
5	All 7 days	201	18.2%
Sysmiss		14	

### Q33: Parents who use tobacco

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1110 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	736	66.3%
2	My father or male guardian	138	12.4%
3	My mother or female guardian	123	11.1%
4	Both	90	8.1%
5	I do not know	23	2.1%
Sysmiss		8	

**Q34: Age first drink alcohol****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 1039 Invalid: 79

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

## CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	439	42.3%
2	7 years old or younger	45	4.3%
3	8 or 9 years old	43	4.1%
4	10 or 11 years old	73	7%
5	12 or 13 years old	213	20.5%
6	14 or 15 years old	202	19.4%
7	16 years old or older	24	2.3%
Sysmiss		79	

**Q35: Days one drink or more past 30 days****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 1076 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

### CATEGORIES

Value	Category	Cases	
1	0 days	674	62.6%
2	1 or 2 days	189	17.6%
3	3 to 5 days	94	8.7%
4	6 to 9 days	64	5.9%
5	10 to 19 days	30	2.8%
6	20 to 29 days	13	1.2%
7	All 30 days	12	1.1%
Sysmiss		42	

## Q36: Number of drinks past 30 days

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1104 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	666	60.3%
2	Less than one drink	111	10.1%
3	1 drink	68	6.2%
4	2 drinks	56	5.1%
5	3 drinks	57	5.2%
6	4 drinks	39	3.5%

7	5 or more drinks	107	9.7%
Sysmiss		14	

### Q37: How got drinks past 30 days

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1085 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

##### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	674	62.1%
2	I bought in a store	133	12.3%
3	I gave someone money to buy	22	2%
4	I got it from my friends	117	10.8%
5	I got it from my family	64	5.9%
6	I stole it	9	0.8%
7	Some other way	66	6.1%
Sysmiss		33	

### Q38: Times drunk during life

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1102 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	847	76.9%
2	1 or 2 times	156	14.2%
3	3 to 9 times	70	6.4%
4	10 or more times	29	2.6%
Sysmiss		16	

### Q39: Number of troubles as result of drinking

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1069 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	905	84.7%
2	1 or 2 times	112	10.5%
3	3 to 9 times	30	2.8%
4	10 or more times	22	2.1%
Sysmiss		49	

### Q40: Age first drugs

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1061 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

How old were you when you first used drugs?

### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	948	89.3%
2	7 years old or younger	7	0.7%
3	8 or 9 years old	8	0.8%
4	10 or 11 years old	9	0.8%
5	12 or 13 years old	18	1.7%
6	14 or 15 years old	61	5.7%
7	16 years old or older	10	0.9%
Sysmiss		57	

## Q41: Times used marijuana lifetime

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1079 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	972	90.1%
2	1 or 2 times	34	3.2%
3	3 to 9 times	29	2.7%
4	10 to 19 times	9	0.8%
5	20 or more times	35	3.2%
Sysmiss		39	

**Q42: Times used marijuana past 30 days****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 1095 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1018	93%
2	1 or 2 times	36	3.3%
3	3 to 9 times	19	1.7%
4	10 to 19 times	12	1.1%
5	20 or more times	10	0.9%
Sysmiss		23	

**Q43: Times used amphetamines lifetime****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 1091 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1067	97.8%

2	1 or 2 times	9	0.8%
3	3 to 9 times	9	0.8%
4	10 to 19 times	3	0.3%
5	20 or more times	3	0.3%
Sysmiss		27	

#### Q44: Ever had sex

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

##### Overview

Valid: 1048 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

###### LITERAL QUESTION

Have you ever had sexual intercourse?

###### CATEGORIES

Value	Category	Cases	
1	Yes	316	30.2%
2	No	732	69.8%
Sysmiss		70	

#### Q45: Age first sexual intercourse

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

##### Overview

Valid: 1075 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

###### LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

###### CATEGORIES

Value	Category	Cases	
1	Never had sex	792	73.7%

2	11 years old or younger	28	2.6%
3	12 years old	27	2.5%
4	13 years old	52	4.8%
5	14 years old	74	6.9%
6	15 years old	76	7.1%
7	16 years old or older	26	2.4%
Sysmiss		43	

## Q46: How many sex partners

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1085 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	814	75%
2	1 person	126	11.6%
3	2 people	60	5.5%
4	3 people	31	2.9%
5	4 people	15	1.4%
6	5 people	7	0.6%
7	6 or more people	32	2.9%
Sysmiss		33	

## Q47: Used condom at last intercourse

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1075 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	803	74.7%
2	Yes	219	20.4%
3	No	53	4.9%
Sysmiss		43	

## Q48: Used birth control last intercourse

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1073 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	804	74.9%
2	Yes	104	9.7%
3	No	127	11.8%
4	I do not know	38	3.5%
Sysmiss		45	

## Q49: Days active 60 min plus past 7 days

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1096 Invalid: 22



Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

### CATEGORIES

Value	Category	Cases	
1	0 days	144	13.1%
2	1 day	160	14.6%
3	2 days	220	20.1%
4	3 days	174	15.9%
5	4 days	133	12.1%
6	5 days	89	8.1%
7	6 days	41	3.7%
8	7 days	135	12.3%
Sysmiss		22	

## Q50: Walk or bike to school past 7 days

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1095    Invalid: 23

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

### CATEGORIES

Value	Category	Cases	
1	0 days	398	36.3%
2	1 day	93	8.5%
3	2 days	79	7.2%

4	3 days	43	3.9%
5	4 days	51	4.7%
6	5 days	108	9.9%
7	6 days	21	1.9%
8	7 days	302	27.6%
Sysmiss		23	

### Q51: Days went to PE each week

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1077 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

##### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

##### CATEGORIES

Value	Category	Cases	
1	0 days	95	8.8%
2	1 day	176	16.3%
3	2 days	534	49.6%
4	3 days	52	4.8%
5	4 days	32	3%
6	5 or more days	188	17.5%
Sysmiss		41	

### Q52: Time spent sitting on usual day

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1094 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	126	11.5%
2	1 to 2 hours per day	333	30.4%
3	3 to 4 hours per day	343	31.4%
4	5 to 6 hours per day	169	15.4%
5	7 to 8 hours per day	51	4.7%
6	More than 8 hours per day	72	6.6%
Sysmiss		24	

## Q53: Miss school no permission past 30 days

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1090 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

### CATEGORIES

Value	Category	Cases	
1	0 days	782	71.7%
2	1 or 2 days	168	15.4%
3	3 to 5 days	63	5.8%
4	6 to 9 days	39	3.6%
5	10 or more days	38	3.5%
Sysmiss		28	

**Q54: Others helpful in school past 30 days****Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use****Overview**

Valid: 1082 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

## CATEGORIES

Value	Category	Cases	
1	Never	64	5.9%
2	Rarely	130	12%
3	Sometimes	263	24.3%
4	Most of the time	322	29.8%
5	Always	303	28%
Sysmiss		36	

**Q55: Parents check homework past 30 days****Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use****Overview**

Valid: 1094 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

## CATEGORIES

Value	Category	Cases	
1	Never	422	38.6%
2	Rarely	223	20.4%
3	Sometimes	194	17.7%
4	Most of the time	129	11.8%
5	Always	126	11.5%

Sysmiss		24	
---------	--	----	--

## Q56: Parent understand troubles past 30 days

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1081 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

#### CATEGORIES

Value	Category	Cases	
1	Never	186	17.2%
2	Rarely	118	10.9%
3	Sometimes	202	18.7%
4	Most of the time	208	19.2%
5	Always	367	34%
Sysmiss		37	

## Q57: Parent know what you do past 30 days

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1082 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	136	12.6%
2	Rarely	118	10.9%

3	Sometimes	188	17.4%
4	Most of the time	246	22.7%
5	Always	394	36.4%
Sysmiss		36	

### Q58: Parent go through things past 30 days

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1077 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

##### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

##### CATEGORIES

Value	Category	Cases	
1		489	45.4%
2		261	24.2%
3		205	19%
4		71	6.6%
5		51	4.7%
Sysmiss		41	

### QN6: Went hungry most of time/always past 30 days

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1109 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	37	3.3%
2	No	1072	96.7%
Sysmiss		9	

**QN7: Ate fruit 2+ times per day past 30 days****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 1110 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	378	34.1%
2	No	732	65.9%
Sysmiss		8	

**QN8: Ate vegetables 3+ times per day past 30 day****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 1110 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	153	13.8%
2	No	957	86.2%
Sysmiss		8	

**QN9: Drank soft drinks 1+ times per day past 30 day****Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use****Overview**

Valid: 1112 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	625	56.2%
2	No	487	43.8%
Sysmiss		6	

**QN10: Ate fast food 3+ days past 7 day****Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use****Overview**

Valid: 1113 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

## CATEGORIES

Value	Category	Cases	
1	Yes	82	7.4%
2	No	1031	92.6%
Sysmiss		5	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use****Overview**

Valid: 1108 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	64	5.8%
2	No	1044	94.2%
Sysmiss		10	

## QN12: Never/rarely wash hands before eating past 30 days

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1092 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	161	14.7%
2	No	931	85.3%
Sysmiss		26	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1101 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	95	8.6%
2	No	1006	91.4%
Sysmiss		17	

### QN14: Never/rarely use soap on hands past 30 days

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1107 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	72	6.5%
2	No	1035	93.5%
Sysmiss		11	

### QN15: Attacked 1+ times past 12 months

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1099 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	245	22.3%
2	No	854	77.7%
Sysmiss		19	

**QN16: In fight 1+ times past 12 months****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 1114 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	325	29.2%
2	No	789	70.8%
Sysmiss		4	

**QN17: Seriously injured 1+ times past 12 months****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 996 Invalid: 122

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	330	33.1%
2	No	666	66.9%
Sysmiss		122	

**QN18: Broken bone as most serious injury****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 271 Invalid: 847

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

### CATEGORIES

Value	Category	Cases	
1	Yes	102	37.6%
2	No	169	62.4%
Sysmiss		847	

## QN19: Motor vehicle caused most serious injury

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 271 Invalid: 847

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	11	4.1%
2	No	260	95.9%
Sysmiss		847	

## QN20: Bullied 1+ of past 30 days

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1075 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	217	20.2%
2	No	858	79.8%
Sysmiss		43	

## QN21: Of students bullied, most often hit, kicked, etc

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 162 Invalid: 956

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

#### CATEGORIES

Value	Category	Cases	
1	Yes	17	10.5%
2	No	145	89.5%
Sysmiss		956	

## QN22: Lonely most times/always past 12 months

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1097 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	88	8%
2	No	1009	92%
Sysmiss		21	

**QN23: Worry prevented sleep most time/always past 12 mos****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 1110 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	81	7.3%
2	No	1029	92.7%
Sysmiss		8	

**QN24: Considered suicide past 12 months****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 1090 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	151	13.9%
2	No	939	86.1%
Sysmiss		28	

**QN25: Made suicide plan past 12 months****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 1108 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	150	13.5%
2	No	958	86.5%
Sysmiss		10	

### QN26: 1+ times attempt suicide 12 mos.

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1108 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	135	12.2%
2	No	973	87.8%
Sysmiss		10	

### QN27: No close friends

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1099 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	63	5.7%
2	No	1036	94.3%
Sysmiss		19	

**QN28: Age first cigarette before 14****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 354    Invalid: 764

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	198	55.9%
2	No	156	44.1%
Sysmiss		764	

**QN29: Smoked cigarettes 1+ of past 30 days****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 1105    Invalid: 13

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	161	14.6%
2	No	944	85.4%
Sysmiss		13	



**QN30: Used other tobacco 1+ of past 30 days****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 1112 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	54	4.9%
2	No	1058	95.1%
Sysmiss		6	

**QN31: Tried to quit smoking past 12 months****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 162 Invalid: 956

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	105	64.8%
2	No	57	35.2%
Sysmiss		956	

**QN32: Others present smoking 1+ of past 7 days****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 1104 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	715	64.8%
2	No	389	35.2%
Sysmiss		14	

## QN33: Either/Both parents use tobacco

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1110 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	351	31.6%
2	No	759	68.4%
Sysmiss		8	

## QN34: Age first alcohol before 14

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 600 Invalid: 518

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	374	62.3%
2	No	226	37.7%
Sysmiss		518	

**QN35: Drank 1+ days past 30 days****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 1076 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	402	37.4%
2	No	674	62.6%
Sysmiss		42	

**QN36: Of current drinkers, drank 2+ drinks/day 30 days****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 438 Invalid: 680

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

## CATEGORIES

Value	Category	Cases	
1	Yes	259	59.1%
2	No	179	40.9%
Sysmiss		680	

**QN37: Of current drinkers, got alcohol from friends****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 411 Invalid: 707

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

## CATEGORIES

Value	Category	Cases	
1	Yes	117	28.5%
2	No	294	71.5%
Sysmiss		707	

**QN38: 1+ times drunk in lifetime****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 1102 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	255	23.1%
2	No	847	76.9%
Sysmiss		16	

**QN39: Alcohol trouble 1+ times in lifetime****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 1069 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

### CATEGORIES

Value	Category	Cases	
1	Yes	164	15.3%
2	No	905	84.7%
Sysmiss		49	

## QN40: Age first drugs before 14

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 113 Invalid: 1005

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
1	Yes	42	37.2%
2	No	71	62.8%
Sysmiss		1005	

## QN41: Marijuana 1+ times in lifetime

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1079 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	107	9.9%
2	No	972	90.1%
Sysmiss		39	

**QN42: Marijuana 1+ times p 30 days****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 1095 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	77	7%
2	No	1018	93%
Sysmiss		23	

**QN43: Amphetamines 1+ times lifetime****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 1091 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	24	2.2%
2	No	1067	97.8%
Sysmiss		27	

**QN44: Ever had sex****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 1048 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	316	30.2%
2	No	732	69.8%
Sysmiss		70	

**QN45: Age first sexual intercourse before 14****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 283 Invalid: 835

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	107	37.8%
2	No	176	62.2%
Sysmiss		835	

**QN46: 2+ sex partners lifetime****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 1085 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	145	13.4%
2	No	940	86.6%
Sysmiss		33	

### QN47: Used condom at last sex

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 272 Invalid: 846

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	219	80.5%
2	No	53	19.5%
Sysmiss		846	

### QN48: Used birth control at last sex

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 269 Invalid: 849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

### CATEGORIES



Value	Category	Cases	
1	Yes	104	38.7%
2	No	165	61.3%
Sysmiss		849	

### QN49: Active 60+ mins/day for 5+ of past 7 days

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1096 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	265	24.2%
2	No	831	75.8%
Sysmiss		22	

### QN50: Walk/Bike to/from school 0 of past 7 days

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1095 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	398	36.3%
2	No	697	63.7%
Sysmiss		23	

**QN51: 3+ days PE each week****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 1077 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	272	25.3%
2	No	805	74.7%
Sysmiss		41	

**QN52: Sitting activities 3+ hours/day of usual day****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 1094 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

## CATEGORIES

Value	Category	Cases	
1	Yes	635	58%
2	No	459	42%
Sysmiss		24	

**QN53: Miss school no permission 1+ of past 30 days****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 1090 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	308	28.3%
2	No	782	71.7%
Sysmiss		28	

### QN54: Students most/always kind 30 days

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1082 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	625	57.8%
2	No	457	42.2%
Sysmiss		36	

### QN55: Parents most/always check homework

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1094 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	255	23.3%
2	No	839	76.7%
Sysmiss		24	

### QN56: Parents most/always understand problems

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1081 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	575	53.2%
2	No	506	46.8%
Sysmiss		37	

### QN57: Parents most/always know about free time

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1082 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	640	59.1%
2	No	442	40.9%
Sysmiss		36	

**QNFRVGG: Ate 5+ fruits/vegetables 30 days****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 1105 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	180	16.3%
2	No	925	83.7%
Sysmiss		13	

**QNANYTBG: Used any tobacco past 30 days****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 1103 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	171	15.5%
2	No	932	84.5%
Sysmiss		15	

**QNPA7G: Physically active all past 7 days****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 1096 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	135	12.3%
2	No	961	87.7%
Sysmiss		22	

## QNPE5G: Attended PE 5+ days each week

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1077 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

### CATEGORIES

Value	Category	Cases	
1	Yes	188	17.5%
2	No	889	82.5%
Sysmiss		41	

## QNC1G: Among heavy drinkers, ever sex

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 237 Invalid: 881

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	142	59.9%
2	No	95	40.1%
Sysmiss		881	

## QNC2G: Among those worried, currently bullied

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 74 Invalid: 1044

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	21	28.4%
2	No	53	71.6%
Sysmiss		1044	

## QN58: Parents never/rarely go thru things

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

### Overview

Valid: 1077 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	750	69.6%
2	No	327	30.4%
Sysmiss		41	

**QNOWTG: Overweight****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 0 Invalid: 1118

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were overweight (&gt;+1SD from median for BMI by age and sex)

## CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

**QNOBESEG: Obese****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 0 Invalid: 1118

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were obese (&gt;+2SD from median for BMI by age and sex)

## CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

**QNUNWTG: Underweight****Data file:** ARG2012\_CiudadDeBuenosAires\_Public\_Use**Overview**

Valid: 0 Invalid: 1118

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

### CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

### WEIGHT: Weight

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1118 Invalid: 0 Minimum: 80.526 Maximum: 270.751 Mean: 110.189 Standard deviation: 28.292  
Type: Continuous Decimal: 0 Width: 10 Range: 3.2196 - 1361.2246 Format: Numeric

### STRATUM: Stratum

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1118 Invalid: 0 Minimum: 201205001 Maximum: 201205012 Mean: 201205007.168 Standard deviation: 17.34  
Type: Continuous Decimal: 0 Width: 9 Range: 201201001 - 201224012 Format: Numeric

### PSU: Primary Sampling Unit

Data file: ARG2012\_CiudadDeBuenosAires\_Public\_Use

#### Overview

Valid: 1118 Invalid: 0 Minimum: 1 Maximum: 25 Mean: 13.901 Standard deviation: 7.021  
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 36 Format: Numeric

**Q1: How old are you****Data file: ARG2012\_EntreRios\_Public\_Use****Overview**

Valid: 1254 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	3	0.2%
2	12 years old	2	0.2%
3	13 years old	173	13.8%
4	14 years old	423	33.7%
5	15 years old	351	28%
6	16 years old or older	302	24.1%
Sysmiss		20	

**Q2: Sex****Data file: ARG2012\_EntreRios\_Public\_Use****Overview**

Valid: 1261 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	607	48.1%
2	Female	654	51.9%
Sysmiss		13	

**Q3: In what grade are you****Data file: ARG2012\_EntreRios\_Public\_Use**

## Overview

Valid: 1249 Invalid: 25  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

### CATEGORIES

Value	Category	Cases	
1	8th EGB	333	26.7%
2	9th EGB	545	43.6%
3	1st Pol	371	29.7%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		25	

## Q4: How tall are you

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 906 Invalid: 368 Minimum: 1.3 Maximum: 1.98 Mean: 1.648 Standard deviation: 0.0955  
 Type: Continuous Decimal: 2 Width: 5 Range: 1.2 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q5: How much do you weigh

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 906 Invalid: 368 Minimum: 33 Maximum: 169 Mean: 59.127 Standard deviation: 12.726  
 Type: Continuous Decimal: 2 Width: 5 Range: 30 - 180 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days**

**Data file:** ARG2012\_EntreRios\_Public\_Use

**Overview**

Valid: 1254 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	818	65.2%
2	Rarely	259	20.7%
3	Sometimes	147	11.7%
4	Most of the time	12	1%
5	Always	18	1.4%
Sysmiss		20	

**Q7: Eat fruit per day past 30 days**

**Data file:** ARG2012\_EntreRios\_Public\_Use

**Overview**

Valid: 1253 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	156	12.5%

2	Less than one time per day	279	22.3%
3	1 time per day	403	32.2%
4	2 times per day	226	18%
5	3 times per day	113	9%
6	4 times per day	24	1.9%
7	5 or more times per day	52	4.2%
Sysmiss		21	

## Q8: Eat vegetables past 30 days

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1251 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	129	10.3%
2	Less than one time per day	233	18.6%
3	1 time per day	431	34.5%
4	2 times per day	345	27.6%
5	3 times per day	49	3.9%
6	4 times per day	17	1.4%
7	5 or more times per day	47	3.8%
Sysmiss		23	

## Q9: Drink soft drinks past 30 days

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1253 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	127	10.1%
2	Less than one time per day	316	25.2%
3	1 time per day	202	16.1%
4	2 times per day	178	14.2%
5	3 times per day	139	11.1%
6	4 times per day	73	5.8%
7	5 or more times per day	218	17.4%
Sysmiss		21	

## Q10: Ate fast food past 7 days

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1264 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	1018	80.5%
2	1 day	154	12.2%
3	2 days	43	3.4%
4	3 days	27	2.1%
5	4 days	5	0.4%
6	5 days	4	0.3%
7	6 days	1	0.1%

8	7 days	12	0.9%
Sysmiss		10	

## Q11: How many times per day brush teeth

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1264 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	24	1.9%
2	Less than 1 time per day	78	6.2%
3	1 time per day	200	15.8%
4	2 times per day	386	30.5%
5	3 times per day	411	32.5%
6	4 or more times per day	165	13.1%
Sysmiss		10	

## Q12: Wash hands before eating past 30 days

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1263 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	64	5.1%
2	Rarely	104	8.2%
3	Sometimes	255	20.2%
4	Most of the time	327	25.9%
5	Always	513	40.6%
Sysmiss		11	

### Q13: Wash hands after toilet past 30 day

Data file: ARG2012\_EntreRios\_Public\_Use

#### Overview

Valid: 1268 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	44	3.5%
2	Rarely	64	5%
3	Sometimes	106	8.4%
4	Most of the time	221	17.4%
5	Always	833	65.7%
Sysmiss		6	

### Q14: Used soap on hands past 30 days

Data file: ARG2012\_EntreRios\_Public\_Use

#### Overview

Valid: 1256 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION



During the past 30 days, how often did you use soap when washing your hands?

#### CATEGORIES

Value	Category	Cases	
1	Never	32	2.5%
2	Rarely	57	4.5%
3	Sometimes	139	11.1%
4	Most of the time	276	22%
5	Always	752	59.9%
Sysmiss		18	

### Q15: Times attacked past 12 mo.

Data file: ARG2012\_EntreRios\_Public\_Use

#### Overview

Valid: 1246 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

#### CATEGORIES

Value	Category	Cases	
1	0 times	985	79.1%
2	1 time	104	8.3%
3	2 or 3 times	80	6.4%
4	4 or 5 times	22	1.8%
5	6 or 7 times	12	1%
6	8 or 9 times	4	0.3%
7	10 or 11 times	5	0.4%
8	12 or more times	34	2.7%
Sysmiss		28	

### Q16: How many times in fight 12 mos

Data file: ARG2012\_EntreRios\_Public\_Use

## Overview

Valid: 1266 Invalid: 8  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	903	71.3%
2	1 time	142	11.2%
3	2 or 3 times	114	9%
4	4 or 5 times	30	2.4%
5	6 or 7 times	16	1.3%
6	8 or 9 times	10	0.8%
7	10 or 11 times	6	0.5%
8	12 or more times	45	3.6%
Sysmiss		8	

## Q17: How many times injured past 12 months

Data file: ARG2012\_EntreRios\_Public\_Use

## Overview

Valid: 1126 Invalid: 148  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	775	68.8%
2	1 time	235	20.9%
3	2 or 3 times	76	6.7%

4	4 or 5 times	13	1.2%
5	6 or 7 times	8	0.7%
6	8 or 9 times	6	0.5%
7	10 or 11 times	2	0.2%
8	12 or more times	11	1%
Sysmiss		148	

### Q18: What was serious injury past 12 mo.

Data file: ARG2012\_EntreRios\_Public\_Use

#### Overview

Valid: 1148 Invalid: 126

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	886	77.2%
2	Broken bone/dislocated joint	60	5.2%
3	I had a cut or stab wound	18	1.6%
4	Concussion/head injury	16	1.4%
5	I had a gunshot wound	6	0.5%
6	I had a bad burn	10	0.9%
7	I was poisoned	2	0.2%
8	Something else happened to me	150	13.1%
Sysmiss		126	

### Q19: Cause of injury past 12 mo.

Data file: ARG2012\_EntreRios\_Public\_Use

#### Overview

Valid: 1144 Invalid: 130

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	866	75.7%
2	Motor vehicle accident	33	2.9%
3	I fell	104	9.1%
4	Something fell on me or hit me	22	1.9%
5	I was attacked	11	1%
6	Was in a fire	3	0.3%
7	breathed something bad	1	0.1%
8	Something else	104	9.1%
Sysmiss		130	

## Q20: How many days bullied past 30 days

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1205 Invalid: 69

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	951	78.9%
2	1 or 2 days	150	12.4%
3	3 to 5 days	40	3.3%
4	6 to 9 days	16	1.3%
5	10 to 19 days	10	0.8%

6	20 to 29 days	6	0.5%
7	All 30 days	32	2.7%
Sysmiss		69	

## Q21: How bullied past 30 days

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1200 Invalid: 74

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	1018	84.8%
2	Kicked, pushed, or shoved	31	2.6%
3	Made fun of race	19	1.6%
4	Made fun because of religion	3	0.3%
5	Made fun of about sex	15	1.3%
6	Left out of activities	10	0.8%
7	Made fun of about body	50	4.2%
8	Some other way	54	4.5%
Sysmiss		74	

## Q22: Times felt lonely past 12 mo.

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1238 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	536	43.3%
2	Rarely	345	27.9%
3	Sometimes	254	20.5%
4	Most of the time	75	6.1%
5	Always	28	2.3%
Sysmiss		36	

### Q23: Times could not sleep past 12 mo.

Data file: ARG2012\_EntreRios\_Public\_Use

#### Overview

Valid: 1259 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	461	36.6%
2	Rarely	357	28.4%
3	Sometimes	319	25.3%
4	Most of the time	94	7.5%
5	Always	28	2.2%
Sysmiss		15	

### Q24: Ever considered suicide 12 mos

Data file: ARG2012\_EntreRios\_Public\_Use

#### Overview

Valid: 1232 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	191	15.5%
2	No	1041	84.5%
Sysmiss		42	

## Q25: Ever make suicide plan 12 mos

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1243 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	197	15.8%
2	No	1046	84.2%
Sysmiss		31	

## Q26: Times attempted suicide 12 mos.

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1252 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1084	86.6%
2	1 time	101	8.1%
3	2 or 3 times	38	3%
4	4 or 5 times	18	1.4%
5	6 or more times	11	0.9%
Sysmiss		22	

### Q27: Number close friends

Data file: ARG2012\_EntreRios\_Public\_Use

#### Overview

Valid: 1233 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	73	5.9%
2	1	98	7.9%
3	2	185	15%
4	3 or more	877	71.1%
Sysmiss		41	

### Q28: Age first tried cigarette

Data file: ARG2012\_EntreRios\_Public\_Use

#### Overview

Valid: 1232 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	806	65.4%
2	7 years old or younger	37	3%
3	8 or 9 years old	29	2.4%
4	10 or 11 years old	79	6.4%
5	12 or 13 years old	143	11.6%
6	14 or 15 years old	121	9.8%
7	16 years old or older	17	1.4%
Sysmiss		42	

## Q29: How many days smoked 30 days

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1238 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	1014	81.9%
2	1 or 2 days	79	6.4%
3	3 to 5 days	25	2%
4	6 to 9 days	26	2.1%
5	10 to 19 days	23	1.9%
6	20 to 29 days	14	1.1%
7	All 30 days	57	4.6%
Sysmiss		36	

**Q30: Other tobacco past 30 days****Data file: ARG2012\_EntreRios\_Public\_Use****Overview**

Valid: 1255 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	1180	94%
2	1 or 2 days	34	2.7%
3	3 to 5 days	10	0.8%
4	6 to 9 days	9	0.7%
5	10 to 19 days	9	0.7%
6	20 to 29 days	0	0%
7	All 30 days	13	1%
Sysmiss		19	

**Q31: Try stop smoking past 12 mo.****Data file: ARG2012\_EntreRios\_Public\_Use****Overview**

Valid: 1236 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

## CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	917	74.2%
2	Did not smoke cigarettes	95	7.7%
3	Yes	140	11.3%
4	No	84	6.8%
Sysmiss		38	

### Q32: Others present smoking past 7 days

Data file: ARG2012\_EntreRios\_Public\_Use

#### Overview

Valid: 1248 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	326	26.1%
2	1 or 2 days	311	24.9%
3	3 or 4 days	152	12.2%
4	5 or 6 days	73	5.8%
5	All 7 days	386	30.9%
Sysmiss		26	

### Q33: Parents who use tobacco

Data file: ARG2012\_EntreRios\_Public\_Use

#### Overview

Valid: 1251 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	769	61.5%
2	My father or male guardian	220	17.6%
3	My mother or female guardian	117	9.4%
4	Both	119	9.5%
5	I do not know	26	2.1%
Sysmiss		23	

**Q34: Age first drink alcohol****Data file: ARG2012\_EntreRios\_Public\_Use****Overview**

Valid: 1171 Invalid: 103

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

## CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	155	13.2%
2	7 years old or younger	86	7.3%
3	8 or 9 years old	74	6.3%
4	10 or 11 years old	164	14%
5	12 or 13 years old	401	34.2%
6	14 or 15 years old	262	22.4%
7	16 years old or older	29	2.5%
Sysmiss		103	

**Q35: Days one drink or more past 30 days****Data file: ARG2012\_EntreRios\_Public\_Use****Overview**

Valid: 1184 Invalid: 90

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

### CATEGORIES

Value	Category	Cases	
1	0 days	358	30.2%
2	1 or 2 days	341	28.8%
3	3 to 5 days	203	17.1%
4	6 to 9 days	117	9.9%
5	10 to 19 days	104	8.8%
6	20 to 29 days	26	2.2%
7	All 30 days	35	3%
Sysmiss		90	

## Q36: Number of drinks past 30 days

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1222 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	331	27.1%
2	Less than one drink	158	12.9%
3	1 drink	120	9.8%
4	2 drinks	108	8.8%
5	3 drinks	112	9.2%
6	4 drinks	66	5.4%

7	5 or more drinks	327	26.8%
Sysmiss		52	

### Q37: How got drinks past 30 days

Data file: ARG2012\_EntreRios\_Public\_Use

#### Overview

Valid: 1195 Invalid: 79

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

##### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	362	30.3%
2	I bought in a store	284	23.8%
3	I gave someone money to buy	33	2.8%
4	I got it from my friends	268	22.4%
5	I got it from my family	110	9.2%
6	I stole it	4	0.3%
7	Some other way	134	11.2%
Sysmiss		79	

### Q38: Times drunk during life

Data file: ARG2012\_EntreRios\_Public\_Use

#### Overview

Valid: 1238 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	740	59.8%
2	1 or 2 times	322	26%
3	3 to 9 times	108	8.7%
4	10 or more times	68	5.5%
Sysmiss		36	

### Q39: Number of troubles as result of drinking

Data file: ARG2012\_EntreRios\_Public\_Use

#### Overview

Valid: 1220 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	869	71.2%
2	1 or 2 times	247	20.2%
3	3 to 9 times	60	4.9%
4	10 or more times	44	3.6%
Sysmiss		54	

### Q40: Age first drugs

Data file: ARG2012\_EntreRios\_Public\_Use

#### Overview

Valid: 1212 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

How old were you when you first used drugs?

### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1095	90.3%
2	7 years old or younger	17	1.4%
3	8 or 9 years old	15	1.2%
4	10 or 11 years old	12	1%
5	12 or 13 years old	24	2%
6	14 or 15 years old	35	2.9%
7	16 years old or older	14	1.2%
Sysmiss		62	

## Q41: Times used marijuana lifetime

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1212 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	1110	91.6%
2	1 or 2 times	28	2.3%
3	3 to 9 times	25	2.1%
4	10 to 19 times	17	1.4%
5	20 or more times	32	2.6%
Sysmiss		62	



**Q42: Times used marijuana past 30 days****Data file: ARG2012\_EntreRios\_Public\_Use****Overview**

Valid: 1233 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1164	94.4%
2	1 or 2 times	24	1.9%
3	3 to 9 times	23	1.9%
4	10 to 19 times	5	0.4%
5	20 or more times	17	1.4%
Sysmiss		41	

**Q43: Times used amphetamines lifetime****Data file: ARG2012\_EntreRios\_Public\_Use****Overview**

Valid: 1228 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1192	97.1%

2	1 or 2 times	21	1.7%
3	3 to 9 times	3	0.2%
4	10 to 19 times	8	0.7%
5	20 or more times	4	0.3%
Sysmiss		46	

#### Q44: Ever had sex

Data file: ARG2012\_EntreRios\_Public\_Use

##### Overview

Valid: 1168 Invalid: 106

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

###### LITERAL QUESTION

Have you ever had sexual intercourse?

###### CATEGORIES

Value	Category	Cases	
1	Yes	526	45%
2	No	642	55%
Sysmiss		106	

#### Q45: Age first sexual intercourse

Data file: ARG2012\_EntreRios\_Public\_Use

##### Overview

Valid: 1188 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

###### LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

###### CATEGORIES

Value	Category	Cases	
1	Never had sex	702	59.1%

2	11 years old or younger	57	4.8%
3	12 years old	70	5.9%
4	13 years old	95	8%
5	14 years old	155	13%
6	15 years old	76	6.4%
7	16 years old or older	33	2.8%
Sysmiss		86	

## Q46: How many sex partners

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1207 Invalid: 67

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	731	60.6%
2	1 person	192	15.9%
3	2 people	100	8.3%
4	3 people	50	4.1%
5	4 people	34	2.8%
6	5 people	20	1.7%
7	6 or more people	80	6.6%
Sysmiss		67	

## Q47: Used condom at last intercourse

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1188 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	714	60.1%
2	Yes	366	30.8%
3	No	108	9.1%
Sysmiss		86	

## Q48: Used birth control last intercourse

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1185 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	717	60.5%
2	Yes	270	22.8%
3	No	146	12.3%
4	I do not know	52	4.4%
Sysmiss		89	

## Q49: Days active 60 min plus past 7 days

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1223 Invalid: 51

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

**CATEGORIES**

Value	Category	Cases	
1	0 days	176	14.4%
2	1 day	181	14.8%
3	2 days	238	19.5%
4	3 days	123	10.1%
5	4 days	112	9.2%
6	5 days	110	9%
7	6 days	43	3.5%
8	7 days	240	19.6%
Sysmiss		51	

**Q50: Walk or bike to school past 7 days****Data file:** ARG2012\_EntreRios\_Public\_Use**Overview**

Valid: 1202    Invalid: 72

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

**CATEGORIES**

Value	Category	Cases	
1	0 days	247	20.5%
2	1 day	76	6.3%
3	2 days	55	4.6%

4	3 days	31	2.6%
5	4 days	42	3.5%
6	5 days	276	23%
7	6 days	19	1.6%
8	7 days	456	37.9%
Sysmiss		72	

## Q51: Days went to PE each week

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1178 Invalid: 96

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

#### CATEGORIES

Value	Category	Cases	
1	0 days	89	7.6%
2	1 day	227	19.3%
3	2 days	541	45.9%
4	3 days	34	2.9%
5	4 days	21	1.8%
6	5 or more days	266	22.6%
Sysmiss		96	

## Q52: Time spent sitting on usual day

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1192 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	244	20.5%
2	1 to 2 hours per day	351	29.4%
3	3 to 4 hours per day	333	27.9%
4	5 to 6 hours per day	132	11.1%
5	7 to 8 hours per day	34	2.9%
6	More than 8 hours per day	98	8.2%
Sysmiss		82	

## Q53: Miss school no permission past 30 days

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1194 Invalid: 80

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

### CATEGORIES

Value	Category	Cases	
1	0 days	818	68.5%
2	1 or 2 days	205	17.2%
3	3 to 5 days	88	7.4%
4	6 to 9 days	30	2.5%
5	10 or more days	53	4.4%
Sysmiss		80	

**Q54: Others helpful in school past 30 days****Data file: ARG2012\_EntreRios\_Public\_Use****Overview**

Valid: 1179 Invalid: 95

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about your experiences at school and at home.

**LITERAL QUESTION**

During the past 30 days, how often were most of the students in your school kind and helpful?

**CATEGORIES**

Value	Category	Cases	
1	Never	125	10.6%
2	Rarely	172	14.6%
3	Sometimes	272	23.1%
4	Most of the time	317	26.9%
5	Always	293	24.9%
Sysmiss		95	

**Q55: Parents check homework past 30 days****Data file: ARG2012\_EntreRios\_Public\_Use****Overview**

Valid: 1192 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about your experiences at school and at home.

**LITERAL QUESTION**

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

**CATEGORIES**

Value	Category	Cases	
1	Never	489	41%
2	Rarely	212	17.8%
3	Sometimes	192	16.1%
4	Most of the time	122	10.2%
5	Always	177	14.8%



Sysmiss

82

**Q56: Parent understand troubles past 30 days****Data file: ARG2012\_EntreRios\_Public\_Use****Overview**

Valid: 1178 Invalid: 96

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about your experiences at school and at home.

**LITERAL QUESTION**

During the past 30 days, how often did your parents or guardians understand your problems and worries?

**CATEGORIES**

Value	Category	Cases	
1	Never	235	19.9%
2	Rarely	170	14.4%
3	Sometimes	228	19.4%
4	Most of the time	216	18.3%
5	Always	329	27.9%
Sysmiss		96	

**Q57: Parent know what you do past 30 days****Data file: ARG2012\_EntreRios\_Public\_Use****Overview**

Valid: 1166 Invalid: 108

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about your experiences at school and at home.

**LITERAL QUESTION**

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

**CATEGORIES**

Value	Category	Cases	
1	Never	191	16.4%
2	Rarely	139	11.9%

3	Sometimes	190	16.3%
4	Most of the time	229	19.6%
5	Always	417	35.8%
Sysmiss		108	

## Q58: Parent go through things past 30 days

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1173 Invalid: 101

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

#### CATEGORIES

Value	Category	Cases	
1		545	46.5%
2		257	21.9%
3		180	15.3%
4		94	8%
5		97	8.3%
Sysmiss		101	

## QN6: Went hungry most of time/always past 30 days

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1254 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	30	2.4%
2	No	1224	97.6%
Sysmiss		20	

**QN7: Ate fruit 2+ times per day past 30 days****Data file:** ARG2012\_EntreRios\_Public\_Use**Overview**

Valid: 1253 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	415	33.1%
2	No	838	66.9%
Sysmiss		21	

**QN8: Ate vegetables 3+ times per day past 30 day****Data file:** ARG2012\_EntreRios\_Public\_Use**Overview**

Valid: 1251 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	113	9%
2	No	1138	91%
Sysmiss		23	

**QN9: Drank soft drinks 1+ times per day past 30 day****Data file: ARG2012\_EntreRios\_Public\_Use****Overview**

Valid: 1253 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	810	64.6%
2	No	443	35.4%
Sysmiss		21	

**QN10: Ate fast food 3+ days past 7 day****Data file: ARG2012\_EntreRios\_Public\_Use****Overview**

Valid: 1264 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

## CATEGORIES

Value	Category	Cases	
1	Yes	49	3.9%
2	No	1215	96.1%
Sysmiss		10	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: ARG2012\_EntreRios\_Public\_Use****Overview**

Valid: 1264 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	102	8.1%
2	No	1162	91.9%
Sysmiss		10	

## QN12: Never/rarely wash hands before eating past 30 days

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1263 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	168	13.3%
2	No	1095	86.7%
Sysmiss		11	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1268 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	108	8.5%
2	No	1160	91.5%
Sysmiss		6	

### QN14: Never/rarely use soap on hands past 30 days

Data file: ARG2012\_EntreRios\_Public\_Use

#### Overview

Valid: 1256 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	89	7.1%
2	No	1167	92.9%
Sysmiss		18	

### QN15: Attacked 1+ times past 12 months

Data file: ARG2012\_EntreRios\_Public\_Use

#### Overview

Valid: 1246 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	261	20.9%
2	No	985	79.1%
Sysmiss		28	

**QN16: In fight 1+ times past 12 months****Data file: ARG2012\_EntreRios\_Public\_Use****Overview**

Valid: 1266 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	363	28.7%
2	No	903	71.3%
Sysmiss		8	

**QN17: Seriously injured 1+ times past 12 months****Data file: ARG2012\_EntreRios\_Public\_Use****Overview**

Valid: 1126 Invalid: 148

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	351	31.2%
2	No	775	68.8%
Sysmiss		148	

**QN18: Broken bone as most serious injury****Data file: ARG2012\_EntreRios\_Public\_Use****Overview**

Valid: 262 Invalid: 1012

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

### CATEGORIES

Value	Category	Cases	
1	Yes	60	22.9%
2	No	202	77.1%
Sysmiss		1012	

## QN19: Motor vehicle caused most serious injury

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 278 Invalid: 996

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	33	11.9%
2	No	245	88.1%
Sysmiss		996	

## QN20: Bullied 1+ of past 30 days

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1205 Invalid: 69

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES



Value	Category	Cases	
1	Yes	254	21.1%
2	No	951	78.9%
Sysmiss		69	

### QN21: Of students bullied, most often hit, kicked, etc

Data file: ARG2012\_EntreRios\_Public\_Use

#### Overview

Valid: 182 Invalid: 1092

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

##### CATEGORIES

Value	Category	Cases	
1	Yes	31	17%
2	No	151	83%
Sysmiss		1092	

### QN22: Lonely most times/always past 12 months

Data file: ARG2012\_EntreRios\_Public\_Use

#### Overview

Valid: 1238 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	103	8.3%
2	No	1135	91.7%
Sysmiss		36	

**QN23: Worry prevented sleep most time/always past 12 mos****Data file: ARG2012\_EntreRios\_Public\_Use****Overview**

Valid: 1259 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	122	9.7%
2	No	1137	90.3%
Sysmiss		15	

**QN24: Considered suicide past 12 months****Data file: ARG2012\_EntreRios\_Public\_Use****Overview**

Valid: 1232 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	191	15.5%
2	No	1041	84.5%
Sysmiss		42	

**QN25: Made suicide plan past 12 months****Data file: ARG2012\_EntreRios\_Public\_Use****Overview**

Valid: 1243 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	197	15.8%
2	No	1046	84.2%
Sysmiss		31	

### QN26: 1+ times attempt suicide 12 mos.

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1252 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	168	13.4%
2	No	1084	86.6%
Sysmiss		22	

### QN27: No close friends

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1233 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	73	5.9%
2	No	1160	94.1%
Sysmiss		41	

## QN28: Age first cigarette before 14

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 426 Invalid: 848

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

#### CATEGORIES

Value	Category	Cases	
1	Yes	288	67.6%
2	No	138	32.4%
Sysmiss		848	

## QN29: Smoked cigarettes 1+ of past 30 days

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1238 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	224	18.1%
2	No	1014	81.9%
Sysmiss		36	

**QN30: Used other tobacco 1+ of past 30 days****Data file:** ARG2012\_EntreRios\_Public\_Use**Overview**

Valid: 1255 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	75	6%
2	No	1180	94%
Sysmiss		19	

**QN31: Tried to quit smoking past 12 months****Data file:** ARG2012\_EntreRios\_Public\_Use**Overview**

Valid: 224 Invalid: 1050

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	140	62.5%
2	No	84	37.5%
Sysmiss		1050	

**QN32: Others present smoking 1+ of past 7 days****Data file:** ARG2012\_EntreRios\_Public\_Use**Overview**

Valid: 1248 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	922	73.9%
2	No	326	26.1%
Sysmiss		26	

## QN33: Either/Both parents use tobacco

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1251 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	456	36.5%
2	No	795	63.5%
Sysmiss		23	

## QN34: Age first alcohol before 14

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1016 Invalid: 258

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	725	71.4%
2	No	291	28.6%
Sysmiss		258	

**QN35: Drank 1+ days past 30 days****Data file:** ARG2012\_EntreRios\_Public\_Use**Overview**

Valid: 1184   Invalid: 90

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	826	69.8%
2	No	358	30.2%
Sysmiss		90	

**QN36: Of current drinkers, drank 2+ drinks/day 30 days****Data file:** ARG2012\_EntreRios\_Public\_Use**Overview**

Valid: 891   Invalid: 383

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

## CATEGORIES

Value	Category	Cases	
1	Yes	613	68.8%
2	No	278	31.2%
Sysmiss		383	

**QN37: Of current drinkers, got alcohol from friends****Data file: ARG2012\_EntreRios\_Public\_Use****Overview**

Valid: 833 Invalid: 441

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

## CATEGORIES

Value	Category	Cases	
1	Yes	268	32.2%
2	No	565	67.8%
Sysmiss		441	

**QN38: 1+ times drunk in lifetime****Data file: ARG2012\_EntreRios\_Public\_Use****Overview**

Valid: 1238 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	498	40.2%
2	No	740	59.8%
Sysmiss		36	

**QN39: Alcohol trouble 1+ times in lifetime****Data file: ARG2012\_EntreRios\_Public\_Use****Overview**

Valid: 1220 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

### CATEGORIES

Value	Category	Cases	
1	Yes	351	28.8%
2	No	869	71.2%
Sysmiss		54	

## QN40: Age first drugs before 14

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 117 Invalid: 1157

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
1	Yes	68	58.1%
2	No	49	41.9%
Sysmiss		1157	

## QN41: Marijuana 1+ times in lifetime

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1212 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	102	8.4%
2	No	1110	91.6%
Sysmiss		62	

**QN42: Marijuana 1+ times p 30 days****Data file:** ARG2012\_EntreRios\_Public\_Use**Overview**

Valid: 1233 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	69	5.6%
2	No	1164	94.4%
Sysmiss		41	

**QN43: Amphetamines 1+ times lifetime****Data file:** ARG2012\_EntreRios\_Public\_Use**Overview**

Valid: 1228 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	36	2.9%
2	No	1192	97.1%
Sysmiss		46	

**QN44: Ever had sex****Data file:** ARG2012\_EntreRios\_Public\_Use**Overview**

Valid: 1168 Invalid: 106

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	526	45%
2	No	642	55%
Sysmiss		106	

**QN45: Age first sexual intercourse before 14****Data file:** ARG2012\_EntreRios\_Public\_Use**Overview**

Valid: 486 Invalid: 788

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	222	45.7%
2	No	264	54.3%
Sysmiss		788	

**QN46: 2+ sex partners lifetime****Data file:** ARG2012\_EntreRios\_Public\_Use**Overview**

Valid: 1207 Invalid: 67

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	284	23.5%
2	No	923	76.5%
Sysmiss		67	

### QN47: Used condom at last sex

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 474 Invalid: 800

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	366	77.2%
2	No	108	22.8%
Sysmiss		800	

### QN48: Used birth control at last sex

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 468 Invalid: 806

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	270	57.7%
2	No	198	42.3%
Sysmiss		806	

### QN49: Active 60+ mins/day for 5+ of past 7 days

Data file: ARG2012\_EntreRios\_Public\_Use

#### Overview

Valid: 1223 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	393	32.1%
2	No	830	67.9%
Sysmiss		51	

### QN50: Walk/Bike to/from school 0 of past 7 days

Data file: ARG2012\_EntreRios\_Public\_Use

#### Overview

Valid: 1202 Invalid: 72

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	247	20.5%
2	No	955	79.5%
Sysmiss		72	

**QN51: 3+ days PE each week****Data file: ARG2012\_EntreRios\_Public\_Use****Overview**

Valid: 1178 Invalid: 96

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	321	27.2%
2	No	857	72.8%
Sysmiss		96	

**QN52: Sitting activities 3+ hours/day of usual day****Data file: ARG2012\_EntreRios\_Public\_Use****Overview**

Valid: 1192 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

## CATEGORIES

Value	Category	Cases	
1	Yes	597	50.1%
2	No	595	49.9%
Sysmiss		82	

**QN53: Miss school no permission 1+ of past 30 days****Data file: ARG2012\_EntreRios\_Public\_Use****Overview**

Valid: 1194 Invalid: 80

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	376	31.5%
2	No	818	68.5%
Sysmiss		80	

### QN54: Students most/always kind 30 days

Data file: ARG2012\_EntreRios\_Public\_Use

#### Overview

Valid: 1179 Invalid: 95

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	610	51.7%
2	No	569	48.3%
Sysmiss		95	

### QN55: Parents most/always check homework

Data file: ARG2012\_EntreRios\_Public\_Use

#### Overview

Valid: 1192 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	299	25.1%
2	No	893	74.9%
Sysmiss		82	

### QN56: Parents most/always understand problems

Data file: ARG2012\_EntreRios\_Public\_Use

#### Overview

Valid: 1178 Invalid: 96

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	545	46.3%
2	No	633	53.7%
Sysmiss		96	

### QN57: Parents most/always know about free time

Data file: ARG2012\_EntreRios\_Public\_Use

#### Overview

Valid: 1166 Invalid: 108

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	646	55.4%
2	No	520	44.6%
Sysmiss		108	



**QN58: Parents never/rarely go thru things****Data file:** ARG2012\_EntreRios\_Public\_Use**Overview**

Valid: 1173 Invalid: 101

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	802	68.4%
2	No	371	31.6%
Sysmiss		101	

**QNOWTG: Overweight****Data file:** ARG2012\_EntreRios\_Public\_Use**Overview**

Valid: 906 Invalid: 368

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

**CATEGORIES**

Value	Category	Cases	
1	Yes	257	28.4%
2	No	649	71.6%
Sysmiss		368	

**QNOBESEG: Obese****Data file:** ARG2012\_EntreRios\_Public\_Use**Overview**

Valid: 906 Invalid: 368

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese ( $>+2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1	Yes	47	5.2%
2	No	859	94.8%
Sysmiss		368	

## QNUNWTG: Underweight

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 906    Invalid: 368

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were underweight ( $<-2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1	Yes	7	0.8%
2	No	899	99.2%
Sysmiss		368	

## QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1242    Invalid: 32

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	179	14.4%
2	No	1063	85.6%
Sysmiss		32	

## QNANYTBG: Used any tobacco past 30 days

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1233 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	231	18.7%
2	No	1002	81.3%
Sysmiss		41	

## QNPA7G: Physically active all past 7 days

Data file: ARG2012\_EntreRios\_Public\_Use

### Overview

Valid: 1223 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

#### CATEGORIES

Value	Category	Cases	
1	Yes	240	19.6%
2	No	983	80.4%
Sysmiss		51	

**QNPE5G: Attended PE 5+ days each week****Data file:** ARG2012\_EntreRios\_Public\_Use**Overview**

Valid: 1178 Invalid: 96

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	266	22.6%
2	No	912	77.4%
Sysmiss		96	

**QNC1G: Among heavy drinkers, ever sex****Data file:** ARG2012\_EntreRios\_Public\_Use**Overview**

Valid: 444 Invalid: 830

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	294	66.2%
2	No	150	33.8%
Sysmiss		830	

**QNC2G: Among those worried, currently bullied****Data file:** ARG2012\_EntreRios\_Public\_Use**Overview**

Valid: 116 Invalid: 1158

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	48	41.4%
2	No	68	58.6%
Sysmiss		1158	

### WEIGHT: Weight

Data file: ARG2012\_EntreRios\_Public\_Use

#### Overview

Valid: 1274 Invalid: 0 Minimum: 22.629 Maximum: 150.275 Mean: 47.568 Standard deviation: 24.068  
Type: Continuous Decimal: 0 Width: 10 Range: 3.2196 - 1361.2246 Format: Numeric

### STRATUM: Stratum

Data file: ARG2012\_EntreRios\_Public\_Use

#### Overview

Valid: 1274 Invalid: 0 Minimum: 201208001 Maximum: 201208012 Mean: 201208006.954 Standard deviation: 18.641  
Type: Continuous Decimal: 0 Width: 9 Range: 201201001 - 201224012 Format: Numeric

### PSU: Primary Sampling Unit

Data file: ARG2012\_EntreRios\_Public\_Use

#### Overview

Valid: 1274 Invalid: 0 Minimum: 1 Maximum: 25 Mean: 13.359 Standard deviation: 6.784  
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 36 Format: Numeric

**Q1: How old are you****Data file: ARG2012\_Jujuy\_Public\_Use****Overview**

Valid: 1187 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	3	0.3%
2	12 years old	2	0.2%
3	13 years old	226	19%
4	14 years old	357	30.1%
5	15 years old	372	31.3%
6	16 years old or older	227	19.1%
Sysmiss		8	

**Q2: Sex****Data file: ARG2012\_Jujuy\_Public\_Use****Overview**

Valid: 1187 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	571	48.1%
2	Female	616	51.9%
Sysmiss		8	

**Q3: In what grade are you****Data file: ARG2012\_Jujuy\_Public\_Use**

## Overview

Valid: 1179 Invalid: 16  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

### CATEGORIES

Value	Category	Cases	
1	8th EGB	439	37.2%
2	9th EGB	443	37.6%
3	1st Pol	297	25.2%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		16	

## Q4: How tall are you

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 728 Invalid: 467 Minimum: 1.4 Maximum: 1.9 Mean: 1.624 Standard deviation: 0.0908  
 Type: Continuous Decimal: 2 Width: 5 Range: 1.2 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q5: How much do you weigh

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 728 Invalid: 467 Minimum: 32 Maximum: 160 Mean: 56.277 Standard deviation: 11.559  
 Type: Continuous Decimal: 2 Width: 5 Range: 30 - 180 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days**

**Data file:** ARG2012\_Jujuy\_Public\_Use

**Overview**

Valid: 1181 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	686	58.1%
2	Rarely	275	23.3%
3	Sometimes	165	14%
4	Most of the time	33	2.8%
5	Always	22	1.9%
Sysmiss		14	

**Q7: Eat fruit per day past 30 days**

**Data file:** ARG2012\_Jujuy\_Public\_Use

**Overview**

Valid: 1190 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	89	7.5%



2	Less than one time per day	254	21.3%
3	1 time per day	342	28.7%
4	2 times per day	238	20%
5	3 times per day	136	11.4%
6	4 times per day	47	3.9%
7	5 or more times per day	84	7.1%
Sysmiss		5	

## Q8: Eat vegetables past 30 days

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1191 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	57	4.8%
2	Less than one time per day	174	14.6%
3	1 time per day	437	36.7%
4	2 times per day	313	26.3%
5	3 times per day	78	6.5%
6	4 times per day	44	3.7%
7	5 or more times per day	88	7.4%
Sysmiss		4	

## Q9: Drink soft drinks past 30 days

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1190 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	119	10%
2	Less than one time per day	304	25.5%
3	1 time per day	215	18.1%
4	2 times per day	187	15.7%
5	3 times per day	140	11.8%
6	4 times per day	49	4.1%
7	5 or more times per day	176	14.8%
Sysmiss		5	

## Q10: Ate fast food past 7 days

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1182 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	777	65.7%
2	1 day	216	18.3%
3	2 days	91	7.7%
4	3 days	46	3.9%
5	4 days	21	1.8%
6	5 days	13	1.1%
7	6 days	4	0.3%

8	7 days	14	1.2%
Sysmiss		13	

## Q11: How many times per day brush teeth

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1189 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	19	1.6%
2	Less than 1 time per day	53	4.5%
3	1 time per day	142	11.9%
4	2 times per day	354	29.8%
5	3 times per day	424	35.7%
6	4 or more times per day	197	16.6%
Sysmiss		6	

## Q12: Wash hands before eating past 30 days

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1188 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	16	1.3%
2	Rarely	80	6.7%
3	Sometimes	185	15.6%
4	Most of the time	339	28.5%
5	Always	568	47.8%
Sysmiss		7	

### Q13: Wash hands after toilet past 30 day

Data file: ARG2012\_Jujuy\_Public\_Use

#### Overview

Valid: 1193 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	15	1.3%
2	Rarely	31	2.6%
3	Sometimes	74	6.2%
4	Most of the time	196	16.4%
5	Always	877	73.5%
Sysmiss		2	

### Q14: Used soap on hands past 30 days

Data file: ARG2012\_Jujuy\_Public\_Use

#### Overview

Valid: 1184 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

#### CATEGORIES

Value	Category	Cases	
1	Never	13	1.1%
2	Rarely	45	3.8%
3	Sometimes	164	13.9%
4	Most of the time	318	26.9%
5	Always	644	54.4%
Sysmiss		11	

### Q15: Times attacked past 12 mo.

Data file: ARG2012\_Jujuy\_Public\_Use

#### Overview

Valid: 1171 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

#### CATEGORIES

Value	Category	Cases	
1	0 times	840	71.7%
2	1 time	146	12.5%
3	2 or 3 times	104	8.9%
4	4 or 5 times	20	1.7%
5	6 or 7 times	11	0.9%
6	8 or 9 times	12	1%
7	10 or 11 times	3	0.3%
8	12 or more times	35	3%
Sysmiss		24	

### Q16: How many times in fight 12 mos

Data file: ARG2012\_Jujuy\_Public\_Use

## Overview

Valid: 1192 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	786	65.9%
2	1 time	166	13.9%
3	2 or 3 times	112	9.4%
4	4 or 5 times	35	2.9%
5	6 or 7 times	22	1.8%
6	8 or 9 times	8	0.7%
7	10 or 11 times	8	0.7%
8	12 or more times	55	4.6%
Sysmiss		3	

## Q17: How many times injured past 12 months

Data file: ARG2012\_Jujuy\_Public\_Use

## Overview

Valid: 1048 Invalid: 147

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	652	62.2%
2	1 time	264	25.2%
3	2 or 3 times	97	9.3%

4	4 or 5 times	18	1.7%
5	6 or 7 times	7	0.7%
6	8 or 9 times	1	0.1%
7	10 or 11 times	0	0%
8	12 or more times	9	0.9%
Sysmiss		147	

## Q18: What was serious injury past 12 mo.

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1087 Invalid: 108

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

#### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

#### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	790	72.7%
2	Broken bone/dislocated joint	67	6.2%
3	I had a cut or stab wound	13	1.2%
4	Concussion/head injury	26	2.4%
5	I had a gunshot wound	2	0.2%
6	I had a bad burn	5	0.5%
7	I was poisoned	5	0.5%
8	Something else happened to me	179	16.5%
Sysmiss		108	

## Q19: Cause of injury past 12 mo.

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1071 Invalid: 124

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	772	72.1%
2	Motor vehicle accident	25	2.3%
3	I fell	110	10.3%
4	Something fell on me or hit me	21	2%
5	I was attacked	18	1.7%
6	Was in a fire	6	0.6%
7	breathed something bad	6	0.6%
8	Something else	113	10.6%
Sysmiss		124	

## Q20: How many days bullied past 30 days

Data file: ARG2012\_JuJuy\_Public\_Use

### Overview

Valid: 1148 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	857	74.7%
2	1 or 2 days	179	15.6%
3	3 to 5 days	53	4.6%
4	6 to 9 days	15	1.3%
5	10 to 19 days	10	0.9%



6	20 to 29 days	4	0.3%
7	All 30 days	30	2.6%
Sysmiss		47	

## Q21: How bullied past 30 days

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1125 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	880	78.2%
2	Kicked, pushed, or shoved	27	2.4%
3	Made fun of race	10	0.9%
4	Made fun because of religion	3	0.3%
5	Made fun of about sex	35	3.1%
6	Left out of activities	12	1.1%
7	Made fun of about body	55	4.9%
8	Some other way	103	9.2%
Sysmiss		70	

## Q22: Times felt lonely past 12 mo.

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1178 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	425	36.1%
2	Rarely	347	29.5%
3	Sometimes	273	23.2%
4	Most of the time	85	7.2%
5	Always	48	4.1%
Sysmiss		17	

### Q23: Times could not sleep past 12 mo.

Data file: ARG2012\_Jujoy\_Public\_Use

#### Overview

Valid: 1193 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	370	31%
2	Rarely	391	32.8%
3	Sometimes	308	25.8%
4	Most of the time	96	8%
5	Always	28	2.3%
Sysmiss		2	

### Q24: Ever considered suicide 12 mos

Data file: ARG2012\_Jujoy\_Public\_Use

#### Overview

Valid: 1173 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	232	19.8%
2	No	941	80.2%
Sysmiss		22	

## Q25: Ever make suicide plan 12 mos

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1191 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	198	16.6%
2	No	993	83.4%
Sysmiss		4	

## Q26: Times attempted suicide 12 mos.

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1186 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	985	83.1%
2	1 time	115	9.7%
3	2 or 3 times	50	4.2%
4	4 or 5 times	20	1.7%
5	6 or more times	16	1.3%
Sysmiss		9	

### Q27: Number close friends

Data file: ARG2012\_Jujuy\_Public\_Use

#### Overview

Valid: 1175 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	50	4.3%
2	1	86	7.3%
3	2	179	15.2%
4	3 or more	860	73.2%
Sysmiss		20	

### Q28: Age first tried cigarette

Data file: ARG2012\_Jujuy\_Public\_Use

#### Overview

Valid: 1179 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	606	51.4%
2	7 years old or younger	25	2.1%
3	8 or 9 years old	33	2.8%
4	10 or 11 years old	86	7.3%
5	12 or 13 years old	223	18.9%
6	14 or 15 years old	183	15.5%
7	16 years old or older	23	2%
Sysmiss		16	

## Q29: How many days smoked 30 days

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1190 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	858	72.1%
2	1 or 2 days	154	12.9%
3	3 to 5 days	68	5.7%
4	6 to 9 days	32	2.7%
5	10 to 19 days	32	2.7%
6	20 to 29 days	16	1.3%
7	All 30 days	30	2.5%
Sysmiss		5	

**Q30: Other tobacco past 30 days****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 1190 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	1092	91.8%
2	1 or 2 days	53	4.5%
3	3 to 5 days	14	1.2%
4	6 to 9 days	13	1.1%
5	10 to 19 days	10	0.8%
6	20 to 29 days	3	0.3%
7	All 30 days	5	0.4%
Sysmiss		5	

**Q31: Try stop smoking past 12 mo.****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 1179 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

## CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	691	58.6%
2	Did not smoke cigarettes	164	13.9%
3	Yes	230	19.5%
4	No	94	8%
Sysmiss		16	

### Q32: Others present smoking past 7 days

Data file: ARG2012\_Jujuy\_Public\_Use

#### Overview

Valid: 1186 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	335	28.2%
2	1 or 2 days	396	33.4%
3	3 or 4 days	166	14%
4	5 or 6 days	86	7.3%
5	All 7 days	203	17.1%
Sysmiss		9	

### Q33: Parents who use tobacco

Data file: ARG2012\_Jujuy\_Public\_Use

#### Overview

Valid: 1186 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	759	64%
2	My father or male guardian	195	16.4%
3	My mother or female guardian	82	6.9%
4	Both	86	7.3%
5	I do not know	64	5.4%
Sysmiss		9	

**Q34: Age first drink alcohol****Data file: ARG2012\_Jujuy\_Public\_Use****Overview**

Valid: 1097 Invalid: 98

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

## CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	386	35.2%
2	7 years old or younger	25	2.3%
3	8 or 9 years old	26	2.4%
4	10 or 11 years old	81	7.4%
5	12 or 13 years old	274	25%
6	14 or 15 years old	278	25.3%
7	16 years old or older	27	2.5%
Sysmiss		98	

**Q35: Days one drink or more past 30 days****Data file: ARG2012\_Jujuy\_Public\_Use****Overview**

Valid: 1135 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

### CATEGORIES

Value	Category	Cases	
1	0 days	656	57.8%
2	1 or 2 days	283	24.9%
3	3 to 5 days	97	8.5%
4	6 to 9 days	47	4.1%
5	10 to 19 days	27	2.4%
6	20 to 29 days	8	0.7%
7	All 30 days	17	1.5%
Sysmiss		60	

## Q36: Number of drinks past 30 days

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1169 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	639	54.7%
2	Less than one drink	130	11.1%
3	1 drink	72	6.2%
4	2 drinks	73	6.2%
5	3 drinks	65	5.6%
6	4 drinks	35	3%

7	5 or more drinks	155	13.3%
Sysmiss		26	

### Q37: How got drinks past 30 days

Data file: ARG2012\_Jujuy\_Public\_Use

#### Overview

Valid: 1144 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

##### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	643	56.2%
2	I bought in a store	167	14.6%
3	I gave someone money to buy	34	3%
4	I got it from my friends	205	17.9%
5	I got it from my family	27	2.4%
6	I stole it	4	0.3%
7	Some other way	64	5.6%
Sysmiss		51	

### Q38: Times drunk during life

Data file: ARG2012\_Jujuy\_Public\_Use

#### Overview

Valid: 1178 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	863	73.3%
2	1 or 2 times	219	18.6%
3	3 to 9 times	59	5%
4	10 or more times	37	3.1%
Sysmiss		17	

### Q39: Number of troubles as result of drinking

Data file: ARG2012\_Jujuy\_Public\_Use

#### Overview

Valid: 1144 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	886	77.4%
2	1 or 2 times	189	16.5%
3	3 to 9 times	48	4.2%
4	10 or more times	21	1.8%
Sysmiss		51	

### Q40: Age first drugs

Data file: ARG2012\_Jujuy\_Public\_Use

#### Overview

Valid: 1169 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

How old were you when you first used drugs?

### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1036	88.6%
2	7 years old or younger	7	0.6%
3	8 or 9 years old	2	0.2%
4	10 or 11 years old	11	0.9%
5	12 or 13 years old	41	3.5%
6	14 or 15 years old	59	5%
7	16 years old or older	13	1.1%
Sysmiss		26	

## Q41: Times used marijuana lifetime

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1165 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	1046	89.8%
2	1 or 2 times	37	3.2%
3	3 to 9 times	30	2.6%
4	10 to 19 times	20	1.7%
5	20 or more times	32	2.7%
Sysmiss		30	

**Q42: Times used marijuana past 30 days****Data file: ARG2012\_Jujuy\_Public\_Use****Overview**

Valid: 1178 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1086	92.2%
2	1 or 2 times	46	3.9%
3	3 to 9 times	25	2.1%
4	10 to 19 times	7	0.6%
5	20 or more times	14	1.2%
Sysmiss		17	

**Q43: Times used amphetamines lifetime****Data file: ARG2012\_Jujuy\_Public\_Use****Overview**

Valid: 1186 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1166	98.3%

2	1 or 2 times	10	0.8%
3	3 to 9 times	6	0.5%
4	10 to 19 times	0	0%
5	20 or more times	4	0.3%
Sysmiss		9	

**Q44: Ever had sex****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 1155 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

Have you ever had sexual intercourse?

## CATEGORIES

Value	Category	Cases	
1	Yes	383	33.2%
2	No	772	66.8%
Sysmiss		40	

**Q45: Age first sexual intercourse****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 1166 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	830	71.2%

2	11 years old or younger	33	2.8%
3	12 years old	33	2.8%
4	13 years old	60	5.1%
5	14 years old	100	8.6%
6	15 years old	82	7%
7	16 years old or older	28	2.4%
Sysmiss		29	

## Q46: How many sex partners

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1181 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	848	71.8%
2	1 person	162	13.7%
3	2 people	62	5.2%
4	3 people	47	4%
5	4 people	16	1.4%
6	5 people	10	0.8%
7	6 or more people	36	3%
Sysmiss		14	

## Q47: Used condom at last intercourse

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1174 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	844	71.9%
2	Yes	250	21.3%
3	No	80	6.8%
Sysmiss		21	

## Q48: Used birth control last intercourse

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1174 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	853	72.7%
2	Yes	142	12.1%
3	No	122	10.4%
4	I do not know	57	4.9%
Sysmiss		21	

## Q49: Days active 60 min plus past 7 days

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1187 Invalid: 8



Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

**CATEGORIES**

Value	Category	Cases	
1	0 days	136	11.5%
2	1 day	177	14.9%
3	2 days	272	22.9%
4	3 days	143	12%
5	4 days	96	8.1%
6	5 days	108	9.1%
7	6 days	40	3.4%
8	7 days	215	18.1%
Sysmiss		8	

**Q50: Walk or bike to school past 7 days****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 1180    Invalid: 15

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

**CATEGORIES**

Value	Category	Cases	
1	0 days	465	39.4%
2	1 day	87	7.4%
3	2 days	51	4.3%

4	3 days	66	5.6%
5	4 days	35	3%
6	5 days	149	12.6%
7	6 days	18	1.5%
8	7 days	309	26.2%
Sysmiss		15	

## Q51: Days went to PE each week

Data file: ARG2012\_Jujoy\_Public\_Use

### Overview

Valid: 1163 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

#### CATEGORIES

Value	Category	Cases	
1	0 days	56	4.8%
2	1 day	113	9.7%
3	2 days	738	63.5%
4	3 days	31	2.7%
5	4 days	23	2%
6	5 or more days	202	17.4%
Sysmiss		32	

## Q52: Time spent sitting on usual day

Data file: ARG2012\_Jujoy\_Public\_Use

### Overview

Valid: 1179 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	265	22.5%
2	1 to 2 hours per day	402	34.1%
3	3 to 4 hours per day	316	26.8%
4	5 to 6 hours per day	104	8.8%
5	7 to 8 hours per day	31	2.6%
6	More than 8 hours per day	61	5.2%
Sysmiss		16	

## Q53: Miss school no permission past 30 days

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1177 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

### CATEGORIES

Value	Category	Cases	
1	0 days	757	64.3%
2	1 or 2 days	244	20.7%
3	3 to 5 days	95	8.1%
4	6 to 9 days	36	3.1%
5	10 or more days	45	3.8%
Sysmiss		18	

**Q54: Others helpful in school past 30 days****Data file: ARG2012\_Jujuy\_Public\_Use****Overview**

Valid: 1174 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

## CATEGORIES

Value	Category	Cases	
1	Never	77	6.6%
2	Rarely	245	20.9%
3	Sometimes	275	23.4%
4	Most of the time	320	27.3%
5	Always	257	21.9%
Sysmiss		21	

**Q55: Parents check homework past 30 days****Data file: ARG2012\_Jujuy\_Public\_Use****Overview**

Valid: 1177 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

## CATEGORIES

Value	Category	Cases	
1	Never	347	29.5%
2	Rarely	256	21.8%
3	Sometimes	218	18.5%
4	Most of the time	168	14.3%
5	Always	188	16%

Sysmiss		18	
---------	--	----	--

## Q56: Parent understand troubles past 30 days

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1177 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

#### CATEGORIES

Value	Category	Cases	
1	Never	247	21%
2	Rarely	208	17.7%
3	Sometimes	221	18.8%
4	Most of the time	214	18.2%
5	Always	287	24.4%
Sysmiss		18	

## Q57: Parent know what you do past 30 days

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1170 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	230	19.7%
2	Rarely	189	16.2%

3	Sometimes	205	17.5%
4	Most of the time	218	18.6%
5	Always	328	28%
Sysmiss		25	

### Q58: Parent go through things past 30 days

Data file: ARG2012\_Jujuy\_Public\_Use

#### Overview

Valid: 1171 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

##### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

##### CATEGORIES

Value	Category	Cases	
1		511	43.6%
2		231	19.7%
3		205	17.5%
4		119	10.2%
5		105	9%
Sysmiss		24	

### QN6: Went hungry most of time/always past 30 days

Data file: ARG2012\_Jujuy\_Public\_Use

#### Overview

Valid: 1181 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	55	4.7%
2	No	1126	95.3%
Sysmiss		14	

**QN7: Ate fruit 2+ times per day past 30 days****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 1190 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	505	42.4%
2	No	685	57.6%
Sysmiss		5	

**QN8: Ate vegetables 3+ times per day past 30 day****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 1191 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	210	17.6%
2	No	981	82.4%
Sysmiss		4	

**QN9: Drank soft drinks 1+ times per day past 30 day****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 1190 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	767	64.5%
2	No	423	35.5%
Sysmiss		5	

**QN10: Ate fast food 3+ days past 7 day****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 1182 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

## CATEGORIES

Value	Category	Cases	
1	Yes	98	8.3%
2	No	1084	91.7%
Sysmiss		13	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 1189 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	72	6.1%
2	No	1117	93.9%
Sysmiss		6	

## QN12: Never/rarely wash hands before eating past 30 days

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1188 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	96	8.1%
2	No	1092	91.9%
Sysmiss		7	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1193 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	46	3.9%
2	No	1147	96.1%
Sysmiss		2	

### QN14: Never/rarely use soap on hands past 30 days

Data file: ARG2012\_Jujuy\_Public\_Use

#### Overview

Valid: 1184 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	58	4.9%
2	No	1126	95.1%
Sysmiss		11	

### QN15: Attacked 1+ times past 12 months

Data file: ARG2012\_Jujuy\_Public\_Use

#### Overview

Valid: 1171 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	331	28.3%
2	No	840	71.7%
Sysmiss		24	

**QN16: In fight 1+ times past 12 months****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 1192 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	406	34.1%
2	No	786	65.9%
Sysmiss		3	

**QN17: Seriously injured 1+ times past 12 months****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 1048 Invalid: 147

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	396	37.8%
2	No	652	62.2%
Sysmiss		147	

**QN18: Broken bone as most serious injury****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 297 Invalid: 898

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

### CATEGORIES

Value	Category	Cases	
1	Yes	67	22.6%
2	No	230	77.4%
Sysmiss		898	

## QN19: Motor vehicle caused most serious injury

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 299 Invalid: 896

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	25	8.4%
2	No	274	91.6%
Sysmiss		896	

## QN20: Bullied 1+ of past 30 days

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1148 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	291	25.3%
2	No	857	74.7%
Sysmiss		47	

## QN21: Of students bullied, most often hit, kicked, etc

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 245 Invalid: 950

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

#### CATEGORIES

Value	Category	Cases	
1	Yes	27	11%
2	No	218	89%
Sysmiss		950	

## QN22: Lonely most times/always past 12 months

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1178 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	133	11.3%
2	No	1045	88.7%
Sysmiss		17	

**QN23: Worry prevented sleep most time/always past 12 mos****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 1193 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	124	10.4%
2	No	1069	89.6%
Sysmiss		2	

**QN24: Considered suicide past 12 months****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 1173 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	232	19.8%
2	No	941	80.2%
Sysmiss		22	

**QN25: Made suicide plan past 12 months****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 1191 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	198	16.6%
2	No	993	83.4%
Sysmiss		4	

### QN26: 1+ times attempt suicide 12 mos.

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1186 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	201	16.9%
2	No	985	83.1%
Sysmiss		9	

### QN27: No close friends

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1175 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	50	4.3%
2	No	1125	95.7%
Sysmiss		20	

### QN28: Age first cigarette before 14

Data file: ARG2012\_Jujuy\_Public\_Use

#### Overview

Valid: 573 Invalid: 622

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

##### CATEGORIES

Value	Category	Cases	
1	Yes	367	64%
2	No	206	36%
Sysmiss		622	

### QN29: Smoked cigarettes 1+ of past 30 days

Data file: ARG2012\_Jujuy\_Public\_Use

#### Overview

Valid: 1190 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	332	27.9%
2	No	858	72.1%
Sysmiss		5	



**QN30: Used other tobacco 1+ of past 30 days****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 1190    Invalid: 5

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	98	8.2%
2	No	1092	91.8%
Sysmiss		5	

**QN31: Tried to quit smoking past 12 months****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 324    Invalid: 871

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	230	71%
2	No	94	29%
Sysmiss		871	

**QN32: Others present smoking 1+ of past 7 days****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 1186    Invalid: 9

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	851	71.8%
2	No	335	28.2%
Sysmiss		9	

## QN33: Either/Both parents use tobacco

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1186 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	363	30.6%
2	No	823	69.4%
Sysmiss		9	

## QN34: Age first alcohol before 14

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 711 Invalid: 484

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	406	57.1%
2	No	305	42.9%
Sysmiss		484	

**QN35: Drank 1+ days past 30 days****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 1135 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	479	42.2%
2	No	656	57.8%
Sysmiss		60	

**QN36: Of current drinkers, drank 2+ drinks/day 30 days****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 530 Invalid: 665

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

## CATEGORIES

Value	Category	Cases	
1	Yes	328	61.9%
2	No	202	38.1%
Sysmiss		665	

**QN37: Of current drinkers, got alcohol from friends****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 501 Invalid: 694

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

## CATEGORIES

Value	Category	Cases	
1	Yes	205	40.9%
2	No	296	59.1%
Sysmiss		694	

**QN38: 1+ times drunk in lifetime****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 1178 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	315	26.7%
2	No	863	73.3%
Sysmiss		17	

**QN39: Alcohol trouble 1+ times in lifetime****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 1144 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

### CATEGORIES

Value	Category	Cases	
1	Yes	258	22.6%
2	No	886	77.4%
Sysmiss		51	

## QN40: Age first drugs before 14

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 133 Invalid: 1062

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
1	Yes	61	45.9%
2	No	72	54.1%
Sysmiss		1062	

## QN41: Marijuana 1+ times in lifetime

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1165 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	119	10.2%
2	No	1046	89.8%
Sysmiss		30	

**QN42: Marijuana 1+ times p 30 days****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 1178 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	92	7.8%
2	No	1086	92.2%
Sysmiss		17	

**QN43: Amphetamines 1+ times lifetime****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 1186 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	20	1.7%
2	No	1166	98.3%
Sysmiss		9	

**QN44: Ever had sex****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 1155 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	383	33.2%
2	No	772	66.8%
Sysmiss		40	

**QN45: Age first sexual intercourse before 14****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 336 Invalid: 859

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	126	37.5%
2	No	210	62.5%
Sysmiss		859	

**QN46: 2+ sex partners lifetime****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 1181 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	171	14.5%
2	No	1010	85.5%
Sysmiss		14	

### QN47: Used condom at last sex

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 330 Invalid: 865

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	250	75.8%
2	No	80	24.2%
Sysmiss		865	

### QN48: Used birth control at last sex

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 321 Invalid: 874

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

### CATEGORIES



Value	Category	Cases	
1	Yes	142	44.2%
2	No	179	55.8%
Sysmiss		874	

### QN49: Active 60+ mins/day for 5+ of past 7 days

Data file: ARG2012\_Jujuy\_Public\_Use

#### Overview

Valid: 1187 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	363	30.6%
2	No	824	69.4%
Sysmiss		8	

### QN50: Walk/Bike to/from school 0 of past 7 days

Data file: ARG2012\_Jujuy\_Public\_Use

#### Overview

Valid: 1180 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	465	39.4%
2	No	715	60.6%
Sysmiss		15	

**QN51: 3+ days PE each week****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 1163 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	256	22%
2	No	907	78%
Sysmiss		32	

**QN52: Sitting activities 3+ hours/day of usual day****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 1179 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

## CATEGORIES

Value	Category	Cases	
1	Yes	512	43.4%
2	No	667	56.6%
Sysmiss		16	

**QN53: Miss school no permission 1+ of past 30 days****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 1177 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	420	35.7%
2	No	757	64.3%
Sysmiss		18	

### QN54: Students most/always kind 30 days

Data file: ARG2012\_Jujuy\_Public\_Use

#### Overview

Valid: 1174 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	577	49.1%
2	No	597	50.9%
Sysmiss		21	

### QN55: Parents most/always check homework

Data file: ARG2012\_Jujuy\_Public\_Use

#### Overview

Valid: 1177 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	356	30.2%
2	No	821	69.8%
Sysmiss		18	

## QN56: Parents most/always understand problems

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1177 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	501	42.6%
2	No	676	57.4%
Sysmiss		18	

## QN57: Parents most/always know about free time

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1170 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	546	46.7%
2	No	624	53.3%
Sysmiss		25	

**QN58: Parents never/rarely go thru things****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 1171 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	742	63.4%
2	No	429	36.6%
Sysmiss		24	

**QNOWTG: Overweight****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 728 Invalid: 467

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

## CATEGORIES

Value	Category	Cases	
1	Yes	188	25.8%
2	No	540	74.2%
Sysmiss		467	

**QNOBESEG: Obese****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 728 Invalid: 467

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1	Yes	40	5.5%
2	No	688	94.5%
Sysmiss		467	

## QNUNWTG: Underweight

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 728    Invalid: 467

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1	Yes	20	2.7%
2	No	708	97.3%
Sysmiss		467	

## QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1187    Invalid: 8

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	274	23.1%
2	No	913	76.9%
Sysmiss		8	

## QNANYTBG: Used any tobacco past 30 days

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1187 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	338	28.5%
2	No	849	71.5%
Sysmiss		8	

## QNPA7G: Physically active all past 7 days

Data file: ARG2012\_Jujuy\_Public\_Use

### Overview

Valid: 1187 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

#### CATEGORIES

Value	Category	Cases	
1	Yes	215	18.1%
2	No	972	81.9%
Sysmiss		8	

**QNPE5G: Attended PE 5+ days each week****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 1163 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	202	17.4%
2	No	961	82.6%
Sysmiss		32	

**QNC1G: Among heavy drinkers, ever sex****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 302 Invalid: 893

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	155	51.3%
2	No	147	48.7%
Sysmiss		893	

**QNC2G: Among those worried, currently bullied****Data file:** ARG2012\_Jujuy\_Public\_Use**Overview**

Valid: 116 Invalid: 1079

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	40	34.5%
2	No	76	65.5%
Sysmiss		1079	

### WEIGHT: Weight

Data file: ARG2012\_Jujuy\_Public\_Use

#### Overview

Valid: 1195 Invalid: 0 Minimum: 28.326 Maximum: 90.729 Mean: 37.864 Standard deviation: 8.678  
Type: Continuous Decimal: 0 Width: 10 Range: 3.2196 - 1361.2246 Format: Numeric

### STRATUM: Stratum

Data file: ARG2012\_Jujuy\_Public\_Use

#### Overview

Valid: 1195 Invalid: 0 Minimum: 201210001 Maximum: 201210012 Mean: 201210007.268 Standard deviation: 10.145  
Type: Continuous Decimal: 0 Width: 9 Range: 201201001 - 201224012 Format: Numeric

### PSU: Primary Sampling Unit

Data file: ARG2012\_Jujuy\_Public\_Use

#### Overview

Valid: 1195 Invalid: 0 Minimum: 1 Maximum: 25 Mean: 14.151 Standard deviation: 7.253  
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 36 Format: Numeric

**Q1: How old are you****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 1471 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	3	0.2%
2	12 years old	202	13.7%
3	13 years old	401	27.3%
4	14 years old	467	31.7%
5	15 years old	268	18.2%
6	16 years old or older	130	8.8%
Sysmiss		8	

**Q2: Sex****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 1454 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	712	49%
2	Female	742	51%
Sysmiss		25	

**Q3: In what grade are you****Data file: ARG2012\_LaPampa\_Public\_Use**

## Overview

Valid: 1364 Invalid: 115  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

### CATEGORIES

Value	Category	Cases	
1	8th EGB	610	44.7%
2	9th EGB	474	34.8%
3	1st Pol	280	20.5%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		115	

## Q4: How tall are you

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1035 Invalid: 444 Minimum: 1.3 Maximum: 1.94 Mean: 1.629 Standard deviation: 0.0953  
 Type: Continuous Decimal: 2 Width: 5 Range: 1.2 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q5: How much do you weigh

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1035 Invalid: 444 Minimum: 30 Maximum: 157 Mean: 55.706 Standard deviation: 12.996  
 Type: Continuous Decimal: 2 Width: 5 Range: 30 - 180 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days**

**Data file:** ARG2012\_LaPampa\_Public\_Use

**Overview**

Valid: 1459 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	1045	71.6%
2	Rarely	242	16.6%
3	Sometimes	126	8.6%
4	Most of the time	25	1.7%
5	Always	21	1.4%
Sysmiss		20	

**Q7: Eat fruit per day past 30 days**

**Data file:** ARG2012\_LaPampa\_Public\_Use

**Overview**

Valid: 1466 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	197	13.4%

2	Less than one time per day	282	19.2%
3	1 time per day	437	29.8%
4	2 times per day	319	21.8%
5	3 times per day	129	8.8%
6	4 times per day	35	2.4%
7	5 or more times per day	67	4.6%
Sysmiss		13	

## Q8: Eat vegetables past 30 days

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1461 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	148	10.1%
2	Less than one time per day	290	19.8%
3	1 time per day	495	33.9%
4	2 times per day	365	25%
5	3 times per day	70	4.8%
6	4 times per day	31	2.1%
7	5 or more times per day	62	4.2%
Sysmiss		18	

## Q9: Drink soft drinks past 30 days

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1465 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	137	9.4%
2	Less than one time per day	397	27.1%
3	1 time per day	272	18.6%
4	2 times per day	234	16%
5	3 times per day	152	10.4%
6	4 times per day	92	6.3%
7	5 or more times per day	181	12.4%
Sysmiss		14	

## Q10: Ate fast food past 7 days

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1473 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	1149	78%
2	1 day	170	11.5%
3	2 days	72	4.9%
4	3 days	39	2.6%
5	4 days	12	0.8%
6	5 days	7	0.5%
7	6 days	3	0.2%

8	7 days	21	1.4%
Sysmiss		6	

## Q11: How many times per day brush teeth

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1465 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	55	3.8%
2	Less than 1 time per day	106	7.2%
3	1 time per day	255	17.4%
4	2 times per day	424	28.9%
5	3 times per day	427	29.1%
6	4 or more times per day	198	13.5%
Sysmiss		14	

## Q12: Wash hands before eating past 30 days

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1457 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	39	2.7%
2	Rarely	80	5.5%
3	Sometimes	202	13.9%
4	Most of the time	330	22.6%
5	Always	806	55.3%
Sysmiss		22	

### Q13: Wash hands after toilet past 30 day

Data file: ARG2012\_LaPampa\_Public\_Use

#### Overview

Valid: 1469 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	21	1.4%
2	Rarely	49	3.3%
3	Sometimes	114	7.8%
4	Most of the time	219	14.9%
5	Always	1066	72.6%
Sysmiss		10	

### Q14: Used soap on hands past 30 days

Data file: ARG2012\_LaPampa\_Public\_Use

#### Overview

Valid: 1463 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION



During the past 30 days, how often did you use soap when washing your hands?

## CATEGORIES

Value	Category	Cases	
1	Never	10	0.7%
2	Rarely	39	2.7%
3	Sometimes	139	9.5%
4	Most of the time	291	19.9%
5	Always	984	67.3%
Sysmiss		16	

### Q15: Times attacked past 12 mo.

Data file: ARG2012\_LaPampa\_Public\_Use

#### Overview

Valid: 1448 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

##### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

## CATEGORIES

Value	Category	Cases	
1	0 times	1111	76.7%
2	1 time	142	9.8%
3	2 or 3 times	97	6.7%
4	4 or 5 times	22	1.5%
5	6 or 7 times	12	0.8%
6	8 or 9 times	10	0.7%
7	10 or 11 times	7	0.5%
8	12 or more times	47	3.2%
Sysmiss		31	

### Q16: How many times in fight 12 mos

Data file: ARG2012\_LaPampa\_Public\_Use

## Overview

Valid: 1471 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	984	66.9%
2	1 time	198	13.5%
3	2 or 3 times	157	10.7%
4	4 or 5 times	34	2.3%
5	6 or 7 times	22	1.5%
6	8 or 9 times	9	0.6%
7	10 or 11 times	11	0.7%
8	12 or more times	56	3.8%
Sysmiss		8	

## Q17: How many times injured past 12 months

Data file: ARG2012\_LaPampa\_Public\_Use

## Overview

Valid: 1294 Invalid: 185

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	857	66.2%
2	1 time	272	21%
3	2 or 3 times	124	9.6%

4	4 or 5 times	11	0.9%
5	6 or 7 times	13	1%
6	8 or 9 times	4	0.3%
7	10 or 11 times	0	0%
8	12 or more times	13	1%
Sysmiss		185	

### Q18: What was serious injury past 12 mo.

Data file: ARG2012\_LaPampa\_Public\_Use

#### Overview

Valid: 1336 Invalid: 143

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1013	75.8%
2	Broken bone/dislocated joint	96	7.2%
3	I had a cut or stab wound	24	1.8%
4	Concussion/head injury	20	1.5%
5	I had a gunshot wound	3	0.2%
6	I had a bad burn	6	0.4%
7	I was poisoned	3	0.2%
8	Something else happened to me	171	12.8%
Sysmiss		143	

### Q19: Cause of injury past 12 mo.

Data file: ARG2012\_LaPampa\_Public\_Use

#### Overview

Valid: 1321 Invalid: 158

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	989	74.9%
2	Motor vehicle accident	29	2.2%
3	I fell	137	10.4%
4	Something fell on me or hit me	28	2.1%
5	I was attacked	15	1.1%
6	Was in a fire	4	0.3%
7	breathed something bad	2	0.2%
8	Something else	117	8.9%
Sysmiss		158	

## Q20: How many days bullied past 30 days

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1420 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	1091	76.8%
2	1 or 2 days	193	13.6%
3	3 to 5 days	44	3.1%
4	6 to 9 days	32	2.3%
5	10 to 19 days	18	1.3%

6	20 to 29 days	8	0.6%
7	All 30 days	34	2.4%
Sysmiss		59	

## Q21: How bullied past 30 days

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1402 Invalid: 77

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	1144	81.6%
2	Kicked, pushed, or shoved	18	1.3%
3	Made fun of race	20	1.4%
4	Made fun because of religion	11	0.8%
5	Made fun of about sex	36	2.6%
6	Left out of activities	17	1.2%
7	Made fun of about body	78	5.6%
8	Some other way	78	5.6%
Sysmiss		77	

## Q22: Times felt lonely past 12 mo.

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1447 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	653	45.1%
2	Rarely	420	29%
3	Sometimes	266	18.4%
4	Most of the time	67	4.6%
5	Always	41	2.8%
Sysmiss		32	

### Q23: Times could not sleep past 12 mo.

Data file: ARG2012\_LaPampa\_Public\_Use

#### Overview

Valid: 1466 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	623	42.5%
2	Rarely	425	29%
3	Sometimes	303	20.7%
4	Most of the time	77	5.3%
5	Always	38	2.6%
Sysmiss		13	

### Q24: Ever considered suicide 12 mos

Data file: ARG2012\_LaPampa\_Public\_Use

#### Overview

Valid: 1439 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	187	13%
2	No	1252	87%
Sysmiss		40	

## Q25: Ever make suicide plan 12 mos

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1441 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	198	13.7%
2	No	1243	86.3%
Sysmiss		38	

## Q26: Times attempted suicide 12 mos.

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1448 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1241	85.7%
2	1 time	122	8.4%
3	2 or 3 times	44	3%
4	4 or 5 times	17	1.2%
5	6 or more times	24	1.7%
Sysmiss		31	

### Q27: Number close friends

Data file: ARG2012\_LaPampa\_Public\_Use

#### Overview

Valid: 1434 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	78	5.4%
2	1	114	7.9%
3	2	193	13.5%
4	3 or more	1049	73.2%
Sysmiss		45	

### Q28: Age first tried cigarette

Data file: ARG2012\_LaPampa\_Public\_Use

#### Overview

Valid: 1429 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	931	65.2%
2	7 years old or younger	38	2.7%
3	8 or 9 years old	43	3%
4	10 or 11 years old	113	7.9%
5	12 or 13 years old	207	14.5%
6	14 or 15 years old	90	6.3%
7	16 years old or older	7	0.5%
Sysmiss		50	

## Q29: How many days smoked 30 days

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1436 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	1167	81.3%
2	1 or 2 days	83	5.8%
3	3 to 5 days	37	2.6%
4	6 to 9 days	37	2.6%
5	10 to 19 days	24	1.7%
6	20 to 29 days	30	2.1%
7	All 30 days	58	4%
Sysmiss		43	

**Q30: Other tobacco past 30 days****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 1447 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

**CATEGORIES**

Value	Category	Cases	
1	0 days	1342	92.7%
2	1 or 2 days	42	2.9%
3	3 to 5 days	25	1.7%
4	6 to 9 days	9	0.6%
5	10 to 19 days	8	0.6%
6	20 to 29 days	8	0.6%
7	All 30 days	13	0.9%
Sysmiss		32	

**Q31: Try stop smoking past 12 mo.****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 1424 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 12 months, have you ever tried to stop smoking cigarettes?

**CATEGORIES**

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	1060	74.4%
2	Did not smoke cigarettes	120	8.4%
3	Yes	157	11%
4	No	87	6.1%
Sysmiss		55	

### Q32: Others present smoking past 7 days

Data file: ARG2012\_LaPampa\_Public\_Use

#### Overview

Valid: 1440 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	410	28.5%
2	1 or 2 days	385	26.7%
3	3 or 4 days	156	10.8%
4	5 or 6 days	73	5.1%
5	All 7 days	416	28.9%
Sysmiss		39	

### Q33: Parents who use tobacco

Data file: ARG2012\_LaPampa\_Public\_Use

#### Overview

Valid: 1446 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	879	60.8%
2	My father or male guardian	227	15.7%
3	My mother or female guardian	154	10.7%
4	Both	151	10.4%
5	I do not know	35	2.4%
Sysmiss		33	

**Q34: Age first drink alcohol****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 1358 Invalid: 121

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

## CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	434	32%
2	7 years old or younger	73	5.4%
3	8 or 9 years old	87	6.4%
4	10 or 11 years old	189	13.9%
5	12 or 13 years old	370	27.2%
6	14 or 15 years old	186	13.7%
7	16 years old or older	19	1.4%
Sysmiss		121	

**Q35: Days one drink or more past 30 days****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 1389 Invalid: 90

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

### CATEGORIES

Value	Category	Cases	
1	0 days	738	53.1%
2	1 or 2 days	330	23.8%
3	3 to 5 days	135	9.7%
4	6 to 9 days	87	6.3%
5	10 to 19 days	55	4%
6	20 to 29 days	13	0.9%
7	All 30 days	31	2.2%
Sysmiss		90	

## Q36: Number of drinks past 30 days

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1413 Invalid: 66

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	705	49.9%
2	Less than one drink	182	12.9%
3	1 drink	105	7.4%
4	2 drinks	97	6.9%
5	3 drinks	70	5%
6	4 drinks	52	3.7%

7	5 or more drinks	202	14.3%
Sysmiss		66	

### Q37: How got drinks past 30 days

Data file: ARG2012\_LaPampa\_Public\_Use

#### Overview

Valid: 1392 Invalid: 87

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

##### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	737	52.9%
2	I bought in a store	149	10.7%
3	I gave someone money to buy	42	3%
4	I got it from my friends	209	15%
5	I got it from my family	137	9.8%
6	I stole it	10	0.7%
7	Some other way	108	7.8%
Sysmiss		87	

### Q38: Times drunk during life

Data file: ARG2012\_LaPampa\_Public\_Use

#### Overview

Valid: 1420 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	1057	74.4%
2	1 or 2 times	242	17%
3	3 to 9 times	79	5.6%
4	10 or more times	42	3%
Sysmiss		59	

### Q39: Number of troubles as result of drinking

Data file: ARG2012\_LaPampa\_Public\_Use

#### Overview

Valid: 1382 Invalid: 97

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	1148	83.1%
2	1 or 2 times	147	10.6%
3	3 to 9 times	49	3.5%
4	10 or more times	38	2.7%
Sysmiss		97	

### Q40: Age first drugs

Data file: ARG2012\_LaPampa\_Public\_Use

#### Overview

Valid: 1408 Invalid: 71

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

How old were you when you first used drugs?

### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1232	87.5%
2	7 years old or younger	16	1.1%
3	8 or 9 years old	14	1%
4	10 or 11 years old	18	1.3%
5	12 or 13 years old	58	4.1%
6	14 or 15 years old	60	4.3%
7	16 years old or older	10	0.7%
Sysmiss		71	

## Q41: Times used marijuana lifetime

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1399 Invalid: 80

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	1252	89.5%
2	1 or 2 times	37	2.6%
3	3 to 9 times	43	3.1%
4	10 to 19 times	22	1.6%
5	20 or more times	45	3.2%
Sysmiss		80	



**Q42: Times used marijuana past 30 days****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 1419 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1305	92%
2	1 or 2 times	47	3.3%
3	3 to 9 times	30	2.1%
4	10 to 19 times	13	0.9%
5	20 or more times	24	1.7%
Sysmiss		60	

**Q43: Times used amphetamines lifetime****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 1419 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1386	97.7%

2	1 or 2 times	14	1%
3	3 to 9 times	8	0.6%
4	10 to 19 times	3	0.2%
5	20 or more times	8	0.6%
Sysmiss		60	

**Q44: Ever had sex****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 1355 Invalid: 124

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

Have you ever had sexual intercourse?

## CATEGORIES

Value	Category	Cases	
1	Yes	508	37.5%
2	No	847	62.5%
Sysmiss		124	

**Q45: Age first sexual intercourse****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 1375 Invalid: 104

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	951	69.2%

2	11 years old or younger	66	4.8%
3	12 years old	79	5.7%
4	13 years old	110	8%
5	14 years old	116	8.4%
6	15 years old	40	2.9%
7	16 years old or older	13	0.9%
Sysmiss		104	

## Q46: How many sex partners

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1402 Invalid: 77

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	980	69.9%
2	1 person	174	12.4%
3	2 people	72	5.1%
4	3 people	50	3.6%
5	4 people	36	2.6%
6	5 people	26	1.9%
7	6 or more people	64	4.6%
Sysmiss		77	

## Q47: Used condom at last intercourse

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1384 Invalid: 95

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	974	70.4%
2	Yes	319	23%
3	No	91	6.6%
Sysmiss		95	

## Q48: Used birth control last intercourse

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1386 Invalid: 93

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	985	71.1%
2	Yes	217	15.7%
3	No	117	8.4%
4	I do not know	67	4.8%
Sysmiss		93	

## Q49: Days active 60 min plus past 7 days

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1427 Invalid: 52

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

**CATEGORIES**

Value	Category	Cases	
1	0 days	240	16.8%
2	1 day	164	11.5%
3	2 days	271	19%
4	3 days	169	11.8%
5	4 days	115	8.1%
6	5 days	119	8.3%
7	6 days	42	2.9%
8	7 days	307	21.5%
Sysmiss		52	

**Q50: Walk or bike to school past 7 days****Data file:** ARG2012\_LaPampa\_Public\_Use**Overview**

Valid: 1413    Invalid: 66

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

**CATEGORIES**

Value	Category	Cases	
1	0 days	312	22.1%
2	1 day	115	8.1%
3	2 days	75	5.3%

4	3 days	63	4.5%
5	4 days	57	4%
6	5 days	202	14.3%
7	6 days	27	1.9%
8	7 days	562	39.8%
Sysmiss		66	

## Q51: Days went to PE each week

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1378 Invalid: 101

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

#### CATEGORIES

Value	Category	Cases	
1	0 days	84	6.1%
2	1 day	119	8.6%
3	2 days	828	60.1%
4	3 days	34	2.5%
5	4 days	34	2.5%
6	5 or more days	279	20.2%
Sysmiss		101	

## Q52: Time spent sitting on usual day

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1405 Invalid: 74

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	296	21.1%
2	1 to 2 hours per day	443	31.5%
3	3 to 4 hours per day	369	26.3%
4	5 to 6 hours per day	153	10.9%
5	7 to 8 hours per day	59	4.2%
6	More than 8 hours per day	85	6%
Sysmiss		74	

## Q53: Miss school no permission past 30 days

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1392 Invalid: 87

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

### CATEGORIES

Value	Category	Cases	
1	0 days	1018	73.1%
2	1 or 2 days	199	14.3%
3	3 to 5 days	88	6.3%
4	6 to 9 days	28	2%
5	10 or more days	59	4.2%
Sysmiss		87	

**Q54: Others helpful in school past 30 days****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 1392 Invalid: 87

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

## CATEGORIES

Value	Category	Cases	
1	Never	130	9.3%
2	Rarely	190	13.6%
3	Sometimes	327	23.5%
4	Most of the time	427	30.7%
5	Always	318	22.8%
Sysmiss		87	

**Q55: Parents check homework past 30 days****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 1404 Invalid: 75

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

## CATEGORIES

Value	Category	Cases	
1	Never	424	30.2%
2	Rarely	217	15.5%
3	Sometimes	250	17.8%
4	Most of the time	203	14.5%
5	Always	310	22.1%



Sysmiss		75	
---------	--	----	--

## Q56: Parent understand troubles past 30 days

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1398 Invalid: 81

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

#### CATEGORIES

Value	Category	Cases	
1	Never	226	16.2%
2	Rarely	185	13.2%
3	Sometimes	256	18.3%
4	Most of the time	263	18.8%
5	Always	468	33.5%
Sysmiss		81	

## Q57: Parent know what you do past 30 days

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1379 Invalid: 100

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	208	15.1%
2	Rarely	140	10.2%

3	Sometimes	197	14.3%
4	Most of the time	254	18.4%
5	Always	580	42.1%
Sysmiss		100	

### Q58: Parent go through things past 30 days

Data file: ARG2012\_LaPampa\_Public\_Use

#### Overview

Valid: 1395 Invalid: 84

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

##### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

##### CATEGORIES

Value	Category	Cases	
1		650	46.6%
2		317	22.7%
3		211	15.1%
4		102	7.3%
5		115	8.2%
Sysmiss		84	

### QN6: Went hungry most of time/always past 30 days

Data file: ARG2012\_LaPampa\_Public\_Use

#### Overview

Valid: 1459 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	46	3.2%
2	No	1413	96.8%
Sysmiss		20	

**QN7: Ate fruit 2+ times per day past 30 days****Data file:** ARG2012\_LaPampa\_Public\_Use**Overview**

Valid: 1466 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	550	37.5%
2	No	916	62.5%
Sysmiss		13	

**QN8: Ate vegetables 3+ times per day past 30 day****Data file:** ARG2012\_LaPampa\_Public\_Use**Overview**

Valid: 1461 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	163	11.2%
2	No	1298	88.8%
Sysmiss		18	

**QN9: Drank soft drinks 1+ times per day past 30 day****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 1465 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	931	63.5%
2	No	534	36.5%
Sysmiss		14	

**QN10: Ate fast food 3+ days past 7 day****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 1473 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

## CATEGORIES

Value	Category	Cases	
1	Yes	82	5.6%
2	No	1391	94.4%
Sysmiss		6	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 1465 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	161	11%
2	No	1304	89%
Sysmiss		14	

## QN12: Never/rarely wash hands before eating past 30 days

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1457 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	119	8.2%
2	No	1338	91.8%
Sysmiss		22	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1469 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	70	4.8%
2	No	1399	95.2%
Sysmiss		10	

### QN14: Never/rarely use soap on hands past 30 days

Data file: ARG2012\_LaPampa\_Public\_Use

#### Overview

Valid: 1463 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	49	3.3%
2	No	1414	96.7%
Sysmiss		16	

### QN15: Attacked 1+ times past 12 months

Data file: ARG2012\_LaPampa\_Public\_Use

#### Overview

Valid: 1448 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	337	23.3%
2	No	1111	76.7%
Sysmiss		31	

**QN16: In fight 1+ times past 12 months****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 1471 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	487	33.1%
2	No	984	66.9%
Sysmiss		8	

**QN17: Seriously injured 1+ times past 12 months****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 1294 Invalid: 185

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	437	33.8%
2	No	857	66.2%
Sysmiss		185	

**QN18: Broken bone as most serious injury****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 323 Invalid: 1156

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

### CATEGORIES

Value	Category	Cases	
1	Yes	96	29.7%
2	No	227	70.3%
Sysmiss		1156	

## QN19: Motor vehicle caused most serious injury

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 332 Invalid: 1147

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	29	8.7%
2	No	303	91.3%
Sysmiss		1147	

## QN20: Bullied 1+ of past 30 days

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1420 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES



Value	Category	Cases	
1	Yes	329	23.2%
2	No	1091	76.8%
Sysmiss		59	

### QN21: Of students bullied, most often hit, kicked, etc

Data file: ARG2012\_LaPampa\_Public\_Use

#### Overview

Valid: 258 Invalid: 1221

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

##### CATEGORIES

Value	Category	Cases	
1	Yes	18	7%
2	No	240	93%
Sysmiss		1221	

### QN22: Lonely most times/always past 12 months

Data file: ARG2012\_LaPampa\_Public\_Use

#### Overview

Valid: 1447 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	108	7.5%
2	No	1339	92.5%
Sysmiss		32	

**QN23: Worry prevented sleep most time/always past 12 mos****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 1466 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	115	7.8%
2	No	1351	92.2%
Sysmiss		13	

**QN24: Considered suicide past 12 months****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 1439 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	187	13%
2	No	1252	87%
Sysmiss		40	

**QN25: Made suicide plan past 12 months****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 1441 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	198	13.7%
2	No	1243	86.3%
Sysmiss		38	

### QN26: 1+ times attempt suicide 12 mos.

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1448 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	207	14.3%
2	No	1241	85.7%
Sysmiss		31	

### QN27: No close friends

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1434 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	78	5.4%
2	No	1356	94.6%
Sysmiss		45	

## QN28: Age first cigarette before 14

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 498 Invalid: 981

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

#### CATEGORIES

Value	Category	Cases	
1	Yes	401	80.5%
2	No	97	19.5%
Sysmiss		981	

## QN29: Smoked cigarettes 1+ of past 30 days

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1436 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	269	18.7%
2	No	1167	81.3%
Sysmiss		43	

**QN30: Used other tobacco 1+ of past 30 days****Data file:** ARG2012\_LaPampa\_Public\_Use**Overview**

Valid: 1447 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	105	7.3%
2	No	1342	92.7%
Sysmiss		32	

**QN31: Tried to quit smoking past 12 months****Data file:** ARG2012\_LaPampa\_Public\_Use**Overview**

Valid: 244 Invalid: 1235

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	157	64.3%
2	No	87	35.7%
Sysmiss		1235	

**QN32: Others present smoking 1+ of past 7 days****Data file:** ARG2012\_LaPampa\_Public\_Use**Overview**

Valid: 1440 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	1030	71.5%
2	No	410	28.5%
Sysmiss		39	

## QN33: Either/Both parents use tobacco

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1446 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	532	36.8%
2	No	914	63.2%
Sysmiss		33	

## QN34: Age first alcohol before 14

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 924 Invalid: 555

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	719	77.8%
2	No	205	22.2%
Sysmiss		555	

**QN35: Drank 1+ days past 30 days****Data file:** ARG2012\_LaPampa\_Public\_Use**Overview**

Valid: 1389 Invalid: 90

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	651	46.9%
2	No	738	53.1%
Sysmiss		90	

**QN36: Of current drinkers, drank 2+ drinks/day 30 days****Data file:** ARG2012\_LaPampa\_Public\_Use**Overview**

Valid: 708 Invalid: 771

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

## CATEGORIES

Value	Category	Cases	
1	Yes	421	59.5%
2	No	287	40.5%
Sysmiss		771	

**QN37: Of current drinkers, got alcohol from friends****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 655 Invalid: 824

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

## CATEGORIES

Value	Category	Cases	
1	Yes	209	31.9%
2	No	446	68.1%
Sysmiss		824	

**QN38: 1+ times drunk in lifetime****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 1420 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	363	25.6%
2	No	1057	74.4%
Sysmiss		59	

**QN39: Alcohol trouble 1+ times in lifetime****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 1382 Invalid: 97

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

### CATEGORIES

Value	Category	Cases	
1	Yes	234	16.9%
2	No	1148	83.1%
Sysmiss		97	

### QN40: Age first drugs before 14

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 176 Invalid: 1303

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
1	Yes	106	60.2%
2	No	70	39.8%
Sysmiss		1303	

### QN41: Marijuana 1+ times in lifetime

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1399 Invalid: 80

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	147	10.5%
2	No	1252	89.5%
Sysmiss		80	

**QN42: Marijuana 1+ times p 30 days****Data file:** ARG2012\_LaPampa\_Public\_Use**Overview**

Valid: 1419 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	114	8%
2	No	1305	92%
Sysmiss		60	

**QN43: Amphetamines 1+ times lifetime****Data file:** ARG2012\_LaPampa\_Public\_Use**Overview**

Valid: 1419 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	33	2.3%
2	No	1386	97.7%
Sysmiss		60	

**QN44: Ever had sex****Data file:** ARG2012\_LaPampa\_Public\_Use**Overview**

Valid: 1355 Invalid: 124

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	508	37.5%
2	No	847	62.5%
Sysmiss		124	

**QN45: Age first sexual intercourse before 14****Data file:** ARG2012\_LaPampa\_Public\_Use**Overview**

Valid: 424 Invalid: 1055

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	255	60.1%
2	No	169	39.9%
Sysmiss		1055	

**QN46: 2+ sex partners lifetime****Data file:** ARG2012\_LaPampa\_Public\_Use**Overview**

Valid: 1402 Invalid: 77

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	248	17.7%
2	No	1154	82.3%
Sysmiss		77	

### QN47: Used condom at last sex

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 410 Invalid: 1069

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	319	77.8%
2	No	91	22.2%
Sysmiss		1069	

### QN48: Used birth control at last sex

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 401 Invalid: 1078

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	217	54.1%
2	No	184	45.9%
Sysmiss		1078	

### QN49: Active 60+ mins/day for 5+ of past 7 days

Data file: ARG2012\_LaPampa\_Public\_Use

#### Overview

Valid: 1427 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	468	32.8%
2	No	959	67.2%
Sysmiss		52	

### QN50: Walk/Bike to/from school 0 of past 7 days

Data file: ARG2012\_LaPampa\_Public\_Use

#### Overview

Valid: 1413 Invalid: 66

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	312	22.1%
2	No	1101	77.9%
Sysmiss		66	

**QN51: 3+ days PE each week****Data file:** ARG2012\_LaPampa\_Public\_Use**Overview**

Valid: 1378 Invalid: 101

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	347	25.2%
2	No	1031	74.8%
Sysmiss		101	

**QN52: Sitting activities 3+ hours/day of usual day****Data file:** ARG2012\_LaPampa\_Public\_Use**Overview**

Valid: 1405 Invalid: 74

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

## CATEGORIES

Value	Category	Cases	
1	Yes	666	47.4%
2	No	739	52.6%
Sysmiss		74	

**QN53: Miss school no permission 1+ of past 30 days****Data file:** ARG2012\_LaPampa\_Public\_Use**Overview**

Valid: 1392 Invalid: 87

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	374	26.9%
2	No	1018	73.1%
Sysmiss		87	

### QN54: Students most/always kind 30 days

Data file: ARG2012\_LaPampa\_Public\_Use

#### Overview

Valid: 1392 Invalid: 87

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	745	53.5%
2	No	647	46.5%
Sysmiss		87	

### QN55: Parents most/always check homework

Data file: ARG2012\_LaPampa\_Public\_Use

#### Overview

Valid: 1404 Invalid: 75

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	513	36.5%
2	No	891	63.5%
Sysmiss		75	

## QN56: Parents most/always understand problems

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1398 Invalid: 81

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	731	52.3%
2	No	667	47.7%
Sysmiss		81	

## QN57: Parents most/always know about free time

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1379 Invalid: 100

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	834	60.5%
2	No	545	39.5%
Sysmiss		100	



**QN58: Parents never/rarely go thru things****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 1395 Invalid: 84

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	967	69.3%
2	No	428	30.7%
Sysmiss		84	

**QNOWTG: Overweight****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 1035 Invalid: 444

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

## CATEGORIES

Value	Category	Cases	
1	Yes	282	27.2%
2	No	753	72.8%
Sysmiss		444	

**QNOBESEG: Obese****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 1035 Invalid: 444

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese ( $>+2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1	Yes	62	6%
2	No	973	94%
Sysmiss		444	

## QNUNWTG: Underweight

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1035    Invalid: 444

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were underweight ( $<-2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1	Yes	25	2.4%
2	No	1010	97.6%
Sysmiss		444	

## QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1454    Invalid: 25

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	228	15.7%
2	No	1226	84.3%
Sysmiss		25	

## QNANYTBG: Used any tobacco past 30 days

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1425 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	280	19.6%
2	No	1145	80.4%
Sysmiss		54	

## QNPA7G: Physically active all past 7 days

Data file: ARG2012\_LaPampa\_Public\_Use

### Overview

Valid: 1427 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

#### CATEGORIES

Value	Category	Cases	
1	Yes	307	21.5%
2	No	1120	78.5%
Sysmiss		52	

**QNPE5G: Attended PE 5+ days each week****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 1378 Invalid: 101

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	279	20.2%
2	No	1099	79.8%
Sysmiss		101	

**QNC1G: Among heavy drinkers, ever sex****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 332 Invalid: 1147

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	217	65.4%
2	No	115	34.6%
Sysmiss		1147	

**QNC2G: Among those worried, currently bullied****Data file: ARG2012\_LaPampa\_Public\_Use****Overview**

Valid: 106 Invalid: 1373

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	42	39.6%
2	No	64	60.4%
Sysmiss		1373	

### WEIGHT: Weight

Data file: ARG2012\_LaPampa\_Public\_Use

#### Overview

Valid: 1479 Invalid: 0 Minimum: 7.343 Maximum: 35.259 Mean: 10.761 Standard deviation: 3.358  
Type: Continuous Decimal: 0 Width: 10 Range: 3.2196 - 1361.2246 Format: Numeric

### STRATUM: Stratum

Data file: ARG2012\_LaPampa\_Public\_Use

#### Overview

Valid: 1479 Invalid: 0 Minimum: 201211001 Maximum: 201211012 Mean: 201211007.117 Standard deviation: 22.335  
Type: Continuous Decimal: 0 Width: 9 Range: 201201001 - 201224012 Format: Numeric

### PSU: Primary Sampling Unit

Data file: ARG2012\_LaPampa\_Public\_Use

#### Overview

Valid: 1479 Invalid: 0 Minimum: 1 Maximum: 25 Mean: 13.705 Standard deviation: 6.76  
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 36 Format: Numeric

**Q1: How old are you****Data file: ARG2012\_LaRioja\_Public\_Use****Overview**

Valid: 1118 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	1	0.1%
2	12 years old	3	0.3%
3	13 years old	134	12%
4	14 years old	332	29.7%
5	15 years old	353	31.6%
6	16 years old or older	295	26.4%
Sysmiss		16	

**Q2: Sex****Data file: ARG2012\_LaRioja\_Public\_Use****Overview**

Valid: 1110 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	540	48.6%
2	Female	570	51.4%
Sysmiss		24	

**Q3: In what grade are you****Data file: ARG2012\_LaRioja\_Public\_Use**

## Overview

Valid: 1112 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

### CATEGORIES

Value	Category	Cases	
1	8th EGB	377	33.9%
2	9th EGB	442	39.7%
3	1st Pol	293	26.3%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		22	

## Q4: How tall are you

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 545 Invalid: 589 Minimum: 1.36 Maximum: 2 Mean: 1.647 Standard deviation: 0.0981

Type: Continuous Decimal: 2 Width: 5 Range: 1.2 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q5: How much do you weigh

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 545 Invalid: 589 Minimum: 35 Maximum: 115 Mean: 59.339 Standard deviation: 13.099

Type: Continuous Decimal: 2 Width: 5 Range: 30 - 180 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days**

Data file: ARG2012\_LaRioja\_Public\_Use

**Overview**

Valid: 1117 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	638	57.1%
2	Rarely	284	25.4%
3	Sometimes	140	12.5%
4	Most of the time	23	2.1%
5	Always	32	2.9%
Sysmiss		17	

**Q7: Eat fruit per day past 30 days**

Data file: ARG2012\_LaRioja\_Public\_Use

**Overview**

Valid: 1118 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	137	12.3%



2	Less than one time per day	228	20.4%
3	1 time per day	367	32.8%
4	2 times per day	195	17.4%
5	3 times per day	95	8.5%
6	4 times per day	31	2.8%
7	5 or more times per day	65	5.8%
Sysmiss		16	

## Q8: Eat vegetables past 30 days

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1114 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	72	6.5%
2	Less than one time per day	212	19%
3	1 time per day	461	41.4%
4	2 times per day	236	21.2%
5	3 times per day	47	4.2%
6	4 times per day	24	2.2%
7	5 or more times per day	62	5.6%
Sysmiss		20	

## Q9: Drink soft drinks past 30 days

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1118 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	86	7.7%
2	Less than one time per day	259	23.2%
3	1 time per day	287	25.7%
4	2 times per day	188	16.8%
5	3 times per day	99	8.9%
6	4 times per day	52	4.7%
7	5 or more times per day	147	13.1%
Sysmiss		16	

## Q10: Ate fast food past 7 days

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1120 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	700	62.5%
2	1 day	216	19.3%
3	2 days	91	8.1%
4	3 days	52	4.6%
5	4 days	24	2.1%
6	5 days	18	1.6%
7	6 days	3	0.3%

8	7 days	16	1.4%
Sysmiss		14	

## Q11: How many times per day brush teeth

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1124 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	22	2%
2	Less than 1 time per day	66	5.9%
3	1 time per day	205	18.2%
4	2 times per day	284	25.3%
5	3 times per day	389	34.6%
6	4 or more times per day	158	14.1%
Sysmiss		10	

## Q12: Wash hands before eating past 30 days

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1114 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	31	2.8%
2	Rarely	88	7.9%
3	Sometimes	136	12.2%
4	Most of the time	307	27.6%
5	Always	552	49.6%
Sysmiss		20	

### Q13: Wash hands after toilet past 30 day

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 1125 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	23	2%
2	Rarely	27	2.4%
3	Sometimes	61	5.4%
4	Most of the time	162	14.4%
5	Always	852	75.7%
Sysmiss		9	

### Q14: Used soap on hands past 30 days

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 1117 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

#### CATEGORIES

Value	Category	Cases	
1	Never	17	1.5%
2	Rarely	56	5%
3	Sometimes	145	13%
4	Most of the time	266	23.8%
5	Always	633	56.7%
Sysmiss		17	

### Q15: Times attacked past 12 mo.

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 1112 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

#### CATEGORIES

Value	Category	Cases	
1	0 times	807	72.6%
2	1 time	147	13.2%
3	2 or 3 times	75	6.7%
4	4 or 5 times	20	1.8%
5	6 or 7 times	11	1%
6	8 or 9 times	7	0.6%
7	10 or 11 times	5	0.4%
8	12 or more times	40	3.6%
Sysmiss		22	

### Q16: How many times in fight 12 mos

Data file: ARG2012\_LaRioja\_Public\_Use

## Overview

Valid: 1128 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	672	59.6%
2	1 time	192	17%
3	2 or 3 times	127	11.3%
4	4 or 5 times	40	3.5%
5	6 or 7 times	20	1.8%
6	8 or 9 times	14	1.2%
7	10 or 11 times	6	0.5%
8	12 or more times	57	5.1%
Sysmiss		6	

## Q17: How many times injured past 12 months

Data file: ARG2012\_LaRioja\_Public\_Use

## Overview

Valid: 978 Invalid: 156

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	593	60.6%
2	1 time	245	25.1%
3	2 or 3 times	90	9.2%

4	4 or 5 times	26	2.7%
5	6 or 7 times	5	0.5%
6	8 or 9 times	7	0.7%
7	10 or 11 times	3	0.3%
8	12 or more times	9	0.9%
Sysmiss		156	

### Q18: What was serious injury past 12 mo.

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 1015 Invalid: 119

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	730	71.9%
2	Broken bone/dislocated joint	66	6.5%
3	I had a cut or stab wound	13	1.3%
4	Concussion/head injury	32	3.2%
5	I had a gunshot wound	6	0.6%
6	I had a bad burn	11	1.1%
7	I was poisoned	5	0.5%
8	Something else happened to me	152	15%
Sysmiss		119	

### Q19: Cause of injury past 12 mo.

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 991 Invalid: 143

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	709	71.5%
2	Motor vehicle accident	42	4.2%
3	I fell	100	10.1%
4	Something fell on me or hit me	17	1.7%
5	I was attacked	18	1.8%
6	Was in a fire	5	0.5%
7	breathed something bad	3	0.3%
8	Something else	97	9.8%
Sysmiss		143	

## Q20: How many days bullied past 30 days

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1057 Invalid: 77

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	777	73.5%
2	1 or 2 days	157	14.9%
3	3 to 5 days	53	5%
4	6 to 9 days	21	2%
5	10 to 19 days	13	1.2%



6	20 to 29 days	3	0.3%
7	All 30 days	33	3.1%
Sysmiss		77	

## Q21: How bullied past 30 days

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1046 Invalid: 88

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	833	79.6%
2	Kicked, pushed, or shoved	12	1.1%
3	Made fun of race	20	1.9%
4	Made fun because of religion	6	0.6%
5	Made fun of about sex	28	2.7%
6	Left out of activities	13	1.2%
7	Made fun of about body	63	6%
8	Some other way	71	6.8%
Sysmiss		88	

## Q22: Times felt lonely past 12 mo.

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1092 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	394	36.1%
2	Rarely	285	26.1%
3	Sometimes	277	25.4%
4	Most of the time	77	7.1%
5	Always	59	5.4%
Sysmiss		42	

### Q23: Times could not sleep past 12 mo.

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 1126 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	384	34.1%
2	Rarely	341	30.3%
3	Sometimes	282	25%
4	Most of the time	81	7.2%
5	Always	38	3.4%
Sysmiss		8	

### Q24: Ever considered suicide 12 mos

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 1099 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	218	19.8%
2	No	881	80.2%
Sysmiss		35	

## Q25: Ever make suicide plan 12 mos

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1108 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	211	19%
2	No	897	81%
Sysmiss		26	

## Q26: Times attempted suicide 12 mos.

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1107 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	917	82.8%
2	1 time	93	8.4%
3	2 or 3 times	61	5.5%
4	4 or 5 times	13	1.2%
5	6 or more times	23	2.1%
Sysmiss		27	

### Q27: Number close friends

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 1099 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	76	6.9%
2	1	87	7.9%
3	2	164	14.9%
4	3 or more	772	70.2%
Sysmiss		35	

### Q28: Age first tried cigarette

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 1094 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	580	53%
2	7 years old or younger	33	3%
3	8 or 9 years old	29	2.7%
4	10 or 11 years old	97	8.9%
5	12 or 13 years old	171	15.6%
6	14 or 15 years old	162	14.8%
7	16 years old or older	22	2%
Sysmiss		40	

## Q29: How many days smoked 30 days

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1107 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	796	71.9%
2	1 or 2 days	131	11.8%
3	3 to 5 days	50	4.5%
4	6 to 9 days	26	2.3%
5	10 to 19 days	34	3.1%
6	20 to 29 days	14	1.3%
7	All 30 days	56	5.1%
Sysmiss		27	

**Q30: Other tobacco past 30 days****Data file: ARG2012\_LaRioja\_Public\_Use****Overview**

Valid: 1118 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

**CATEGORIES**

Value	Category	Cases	
1	0 days	1033	92.4%
2	1 or 2 days	41	3.7%
3	3 to 5 days	14	1.3%
4	6 to 9 days	7	0.6%
5	10 to 19 days	4	0.4%
6	20 to 29 days	2	0.2%
7	All 30 days	17	1.5%
Sysmiss		16	

**Q31: Try stop smoking past 12 mo.****Data file: ARG2012\_LaRioja\_Public\_Use****Overview**

Valid: 1092 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 12 months, have you ever tried to stop smoking cigarettes?

**CATEGORIES**

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	687	62.9%
2	Did not smoke cigarettes	125	11.4%
3	Yes	200	18.3%
4	No	80	7.3%
Sysmiss		42	

### Q32: Others present smoking past 7 days

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 1105 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	262	23.7%
2	1 or 2 days	289	26.2%
3	3 or 4 days	146	13.2%
4	5 or 6 days	61	5.5%
5	All 7 days	347	31.4%
Sysmiss		29	

### Q33: Parents who use tobacco

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 1112 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	671	60.3%
2	My father or male guardian	183	16.5%
3	My mother or female guardian	113	10.2%
4	Both	100	9%
5	I do not know	45	4%
Sysmiss		22	

**Q34: Age first drink alcohol****Data file: ARG2012\_LaRioja\_Public\_Use****Overview**

Valid: 1021 Invalid: 113

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

## CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	289	28.3%
2	7 years old or younger	44	4.3%
3	8 or 9 years old	23	2.3%
4	10 or 11 years old	88	8.6%
5	12 or 13 years old	270	26.4%
6	14 or 15 years old	267	26.2%
7	16 years old or older	40	3.9%
Sysmiss		113	

**Q35: Days one drink or more past 30 days****Data file: ARG2012\_LaRioja\_Public\_Use****Overview**

Valid: 1071 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

### CATEGORIES

Value	Category	Cases	
1	0 days	533	49.8%
2	1 or 2 days	274	25.6%
3	3 to 5 days	97	9.1%
4	6 to 9 days	69	6.4%
5	10 to 19 days	45	4.2%
6	20 to 29 days	24	2.2%
7	All 30 days	29	2.7%
Sysmiss		63	

## Q36: Number of drinks past 30 days

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1090 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	496	45.5%
2	Less than one drink	127	11.7%
3	1 drink	73	6.7%
4	2 drinks	78	7.2%
5	3 drinks	65	6%
6	4 drinks	50	4.6%

7	5 or more drinks	201	18.4%
Sysmiss		44	

### Q37: How got drinks past 30 days

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 1080 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

##### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	526	48.7%
2	I bought in a store	143	13.2%
3	I gave someone money to buy	69	6.4%
4	I got it from my friends	250	23.1%
5	I got it from my family	28	2.6%
6	I stole it	5	0.5%
7	Some other way	59	5.5%
Sysmiss		54	

### Q38: Times drunk during life

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 1097 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	720	65.6%
2	1 or 2 times	248	22.6%
3	3 to 9 times	74	6.7%
4	10 or more times	55	5%
Sysmiss		37	

### Q39: Number of troubles as result of drinking

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 1078 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	824	76.4%
2	1 or 2 times	169	15.7%
3	3 to 9 times	49	4.5%
4	10 or more times	36	3.3%
Sysmiss		56	

### Q40: Age first drugs

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 1093 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

How old were you when you first used drugs?

### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	956	87.5%
2	7 years old or younger	19	1.7%
3	8 or 9 years old	11	1%
4	10 or 11 years old	12	1.1%
5	12 or 13 years old	36	3.3%
6	14 or 15 years old	42	3.8%
7	16 years old or older	17	1.6%
Sysmiss		41	

## Q41: Times used marijuana lifetime

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1083 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	968	89.4%
2	1 or 2 times	33	3%
3	3 to 9 times	34	3.1%
4	10 to 19 times	18	1.7%
5	20 or more times	30	2.8%
Sysmiss		51	

**Q42: Times used marijuana past 30 days****Data file: ARG2012\_LaRioja\_Public\_Use****Overview**

Valid: 1107 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1017	91.9%
2	1 or 2 times	38	3.4%
3	3 to 9 times	22	2%
4	10 to 19 times	11	1%
5	20 or more times	19	1.7%
Sysmiss		27	

**Q43: Times used amphetamines lifetime****Data file: ARG2012\_LaRioja\_Public\_Use****Overview**

Valid: 1104 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1060	96%

2	1 or 2 times	19	1.7%
3	3 to 9 times	13	1.2%
4	10 to 19 times	6	0.5%
5	20 or more times	6	0.5%
Sysmiss		30	

#### Q44: Ever had sex

Data file: ARG2012\_LaRioja\_Public\_Use

##### Overview

Valid: 1049 Invalid: 85

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

###### LITERAL QUESTION

Have you ever had sexual intercourse?

###### CATEGORIES

Value	Category	Cases	
1	Yes	525	50%
2	No	524	50%
Sysmiss		85	

#### Q45: Age first sexual intercourse

Data file: ARG2012\_LaRioja\_Public\_Use

##### Overview

Valid: 1064 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

###### LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

###### CATEGORIES

Value	Category	Cases	
1	Never had sex	591	55.5%

2	11 years old or younger	49	4.6%
3	12 years old	56	5.3%
4	13 years old	88	8.3%
5	14 years old	145	13.6%
6	15 years old	104	9.8%
7	16 years old or older	31	2.9%
Sysmiss		70	

## Q46: How many sex partners

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1087 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	623	57.3%
2	1 person	201	18.5%
3	2 people	103	9.5%
4	3 people	58	5.3%
5	4 people	29	2.7%
6	5 people	19	1.7%
7	6 or more people	54	5%
Sysmiss		47	

## Q47: Used condom at last intercourse

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1068 Invalid: 66

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	612	57.3%
2	Yes	344	32.2%
3	No	112	10.5%
Sysmiss		66	

## Q48: Used birth control last intercourse

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1065 Invalid: 69

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	610	57.3%
2	Yes	224	21%
3	No	143	13.4%
4	I do not know	88	8.3%
Sysmiss		69	

## Q49: Days active 60 min plus past 7 days

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1112 Invalid: 22



Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

**CATEGORIES**

Value	Category	Cases	
1	0 days	203	18.3%
2	1 day	215	19.3%
3	2 days	168	15.1%
4	3 days	131	11.8%
5	4 days	77	6.9%
6	5 days	70	6.3%
7	6 days	33	3%
8	7 days	215	19.3%
Sysmiss		22	

**Q50: Walk or bike to school past 7 days****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 1098    Invalid: 36

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

**CATEGORIES**

Value	Category	Cases	
1	0 days	358	32.6%
2	1 day	101	9.2%
3	2 days	61	5.6%

4	3 days	41	3.7%
5	4 days	31	2.8%
6	5 days	134	12.2%
7	6 days	9	0.8%
8	7 days	363	33.1%
Sysmiss		36	

## Q51: Days went to PE each week

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1078 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

#### CATEGORIES

Value	Category	Cases	
1	0 days	119	11%
2	1 day	357	33.1%
3	2 days	230	21.3%
4	3 days	63	5.8%
5	4 days	39	3.6%
6	5 or more days	270	25%
Sysmiss		56	

## Q52: Time spent sitting on usual day

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1101 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	298	27.1%
2	1 to 2 hours per day	325	29.5%
3	3 to 4 hours per day	255	23.2%
4	5 to 6 hours per day	107	9.7%
5	7 to 8 hours per day	44	4%
6	More than 8 hours per day	72	6.5%
Sysmiss		33	

## Q53: Miss school no permission past 30 days

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1101 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

### CATEGORIES

Value	Category	Cases	
1	0 days	581	52.8%
2	1 or 2 days	300	27.2%
3	3 to 5 days	113	10.3%
4	6 to 9 days	48	4.4%
5	10 or more days	59	5.4%
Sysmiss		33	

**Q54: Others helpful in school past 30 days****Data file: ARG2012\_LaRioja\_Public\_Use****Overview**

Valid: 1090 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

## CATEGORIES

Value	Category	Cases	
1	Never	134	12.3%
2	Rarely	229	21%
3	Sometimes	249	22.8%
4	Most of the time	257	23.6%
5	Always	221	20.3%
Sysmiss		44	

**Q55: Parents check homework past 30 days****Data file: ARG2012\_LaRioja\_Public\_Use****Overview**

Valid: 1106 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

## CATEGORIES

Value	Category	Cases	
1	Never	336	30.4%
2	Rarely	262	23.7%
3	Sometimes	169	15.3%
4	Most of the time	149	13.5%
5	Always	190	17.2%

Sysmiss		28	
---------	--	----	--

## Q56: Parent understand troubles past 30 days

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1098 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

#### CATEGORIES

Value	Category	Cases	
1	Never	210	19.1%
2	Rarely	219	19.9%
3	Sometimes	209	19%
4	Most of the time	188	17.1%
5	Always	272	24.8%
Sysmiss		36	

## Q57: Parent know what you do past 30 days

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1089 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	251	23%
2	Rarely	168	15.4%

3	Sometimes	173	15.9%
4	Most of the time	189	17.4%
5	Always	308	28.3%
Sysmiss		45	

### Q58: Parent go through things past 30 days

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 1096 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

##### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

##### CATEGORIES

Value	Category	Cases	
1		514	46.9%
2		237	21.6%
3		169	15.4%
4		85	7.8%
5		91	8.3%
Sysmiss		38	

### QN6: Went hungry most of time/always past 30 days

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 1117 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	55	4.9%
2	No	1062	95.1%
Sysmiss		17	

**QN7: Ate fruit 2+ times per day past 30 days****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 1118 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	386	34.5%
2	No	732	65.5%
Sysmiss		16	

**QN8: Ate vegetables 3+ times per day past 30 day****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 1114 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	133	11.9%
2	No	981	88.1%
Sysmiss		20	

**QN9: Drank soft drinks 1+ times per day past 30 day****Data file: ARG2012\_LaRioja\_Public\_Use****Overview**

Valid: 1118 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	773	69.1%
2	No	345	30.9%
Sysmiss		16	

**QN10: Ate fast food 3+ days past 7 day****Data file: ARG2012\_LaRioja\_Public\_Use****Overview**

Valid: 1120 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

## CATEGORIES

Value	Category	Cases	
1	Yes	113	10.1%
2	No	1007	89.9%
Sysmiss		14	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: ARG2012\_LaRioja\_Public\_Use****Overview**

Valid: 1124 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	88	7.8%
2	No	1036	92.2%
Sysmiss		10	

## QN12: Never/rarely wash hands before eating past 30 days

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1114 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	119	10.7%
2	No	995	89.3%
Sysmiss		20	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1125 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	50	4.4%
2	No	1075	95.6%
Sysmiss		9	

**QN14: Never/rarely use soap on hands past 30 days****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 1117 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	73	6.5%
2	No	1044	93.5%
Sysmiss		17	

**QN15: Attacked 1+ times past 12 months****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 1112 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	305	27.4%
2	No	807	72.6%
Sysmiss		22	

**QN16: In fight 1+ times past 12 months****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 1128 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	456	40.4%
2	No	672	59.6%
Sysmiss		6	

**QN17: Seriously injured 1+ times past 12 months****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 978 Invalid: 156

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	385	39.4%
2	No	593	60.6%
Sysmiss		156	

**QN18: Broken bone as most serious injury****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 285 Invalid: 849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

### CATEGORIES

Value	Category	Cases	
1	Yes	66	23.2%
2	No	219	76.8%
Sysmiss		849	

## QN19: Motor vehicle caused most serious injury

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 282 Invalid: 852

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	42	14.9%
2	No	240	85.1%
Sysmiss		852	

## QN20: Bullied 1+ of past 30 days

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1057 Invalid: 77

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	280	26.5%
2	No	777	73.5%
Sysmiss		77	

### QN21: Of students bullied, most often hit, kicked, etc

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 213 Invalid: 921

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

##### CATEGORIES

Value	Category	Cases	
1	Yes	12	5.6%
2	No	201	94.4%
Sysmiss		921	

### QN22: Lonely most times/always past 12 months

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 1092 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	136	12.5%
2	No	956	87.5%
Sysmiss		42	

**QN23: Worry prevented sleep most time/always past 12 mos****Data file: ARG2012\_LaRioja\_Public\_Use****Overview**

Valid: 1126 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

**CATEGORIES**

Value	Category	Cases	
1	Yes	119	10.6%
2	No	1007	89.4%
Sysmiss		8	

**QN24: Considered suicide past 12 months****Data file: ARG2012\_LaRioja\_Public\_Use****Overview**

Valid: 1099 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who ever seriously considered attempting suicide during the past 12 months

**CATEGORIES**

Value	Category	Cases	
1	Yes	218	19.8%
2	No	881	80.2%
Sysmiss		35	

**QN25: Made suicide plan past 12 months****Data file: ARG2012\_LaRioja\_Public\_Use****Overview**

Valid: 1108 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	211	19%
2	No	897	81%
Sysmiss		26	

### QN26: 1+ times attempt suicide 12 mos.

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 1107 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	190	17.2%
2	No	917	82.8%
Sysmiss		27	

### QN27: No close friends

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 1099 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	76	6.9%
2	No	1023	93.1%
Sysmiss		35	

**QN28: Age first cigarette before 14****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 514    Invalid: 620

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	330	64.2%
2	No	184	35.8%
Sysmiss		620	

**QN29: Smoked cigarettes 1+ of past 30 days****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 1107    Invalid: 27

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	311	28.1%
2	No	796	71.9%
Sysmiss		27	



**QN30: Used other tobacco 1+ of past 30 days****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 1118 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	85	7.6%
2	No	1033	92.4%
Sysmiss		16	

**QN31: Tried to quit smoking past 12 months****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 280 Invalid: 854

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	200	71.4%
2	No	80	28.6%
Sysmiss		854	

**QN32: Others present smoking 1+ of past 7 days****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 1105 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	843	76.3%
2	No	262	23.7%
Sysmiss		29	

## QN33: Either/Both parents use tobacco

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1112 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	396	35.6%
2	No	716	64.4%
Sysmiss		22	

## QN34: Age first alcohol before 14

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 732 Invalid: 402

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	425	58.1%
2	No	307	41.9%
Sysmiss		402	

### QN35: Drank 1+ days past 30 days

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 1071 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	538	50.2%
2	No	533	49.8%
Sysmiss		63	

### QN36: Of current drinkers, drank 2+ drinks/day 30 days

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 594 Invalid: 540

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

##### CATEGORIES

Value	Category	Cases	
1	Yes	394	66.3%
2	No	200	33.7%
Sysmiss		540	

**QN37: Of current drinkers, got alcohol from friends****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 554    Invalid: 580

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

## CATEGORIES

Value	Category	Cases	
1	Yes	250	45.1%
2	No	304	54.9%
Sysmiss		580	

**QN38: 1+ times drunk in lifetime****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 1097    Invalid: 37

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	377	34.4%
2	No	720	65.6%
Sysmiss		37	

**QN39: Alcohol trouble 1+ times in lifetime****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 1078    Invalid: 56

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

### CATEGORIES

Value	Category	Cases	
1	Yes	254	23.6%
2	No	824	76.4%
Sysmiss		56	

## QN40: Age first drugs before 14

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 137 Invalid: 997

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
1	Yes	78	56.9%
2	No	59	43.1%
Sysmiss		997	

## QN41: Marijuana 1+ times in lifetime

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1083 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	115	10.6%
2	No	968	89.4%
Sysmiss		51	

**QN42: Marijuana 1+ times p 30 days****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 1107 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	90	8.1%
2	No	1017	91.9%
Sysmiss		27	

**QN43: Amphetamines 1+ times lifetime****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 1104 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	44	4%
2	No	1060	96%
Sysmiss		30	

**QN44: Ever had sex****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 1049 Invalid: 85

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	525	50%
2	No	524	50%
Sysmiss		85	

**QN45: Age first sexual intercourse before 14****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 473 Invalid: 661

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	193	40.8%
2	No	280	59.2%
Sysmiss		661	

**QN46: 2+ sex partners lifetime****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 1087 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	263	24.2%
2	No	824	75.8%
Sysmiss		47	

### QN47: Used condom at last sex

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 456 Invalid: 678

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	344	75.4%
2	No	112	24.6%
Sysmiss		678	

### QN48: Used birth control at last sex

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 455 Invalid: 679

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

### CATEGORIES



Value	Category	Cases	
1	Yes	224	49.2%
2	No	231	50.8%
Sysmiss		679	

### QN49: Active 60+ mins/day for 5+ of past 7 days

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 1112 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	318	28.6%
2	No	794	71.4%
Sysmiss		22	

### QN50: Walk/Bike to/from school 0 of past 7 days

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 1098 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	358	32.6%
2	No	740	67.4%
Sysmiss		36	

**QN51: 3+ days PE each week****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 1078 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	372	34.5%
2	No	706	65.5%
Sysmiss		56	

**QN52: Sitting activities 3+ hours/day of usual day****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 1101 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

## CATEGORIES

Value	Category	Cases	
1	Yes	478	43.4%
2	No	623	56.6%
Sysmiss		33	

**QN53: Miss school no permission 1+ of past 30 days****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 1101 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	520	47.2%
2	No	581	52.8%
Sysmiss		33	

### QN54: Students most/always kind 30 days

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 1090 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	478	43.9%
2	No	612	56.1%
Sysmiss		44	

### QN55: Parents most/always check homework

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 1106 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	339	30.7%
2	No	767	69.3%
Sysmiss		28	

## QN56: Parents most/always understand problems

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1098 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	460	41.9%
2	No	638	58.1%
Sysmiss		36	

## QN57: Parents most/always know about free time

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1089 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	497	45.6%
2	No	592	54.4%
Sysmiss		45	

**QN58: Parents never/rarely go thru things****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 1096 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	751	68.5%
2	No	345	31.5%
Sysmiss		38	

**QNOWTG: Overweight****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 0 Invalid: 1134

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

**CATEGORIES**

Value	Category
1	Yes
2	No
Sysmiss	

**QNOBESEG: Obese****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 0 Invalid: 1134

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

### CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

## QNUNWTG: Underweight

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 0    Invalid: 1134

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

### CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

## QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1108    Invalid: 26

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	192	17.3%
2	No	916	82.7%
Sysmiss		26	

## QNANYTBG: Used any tobacco past 30 days

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1103 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	314	28.5%
2	No	789	71.5%
Sysmiss		31	

## QNPA7G: Physically active all past 7 days

Data file: ARG2012\_LaRioja\_Public\_Use

### Overview

Valid: 1112 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

#### CATEGORIES

Value	Category	Cases	
1	Yes	215	19.3%
2	No	897	80.7%
Sysmiss		22	

**QNPE5G: Attended PE 5+ days each week****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 1078 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	270	25%
2	No	808	75%
Sysmiss		56	

**QNC1G: Among heavy drinkers, ever sex****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 349 Invalid: 785

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	246	70.5%
2	No	103	29.5%
Sysmiss		785	

**QNC2G: Among those worried, currently bullied****Data file:** ARG2012\_LaRioja\_Public\_Use**Overview**

Valid: 110 Invalid: 1024

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	49	44.5%
2	No	61	55.5%
Sysmiss		1024	

### WEIGHT: Weight

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 1134 Invalid: 0 Minimum: 11.188 Maximum: 42.578 Mean: 17.466 Standard deviation: 4.936  
Type: Continuous Decimal: 0 Width: 10 Range: 3.2196 - 1361.2246 Format: Numeric

### STRATUM: Stratum

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 1134 Invalid: 0 Minimum: 201212001 Maximum: 201212013 Mean: 201212008.116 Standard deviation: 21.511  
Type: Continuous Decimal: 0 Width: 9 Range: 201201001 - 201224012 Format: Numeric

### PSU: Primary Sampling Unit

Data file: ARG2012\_LaRioja\_Public\_Use

#### Overview

Valid: 1134 Invalid: 0 Minimum: 1 Maximum: 26 Mean: 15.758 Standard deviation: 7.415  
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 36 Format: Numeric

**Q1: How old are you****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 1117 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	2	0.2%
2	12 years old	2	0.2%
3	13 years old	196	17.5%
4	14 years old	362	32.4%
5	15 years old	341	30.5%
6	16 years old or older	214	19.2%
Sysmiss		1	

**Q2: Sex****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 1112 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	594	53.4%
2	Female	518	46.6%
Sysmiss		6	

**Q3: In what grade are you****Data file: ARG2012\_Mendoza\_Public\_Use**

## Overview

Valid: 1115 Invalid: 3  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

### CATEGORIES

Value	Category	Cases	
1	8th EGB	482	43.2%
2	9th EGB	442	39.6%
3	1st Pol	191	17.1%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		3	

## Q4: How tall are you

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 800 Invalid: 318 Minimum: 1.33 Maximum: 1.95 Mean: 1.635 Standard deviation: 0.0972  
 Type: Continuous Decimal: 2 Width: 5 Range: 1.2 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q5: How much do you weigh

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 800 Invalid: 318 Minimum: 34 Maximum: 102 Mean: 56.945 Standard deviation: 10.403  
 Type: Continuous Decimal: 2 Width: 5 Range: 30 - 180 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days**

**Data file:** ARG2012\_Mendoza\_Public\_Use

**Overview**

Valid: 1116 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	779	69.8%
2	Rarely	199	17.8%
3	Sometimes	106	9.5%
4	Most of the time	17	1.5%
5	Always	15	1.3%
Sysmiss		2	

**Q7: Eat fruit per day past 30 days**

**Data file:** ARG2012\_Mendoza\_Public\_Use

**Overview**

Valid: 1117 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	126	11.3%

2	Less than one time per day	211	18.9%
3	1 time per day	343	30.7%
4	2 times per day	240	21.5%
5	3 times per day	109	9.8%
6	4 times per day	34	3%
7	5 or more times per day	54	4.8%
Sysmiss		1	

## Q8: Eat vegetables past 30 days

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1116 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	73	6.5%
2	Less than one time per day	189	16.9%
3	1 time per day	400	35.8%
4	2 times per day	312	28%
5	3 times per day	60	5.4%
6	4 times per day	18	1.6%
7	5 or more times per day	64	5.7%
Sysmiss		2	

## Q9: Drink soft drinks past 30 days

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1111 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	103	9.3%
2	Less than one time per day	339	30.5%
3	1 time per day	243	21.9%
4	2 times per day	174	15.7%
5	3 times per day	93	8.4%
6	4 times per day	41	3.7%
7	5 or more times per day	118	10.6%
Sysmiss		7	

## Q10: Ate fast food past 7 days

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1116 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	809	72.5%
2	1 day	177	15.9%
3	2 days	61	5.5%
4	3 days	34	3%
5	4 days	9	0.8%
6	5 days	9	0.8%
7	6 days	4	0.4%

8	7 days	13	1.2%
Sysmiss		2	

## Q11: How many times per day brush teeth

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1113 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	19	1.7%
2	Less than 1 time per day	65	5.8%
3	1 time per day	198	17.8%
4	2 times per day	360	32.3%
5	3 times per day	347	31.2%
6	4 or more times per day	124	11.1%
Sysmiss		5	

## Q12: Wash hands before eating past 30 days

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1107 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	19	1.7%
2	Rarely	51	4.6%
3	Sometimes	119	10.7%
4	Most of the time	286	25.8%
5	Always	632	57.1%
Sysmiss		11	

### Q13: Wash hands after toilet past 30 day

Data file: ARG2012\_Mendoza\_Public\_Use

#### Overview

Valid: 1115 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	12	1.1%
2	Rarely	28	2.5%
3	Sometimes	73	6.5%
4	Most of the time	162	14.5%
5	Always	840	75.3%
Sysmiss		3	

### Q14: Used soap on hands past 30 days

Data file: ARG2012\_Mendoza\_Public\_Use

#### Overview

Valid: 1115 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION



During the past 30 days, how often did you use soap when washing your hands?

#### CATEGORIES

Value	Category	Cases	
1	Never	18	1.6%
2	Rarely	34	3%
3	Sometimes	84	7.5%
4	Most of the time	228	20.4%
5	Always	751	67.4%
Sysmiss		3	

### Q15: Times attacked past 12 mo.

Data file: ARG2012\_Mendoza\_Public\_Use

#### Overview

Valid: 1114 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

#### CATEGORIES

Value	Category	Cases	
1	0 times	887	79.6%
2	1 time	119	10.7%
3	2 or 3 times	52	4.7%
4	4 or 5 times	21	1.9%
5	6 or 7 times	9	0.8%
6	8 or 9 times	2	0.2%
7	10 or 11 times	4	0.4%
8	12 or more times	20	1.8%
Sysmiss		4	

### Q16: How many times in fight 12 mos

Data file: ARG2012\_Mendoza\_Public\_Use

## Overview

Valid: 1118 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	751	67.2%
2	1 time	164	14.7%
3	2 or 3 times	119	10.6%
4	4 or 5 times	31	2.8%
5	6 or 7 times	6	0.5%
6	8 or 9 times	11	1%
7	10 or 11 times	3	0.3%
8	12 or more times	33	3%

## Q17: How many times injured past 12 months

Data file: ARG2012\_Mendoza\_Public\_Use

## Overview

Valid: 999 Invalid: 119

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	715	71.6%
2	1 time	183	18.3%
3	2 or 3 times	64	6.4%
4	4 or 5 times	15	1.5%

5	6 or 7 times	9	0.9%
6	8 or 9 times	4	0.4%
7	10 or 11 times	4	0.4%
8	12 or more times	5	0.5%
Sysmiss		119	

### Q18: What was serious injury past 12 mo.

Data file: ARG2012\_Mendoza\_Public\_Use

#### Overview

Valid: 1032 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	819	79.4%
2	Broken bone/dislocated joint	45	4.4%
3	I had a cut or stab wound	19	1.8%
4	Concussion/head injury	16	1.6%
5	I had a gunshot wound	2	0.2%
6	I had a bad burn	10	1%
7	I was poisoned	1	0.1%
8	Something else happened to me	120	11.6%
Sysmiss		86	

### Q19: Cause of injury past 12 mo.

Data file: ARG2012\_Mendoza\_Public\_Use

#### Overview

Valid: 1025 Invalid: 93

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	807	78.7%
2	Motor vehicle accident	13	1.3%
3	I fell	89	8.7%
4	Something fell on me or hit me	21	2%
5	I was attacked	17	1.7%
6	Was in a fire	2	0.2%
7	breathed something bad	0	0%
8	Something else	76	7.4%
Sysmiss		93	

## Q20: How many days bullied past 30 days

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1071 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	826	77.1%
2	1 or 2 days	156	14.6%
3	3 to 5 days	25	2.3%
4	6 to 9 days	22	2.1%
5	10 to 19 days	13	1.2%

6	20 to 29 days	6	0.6%
7	All 30 days	23	2.1%
Sysmiss		47	

## Q21: How bullied past 30 days

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1069 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	871	81.5%
2	Kicked, pushed, or shoved	16	1.5%
3	Made fun of race	13	1.2%
4	Made fun because of religion	7	0.7%
5	Made fun of about sex	22	2.1%
6	Left out of activities	12	1.1%
7	Made fun of about body	53	5%
8	Some other way	75	7%
Sysmiss		49	

## Q22: Times felt lonely past 12 mo.

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1105 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	529	47.9%
2	Rarely	268	24.3%
3	Sometimes	221	20%
4	Most of the time	55	5%
5	Always	32	2.9%
Sysmiss		13	

### Q23: Times could not sleep past 12 mo.

Data file: ARG2012\_Mendoza\_Public\_Use

#### Overview

Valid: 1117 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	466	41.7%
2	Rarely	324	29%
3	Sometimes	230	20.6%
4	Most of the time	65	5.8%
5	Always	32	2.9%
Sysmiss		1	

### Q24: Ever considered suicide 12 mos

Data file: ARG2012\_Mendoza\_Public\_Use

#### Overview

Valid: 1101 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	177	16.1%
2	No	924	83.9%
Sysmiss		17	

## Q25: Ever make suicide plan 12 mos

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1105 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	134	12.1%
2	No	971	87.9%
Sysmiss		13	

## Q26: Times attempted suicide 12 mos.

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1115 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	938	84.1%
2	1 time	113	10.1%
3	2 or 3 times	41	3.7%
4	4 or 5 times	12	1.1%
5	6 or more times	11	1%
Sysmiss		3	

### Q27: Number close friends

Data file: ARG2012\_Mendoza\_Public\_Use

#### Overview

Valid: 1104 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	48	4.3%
2	1	66	6%
3	2	123	11.1%
4	3 or more	867	78.5%
Sysmiss		14	

### Q28: Age first tried cigarette

Data file: ARG2012\_Mendoza\_Public\_Use

#### Overview

Valid: 1085 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	570	52.5%
2	7 years old or younger	29	2.7%
3	8 or 9 years old	34	3.1%
4	10 or 11 years old	119	11%
5	12 or 13 years old	186	17.1%
6	14 or 15 years old	134	12.4%
7	16 years old or older	13	1.2%
Sysmiss		33	

## Q29: How many days smoked 30 days

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1104 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	828	75%
2	1 or 2 days	79	7.2%
3	3 to 5 days	49	4.4%
4	6 to 9 days	30	2.7%
5	10 to 19 days	35	3.2%
6	20 to 29 days	20	1.8%
7	All 30 days	63	5.7%
Sysmiss		14	

**Q30: Other tobacco past 30 days****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 1116 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	1037	92.9%
2	1 or 2 days	44	3.9%
3	3 to 5 days	20	1.8%
4	6 to 9 days	6	0.5%
5	10 to 19 days	6	0.5%
6	20 to 29 days	0	0%
7	All 30 days	3	0.3%
Sysmiss		2	

**Q31: Try stop smoking past 12 mo.****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 1091 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

## CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	690	63.2%
2	Did not smoke cigarettes	132	12.1%
3	Yes	204	18.7%
4	No	65	6%
Sysmiss		27	

### Q32: Others present smoking past 7 days

Data file: ARG2012\_Mendoza\_Public\_Use

#### Overview

Valid: 1115 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	249	22.3%
2	1 or 2 days	302	27.1%
3	3 or 4 days	151	13.5%
4	5 or 6 days	64	5.7%
5	All 7 days	349	31.3%
Sysmiss		3	

### Q33: Parents who use tobacco

Data file: ARG2012\_Mendoza\_Public\_Use

#### Overview

Valid: 1117 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	611	54.7%
2	My father or male guardian	219	19.6%
3	My mother or female guardian	122	10.9%
4	Both	129	11.5%
5	I do not know	36	3.2%
Sysmiss		1	

**Q34: Age first drink alcohol****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 1033 Invalid: 85

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

## CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	255	24.7%
2	7 years old or younger	64	6.2%
3	8 or 9 years old	71	6.9%
4	10 or 11 years old	109	10.6%
5	12 or 13 years old	309	29.9%
6	14 or 15 years old	201	19.5%
7	16 years old or older	24	2.3%
Sysmiss		85	

**Q35: Days one drink or more past 30 days****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 1074 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

### CATEGORIES

Value	Category	Cases	
1	0 days	486	45.3%
2	1 or 2 days	275	25.6%
3	3 to 5 days	131	12.2%
4	6 to 9 days	83	7.7%
5	10 to 19 days	56	5.2%
6	20 to 29 days	25	2.3%
7	All 30 days	18	1.7%
Sysmiss		44	

## Q36: Number of drinks past 30 days

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1100 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	484	44%
2	Less than one drink	145	13.2%
3	1 drink	100	9.1%
4	2 drinks	67	6.1%
5	3 drinks	85	7.7%
6	4 drinks	42	3.8%

7	5 or more drinks	177	16.1%
Sysmiss		18	

### Q37: How got drinks past 30 days

Data file: ARG2012\_Mendoza\_Public\_Use

#### Overview

Valid: 1084 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

##### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	496	45.8%
2	I bought in a store	150	13.8%
3	I gave someone money to buy	39	3.6%
4	I got it from my friends	228	21%
5	I got it from my family	87	8%
6	I stole it	3	0.3%
7	Some other way	81	7.5%
Sysmiss		34	

### Q38: Times drunk during life

Data file: ARG2012\_Mendoza\_Public\_Use

#### Overview

Valid: 1096 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	719	65.6%
2	1 or 2 times	246	22.4%
3	3 to 9 times	89	8.1%
4	10 or more times	42	3.8%
Sysmiss		22	

### Q39: Number of troubles as result of drinking

Data file: ARG2012\_Mendoza\_Public\_Use

#### Overview

Valid: 1092 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	853	78.1%
2	1 or 2 times	177	16.2%
3	3 to 9 times	33	3%
4	10 or more times	29	2.7%
Sysmiss		26	

### Q40: Age first drugs

Data file: ARG2012\_Mendoza\_Public\_Use

#### Overview

Valid: 1073 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

How old were you when you first used drugs?

### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	901	84%
2	7 years old or younger	20	1.9%
3	8 or 9 years old	15	1.4%
4	10 or 11 years old	15	1.4%
5	12 or 13 years old	35	3.3%
6	14 or 15 years old	71	6.6%
7	16 years old or older	16	1.5%
Sysmiss		45	

## Q41: Times used marijuana lifetime

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1077 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	929	86.3%
2	1 or 2 times	58	5.4%
3	3 to 9 times	37	3.4%
4	10 to 19 times	12	1.1%
5	20 or more times	41	3.8%
Sysmiss		41	



**Q42: Times used marijuana past 30 days****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 1100 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	996	90.5%
2	1 or 2 times	49	4.5%
3	3 to 9 times	30	2.7%
4	10 to 19 times	8	0.7%
5	20 or more times	17	1.5%
Sysmiss		18	

**Q43: Times used amphetamines lifetime****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 1105 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1073	97.1%

2	1 or 2 times	15	1.4%
3	3 to 9 times	8	0.7%
4	10 to 19 times	4	0.4%
5	20 or more times	5	0.5%
Sysmiss		13	

**Q44: Ever had sex****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 1050 Invalid: 68

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

Have you ever had sexual intercourse?

## CATEGORIES

Value	Category	Cases	
1	Yes	411	39.1%
2	No	639	60.9%
Sysmiss		68	

**Q45: Age first sexual intercourse****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 1077 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	724	67.2%

2	11 years old or younger	49	4.5%
3	12 years old	45	4.2%
4	13 years old	68	6.3%
5	14 years old	106	9.8%
6	15 years old	64	5.9%
7	16 years old or older	21	1.9%
Sysmiss		41	

## Q46: How many sex partners

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1099 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	742	67.5%
2	1 person	179	16.3%
3	2 people	66	6%
4	3 people	36	3.3%
5	4 people	21	1.9%
6	5 people	17	1.5%
7	6 or more people	38	3.5%
Sysmiss		19	

## Q47: Used condom at last intercourse

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1085 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	735	67.7%
2	Yes	274	25.3%
3	No	76	7%
Sysmiss		33	

## Q48: Used birth control last intercourse

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1081 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	722	66.8%
2	Yes	158	14.6%
3	No	150	13.9%
4	I do not know	51	4.7%
Sysmiss		37	

## Q49: Days active 60 min plus past 7 days

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1117 Invalid: 1

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

**CATEGORIES**

Value	Category	Cases	
1	0 days	177	15.8%
2	1 day	258	23.1%
3	2 days	164	14.7%
4	3 days	128	11.5%
5	4 days	81	7.3%
6	5 days	91	8.1%
7	6 days	37	3.3%
8	7 days	181	16.2%
Sysmiss		1	

**Q50: Walk or bike to school past 7 days****Data file:** ARG2012\_Mendoza\_Public\_Use**Overview**

Valid: 1113    Invalid: 5

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

**CATEGORIES**

Value	Category	Cases	
1	0 days	430	38.6%
2	1 day	101	9.1%
3	2 days	53	4.8%

4	3 days	48	4.3%
5	4 days	31	2.8%
6	5 days	119	10.7%
7	6 days	22	2%
8	7 days	309	27.8%
Sysmiss		5	

## Q51: Days went to PE each week

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1101 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

#### CATEGORIES

Value	Category	Cases	
1	0 days	120	10.9%
2	1 day	454	41.2%
3	2 days	201	18.3%
4	3 days	23	2.1%
5	4 days	25	2.3%
6	5 or more days	278	25.2%
Sysmiss		17	

## Q52: Time spent sitting on usual day

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1114 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	259	23.2%
2	1 to 2 hours per day	398	35.7%
3	3 to 4 hours per day	257	23.1%
4	5 to 6 hours per day	119	10.7%
5	7 to 8 hours per day	27	2.4%
6	More than 8 hours per day	54	4.8%
Sysmiss		4	

## Q53: Miss school no permission past 30 days

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1113 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

### CATEGORIES

Value	Category	Cases	
1	0 days	693	62.3%
2	1 or 2 days	242	21.7%
3	3 to 5 days	97	8.7%
4	6 to 9 days	35	3.1%
5	10 or more days	46	4.1%
Sysmiss		5	

**Q54: Others helpful in school past 30 days****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 1106 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

## CATEGORIES

Value	Category	Cases	
1	Never	101	9.1%
2	Rarely	209	18.9%
3	Sometimes	276	25%
4	Most of the time	279	25.2%
5	Always	241	21.8%
Sysmiss		12	

**Q55: Parents check homework past 30 days****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 1115 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

## CATEGORIES

Value	Category	Cases	
1	Never	303	27.2%
2	Rarely	200	17.9%
3	Sometimes	241	21.6%
4	Most of the time	173	15.5%
5	Always	198	17.8%



Sysmiss		3	
---------	--	---	--

## Q56: Parent understand troubles past 30 days

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1111 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

#### CATEGORIES

Value	Category	Cases	
1	Never	163	14.7%
2	Rarely	180	16.2%
3	Sometimes	215	19.4%
4	Most of the time	181	16.3%
5	Always	372	33.5%
Sysmiss		7	

## Q57: Parent know what you do past 30 days

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1108 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	159	14.4%
2	Rarely	145	13.1%

3	Sometimes	176	15.9%
4	Most of the time	211	19%
5	Always	417	37.6%
Sysmiss		10	

## Q58: Parent go through things past 30 days

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1109 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

#### CATEGORIES

Value	Category	Cases	
1		527	47.5%
2		256	23.1%
3		193	17.4%
4		70	6.3%
5		63	5.7%
Sysmiss		9	

## QN6: Went hungry most of time/always past 30 days

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1116 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	32	2.9%
2	No	1084	97.1%
Sysmiss		2	

**QN7: Ate fruit 2+ times per day past 30 days****Data file:** ARG2012\_Mendoza\_Public\_Use**Overview**

Valid: 1117 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	437	39.1%
2	No	680	60.9%
Sysmiss		1	

**QN8: Ate vegetables 3+ times per day past 30 day****Data file:** ARG2012\_Mendoza\_Public\_Use**Overview**

Valid: 1116 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	142	12.7%
2	No	974	87.3%
Sysmiss		2	

**QN9: Drank soft drinks 1+ times per day past 30 day****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 1111 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	669	60.2%
2	No	442	39.8%
Sysmiss		7	

**QN10: Ate fast food 3+ days past 7 day****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 1116 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

## CATEGORIES

Value	Category	Cases	
1	Yes	69	6.2%
2	No	1047	93.8%
Sysmiss		2	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 1113 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	84	7.5%
2	No	1029	92.5%
Sysmiss		5	

## QN12: Never/rarely wash hands before eating past 30 days

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1107 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	70	6.3%
2	No	1037	93.7%
Sysmiss		11	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1115 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	40	3.6%
2	No	1075	96.4%
Sysmiss		3	

### QN14: Never/rarely use soap on hands past 30 days

Data file: ARG2012\_Mendoza\_Public\_Use

#### Overview

Valid: 1115 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	52	4.7%
2	No	1063	95.3%
Sysmiss		3	

### QN15: Attacked 1+ times past 12 months

Data file: ARG2012\_Mendoza\_Public\_Use

#### Overview

Valid: 1114 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	227	20.4%
2	No	887	79.6%
Sysmiss		4	

**QN16: In fight 1+ times past 12 months****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 1118 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	367	32.8%
2	No	751	67.2%

**QN17: Seriously injured 1+ times past 12 months****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 999 Invalid: 119

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	284	28.4%
2	No	715	71.6%
Sysmiss		119	

**QN18: Broken bone as most serious injury****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 213 Invalid: 905

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

### CATEGORIES

Value	Category	Cases	
1	Yes	45	21.1%
2	No	168	78.9%
Sysmiss		905	

## QN19: Motor vehicle caused most serious injury

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 218 Invalid: 900

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	13	6%
2	No	205	94%
Sysmiss		900	

## QN20: Bullied 1+ of past 30 days

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1071 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES



Value	Category	Cases	
1	Yes	245	22.9%
2	No	826	77.1%
Sysmiss		47	

### QN21: Of students bullied, most often hit, kicked, etc

Data file: ARG2012\_Mendoza\_Public\_Use

#### Overview

Valid: 198 Invalid: 920

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

##### CATEGORIES

Value	Category	Cases	
1	Yes	16	8.1%
2	No	182	91.9%
Sysmiss		920	

### QN22: Lonely most times/always past 12 months

Data file: ARG2012\_Mendoza\_Public\_Use

#### Overview

Valid: 1105 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	87	7.9%
2	No	1018	92.1%
Sysmiss		13	

**QN23: Worry prevented sleep most time/always past 12 mos****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 1117 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	97	8.7%
2	No	1020	91.3%
Sysmiss		1	

**QN24: Considered suicide past 12 months****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 1101 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	177	16.1%
2	No	924	83.9%
Sysmiss		17	

**QN25: Made suicide plan past 12 months****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 1105 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	134	12.1%
2	No	971	87.9%
Sysmiss		13	

## QN26: 1+ times attempt suicide 12 mos.

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1115 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	177	15.9%
2	No	938	84.1%
Sysmiss		3	

## QN27: No close friends

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1104 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	48	4.3%
2	No	1056	95.7%
Sysmiss		14	

**QN28: Age first cigarette before 14****Data file:** ARG2012\_Mendoza\_Public\_Use**Overview**

Valid: 515    Invalid: 603

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	368	71.5%
2	No	147	28.5%
Sysmiss		603	

**QN29: Smoked cigarettes 1+ of past 30 days****Data file:** ARG2012\_Mendoza\_Public\_Use**Overview**

Valid: 1104    Invalid: 14

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	276	25%
2	No	828	75%
Sysmiss		14	

**QN30: Used other tobacco 1+ of past 30 days****Data file:** ARG2012\_Mendoza\_Public\_Use**Overview**

Valid: 1116 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	79	7.1%
2	No	1037	92.9%
Sysmiss		2	

**QN31: Tried to quit smoking past 12 months****Data file:** ARG2012\_Mendoza\_Public\_Use**Overview**

Valid: 269 Invalid: 849

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	204	75.8%
2	No	65	24.2%
Sysmiss		849	

**QN32: Others present smoking 1+ of past 7 days****Data file:** ARG2012\_Mendoza\_Public\_Use**Overview**

Valid: 1115 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	866	77.7%
2	No	249	22.3%
Sysmiss		3	

## QN33: Either/Both parents use tobacco

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1117 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	470	42.1%
2	No	647	57.9%
Sysmiss		1	

## QN34: Age first alcohol before 14

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 778 Invalid: 340

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	553	71.1%
2	No	225	28.9%
Sysmiss		340	

**QN35: Drank 1+ days past 30 days****Data file:** ARG2012\_Mendoza\_Public\_Use**Overview**

Valid: 1074 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	588	54.7%
2	No	486	45.3%
Sysmiss		44	

**QN36: Of current drinkers, drank 2+ drinks/day 30 days****Data file:** ARG2012\_Mendoza\_Public\_Use**Overview**

Valid: 616 Invalid: 502

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

## CATEGORIES

Value	Category	Cases	
1	Yes	371	60.2%
2	No	245	39.8%
Sysmiss		502	

**QN37: Of current drinkers, got alcohol from friends****Data file:** ARG2012\_Mendoza\_Public\_Use**Overview**

Valid: 588 Invalid: 530

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

## CATEGORIES

Value	Category	Cases	
1	Yes	228	38.8%
2	No	360	61.2%
Sysmiss		530	

**QN38: 1+ times drunk in lifetime****Data file:** ARG2012\_Mendoza\_Public\_Use**Overview**

Valid: 1096 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	377	34.4%
2	No	719	65.6%
Sysmiss		22	

**QN39: Alcohol trouble 1+ times in lifetime****Data file:** ARG2012\_Mendoza\_Public\_Use**Overview**

Valid: 1092 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

### CATEGORIES

Value	Category	Cases	
1	Yes	239	21.9%
2	No	853	78.1%
Sysmiss		26	

### QN40: Age first drugs before 14

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 172 Invalid: 946

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
1	Yes	85	49.4%
2	No	87	50.6%
Sysmiss		946	

### QN41: Marijuana 1+ times in lifetime

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1077 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	148	13.7%
2	No	929	86.3%
Sysmiss		41	

**QN42: Marijuana 1+ times p 30 days****Data file:** ARG2012\_Mendoza\_Public\_Use**Overview**

Valid: 1100 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	104	9.5%
2	No	996	90.5%
Sysmiss		18	

**QN43: Amphetamines 1+ times lifetime****Data file:** ARG2012\_Mendoza\_Public\_Use**Overview**

Valid: 1105 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	32	2.9%
2	No	1073	97.1%
Sysmiss		13	

**QN44: Ever had sex****Data file:** ARG2012\_Mendoza\_Public\_Use**Overview**

Valid: 1050 Invalid: 68

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	411	39.1%
2	No	639	60.9%
Sysmiss		68	

**QN45: Age first sexual intercourse before 14****Data file:** ARG2012\_Mendoza\_Public\_Use**Overview**

Valid: 353 Invalid: 765

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	162	45.9%
2	No	191	54.1%
Sysmiss		765	

**QN46: 2+ sex partners lifetime****Data file:** ARG2012\_Mendoza\_Public\_Use**Overview**

Valid: 1099 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	178	16.2%
2	No	921	83.8%
Sysmiss		19	

### QN47: Used condom at last sex

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 350 Invalid: 768

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	274	78.3%
2	No	76	21.7%
Sysmiss		768	

### QN48: Used birth control at last sex

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 359 Invalid: 759

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	158	44%
2	No	201	56%
Sysmiss		759	

### Q49: Active 60+ mins/day for 5+ of past 7 days

Data file: ARG2012\_Mendoza\_Public\_Use

#### Overview

Valid: 1117 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	309	27.7%
2	No	808	72.3%
Sysmiss		1	

### Q50: Walk/Bike to/from school 0 of past 7 days

Data file: ARG2012\_Mendoza\_Public\_Use

#### Overview

Valid: 1113 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	430	38.6%
2	No	683	61.4%
Sysmiss		5	

**QN51: 3+ days PE each week****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 1101 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	326	29.6%
2	No	775	70.4%
Sysmiss		17	

**QN52: Sitting activities 3+ hours/day of usual day****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 1114 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

## CATEGORIES

Value	Category	Cases	
1	Yes	457	41%
2	No	657	59%
Sysmiss		4	

**QN53: Miss school no permission 1+ of past 30 days****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 1113 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	420	37.7%
2	No	693	62.3%
Sysmiss		5	

## QN54: Students most/always kind 30 days

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1106 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	520	47%
2	No	586	53%
Sysmiss		12	

## QN55: Parents most/always check homework

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1115 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	371	33.3%
2	No	744	66.7%
Sysmiss		3	

## QN56: Parents most/always understand problems

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1111 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	553	49.8%
2	No	558	50.2%
Sysmiss		7	

## QN57: Parents most/always know about free time

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1108 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	628	56.7%
2	No	480	43.3%
Sysmiss		10	



**QN58: Parents never/rarely go thru things****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 1109 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	783	70.6%
2	No	326	29.4%
Sysmiss		9	

**QNOWTG: Overweight****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 800 Invalid: 318

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

**CATEGORIES**

Value	Category	Cases	
1	Yes	197	24.6%
2	No	603	75.4%
Sysmiss		318	

**QNOBESEG: Obese****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 800 Invalid: 318

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1	Yes	33	4.1%
2	No	767	95.9%
Sysmiss		318	

## QNUNWTG: Underweight

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 800    Invalid: 318

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1	Yes	23	2.9%
2	No	777	97.1%
Sysmiss		318	

## QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1115    Invalid: 3

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	202	18.1%
2	No	913	81.9%
Sysmiss		3	

## QNANYTBG: Used any tobacco past 30 days

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1103 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	284	25.7%
2	No	819	74.3%
Sysmiss		15	

## QNPA7G: Physically active all past 7 days

Data file: ARG2012\_Mendoza\_Public\_Use

### Overview

Valid: 1117 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

#### CATEGORIES

Value	Category	Cases	
1	Yes	181	16.2%
2	No	936	83.8%
Sysmiss		1	

**QNPE5G: Attended PE 5+ days each week****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 1101 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	278	25.2%
2	No	823	74.8%
Sysmiss		17	

**QNC1G: Among heavy drinkers, ever sex****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 357 Invalid: 761

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	218	61.1%
2	No	139	38.9%
Sysmiss		761	

**QNC2G: Among those worried, currently bullied****Data file: ARG2012\_Mendoza\_Public\_Use****Overview**

Valid: 88 Invalid: 1030

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	44	50%
2	No	44	50%
Sysmiss		1030	

### WEIGHT: Weight

Data file: ARG2012\_Mendoza\_Public\_Use

#### Overview

Valid: 1118 Invalid: 0 Minimum: 21.821 Maximum: 144.28 Mean: 40.567 Standard deviation: 18.522  
Type: Continuous Decimal: 0 Width: 10 Range: 3.2196 - 1361.2246 Format: Numeric

### STRATUM: Stratum

Data file: ARG2012\_Mendoza\_Public\_Use

#### Overview

Valid: 1118 Invalid: 0 Minimum: 201213001 Maximum: 201213011 Mean: 201213006.141 Standard deviation: 15.557  
Type: Continuous Decimal: 0 Width: 9 Range: 201201001 - 201224012 Format: Numeric

### PSU: Primary Sampling Unit

Data file: ARG2012\_Mendoza\_Public\_Use

#### Overview

Valid: 1118 Invalid: 0 Minimum: 1 Maximum: 23 Mean: 11.897 Standard deviation: 6.527  
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 36 Format: Numeric

**Q1: How old are you****Data file: ARG2012\_Misiones\_Public\_Use****Overview**

Valid: 1425 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	6	0.4%
2	12 years old	6	0.4%
3	13 years old	238	16.7%
4	14 years old	383	26.9%
5	15 years old	391	27.4%
6	16 years old or older	401	28.1%
Sysmiss		26	

**Q2: Sex****Data file: ARG2012\_Misiones\_Public\_Use****Overview**

Valid: 1406 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	649	46.2%
2	Female	757	53.8%
Sysmiss		45	

**Q3: In what grade are you****Data file: ARG2012\_Misiones\_Public\_Use**

## Overview

Valid: 1415 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

### CATEGORIES

Value	Category	Cases	
1	8th EGB	633	44.7%
2	9th EGB	400	28.3%
3	1st Pol	382	27%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		36	

## Q4: How tall are you

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 867 Invalid: 584 Minimum: 1.2 Maximum: 1.99 Mean: 1.633 Standard deviation: 0.105

Type: Continuous Decimal: 2 Width: 5 Range: 1.2 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q5: How much do you weigh

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 867 Invalid: 584 Minimum: 32 Maximum: 170 Mean: 56.79 Standard deviation: 13.688

Type: Continuous Decimal: 2 Width: 5 Range: 30 - 180 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days**

**Data file:** ARG2012\_Misiones\_Public\_Use

**Overview**

Valid: 1425 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	987	69.3%
2	Rarely	250	17.5%
3	Sometimes	131	9.2%
4	Most of the time	29	2%
5	Always	28	2%
Sysmiss		26	

**Q7: Eat fruit per day past 30 days**

**Data file:** ARG2012\_Misiones\_Public\_Use

**Overview**

Valid: 1428 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	184	12.9%



2	Less than one time per day	315	22.1%
3	1 time per day	375	26.3%
4	2 times per day	268	18.8%
5	3 times per day	145	10.2%
6	4 times per day	58	4.1%
7	5 or more times per day	83	5.8%
Sysmiss		23	

## Q8: Eat vegetables past 30 days

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1426 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	89	6.2%
2	Less than one time per day	166	11.6%
3	1 time per day	496	34.8%
4	2 times per day	392	27.5%
5	3 times per day	120	8.4%
6	4 times per day	31	2.2%
7	5 or more times per day	132	9.3%
Sysmiss		25	

## Q9: Drink soft drinks past 30 days

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1426 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	114	8%
2	Less than one time per day	343	24.1%
3	1 time per day	363	25.5%
4	2 times per day	251	17.6%
5	3 times per day	140	9.8%
6	4 times per day	64	4.5%
7	5 or more times per day	151	10.6%
Sysmiss		25	

## Q10: Ate fast food past 7 days

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1435 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	990	69%
2	1 day	197	13.7%
3	2 days	119	8.3%
4	3 days	58	4%
5	4 days	32	2.2%
6	5 days	13	0.9%
7	6 days	9	0.6%

8	7 days	17	1.2%
Sysmiss		16	

## Q11: How many times per day brush teeth

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1436 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	39	2.7%
2	Less than 1 time per day	35	2.4%
3	1 time per day	128	8.9%
4	2 times per day	359	25%
5	3 times per day	629	43.8%
6	4 or more times per day	246	17.1%
Sysmiss		15	

## Q12: Wash hands before eating past 30 days

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1428 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	45	3.2%
2	Rarely	74	5.2%
3	Sometimes	164	11.5%
4	Most of the time	400	28%
5	Always	745	52.2%
Sysmiss		23	

### Q13: Wash hands after toilet past 30 day

Data file: ARG2012\_Misiones\_Public\_Use

#### Overview

Valid: 1433 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	42	2.9%
2	Rarely	26	1.8%
3	Sometimes	68	4.7%
4	Most of the time	187	13%
5	Always	1110	77.5%
Sysmiss		18	

### Q14: Used soap on hands past 30 days

Data file: ARG2012\_Misiones\_Public\_Use

#### Overview

Valid: 1434 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

#### CATEGORIES

Value	Category	Cases	
1	Never	26	1.8%
2	Rarely	59	4.1%
3	Sometimes	115	8%
4	Most of the time	317	22.1%
5	Always	917	63.9%
Sysmiss		17	

### Q15: Times attacked past 12 mo.

Data file: ARG2012\_Misiones\_Public\_Use

#### Overview

Valid: 1416 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1130	79.8%
2	1 time	146	10.3%
3	2 or 3 times	71	5%
4	4 or 5 times	14	1%
5	6 or 7 times	4	0.3%
6	8 or 9 times	5	0.4%
7	10 or 11 times	2	0.1%
8	12 or more times	44	3.1%
Sysmiss		35	

### Q16: How many times in fight 12 mos

Data file: ARG2012\_Misiones\_Public\_Use

## Overview

Valid: 1443 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	1009	69.9%
2	1 time	179	12.4%
3	2 or 3 times	114	7.9%
4	4 or 5 times	51	3.5%
5	6 or 7 times	19	1.3%
6	8 or 9 times	14	1%
7	10 or 11 times	3	0.2%
8	12 or more times	54	3.7%
Sysmiss		8	

## Q17: How many times injured past 12 months

Data file: ARG2012\_Misiones\_Public\_Use

## Overview

Valid: 1305 Invalid: 146

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	865	66.3%
2	1 time	287	22%
3	2 or 3 times	108	8.3%

4	4 or 5 times	17	1.3%
5	6 or 7 times	7	0.5%
6	8 or 9 times	7	0.5%
7	10 or 11 times	3	0.2%
8	12 or more times	11	0.8%
Sysmiss		146	

## Q18: What was serious injury past 12 mo.

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1334 Invalid: 117

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

#### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

#### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1019	76.4%
2	Broken bone/dislocated joint	72	5.4%
3	I had a cut or stab wound	25	1.9%
4	Concussion/head injury	20	1.5%
5	I had a gunshot wound	7	0.5%
6	I had a bad burn	15	1.1%
7	I was poisoned	8	0.6%
8	Something else happened to me	168	12.6%
Sysmiss		117	

## Q19: Cause of injury past 12 mo.

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1324 Invalid: 127

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1010	76.3%
2	Motor vehicle accident	24	1.8%
3	I fell	109	8.2%
4	Something fell on me or hit me	30	2.3%
5	I was attacked	15	1.1%
6	Was in a fire	4	0.3%
7	breathed something bad	5	0.4%
8	Something else	127	9.6%
Sysmiss		127	

## Q20: How many days bullied past 30 days

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1370 Invalid: 81

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	1007	73.5%
2	1 or 2 days	201	14.7%
3	3 to 5 days	58	4.2%
4	6 to 9 days	22	1.6%
5	10 to 19 days	24	1.8%



6	20 to 29 days	16	1.2%
7	All 30 days	42	3.1%
Sysmiss		81	

## Q21: How bullied past 30 days

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1352 Invalid: 99

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	1062	78.6%
2	Kicked, pushed, or shoved	24	1.8%
3	Made fun of race	29	2.1%
4	Made fun because of religion	5	0.4%
5	Made fun of about sex	42	3.1%
6	Left out of activities	21	1.6%
7	Made fun of about body	75	5.5%
8	Some other way	94	7%
Sysmiss		99	

## Q22: Times felt lonely past 12 mo.

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1400 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	536	38.3%
2	Rarely	380	27.1%
3	Sometimes	335	23.9%
4	Most of the time	96	6.9%
5	Always	53	3.8%
Sysmiss		51	

### Q23: Times could not sleep past 12 mo.

Data file: ARG2012\_Misiones\_Public\_Use

#### Overview

Valid: 1426 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	520	36.5%
2	Rarely	424	29.7%
3	Sometimes	332	23.3%
4	Most of the time	110	7.7%
5	Always	40	2.8%
Sysmiss		25	

### Q24: Ever considered suicide 12 mos

Data file: ARG2012\_Misiones\_Public\_Use

#### Overview

Valid: 1380 Invalid: 71

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	282	20.4%
2	No	1098	79.6%
Sysmiss		71	

## Q25: Ever make suicide plan 12 mos

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1412 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	267	18.9%
2	No	1145	81.1%
Sysmiss		39	

## Q26: Times attempted suicide 12 mos.

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1409 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1160	82.3%
2	1 time	138	9.8%
3	2 or 3 times	46	3.3%
4	4 or 5 times	31	2.2%
5	6 or more times	34	2.4%
Sysmiss		42	

### Q27: Number close friends

Data file: ARG2012\_Misiones\_Public\_Use

#### Overview

Valid: 1376 Invalid: 75

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	107	7.8%
2	1	136	9.9%
3	2	165	12%
4	3 or more	968	70.3%
Sysmiss		75	

### Q28: Age first tried cigarette

Data file: ARG2012\_Misiones\_Public\_Use

#### Overview

Valid: 1384 Invalid: 67

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	892	64.5%
2	7 years old or younger	39	2.8%
3	8 or 9 years old	59	4.3%
4	10 or 11 years old	109	7.9%
5	12 or 13 years old	139	10%
6	14 or 15 years old	113	8.2%
7	16 years old or older	33	2.4%
Sysmiss		67	

## Q29: How many days smoked 30 days

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1405 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	1159	82.5%
2	1 or 2 days	89	6.3%
3	3 to 5 days	29	2.1%
4	6 to 9 days	40	2.8%
5	10 to 19 days	16	1.1%
6	20 to 29 days	27	1.9%
7	All 30 days	45	3.2%
Sysmiss		46	

**Q30: Other tobacco past 30 days****Data file: ARG2012\_Misiones\_Public\_Use****Overview**

Valid: 1419 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

**CATEGORIES**

Value	Category	Cases	
1	0 days	1316	92.7%
2	1 or 2 days	45	3.2%
3	3 to 5 days	17	1.2%
4	6 to 9 days	12	0.8%
5	10 to 19 days	8	0.6%
6	20 to 29 days	8	0.6%
7	All 30 days	13	0.9%
Sysmiss		32	

**Q31: Try stop smoking past 12 mo.****Data file: ARG2012\_Misiones\_Public\_Use****Overview**

Valid: 1368 Invalid: 83

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 12 months, have you ever tried to stop smoking cigarettes?

**CATEGORIES**

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	1036	75.7%
2	Did not smoke cigarettes	119	8.7%
3	Yes	158	11.5%
4	No	55	4%
Sysmiss		83	

### Q32: Others present smoking past 7 days

Data file: ARG2012\_Misiones\_Public\_Use

#### Overview

Valid: 1400 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	395	28.2%
2	1 or 2 days	352	25.1%
3	3 or 4 days	162	11.6%
4	5 or 6 days	97	6.9%
5	All 7 days	394	28.1%
Sysmiss		51	

### Q33: Parents who use tobacco

Data file: ARG2012\_Misiones\_Public\_Use

#### Overview

Valid: 1404 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	947	67.5%
2	My father or male guardian	246	17.5%
3	My mother or female guardian	99	7.1%
4	Both	77	5.5%
5	I do not know	35	2.5%
Sysmiss		47	

**Q34: Age first drink alcohol****Data file: ARG2012\_Misiones\_Public\_Use****Overview**

Valid: 1276 Invalid: 175

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

## CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	350	27.4%
2	7 years old or younger	81	6.3%
3	8 or 9 years old	69	5.4%
4	10 or 11 years old	155	12.1%
5	12 or 13 years old	311	24.4%
6	14 or 15 years old	263	20.6%
7	16 years old or older	47	3.7%
Sysmiss		175	

**Q35: Days one drink or more past 30 days****Data file: ARG2012\_Misiones\_Public\_Use****Overview**

Valid: 1338 Invalid: 113

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

### CATEGORIES

Value	Category	Cases	
1	0 days	613	45.8%
2	1 or 2 days	358	26.8%
3	3 to 5 days	147	11%
4	6 to 9 days	76	5.7%
5	10 to 19 days	76	5.7%
6	20 to 29 days	31	2.3%
7	All 30 days	37	2.8%
Sysmiss		113	

## Q36: Number of drinks past 30 days

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1374 Invalid: 77

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	597	43.4%
2	Less than one drink	150	10.9%
3	1 drink	139	10.1%
4	2 drinks	91	6.6%
5	3 drinks	86	6.3%
6	4 drinks	50	3.6%

7	5 or more drinks	261	19%
Sysmiss		77	

### Q37: How got drinks past 30 days

Data file: ARG2012\_Misiones\_Public\_Use

#### Overview

Valid: 1351 Invalid: 100

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

##### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	630	46.6%
2	I bought in a store	194	14.4%
3	I gave someone money to buy	49	3.6%
4	I got it from my friends	230	17%
5	I got it from my family	140	10.4%
6	I stole it	13	1%
7	Some other way	95	7%
Sysmiss		100	

### Q38: Times drunk during life

Data file: ARG2012\_Misiones\_Public\_Use

#### Overview

Valid: 1371 Invalid: 80

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	952	69.4%
2	1 or 2 times	267	19.5%
3	3 to 9 times	84	6.1%
4	10 or more times	68	5%
Sysmiss		80	

### Q39: Number of troubles as result of drinking

Data file: ARG2012\_Misiones\_Public\_Use

#### Overview

Valid: 1347 Invalid: 104

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	1070	79.4%
2	1 or 2 times	191	14.2%
3	3 to 9 times	41	3%
4	10 or more times	45	3.3%
Sysmiss		104	

### Q40: Age first drugs

Data file: ARG2012\_Misiones\_Public\_Use

#### Overview

Valid: 1356 Invalid: 95

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

How old were you when you first used drugs?

### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1210	89.2%
2	7 years old or younger	27	2%
3	8 or 9 years old	9	0.7%
4	10 or 11 years old	14	1%
5	12 or 13 years old	33	2.4%
6	14 or 15 years old	48	3.5%
7	16 years old or older	15	1.1%
Sysmiss		95	

## Q41: Times used marijuana lifetime

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1350 Invalid: 101

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	1230	91.1%
2	1 or 2 times	38	2.8%
3	3 to 9 times	28	2.1%
4	10 to 19 times	21	1.6%
5	20 or more times	33	2.4%
Sysmiss		101	

**Q42: Times used marijuana past 30 days****Data file: ARG2012\_Misiones\_Public\_Use****Overview**

Valid: 1373 Invalid: 78

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1287	93.7%
2	1 or 2 times	40	2.9%
3	3 to 9 times	11	0.8%
4	10 to 19 times	16	1.2%
5	20 or more times	19	1.4%
Sysmiss		78	

**Q43: Times used amphetamines lifetime****Data file: ARG2012\_Misiones\_Public\_Use****Overview**

Valid: 1363 Invalid: 88

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1321	96.9%

2	1 or 2 times	18	1.3%
3	3 to 9 times	8	0.6%
4	10 to 19 times	7	0.5%
5	20 or more times	9	0.7%
Sysmiss		88	

**Q44: Ever had sex****Data file: ARG2012\_Misiones\_Public\_Use****Overview**

Valid: 1297 Invalid: 154

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

Have you ever had sexual intercourse?

## CATEGORIES

Value	Category	Cases	
1	Yes	627	48.3%
2	No	670	51.7%
Sysmiss		154	

**Q45: Age first sexual intercourse****Data file: ARG2012\_Misiones\_Public\_Use****Overview**

Valid: 1336 Invalid: 115

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	806	60.3%

2	11 years old or younger	69	5.2%
3	12 years old	62	4.6%
4	13 years old	87	6.5%
5	14 years old	131	9.8%
6	15 years old	113	8.5%
7	16 years old or older	68	5.1%
Sysmiss		115	

## Q46: How many sex partners

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1360 Invalid: 91

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	836	61.5%
2	1 person	222	16.3%
3	2 people	84	6.2%
4	3 people	62	4.6%
5	4 people	44	3.2%
6	5 people	30	2.2%
7	6 or more people	82	6%
Sysmiss		91	

## Q47: Used condom at last intercourse

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1319 Invalid: 132

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	816	61.9%
2	Yes	433	32.8%
3	No	70	5.3%
Sysmiss		132	

## Q48: Used birth control last intercourse

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1338 Invalid: 113

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	825	61.7%
2	Yes	285	21.3%
3	No	146	10.9%
4	I do not know	82	6.1%
Sysmiss		113	

## Q49: Days active 60 min plus past 7 days

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1396 Invalid: 55



Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

### CATEGORIES

Value	Category	Cases	
1	0 days	195	14%
2	1 day	228	16.3%
3	2 days	311	22.3%
4	3 days	160	11.5%
5	4 days	75	5.4%
6	5 days	102	7.3%
7	6 days	42	3%
8	7 days	283	20.3%
Sysmiss		55	

## Q50: Walk or bike to school past 7 days

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1378    Invalid: 73

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

### CATEGORIES

Value	Category	Cases	
1	0 days	547	39.7%
2	1 day	101	7.3%
3	2 days	81	5.9%

4	3 days	64	4.6%
5	4 days	43	3.1%
6	5 days	163	11.8%
7	6 days	17	1.2%
8	7 days	362	26.3%
Sysmiss		73	

## Q51: Days went to PE each week

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1345 Invalid: 106

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

#### CATEGORIES

Value	Category	Cases	
1	0 days	123	9.1%
2	1 day	196	14.6%
3	2 days	710	52.8%
4	3 days	36	2.7%
5	4 days	25	1.9%
6	5 or more days	255	19%
Sysmiss		106	

## Q52: Time spent sitting on usual day

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1374 Invalid: 77

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	369	26.9%
2	1 to 2 hours per day	408	29.7%
3	3 to 4 hours per day	337	24.5%
4	5 to 6 hours per day	120	8.7%
5	7 to 8 hours per day	42	3.1%
6	More than 8 hours per day	98	7.1%
Sysmiss		77	

## Q53: Miss school no permission past 30 days

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1362 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

### CATEGORIES

Value	Category	Cases	
1	0 days	897	65.9%
2	1 or 2 days	253	18.6%
3	3 to 5 days	104	7.6%
4	6 to 9 days	46	3.4%
5	10 or more days	62	4.6%
Sysmiss		89	

**Q54: Others helpful in school past 30 days****Data file: ARG2012\_Misiones\_Public\_Use****Overview**

Valid: 1346 Invalid: 105

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

## CATEGORIES

Value	Category	Cases	
1	Never	137	10.2%
2	Rarely	217	16.1%
3	Sometimes	300	22.3%
4	Most of the time	358	26.6%
5	Always	334	24.8%
Sysmiss		105	

**Q55: Parents check homework past 30 days****Data file: ARG2012\_Misiones\_Public\_Use****Overview**

Valid: 1376 Invalid: 75

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

## CATEGORIES

Value	Category	Cases	
1	Never	389	28.3%
2	Rarely	269	19.5%
3	Sometimes	198	14.4%
4	Most of the time	236	17.2%
5	Always	284	20.6%

Sysmiss		75	
---------	--	----	--

## Q56: Parent understand troubles past 30 days

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1364 Invalid: 87

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

#### CATEGORIES

Value	Category	Cases	
1	Never	221	16.2%
2	Rarely	225	16.5%
3	Sometimes	265	19.4%
4	Most of the time	231	16.9%
5	Always	422	30.9%
Sysmiss		87	

## Q57: Parent know what you do past 30 days

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1349 Invalid: 102

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	235	17.4%
2	Rarely	190	14.1%

3	Sometimes	206	15.3%
4	Most of the time	286	21.2%
5	Always	432	32%
Sysmiss		102	

## Q58: Parent go through things past 30 days

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1345 Invalid: 106

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

#### CATEGORIES

Value	Category	Cases	
1		638	47.4%
2		276	20.5%
3		195	14.5%
4		132	9.8%
5		104	7.7%
Sysmiss		106	

## QN6: Went hungry most of time/always past 30 days

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1425 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	57	4%
2	No	1368	96%
Sysmiss		26	

**QN7: Ate fruit 2+ times per day past 30 days****Data file:** ARG2012\_Misiones\_Public\_Use**Overview**

Valid: 1428 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	554	38.8%
2	No	874	61.2%
Sysmiss		23	

**QN8: Ate vegetables 3+ times per day past 30 day****Data file:** ARG2012\_Misiones\_Public\_Use**Overview**

Valid: 1426 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	283	19.8%
2	No	1143	80.2%
Sysmiss		25	

**QN9: Drank soft drinks 1+ times per day past 30 day****Data file: ARG2012\_Misiones\_Public\_Use****Overview**

Valid: 1426 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	969	68%
2	No	457	32%
Sysmiss		25	

**QN10: Ate fast food 3+ days past 7 day****Data file: ARG2012\_Misiones\_Public\_Use****Overview**

Valid: 1435 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

## CATEGORIES

Value	Category	Cases	
1	Yes	129	9%
2	No	1306	91%
Sysmiss		16	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: ARG2012\_Misiones\_Public\_Use****Overview**

Valid: 1436 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	74	5.2%
2	No	1362	94.8%
Sysmiss		15	

## QN12: Never/rarely wash hands before eating past 30 days

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1428 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	119	8.3%
2	No	1309	91.7%
Sysmiss		23	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1433 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	68	4.7%
2	No	1365	95.3%
Sysmiss		18	

### QN14: Never/rarely use soap on hands past 30 days

Data file: ARG2012\_Misiones\_Public\_Use

#### Overview

Valid: 1434 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	85	5.9%
2	No	1349	94.1%
Sysmiss		17	

### QN15: Attacked 1+ times past 12 months

Data file: ARG2012\_Misiones\_Public\_Use

#### Overview

Valid: 1416 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	286	20.2%
2	No	1130	79.8%
Sysmiss		35	

**QN16: In fight 1+ times past 12 months****Data file:** ARG2012\_Misiones\_Public\_Use**Overview**

Valid: 1443 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	434	30.1%
2	No	1009	69.9%
Sysmiss		8	

**QN17: Seriously injured 1+ times past 12 months****Data file:** ARG2012\_Misiones\_Public\_Use**Overview**

Valid: 1305 Invalid: 146

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	440	33.7%
2	No	865	66.3%
Sysmiss		146	

**QN18: Broken bone as most serious injury****Data file:** ARG2012\_Misiones\_Public\_Use**Overview**

Valid: 315 Invalid: 1136

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

### CATEGORIES

Value	Category	Cases	
1	Yes	72	22.9%
2	No	243	77.1%
Sysmiss		1136	

## QN19: Motor vehicle caused most serious injury

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 314 Invalid: 1137

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	24	7.6%
2	No	290	92.4%
Sysmiss		1137	

## QN20: Bullied 1+ of past 30 days

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1370 Invalid: 81

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	363	26.5%
2	No	1007	73.5%
Sysmiss		81	

## QN21: Of students bullied, most often hit, kicked, etc

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 290 Invalid: 1161

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

#### CATEGORIES

Value	Category	Cases	
1	Yes	24	8.3%
2	No	266	91.7%
Sysmiss		1161	

## QN22: Lonely most times/always past 12 months

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1400 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	149	10.6%
2	No	1251	89.4%
Sysmiss		51	

**QN23: Worry prevented sleep most time/always past 12 mos****Data file: ARG2012\_Misiones\_Public\_Use****Overview**

Valid: 1426 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	150	10.5%
2	No	1276	89.5%
Sysmiss		25	

**QN24: Considered suicide past 12 months****Data file: ARG2012\_Misiones\_Public\_Use****Overview**

Valid: 1380 Invalid: 71

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	282	20.4%
2	No	1098	79.6%
Sysmiss		71	

**QN25: Made suicide plan past 12 months****Data file: ARG2012\_Misiones\_Public\_Use****Overview**

Valid: 1412 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	267	18.9%
2	No	1145	81.1%
Sysmiss		39	

### QN26: 1+ times attempt suicide 12 mos.

Data file: ARG2012\_Misiones\_Public\_Use

#### Overview

Valid: 1409 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	249	17.7%
2	No	1160	82.3%
Sysmiss		42	

### QN27: No close friends

Data file: ARG2012\_Misiones\_Public\_Use

#### Overview

Valid: 1376 Invalid: 75

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	107	7.8%
2	No	1269	92.2%
Sysmiss		75	

### QN28: Age first cigarette before 14

Data file: ARG2012\_Misiones\_Public\_Use

#### Overview

Valid: 492 Invalid: 959

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

##### CATEGORIES

Value	Category	Cases	
1	Yes	346	70.3%
2	No	146	29.7%
Sysmiss		959	

### QN29: Smoked cigarettes 1+ of past 30 days

Data file: ARG2012\_Misiones\_Public\_Use

#### Overview

Valid: 1405 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	246	17.5%
2	No	1159	82.5%
Sysmiss		46	



**QN30: Used other tobacco 1+ of past 30 days****Data file:** ARG2012\_Misiones\_Public\_Use**Overview**

Valid: 1419 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	103	7.3%
2	No	1316	92.7%
Sysmiss		32	

**QN31: Tried to quit smoking past 12 months****Data file:** ARG2012\_Misiones\_Public\_Use**Overview**

Valid: 213 Invalid: 1238

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	158	74.2%
2	No	55	25.8%
Sysmiss		1238	

**QN32: Others present smoking 1+ of past 7 days****Data file:** ARG2012\_Misiones\_Public\_Use**Overview**

Valid: 1400 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	1005	71.8%
2	No	395	28.2%
Sysmiss		51	

## QN33: Either/Both parents use tobacco

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1404 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	422	30.1%
2	No	982	69.9%
Sysmiss		47	

## QN34: Age first alcohol before 14

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 926 Invalid: 525

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	616	66.5%
2	No	310	33.5%
Sysmiss		525	

**QN35: Drank 1+ days past 30 days****Data file:** ARG2012\_Misiones\_Public\_Use**Overview**

Valid: 1338 Invalid: 113

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	725	54.2%
2	No	613	45.8%
Sysmiss		113	

**QN36: Of current drinkers, drank 2+ drinks/day 30 days****Data file:** ARG2012\_Misiones\_Public\_Use**Overview**

Valid: 777 Invalid: 674

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

## CATEGORIES

Value	Category	Cases	
1	Yes	488	62.8%
2	No	289	37.2%
Sysmiss		674	

**QN37: Of current drinkers, got alcohol from friends****Data file: ARG2012\_Misiones\_Public\_Use****Overview**

Valid: 721 Invalid: 730

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

## CATEGORIES

Value	Category	Cases	
1	Yes	230	31.9%
2	No	491	68.1%
Sysmiss		730	

**QN38: 1+ times drunk in lifetime****Data file: ARG2012\_Misiones\_Public\_Use****Overview**

Valid: 1371 Invalid: 80

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	419	30.6%
2	No	952	69.4%
Sysmiss		80	

**QN39: Alcohol trouble 1+ times in lifetime****Data file: ARG2012\_Misiones\_Public\_Use****Overview**

Valid: 1347 Invalid: 104

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

### CATEGORIES

Value	Category	Cases	
1	Yes	277	20.6%
2	No	1070	79.4%
Sysmiss		104	

### QN40: Age first drugs before 14

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 146 Invalid: 1305

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
1	Yes	83	56.8%
2	No	63	43.2%
Sysmiss		1305	

### QN41: Marijuana 1+ times in lifetime

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1350 Invalid: 101

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	120	8.9%
2	No	1230	91.1%
Sysmiss		101	

**QN42: Marijuana 1+ times p 30 days****Data file:** ARG2012\_Misiones\_Public\_Use**Overview**

Valid: 1373 Invalid: 78

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	86	6.3%
2	No	1287	93.7%
Sysmiss		78	

**QN43: Amphetamines 1+ times lifetime****Data file:** ARG2012\_Misiones\_Public\_Use**Overview**

Valid: 1363 Invalid: 88

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	42	3.1%
2	No	1321	96.9%
Sysmiss		88	

**QN44: Ever had sex****Data file:** ARG2012\_Misiones\_Public\_Use**Overview**

Valid: 1297 Invalid: 154

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	627	48.3%
2	No	670	51.7%
Sysmiss		154	

**QN45: Age first sexual intercourse before 14****Data file:** ARG2012\_Misiones\_Public\_Use**Overview**

Valid: 530 Invalid: 921

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	218	41.1%
2	No	312	58.9%
Sysmiss		921	

**QN46: 2+ sex partners lifetime****Data file:** ARG2012\_Misiones\_Public\_Use**Overview**

Valid: 1360 Invalid: 91

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	302	22.2%
2	No	1058	77.8%
Sysmiss		91	

### QN47: Used condom at last sex

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 503 Invalid: 948

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	433	86.1%
2	No	70	13.9%
Sysmiss		948	

### QN48: Used birth control at last sex

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 513 Invalid: 938

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

### CATEGORIES



Value	Category	Cases	
1	Yes	285	55.6%
2	No	228	44.4%
Sysmiss		938	

### QN49: Active 60+ mins/day for 5+ of past 7 days

Data file: ARG2012\_Misiones\_Public\_Use

#### Overview

Valid: 1396 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	427	30.6%
2	No	969	69.4%
Sysmiss		55	

### QN50: Walk/Bike to/from school 0 of past 7 days

Data file: ARG2012\_Misiones\_Public\_Use

#### Overview

Valid: 1378 Invalid: 73

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	547	39.7%
2	No	831	60.3%
Sysmiss		73	

**QN51: 3+ days PE each week****Data file:** ARG2012\_Misiones\_Public\_Use**Overview**

Valid: 1345 Invalid: 106

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	316	23.5%
2	No	1029	76.5%
Sysmiss		106	

**QN52: Sitting activities 3+ hours/day of usual day****Data file:** ARG2012\_Misiones\_Public\_Use**Overview**

Valid: 1374 Invalid: 77

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

## CATEGORIES

Value	Category	Cases	
1	Yes	597	43.4%
2	No	777	56.6%
Sysmiss		77	

**QN53: Miss school no permission 1+ of past 30 days****Data file:** ARG2012\_Misiones\_Public\_Use**Overview**

Valid: 1362 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	465	34.1%
2	No	897	65.9%
Sysmiss		89	

### QN54: Students most/always kind 30 days

Data file: ARG2012\_Misiones\_Public\_Use

#### Overview

Valid: 1346 Invalid: 105

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	692	51.4%
2	No	654	48.6%
Sysmiss		105	

### QN55: Parents most/always check homework

Data file: ARG2012\_Misiones\_Public\_Use

#### Overview

Valid: 1376 Invalid: 75

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	520	37.8%
2	No	856	62.2%
Sysmiss		75	

## QN56: Parents most/always understand problems

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1364 Invalid: 87

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	653	47.9%
2	No	711	52.1%
Sysmiss		87	

## QN57: Parents most/always know about free time

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1349 Invalid: 102

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	718	53.2%
2	No	631	46.8%
Sysmiss		102	

**QN58: Parents never/rarely go thru things****Data file: ARG2012\_Misiones\_Public\_Use****Overview**

Valid: 1345 Invalid: 106

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	914	68%
2	No	431	32%
Sysmiss		106	

**QNOWTG: Overweight****Data file: ARG2012\_Misiones\_Public\_Use****Overview**

Valid: 0 Invalid: 1451

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

**CATEGORIES**

Value	Category
1	Yes
2	No
Sysmiss	

**QNOBESEG: Obese****Data file: ARG2012\_Misiones\_Public\_Use****Overview**

Valid: 0 Invalid: 1451

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

### CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

## QNUNWTG: Underweight

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 0    Invalid: 1451

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

### CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

## QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1409    Invalid: 42

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	345	24.5%
2	No	1064	75.5%
Sysmiss		42	

## QNANYTBG: Used any tobacco past 30 days

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1402 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	258	18.4%
2	No	1144	81.6%
Sysmiss		49	

## QNPA7G: Physically active all past 7 days

Data file: ARG2012\_Misiones\_Public\_Use

### Overview

Valid: 1396 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

#### CATEGORIES

Value	Category	Cases	
1	Yes	283	20.3%
2	No	1113	79.7%
Sysmiss		55	

**QNPE5G: Attended PE 5+ days each week****Data file: ARG2012\_Misiones\_Public\_Use****Overview**

Valid: 1345 Invalid: 106

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	255	19%
2	No	1090	81%
Sysmiss		106	

**QNC1G: Among heavy drinkers, ever sex****Data file: ARG2012\_Misiones\_Public\_Use****Overview**

Valid: 379 Invalid: 1072

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	259	68.3%
2	No	120	31.7%
Sysmiss		1072	

**QNC2G: Among those worried, currently bullied****Data file: ARG2012\_Misiones\_Public\_Use****Overview**

Valid: 140 Invalid: 1311

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	72	51.4%
2	No	68	48.6%
Sysmiss		1311	

### WEIGHT: Weight

Data file: ARG2012\_Misiones\_Public\_Use

#### Overview

Valid: 1451 Invalid: 0 Minimum: 25.492 Maximum: 106.383 Mean: 41.72 Standard deviation: 13.257  
Type: Continuous Decimal: 0 Width: 10 Range: 3.2196 - 1361.2246 Format: Numeric

### STRATUM: Stratum

Data file: ARG2012\_Misiones\_Public\_Use

#### Overview

Valid: 1451 Invalid: 0 Minimum: 201214001 Maximum: 201214012 Mean: 201214006.469 Standard deviation: 11.149  
Type: Continuous Decimal: 0 Width: 9 Range: 201201001 - 201224012 Format: Numeric

### PSU: Primary Sampling Unit

Data file: ARG2012\_Misiones\_Public\_Use

#### Overview

Valid: 1451 Invalid: 0 Minimum: 1 Maximum: 24 Mean: 12.427 Standard deviation: 6.739  
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 36 Format: Numeric

**Q1: How old are you****Data file: ARG2012\_Neuquen\_Public\_Use****Overview**

Valid: 815 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	3	0.4%
2	12 years old	3	0.4%
3	13 years old	122	15%
4	14 years old	237	29.1%
5	15 years old	263	32.3%
6	16 years old or older	187	22.9%
Sysmiss		8	

**Q2: Sex****Data file: ARG2012\_Neuquen\_Public\_Use****Overview**

Valid: 812 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	353	43.5%
2	Female	459	56.5%
Sysmiss		11	

**Q3: In what grade are you****Data file: ARG2012\_Neuquen\_Public\_Use**

## Overview

Valid: 810 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

### CATEGORIES

Value	Category	Cases	
1	8th EGB	361	44.6%
2	9th EGB	353	43.6%
3	1st Pol	96	11.9%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		13	

## Q4: How tall are you

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 536 Invalid: 287 Minimum: 1.27 Maximum: 1.95 Mean: 1.643 Standard deviation: 0.0936

Type: Continuous Decimal: 2 Width: 5 Range: 1.2 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q5: How much do you weigh

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 536 Invalid: 287 Minimum: 35 Maximum: 169 Mean: 59.138 Standard deviation: 12.78

Type: Continuous Decimal: 2 Width: 5 Range: 30 - 180 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days**

**Data file:** ARG2012\_Neuquen\_Public\_Use

**Overview**

Valid: 804 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	500	62.2%
2	Rarely	162	20.1%
3	Sometimes	111	13.8%
4	Most of the time	20	2.5%
5	Always	11	1.4%
Sysmiss		19	

**Q7: Eat fruit per day past 30 days**

**Data file:** ARG2012\_Neuquen\_Public\_Use

**Overview**

Valid: 815 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	90	11%

2	Less than one time per day	188	23.1%
3	1 time per day	258	31.7%
4	2 times per day	152	18.7%
5	3 times per day	64	7.9%
6	4 times per day	26	3.2%
7	5 or more times per day	37	4.5%
Sysmiss		8	

## Q8: Eat vegetables past 30 days

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 815 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	67	8.2%
2	Less than one time per day	142	17.4%
3	1 time per day	279	34.2%
4	2 times per day	237	29.1%
5	3 times per day	36	4.4%
6	4 times per day	9	1.1%
7	5 or more times per day	45	5.5%
Sysmiss		8	

## Q9: Drink soft drinks past 30 days

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 812 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	84	10.3%
2	Less than one time per day	267	32.9%
3	1 time per day	139	17.1%
4	2 times per day	108	13.3%
5	3 times per day	80	9.9%
6	4 times per day	45	5.5%
7	5 or more times per day	89	11%
Sysmiss		11	

## Q10: Ate fast food past 7 days

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 816 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	647	79.3%
2	1 day	102	12.5%
3	2 days	28	3.4%
4	3 days	19	2.3%
5	4 days	7	0.9%
6	5 days	1	0.1%
7	6 days	1	0.1%

8	7 days	11	1.3%
Sysmiss		7	

## Q11: How many times per day brush teeth

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 815 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	28	3.4%
2	Less than 1 time per day	46	5.6%
3	1 time per day	125	15.3%
4	2 times per day	254	31.2%
5	3 times per day	253	31%
6	4 or more times per day	109	13.4%
Sysmiss		8	

## Q12: Wash hands before eating past 30 days

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 810 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	44	5.4%
2	Rarely	62	7.7%
3	Sometimes	142	17.5%
4	Most of the time	231	28.5%
5	Always	331	40.9%
Sysmiss		13	

### Q13: Wash hands after toilet past 30 day

Data file: ARG2012\_Neuquen\_Public\_Use

#### Overview

Valid: 816 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	37	4.5%
2	Rarely	43	5.3%
3	Sometimes	63	7.7%
4	Most of the time	137	16.8%
5	Always	536	65.7%
Sysmiss		7	

### Q14: Used soap on hands past 30 days

Data file: ARG2012\_Neuquen\_Public\_Use

#### Overview

Valid: 807 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION



During the past 30 days, how often did you use soap when washing your hands?

## CATEGORIES

Value	Category	Cases	
1	Never	33	4.1%
2	Rarely	44	5.5%
3	Sometimes	96	11.9%
4	Most of the time	182	22.6%
5	Always	452	56%
Sysmiss		16	

### Q15: Times attacked past 12 mo.

Data file: ARG2012\_Neuquen\_Public\_Use

#### Overview

Valid: 811 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

##### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

## CATEGORIES

Value	Category	Cases	
1	0 times	619	76.3%
2	1 time	79	9.7%
3	2 or 3 times	51	6.3%
4	4 or 5 times	23	2.8%
5	6 or 7 times	7	0.9%
6	8 or 9 times	8	1%
7	10 or 11 times	5	0.6%
8	12 or more times	19	2.3%
Sysmiss		12	

### Q16: How many times in fight 12 mos

Data file: ARG2012\_Neuquen\_Public\_Use

## Overview

Valid: 817 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	586	71.7%
2	1 time	87	10.6%
3	2 or 3 times	68	8.3%
4	4 or 5 times	26	3.2%
5	6 or 7 times	15	1.8%
6	8 or 9 times	7	0.9%
7	10 or 11 times	6	0.7%
8	12 or more times	22	2.7%
Sysmiss		6	

## Q17: How many times injured past 12 months

Data file: ARG2012\_Neuquen\_Public\_Use

## Overview

Valid: 715 Invalid: 108

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	446	62.4%
2	1 time	166	23.2%
3	2 or 3 times	71	9.9%

4	4 or 5 times	15	2.1%
5	6 or 7 times	5	0.7%
6	8 or 9 times	4	0.6%
7	10 or 11 times	1	0.1%
8	12 or more times	7	1%
Sysmiss		108	

## Q18: What was serious injury past 12 mo.

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 728 Invalid: 95

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

#### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

#### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	519	71.3%
2	Broken bone/dislocated joint	54	7.4%
3	I had a cut or stab wound	16	2.2%
4	Concussion/head injury	17	2.3%
5	I had a gunshot wound	5	0.7%
6	I had a bad burn	9	1.2%
7	I was poisoned	1	0.1%
8	Something else happened to me	107	14.7%
Sysmiss		95	

## Q19: Cause of injury past 12 mo.

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 733 Invalid: 90

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	523	71.4%
2	Motor vehicle accident	16	2.2%
3	I fell	85	11.6%
4	Something fell on me or hit me	14	1.9%
5	I was attacked	15	2%
6	Was in a fire	4	0.5%
7	breathed something bad	2	0.3%
8	Something else	74	10.1%
Sysmiss		90	

## Q20: How many days bullied past 30 days

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 792 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	640	80.8%
2	1 or 2 days	91	11.5%
3	3 to 5 days	22	2.8%
4	6 to 9 days	15	1.9%
5	10 to 19 days	12	1.5%

6	20 to 29 days	5	0.6%
7	All 30 days	7	0.9%
Sysmiss		31	

### Q21: How bullied past 30 days

Data file: ARG2012\_Neuquen\_Public\_Use

#### Overview

Valid: 783 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

##### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

##### CATEGORIES

Value	Category	Cases	
1	Not bullied	668	85.3%
2	Kicked, pushed, or shoved	20	2.6%
3	Made fun of race	11	1.4%
4	Made fun because of religion	4	0.5%
5	Made fun of about sex	17	2.2%
6	Left out of activities	5	0.6%
7	Made fun of about body	16	2%
8	Some other way	42	5.4%
Sysmiss		40	

### Q22: Times felt lonely past 12 mo.

Data file: ARG2012\_Neuquen\_Public\_Use

#### Overview

Valid: 806 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	313	38.8%
2	Rarely	237	29.4%
3	Sometimes	171	21.2%
4	Most of the time	63	7.8%
5	Always	22	2.7%
Sysmiss		17	

### Q23: Times could not sleep past 12 mo.

Data file: ARG2012\_Neuquen\_Public\_Use

#### Overview

Valid: 817 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	310	37.9%
2	Rarely	242	29.6%
3	Sometimes	192	23.5%
4	Most of the time	49	6%
5	Always	24	2.9%
Sysmiss		6	

### Q24: Ever considered suicide 12 mos

Data file: ARG2012\_Neuquen\_Public\_Use

#### Overview

Valid: 789 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	185	23.4%
2	No	604	76.6%
Sysmiss		34	

## Q25: Ever make suicide plan 12 mos

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 787 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	161	20.5%
2	No	626	79.5%
Sysmiss		36	

## Q26: Times attempted suicide 12 mos.

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 810 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	623	76.9%
2	1 time	101	12.5%
3	2 or 3 times	45	5.6%
4	4 or 5 times	19	2.3%
5	6 or more times	22	2.7%
Sysmiss		13	

### Q27: Number close friends

Data file: ARG2012\_Neuquen\_Public\_Use

#### Overview

Valid: 795 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	57	7.2%
2	1	62	7.8%
3	2	125	15.7%
4	3 or more	551	69.3%
Sysmiss		28	

### Q28: Age first tried cigarette

Data file: ARG2012\_Neuquen\_Public\_Use

#### Overview

Valid: 790 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	386	48.9%
2	7 years old or younger	41	5.2%
3	8 or 9 years old	42	5.3%
4	10 or 11 years old	91	11.5%
5	12 or 13 years old	125	15.8%
6	14 or 15 years old	95	12%
7	16 years old or older	10	1.3%
Sysmiss		33	

## Q29: How many days smoked 30 days

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 794 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	584	73.6%
2	1 or 2 days	65	8.2%
3	3 to 5 days	38	4.8%
4	6 to 9 days	22	2.8%
5	10 to 19 days	28	3.5%
6	20 to 29 days	14	1.8%
7	All 30 days	43	5.4%
Sysmiss		29	

**Q30: Other tobacco past 30 days****Data file: ARG2012\_Neuquen\_Public\_Use****Overview**

Valid: 815 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

**CATEGORIES**

Value	Category	Cases	
1	0 days	708	86.9%
2	1 or 2 days	44	5.4%
3	3 to 5 days	24	2.9%
4	6 to 9 days	11	1.3%
5	10 to 19 days	8	1%
6	20 to 29 days	4	0.5%
7	All 30 days	16	2%
Sysmiss		8	

**Q31: Try stop smoking past 12 mo.****Data file: ARG2012\_Neuquen\_Public\_Use****Overview**

Valid: 790 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 12 months, have you ever tried to stop smoking cigarettes?

**CATEGORIES**

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	487	61.6%
2	Did not smoke cigarettes	109	13.8%
3	Yes	128	16.2%
4	No	66	8.4%
Sysmiss		33	

### Q32: Others present smoking past 7 days

Data file: ARG2012\_Neuquen\_Public\_Use

#### Overview

Valid: 812 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	236	29.1%
2	1 or 2 days	207	25.5%
3	3 or 4 days	112	13.8%
4	5 or 6 days	54	6.7%
5	All 7 days	203	25%
Sysmiss		11	

### Q33: Parents who use tobacco

Data file: ARG2012\_Neuquen\_Public\_Use

#### Overview

Valid: 813 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	499	61.4%
2	My father or male guardian	128	15.7%
3	My mother or female guardian	85	10.5%
4	Both	77	9.5%
5	I do not know	24	3%
Sysmiss		10	

**Q34: Age first drink alcohol****Data file: ARG2012\_Neuquen\_Public\_Use****Overview**

Valid: 762 Invalid: 61

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

## CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	149	19.6%
2	7 years old or younger	56	7.3%
3	8 or 9 years old	55	7.2%
4	10 or 11 years old	104	13.6%
5	12 or 13 years old	204	26.8%
6	14 or 15 years old	173	22.7%
7	16 years old or older	21	2.8%
Sysmiss		61	

**Q35: Days one drink or more past 30 days****Data file: ARG2012\_Neuquen\_Public\_Use****Overview**

Valid: 783 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

### CATEGORIES

Value	Category	Cases	
1	0 days	327	41.8%
2	1 or 2 days	217	27.7%
3	3 to 5 days	85	10.9%
4	6 to 9 days	57	7.3%
5	10 to 19 days	56	7.2%
6	20 to 29 days	13	1.7%
7	All 30 days	28	3.6%
Sysmiss		40	

## Q36: Number of drinks past 30 days

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 800 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	323	40.4%
2	Less than one drink	93	11.6%
3	1 drink	83	10.4%
4	2 drinks	64	8%
5	3 drinks	55	6.9%
6	4 drinks	44	5.5%

7	5 or more drinks	138	17.3%
Sysmiss		23	

### Q37: How got drinks past 30 days

Data file: ARG2012\_Neuquen\_Public\_Use

#### Overview

Valid: 784 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

##### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	324	41.3%
2	I bought in a store	110	14%
3	I gave someone money to buy	31	4%
4	I got it from my friends	162	20.7%
5	I got it from my family	68	8.7%
6	I stole it	10	1.3%
7	Some other way	79	10.1%
Sysmiss		39	

### Q38: Times drunk during life

Data file: ARG2012\_Neuquen\_Public\_Use

#### Overview

Valid: 799 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	494	61.8%
2	1 or 2 times	185	23.2%
3	3 to 9 times	71	8.9%
4	10 or more times	49	6.1%
Sysmiss		24	

### Q39: Number of troubles as result of drinking

Data file: ARG2012\_Neuquen\_Public\_Use

#### Overview

Valid: 783 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	574	73.3%
2	1 or 2 times	127	16.2%
3	3 to 9 times	46	5.9%
4	10 or more times	36	4.6%
Sysmiss		40	

### Q40: Age first drugs

Data file: ARG2012\_Neuquen\_Public\_Use

#### Overview

Valid: 780 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

How old were you when you first used drugs?

### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	592	75.9%
2	7 years old or younger	19	2.4%
3	8 or 9 years old	18	2.3%
4	10 or 11 years old	13	1.7%
5	12 or 13 years old	48	6.2%
6	14 or 15 years old	75	9.6%
7	16 years old or older	15	1.9%
Sysmiss		43	

## Q41: Times used marijuana lifetime

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 768 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	608	79.2%
2	1 or 2 times	42	5.5%
3	3 to 9 times	34	4.4%
4	10 to 19 times	25	3.3%
5	20 or more times	59	7.7%
Sysmiss		55	



**Q42: Times used marijuana past 30 days****Data file: ARG2012\_Neuquen\_Public\_Use****Overview**

Valid: 792 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	669	84.5%
2	1 or 2 times	45	5.7%
3	3 to 9 times	38	4.8%
4	10 to 19 times	16	2%
5	20 or more times	24	3%
Sysmiss		31	

**Q43: Times used amphetamines lifetime****Data file: ARG2012\_Neuquen\_Public\_Use****Overview**

Valid: 781 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	729	93.3%

2	1 or 2 times	25	3.2%
3	3 to 9 times	11	1.4%
4	10 to 19 times	7	0.9%
5	20 or more times	9	1.2%
Sysmiss		42	

**Q44: Ever had sex****Data file: ARG2012\_Neuquen\_Public\_Use****Overview**

Valid: 734 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

Have you ever had sexual intercourse?

## CATEGORIES

Value	Category	Cases	
1	Yes	320	43.6%
2	No	414	56.4%
Sysmiss		89	

**Q45: Age first sexual intercourse****Data file: ARG2012\_Neuquen\_Public\_Use****Overview**

Valid: 751 Invalid: 72

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	469	62.5%

2	11 years old or younger	29	3.9%
3	12 years old	32	4.3%
4	13 years old	52	6.9%
5	14 years old	88	11.7%
6	15 years old	56	7.5%
7	16 years old or older	25	3.3%
Sysmiss		72	

## Q46: How many sex partners

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 769 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	492	64%
2	1 person	128	16.6%
3	2 people	37	4.8%
4	3 people	36	4.7%
5	4 people	25	3.3%
6	5 people	9	1.2%
7	6 or more people	42	5.5%
Sysmiss		54	

## Q47: Used condom at last intercourse

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 754 Invalid: 69

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	482	63.9%
2	Yes	207	27.5%
3	No	65	8.6%
Sysmiss		69	

## Q48: Used birth control last intercourse

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 753 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	487	64.7%
2	Yes	131	17.4%
3	No	89	11.8%
4	I do not know	46	6.1%
Sysmiss		70	

## Q49: Days active 60 min plus past 7 days

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 784 Invalid: 39

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

**CATEGORIES**

Value	Category	Cases	
1	0 days	116	14.8%
2	1 day	104	13.3%
3	2 days	171	21.8%
4	3 days	97	12.4%
5	4 days	63	8%
6	5 days	62	7.9%
7	6 days	33	4.2%
8	7 days	138	17.6%
Sysmiss		39	

**Q50: Walk or bike to school past 7 days****Data file:** ARG2012\_Neuquen\_Public\_Use**Overview**

Valid: 775    Invalid: 48

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

**CATEGORIES**

Value	Category	Cases	
1	0 days	171	22.1%
2	1 day	59	7.6%
3	2 days	61	7.9%

4	3 days	50	6.5%
5	4 days	48	6.2%
6	5 days	111	14.3%
7	6 days	16	2.1%
8	7 days	259	33.4%
Sysmiss		48	

## Q51: Days went to PE each week

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 760 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

#### CATEGORIES

Value	Category	Cases	
1	0 days	68	8.9%
2	1 day	74	9.7%
3	2 days	428	56.3%
4	3 days	25	3.3%
5	4 days	13	1.7%
6	5 or more days	152	20%
Sysmiss		63	

## Q52: Time spent sitting on usual day

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 775 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	147	19%
2	1 to 2 hours per day	254	32.8%
3	3 to 4 hours per day	235	30.3%
4	5 to 6 hours per day	69	8.9%
5	7 to 8 hours per day	20	2.6%
6	More than 8 hours per day	50	6.5%
Sysmiss		48	

## Q53: Miss school no permission past 30 days

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 768 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

### CATEGORIES

Value	Category	Cases	
1	0 days	470	61.2%
2	1 or 2 days	162	21.1%
3	3 to 5 days	73	9.5%
4	6 to 9 days	28	3.6%
5	10 or more days	35	4.6%
Sysmiss		55	

**Q54: Others helpful in school past 30 days****Data file: ARG2012\_Neuquen\_Public\_Use****Overview**

Valid: 759 Invalid: 64

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

## CATEGORIES

Value	Category	Cases	
1	Never	66	8.7%
2	Rarely	123	16.2%
3	Sometimes	199	26.2%
4	Most of the time	208	27.4%
5	Always	163	21.5%
Sysmiss		64	

**Q55: Parents check homework past 30 days****Data file: ARG2012\_Neuquen\_Public\_Use****Overview**

Valid: 765 Invalid: 58

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

## CATEGORIES

Value	Category	Cases	
1	Never	232	30.3%
2	Rarely	156	20.4%
3	Sometimes	129	16.9%
4	Most of the time	122	15.9%
5	Always	126	16.5%



Sysmiss		58	
---------	--	----	--

## Q56: Parent understand troubles past 30 days

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 766 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

#### CATEGORIES

Value	Category	Cases	
1	Never	120	15.7%
2	Rarely	117	15.3%
3	Sometimes	142	18.5%
4	Most of the time	152	19.8%
5	Always	235	30.7%
Sysmiss		57	

## Q57: Parent know what you do past 30 days

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 752 Invalid: 71

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	127	16.9%
2	Rarely	88	11.7%

3	Sometimes	130	17.3%
4	Most of the time	164	21.8%
5	Always	243	32.3%
Sysmiss		71	

## Q58: Parent go through things past 30 days

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 762 Invalid: 61

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

#### CATEGORIES

Value	Category	Cases	
1		339	44.5%
2		217	28.5%
3		120	15.7%
4		43	5.6%
5		43	5.6%
Sysmiss		61	

## QN6: Went hungry most of time/always past 30 days

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 804 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	31	3.9%
2	No	773	96.1%
Sysmiss		19	

**QN7: Ate fruit 2+ times per day past 30 days****Data file:** ARG2012\_Neuquen\_Public\_Use**Overview**

Valid: 815 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	279	34.2%
2	No	536	65.8%
Sysmiss		8	

**QN8: Ate vegetables 3+ times per day past 30 day****Data file:** ARG2012\_Neuquen\_Public\_Use**Overview**

Valid: 815 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	90	11%
2	No	725	89%
Sysmiss		8	

**QN9: Drank soft drinks 1+ times per day past 30 day****Data file: ARG2012\_Neuquen\_Public\_Use****Overview**

Valid: 812 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	461	56.8%
2	No	351	43.2%
Sysmiss		11	

**QN10: Ate fast food 3+ days past 7 day****Data file: ARG2012\_Neuquen\_Public\_Use****Overview**

Valid: 816 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

## CATEGORIES

Value	Category	Cases	
1	Yes	39	4.8%
2	No	777	95.2%
Sysmiss		7	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: ARG2012\_Neuquen\_Public\_Use****Overview**

Valid: 815 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	74	9.1%
2	No	741	90.9%
Sysmiss		8	

## QN12: Never/rarely wash hands before eating past 30 days

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 810 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	106	13.1%
2	No	704	86.9%
Sysmiss		13	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 816 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	80	9.8%
2	No	736	90.2%
Sysmiss		7	

### QN14: Never/rarely use soap on hands past 30 days

Data file: ARG2012\_Neuquen\_Public\_Use

#### Overview

Valid: 807 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	77	9.5%
2	No	730	90.5%
Sysmiss		16	

### QN15: Attacked 1+ times past 12 months

Data file: ARG2012\_Neuquen\_Public\_Use

#### Overview

Valid: 811 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	192	23.7%
2	No	619	76.3%
Sysmiss		12	

**QN16: In fight 1+ times past 12 months****Data file:** ARG2012\_Neuquen\_Public\_Use**Overview**

Valid: 817 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	231	28.3%
2	No	586	71.7%
Sysmiss		6	

**QN17: Seriously injured 1+ times past 12 months****Data file:** ARG2012\_Neuquen\_Public\_Use**Overview**

Valid: 715 Invalid: 108

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	269	37.6%
2	No	446	62.4%
Sysmiss		108	

**QN18: Broken bone as most serious injury****Data file:** ARG2012\_Neuquen\_Public\_Use**Overview**

Valid: 209 Invalid: 614

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

### CATEGORIES

Value	Category	Cases	
1	Yes	54	25.8%
2	No	155	74.2%
Sysmiss		614	

## QN19: Motor vehicle caused most serious injury

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 210 Invalid: 613

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	16	7.6%
2	No	194	92.4%
Sysmiss		613	

## QN20: Bullied 1+ of past 30 days

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 792 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES



Value	Category	Cases	
1	Yes	152	19.2%
2	No	640	80.8%
Sysmiss		31	

### QN21: Of students bullied, most often hit, kicked, etc

Data file: ARG2012\_Neuquen\_Public\_Use

#### Overview

Valid: 115 Invalid: 708

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

##### CATEGORIES

Value	Category	Cases	
1	Yes	20	17.4%
2	No	95	82.6%
Sysmiss		708	

### QN22: Lonely most times/always past 12 months

Data file: ARG2012\_Neuquen\_Public\_Use

#### Overview

Valid: 806 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	85	10.5%
2	No	721	89.5%
Sysmiss		17	

**QN23: Worry prevented sleep most time/always past 12 mos****Data file: ARG2012\_Neuquen\_Public\_Use****Overview**

Valid: 817 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	73	8.9%
2	No	744	91.1%
Sysmiss		6	

**QN24: Considered suicide past 12 months****Data file: ARG2012\_Neuquen\_Public\_Use****Overview**

Valid: 789 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	185	23.4%
2	No	604	76.6%
Sysmiss		34	

**QN25: Made suicide plan past 12 months****Data file: ARG2012\_Neuquen\_Public\_Use****Overview**

Valid: 787 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	161	20.5%
2	No	626	79.5%
Sysmiss		36	

## QN26: 1+ times attempt suicide 12 mos.

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 810 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	187	23.1%
2	No	623	76.9%
Sysmiss		13	

## QN27: No close friends

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 795 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	57	7.2%
2	No	738	92.8%
Sysmiss		28	

## QN28: Age first cigarette before 14

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 404 Invalid: 419

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

#### CATEGORIES

Value	Category	Cases	
1	Yes	299	74%
2	No	105	26%
Sysmiss		419	

## QN29: Smoked cigarettes 1+ of past 30 days

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 794 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	210	26.4%
2	No	584	73.6%
Sysmiss		29	

**QN30: Used other tobacco 1+ of past 30 days****Data file: ARG2012\_Neuquen\_Public\_Use****Overview**

Valid: 815 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	107	13.1%
2	No	708	86.9%
Sysmiss		8	

**QN31: Tried to quit smoking past 12 months****Data file: ARG2012\_Neuquen\_Public\_Use****Overview**

Valid: 194 Invalid: 629

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	128	66%
2	No	66	34%
Sysmiss		629	

**QN32: Others present smoking 1+ of past 7 days****Data file: ARG2012\_Neuquen\_Public\_Use****Overview**

Valid: 812 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	576	70.9%
2	No	236	29.1%
Sysmiss		11	

## QN33: Either/Both parents use tobacco

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 813 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	290	35.7%
2	No	523	64.3%
Sysmiss		10	

## QN34: Age first alcohol before 14

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 613 Invalid: 210

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	419	68.4%
2	No	194	31.6%
Sysmiss		210	

**QN35: Drank 1+ days past 30 days****Data file:** ARG2012\_Neuquen\_Public\_Use**Overview**

Valid: 783    Invalid: 40

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	456	58.2%
2	No	327	41.8%
Sysmiss		40	

**QN36: Of current drinkers, drank 2+ drinks/day 30 days****Data file:** ARG2012\_Neuquen\_Public\_Use**Overview**

Valid: 477    Invalid: 346

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

## CATEGORIES

Value	Category	Cases	
1	Yes	301	63.1%
2	No	176	36.9%
Sysmiss		346	

**QN37: Of current drinkers, got alcohol from friends****Data file: ARG2012\_Neuquen\_Public\_Use****Overview**

Valid: 460 Invalid: 363

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

## CATEGORIES

Value	Category	Cases	
1	Yes	162	35.2%
2	No	298	64.8%
Sysmiss		363	

**QN38: 1+ times drunk in lifetime****Data file: ARG2012\_Neuquen\_Public\_Use****Overview**

Valid: 799 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	305	38.2%
2	No	494	61.8%
Sysmiss		24	

**QN39: Alcohol trouble 1+ times in lifetime****Data file: ARG2012\_Neuquen\_Public\_Use****Overview**

Valid: 783 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

### CATEGORIES

Value	Category	Cases	
1	Yes	209	26.7%
2	No	574	73.3%
Sysmiss		40	

## QN40: Age first drugs before 14

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 188 Invalid: 635

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
1	Yes	98	52.1%
2	No	90	47.9%
Sysmiss		635	

## QN41: Marijuana 1+ times in lifetime

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 768 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	160	20.8%
2	No	608	79.2%
Sysmiss		55	

### QN42: Marijuana 1+ times p 30 days

Data file: ARG2012\_Neuquen\_Public\_Use

#### Overview

Valid: 792 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	123	15.5%
2	No	669	84.5%
Sysmiss		31	

### QN43: Amphetamines 1+ times lifetime

Data file: ARG2012\_Neuquen\_Public\_Use

#### Overview

Valid: 781 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

##### CATEGORIES

Value	Category	Cases	
1	Yes	52	6.7%
2	No	729	93.3%
Sysmiss		42	

**QN44: Ever had sex****Data file:** ARG2012\_Neuquen\_Public\_Use**Overview**

Valid: 734 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	320	43.6%
2	No	414	56.4%
Sysmiss		89	

**QN45: Age first sexual intercourse before 14****Data file:** ARG2012\_Neuquen\_Public\_Use**Overview**

Valid: 282 Invalid: 541

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	113	40.1%
2	No	169	59.9%
Sysmiss		541	

**QN46: 2+ sex partners lifetime****Data file:** ARG2012\_Neuquen\_Public\_Use**Overview**

Valid: 769 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	149	19.4%
2	No	620	80.6%
Sysmiss		54	

### QN47: Used condom at last sex

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 272 Invalid: 551

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	207	76.1%
2	No	65	23.9%
Sysmiss		551	

### QN48: Used birth control at last sex

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 266 Invalid: 557

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	131	49.2%
2	No	135	50.8%
Sysmiss		557	

### Q49: Active 60+ mins/day for 5+ of past 7 days

Data file: ARG2012\_Neuquen\_Public\_Use

#### Overview

Valid: 784 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	233	29.7%
2	No	551	70.3%
Sysmiss		39	

### Q50: Walk/Bike to/from school 0 of past 7 days

Data file: ARG2012\_Neuquen\_Public\_Use

#### Overview

Valid: 775 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	171	22.1%
2	No	604	77.9%
Sysmiss		48	

**QN51: 3+ days PE each week****Data file:** ARG2012\_Neuquen\_Public\_Use**Overview**

Valid: 760 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	190	25%
2	No	570	75%
Sysmiss		63	

**QN52: Sitting activities 3+ hours/day of usual day****Data file:** ARG2012\_Neuquen\_Public\_Use**Overview**

Valid: 775 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

## CATEGORIES

Value	Category	Cases	
1	Yes	374	48.3%
2	No	401	51.7%
Sysmiss		48	

**QN53: Miss school no permission 1+ of past 30 days****Data file:** ARG2012\_Neuquen\_Public\_Use**Overview**

Valid: 768 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	298	38.8%
2	No	470	61.2%
Sysmiss		55	

### QN54: Students most/always kind 30 days

Data file: ARG2012\_Neuquen\_Public\_Use

#### Overview

Valid: 759 Invalid: 64

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	371	48.9%
2	No	388	51.1%
Sysmiss		64	

### QN55: Parents most/always check homework

Data file: ARG2012\_Neuquen\_Public\_Use

#### Overview

Valid: 765 Invalid: 58

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	248	32.4%
2	No	517	67.6%
Sysmiss		58	

## QN56: Parents most/always understand problems

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 766 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	387	50.5%
2	No	379	49.5%
Sysmiss		57	

## QN57: Parents most/always know about free time

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 752 Invalid: 71

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	407	54.1%
2	No	345	45.9%
Sysmiss		71	



**QN58: Parents never/rarely go thru things****Data file:** ARG2012\_Neuquen\_Public\_Use**Overview**

Valid: 762 Invalid: 61

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	556	73%
2	No	206	27%
Sysmiss		61	

**QNOWTG: Overweight****Data file:** ARG2012\_Neuquen\_Public\_Use**Overview**

Valid: 536 Invalid: 287

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

**CATEGORIES**

Value	Category	Cases	
1	Yes	152	28.4%
2	No	384	71.6%
Sysmiss		287	

**QNOBESEG: Obese****Data file:** ARG2012\_Neuquen\_Public\_Use**Overview**

Valid: 536 Invalid: 287

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese ( $>+2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1	Yes	31	5.8%
2	No	505	94.2%
Sysmiss		287	

## QNUNWTG: Underweight

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 536    Invalid: 287

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were underweight ( $<-2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1	Yes	7	1.3%
2	No	529	98.7%
Sysmiss		287	

## QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 812    Invalid: 11

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	135	16.6%
2	No	677	83.4%
Sysmiss		11	

## QNANYTBG: Used any tobacco past 30 days

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 793 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	221	27.9%
2	No	572	72.1%
Sysmiss		30	

## QNPA7G: Physically active all past 7 days

Data file: ARG2012\_Neuquen\_Public\_Use

### Overview

Valid: 784 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

#### CATEGORIES

Value	Category	Cases	
1	Yes	138	17.6%
2	No	646	82.4%
Sysmiss		39	

**QNPE5G: Attended PE 5+ days each week****Data file: ARG2012\_Neuquen\_Public\_Use****Overview**

Valid: 760 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	152	20%
2	No	608	80%
Sysmiss		63	

**QNC1G: Among heavy drinkers, ever sex****Data file: ARG2012\_Neuquen\_Public\_Use****Overview**

Valid: 268 Invalid: 555

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	173	64.6%
2	No	95	35.4%
Sysmiss		555	

**QNC2G: Among those worried, currently bullied****Data file: ARG2012\_Neuquen\_Public\_Use****Overview**

Valid: 70 Invalid: 753

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	22	31.4%
2	No	48	68.6%
Sysmiss		753	

### WEIGHT: Weight

Data file: ARG2012\_Neuquen\_Public\_Use

#### Overview

Valid: 823 Invalid: 0 Minimum: 9.383 Maximum: 76.649 Mean: 20.069 Standard deviation: 11.604  
Type: Continuous Decimal: 0 Width: 10 Range: 3.2196 - 1361.2246 Format: Numeric

### STRATUM: Stratum

Data file: ARG2012\_Neuquen\_Public\_Use

#### Overview

Valid: 823 Invalid: 0 Minimum: 201215001 Maximum: 201215011 Mean: 201215007.148 Standard deviation: 8.352  
Type: Continuous Decimal: 0 Width: 9 Range: 201201001 - 201224012 Format: Numeric

### PSU: Primary Sampling Unit

Data file: ARG2012\_Neuquen\_Public\_Use

#### Overview

Valid: 823 Invalid: 0 Minimum: 1 Maximum: 23 Mean: 13.976 Standard deviation: 6.566  
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 36 Format: Numeric

**Q1: How old are you****Data file: ARG2012\_RioNegro\_Public\_Use****Overview**

Valid: 1117 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	5	0.4%
2	12 years old	2	0.2%
3	13 years old	164	14.7%
4	14 years old	314	28.1%
5	15 years old	322	28.8%
6	16 years old or older	310	27.8%
Sysmiss		9	

**Q2: Sex****Data file: ARG2012\_RioNegro\_Public\_Use****Overview**

Valid: 1107 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	502	45.3%
2	Female	605	54.7%
Sysmiss		19	

**Q3: In what grade are you****Data file: ARG2012\_RioNegro\_Public\_Use**

## Overview

Valid: 1103 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

### CATEGORIES

Value	Category	Cases	
1	8th EGB	416	37.7%
2	9th EGB	386	35%
3	1st Pol	301	27.3%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		23	

## Q4: How tall are you

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 630 Invalid: 496 Minimum: 1.35 Maximum: 1.99 Mean: 1.647 Standard deviation: 0.0935

Type: Continuous Decimal: 2 Width: 5 Range: 1.2 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q5: How much do you weigh

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 630 Invalid: 496 Minimum: 30 Maximum: 160 Mean: 58.967 Standard deviation: 12.237

Type: Continuous Decimal: 2 Width: 5 Range: 30 - 180 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days**

**Data file:** ARG2012\_RioNegro\_Public\_Use

**Overview**

Valid: 1114 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	676	60.7%
2	Rarely	257	23.1%
3	Sometimes	138	12.4%
4	Most of the time	28	2.5%
5	Always	15	1.3%
Sysmiss		12	

**Q7: Eat fruit per day past 30 days**

**Data file:** ARG2012\_RioNegro\_Public\_Use

**Overview**

Valid: 1115 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	122	10.9%



2	Less than one time per day	285	25.6%
3	1 time per day	304	27.3%
4	2 times per day	236	21.2%
5	3 times per day	91	8.2%
6	4 times per day	28	2.5%
7	5 or more times per day	49	4.4%
Sysmiss		11	

## Q8: Eat vegetables past 30 days

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1108 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	61	5.5%
2	Less than one time per day	231	20.8%
3	1 time per day	370	33.4%
4	2 times per day	300	27.1%
5	3 times per day	72	6.5%
6	4 times per day	26	2.3%
7	5 or more times per day	48	4.3%
Sysmiss		18	

## Q9: Drink soft drinks past 30 days

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1110 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	116	10.5%
2	Less than one time per day	360	32.4%
3	1 time per day	182	16.4%
4	2 times per day	169	15.2%
5	3 times per day	108	9.7%
6	4 times per day	57	5.1%
7	5 or more times per day	118	10.6%
Sysmiss		16	

## Q10: Ate fast food past 7 days

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1121 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	896	79.9%
2	1 day	144	12.8%
3	2 days	47	4.2%
4	3 days	13	1.2%
5	4 days	7	0.6%
6	5 days	3	0.3%
7	6 days	3	0.3%

8	7 days	8	0.7%
Sysmiss		5	

## Q11: How many times per day brush teeth

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1116 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	8	0.7%
2	Less than 1 time per day	49	4.4%
3	1 time per day	172	15.4%
4	2 times per day	379	34%
5	3 times per day	370	33.2%
6	4 or more times per day	138	12.4%
Sysmiss		10	

## Q12: Wash hands before eating past 30 days

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1106 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	27	2.4%
2	Rarely	81	7.3%
3	Sometimes	201	18.2%
4	Most of the time	298	26.9%
5	Always	499	45.1%
Sysmiss		20	

### Q13: Wash hands after toilet past 30 day

Data file: ARG2012\_RioNegro\_Public\_Use

#### Overview

Valid: 1112 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	15	1.3%
2	Rarely	33	3%
3	Sometimes	86	7.7%
4	Most of the time	185	16.6%
5	Always	793	71.3%
Sysmiss		14	

### Q14: Used soap on hands past 30 days

Data file: ARG2012\_RioNegro\_Public\_Use

#### Overview

Valid: 1109 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

#### CATEGORIES

Value	Category	Cases	
1	Never	19	1.7%
2	Rarely	50	4.5%
3	Sometimes	143	12.9%
4	Most of the time	273	24.6%
5	Always	624	56.3%
Sysmiss		17	

### Q15: Times attacked past 12 mo.

Data file: ARG2012\_RioNegro\_Public\_Use

#### Overview

Valid: 1104 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

#### CATEGORIES

Value	Category	Cases	
1	0 times	848	76.8%
2	1 time	101	9.1%
3	2 or 3 times	85	7.7%
4	4 or 5 times	28	2.5%
5	6 or 7 times	9	0.8%
6	8 or 9 times	8	0.7%
7	10 or 11 times	3	0.3%
8	12 or more times	22	2%
Sysmiss		22	

### Q16: How many times in fight 12 mos

Data file: ARG2012\_RioNegro\_Public\_Use

## Overview

Valid: 1120 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	774	69.1%
2	1 time	149	13.3%
3	2 or 3 times	111	9.9%
4	4 or 5 times	27	2.4%
5	6 or 7 times	14	1.3%
6	8 or 9 times	7	0.6%
7	10 or 11 times	2	0.2%
8	12 or more times	36	3.2%
Sysmiss		6	

## Q17: How many times injured past 12 months

Data file: ARG2012\_RioNegro\_Public\_Use

## Overview

Valid: 997 Invalid: 129

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	669	67.1%
2	1 time	196	19.7%
3	2 or 3 times	89	8.9%

4	4 or 5 times	17	1.7%
5	6 or 7 times	7	0.7%
6	8 or 9 times	4	0.4%
7	10 or 11 times	1	0.1%
8	12 or more times	14	1.4%
Sysmiss		129	

## Q18: What was serious injury past 12 mo.

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1003 Invalid: 123

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

#### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

#### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	744	74.2%
2	Broken bone/dislocated joint	63	6.3%
3	I had a cut or stab wound	18	1.8%
4	Concussion/head injury	19	1.9%
5	I had a gunshot wound	5	0.5%
6	I had a bad burn	6	0.6%
7	I was poisoned	5	0.5%
8	Something else happened to me	143	14.3%
Sysmiss		123	

## Q19: Cause of injury past 12 mo.

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1014 Invalid: 112

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	741	73.1%
2	Motor vehicle accident	23	2.3%
3	I fell	100	9.9%
4	Something fell on me or hit me	19	1.9%
5	I was attacked	13	1.3%
6	Was in a fire	5	0.5%
7	breathed something bad	6	0.6%
8	Something else	107	10.6%
Sysmiss		112	

## Q20: How many days bullied past 30 days

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1076 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	840	78.1%
2	1 or 2 days	153	14.2%
3	3 to 5 days	30	2.8%
4	6 to 9 days	15	1.4%
5	10 to 19 days	10	0.9%



6	20 to 29 days	10	0.9%
7	All 30 days	18	1.7%
Sysmiss		50	

## Q21: How bullied past 30 days

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1064 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	869	81.7%
2	Kicked, pushed, or shoved	16	1.5%
3	Made fun of race	9	0.8%
4	Made fun because of religion	6	0.6%
5	Made fun of about sex	28	2.6%
6	Left out of activities	16	1.5%
7	Made fun of about body	44	4.1%
8	Some other way	76	7.1%
Sysmiss		62	

## Q22: Times felt lonely past 12 mo.

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1085 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	414	38.2%
2	Rarely	267	24.6%
3	Sometimes	294	27.1%
4	Most of the time	78	7.2%
5	Always	32	2.9%
Sysmiss		41	

### Q23: Times could not sleep past 12 mo.

Data file: ARG2012\_RioNegro\_Public\_Use

#### Overview

Valid: 1111 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	404	36.4%
2	Rarely	352	31.7%
3	Sometimes	257	23.1%
4	Most of the time	78	7%
5	Always	20	1.8%
Sysmiss		15	

### Q24: Ever considered suicide 12 mos

Data file: ARG2012\_RioNegro\_Public\_Use

#### Overview

Valid: 1086 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	216	19.9%
2	No	870	80.1%
Sysmiss		40	

## Q25: Ever make suicide plan 12 mos

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1096 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	190	17.3%
2	No	906	82.7%
Sysmiss		30	

## Q26: Times attempted suicide 12 mos.

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1092 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	908	83.2%
2	1 time	96	8.8%
3	2 or 3 times	55	5%
4	4 or 5 times	15	1.4%
5	6 or more times	18	1.6%
Sysmiss		34	

### Q27: Number close friends

Data file: ARG2012\_RioNegro\_Public\_Use

#### Overview

Valid: 1083 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	47	4.3%
2	1	99	9.1%
3	2	165	15.2%
4	3 or more	772	71.3%
Sysmiss		43	

### Q28: Age first tried cigarette

Data file: ARG2012\_RioNegro\_Public\_Use

#### Overview

Valid: 1087 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	505	46.5%
2	7 years old or younger	50	4.6%
3	8 or 9 years old	57	5.2%
4	10 or 11 years old	113	10.4%
5	12 or 13 years old	225	20.7%
6	14 or 15 years old	119	10.9%
7	16 years old or older	18	1.7%
Sysmiss		39	

## Q29: How many days smoked 30 days

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1092 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	753	69%
2	1 or 2 days	96	8.8%
3	3 to 5 days	51	4.7%
4	6 to 9 days	39	3.6%
5	10 to 19 days	35	3.2%
6	20 to 29 days	38	3.5%
7	All 30 days	80	7.3%
Sysmiss		34	

**Q30: Other tobacco past 30 days****Data file: ARG2012\_RioNegro\_Public\_Use****Overview**

Valid: 1100 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	971	88.3%
2	1 or 2 days	49	4.5%
3	3 to 5 days	34	3.1%
4	6 to 9 days	9	0.8%
5	10 to 19 days	13	1.2%
6	20 to 29 days	7	0.6%
7	All 30 days	17	1.5%
Sysmiss		26	

**Q31: Try stop smoking past 12 mo.****Data file: ARG2012\_RioNegro\_Public\_Use****Overview**

Valid: 1080 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

## CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	603	55.8%
2	Did not smoke cigarettes	149	13.8%
3	Yes	239	22.1%
4	No	89	8.2%
Sysmiss		46	

### Q32: Others present smoking past 7 days

Data file: ARG2012\_RioNegro\_Public\_Use

#### Overview

Valid: 1094 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	253	23.1%
2	1 or 2 days	257	23.5%
3	3 or 4 days	153	14%
4	5 or 6 days	89	8.1%
5	All 7 days	342	31.3%
Sysmiss		32	

### Q33: Parents who use tobacco

Data file: ARG2012\_RioNegro\_Public\_Use

#### Overview

Valid: 1098 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	647	58.9%
2	My father or male guardian	165	15%
3	My mother or female guardian	123	11.2%
4	Both	133	12.1%
5	I do not know	30	2.7%
Sysmiss		28	

**Q34: Age first drink alcohol****Data file: ARG2012\_RioNegro\_Public\_Use****Overview**

Valid: 1040 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

## CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	191	18.4%
2	7 years old or younger	85	8.2%
3	8 or 9 years old	62	6%
4	10 or 11 years old	117	11.3%
5	12 or 13 years old	328	31.5%
6	14 or 15 years old	229	22%
7	16 years old or older	28	2.7%
Sysmiss		86	

**Q35: Days one drink or more past 30 days****Data file: ARG2012\_RioNegro\_Public\_Use****Overview**

Valid: 1063 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

### CATEGORIES

Value	Category	Cases	
1	0 days	398	37.4%
2	1 or 2 days	286	26.9%
3	3 to 5 days	138	13%
4	6 to 9 days	103	9.7%
5	10 to 19 days	70	6.6%
6	20 to 29 days	39	3.7%
7	All 30 days	29	2.7%
Sysmiss		63	

## Q36: Number of drinks past 30 days

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1070 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	396	37%
2	Less than one drink	108	10.1%
3	1 drink	87	8.1%
4	2 drinks	93	8.7%
5	3 drinks	88	8.2%
6	4 drinks	70	6.5%

7	5 or more drinks	228	21.3%
Sysmiss		56	

### Q37: How got drinks past 30 days

Data file: ARG2012\_RioNegro\_Public\_Use

#### Overview

Valid: 1052 Invalid: 74

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

##### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	421	40%
2	I bought in a store	207	19.7%
3	I gave someone money to buy	21	2%
4	I got it from my friends	163	15.5%
5	I got it from my family	101	9.6%
6	I stole it	9	0.9%
7	Some other way	130	12.4%
Sysmiss		74	

### Q38: Times drunk during life

Data file: ARG2012\_RioNegro\_Public\_Use

#### Overview

Valid: 1076 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	605	56.2%
2	1 or 2 times	273	25.4%
3	3 to 9 times	118	11%
4	10 or more times	80	7.4%
Sysmiss		50	

### Q39: Number of troubles as result of drinking

Data file: ARG2012\_RioNegro\_Public\_Use

#### Overview

Valid: 1066 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	732	68.7%
2	1 or 2 times	220	20.6%
3	3 to 9 times	72	6.8%
4	10 or more times	42	3.9%
Sysmiss		60	

### Q40: Age first drugs

Data file: ARG2012\_RioNegro\_Public\_Use

#### Overview

Valid: 1047 Invalid: 79

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

How old were you when you first used drugs?

### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	783	74.8%
2	7 years old or younger	15	1.4%
3	8 or 9 years old	9	0.9%
4	10 or 11 years old	22	2.1%
5	12 or 13 years old	71	6.8%
6	14 or 15 years old	115	11%
7	16 years old or older	32	3.1%
Sysmiss		79	

## Q41: Times used marijuana lifetime

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1051 Invalid: 75

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	805	76.6%
2	1 or 2 times	66	6.3%
3	3 to 9 times	58	5.5%
4	10 to 19 times	30	2.9%
5	20 or more times	92	8.8%
Sysmiss		75	

**Q42: Times used marijuana past 30 days****Data file: ARG2012\_RioNegro\_Public\_Use****Overview**

Valid: 1070 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	869	81.2%
2	1 or 2 times	77	7.2%
3	3 to 9 times	61	5.7%
4	10 to 19 times	20	1.9%
5	20 or more times	43	4%
Sysmiss		56	

**Q43: Times used amphetamines lifetime****Data file: ARG2012\_RioNegro\_Public\_Use****Overview**

Valid: 1070 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1019	95.2%

2	1 or 2 times	19	1.8%
3	3 to 9 times	13	1.2%
4	10 to 19 times	5	0.5%
5	20 or more times	14	1.3%
Sysmiss		56	

#### Q44: Ever had sex

Data file: ARG2012\_RioNegro\_Public\_Use

##### Overview

Valid: 1018 Invalid: 108

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

###### LITERAL QUESTION

Have you ever had sexual intercourse?

###### CATEGORIES

Value	Category	Cases	
1	Yes	502	49.3%
2	No	516	50.7%
Sysmiss		108	

#### Q45: Age first sexual intercourse

Data file: ARG2012\_RioNegro\_Public\_Use

##### Overview

Valid: 1034 Invalid: 92

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

###### LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

###### CATEGORIES

Value	Category	Cases	
1	Never had sex	572	55.3%

2	11 years old or younger	50	4.8%
3	12 years old	40	3.9%
4	13 years old	98	9.5%
5	14 years old	140	13.5%
6	15 years old	102	9.9%
7	16 years old or older	32	3.1%
Sysmiss		92	

## Q46: How many sex partners

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1045 Invalid: 81

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	592	56.7%
2	1 person	178	17%
3	2 people	82	7.8%
4	3 people	72	6.9%
5	4 people	28	2.7%
6	5 people	23	2.2%
7	6 or more people	70	6.7%
Sysmiss		81	

## Q47: Used condom at last intercourse

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1031 Invalid: 95

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	580	56.3%
2	Yes	322	31.2%
3	No	129	12.5%
Sysmiss		95	

## Q48: Used birth control last intercourse

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1020 Invalid: 106

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	581	57%
2	Yes	229	22.5%
3	No	155	15.2%
4	I do not know	55	5.4%
Sysmiss		106	

## Q49: Days active 60 min plus past 7 days

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1046 Invalid: 80



Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

**CATEGORIES**

Value	Category	Cases	
1	0 days	123	11.8%
2	1 day	128	12.2%
3	2 days	265	25.3%
4	3 days	131	12.5%
5	4 days	102	9.8%
6	5 days	88	8.4%
7	6 days	38	3.6%
8	7 days	171	16.3%
Sysmiss		80	

**Q50: Walk or bike to school past 7 days****Data file:** ARG2012\_RioNegro\_Public\_Use**Overview**

Valid: 1027    Invalid: 99

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

**CATEGORIES**

Value	Category	Cases	
1	0 days	252	24.5%
2	1 day	56	5.5%
3	2 days	54	5.3%

4	3 days	39	3.8%
5	4 days	36	3.5%
6	5 days	192	18.7%
7	6 days	24	2.3%
8	7 days	374	36.4%
Sysmiss		99	

## Q51: Days went to PE each week

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1011 Invalid: 115

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

#### CATEGORIES

Value	Category	Cases	
1	0 days	47	4.6%
2	1 day	90	8.9%
3	2 days	651	64.4%
4	3 days	24	2.4%
5	4 days	19	1.9%
6	5 or more days	180	17.8%
Sysmiss		115	

## Q52: Time spent sitting on usual day

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1023 Invalid: 103

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	179	17.5%
2	1 to 2 hours per day	289	28.3%
3	3 to 4 hours per day	305	29.8%
4	5 to 6 hours per day	137	13.4%
5	7 to 8 hours per day	34	3.3%
6	More than 8 hours per day	79	7.7%
Sysmiss		103	

## Q53: Miss school no permission past 30 days

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1022 Invalid: 104

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

### CATEGORIES

Value	Category	Cases	
1	0 days	651	63.7%
2	1 or 2 days	195	19.1%
3	3 to 5 days	88	8.6%
4	6 to 9 days	40	3.9%
5	10 or more days	48	4.7%
Sysmiss		104	

**Q54: Others helpful in school past 30 days****Data file: ARG2012\_RioNegro\_Public\_Use****Overview**

Valid: 999 Invalid: 127

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

## CATEGORIES

Value	Category	Cases	
1	Never	84	8.4%
2	Rarely	159	15.9%
3	Sometimes	262	26.2%
4	Most of the time	285	28.5%
5	Always	209	20.9%
Sysmiss		127	

**Q55: Parents check homework past 30 days****Data file: ARG2012\_RioNegro\_Public\_Use****Overview**

Valid: 1013 Invalid: 113

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

## CATEGORIES

Value	Category	Cases	
1	Never	360	35.5%
2	Rarely	196	19.3%
3	Sometimes	185	18.3%
4	Most of the time	138	13.6%
5	Always	134	13.2%

Sysmiss		113	
---------	--	-----	--

## Q56: Parent understand troubles past 30 days

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1000 Invalid: 126

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

#### CATEGORIES

Value	Category	Cases	
1	Never	153	15.3%
2	Rarely	165	16.5%
3	Sometimes	187	18.7%
4	Most of the time	199	19.9%
5	Always	296	29.6%
Sysmiss		126	

## Q57: Parent know what you do past 30 days

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 996 Invalid: 130

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	143	14.4%
2	Rarely	108	10.8%

3	Sometimes	157	15.8%
4	Most of the time	219	22%
5	Always	369	37%
Sysmiss		130	

### Q58: Parent go through things past 30 days

Data file: ARG2012\_RioNegro\_Public\_Use

#### Overview

Valid: 1005 Invalid: 121

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

##### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

##### CATEGORIES

Value	Category	Cases	
1		463	46.1%
2		227	22.6%
3		185	18.4%
4		72	7.2%
5		58	5.8%
Sysmiss		121	

### QN6: Went hungry most of time/always past 30 days

Data file: ARG2012\_RioNegro\_Public\_Use

#### Overview

Valid: 1114 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	43	3.9%
2	No	1071	96.1%
Sysmiss		12	

**QN7: Ate fruit 2+ times per day past 30 days****Data file:** ARG2012\_RioNegro\_Public\_Use**Overview**

Valid: 1115 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	404	36.2%
2	No	711	63.8%
Sysmiss		11	

**QN8: Ate vegetables 3+ times per day past 30 day****Data file:** ARG2012\_RioNegro\_Public\_Use**Overview**

Valid: 1108 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	146	13.2%
2	No	962	86.8%
Sysmiss		18	

**QN9: Drank soft drinks 1+ times per day past 30 day****Data file: ARG2012\_RioNegro\_Public\_Use****Overview**

Valid: 1110 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	634	57.1%
2	No	476	42.9%
Sysmiss		16	

**QN10: Ate fast food 3+ days past 7 day****Data file: ARG2012\_RioNegro\_Public\_Use****Overview**

Valid: 1121 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

## CATEGORIES

Value	Category	Cases	
1	Yes	34	3%
2	No	1087	97%
Sysmiss		5	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: ARG2012\_RioNegro\_Public\_Use****Overview**

Valid: 1116 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	57	5.1%
2	No	1059	94.9%
Sysmiss		10	

## QN12: Never/rarely wash hands before eating past 30 days

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1106 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	108	9.8%
2	No	998	90.2%
Sysmiss		20	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1112 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	48	4.3%
2	No	1064	95.7%
Sysmiss		14	

**QN14: Never/rarely use soap on hands past 30 days****Data file:** ARG2012\_RioNegro\_Public\_Use**Overview**

Valid: 1109 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	69	6.2%
2	No	1040	93.8%
Sysmiss		17	

**QN15: Attacked 1+ times past 12 months****Data file:** ARG2012\_RioNegro\_Public\_Use**Overview**

Valid: 1104 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	256	23.2%
2	No	848	76.8%
Sysmiss		22	

**QN16: In fight 1+ times past 12 months****Data file:** ARG2012\_RioNegro\_Public\_Use**Overview**

Valid: 1120 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	346	30.9%
2	No	774	69.1%
Sysmiss		6	

**QN17: Seriously injured 1+ times past 12 months****Data file:** ARG2012\_RioNegro\_Public\_Use**Overview**

Valid: 997 Invalid: 129

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	328	32.9%
2	No	669	67.1%
Sysmiss		129	

**QN18: Broken bone as most serious injury****Data file:** ARG2012\_RioNegro\_Public\_Use**Overview**

Valid: 259 Invalid: 867

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

### CATEGORIES

Value	Category	Cases	
1	Yes	63	24.3%
2	No	196	75.7%
Sysmiss		867	

## QN19: Motor vehicle caused most serious injury

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 273 Invalid: 853

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	23	8.4%
2	No	250	91.6%
Sysmiss		853	

## QN20: Bullied 1+ of past 30 days

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1076 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	236	21.9%
2	No	840	78.1%
Sysmiss		50	

### QN21: Of students bullied, most often hit, kicked, etc

Data file: ARG2012\_RioNegro\_Public\_Use

#### Overview

Valid: 195 Invalid: 931

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

##### CATEGORIES

Value	Category	Cases	
1	Yes	16	8.2%
2	No	179	91.8%
Sysmiss		931	

### QN22: Lonely most times/always past 12 months

Data file: ARG2012\_RioNegro\_Public\_Use

#### Overview

Valid: 1085 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	110	10.1%
2	No	975	89.9%
Sysmiss		41	

**QN23: Worry prevented sleep most time/always past 12 mos****Data file: ARG2012\_RioNegro\_Public\_Use****Overview**

Valid: 1111 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	98	8.8%
2	No	1013	91.2%
Sysmiss		15	

**QN24: Considered suicide past 12 months****Data file: ARG2012\_RioNegro\_Public\_Use****Overview**

Valid: 1086 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	216	19.9%
2	No	870	80.1%
Sysmiss		40	

**QN25: Made suicide plan past 12 months****Data file: ARG2012\_RioNegro\_Public\_Use****Overview**

Valid: 1096 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	190	17.3%
2	No	906	82.7%
Sysmiss		30	

### QN26: 1+ times attempt suicide 12 mos.

Data file: ARG2012\_RioNegro\_Public\_Use

#### Overview

Valid: 1092 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	184	16.8%
2	No	908	83.2%
Sysmiss		34	

### QN27: No close friends

Data file: ARG2012\_RioNegro\_Public\_Use

#### Overview

Valid: 1083 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	47	4.3%
2	No	1036	95.7%
Sysmiss		43	

## QN28: Age first cigarette before 14

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 582 Invalid: 544

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

#### CATEGORIES

Value	Category	Cases	
1	Yes	445	76.5%
2	No	137	23.5%
Sysmiss		544	

## QN29: Smoked cigarettes 1+ of past 30 days

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1092 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	339	31%
2	No	753	69%
Sysmiss		34	



**QN30: Used other tobacco 1+ of past 30 days****Data file: ARG2012\_RioNegro\_Public\_Use****Overview**

Valid: 1100 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	129	11.7%
2	No	971	88.3%
Sysmiss		26	

**QN31: Tried to quit smoking past 12 months****Data file: ARG2012\_RioNegro\_Public\_Use****Overview**

Valid: 328 Invalid: 798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	239	72.9%
2	No	89	27.1%
Sysmiss		798	

**QN32: Others present smoking 1+ of past 7 days****Data file: ARG2012\_RioNegro\_Public\_Use****Overview**

Valid: 1094 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	841	76.9%
2	No	253	23.1%
Sysmiss		32	

## QN33: Either/Both parents use tobacco

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1098 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	421	38.3%
2	No	677	61.7%
Sysmiss		28	

## QN34: Age first alcohol before 14

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 849 Invalid: 277

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	592	69.7%
2	No	257	30.3%
Sysmiss		277	

**QN35: Drank 1+ days past 30 days****Data file:** ARG2012\_RioNegro\_Public\_Use**Overview**

Valid: 1063 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	665	62.6%
2	No	398	37.4%
Sysmiss		63	

**QN36: Of current drinkers, drank 2+ drinks/day 30 days****Data file:** ARG2012\_RioNegro\_Public\_Use**Overview**

Valid: 674 Invalid: 452

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

## CATEGORIES

Value	Category	Cases	
1	Yes	479	71.1%
2	No	195	28.9%
Sysmiss		452	

**QN37: Of current drinkers, got alcohol from friends****Data file:** ARG2012\_RioNegro\_Public\_Use**Overview**

Valid: 631 Invalid: 495

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

## CATEGORIES

Value	Category	Cases	
1	Yes	163	25.8%
2	No	468	74.2%
Sysmiss		495	

**QN38: 1+ times drunk in lifetime****Data file:** ARG2012\_RioNegro\_Public\_Use**Overview**

Valid: 1076 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	471	43.8%
2	No	605	56.2%
Sysmiss		50	

**QN39: Alcohol trouble 1+ times in lifetime****Data file:** ARG2012\_RioNegro\_Public\_Use**Overview**

Valid: 1066 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

### CATEGORIES

Value	Category	Cases	
1	Yes	334	31.3%
2	No	732	68.7%
Sysmiss		60	

## QN40: Age first drugs before 14

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 264 Invalid: 862

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
1	Yes	117	44.3%
2	No	147	55.7%
Sysmiss		862	

## QN41: Marijuana 1+ times in lifetime

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1051 Invalid: 75

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	246	23.4%
2	No	805	76.6%
Sysmiss		75	

**QN42: Marijuana 1+ times p 30 days****Data file:** ARG2012\_RioNegro\_Public\_Use**Overview**

Valid: 1070 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	201	18.8%
2	No	869	81.2%
Sysmiss		56	

**QN43: Amphetamines 1+ times lifetime****Data file:** ARG2012\_RioNegro\_Public\_Use**Overview**

Valid: 1070 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	51	4.8%
2	No	1019	95.2%
Sysmiss		56	

**QN44: Ever had sex****Data file:** ARG2012\_RioNegro\_Public\_Use**Overview**

Valid: 1018 Invalid: 108

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	502	49.3%
2	No	516	50.7%
Sysmiss		108	

**QN45: Age first sexual intercourse before 14****Data file:** ARG2012\_RioNegro\_Public\_Use**Overview**

Valid: 462 Invalid: 664

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	188	40.7%
2	No	274	59.3%
Sysmiss		664	

**QN46: 2+ sex partners lifetime****Data file:** ARG2012\_RioNegro\_Public\_Use**Overview**

Valid: 1045 Invalid: 81

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	275	26.3%
2	No	770	73.7%
Sysmiss		81	

### QN47: Used condom at last sex

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 451 Invalid: 675

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	322	71.4%
2	No	129	28.6%
Sysmiss		675	

### QN48: Used birth control at last sex

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 439 Invalid: 687

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

### CATEGORIES



Value	Category	Cases	
1	Yes	229	52.2%
2	No	210	47.8%
Sysmiss		687	

### QN49: Active 60+ mins/day for 5+ of past 7 days

Data file: ARG2012\_RioNegro\_Public\_Use

#### Overview

Valid: 1046 Invalid: 80

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	297	28.4%
2	No	749	71.6%
Sysmiss		80	

### QN50: Walk/Bike to/from school 0 of past 7 days

Data file: ARG2012\_RioNegro\_Public\_Use

#### Overview

Valid: 1027 Invalid: 99

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	252	24.5%
2	No	775	75.5%
Sysmiss		99	

**QN51: 3+ days PE each week****Data file: ARG2012\_RioNegro\_Public\_Use****Overview**

Valid: 1011 Invalid: 115

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	223	22.1%
2	No	788	77.9%
Sysmiss		115	

**QN52: Sitting activities 3+ hours/day of usual day****Data file: ARG2012\_RioNegro\_Public\_Use****Overview**

Valid: 1023 Invalid: 103

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

## CATEGORIES

Value	Category	Cases	
1	Yes	555	54.3%
2	No	468	45.7%
Sysmiss		103	

**QN53: Miss school no permission 1+ of past 30 days****Data file: ARG2012\_RioNegro\_Public\_Use****Overview**

Valid: 1022 Invalid: 104

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	371	36.3%
2	No	651	63.7%
Sysmiss		104	

## QN54: Students most/always kind 30 days

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 999 Invalid: 127

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	494	49.4%
2	No	505	50.6%
Sysmiss		127	

## QN55: Parents most/always check homework

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1013 Invalid: 113

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	272	26.9%
2	No	741	73.1%
Sysmiss		113	

## QN56: Parents most/always understand problems

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1000 Invalid: 126

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	495	49.5%
2	No	505	50.5%
Sysmiss		126	

## QN57: Parents most/always know about free time

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 996 Invalid: 130

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	588	59%
2	No	408	41%
Sysmiss		130	

**QN58: Parents never/rarely go thru things****Data file:** ARG2012\_RioNegro\_Public\_Use**Overview**

Valid: 1005 Invalid: 121

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	690	68.7%
2	No	315	31.3%
Sysmiss		121	

**QNOWTG: Overweight****Data file:** ARG2012\_RioNegro\_Public\_Use**Overview**

Valid: 0 Invalid: 1126

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

**CATEGORIES**

Value	Category
1	Yes
2	No
Sysmiss	

**QNOBESEG: Obese****Data file:** ARG2012\_RioNegro\_Public\_Use**Overview**

Valid: 0 Invalid: 1126

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese ( $>+2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

## QNUNWTG: Underweight

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 0    Invalid: 1126

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were underweight ( $<-2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

## QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1103    Invalid: 23

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	180	16.3%
2	No	923	83.7%
Sysmiss		23	

## QNANYTBG: Used any tobacco past 30 days

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1088 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	347	31.9%
2	No	741	68.1%
Sysmiss		38	

## QNPA7G: Physically active all past 7 days

Data file: ARG2012\_RioNegro\_Public\_Use

### Overview

Valid: 1046 Invalid: 80

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

#### CATEGORIES

Value	Category	Cases	
1	Yes	171	16.3%
2	No	875	83.7%
Sysmiss		80	

**QNPE5G: Attended PE 5+ days each week****Data file: ARG2012\_RioNegro\_Public\_Use****Overview**

Valid: 1011 Invalid: 115

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	180	17.8%
2	No	831	82.2%
Sysmiss		115	

**QNC1G: Among heavy drinkers, ever sex****Data file: ARG2012\_RioNegro\_Public\_Use****Overview**

Valid: 430 Invalid: 696

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	314	73%
2	No	116	27%
Sysmiss		696	

**QNC2G: Among those worried, currently bullied****Data file: ARG2012\_RioNegro\_Public\_Use****Overview**

Valid: 94 Invalid: 1032

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	43	45.7%
2	No	51	54.3%
Sysmiss		1032	

### WEIGHT: Weight

Data file: ARG2012\_RioNegro\_Public\_Use

#### Overview

Valid: 1126 Invalid: 0 Minimum: 23.94 Maximum: 68.499 Mean: 32.79 Standard deviation: 7.008  
Type: Continuous Decimal: 0 Width: 10 Range: 3.2196 - 1361.2246 Format: Numeric

### STRATUM: Stratum

Data file: ARG2012\_RioNegro\_Public\_Use

#### Overview

Valid: 1126 Invalid: 0 Minimum: 201216001 Maximum: 201216012 Mean: 201216007.075 Standard deviation: 6.61  
Type: Continuous Decimal: 0 Width: 9 Range: 201201001 - 201224012 Format: Numeric

### PSU: Primary Sampling Unit

Data file: ARG2012\_RioNegro\_Public\_Use

#### Overview

Valid: 1126 Invalid: 0 Minimum: 1 Maximum: 24 Mean: 13.683 Standard deviation: 7.081  
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 36 Format: Numeric

**Q1: How old are you****Data file: ARG2012\_Salta\_Public\_Use****Overview**

Valid: 1144 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	2	0.2%
2	12 years old	8	0.7%
3	13 years old	176	15.4%
4	14 years old	340	29.7%
5	15 years old	349	30.5%
6	16 years old or older	269	23.5%
Sysmiss		7	

**Q2: Sex****Data file: ARG2012\_Salta\_Public\_Use****Overview**

Valid: 1139 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	499	43.8%
2	Female	640	56.2%
Sysmiss		12	

**Q3: In what grade are you****Data file: ARG2012\_Salta\_Public\_Use**

## Overview

Valid: 1132 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

### CATEGORIES

Value	Category	Cases	
1	8th EGB	423	37.4%
2	9th EGB	489	43.2%
3	1st Pol	220	19.4%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		19	

## Q4: How tall are you

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 740 Invalid: 411 Minimum: 1.29 Maximum: 1.9 Mean: 1.618 Standard deviation: 0.0952

Type: Continuous Decimal: 2 Width: 5 Range: 1.2 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q5: How much do you weigh

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 740 Invalid: 411 Minimum: 30 Maximum: 157 Mean: 55.716 Standard deviation: 11.308

Type: Continuous Decimal: 2 Width: 5 Range: 30 - 180 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days**

Data file: ARG2012\_Salta\_Public\_Use

**Overview**

Valid: 1133 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	574	50.7%
2	Rarely	290	25.6%
3	Sometimes	207	18.3%
4	Most of the time	37	3.3%
5	Always	25	2.2%
Sysmiss		18	

**Q7: Eat fruit per day past 30 days**

Data file: ARG2012\_Salta\_Public\_Use

**Overview**

Valid: 1139 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	128	11.2%

2	Less than one time per day	223	19.6%
3	1 time per day	321	28.2%
4	2 times per day	226	19.8%
5	3 times per day	126	11.1%
6	4 times per day	38	3.3%
7	5 or more times per day	77	6.8%
Sysmiss		12	

## Q8: Eat vegetables past 30 days

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1139 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	54	4.7%
2	Less than one time per day	189	16.6%
3	1 time per day	441	38.7%
4	2 times per day	252	22.1%
5	3 times per day	65	5.7%
6	4 times per day	35	3.1%
7	5 or more times per day	103	9%
Sysmiss		12	

## Q9: Drink soft drinks past 30 days

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1143 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	107	9.4%
2	Less than one time per day	252	22%
3	1 time per day	267	23.4%
4	2 times per day	184	16.1%
5	3 times per day	114	10%
6	4 times per day	62	5.4%
7	5 or more times per day	157	13.7%
Sysmiss		8	

## Q10: Ate fast food past 7 days

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1141 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	807	70.7%
2	1 day	169	14.8%
3	2 days	91	8%
4	3 days	52	4.6%
5	4 days	7	0.6%
6	5 days	3	0.3%
7	6 days	3	0.3%

8	7 days	9	0.8%
Sysmiss		10	

## Q11: How many times per day brush teeth

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1143 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	16	1.4%
2	Less than 1 time per day	51	4.5%
3	1 time per day	177	15.5%
4	2 times per day	362	31.7%
5	3 times per day	402	35.2%
6	4 or more times per day	135	11.8%
Sysmiss		8	

## Q12: Wash hands before eating past 30 days

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1139 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	19	1.7%
2	Rarely	89	7.8%
3	Sometimes	182	16%
4	Most of the time	357	31.3%
5	Always	492	43.2%
Sysmiss		12	

### Q13: Wash hands after toilet past 30 day

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 1144 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	14	1.2%
2	Rarely	28	2.4%
3	Sometimes	62	5.4%
4	Most of the time	220	19.2%
5	Always	820	71.7%
Sysmiss		7	

### Q14: Used soap on hands past 30 days

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 1143 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION



During the past 30 days, how often did you use soap when washing your hands?

#### CATEGORIES

Value	Category	Cases	
1	Never	24	2.1%
2	Rarely	87	7.6%
3	Sometimes	196	17.1%
4	Most of the time	295	25.8%
5	Always	541	47.3%
Sysmiss		8	

### Q15: Times attacked past 12 mo.

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 1138 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

#### CATEGORIES

Value	Category	Cases	
1	0 times	788	69.2%
2	1 time	162	14.2%
3	2 or 3 times	108	9.5%
4	4 or 5 times	18	1.6%
5	6 or 7 times	15	1.3%
6	8 or 9 times	9	0.8%
7	10 or 11 times	6	0.5%
8	12 or more times	32	2.8%
Sysmiss		13	

### Q16: How many times in fight 12 mos

Data file: ARG2012\_Salta\_Public\_Use

## Overview

Valid: 1147 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	687	59.9%
2	1 time	173	15.1%
3	2 or 3 times	148	12.9%
4	4 or 5 times	48	4.2%
5	6 or 7 times	26	2.3%
6	8 or 9 times	10	0.9%
7	10 or 11 times	2	0.2%
8	12 or more times	53	4.6%
Sysmiss		4	

## Q17: How many times injured past 12 months

Data file: ARG2012\_Salta\_Public\_Use

## Overview

Valid: 982 Invalid: 169

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	615	62.6%
2	1 time	226	23%
3	2 or 3 times	88	9%

4	4 or 5 times	31	3.2%
5	6 or 7 times	6	0.6%
6	8 or 9 times	4	0.4%
7	10 or 11 times	7	0.7%
8	12 or more times	5	0.5%
Sysmiss		169	

### Q18: What was serious injury past 12 mo.

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 1026 Invalid: 125

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	749	73%
2	Broken bone/dislocated joint	56	5.5%
3	I had a cut or stab wound	24	2.3%
4	Concussion/head injury	23	2.2%
5	I had a gunshot wound	3	0.3%
6	I had a bad burn	13	1.3%
7	I was poisoned	2	0.2%
8	Something else happened to me	156	15.2%
Sysmiss		125	

### Q19: Cause of injury past 12 mo.

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 1002 Invalid: 149

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	707	70.6%
2	Motor vehicle accident	21	2.1%
3	I fell	108	10.8%
4	Something fell on me or hit me	28	2.8%
5	I was attacked	24	2.4%
6	Was in a fire	5	0.5%
7	breathed something bad	7	0.7%
8	Something else	102	10.2%
Sysmiss		149	

## Q20: How many days bullied past 30 days

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1096 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	746	68.1%
2	1 or 2 days	222	20.3%
3	3 to 5 days	63	5.7%
4	6 to 9 days	22	2%
5	10 to 19 days	13	1.2%

6	20 to 29 days	5	0.5%
7	All 30 days	25	2.3%
Sysmiss		55	

## Q21: How bullied past 30 days

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1100 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	818	74.4%
2	Kicked, pushed, or shoved	27	2.5%
3	Made fun of race	23	2.1%
4	Made fun because of religion	10	0.9%
5	Made fun of about sex	37	3.4%
6	Left out of activities	11	1%
7	Made fun of about body	60	5.5%
8	Some other way	114	10.4%
Sysmiss		51	

## Q22: Times felt lonely past 12 mo.

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1130 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	347	30.7%
2	Rarely	319	28.2%
3	Sometimes	297	26.3%
4	Most of the time	119	10.5%
5	Always	48	4.2%
Sysmiss		21	

### Q23: Times could not sleep past 12 mo.

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 1149 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	307	26.7%
2	Rarely	409	35.6%
3	Sometimes	309	26.9%
4	Most of the time	84	7.3%
5	Always	40	3.5%
Sysmiss		2	

### Q24: Ever considered suicide 12 mos

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 1129 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	304	26.9%
2	No	825	73.1%
Sysmiss		22	

## Q25: Ever make suicide plan 12 mos

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1140 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	260	22.8%
2	No	880	77.2%
Sysmiss		11	

## Q26: Times attempted suicide 12 mos.

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1142 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	903	79.1%
2	1 time	145	12.7%
3	2 or 3 times	62	5.4%
4	4 or 5 times	18	1.6%
5	6 or more times	14	1.2%
Sysmiss		9	

### Q27: Number close friends

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 1124 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	64	5.7%
2	1	78	6.9%
3	2	189	16.8%
4	3 or more	793	70.6%
Sysmiss		27	

### Q28: Age first tried cigarette

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 1135 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	483	42.6%
2	7 years old or younger	30	2.6%
3	8 or 9 years old	47	4.1%
4	10 or 11 years old	124	10.9%
5	12 or 13 years old	249	21.9%
6	14 or 15 years old	174	15.3%
7	16 years old or older	28	2.5%
Sysmiss		16	

## Q29: How many days smoked 30 days

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1139 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	757	66.5%
2	1 or 2 days	202	17.7%
3	3 to 5 days	57	5%
4	6 to 9 days	34	3%
5	10 to 19 days	36	3.2%
6	20 to 29 days	18	1.6%
7	All 30 days	35	3.1%
Sysmiss		12	

**Q30: Other tobacco past 30 days****Data file:** ARG2012\_Salta\_Public\_Use**Overview**

Valid: 1141 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	1026	89.9%
2	1 or 2 days	60	5.3%
3	3 to 5 days	25	2.2%
4	6 to 9 days	9	0.8%
5	10 to 19 days	9	0.8%
6	20 to 29 days	5	0.4%
7	All 30 days	7	0.6%
Sysmiss		10	

**Q31: Try stop smoking past 12 mo.****Data file:** ARG2012\_Salta\_Public\_Use**Overview**

Valid: 1135 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

## CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	587	51.7%
2	Did not smoke cigarettes	184	16.2%
3	Yes	252	22.2%
4	No	112	9.9%
Sysmiss		16	

### Q32: Others present smoking past 7 days

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 1139 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	262	23%
2	1 or 2 days	388	34.1%
3	3 or 4 days	185	16.2%
4	5 or 6 days	69	6.1%
5	All 7 days	235	20.6%
Sysmiss		12	

### Q33: Parents who use tobacco

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 1142 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	749	65.6%
2	My father or male guardian	194	17%
3	My mother or female guardian	75	6.6%
4	Both	73	6.4%
5	I do not know	51	4.5%
Sysmiss		9	

**Q34: Age first drink alcohol****Data file: ARG2012\_Salta\_Public\_Use****Overview**

Valid: 1048 Invalid: 103

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

## CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	326	31.1%
2	7 years old or younger	44	4.2%
3	8 or 9 years old	48	4.6%
4	10 or 11 years old	101	9.6%
5	12 or 13 years old	262	25%
6	14 or 15 years old	232	22.1%
7	16 years old or older	35	3.3%
Sysmiss		103	

**Q35: Days one drink or more past 30 days****Data file: ARG2012\_Salta\_Public\_Use****Overview**

Valid: 1092 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

### CATEGORIES

Value	Category	Cases	
1	0 days	580	53.1%
2	1 or 2 days	271	24.8%
3	3 to 5 days	105	9.6%
4	6 to 9 days	50	4.6%
5	10 to 19 days	48	4.4%
6	20 to 29 days	19	1.7%
7	All 30 days	19	1.7%
Sysmiss		59	

## Q36: Number of drinks past 30 days

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1126 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	563	50%
2	Less than one drink	122	10.8%
3	1 drink	84	7.5%
4	2 drinks	74	6.6%
5	3 drinks	68	6%
6	4 drinks	50	4.4%

7	5 or more drinks	165	14.7%
Sysmiss		25	

### Q37: How got drinks past 30 days

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 1099 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

##### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	574	52.2%
2	I bought in a store	136	12.4%
3	I gave someone money to buy	31	2.8%
4	I got it from my friends	228	20.7%
5	I got it from my family	43	3.9%
6	I stole it	4	0.4%
7	Some other way	83	7.6%
Sysmiss		52	

### Q38: Times drunk during life

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 1125 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	763	67.8%
2	1 or 2 times	235	20.9%
3	3 to 9 times	88	7.8%
4	10 or more times	39	3.5%
Sysmiss		26	

### Q39: Number of troubles as result of drinking

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 1102 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	828	75.1%
2	1 or 2 times	184	16.7%
3	3 to 9 times	54	4.9%
4	10 or more times	36	3.3%
Sysmiss		49	

### Q40: Age first drugs

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 1115 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

How old were you when you first used drugs?

### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	955	85.7%
2	7 years old or younger	5	0.4%
3	8 or 9 years old	11	1%
4	10 or 11 years old	16	1.4%
5	12 or 13 years old	53	4.8%
6	14 or 15 years old	66	5.9%
7	16 years old or older	9	0.8%
Sysmiss		36	

## Q41: Times used marijuana lifetime

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1109 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	956	86.2%
2	1 or 2 times	60	5.4%
3	3 to 9 times	45	4.1%
4	10 to 19 times	19	1.7%
5	20 or more times	29	2.6%
Sysmiss		42	



**Q42: Times used marijuana past 30 days****Data file: ARG2012\_Salta\_Public\_Use****Overview**

Valid: 1134 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1027	90.6%
2	1 or 2 times	55	4.9%
3	3 to 9 times	28	2.5%
4	10 to 19 times	12	1.1%
5	20 or more times	12	1.1%
Sysmiss		17	

**Q43: Times used amphetamines lifetime****Data file: ARG2012\_Salta\_Public\_Use****Overview**

Valid: 1135 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1107	97.5%

2	1 or 2 times	16	1.4%
3	3 to 9 times	3	0.3%
4	10 to 19 times	5	0.4%
5	20 or more times	4	0.4%
Sysmiss		16	

#### Q44: Ever had sex

Data file: ARG2012\_Salta\_Public\_Use

##### Overview

Valid: 1099 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

###### LITERAL QUESTION

Have you ever had sexual intercourse?

###### CATEGORIES

Value	Category	Cases	
1	Yes	454	41.3%
2	No	645	58.7%
Sysmiss		52	

#### Q45: Age first sexual intercourse

Data file: ARG2012\_Salta\_Public\_Use

##### Overview

Valid: 1111 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

###### LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

###### CATEGORIES

Value	Category	Cases	
1	Never had sex	710	63.9%

2	11 years old or younger	48	4.3%
3	12 years old	51	4.6%
4	13 years old	65	5.9%
5	14 years old	120	10.8%
6	15 years old	73	6.6%
7	16 years old or older	44	4%
Sysmiss		40	

## Q46: How many sex partners

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1119 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	732	65.4%
2	1 person	185	16.5%
3	2 people	75	6.7%
4	3 people	46	4.1%
5	4 people	26	2.3%
6	5 people	14	1.3%
7	6 or more people	41	3.7%
Sysmiss		32	

## Q47: Used condom at last intercourse

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1115 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	720	64.6%
2	Yes	265	23.8%
3	No	130	11.7%
Sysmiss		36	

## Q48: Used birth control last intercourse

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1116 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	719	64.4%
2	Yes	185	16.6%
3	No	143	12.8%
4	I do not know	69	6.2%
Sysmiss		35	

## Q49: Days active 60 min plus past 7 days

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1132 Invalid: 19

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

**CATEGORIES**

Value	Category	Cases	
1	0 days	166	14.7%
2	1 day	204	18%
3	2 days	235	20.8%
4	3 days	132	11.7%
5	4 days	77	6.8%
6	5 days	84	7.4%
7	6 days	30	2.7%
8	7 days	204	18%
Sysmiss		19	

**Q50: Walk or bike to school past 7 days****Data file:** ARG2012\_Salta\_Public\_Use**Overview**

Valid: 1127    Invalid: 24

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

**CATEGORIES**

Value	Category	Cases	
1	0 days	388	34.4%
2	1 day	73	6.5%
3	2 days	54	4.8%

4	3 days	43	3.8%
5	4 days	22	2%
6	5 days	167	14.8%
7	6 days	13	1.2%
8	7 days	367	32.6%
Sysmiss		24	

## Q51: Days went to PE each week

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1099 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

#### CATEGORIES

Value	Category	Cases	
1	0 days	50	4.5%
2	1 day	212	19.3%
3	2 days	591	53.8%
4	3 days	33	3%
5	4 days	12	1.1%
6	5 or more days	201	18.3%
Sysmiss		52	

## Q52: Time spent sitting on usual day

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1128 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	283	25.1%
2	1 to 2 hours per day	343	30.4%
3	3 to 4 hours per day	285	25.3%
4	5 to 6 hours per day	110	9.8%
5	7 to 8 hours per day	39	3.5%
6	More than 8 hours per day	68	6%
Sysmiss		23	

## Q53: Miss school no permission past 30 days

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1124 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

### CATEGORIES

Value	Category	Cases	
1	0 days	739	65.7%
2	1 or 2 days	225	20%
3	3 to 5 days	80	7.1%
4	6 to 9 days	24	2.1%
5	10 or more days	56	5%
Sysmiss		27	

**Q54: Others helpful in school past 30 days****Data file: ARG2012\_Salta\_Public\_Use****Overview**

Valid: 1115 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

## CATEGORIES

Value	Category	Cases	
1	Never	90	8.1%
2	Rarely	229	20.5%
3	Sometimes	292	26.2%
4	Most of the time	289	25.9%
5	Always	215	19.3%
Sysmiss		36	

**Q55: Parents check homework past 30 days****Data file: ARG2012\_Salta\_Public\_Use****Overview**

Valid: 1124 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

## CATEGORIES

Value	Category	Cases	
1	Never	343	30.5%
2	Rarely	246	21.9%
3	Sometimes	184	16.4%
4	Most of the time	164	14.6%
5	Always	187	16.6%



Sysmiss		27	
---------	--	----	--

## Q56: Parent understand troubles past 30 days

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1124 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

#### CATEGORIES

Value	Category	Cases	
1	Never	237	21.1%
2	Rarely	212	18.9%
3	Sometimes	252	22.4%
4	Most of the time	182	16.2%
5	Always	241	21.4%
Sysmiss		27	

## Q57: Parent know what you do past 30 days

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1110 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	221	19.9%
2	Rarely	204	18.4%

3	Sometimes	194	17.5%
4	Most of the time	213	19.2%
5	Always	278	25%
Sysmiss		41	

### Q58: Parent go through things past 30 days

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 1118 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

##### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

##### CATEGORIES

Value	Category	Cases	
1		467	41.8%
2		262	23.4%
3		188	16.8%
4		100	8.9%
5		101	9%
Sysmiss		33	

### QN6: Went hungry most of time/always past 30 days

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 1133 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	62	5.5%
2	No	1071	94.5%
Sysmiss		18	

**QN7: Ate fruit 2+ times per day past 30 days****Data file:** ARG2012\_Salta\_Public\_Use**Overview**

Valid: 1139 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	467	41%
2	No	672	59%
Sysmiss		12	

**QN8: Ate vegetables 3+ times per day past 30 day****Data file:** ARG2012\_Salta\_Public\_Use**Overview**

Valid: 1139 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	203	17.8%
2	No	936	82.2%
Sysmiss		12	

**QN9: Drank soft drinks 1+ times per day past 30 day****Data file: ARG2012\_Salta\_Public\_Use****Overview**

Valid: 1143 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	784	68.6%
2	No	359	31.4%
Sysmiss		8	

**QN10: Ate fast food 3+ days past 7 day****Data file: ARG2012\_Salta\_Public\_Use****Overview**

Valid: 1141 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

## CATEGORIES

Value	Category	Cases	
1	Yes	74	6.5%
2	No	1067	93.5%
Sysmiss		10	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: ARG2012\_Salta\_Public\_Use****Overview**

Valid: 1143 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	67	5.9%
2	No	1076	94.1%
Sysmiss		8	

## QN12: Never/rarely wash hands before eating past 30 days

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1139 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	108	9.5%
2	No	1031	90.5%
Sysmiss		12	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1144 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	42	3.7%
2	No	1102	96.3%
Sysmiss		7	

### QN14: Never/rarely use soap on hands past 30 days

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 1143 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	111	9.7%
2	No	1032	90.3%
Sysmiss		8	

### QN15: Attacked 1+ times past 12 months

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 1138 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	350	30.8%
2	No	788	69.2%
Sysmiss		13	

**QN16: In fight 1+ times past 12 months****Data file:** ARG2012\_Salta\_Public\_Use**Overview**

Valid: 1147 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	460	40.1%
2	No	687	59.9%
Sysmiss		4	

**QN17: Seriously injured 1+ times past 12 months****Data file:** ARG2012\_Salta\_Public\_Use**Overview**

Valid: 982 Invalid: 169

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	367	37.4%
2	No	615	62.6%
Sysmiss		169	

**QN18: Broken bone as most serious injury****Data file:** ARG2012\_Salta\_Public\_Use**Overview**

Valid: 277 Invalid: 874

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

### CATEGORIES

Value	Category	Cases	
1	Yes	56	20.2%
2	No	221	79.8%
Sysmiss		874	

## QN19: Motor vehicle caused most serious injury

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 295 Invalid: 856

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	21	7.1%
2	No	274	92.9%
Sysmiss		856	

## QN20: Bullied 1+ of past 30 days

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1096 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES



Value	Category	Cases	
1	Yes	350	31.9%
2	No	746	68.1%
Sysmiss		55	

### QN21: Of students bullied, most often hit, kicked, etc

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 282 Invalid: 869

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

##### CATEGORIES

Value	Category	Cases	
1	Yes	27	9.6%
2	No	255	90.4%
Sysmiss		869	

### QN22: Lonely most times/always past 12 months

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 1130 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	167	14.8%
2	No	963	85.2%
Sysmiss		21	

**QN23: Worry prevented sleep most time/always past 12 mos****Data file: ARG2012\_Salta\_Public\_Use****Overview**

Valid: 1149 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	124	10.8%
2	No	1025	89.2%
Sysmiss		2	

**QN24: Considered suicide past 12 months****Data file: ARG2012\_Salta\_Public\_Use****Overview**

Valid: 1129 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	304	26.9%
2	No	825	73.1%
Sysmiss		22	

**QN25: Made suicide plan past 12 months****Data file: ARG2012\_Salta\_Public\_Use****Overview**

Valid: 1140 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	260	22.8%
2	No	880	77.2%
Sysmiss		11	

### QN26: 1+ times attempt suicide 12 mos.

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1142 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	239	20.9%
2	No	903	79.1%
Sysmiss		9	

### QN27: No close friends

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1124 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	64	5.7%
2	No	1060	94.3%
Sysmiss		27	

**QN28: Age first cigarette before 14****Data file:** ARG2012\_Salta\_Public\_Use**Overview**

Valid: 652    Invalid: 499

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	450	69%
2	No	202	31%
Sysmiss		499	

**QN29: Smoked cigarettes 1+ of past 30 days****Data file:** ARG2012\_Salta\_Public\_Use**Overview**

Valid: 1139    Invalid: 12

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	382	33.5%
2	No	757	66.5%
Sysmiss		12	

**QN30: Used other tobacco 1+ of past 30 days****Data file:** ARG2012\_Salta\_Public\_Use**Overview**

Valid: 1141 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	115	10.1%
2	No	1026	89.9%
Sysmiss		10	

**QN31: Tried to quit smoking past 12 months****Data file:** ARG2012\_Salta\_Public\_Use**Overview**

Valid: 364 Invalid: 787

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	252	69.2%
2	No	112	30.8%
Sysmiss		787	

**QN32: Others present smoking 1+ of past 7 days****Data file:** ARG2012\_Salta\_Public\_Use**Overview**

Valid: 1139 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	877	77%
2	No	262	23%
Sysmiss		12	

## QN33: Either/Both parents use tobacco

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1142 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	342	29.9%
2	No	800	70.1%
Sysmiss		9	

## QN34: Age first alcohol before 14

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 722 Invalid: 429

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	455	63%
2	No	267	37%
Sysmiss		429	

**QN35: Drank 1+ days past 30 days****Data file:** ARG2012\_Salta\_Public\_Use**Overview**

Valid: 1092 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	512	46.9%
2	No	580	53.1%
Sysmiss		59	

**QN36: Of current drinkers, drank 2+ drinks/day 30 days****Data file:** ARG2012\_Salta\_Public\_Use**Overview**

Valid: 563 Invalid: 588

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

## CATEGORIES

Value	Category	Cases	
1	Yes	357	63.4%
2	No	206	36.6%
Sysmiss		588	

**QN37: Of current drinkers, got alcohol from friends****Data file:** ARG2012\_Salta\_Public\_Use**Overview**

Valid: 525    Invalid: 626

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

## CATEGORIES

Value	Category	Cases	
1	Yes	228	43.4%
2	No	297	56.6%
Sysmiss		626	

**QN38: 1+ times drunk in lifetime****Data file:** ARG2012\_Salta\_Public\_Use**Overview**

Valid: 1125    Invalid: 26

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	362	32.2%
2	No	763	67.8%
Sysmiss		26	

**QN39: Alcohol trouble 1+ times in lifetime****Data file:** ARG2012\_Salta\_Public\_Use**Overview**

Valid: 1102    Invalid: 49

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

### CATEGORIES

Value	Category	Cases	
1	Yes	274	24.9%
2	No	828	75.1%
Sysmiss		49	

## QN40: Age first drugs before 14

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 160 Invalid: 991

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
1	Yes	85	53.1%
2	No	75	46.9%
Sysmiss		991	

## QN41: Marijuana 1+ times in lifetime

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1109 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	153	13.8%
2	No	956	86.2%
Sysmiss		42	

**QN42: Marijuana 1+ times p 30 days****Data file:** ARG2012\_Salta\_Public\_Use**Overview**

Valid: 1134 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	107	9.4%
2	No	1027	90.6%
Sysmiss		17	

**QN43: Amphetamines 1+ times lifetime****Data file:** ARG2012\_Salta\_Public\_Use**Overview**

Valid: 1135 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	28	2.5%
2	No	1107	97.5%
Sysmiss		16	

**QN44: Ever had sex****Data file:** ARG2012\_Salta\_Public\_Use**Overview**

Valid: 1099    Invalid: 52

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	454	41.3%
2	No	645	58.7%
Sysmiss		52	

**QN45: Age first sexual intercourse before 14****Data file:** ARG2012\_Salta\_Public\_Use**Overview**

Valid: 401    Invalid: 750

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	164	40.9%
2	No	237	59.1%
Sysmiss		750	

**QN46: 2+ sex partners lifetime****Data file:** ARG2012\_Salta\_Public\_Use**Overview**

Valid: 1119    Invalid: 32

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	202	18.1%
2	No	917	81.9%
Sysmiss		32	

## QN47: Used condom at last sex

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 395 Invalid: 756

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	265	67.1%
2	No	130	32.9%
Sysmiss		756	

## QN48: Used birth control at last sex

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 397 Invalid: 754

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	185	46.6%
2	No	212	53.4%
Sysmiss		754	

### QN49: Active 60+ mins/day for 5+ of past 7 days

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 1132 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	318	28.1%
2	No	814	71.9%
Sysmiss		19	

### QN50: Walk/Bike to/from school 0 of past 7 days

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 1127 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	388	34.4%
2	No	739	65.6%
Sysmiss		24	

**QN51: 3+ days PE each week****Data file:** ARG2012\_Salta\_Public\_Use**Overview**

Valid: 1099 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	246	22.4%
2	No	853	77.6%
Sysmiss		52	

**QN52: Sitting activities 3+ hours/day of usual day****Data file:** ARG2012\_Salta\_Public\_Use**Overview**

Valid: 1128 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

## CATEGORIES

Value	Category	Cases	
1	Yes	502	44.5%
2	No	626	55.5%
Sysmiss		23	

**QN53: Miss school no permission 1+ of past 30 days****Data file:** ARG2012\_Salta\_Public\_Use**Overview**

Valid: 1124 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	385	34.3%
2	No	739	65.7%
Sysmiss		27	

### QN54: Students most/always kind 30 days

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 1115 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	504	45.2%
2	No	611	54.8%
Sysmiss		36	

### QN55: Parents most/always check homework

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 1124 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	351	31.2%
2	No	773	68.8%
Sysmiss		27	

## QN56: Parents most/always understand problems

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1124 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	423	37.6%
2	No	701	62.4%
Sysmiss		27	

## QN57: Parents most/always know about free time

Data file: ARG2012\_Salta\_Public\_Use

### Overview

Valid: 1110 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	491	44.2%
2	No	619	55.8%
Sysmiss		41	



**QN58: Parents never/rarely go thru things****Data file:** ARG2012\_Salta\_Public\_Use**Overview**

Valid: 1118 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	729	65.2%
2	No	389	34.8%
Sysmiss		33	

**QNOWTG: Overweight****Data file:** ARG2012\_Salta\_Public\_Use**Overview**

Valid: 740 Invalid: 411

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

**CATEGORIES**

Value	Category	Cases	
1	Yes	175	23.6%
2	No	565	76.4%
Sysmiss		411	

**QNOBESEG: Obese****Data file:** ARG2012\_Salta\_Public\_Use**Overview**

Valid: 740 Invalid: 411

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were obese (&gt;+2SD from median for BMI by age and sex)

## CATEGORIES

Value	Category	Cases	
1	Yes	36	4.9%
2	No	704	95.1%
Sysmiss		411	

**QNUNWTG: Underweight**

Data file: ARG2012\_Salta\_Public\_Use

**Overview**

Valid: 740    Invalid: 411

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were underweight (&lt;-2SD from median for BMI by age and sex)

## CATEGORIES

Value	Category	Cases	
1	Yes	27	3.6%
2	No	713	96.4%
Sysmiss		411	

**QNFRVGG: Ate 5+ fruits/vegetables 30 days**

Data file: ARG2012\_Salta\_Public\_Use

**Overview**

Valid: 1131    Invalid: 20

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	258	22.8%
2	No	873	77.2%
Sysmiss		20	

### QNANYTBG: Used any tobacco past 30 days

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 1134 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	387	34.1%
2	No	747	65.9%
Sysmiss		17	

### QNPA7G: Physically active all past 7 days

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 1132 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	204	18%
2	No	928	82%
Sysmiss		19	

**QNPE5G: Attended PE 5+ days each week****Data file: ARG2012\_Salta\_Public\_Use****Overview**

Valid: 1099 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	201	18.3%
2	No	898	81.7%
Sysmiss		52	

**QNC1G: Among heavy drinkers, ever sex****Data file: ARG2012\_Salta\_Public\_Use****Overview**

Valid: 347 Invalid: 804

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	216	62.2%
2	No	131	37.8%
Sysmiss		804	

**QNC2G: Among those worried, currently bullied****Data file: ARG2012\_Salta\_Public\_Use****Overview**

Valid: 107 Invalid: 1044

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	59	55.1%
2	No	48	44.9%
Sysmiss		1044	

### WEIGHT: Weight

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 1151 Invalid: 0 Minimum: 20.363 Maximum: 79.935 Mean: 34.341 Standard deviation: 12.047  
Type: Continuous Decimal: 0 Width: 10 Range: 3.2196 - 1361.2246 Format: Numeric

### STRATUM: Stratum

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 1151 Invalid: 0 Minimum: 201217001 Maximum: 201217012 Mean: 201217006.895 Standard deviation: 19.613  
Type: Continuous Decimal: 0 Width: 9 Range: 201201001 - 201224012 Format: Numeric

### PSU: Primary Sampling Unit

Data file: ARG2012\_Salta\_Public\_Use

#### Overview

Valid: 1151 Invalid: 0 Minimum: 1 Maximum: 24 Mean: 13.26 Standard deviation: 7.04  
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 36 Format: Numeric

**Q1: How old are you****Data file: ARG2012\_SanJuan\_Public\_Use****Overview**

Valid: 1207 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	6	0.5%
2	12 years old	35	2.9%
3	13 years old	239	19.8%
4	14 years old	380	31.5%
5	15 years old	263	21.8%
6	16 years old or older	284	23.5%
Sysmiss		3	

**Q2: Sex****Data file: ARG2012\_SanJuan\_Public\_Use****Overview**

Valid: 1191 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	620	52.1%
2	Female	571	47.9%
Sysmiss		19	

**Q3: In what grade are you****Data file: ARG2012\_SanJuan\_Public\_Use**

## Overview

Valid: 1167   Invalid: 43  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

### CATEGORIES

Value	Category	Cases	
1	8th EGB	213	18.3%
2	9th EGB	485	41.6%
3	1st Pol	469	40.2%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		43	

## Q4: How tall are you

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 763   Invalid: 447   Minimum: 1.3   Maximum: 1.9   Mean: 1.638   Standard deviation: 0.102  
 Type: Continuous   Decimal: 2   Width: 5   Range: 1.2 - 2   Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q5: How much do you weigh

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 763   Invalid: 447   Minimum: 32   Maximum: 175   Mean: 57.772   Standard deviation: 11.951  
 Type: Continuous   Decimal: 2   Width: 5   Range: 30 - 180   Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days**

**Data file:** ARG2012\_SanJuan\_Public\_Use

**Overview**

Valid: 1203 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	742	61.7%
2	Rarely	272	22.6%
3	Sometimes	156	13%
4	Most of the time	14	1.2%
5	Always	19	1.6%
Sysmiss		7	

**Q7: Eat fruit per day past 30 days**

**Data file:** ARG2012\_SanJuan\_Public\_Use

**Overview**

Valid: 1208 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	181	15%



2	Less than one time per day	233	19.3%
3	1 time per day	368	30.5%
4	2 times per day	240	19.9%
5	3 times per day	94	7.8%
6	4 times per day	37	3.1%
7	5 or more times per day	55	4.6%
Sysmiss		2	

## Q8: Eat vegetables past 30 days

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1206 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	66	5.5%
2	Less than one time per day	203	16.8%
3	1 time per day	481	39.9%
4	2 times per day	320	26.5%
5	3 times per day	46	3.8%
6	4 times per day	24	2%
7	5 or more times per day	66	5.5%
Sysmiss		4	

## Q9: Drink soft drinks past 30 days

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1205 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	77	6.4%
2	Less than one time per day	312	25.9%
3	1 time per day	272	22.6%
4	2 times per day	241	20%
5	3 times per day	136	11.3%
6	4 times per day	53	4.4%
7	5 or more times per day	114	9.5%
Sysmiss		5	

## Q10: Ate fast food past 7 days

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1209 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	890	73.6%
2	1 day	179	14.8%
3	2 days	73	6%
4	3 days	30	2.5%
5	4 days	12	1%
6	5 days	8	0.7%
7	6 days	2	0.2%

8	7 days	15	1.2%
Sysmiss		1	

## Q11: How many times per day brush teeth

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1207 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	33	2.7%
2	Less than 1 time per day	73	6%
3	1 time per day	201	16.7%
4	2 times per day	395	32.7%
5	3 times per day	358	29.7%
6	4 or more times per day	147	12.2%
Sysmiss		3	

## Q12: Wash hands before eating past 30 days

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1207 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	16	1.3%
2	Rarely	67	5.6%
3	Sometimes	154	12.8%
4	Most of the time	333	27.6%
5	Always	637	52.8%
Sysmiss		3	

### Q13: Wash hands after toilet past 30 day

Data file: ARG2012\_SanJuan\_Public\_Use

#### Overview

Valid: 1204 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	16	1.3%
2	Rarely	31	2.6%
3	Sometimes	101	8.4%
4	Most of the time	203	16.9%
5	Always	853	70.8%
Sysmiss		6	

### Q14: Used soap on hands past 30 days

Data file: ARG2012\_SanJuan\_Public\_Use

#### Overview

Valid: 1198 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

#### CATEGORIES

Value	Category	Cases	
1	Never	15	1.3%
2	Rarely	49	4.1%
3	Sometimes	137	11.4%
4	Most of the time	266	22.2%
5	Always	731	61%
Sysmiss		12	

### Q15: Times attacked past 12 mo.

Data file: ARG2012\_SanJuan\_Public\_Use

#### Overview

Valid: 1200 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

#### CATEGORIES

Value	Category	Cases	
1	0 times	872	72.7%
2	1 time	144	12%
3	2 or 3 times	92	7.7%
4	4 or 5 times	21	1.8%
5	6 or 7 times	15	1.3%
6	8 or 9 times	8	0.7%
7	10 or 11 times	5	0.4%
8	12 or more times	43	3.6%
Sysmiss		10	

### Q16: How many times in fight 12 mos

Data file: ARG2012\_SanJuan\_Public\_Use

## Overview

Valid: 1209 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	764	63.2%
2	1 time	190	15.7%
3	2 or 3 times	131	10.8%
4	4 or 5 times	36	3%
5	6 or 7 times	24	2%
6	8 or 9 times	11	0.9%
7	10 or 11 times	6	0.5%
8	12 or more times	47	3.9%
Sysmiss		1	

## Q17: How many times injured past 12 months

Data file: ARG2012\_SanJuan\_Public\_Use

## Overview

Valid: 1064 Invalid: 146

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	681	64%
2	1 time	246	23.1%
3	2 or 3 times	100	9.4%

4	4 or 5 times	12	1.1%
5	6 or 7 times	5	0.5%
6	8 or 9 times	2	0.2%
7	10 or 11 times	2	0.2%
8	12 or more times	16	1.5%
Sysmiss		146	

### Q18: What was serious injury past 12 mo.

Data file: ARG2012\_SanJuan\_Public\_Use

#### Overview

Valid: 1109 Invalid: 101

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	797	71.9%
2	Broken bone/dislocated joint	82	7.4%
3	I had a cut or stab wound	29	2.6%
4	Concussion/head injury	26	2.3%
5	I had a gunshot wound	3	0.3%
6	I had a bad burn	11	1%
7	I was poisoned	8	0.7%
8	Something else happened to me	153	13.8%
Sysmiss		101	

### Q19: Cause of injury past 12 mo.

Data file: ARG2012\_SanJuan\_Public\_Use

#### Overview

Valid: 1084 Invalid: 126

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	772	71.2%
2	Motor vehicle accident	26	2.4%
3	I fell	127	11.7%
4	Something fell on me or hit me	19	1.8%
5	I was attacked	25	2.3%
6	Was in a fire	2	0.2%
7	breathed something bad	5	0.5%
8	Something else	108	10%
Sysmiss		126	

## Q20: How many days bullied past 30 days

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1161 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	823	70.9%
2	1 or 2 days	203	17.5%
3	3 to 5 days	44	3.8%
4	6 to 9 days	29	2.5%
5	10 to 19 days	19	1.6%



6	20 to 29 days	9	0.8%
7	All 30 days	34	2.9%
Sysmiss		49	

## Q21: How bullied past 30 days

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1158 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	882	76.2%
2	Kicked, pushed, or shoved	18	1.6%
3	Made fun of race	17	1.5%
4	Made fun because of religion	10	0.9%
5	Made fun of about sex	37	3.2%
6	Left out of activities	16	1.4%
7	Made fun of about body	77	6.6%
8	Some other way	101	8.7%
Sysmiss		52	

## Q22: Times felt lonely past 12 mo.

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1191 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	490	41.1%
2	Rarely	310	26%
3	Sometimes	269	22.6%
4	Most of the time	84	7.1%
5	Always	38	3.2%
Sysmiss		19	

### Q23: Times could not sleep past 12 mo.

Data file: ARG2012\_SanJuan\_Public\_Use

#### Overview

Valid: 1207 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	403	33.4%
2	Rarely	364	30.2%
3	Sometimes	316	26.2%
4	Most of the time	99	8.2%
5	Always	25	2.1%
Sysmiss		3	

### Q24: Ever considered suicide 12 mos

Data file: ARG2012\_SanJuan\_Public\_Use

#### Overview

Valid: 1194 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	208	17.4%
2	No	986	82.6%
Sysmiss		16	

## Q25: Ever make suicide plan 12 mos

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1200 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	158	13.2%
2	No	1042	86.8%
Sysmiss		10	

## Q26: Times attempted suicide 12 mos.

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1200 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1010	84.2%
2	1 time	118	9.8%
3	2 or 3 times	42	3.5%
4	4 or 5 times	14	1.2%
5	6 or more times	16	1.3%
Sysmiss		10	

### Q27: Number close friends

Data file: ARG2012\_SanJuan\_Public\_Use

#### Overview

Valid: 1186 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	54	4.6%
2	1	100	8.4%
3	2	160	13.5%
4	3 or more	872	73.5%
Sysmiss		24	

### Q28: Age first tried cigarette

Data file: ARG2012\_SanJuan\_Public\_Use

#### Overview

Valid: 1179 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	574	48.7%
2	7 years old or younger	31	2.6%
3	8 or 9 years old	37	3.1%
4	10 or 11 years old	115	9.8%
5	12 or 13 years old	250	21.2%
6	14 or 15 years old	153	13%
7	16 years old or older	19	1.6%
Sysmiss		31	

## Q29: How many days smoked 30 days

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1197 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	850	71%
2	1 or 2 days	114	9.5%
3	3 to 5 days	52	4.3%
4	6 to 9 days	26	2.2%
5	10 to 19 days	36	3%
6	20 to 29 days	19	1.6%
7	All 30 days	100	8.4%
Sysmiss		13	

**Q30: Other tobacco past 30 days****Data file: ARG2012\_SanJuan\_Public\_Use****Overview**

Valid: 1205 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	1143	94.9%
2	1 or 2 days	34	2.8%
3	3 to 5 days	13	1.1%
4	6 to 9 days	5	0.4%
5	10 to 19 days	3	0.2%
6	20 to 29 days	1	0.1%
7	All 30 days	6	0.5%
Sysmiss		5	

**Q31: Try stop smoking past 12 mo.****Data file: ARG2012\_SanJuan\_Public\_Use****Overview**

Valid: 1186 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

## CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	684	57.7%
2	Did not smoke cigarettes	153	12.9%
3	Yes	277	23.4%
4	No	72	6.1%
Sysmiss		24	

### Q32: Others present smoking past 7 days

Data file: ARG2012\_SanJuan\_Public\_Use

#### Overview

Valid: 1205 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	224	18.6%
2	1 or 2 days	294	24.4%
3	3 or 4 days	149	12.4%
4	5 or 6 days	97	8%
5	All 7 days	441	36.6%
Sysmiss		5	

### Q33: Parents who use tobacco

Data file: ARG2012\_SanJuan\_Public\_Use

#### Overview

Valid: 1205 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	660	54.8%
2	My father or male guardian	264	21.9%
3	My mother or female guardian	124	10.3%
4	Both	125	10.4%
5	I do not know	32	2.7%
Sysmiss		5	

**Q34: Age first drink alcohol****Data file: ARG2012\_SanJuan\_Public\_Use****Overview**

Valid: 1122 Invalid: 88

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

## CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	284	25.3%
2	7 years old or younger	59	5.3%
3	8 or 9 years old	40	3.6%
4	10 or 11 years old	145	12.9%
5	12 or 13 years old	318	28.3%
6	14 or 15 years old	233	20.8%
7	16 years old or older	43	3.8%
Sysmiss		88	

**Q35: Days one drink or more past 30 days****Data file: ARG2012\_SanJuan\_Public\_Use****Overview**

Valid: 1164 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

### CATEGORIES

Value	Category	Cases	
1	0 days	537	46.1%
2	1 or 2 days	301	25.9%
3	3 to 5 days	118	10.1%
4	6 to 9 days	69	5.9%
5	10 to 19 days	77	6.6%
6	20 to 29 days	28	2.4%
7	All 30 days	34	2.9%
Sysmiss		46	

## Q36: Number of drinks past 30 days

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1177 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	487	41.4%
2	Less than one drink	155	13.2%
3	1 drink	83	7.1%
4	2 drinks	85	7.2%
5	3 drinks	94	8%
6	4 drinks	49	4.2%

7	5 or more drinks	224	19%
Sysmiss		33	

### Q37: How got drinks past 30 days

Data file: ARG2012\_SanJuan\_Public\_Use

#### Overview

Valid: 1158 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

##### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	538	46.5%
2	I bought in a store	168	14.5%
3	I gave someone money to buy	29	2.5%
4	I got it from my friends	246	21.2%
5	I got it from my family	53	4.6%
6	I stole it	3	0.3%
7	Some other way	121	10.4%
Sysmiss		52	

### Q38: Times drunk during life

Data file: ARG2012\_SanJuan\_Public\_Use

#### Overview

Valid: 1191 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	826	69.4%
2	1 or 2 times	232	19.5%
3	3 to 9 times	73	6.1%
4	10 or more times	60	5%
Sysmiss		19	

### Q39: Number of troubles as result of drinking

Data file: ARG2012\_SanJuan\_Public\_Use

#### Overview

Valid: 1183 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	934	79%
2	1 or 2 times	163	13.8%
3	3 to 9 times	49	4.1%
4	10 or more times	37	3.1%
Sysmiss		27	

### Q40: Age first drugs

Data file: ARG2012\_SanJuan\_Public\_Use

#### Overview

Valid: 1186 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

How old were you when you first used drugs?

### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1046	88.2%
2	7 years old or younger	14	1.2%
3	8 or 9 years old	9	0.8%
4	10 or 11 years old	7	0.6%
5	12 or 13 years old	41	3.5%
6	14 or 15 years old	50	4.2%
7	16 years old or older	19	1.6%
Sysmiss		24	

## Q41: Times used marijuana lifetime

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1186 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	1069	90.1%
2	1 or 2 times	45	3.8%
3	3 to 9 times	31	2.6%
4	10 to 19 times	18	1.5%
5	20 or more times	23	1.9%
Sysmiss		24	

**Q42: Times used marijuana past 30 days****Data file: ARG2012\_SanJuan\_Public\_Use****Overview**

Valid: 1200 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1120	93.3%
2	1 or 2 times	35	2.9%
3	3 to 9 times	24	2%
4	10 to 19 times	14	1.2%
5	20 or more times	7	0.6%
Sysmiss		10	

**Q43: Times used amphetamines lifetime****Data file: ARG2012\_SanJuan\_Public\_Use****Overview**

Valid: 1199 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1176	98.1%

2	1 or 2 times	12	1%
3	3 to 9 times	2	0.2%
4	10 to 19 times	2	0.2%
5	20 or more times	7	0.6%
Sysmiss		11	

**Q44: Ever had sex****Data file: ARG2012\_SanJuan\_Public\_Use****Overview**

Valid: 1160 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

Have you ever had sexual intercourse?

## CATEGORIES

Value	Category	Cases	
1	Yes	485	41.8%
2	No	675	58.2%
Sysmiss		50	

**Q45: Age first sexual intercourse****Data file: ARG2012\_SanJuan\_Public\_Use****Overview**

Valid: 1177 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	749	63.6%

2	11 years old or younger	51	4.3%
3	12 years old	56	4.8%
4	13 years old	68	5.8%
5	14 years old	113	9.6%
6	15 years old	89	7.6%
7	16 years old or older	51	4.3%
Sysmiss		33	

## Q46: How many sex partners

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1192 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	771	64.7%
2	1 person	214	18%
3	2 people	77	6.5%
4	3 people	55	4.6%
5	4 people	26	2.2%
6	5 people	12	1%
7	6 or more people	37	3.1%
Sysmiss		18	

## Q47: Used condom at last intercourse

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1187 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	762	64.2%
2	Yes	304	25.6%
3	No	121	10.2%
Sysmiss		23	

## Q48: Used birth control last intercourse

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1189 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	768	64.6%
2	Yes	169	14.2%
3	No	180	15.1%
4	I do not know	72	6.1%
Sysmiss		21	

## Q49: Days active 60 min plus past 7 days

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1209 Invalid: 1



Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

### CATEGORIES

Value	Category	Cases	
1	0 days	235	19.4%
2	1 day	197	16.3%
3	2 days	231	19.1%
4	3 days	137	11.3%
5	4 days	81	6.7%
6	5 days	99	8.2%
7	6 days	35	2.9%
8	7 days	194	16%
Sysmiss		1	

## Q50: Walk or bike to school past 7 days

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1200    Invalid: 10

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

### CATEGORIES

Value	Category	Cases	
1	0 days	425	35.4%
2	1 day	88	7.3%
3	2 days	65	5.4%

4	3 days	55	4.6%
5	4 days	35	2.9%
6	5 days	137	11.4%
7	6 days	15	1.3%
8	7 days	380	31.7%
Sysmiss		10	

## Q51: Days went to PE each week

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1178 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

#### CATEGORIES

Value	Category	Cases	
1	0 days	90	7.6%
2	1 day	313	26.6%
3	2 days	463	39.3%
4	3 days	41	3.5%
5	4 days	16	1.4%
6	5 or more days	255	21.6%
Sysmiss		32	

## Q52: Time spent sitting on usual day

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1208 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	320	26.5%
2	1 to 2 hours per day	383	31.7%
3	3 to 4 hours per day	275	22.8%
4	5 to 6 hours per day	113	9.4%
5	7 to 8 hours per day	38	3.1%
6	More than 8 hours per day	79	6.5%
Sysmiss		2	

## Q53: Miss school no permission past 30 days

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1203 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

### CATEGORIES

Value	Category	Cases	
1	0 days	715	59.4%
2	1 or 2 days	258	21.4%
3	3 to 5 days	124	10.3%
4	6 to 9 days	38	3.2%
5	10 or more days	68	5.7%
Sysmiss		7	

**Q54: Others helpful in school past 30 days****Data file: ARG2012\_SanJuan\_Public\_Use****Overview**

Valid: 1198 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

## CATEGORIES

Value	Category	Cases	
1	Never	117	9.8%
2	Rarely	230	19.2%
3	Sometimes	306	25.5%
4	Most of the time	300	25%
5	Always	245	20.5%
Sysmiss		12	

**Q55: Parents check homework past 30 days****Data file: ARG2012\_SanJuan\_Public\_Use****Overview**

Valid: 1205 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

## CATEGORIES

Value	Category	Cases	
1	Never	386	32%
2	Rarely	216	17.9%
3	Sometimes	219	18.2%
4	Most of the time	169	14%
5	Always	215	17.8%

Sysmiss		5	
---------	--	---	--

## Q56: Parent understand troubles past 30 days

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1203 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

#### CATEGORIES

Value	Category	Cases	
1	Never	215	17.9%
2	Rarely	204	17%
3	Sometimes	221	18.4%
4	Most of the time	197	16.4%
5	Always	366	30.4%
Sysmiss		7	

## Q57: Parent know what you do past 30 days

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1192 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	214	18%
2	Rarely	191	16%

3	Sometimes	193	16.2%
4	Most of the time	210	17.6%
5	Always	384	32.2%
Sysmiss		18	

### Q58: Parent go through things past 30 days

Data file: ARG2012\_SanJuan\_Public\_Use

#### Overview

Valid: 1200 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

##### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

##### CATEGORIES

Value	Category	Cases	
1		541	45.1%
2		271	22.6%
3		218	18.2%
4		85	7.1%
5		85	7.1%
Sysmiss		10	

### QN6: Went hungry most of time/always past 30 days

Data file: ARG2012\_SanJuan\_Public\_Use

#### Overview

Valid: 1203 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	33	2.7%
2	No	1170	97.3%
Sysmiss		7	

**QN7: Ate fruit 2+ times per day past 30 days****Data file:** ARG2012\_SanJuan\_Public\_Use**Overview**

Valid: 1208 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	426	35.3%
2	No	782	64.7%
Sysmiss		2	

**QN8: Ate vegetables 3+ times per day past 30 day****Data file:** ARG2012\_SanJuan\_Public\_Use**Overview**

Valid: 1206 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	136	11.3%
2	No	1070	88.7%
Sysmiss		4	

**QN9: Drank soft drinks 1+ times per day past 30 day****Data file: ARG2012\_SanJuan\_Public\_Use****Overview**

Valid: 1205 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	816	67.7%
2	No	389	32.3%
Sysmiss		5	

**QN10: Ate fast food 3+ days past 7 day****Data file: ARG2012\_SanJuan\_Public\_Use****Overview**

Valid: 1209 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

## CATEGORIES

Value	Category	Cases	
1	Yes	67	5.5%
2	No	1142	94.5%
Sysmiss		1	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: ARG2012\_SanJuan\_Public\_Use****Overview**

Valid: 1207 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	106	8.8%
2	No	1101	91.2%
Sysmiss		3	

## QN12: Never/rarely wash hands before eating past 30 days

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1207 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	83	6.9%
2	No	1124	93.1%
Sysmiss		3	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1204 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	47	3.9%
2	No	1157	96.1%
Sysmiss		6	

### QN14: Never/rarely use soap on hands past 30 days

Data file: ARG2012\_SanJuan\_Public\_Use

#### Overview

Valid: 1198 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	64	5.3%
2	No	1134	94.7%
Sysmiss		12	

### QN15: Attacked 1+ times past 12 months

Data file: ARG2012\_SanJuan\_Public\_Use

#### Overview

Valid: 1200 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	328	27.3%
2	No	872	72.7%
Sysmiss		10	

**QN16: In fight 1+ times past 12 months****Data file:** ARG2012\_SanJuan\_Public\_Use**Overview**

Valid: 1209    Invalid: 1

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	445	36.8%
2	No	764	63.2%
Sysmiss		1	

**QN17: Seriously injured 1+ times past 12 months****Data file:** ARG2012\_SanJuan\_Public\_Use**Overview**

Valid: 1064    Invalid: 146

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	383	36%
2	No	681	64%
Sysmiss		146	

**QN18: Broken bone as most serious injury****Data file:** ARG2012\_SanJuan\_Public\_Use**Overview**

Valid: 312    Invalid: 898

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

### CATEGORIES

Value	Category	Cases	
1	Yes	82	26.3%
2	No	230	73.7%
Sysmiss		898	

## QN19: Motor vehicle caused most serious injury

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 312 Invalid: 898

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	26	8.3%
2	No	286	91.7%
Sysmiss		898	

## QN20: Bullied 1+ of past 30 days

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1161 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	338	29.1%
2	No	823	70.9%
Sysmiss		49	

### QN21: Of students bullied, most often hit, kicked, etc

Data file: ARG2012\_SanJuan\_Public\_Use

#### Overview

Valid: 276 Invalid: 934

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

##### CATEGORIES

Value	Category	Cases	
1	Yes	18	6.5%
2	No	258	93.5%
Sysmiss		934	

### QN22: Lonely most times/always past 12 months

Data file: ARG2012\_SanJuan\_Public\_Use

#### Overview

Valid: 1191 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	122	10.2%
2	No	1069	89.8%
Sysmiss		19	

**QN23: Worry prevented sleep most time/always past 12 mos****Data file: ARG2012\_SanJuan\_Public\_Use****Overview**

Valid: 1207 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	124	10.3%
2	No	1083	89.7%
Sysmiss		3	

**QN24: Considered suicide past 12 months****Data file: ARG2012\_SanJuan\_Public\_Use****Overview**

Valid: 1194 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	208	17.4%
2	No	986	82.6%
Sysmiss		16	

**QN25: Made suicide plan past 12 months****Data file: ARG2012\_SanJuan\_Public\_Use****Overview**

Valid: 1200 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	158	13.2%
2	No	1042	86.8%
Sysmiss		10	

### QN26: 1+ times attempt suicide 12 mos.

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1200 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	190	15.8%
2	No	1010	84.2%
Sysmiss		10	

### QN27: No close friends

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1186 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	54	4.6%
2	No	1132	95.4%
Sysmiss		24	

**QN28: Age first cigarette before 14****Data file:** ARG2012\_SanJuan\_Public\_Use**Overview**

Valid: 605 Invalid: 605

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	433	71.6%
2	No	172	28.4%
Sysmiss		605	

**QN29: Smoked cigarettes 1+ of past 30 days****Data file:** ARG2012\_SanJuan\_Public\_Use**Overview**

Valid: 1197 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	347	29%
2	No	850	71%
Sysmiss		13	



**QN30: Used other tobacco 1+ of past 30 days****Data file:** ARG2012\_SanJuan\_Public\_Use**Overview**

Valid: 1205 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	62	5.1%
2	No	1143	94.9%
Sysmiss		5	

**QN31: Tried to quit smoking past 12 months****Data file:** ARG2012\_SanJuan\_Public\_Use**Overview**

Valid: 349 Invalid: 861

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	277	79.4%
2	No	72	20.6%
Sysmiss		861	

**QN32: Others present smoking 1+ of past 7 days****Data file:** ARG2012\_SanJuan\_Public\_Use**Overview**

Valid: 1205 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	981	81.4%
2	No	224	18.6%
Sysmiss		5	

## QN33: Either/Both parents use tobacco

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1205 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	513	42.6%
2	No	692	57.4%
Sysmiss		5	

## QN34: Age first alcohol before 14

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 838 Invalid: 372

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	562	67.1%
2	No	276	32.9%
Sysmiss		372	

**QN35: Drank 1+ days past 30 days****Data file:** ARG2012\_SanJuan\_Public\_Use**Overview**

Valid: 1164 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	627	53.9%
2	No	537	46.1%
Sysmiss		46	

**QN36: Of current drinkers, drank 2+ drinks/day 30 days****Data file:** ARG2012\_SanJuan\_Public\_Use**Overview**

Valid: 690 Invalid: 520

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

## CATEGORIES

Value	Category	Cases	
1	Yes	452	65.5%
2	No	238	34.5%
Sysmiss		520	

**QN37: Of current drinkers, got alcohol from friends****Data file: ARG2012\_SanJuan\_Public\_Use****Overview**

Valid: 620 Invalid: 590

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

## CATEGORIES

Value	Category	Cases	
1	Yes	246	39.7%
2	No	374	60.3%
Sysmiss		590	

**QN38: 1+ times drunk in lifetime****Data file: ARG2012\_SanJuan\_Public\_Use****Overview**

Valid: 1191 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	365	30.6%
2	No	826	69.4%
Sysmiss		19	

**QN39: Alcohol trouble 1+ times in lifetime****Data file: ARG2012\_SanJuan\_Public\_Use****Overview**

Valid: 1183 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

### CATEGORIES

Value	Category	Cases	
1	Yes	249	21%
2	No	934	79%
Sysmiss		27	

### QN40: Age first drugs before 14

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 140 Invalid: 1070

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
1	Yes	71	50.7%
2	No	69	49.3%
Sysmiss		1070	

### QN41: Marijuana 1+ times in lifetime

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1186 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	117	9.9%
2	No	1069	90.1%
Sysmiss		24	

**QN42: Marijuana 1+ times p 30 days****Data file:** ARG2012\_SanJuan\_Public\_Use**Overview**

Valid: 1200 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	80	6.7%
2	No	1120	93.3%
Sysmiss		10	

**QN43: Amphetamines 1+ times lifetime****Data file:** ARG2012\_SanJuan\_Public\_Use**Overview**

Valid: 1199 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	23	1.9%
2	No	1176	98.1%
Sysmiss		11	

**QN44: Ever had sex****Data file:** ARG2012\_SanJuan\_Public\_Use**Overview**

Valid: 1160 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	485	41.8%
2	No	675	58.2%
Sysmiss		50	

**QN45: Age first sexual intercourse before 14****Data file:** ARG2012\_SanJuan\_Public\_Use**Overview**

Valid: 428 Invalid: 782

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	175	40.9%
2	No	253	59.1%
Sysmiss		782	

**QN46: 2+ sex partners lifetime****Data file:** ARG2012\_SanJuan\_Public\_Use**Overview**

Valid: 1192 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	207	17.4%
2	No	985	82.6%
Sysmiss		18	

### QN47: Used condom at last sex

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 425 Invalid: 785

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	304	71.5%
2	No	121	28.5%
Sysmiss		785	

### QN48: Used birth control at last sex

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 421 Invalid: 789

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

### CATEGORIES



Value	Category	Cases	
1	Yes	169	40.1%
2	No	252	59.9%
Sysmiss		789	

### Q49: Active 60+ mins/day for 5+ of past 7 days

Data file: ARG2012\_SanJuan\_Public\_Use

#### Overview

Valid: 1209 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	328	27.1%
2	No	881	72.9%
Sysmiss		1	

### Q50: Walk/Bike to/from school 0 of past 7 days

Data file: ARG2012\_SanJuan\_Public\_Use

#### Overview

Valid: 1200 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	425	35.4%
2	No	775	64.6%
Sysmiss		10	

**QN51: 3+ days PE each week****Data file:** ARG2012\_SanJuan\_Public\_Use**Overview**

Valid: 1178    Invalid: 32

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	312	26.5%
2	No	866	73.5%
Sysmiss		32	

**QN52: Sitting activities 3+ hours/day of usual day****Data file:** ARG2012\_SanJuan\_Public\_Use**Overview**

Valid: 1208    Invalid: 2

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

## CATEGORIES

Value	Category	Cases	
1	Yes	505	41.8%
2	No	703	58.2%
Sysmiss		2	

**QN53: Miss school no permission 1+ of past 30 days****Data file:** ARG2012\_SanJuan\_Public\_Use**Overview**

Valid: 1203    Invalid: 7

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	488	40.6%
2	No	715	59.4%
Sysmiss		7	

### QN54: Students most/always kind 30 days

Data file: ARG2012\_SanJuan\_Public\_Use

#### Overview

Valid: 1198 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	545	45.5%
2	No	653	54.5%
Sysmiss		12	

### QN55: Parents most/always check homework

Data file: ARG2012\_SanJuan\_Public\_Use

#### Overview

Valid: 1205 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	384	31.9%
2	No	821	68.1%
Sysmiss		5	

## QN56: Parents most/always understand problems

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1203 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	563	46.8%
2	No	640	53.2%
Sysmiss		7	

## QN57: Parents most/always know about free time

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1192 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	594	49.8%
2	No	598	50.2%
Sysmiss		18	

**QN58: Parents never/rarely go thru things****Data file:** ARG2012\_SanJuan\_Public\_Use**Overview**

Valid: 1200 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	812	67.7%
2	No	388	32.3%
Sysmiss		10	

**QNOWTG: Overweight****Data file:** ARG2012\_SanJuan\_Public\_Use**Overview**

Valid: 763 Invalid: 447

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

**CATEGORIES**

Value	Category	Cases	
1	Yes	227	29.8%
2	No	536	70.2%
Sysmiss		447	

**QNOBESEG: Obese****Data file:** ARG2012\_SanJuan\_Public\_Use**Overview**

Valid: 763 Invalid: 447

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1	Yes	43	5.6%
2	No	720	94.4%
Sysmiss		447	

## QNUNWTG: Underweight

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 763    Invalid: 447

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1	Yes	21	2.8%
2	No	742	97.2%
Sysmiss		447	

## QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1205    Invalid: 5

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	197	16.3%
2	No	1008	83.7%
Sysmiss		5	

## QNANYTBG: Used any tobacco past 30 days

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1193 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	353	29.6%
2	No	840	70.4%
Sysmiss		17	

## QNPA7G: Physically active all past 7 days

Data file: ARG2012\_SanJuan\_Public\_Use

### Overview

Valid: 1209 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

#### CATEGORIES

Value	Category	Cases	
1	Yes	194	16%
2	No	1015	84%
Sysmiss		1	

**QNPE5G: Attended PE 5+ days each week****Data file:** ARG2012\_SanJuan\_Public\_Use**Overview**

Valid: 1178 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	255	21.6%
2	No	923	78.4%
Sysmiss		32	

**QNC1G: Among heavy drinkers, ever sex****Data file:** ARG2012\_SanJuan\_Public\_Use**Overview**

Valid: 350 Invalid: 860

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	225	64.3%
2	No	125	35.7%
Sysmiss		860	

**QNC2G: Among those worried, currently bullied****Data file:** ARG2012\_SanJuan\_Public\_Use**Overview**

Valid: 114 Invalid: 1096

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	56	49.1%
2	No	58	50.9%
Sysmiss		1096	

### WEIGHT: Weight

Data file: ARG2012\_SanJuan\_Public\_Use

#### Overview

Valid: 1210 Invalid: 0 Minimum: 7.318 Maximum: 54.985 Mean: 14.281 Standard deviation: 9.268  
Type: Continuous Decimal: 0 Width: 10 Range: 3.2196 - 1361.2246 Format: Numeric

### STRATUM: Stratum

Data file: ARG2012\_SanJuan\_Public\_Use

#### Overview

Valid: 1210 Invalid: 0 Minimum: 201218001 Maximum: 201218012 Mean: 201218006.706 Standard deviation: 19.994  
Type: Continuous Decimal: 0 Width: 9 Range: 201201001 - 201224012 Format: Numeric

### PSU: Primary Sampling Unit

Data file: ARG2012\_SanJuan\_Public\_Use

#### Overview

Valid: 1210 Invalid: 0 Minimum: 1 Maximum: 25 Mean: 12.908 Standard deviation: 6.663  
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 36 Format: Numeric

**Q1: How old are you****Data file: ARG2012\_SanLuis\_Public\_Use****Overview**

Valid: 1816 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	5	0.3%
2	12 years old	16	0.9%
3	13 years old	265	14.6%
4	14 years old	487	26.8%
5	15 years old	493	27.1%
6	16 years old or older	550	30.3%
Sysmiss		4	

**Q2: Sex****Data file: ARG2012\_SanLuis\_Public\_Use****Overview**

Valid: 1804 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	872	48.3%
2	Female	932	51.7%
Sysmiss		16	

**Q3: In what grade are you****Data file: ARG2012\_SanLuis\_Public\_Use**

## Overview

Valid: 1689 Invalid: 131  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

### CATEGORIES

Value	Category	Cases	
1	8th EGB	162	9.6%
2	9th EGB	710	42%
3	1st Pol	817	48.4%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		131	

## Q4: How tall are you

Data file: ARG2012\_SanLuis\_Public\_Use

## Overview

Valid: 1070 Invalid: 750 Minimum: 1.3 Maximum: 1.9 Mean: 1.646 Standard deviation: 0.0954  
 Type: Continuous Decimal: 2 Width: 5 Range: 1.2 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q5: How much do you weigh

Data file: ARG2012\_SanLuis\_Public\_Use

## Overview

Valid: 1070 Invalid: 750 Minimum: 34 Maximum: 180 Mean: 58.212 Standard deviation: 11.768  
 Type: Continuous Decimal: 2 Width: 5 Range: 30 - 180 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days**

Data file: ARG2012\_SanLuis\_Public\_Use

**Overview**

Valid: 1807 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	1096	60.7%
2	Rarely	414	22.9%
3	Sometimes	251	13.9%
4	Most of the time	35	1.9%
5	Always	11	0.6%
Sysmiss		13	

**Q7: Eat fruit per day past 30 days**

Data file: ARG2012\_SanLuis\_Public\_Use

**Overview**

Valid: 1811 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	244	13.5%

2	Less than one time per day	428	23.6%
3	1 time per day	525	29%
4	2 times per day	349	19.3%
5	3 times per day	155	8.6%
6	4 times per day	39	2.2%
7	5 or more times per day	71	3.9%
Sysmiss		9	

## Q8: Eat vegetables past 30 days

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1804 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	114	6.3%
2	Less than one time per day	316	17.5%
3	1 time per day	674	37.4%
4	2 times per day	480	26.6%
5	3 times per day	91	5%
6	4 times per day	36	2%
7	5 or more times per day	93	5.2%
Sysmiss		16	

## Q9: Drink soft drinks past 30 days

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1808 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	193	10.7%
2	Less than one time per day	498	27.5%
3	1 time per day	321	17.8%
4	2 times per day	274	15.2%
5	3 times per day	195	10.8%
6	4 times per day	105	5.8%
7	5 or more times per day	222	12.3%
Sysmiss		12	

## Q10: Ate fast food past 7 days

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1810 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	1343	74.2%
2	1 day	249	13.8%
3	2 days	108	6%
4	3 days	45	2.5%
5	4 days	24	1.3%
6	5 days	9	0.5%
7	6 days	8	0.4%

8	7 days	24	1.3%
Sysmiss		10	

### Q11: How many times per day brush teeth

Data file: ARG2012\_SanLuis\_Public\_Use

#### Overview

Valid: 1810 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

##### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	42	2.3%
2	Less than 1 time per day	124	6.9%
3	1 time per day	357	19.7%
4	2 times per day	600	33.1%
5	3 times per day	471	26%
6	4 or more times per day	216	11.9%
Sysmiss		10	

### Q12: Wash hands before eating past 30 days

Data file: ARG2012\_SanLuis\_Public\_Use

#### Overview

Valid: 1798 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	37	2.1%
2	Rarely	129	7.2%
3	Sometimes	313	17.4%
4	Most of the time	493	27.4%
5	Always	826	45.9%
Sysmiss		22	

### Q13: Wash hands after toilet past 30 day

Data file: ARG2012\_SanLuis\_Public\_Use

#### Overview

Valid: 1808 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	40	2.2%
2	Rarely	74	4.1%
3	Sometimes	175	9.7%
4	Most of the time	337	18.6%
5	Always	1182	65.4%
Sysmiss		12	

### Q14: Used soap on hands past 30 days

Data file: ARG2012\_SanLuis\_Public\_Use

#### Overview

Valid: 1801 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION



During the past 30 days, how often did you use soap when washing your hands?

#### CATEGORIES

Value	Category	Cases	
1	Never	29	1.6%
2	Rarely	69	3.8%
3	Sometimes	203	11.3%
4	Most of the time	422	23.4%
5	Always	1078	59.9%
Sysmiss		19	

### Q15: Times attacked past 12 mo.

Data file: ARG2012\_SanLuis\_Public\_Use

#### Overview

Valid: 1793 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1309	73%
2	1 time	198	11%
3	2 or 3 times	149	8.3%
4	4 or 5 times	35	2%
5	6 or 7 times	19	1.1%
6	8 or 9 times	22	1.2%
7	10 or 11 times	7	0.4%
8	12 or more times	54	3%
Sysmiss		27	

### Q16: How many times in fight 12 mos

Data file: ARG2012\_SanLuis\_Public\_Use

## Overview

Valid: 1816 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	1140	62.8%
2	1 time	285	15.7%
3	2 or 3 times	209	11.5%
4	4 or 5 times	75	4.1%
5	6 or 7 times	30	1.7%
6	8 or 9 times	20	1.1%
7	10 or 11 times	8	0.4%
8	12 or more times	49	2.7%
Sysmiss		4	

## Q17: How many times injured past 12 months

Data file: ARG2012\_SanLuis\_Public\_Use

## Overview

Valid: 1568 Invalid: 252

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	972	62%
2	1 time	376	24%
3	2 or 3 times	137	8.7%

4	4 or 5 times	40	2.6%
5	6 or 7 times	16	1%
6	8 or 9 times	10	0.6%
7	10 or 11 times	3	0.2%
8	12 or more times	14	0.9%
Sysmiss		252	

## Q18: What was serious injury past 12 mo.

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1628 Invalid: 192

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

#### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

#### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1155	70.9%
2	Broken bone/dislocated joint	90	5.5%
3	I had a cut or stab wound	37	2.3%
4	Concussion/head injury	35	2.1%
5	I had a gunshot wound	12	0.7%
6	I had a bad burn	7	0.4%
7	I was poisoned	6	0.4%
8	Something else happened to me	286	17.6%
Sysmiss		192	

## Q19: Cause of injury past 12 mo.

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1604 Invalid: 216

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1121	69.9%
2	Motor vehicle accident	32	2%
3	I fell	164	10.2%
4	Something fell on me or hit me	29	1.8%
5	I was attacked	37	2.3%
6	Was in a fire	4	0.2%
7	breathed something bad	7	0.4%
8	Something else	210	13.1%
Sysmiss		216	

## Q20: How many days bullied past 30 days

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1737 Invalid: 83

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	1226	70.6%
2	1 or 2 days	293	16.9%
3	3 to 5 days	95	5.5%
4	6 to 9 days	49	2.8%
5	10 to 19 days	23	1.3%

6	20 to 29 days	9	0.5%
7	All 30 days	42	2.4%
Sysmiss		83	

## Q21: How bullied past 30 days

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1722 Invalid: 98

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	1307	75.9%
2	Kicked, pushed, or shoved	34	2%
3	Made fun of race	18	1%
4	Made fun because of religion	10	0.6%
5	Made fun of about sex	78	4.5%
6	Left out of activities	21	1.2%
7	Made fun of about body	106	6.2%
8	Some other way	148	8.6%
Sysmiss		98	

## Q22: Times felt lonely past 12 mo.

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1786 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	598	33.5%
2	Rarely	519	29.1%
3	Sometimes	465	26%
4	Most of the time	138	7.7%
5	Always	66	3.7%
Sysmiss		34	

### Q23: Times could not sleep past 12 mo.

Data file: ARG2012\_SanLuis\_Public\_Use

#### Overview

Valid: 1806 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	583	32.3%
2	Rarely	584	32.3%
3	Sometimes	459	25.4%
4	Most of the time	137	7.6%
5	Always	43	2.4%
Sysmiss		14	

### Q24: Ever considered suicide 12 mos

Data file: ARG2012\_SanLuis\_Public\_Use

#### Overview

Valid: 1777 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	324	18.2%
2	No	1453	81.8%
Sysmiss		43	

## Q25: Ever make suicide plan 12 mos

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1794 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	288	16.1%
2	No	1506	83.9%
Sysmiss		26	

## Q26: Times attempted suicide 12 mos.

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1796 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1508	84%
2	1 time	171	9.5%
3	2 or 3 times	59	3.3%
4	4 or 5 times	30	1.7%
5	6 or more times	28	1.6%
Sysmiss		24	

### Q27: Number close friends

Data file: ARG2012\_SanLuis\_Public\_Use

#### Overview

Valid: 1778 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	70	3.9%
2	1	140	7.9%
3	2	274	15.4%
4	3 or more	1294	72.8%
Sysmiss		42	

### Q28: Age first tried cigarette

Data file: ARG2012\_SanLuis\_Public\_Use

#### Overview

Valid: 1788 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	932	52.1%
2	7 years old or younger	44	2.5%
3	8 or 9 years old	64	3.6%
4	10 or 11 years old	151	8.4%
5	12 or 13 years old	324	18.1%
6	14 or 15 years old	234	13.1%
7	16 years old or older	39	2.2%
Sysmiss		32	

## Q29: How many days smoked 30 days

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1801 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	1309	72.7%
2	1 or 2 days	170	9.4%
3	3 to 5 days	70	3.9%
4	6 to 9 days	53	2.9%
5	10 to 19 days	54	3%
6	20 to 29 days	46	2.6%
7	All 30 days	99	5.5%
Sysmiss		19	

**Q30: Other tobacco past 30 days****Data file: ARG2012\_SanLuis\_Public\_Use****Overview**

Valid: 1803 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

**CATEGORIES**

Value	Category	Cases	
1	0 days	1660	92.1%
2	1 or 2 days	74	4.1%
3	3 to 5 days	23	1.3%
4	6 to 9 days	10	0.6%
5	10 to 19 days	18	1%
6	20 to 29 days	6	0.3%
7	All 30 days	12	0.7%
Sysmiss		17	

**Q31: Try stop smoking past 12 mo.****Data file: ARG2012\_SanLuis\_Public\_Use****Overview**

Valid: 1794 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 12 months, have you ever tried to stop smoking cigarettes?

**CATEGORIES**

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	1123	62.6%
2	Did not smoke cigarettes	179	10%
3	Yes	376	21%
4	No	116	6.5%
Sysmiss		26	

### Q32: Others present smoking past 7 days

Data file: ARG2012\_SanLuis\_Public\_Use

#### Overview

Valid: 1791 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	376	21%
2	1 or 2 days	509	28.4%
3	3 or 4 days	250	14%
4	5 or 6 days	128	7.1%
5	All 7 days	528	29.5%
Sysmiss		29	

### Q33: Parents who use tobacco

Data file: ARG2012\_SanLuis\_Public\_Use

#### Overview

Valid: 1800 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	979	54.4%
2	My father or male guardian	328	18.2%
3	My mother or female guardian	204	11.3%
4	Both	222	12.3%
5	I do not know	67	3.7%
Sysmiss		20	

**Q34: Age first drink alcohol****Data file: ARG2012\_SanLuis\_Public\_Use****Overview**

Valid: 1666 Invalid: 154

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

## CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	342	20.5%
2	7 years old or younger	71	4.3%
3	8 or 9 years old	82	4.9%
4	10 or 11 years old	196	11.8%
5	12 or 13 years old	497	29.8%
6	14 or 15 years old	413	24.8%
7	16 years old or older	65	3.9%
Sysmiss		154	

**Q35: Days one drink or more past 30 days****Data file: ARG2012\_SanLuis\_Public\_Use****Overview**

Valid: 1719 Invalid: 101

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

### CATEGORIES

Value	Category	Cases	
1	0 days	675	39.3%
2	1 or 2 days	475	27.6%
3	3 to 5 days	209	12.2%
4	6 to 9 days	166	9.7%
5	10 to 19 days	118	6.9%
6	20 to 29 days	47	2.7%
7	All 30 days	29	1.7%
Sysmiss		101	

## Q36: Number of drinks past 30 days

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1770 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	672	38%
2	Less than one drink	190	10.7%
3	1 drink	160	9%
4	2 drinks	125	7.1%
5	3 drinks	152	8.6%
6	4 drinks	104	5.9%

7	5 or more drinks	367	20.7%
Sysmiss		50	

### Q37: How got drinks past 30 days

Data file: ARG2012\_SanLuis\_Public\_Use

#### Overview

Valid: 1746 Invalid: 74

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

##### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	682	39.1%
2	I bought in a store	347	19.9%
3	I gave someone money to buy	63	3.6%
4	I got it from my friends	377	21.6%
5	I got it from my family	94	5.4%
6	I stole it	16	0.9%
7	Some other way	167	9.6%
Sysmiss		74	

### Q38: Times drunk during life

Data file: ARG2012\_SanLuis\_Public\_Use

#### Overview

Valid: 1780 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	1074	60.3%
2	1 or 2 times	428	24%
3	3 to 9 times	173	9.7%
4	10 or more times	105	5.9%
Sysmiss		40	

### Q39: Number of troubles as result of drinking

Data file: ARG2012\_SanLuis\_Public\_Use

#### Overview

Valid: 1740 Invalid: 80

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	1231	70.7%
2	1 or 2 times	343	19.7%
3	3 to 9 times	90	5.2%
4	10 or more times	76	4.4%
Sysmiss		80	

### Q40: Age first drugs

Data file: ARG2012\_SanLuis\_Public\_Use

#### Overview

Valid: 1760 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

How old were you when you first used drugs?

### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1455	82.7%
2	7 years old or younger	25	1.4%
3	8 or 9 years old	14	0.8%
4	10 or 11 years old	18	1%
5	12 or 13 years old	77	4.4%
6	14 or 15 years old	125	7.1%
7	16 years old or older	46	2.6%
Sysmiss		60	

## Q41: Times used marijuana lifetime

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1761 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	1484	84.3%
2	1 or 2 times	81	4.6%
3	3 to 9 times	66	3.7%
4	10 to 19 times	37	2.1%
5	20 or more times	93	5.3%
Sysmiss		59	



**Q42: Times used marijuana past 30 days****Data file: ARG2012\_SanLuis\_Public\_Use****Overview**

Valid: 1780 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1572	88.3%
2	1 or 2 times	80	4.5%
3	3 to 9 times	57	3.2%
4	10 to 19 times	25	1.4%
5	20 or more times	46	2.6%
Sysmiss		40	

**Q43: Times used amphetamines lifetime****Data file: ARG2012\_SanLuis\_Public\_Use****Overview**

Valid: 1785 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1714	96%

2	1 or 2 times	31	1.7%
3	3 to 9 times	19	1.1%
4	10 to 19 times	8	0.4%
5	20 or more times	13	0.7%
Sysmiss		35	

#### Q44: Ever had sex

Data file: ARG2012\_SanLuis\_Public\_Use

##### Overview

Valid: 1728 Invalid: 92

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

###### LITERAL QUESTION

Have you ever had sexual intercourse?

###### CATEGORIES

Value	Category	Cases	
1	Yes	770	44.6%
2	No	958	55.4%
Sysmiss		92	

#### Q45: Age first sexual intercourse

Data file: ARG2012\_SanLuis\_Public\_Use

##### Overview

Valid: 1752 Invalid: 68

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

###### LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

###### CATEGORIES

Value	Category	Cases	
1	Never had sex	1042	59.5%

2	11 years old or younger	77	4.4%
3	12 years old	83	4.7%
4	13 years old	122	7%
5	14 years old	180	10.3%
6	15 years old	164	9.4%
7	16 years old or older	84	4.8%
Sysmiss		68	

## Q46: How many sex partners

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1766 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	1070	60.6%
2	1 person	311	17.6%
3	2 people	131	7.4%
4	3 people	81	4.6%
5	4 people	46	2.6%
6	5 people	34	1.9%
7	6 or more people	93	5.3%
Sysmiss		54	

## Q47: Used condom at last intercourse

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1757 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	1056	60.1%
2	Yes	512	29.1%
3	No	189	10.8%
Sysmiss		63	

## Q48: Used birth control last intercourse

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1755 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	1055	60.1%
2	Yes	353	20.1%
3	No	250	14.2%
4	I do not know	97	5.5%
Sysmiss		65	

## Q49: Days active 60 min plus past 7 days

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1796 Invalid: 24

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

**CATEGORIES**

Value	Category	Cases	
1	0 days	284	15.8%
2	1 day	243	13.5%
3	2 days	290	16.1%
4	3 days	260	14.5%
5	4 days	179	10%
6	5 days	160	8.9%
7	6 days	68	3.8%
8	7 days	312	17.4%
Sysmiss		24	

**Q50: Walk or bike to school past 7 days****Data file:** ARG2012\_SanLuis\_Public\_Use**Overview**

Valid: 1780    Invalid: 40

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

**CATEGORIES**

Value	Category	Cases	
1	0 days	547	30.7%
2	1 day	135	7.6%
3	2 days	104	5.8%

4	3 days	73	4.1%
5	4 days	50	2.8%
6	5 days	238	13.4%
7	6 days	28	1.6%
8	7 days	605	34%
Sysmiss		40	

## Q51: Days went to PE each week

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1738 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

#### CATEGORIES

Value	Category	Cases	
1	0 days	208	12%
2	1 day	483	27.8%
3	2 days	525	30.2%
4	3 days	87	5%
5	4 days	38	2.2%
6	5 or more days	397	22.8%
Sysmiss		82	

## Q52: Time spent sitting on usual day

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1787 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	286	16%
2	1 to 2 hours per day	547	30.6%
3	3 to 4 hours per day	533	29.8%
4	5 to 6 hours per day	232	13%
5	7 to 8 hours per day	79	4.4%
6	More than 8 hours per day	110	6.2%
Sysmiss		33	

## Q53: Miss school no permission past 30 days

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1778 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

### CATEGORIES

Value	Category	Cases	
1	0 days	1098	61.8%
2	1 or 2 days	356	20%
3	3 to 5 days	164	9.2%
4	6 to 9 days	62	3.5%
5	10 or more days	98	5.5%
Sysmiss		42	

**Q54: Others helpful in school past 30 days****Data file: ARG2012\_SanLuis\_Public\_Use****Overview**

Valid: 1762 Invalid: 58

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

## CATEGORIES

Value	Category	Cases	
1	Never	143	8.1%
2	Rarely	304	17.3%
3	Sometimes	443	25.1%
4	Most of the time	490	27.8%
5	Always	382	21.7%
Sysmiss		58	

**Q55: Parents check homework past 30 days****Data file: ARG2012\_SanLuis\_Public\_Use****Overview**

Valid: 1789 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

## CATEGORIES

Value	Category	Cases	
1	Never	634	35.4%
2	Rarely	331	18.5%
3	Sometimes	336	18.8%
4	Most of the time	240	13.4%
5	Always	248	13.9%



Sysmiss		31	
---------	--	----	--

## Q56: Parent understand troubles past 30 days

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1774 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

#### CATEGORIES

Value	Category	Cases	
1	Never	288	16.2%
2	Rarely	291	16.4%
3	Sometimes	311	17.5%
4	Most of the time	353	19.9%
5	Always	531	29.9%
Sysmiss		46	

## Q57: Parent know what you do past 30 days

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1760 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	267	15.2%
2	Rarely	220	12.5%

3	Sometimes	322	18.3%
4	Most of the time	362	20.6%
5	Always	589	33.5%
Sysmiss		60	

### Q58: Parent go through things past 30 days

Data file: ARG2012\_SanLuis\_Public\_Use

#### Overview

Valid: 1778 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

##### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

##### CATEGORIES

Value	Category	Cases	
1		766	43.1%
2		438	24.6%
3		311	17.5%
4		146	8.2%
5		117	6.6%
Sysmiss		42	

### QN6: Went hungry most of time/always past 30 days

Data file: ARG2012\_SanLuis\_Public\_Use

#### Overview

Valid: 1807 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	46	2.5%
2	No	1761	97.5%
Sysmiss		13	

### QN7: Ate fruit 2+ times per day past 30 days

Data file: ARG2012\_SanLuis\_Public\_Use

#### Overview

Valid: 1811 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	614	33.9%
2	No	1197	66.1%
Sysmiss		9	

### QN8: Ate vegetables 3+ times per day past 30 day

Data file: ARG2012\_SanLuis\_Public\_Use

#### Overview

Valid: 1804 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	220	12.2%
2	No	1584	87.8%
Sysmiss		16	

**QN9: Drank soft drinks 1+ times per day past 30 day****Data file: ARG2012\_SanLuis\_Public\_Use****Overview**

Valid: 1808 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	1117	61.8%
2	No	691	38.2%
Sysmiss		12	

**QN10: Ate fast food 3+ days past 7 day****Data file: ARG2012\_SanLuis\_Public\_Use****Overview**

Valid: 1810 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

## CATEGORIES

Value	Category	Cases	
1	Yes	110	6.1%
2	No	1700	93.9%
Sysmiss		10	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: ARG2012\_SanLuis\_Public\_Use****Overview**

Valid: 1810 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	166	9.2%
2	No	1644	90.8%
Sysmiss		10	

## QN12: Never/rarely wash hands before eating past 30 days

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1798 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	166	9.2%
2	No	1632	90.8%
Sysmiss		22	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1808 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	114	6.3%
2	No	1694	93.7%
Sysmiss		12	

### QN14: Never/rarely use soap on hands past 30 days

Data file: ARG2012\_SanLuis\_Public\_Use

#### Overview

Valid: 1801 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	98	5.4%
2	No	1703	94.6%
Sysmiss		19	

### QN15: Attacked 1+ times past 12 months

Data file: ARG2012\_SanLuis\_Public\_Use

#### Overview

Valid: 1793 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	484	27%
2	No	1309	73%
Sysmiss		27	

**QN16: In fight 1+ times past 12 months****Data file:** ARG2012\_SanLuis\_Public\_Use**Overview**

Valid: 1816 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	676	37.2%
2	No	1140	62.8%
Sysmiss		4	

**QN17: Seriously injured 1+ times past 12 months****Data file:** ARG2012\_SanLuis\_Public\_Use**Overview**

Valid: 1568 Invalid: 252

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	596	38%
2	No	972	62%
Sysmiss		252	

**QN18: Broken bone as most serious injury****Data file:** ARG2012\_SanLuis\_Public\_Use**Overview**

Valid: 473 Invalid: 1347

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

### CATEGORIES

Value	Category	Cases	
1	Yes	90	19%
2	No	383	81%
Sysmiss		1347	

## QN19: Motor vehicle caused most serious injury

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 483 Invalid: 1337

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	32	6.6%
2	No	451	93.4%
Sysmiss		1337	

## QN20: Bullied 1+ of past 30 days

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1737 Invalid: 83

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES



Value	Category	Cases	
1	Yes	511	29.4%
2	No	1226	70.6%
Sysmiss		83	

## QN21: Of students bullied, most often hit, kicked, etc

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 415 Invalid: 1405

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

#### CATEGORIES

Value	Category	Cases	
1	Yes	34	8.2%
2	No	381	91.8%
Sysmiss		1405	

## QN22: Lonely most times/always past 12 months

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1786 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	204	11.4%
2	No	1582	88.6%
Sysmiss		34	

**QN23: Worry prevented sleep most time/always past 12 mos****Data file: ARG2012\_SanLuis\_Public\_Use****Overview**

Valid: 1806 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	180	10%
2	No	1626	90%
Sysmiss		14	

**QN24: Considered suicide past 12 months****Data file: ARG2012\_SanLuis\_Public\_Use****Overview**

Valid: 1777 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	324	18.2%
2	No	1453	81.8%
Sysmiss		43	

**QN25: Made suicide plan past 12 months****Data file: ARG2012\_SanLuis\_Public\_Use****Overview**

Valid: 1794 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	288	16.1%
2	No	1506	83.9%
Sysmiss		26	

### QN26: 1+ times attempt suicide 12 mos.

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1796 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	288	16%
2	No	1508	84%
Sysmiss		24	

### QN27: No close friends

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1778 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	70	3.9%
2	No	1708	96.1%
Sysmiss		42	

**QN28: Age first cigarette before 14****Data file:** ARG2012\_SanLuis\_Public\_Use**Overview**

Valid: 856    Invalid: 964

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	583	68.1%
2	No	273	31.9%
Sysmiss		964	

**QN29: Smoked cigarettes 1+ of past 30 days****Data file:** ARG2012\_SanLuis\_Public\_Use**Overview**

Valid: 1801    Invalid: 19

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	492	27.3%
2	No	1309	72.7%
Sysmiss		19	

**QN30: Used other tobacco 1+ of past 30 days****Data file: ARG2012\_SanLuis\_Public\_Use****Overview**

Valid: 1803 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	143	7.9%
2	No	1660	92.1%
Sysmiss		17	

**QN31: Tried to quit smoking past 12 months****Data file: ARG2012\_SanLuis\_Public\_Use****Overview**

Valid: 492 Invalid: 1328

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	376	76.4%
2	No	116	23.6%
Sysmiss		1328	

**QN32: Others present smoking 1+ of past 7 days****Data file: ARG2012\_SanLuis\_Public\_Use****Overview**

Valid: 1791 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	1415	79%
2	No	376	21%
Sysmiss		29	

## QN33: Either/Both parents use tobacco

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1800 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	754	41.9%
2	No	1046	58.1%
Sysmiss		20	

## QN34: Age first alcohol before 14

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1324 Invalid: 496

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	846	63.9%
2	No	478	36.1%
Sysmiss		496	

**QN35: Drank 1+ days past 30 days****Data file:** ARG2012\_SanLuis\_Public\_Use**Overview**

Valid: 1719 Invalid: 101

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	1044	60.7%
2	No	675	39.3%
Sysmiss		101	

**QN36: Of current drinkers, drank 2+ drinks/day 30 days****Data file:** ARG2012\_SanLuis\_Public\_Use**Overview**

Valid: 1098 Invalid: 722

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

## CATEGORIES

Value	Category	Cases	
1	Yes	748	68.1%
2	No	350	31.9%
Sysmiss		722	

**QN37: Of current drinkers, got alcohol from friends****Data file:** ARG2012\_SanLuis\_Public\_Use**Overview**

Valid: 1064   Invalid: 756

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

**CATEGORIES**

Value	Category	Cases	
1	Yes	377	35.4%
2	No	687	64.6%
Sysmiss		756	

**QN38: 1+ times drunk in lifetime****Data file:** ARG2012\_SanLuis\_Public\_Use**Overview**

Valid: 1780   Invalid: 40

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

**CATEGORIES**

Value	Category	Cases	
1	Yes	706	39.7%
2	No	1074	60.3%
Sysmiss		40	

**QN39: Alcohol trouble 1+ times in lifetime****Data file:** ARG2012\_SanLuis\_Public\_Use**Overview**

Valid: 1740   Invalid: 80

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

### CATEGORIES

Value	Category	Cases	
1	Yes	509	29.3%
2	No	1231	70.7%
Sysmiss		80	

## QN40: Age first drugs before 14

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 305 Invalid: 1515

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
1	Yes	134	43.9%
2	No	171	56.1%
Sysmiss		1515	

## QN41: Marijuana 1+ times in lifetime

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1761 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	277	15.7%
2	No	1484	84.3%
Sysmiss		59	

**QN42: Marijuana 1+ times p 30 days****Data file:** ARG2012\_SanLuis\_Public\_Use**Overview**

Valid: 1780 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	208	11.7%
2	No	1572	88.3%
Sysmiss		40	

**QN43: Amphetamines 1+ times lifetime****Data file:** ARG2012\_SanLuis\_Public\_Use**Overview**

Valid: 1785 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	71	4%
2	No	1714	96%
Sysmiss		35	

**QN44: Ever had sex****Data file:** ARG2012\_SanLuis\_Public\_Use**Overview**

Valid: 1728 Invalid: 92

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	770	44.6%
2	No	958	55.4%
Sysmiss		92	

**QN45: Age first sexual intercourse before 14****Data file:** ARG2012\_SanLuis\_Public\_Use**Overview**

Valid: 710 Invalid: 1110

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	282	39.7%
2	No	428	60.3%
Sysmiss		1110	

**QN46: 2+ sex partners lifetime****Data file:** ARG2012\_SanLuis\_Public\_Use**Overview**

Valid: 1766 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	385	21.8%
2	No	1381	78.2%
Sysmiss		54	

### QN47: Used condom at last sex

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 701 Invalid: 1119

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	512	73%
2	No	189	27%
Sysmiss		1119	

### QN48: Used birth control at last sex

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 700 Invalid: 1120

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	353	50.4%
2	No	347	49.6%
Sysmiss		1120	

### QN49: Active 60+ mins/day for 5+ of past 7 days

Data file: ARG2012\_SanLuis\_Public\_Use

#### Overview

Valid: 1796 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	540	30.1%
2	No	1256	69.9%
Sysmiss		24	

### QN50: Walk/Bike to/from school 0 of past 7 days

Data file: ARG2012\_SanLuis\_Public\_Use

#### Overview

Valid: 1780 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	547	30.7%
2	No	1233	69.3%
Sysmiss		40	

**QN51: 3+ days PE each week****Data file: ARG2012\_SanLuis\_Public\_Use****Overview**

Valid: 1738 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	522	30%
2	No	1216	70%
Sysmiss		82	

**QN52: Sitting activities 3+ hours/day of usual day****Data file: ARG2012\_SanLuis\_Public\_Use****Overview**

Valid: 1787 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

## CATEGORIES

Value	Category	Cases	
1	Yes	954	53.4%
2	No	833	46.6%
Sysmiss		33	

**QN53: Miss school no permission 1+ of past 30 days****Data file: ARG2012\_SanLuis\_Public\_Use****Overview**

Valid: 1778 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	680	38.2%
2	No	1098	61.8%
Sysmiss		42	

### QN54: Students most/always kind 30 days

Data file: ARG2012\_SanLuis\_Public\_Use

#### Overview

Valid: 1762 Invalid: 58

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	872	49.5%
2	No	890	50.5%
Sysmiss		58	

### QN55: Parents most/always check homework

Data file: ARG2012\_SanLuis\_Public\_Use

#### Overview

Valid: 1789 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	488	27.3%
2	No	1301	72.7%
Sysmiss		31	

## QN56: Parents most/always understand problems

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1774 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	884	49.8%
2	No	890	50.2%
Sysmiss		46	

## QN57: Parents most/always know about free time

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1760 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	951	54%
2	No	809	46%
Sysmiss		60	



**QN58: Parents never/rarely go thru things****Data file:** ARG2012\_SanLuis\_Public\_Use**Overview**

Valid: 1778 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	1204	67.7%
2	No	574	32.3%
Sysmiss		42	

**QNOWTG: Overweight****Data file:** ARG2012\_SanLuis\_Public\_Use**Overview**

Valid: 0 Invalid: 1820

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

**CATEGORIES**

Value	Category
1	Yes
2	No
Sysmiss	

**QNOBESEG: Obese****Data file:** ARG2012\_SanLuis\_Public\_Use**Overview**

Valid: 0 Invalid: 1820

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

### CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

## QNUNWTG: Underweight

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 0    Invalid: 1820

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

### CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

## QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1799    Invalid: 21

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	256	14.2%
2	No	1543	85.8%
Sysmiss		21	

## QNANYTBG: Used any tobacco past 30 days

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1793 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	515	28.7%
2	No	1278	71.3%
Sysmiss		27	

## QNPA7G: Physically active all past 7 days

Data file: ARG2012\_SanLuis\_Public\_Use

### Overview

Valid: 1796 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

#### CATEGORIES

Value	Category	Cases	
1	Yes	312	17.4%
2	No	1484	82.6%
Sysmiss		24	

**QNPE5G: Attended PE 5+ days each week****Data file: ARG2012\_SanLuis\_Public\_Use****Overview**

Valid: 1738 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	397	22.8%
2	No	1341	77.2%
Sysmiss		82	

**QNC1G: Among heavy drinkers, ever sex****Data file: ARG2012\_SanLuis\_Public\_Use****Overview**

Valid: 666 Invalid: 1154

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	456	68.5%
2	No	210	31.5%
Sysmiss		1154	

**QNC2G: Among those worried, currently bullied****Data file: ARG2012\_SanLuis\_Public\_Use****Overview**

Valid: 172 Invalid: 1648

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	83	48.3%
2	No	89	51.7%
Sysmiss		1648	

### WEIGHT: Weight

Data file: ARG2012\_SanLuis\_Public\_Use

#### Overview

Valid: 1820 Invalid: 0 Minimum: 4.402 Maximum: 19.693 Mean: 7.808 Standard deviation: 2.416  
Type: Continuous Decimal: 0 Width: 10 Range: 3.2196 - 1361.2246 Format: Numeric

### STRATUM: Stratum

Data file: ARG2012\_SanLuis\_Public\_Use

#### Overview

Valid: 1820 Invalid: 0 Minimum: 201219001 Maximum: 201219012 Mean: 201219006.284 Standard deviation: 5.615  
Type: Continuous Decimal: 0 Width: 9 Range: 201201001 - 201224012 Format: Numeric

### PSU: Primary Sampling Unit

Data file: ARG2012\_SanLuis\_Public\_Use

#### Overview

Valid: 1820 Invalid: 0 Minimum: 1 Maximum: 24 Mean: 12.061 Standard deviation: 6.395  
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 36 Format: Numeric

**Q1: How old are you****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 1263 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	5	0.4%
2	12 years old	3	0.2%
3	13 years old	139	11%
4	14 years old	272	21.5%
5	15 years old	349	27.6%
6	16 years old or older	495	39.2%
Sysmiss		17	

**Q2: Sex****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 1263 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	587	46.5%
2	Female	676	53.5%
Sysmiss		17	

**Q3: In what grade are you****Data file: ARG2012\_SantaCruz\_Public\_Use**

## Overview

Valid: 1250 Invalid: 30  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

### CATEGORIES

Value	Category	Cases	
1	8th EGB	442	35.4%
2	9th EGB	288	23%
3	1st Pol	520	41.6%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		30	

## Q4: How tall are you

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 717 Invalid: 563 Minimum: 1.3 Maximum: 1.99 Mean: 1.652 Standard deviation: 0.102  
 Type: Continuous Decimal: 2 Width: 5 Range: 1.2 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q5: How much do you weigh

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 717 Invalid: 563 Minimum: 33 Maximum: 180 Mean: 62.444 Standard deviation: 14.594  
 Type: Continuous Decimal: 2 Width: 5 Range: 30 - 180 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days**

**Data file:** ARG2012\_SantaCruz\_Public\_Use

**Overview**

Valid: 1266 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	754	59.6%
2	Rarely	288	22.7%
3	Sometimes	178	14.1%
4	Most of the time	28	2.2%
5	Always	18	1.4%
Sysmiss		14	

**Q7: Eat fruit per day past 30 days**

**Data file:** ARG2012\_SantaCruz\_Public\_Use

**Overview**

Valid: 1267 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	171	13.5%



2	Less than one time per day	306	24.2%
3	1 time per day	361	28.5%
4	2 times per day	243	19.2%
5	3 times per day	109	8.6%
6	4 times per day	38	3%
7	5 or more times per day	39	3.1%
Sysmiss		13	

## Q8: Eat vegetables past 30 days

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1260 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	98	7.8%
2	Less than one time per day	240	19%
3	1 time per day	418	33.2%
4	2 times per day	353	28%
5	3 times per day	61	4.8%
6	4 times per day	26	2.1%
7	5 or more times per day	64	5.1%
Sysmiss		20	

## Q9: Drink soft drinks past 30 days

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1265 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	147	11.6%
2	Less than one time per day	404	31.9%
3	1 time per day	192	15.2%
4	2 times per day	180	14.2%
5	3 times per day	120	9.5%
6	4 times per day	85	6.7%
7	5 or more times per day	137	10.8%
Sysmiss		15	

## Q10: Ate fast food past 7 days

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1272 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	1017	80%
2	1 day	146	11.5%
3	2 days	58	4.6%
4	3 days	20	1.6%
5	4 days	9	0.7%
6	5 days	5	0.4%
7	6 days	2	0.2%

8	7 days	15	1.2%
Sysmiss		8	

## Q11: How many times per day brush teeth

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1267 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	15	1.2%
2	Less than 1 time per day	63	5%
3	1 time per day	240	18.9%
4	2 times per day	444	35%
5	3 times per day	359	28.3%
6	4 or more times per day	146	11.5%
Sysmiss		13	

## Q12: Wash hands before eating past 30 days

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1258 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	44	3.5%
2	Rarely	166	13.2%
3	Sometimes	248	19.7%
4	Most of the time	345	27.4%
5	Always	455	36.2%
Sysmiss		22	

### Q13: Wash hands after toilet past 30 day

Data file: ARG2012\_SantaCruz\_Public\_Use

#### Overview

Valid: 1266 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	24	1.9%
2	Rarely	65	5.1%
3	Sometimes	102	8.1%
4	Most of the time	265	20.9%
5	Always	810	64%
Sysmiss		14	

### Q14: Used soap on hands past 30 days

Data file: ARG2012\_SantaCruz\_Public\_Use

#### Overview

Valid: 1268 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

#### CATEGORIES

Value	Category	Cases	
1	Never	26	2.1%
2	Rarely	76	6%
3	Sometimes	163	12.9%
4	Most of the time	293	23.1%
5	Always	710	56%
Sysmiss		12	

### Q15: Times attacked past 12 mo.

Data file: ARG2012\_SantaCruz\_Public\_Use

#### Overview

Valid: 1256 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

#### CATEGORIES

Value	Category	Cases	
1	0 times	977	77.8%
2	1 time	105	8.4%
3	2 or 3 times	95	7.6%
4	4 or 5 times	10	0.8%
5	6 or 7 times	14	1.1%
6	8 or 9 times	12	1%
7	10 or 11 times	4	0.3%
8	12 or more times	39	3.1%
Sysmiss		24	

### Q16: How many times in fight 12 mos

Data file: ARG2012\_SantaCruz\_Public\_Use

## Overview

Valid: 1271 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	890	70%
2	1 time	168	13.2%
3	2 or 3 times	106	8.3%
4	4 or 5 times	33	2.6%
5	6 or 7 times	15	1.2%
6	8 or 9 times	10	0.8%
7	10 or 11 times	9	0.7%
8	12 or more times	40	3.1%
Sysmiss		9	

## Q17: How many times injured past 12 months

Data file: ARG2012\_SantaCruz\_Public\_Use

## Overview

Valid: 1117 Invalid: 163

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	697	62.4%
2	1 time	252	22.6%
3	2 or 3 times	120	10.7%

4	4 or 5 times	27	2.4%
5	6 or 7 times	11	1%
6	8 or 9 times	4	0.4%
7	10 or 11 times	2	0.2%
8	12 or more times	4	0.4%
Sysmiss		163	

## Q18: What was serious injury past 12 mo.

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1135 Invalid: 145

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

#### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

#### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	778	68.5%
2	Broken bone/dislocated joint	94	8.3%
3	I had a cut or stab wound	16	1.4%
4	Concussion/head injury	23	2%
5	I had a gunshot wound	3	0.3%
6	I had a bad burn	9	0.8%
7	I was poisoned	7	0.6%
8	Something else happened to me	205	18.1%
Sysmiss		145	

## Q19: Cause of injury past 12 mo.

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1138 Invalid: 142

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	789	69.3%
2	Motor vehicle accident	20	1.8%
3	I fell	121	10.6%
4	Something fell on me or hit me	33	2.9%
5	I was attacked	17	1.5%
6	Was in a fire	4	0.4%
7	breathed something bad	4	0.4%
8	Something else	150	13.2%
Sysmiss		142	

## Q20: How many days bullied past 30 days

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1226 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	980	79.9%
2	1 or 2 days	142	11.6%
3	3 to 5 days	39	3.2%
4	6 to 9 days	18	1.5%
5	10 to 19 days	14	1.1%



6	20 to 29 days	15	1.2%
7	All 30 days	18	1.5%
Sysmiss		54	

## Q21: How bullied past 30 days

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1208 Invalid: 72

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	1013	83.9%
2	Kicked, pushed, or shoved	12	1%
3	Made fun of race	16	1.3%
4	Made fun because of religion	8	0.7%
5	Made fun of about sex	29	2.4%
6	Left out of activities	12	1%
7	Made fun of about body	54	4.5%
8	Some other way	64	5.3%
Sysmiss		72	

## Q22: Times felt lonely past 12 mo.

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1249 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	472	37.8%
2	Rarely	352	28.2%
3	Sometimes	296	23.7%
4	Most of the time	90	7.2%
5	Always	39	3.1%
Sysmiss		31	

### Q23: Times could not sleep past 12 mo.

Data file: ARG2012\_SantaCruz\_Public\_Use

#### Overview

Valid: 1270 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	466	36.7%
2	Rarely	402	31.7%
3	Sometimes	290	22.8%
4	Most of the time	78	6.1%
5	Always	34	2.7%
Sysmiss		10	

### Q24: Ever considered suicide 12 mos

Data file: ARG2012\_SantaCruz\_Public\_Use

#### Overview

Valid: 1247 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	216	17.3%
2	No	1031	82.7%
Sysmiss		33	

## Q25: Ever make suicide plan 12 mos

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1254 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	189	15.1%
2	No	1065	84.9%
Sysmiss		26	

## Q26: Times attempted suicide 12 mos.

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1258 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1073	85.3%
2	1 time	116	9.2%
3	2 or 3 times	42	3.3%
4	4 or 5 times	15	1.2%
5	6 or more times	12	1%
Sysmiss		22	

### Q27: Number close friends

Data file: ARG2012\_SantaCruz\_Public\_Use

#### Overview

Valid: 1238 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	50	4%
2	1	109	8.8%
3	2	221	17.9%
4	3 or more	858	69.3%
Sysmiss		42	

### Q28: Age first tried cigarette

Data file: ARG2012\_SantaCruz\_Public\_Use

#### Overview

Valid: 1244 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	532	42.8%
2	7 years old or younger	38	3.1%
3	8 or 9 years old	75	6%
4	10 or 11 years old	152	12.2%
5	12 or 13 years old	260	20.9%
6	14 or 15 years old	161	12.9%
7	16 years old or older	26	2.1%
Sysmiss		36	

## Q29: How many days smoked 30 days

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1250 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	895	71.6%
2	1 or 2 days	107	8.6%
3	3 to 5 days	43	3.4%
4	6 to 9 days	34	2.7%
5	10 to 19 days	46	3.7%
6	20 to 29 days	39	3.1%
7	All 30 days	86	6.9%
Sysmiss		30	

**Q30: Other tobacco past 30 days****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 1267 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

**CATEGORIES**

Value	Category	Cases	
1	0 days	1137	89.7%
2	1 or 2 days	67	5.3%
3	3 to 5 days	25	2%
4	6 to 9 days	13	1%
5	10 to 19 days	8	0.6%
6	20 to 29 days	5	0.4%
7	All 30 days	12	0.9%
Sysmiss		13	

**Q31: Try stop smoking past 12 mo.****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 1240 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 12 months, have you ever tried to stop smoking cigarettes?

**CATEGORIES**

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	715	57.7%
2	Did not smoke cigarettes	172	13.9%
3	Yes	251	20.2%
4	No	102	8.2%
Sysmiss		40	

### Q32: Others present smoking past 7 days

Data file: ARG2012\_SantaCruz\_Public\_Use

#### Overview

Valid: 1253 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	286	22.8%
2	1 or 2 days	275	21.9%
3	3 or 4 days	181	14.4%
4	5 or 6 days	102	8.1%
5	All 7 days	409	32.6%
Sysmiss		27	

### Q33: Parents who use tobacco

Data file: ARG2012\_SantaCruz\_Public\_Use

#### Overview

Valid: 1260 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	705	56%
2	My father or male guardian	181	14.4%
3	My mother or female guardian	176	14%
4	Both	174	13.8%
5	I do not know	24	1.9%
Sysmiss		20	

**Q34: Age first drink alcohol****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 1200 Invalid: 80

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

## CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	225	18.8%
2	7 years old or younger	73	6.1%
3	8 or 9 years old	70	5.8%
4	10 or 11 years old	123	10.3%
5	12 or 13 years old	331	27.6%
6	14 or 15 years old	327	27.3%
7	16 years old or older	51	4.3%
Sysmiss		80	

**Q35: Days one drink or more past 30 days****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 1222 Invalid: 58

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

### CATEGORIES

Value	Category	Cases	
1	0 days	508	41.6%
2	1 or 2 days	310	25.4%
3	3 to 5 days	148	12.1%
4	6 to 9 days	108	8.8%
5	10 to 19 days	82	6.7%
6	20 to 29 days	36	2.9%
7	All 30 days	30	2.5%
Sysmiss		58	

## Q36: Number of drinks past 30 days

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1242 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	515	41.5%
2	Less than one drink	120	9.7%
3	1 drink	105	8.5%
4	2 drinks	114	9.2%
5	3 drinks	91	7.3%
6	4 drinks	71	5.7%

7	5 or more drinks	226	18.2%
Sysmiss		38	

### Q37: How got drinks past 30 days

Data file: ARG2012\_SantaCruz\_Public\_Use

#### Overview

Valid: 1220 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

##### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	532	43.6%
2	I bought in a store	219	18%
3	I gave someone money to buy	46	3.8%
4	I got it from my friends	203	16.6%
5	I got it from my family	88	7.2%
6	I stole it	8	0.7%
7	Some other way	124	10.2%
Sysmiss		60	

### Q38: Times drunk during life

Data file: ARG2012\_SantaCruz\_Public\_Use

#### Overview

Valid: 1234 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	738	59.8%
2	1 or 2 times	299	24.2%
3	3 to 9 times	117	9.5%
4	10 or more times	80	6.5%
Sysmiss		46	

### Q39: Number of troubles as result of drinking

Data file: ARG2012\_SantaCruz\_Public\_Use

#### Overview

Valid: 1218 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	859	70.5%
2	1 or 2 times	224	18.4%
3	3 to 9 times	72	5.9%
4	10 or more times	63	5.2%
Sysmiss		62	

### Q40: Age first drugs

Data file: ARG2012\_SantaCruz\_Public\_Use

#### Overview

Valid: 1194 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

How old were you when you first used drugs?

### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	876	73.4%
2	7 years old or younger	12	1%
3	8 or 9 years old	8	0.7%
4	10 or 11 years old	23	1.9%
5	12 or 13 years old	66	5.5%
6	14 or 15 years old	153	12.8%
7	16 years old or older	56	4.7%
Sysmiss		86	

## Q41: Times used marijuana lifetime

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1186 Invalid: 94

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	898	75.7%
2	1 or 2 times	73	6.2%
3	3 to 9 times	70	5.9%
4	10 to 19 times	36	3%
5	20 or more times	109	9.2%
Sysmiss		94	

**Q42: Times used marijuana past 30 days****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 1209 Invalid: 71

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1006	83.2%
2	1 or 2 times	75	6.2%
3	3 to 9 times	61	5%
4	10 to 19 times	34	2.8%
5	20 or more times	33	2.7%
Sysmiss		71	

**Q43: Times used amphetamines lifetime****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 1223 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1178	96.3%

2	1 or 2 times	22	1.8%
3	3 to 9 times	8	0.7%
4	10 to 19 times	6	0.5%
5	20 or more times	9	0.7%
Sysmiss		57	

#### Q44: Ever had sex

Data file: ARG2012\_SantaCruz\_Public\_Use

##### Overview

Valid: 1174 Invalid: 106

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

###### LITERAL QUESTION

Have you ever had sexual intercourse?

###### CATEGORIES

Value	Category	Cases	
1	Yes	599	51%
2	No	575	49%
Sysmiss		106	

#### Q45: Age first sexual intercourse

Data file: ARG2012\_SantaCruz\_Public\_Use

##### Overview

Valid: 1192 Invalid: 88

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

###### LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

###### CATEGORIES

Value	Category	Cases	
1	Never had sex	641	53.8%

2	11 years old or younger	44	3.7%
3	12 years old	50	4.2%
4	13 years old	85	7.1%
5	14 years old	173	14.5%
6	15 years old	138	11.6%
7	16 years old or older	61	5.1%
Sysmiss		88	

## Q46: How many sex partners

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1197 Invalid: 83

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	657	54.9%
2	1 person	205	17.1%
3	2 people	102	8.5%
4	3 people	77	6.4%
5	4 people	41	3.4%
6	5 people	32	2.7%
7	6 or more people	83	6.9%
Sysmiss		83	

## Q47: Used condom at last intercourse

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1186 Invalid: 94

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	645	54.4%
2	Yes	398	33.6%
3	No	143	12.1%
Sysmiss		94	

## Q48: Used birth control last intercourse

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1186 Invalid: 94

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	646	54.5%
2	Yes	291	24.5%
3	No	174	14.7%
4	I do not know	75	6.3%
Sysmiss		94	

## Q49: Days active 60 min plus past 7 days

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1207 Invalid: 73



Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

**CATEGORIES**

Value	Category	Cases	
1	0 days	169	14%
2	1 day	121	10%
3	2 days	244	20.2%
4	3 days	132	10.9%
5	4 days	132	10.9%
6	5 days	138	11.4%
7	6 days	45	3.7%
8	7 days	226	18.7%
Sysmiss		73	

**Q50: Walk or bike to school past 7 days****Data file:** ARG2012\_SantaCruz\_Public\_Use**Overview**

Valid: 1198    Invalid: 82

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

**CATEGORIES**

Value	Category	Cases	
1	0 days	291	24.3%
2	1 day	90	7.5%
3	2 days	98	8.2%

4	3 days	65	5.4%
5	4 days	58	4.8%
6	5 days	168	14%
7	6 days	23	1.9%
8	7 days	405	33.8%
Sysmiss		82	

## Q51: Days went to PE each week

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1176 Invalid: 104

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

#### CATEGORIES

Value	Category	Cases	
1	0 days	101	8.6%
2	1 day	114	9.7%
3	2 days	668	56.8%
4	3 days	56	4.8%
5	4 days	19	1.6%
6	5 or more days	218	18.5%
Sysmiss		104	

## Q52: Time spent sitting on usual day

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1191 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	199	16.7%
2	1 to 2 hours per day	361	30.3%
3	3 to 4 hours per day	389	32.7%
4	5 to 6 hours per day	122	10.2%
5	7 to 8 hours per day	51	4.3%
6	More than 8 hours per day	69	5.8%
Sysmiss		89	

## Q53: Miss school no permission past 30 days

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1188 Invalid: 92

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

### CATEGORIES

Value	Category	Cases	
1	0 days	759	63.9%
2	1 or 2 days	237	19.9%
3	3 to 5 days	102	8.6%
4	6 to 9 days	42	3.5%
5	10 or more days	48	4%
Sysmiss		92	

**Q54: Others helpful in school past 30 days****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 1178 Invalid: 102

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

## CATEGORIES

Value	Category	Cases	
1	Never	101	8.6%
2	Rarely	177	15%
3	Sometimes	295	25%
4	Most of the time	350	29.7%
5	Always	255	21.6%
Sysmiss		102	

**Q55: Parents check homework past 30 days****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 1185 Invalid: 95

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

## CATEGORIES

Value	Category	Cases	
1	Never	498	42%
2	Rarely	206	17.4%
3	Sometimes	200	16.9%
4	Most of the time	133	11.2%
5	Always	148	12.5%

Sysmiss		95	
---------	--	----	--

## Q56: Parent understand troubles past 30 days

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1190 Invalid: 90

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

#### CATEGORIES

Value	Category	Cases	
1	Never	262	22%
2	Rarely	227	19.1%
3	Sometimes	187	15.7%
4	Most of the time	207	17.4%
5	Always	307	25.8%
Sysmiss		90	

## Q57: Parent know what you do past 30 days

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1166 Invalid: 114

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	178	15.3%
2	Rarely	153	13.1%

3	Sometimes	172	14.8%
4	Most of the time	262	22.5%
5	Always	401	34.4%
Sysmiss		114	

## Q58: Parent go through things past 30 days

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1179 Invalid: 101

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

#### CATEGORIES

Value	Category	Cases	
1		514	43.6%
2		281	23.8%
3		220	18.7%
4		96	8.1%
5		68	5.8%
Sysmiss		101	

## QN6: Went hungry most of time/always past 30 days

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1266 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	46	3.6%
2	No	1220	96.4%
Sysmiss		14	

**QN7: Ate fruit 2+ times per day past 30 days****Data file:** ARG2012\_SantaCruz\_Public\_Use**Overview**

Valid: 1267    Invalid: 13

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	429	33.9%
2	No	838	66.1%
Sysmiss		13	

**QN8: Ate vegetables 3+ times per day past 30 day****Data file:** ARG2012\_SantaCruz\_Public\_Use**Overview**

Valid: 1260    Invalid: 20

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	151	12%
2	No	1109	88%
Sysmiss		20	

**QN9: Drank soft drinks 1+ times per day past 30 day****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 1265 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	714	56.4%
2	No	551	43.6%
Sysmiss		15	

**QN10: Ate fast food 3+ days past 7 day****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 1272 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

## CATEGORIES

Value	Category	Cases	
1	Yes	51	4%
2	No	1221	96%
Sysmiss		8	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 1267 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	78	6.2%
2	No	1189	93.8%
Sysmiss		13	

## QN12: Never/rarely wash hands before eating past 30 days

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1258 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	210	16.7%
2	No	1048	83.3%
Sysmiss		22	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1266 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	89	7%
2	No	1177	93%
Sysmiss		14	

### QN14: Never/rarely use soap on hands past 30 days

Data file: ARG2012\_SantaCruz\_Public\_Use

#### Overview

Valid: 1268 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	102	8%
2	No	1166	92%
Sysmiss		12	

### QN15: Attacked 1+ times past 12 months

Data file: ARG2012\_SantaCruz\_Public\_Use

#### Overview

Valid: 1256 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	279	22.2%
2	No	977	77.8%
Sysmiss		24	

**QN16: In fight 1+ times past 12 months****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 1271 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	381	30%
2	No	890	70%
Sysmiss		9	

**QN17: Seriously injured 1+ times past 12 months****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 1117 Invalid: 163

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	420	37.6%
2	No	697	62.4%
Sysmiss		163	

**QN18: Broken bone as most serious injury****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 357 Invalid: 923

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

### CATEGORIES

Value	Category	Cases	
1	Yes	94	26.3%
2	No	263	73.7%
Sysmiss		923	

## QN19: Motor vehicle caused most serious injury

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 349 Invalid: 931

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	20	5.7%
2	No	329	94.3%
Sysmiss		931	

## QN20: Bullied 1+ of past 30 days

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1226 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	246	20.1%
2	No	980	79.9%
Sysmiss		54	

## QN21: Of students bullied, most often hit, kicked, etc

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 195 Invalid: 1085

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

#### CATEGORIES

Value	Category	Cases	
1	Yes	12	6.2%
2	No	183	93.8%
Sysmiss		1085	

## QN22: Lonely most times/always past 12 months

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1249 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	129	10.3%
2	No	1120	89.7%
Sysmiss		31	

**QN23: Worry prevented sleep most time/always past 12 mos****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 1270 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	112	8.8%
2	No	1158	91.2%
Sysmiss		10	

**QN24: Considered suicide past 12 months****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 1247 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	216	17.3%
2	No	1031	82.7%
Sysmiss		33	

**QN25: Made suicide plan past 12 months****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 1254 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	189	15.1%
2	No	1065	84.9%
Sysmiss		26	

### QN26: 1+ times attempt suicide 12 mos.

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1258 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	185	14.7%
2	No	1073	85.3%
Sysmiss		22	

### QN27: No close friends

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1238 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	50	4%
2	No	1188	96%
Sysmiss		42	

**QN28: Age first cigarette before 14****Data file:** ARG2012\_SantaCruz\_Public\_Use**Overview**

Valid: 712    Invalid: 568

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	525	73.7%
2	No	187	26.3%
Sysmiss		568	

**QN29: Smoked cigarettes 1+ of past 30 days****Data file:** ARG2012\_SantaCruz\_Public\_Use**Overview**

Valid: 1250    Invalid: 30

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	355	28.4%
2	No	895	71.6%
Sysmiss		30	



**QN30: Used other tobacco 1+ of past 30 days****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 1267 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	130	10.3%
2	No	1137	89.7%
Sysmiss		13	

**QN31: Tried to quit smoking past 12 months****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 353 Invalid: 927

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	251	71.1%
2	No	102	28.9%
Sysmiss		927	

**QN32: Others present smoking 1+ of past 7 days****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 1253 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	967	77.2%
2	No	286	22.8%
Sysmiss		27	

## QN33: Either/Both parents use tobacco

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1260 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	531	42.1%
2	No	729	57.9%
Sysmiss		20	

## QN34: Age first alcohol before 14

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 975 Invalid: 305

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	597	61.2%
2	No	378	38.8%
Sysmiss		305	

**QN35: Drank 1+ days past 30 days****Data file:** ARG2012\_SantaCruz\_Public\_Use**Overview**

Valid: 1222 Invalid: 58

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	714	58.4%
2	No	508	41.6%
Sysmiss		58	

**QN36: Of current drinkers, drank 2+ drinks/day 30 days****Data file:** ARG2012\_SantaCruz\_Public\_Use**Overview**

Valid: 727 Invalid: 553

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

## CATEGORIES

Value	Category	Cases	
1	Yes	502	69.1%
2	No	225	30.9%
Sysmiss		553	

**QN37: Of current drinkers, got alcohol from friends****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 688 Invalid: 592

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

## CATEGORIES

Value	Category	Cases	
1	Yes	203	29.5%
2	No	485	70.5%
Sysmiss		592	

**QN38: 1+ times drunk in lifetime****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 1234 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	496	40.2%
2	No	738	59.8%
Sysmiss		46	

**QN39: Alcohol trouble 1+ times in lifetime****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 1218 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

### CATEGORIES

Value	Category	Cases	
1	Yes	359	29.5%
2	No	859	70.5%
Sysmiss		62	

### QN40: Age first drugs before 14

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 318 Invalid: 962

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
1	Yes	109	34.3%
2	No	209	65.7%
Sysmiss		962	

### QN41: Marijuana 1+ times in lifetime

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1186 Invalid: 94

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	288	24.3%
2	No	898	75.7%
Sysmiss		94	

**QN42: Marijuana 1+ times p 30 days****Data file:** ARG2012\_SantaCruz\_Public\_Use**Overview**

Valid: 1209 Invalid: 71

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	203	16.8%
2	No	1006	83.2%
Sysmiss		71	

**QN43: Amphetamines 1+ times lifetime****Data file:** ARG2012\_SantaCruz\_Public\_Use**Overview**

Valid: 1223 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	45	3.7%
2	No	1178	96.3%
Sysmiss		57	

**QN44: Ever had sex****Data file:** ARG2012\_SantaCruz\_Public\_Use**Overview**

Valid: 1174 Invalid: 106

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	599	51%
2	No	575	49%
Sysmiss		106	

**QN45: Age first sexual intercourse before 14****Data file:** ARG2012\_SantaCruz\_Public\_Use**Overview**

Valid: 551 Invalid: 729

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	179	32.5%
2	No	372	67.5%
Sysmiss		729	

**QN46: 2+ sex partners lifetime****Data file:** ARG2012\_SantaCruz\_Public\_Use**Overview**

Valid: 1197 Invalid: 83

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	335	28%
2	No	862	72%
Sysmiss		83	

### QN47: Used condom at last sex

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 541 Invalid: 739

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	398	73.6%
2	No	143	26.4%
Sysmiss		739	

### QN48: Used birth control at last sex

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 540 Invalid: 740

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

### CATEGORIES



Value	Category	Cases	
1	Yes	291	53.9%
2	No	249	46.1%
Sysmiss		740	

### Q49: Active 60+ mins/day for 5+ of past 7 days

Data file: ARG2012\_SantaCruz\_Public\_Use

#### Overview

Valid: 1207 Invalid: 73

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	409	33.9%
2	No	798	66.1%
Sysmiss		73	

### Q50: Walk/Bike to/from school 0 of past 7 days

Data file: ARG2012\_SantaCruz\_Public\_Use

#### Overview

Valid: 1198 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	291	24.3%
2	No	907	75.7%
Sysmiss		82	

**QN51: 3+ days PE each week****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 1176 Invalid: 104

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	293	24.9%
2	No	883	75.1%
Sysmiss		104	

**QN52: Sitting activities 3+ hours/day of usual day****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 1191 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

## CATEGORIES

Value	Category	Cases	
1	Yes	631	53%
2	No	560	47%
Sysmiss		89	

**QN53: Miss school no permission 1+ of past 30 days****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 1188 Invalid: 92

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	429	36.1%
2	No	759	63.9%
Sysmiss		92	

## QN54: Students most/always kind 30 days

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1178 Invalid: 102

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	605	51.4%
2	No	573	48.6%
Sysmiss		102	

## QN55: Parents most/always check homework

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1185 Invalid: 95

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	281	23.7%
2	No	904	76.3%
Sysmiss		95	

## QN56: Parents most/always understand problems

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1190 Invalid: 90

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	514	43.2%
2	No	676	56.8%
Sysmiss		90	

## QN57: Parents most/always know about free time

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1166 Invalid: 114

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	663	56.9%
2	No	503	43.1%
Sysmiss		114	

**QN58: Parents never/rarely go thru things****Data file:** ARG2012\_SantaCruz\_Public\_Use**Overview**

Valid: 1179 Invalid: 101

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	795	67.4%
2	No	384	32.6%
Sysmiss		101	

**QNOWTG: Overweight****Data file:** ARG2012\_SantaCruz\_Public\_Use**Overview**

Valid: 0 Invalid: 1280

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

**CATEGORIES**

Value	Category
1	Yes
2	No
Sysmiss	

**QNOBESEG: Obese****Data file:** ARG2012\_SantaCruz\_Public\_Use**Overview**

Valid: 0 Invalid: 1280

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese ( $>+2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

## QNUNWTG: Underweight

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 0    Invalid: 1280

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were underweight ( $<-2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

## QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1257    Invalid: 23

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	205	16.3%
2	No	1052	83.7%
Sysmiss		23	

## QNANYTBG: Used any tobacco past 30 days

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1247 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	373	29.9%
2	No	874	70.1%
Sysmiss		33	

## QNPA7G: Physically active all past 7 days

Data file: ARG2012\_SantaCruz\_Public\_Use

### Overview

Valid: 1207 Invalid: 73

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

#### CATEGORIES

Value	Category	Cases	
1	Yes	226	18.7%
2	No	981	81.3%
Sysmiss		73	

**QNPE5G: Attended PE 5+ days each week****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 1176 Invalid: 104

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	218	18.5%
2	No	958	81.5%
Sysmiss		104	

**QNC1G: Among heavy drinkers, ever sex****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 457 Invalid: 823

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	333	72.9%
2	No	124	27.1%
Sysmiss		823	

**QNC2G: Among those worried, currently bullied****Data file: ARG2012\_SantaCruz\_Public\_Use****Overview**

Valid: 110 Invalid: 1170

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	44	40%
2	No	66	60%
Sysmiss		1170	

### WEIGHT: Weight

Data file: ARG2012\_SantaCruz\_Public\_Use

#### Overview

Valid: 1280 Invalid: 0 Minimum: 5.223 Maximum: 23.231 Mean: 10.504 Standard deviation: 3.359  
Type: Continuous Decimal: 0 Width: 10 Range: 3.2196 - 1361.2246 Format: Numeric

### STRATUM: Stratum

Data file: ARG2012\_SantaCruz\_Public\_Use

#### Overview

Valid: 1280 Invalid: 0 Minimum: 201220001 Maximum: 201220009 Mean: 201220004.915 Standard deviation: 9.802  
Type: Continuous Decimal: 0 Width: 9 Range: 201201001 - 201224012 Format: Numeric

### PSU: Primary Sampling Unit

Data file: ARG2012\_SantaCruz\_Public\_Use

#### Overview

Valid: 1280 Invalid: 0 Minimum: 1 Maximum: 19 Mean: 9.369 Standard deviation: 5.346  
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 36 Format: Numeric

**Q1: How old are you****Data file: ARG2012\_SantaFe\_Public\_Use****Overview**

Valid: 1258 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	2	0.2%
2	12 years old	8	0.6%
3	13 years old	185	14.7%
4	14 years old	347	27.6%
5	15 years old	359	28.5%
6	16 years old or older	357	28.4%
Sysmiss		20	

**Q2: Sex****Data file: ARG2012\_SantaFe\_Public\_Use****Overview**

Valid: 1260 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	480	38.1%
2	Female	780	61.9%
Sysmiss		18	

**Q3: In what grade are you****Data file: ARG2012\_SantaFe\_Public\_Use**

## Overview

Valid: 1254 Invalid: 24  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

### CATEGORIES

Value	Category	Cases	
1	8th EGB	460	36.7%
2	9th EGB	409	32.6%
3	1st Pol	385	30.7%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		24	

## Q4: How tall are you

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 966 Invalid: 312 Minimum: 1.3 Maximum: 1.99 Mean: 1.636 Standard deviation: 0.0994  
 Type: Continuous Decimal: 2 Width: 5 Range: 1.2 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q5: How much do you weigh

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 966 Invalid: 312 Minimum: 33 Maximum: 120 Mean: 57.983 Standard deviation: 11.7  
 Type: Continuous Decimal: 2 Width: 5 Range: 30 - 180 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days**

**Data file:** ARG2012\_SantaFe\_Public\_Use

**Overview**

Valid: 1257 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	805	64%
2	Rarely	262	20.8%
3	Sometimes	138	11%
4	Most of the time	29	2.3%
5	Always	23	1.8%
Sysmiss		21	

**Q7: Eat fruit per day past 30 days**

**Data file:** ARG2012\_SantaFe\_Public\_Use

**Overview**

Valid: 1265 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	139	11%

2	Less than one time per day	324	25.6%
3	1 time per day	395	31.2%
4	2 times per day	242	19.1%
5	3 times per day	84	6.6%
6	4 times per day	34	2.7%
7	5 or more times per day	47	3.7%
Sysmiss		13	

## Q8: Eat vegetables past 30 days

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1263 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	114	9%
2	Less than one time per day	287	22.7%
3	1 time per day	451	35.7%
4	2 times per day	304	24.1%
5	3 times per day	42	3.3%
6	4 times per day	17	1.3%
7	5 or more times per day	48	3.8%
Sysmiss		15	

## Q9: Drink soft drinks past 30 days

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1263 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	133	10.5%
2	Less than one time per day	390	30.9%
3	1 time per day	189	15%
4	2 times per day	190	15%
5	3 times per day	128	10.1%
6	4 times per day	60	4.8%
7	5 or more times per day	173	13.7%
Sysmiss		15	

## Q10: Ate fast food past 7 days

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1272 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	973	76.5%
2	1 day	162	12.7%
3	2 days	75	5.9%
4	3 days	25	2%
5	4 days	17	1.3%
6	5 days	9	0.7%
7	6 days	0	0%

8	7 days	11	0.9%
Sysmiss		6	

## Q11: How many times per day brush teeth

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1267 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	37	2.9%
2	Less than 1 time per day	75	5.9%
3	1 time per day	238	18.8%
4	2 times per day	428	33.8%
5	3 times per day	348	27.5%
6	4 or more times per day	141	11.1%
Sysmiss		11	

## Q12: Wash hands before eating past 30 days

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1254 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	58	4.6%
2	Rarely	139	11.1%
3	Sometimes	264	21.1%
4	Most of the time	292	23.3%
5	Always	501	40%
Sysmiss		24	

### Q13: Wash hands after toilet past 30 day

Data file: ARG2012\_SantaFe\_Public\_Use

#### Overview

Valid: 1268 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	41	3.2%
2	Rarely	54	4.3%
3	Sometimes	124	9.8%
4	Most of the time	238	18.8%
5	Always	811	64%
Sysmiss		10	

### Q14: Used soap on hands past 30 days

Data file: ARG2012\_SantaFe\_Public\_Use

#### Overview

Valid: 1263 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION



During the past 30 days, how often did you use soap when washing your hands?

#### CATEGORIES

Value	Category	Cases	
1	Never	36	2.9%
2	Rarely	71	5.6%
3	Sometimes	143	11.3%
4	Most of the time	271	21.5%
5	Always	742	58.7%
Sysmiss		15	

### Q15: Times attacked past 12 mo.

Data file: ARG2012\_SantaFe\_Public\_Use

#### Overview

Valid: 1255 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

#### CATEGORIES

Value	Category	Cases	
1	0 times	986	78.6%
2	1 time	111	8.8%
3	2 or 3 times	88	7%
4	4 or 5 times	22	1.8%
5	6 or 7 times	7	0.6%
6	8 or 9 times	11	0.9%
7	10 or 11 times	4	0.3%
8	12 or more times	26	2.1%
Sysmiss		23	

### Q16: How many times in fight 12 mos

Data file: ARG2012\_SantaFe\_Public\_Use

## Overview

Valid: 1273 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	903	70.9%
2	1 time	175	13.7%
3	2 or 3 times	116	9.1%
4	4 or 5 times	29	2.3%
5	6 or 7 times	18	1.4%
6	8 or 9 times	9	0.7%
7	10 or 11 times	1	0.1%
8	12 or more times	22	1.7%
Sysmiss		5	

## Q17: How many times injured past 12 months

Data file: ARG2012\_SantaFe\_Public\_Use

## Overview

Valid: 1104 Invalid: 174

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	741	67.1%
2	1 time	233	21.1%
3	2 or 3 times	92	8.3%

4	4 or 5 times	25	2.3%
5	6 or 7 times	7	0.6%
6	8 or 9 times	3	0.3%
7	10 or 11 times	1	0.1%
8	12 or more times	2	0.2%
Sysmiss		174	

## Q18: What was serious injury past 12 mo.

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1140 Invalid: 138

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

#### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

#### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	855	75%
2	Broken bone/dislocated joint	78	6.8%
3	I had a cut or stab wound	26	2.3%
4	Concussion/head injury	19	1.7%
5	I had a gunshot wound	3	0.3%
6	I had a bad burn	3	0.3%
7	I was poisoned	3	0.3%
8	Something else happened to me	153	13.4%
Sysmiss		138	

## Q19: Cause of injury past 12 mo.

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1131 Invalid: 147

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	840	74.3%
2	Motor vehicle accident	29	2.6%
3	I fell	95	8.4%
4	Something fell on me or hit me	27	2.4%
5	I was attacked	21	1.9%
6	Was in a fire	0	0%
7	breathed something bad	8	0.7%
8	Something else	111	9.8%
Sysmiss		147	

## Q20: How many days bullied past 30 days

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1224 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	941	76.9%
2	1 or 2 days	162	13.2%
3	3 to 5 days	49	4%
4	6 to 9 days	21	1.7%
5	10 to 19 days	14	1.1%

6	20 to 29 days	9	0.7%
7	All 30 days	28	2.3%
Sysmiss		54	

## Q21: How bullied past 30 days

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1217 Invalid: 61

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	989	81.3%
2	Kicked, pushed, or shoved	33	2.7%
3	Made fun of race	20	1.6%
4	Made fun because of religion	10	0.8%
5	Made fun of about sex	25	2.1%
6	Left out of activities	15	1.2%
7	Made fun of about body	55	4.5%
8	Some other way	70	5.8%
Sysmiss		61	

## Q22: Times felt lonely past 12 mo.

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1264 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	496	39.2%
2	Rarely	341	27%
3	Sometimes	303	24%
4	Most of the time	86	6.8%
5	Always	38	3%
Sysmiss		14	

### Q23: Times could not sleep past 12 mo.

Data file: ARG2012\_SantaFe\_Public\_Use

#### Overview

Valid: 1268 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	428	33.8%
2	Rarely	384	30.3%
3	Sometimes	340	26.8%
4	Most of the time	84	6.6%
5	Always	32	2.5%
Sysmiss		10	

### Q24: Ever considered suicide 12 mos

Data file: ARG2012\_SantaFe\_Public\_Use

#### Overview

Valid: 1242 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	237	19.1%
2	No	1005	80.9%
Sysmiss		36	

## Q25: Ever make suicide plan 12 mos

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1246 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	227	18.2%
2	No	1019	81.8%
Sysmiss		32	

## Q26: Times attempted suicide 12 mos.

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1263 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1045	82.7%
2	1 time	134	10.6%
3	2 or 3 times	41	3.2%
4	4 or 5 times	28	2.2%
5	6 or more times	15	1.2%
Sysmiss		15	

### Q27: Number close friends

Data file: ARG2012\_SantaFe\_Public\_Use

#### Overview

Valid: 1245 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	81	6.5%
2	1	112	9%
3	2	186	14.9%
4	3 or more	866	69.6%
Sysmiss		33	

### Q28: Age first tried cigarette

Data file: ARG2012\_SantaFe\_Public\_Use

#### Overview

Valid: 1246 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	708	56.8%
2	7 years old or younger	35	2.8%
3	8 or 9 years old	40	3.2%
4	10 or 11 years old	81	6.5%
5	12 or 13 years old	150	12%
6	14 or 15 years old	201	16.1%
7	16 years old or older	31	2.5%
Sysmiss		32	

## Q29: How many days smoked 30 days

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1256 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	960	76.4%
2	1 or 2 days	117	9.3%
3	3 to 5 days	51	4.1%
4	6 to 9 days	36	2.9%
5	10 to 19 days	28	2.2%
6	20 to 29 days	16	1.3%
7	All 30 days	48	3.8%
Sysmiss		22	

**Q30: Other tobacco past 30 days****Data file: ARG2012\_SantaFe\_Public\_Use****Overview**

Valid: 1267 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	1173	92.6%
2	1 or 2 days	49	3.9%
3	3 to 5 days	18	1.4%
4	6 to 9 days	3	0.2%
5	10 to 19 days	7	0.6%
6	20 to 29 days	1	0.1%
7	All 30 days	16	1.3%
Sysmiss		11	

**Q31: Try stop smoking past 12 mo.****Data file: ARG2012\_SantaFe\_Public\_Use****Overview**

Valid: 1244 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

## CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	841	67.6%
2	Did not smoke cigarettes	144	11.6%
3	Yes	171	13.7%
4	No	88	7.1%
Sysmiss		34	

### Q32: Others present smoking past 7 days

Data file: ARG2012\_SantaFe\_Public\_Use

#### Overview

Valid: 1255 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	252	20.1%
2	1 or 2 days	355	28.3%
3	3 or 4 days	170	13.5%
4	5 or 6 days	91	7.3%
5	All 7 days	387	30.8%
Sysmiss		23	

### Q33: Parents who use tobacco

Data file: ARG2012\_SantaFe\_Public\_Use

#### Overview

Valid: 1254 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	783	62.4%
2	My father or male guardian	184	14.7%
3	My mother or female guardian	140	11.2%
4	Both	110	8.8%
5	I do not know	37	3%
Sysmiss		24	

**Q34: Age first drink alcohol****Data file: ARG2012\_SantaFe\_Public\_Use****Overview**

Valid: 1171 Invalid: 107

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

## CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	173	14.8%
2	7 years old or younger	61	5.2%
3	8 or 9 years old	51	4.4%
4	10 or 11 years old	139	11.9%
5	12 or 13 years old	385	32.9%
6	14 or 15 years old	338	28.9%
7	16 years old or older	24	2%
Sysmiss		107	

**Q35: Days one drink or more past 30 days****Data file: ARG2012\_SantaFe\_Public\_Use****Overview**

Valid: 1213 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

### CATEGORIES

Value	Category	Cases	
1	0 days	393	32.4%
2	1 or 2 days	363	29.9%
3	3 to 5 days	179	14.8%
4	6 to 9 days	145	12%
5	10 to 19 days	84	6.9%
6	20 to 29 days	28	2.3%
7	All 30 days	21	1.7%
Sysmiss		65	

## Q36: Number of drinks past 30 days

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1218 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	371	30.5%
2	Less than one drink	170	14%
3	1 drink	126	10.3%
4	2 drinks	114	9.4%
5	3 drinks	96	7.9%
6	4 drinks	74	6.1%

7	5 or more drinks	267	21.9%
Sysmiss		60	

### Q37: How got drinks past 30 days

Data file: ARG2012\_SantaFe\_Public\_Use

#### Overview

Valid: 1199 Invalid: 79

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

##### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	385	32.1%
2	I bought in a store	283	23.6%
3	I gave someone money to buy	41	3.4%
4	I got it from my friends	258	21.5%
5	I got it from my family	75	6.3%
6	I stole it	7	0.6%
7	Some other way	150	12.5%
Sysmiss		79	

### Q38: Times drunk during life

Data file: ARG2012\_SantaFe\_Public\_Use

#### Overview

Valid: 1229 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	710	57.8%
2	1 or 2 times	334	27.2%
3	3 to 9 times	142	11.6%
4	10 or more times	43	3.5%
Sysmiss		49	

### Q39: Number of troubles as result of drinking

Data file: ARG2012\_SantaFe\_Public\_Use

#### Overview

Valid: 1216 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	870	71.5%
2	1 or 2 times	237	19.5%
3	3 to 9 times	77	6.3%
4	10 or more times	32	2.6%
Sysmiss		62	

### Q40: Age first drugs

Data file: ARG2012\_SantaFe\_Public\_Use

#### Overview

Valid: 1207 Invalid: 71

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

How old were you when you first used drugs?

### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1054	87.3%
2	7 years old or younger	29	2.4%
3	8 or 9 years old	7	0.6%
4	10 or 11 years old	9	0.7%
5	12 or 13 years old	38	3.1%
6	14 or 15 years old	57	4.7%
7	16 years old or older	13	1.1%
Sysmiss		71	

## Q41: Times used marijuana lifetime

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1221 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	1102	90.3%
2	1 or 2 times	42	3.4%
3	3 to 9 times	31	2.5%
4	10 to 19 times	16	1.3%
5	20 or more times	30	2.5%
Sysmiss		57	



**Q42: Times used marijuana past 30 days****Data file: ARG2012\_SantaFe\_Public\_Use****Overview**

Valid: 1230 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1149	93.4%
2	1 or 2 times	36	2.9%
3	3 to 9 times	21	1.7%
4	10 to 19 times	8	0.7%
5	20 or more times	16	1.3%
Sysmiss		48	

**Q43: Times used amphetamines lifetime****Data file: ARG2012\_SantaFe\_Public\_Use****Overview**

Valid: 1215 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1179	97%

2	1 or 2 times	19	1.6%
3	3 to 9 times	6	0.5%
4	10 to 19 times	5	0.4%
5	20 or more times	6	0.5%
Sysmiss		63	

**Q44: Ever had sex****Data file: ARG2012\_SantaFe\_Public\_Use****Overview**

Valid: 1167 Invalid: 111

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

Have you ever had sexual intercourse?

## CATEGORIES

Value	Category	Cases	
1	Yes	551	47.2%
2	No	616	52.8%
Sysmiss		111	

**Q45: Age first sexual intercourse****Data file: ARG2012\_SantaFe\_Public\_Use****Overview**

Valid: 1188 Invalid: 90

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	701	59%

2	11 years old or younger	43	3.6%
3	12 years old	47	4%
4	13 years old	87	7.3%
5	14 years old	145	12.2%
6	15 years old	124	10.4%
7	16 years old or older	41	3.5%
Sysmiss		90	

## Q46: How many sex partners

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1207 Invalid: 71

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	725	60.1%
2	1 person	219	18.1%
3	2 people	96	8%
4	3 people	52	4.3%
5	4 people	33	2.7%
6	5 people	22	1.8%
7	6 or more people	60	5%
Sysmiss		71	

## Q47: Used condom at last intercourse

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1200 Invalid: 78

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	708	59%
2	Yes	380	31.7%
3	No	112	9.3%
Sysmiss		78	

## Q48: Used birth control last intercourse

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1195 Invalid: 83

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	715	59.8%
2	Yes	289	24.2%
3	No	121	10.1%
4	I do not know	70	5.9%
Sysmiss		83	

## Q49: Days active 60 min plus past 7 days

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1224 Invalid: 54

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

**CATEGORIES**

Value	Category	Cases	
1	0 days	229	18.7%
2	1 day	198	16.2%
3	2 days	185	15.1%
4	3 days	138	11.3%
5	4 days	86	7%
6	5 days	106	8.7%
7	6 days	62	5.1%
8	7 days	220	18%
Sysmiss		54	

**Q50: Walk or bike to school past 7 days****Data file:** ARG2012\_SantaFe\_Public\_Use**Overview**

Valid: 1211    Invalid: 67

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

**CATEGORIES**

Value	Category	Cases	
1	0 days	323	26.7%
2	1 day	69	5.7%
3	2 days	57	4.7%

4	3 days	28	2.3%
5	4 days	68	5.6%
6	5 days	219	18.1%
7	6 days	27	2.2%
8	7 days	420	34.7%
Sysmiss		67	

## Q51: Days went to PE each week

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1189 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

#### CATEGORIES

Value	Category	Cases	
1	0 days	123	10.3%
2	1 day	244	20.5%
3	2 days	531	44.7%
4	3 days	23	1.9%
5	4 days	24	2%
6	5 or more days	244	20.5%
Sysmiss		89	

## Q52: Time spent sitting on usual day

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1212 Invalid: 66

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	178	14.7%
2	1 to 2 hours per day	389	32.1%
3	3 to 4 hours per day	341	28.1%
4	5 to 6 hours per day	146	12%
5	7 to 8 hours per day	58	4.8%
6	More than 8 hours per day	100	8.3%
Sysmiss		66	

## Q53: Miss school no permission past 30 days

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1213 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

### CATEGORIES

Value	Category	Cases	
1	0 days	811	66.9%
2	1 or 2 days	220	18.1%
3	3 to 5 days	94	7.7%
4	6 to 9 days	32	2.6%
5	10 or more days	56	4.6%
Sysmiss		65	

**Q54: Others helpful in school past 30 days****Data file: ARG2012\_SantaFe\_Public\_Use****Overview**

Valid: 1198 Invalid: 80

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

## CATEGORIES

Value	Category	Cases	
1	Never	99	8.3%
2	Rarely	158	13.2%
3	Sometimes	249	20.8%
4	Most of the time	348	29%
5	Always	344	28.7%
Sysmiss		80	

**Q55: Parents check homework past 30 days****Data file: ARG2012\_SantaFe\_Public\_Use****Overview**

Valid: 1213 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

## CATEGORIES

Value	Category	Cases	
1	Never	411	33.9%
2	Rarely	223	18.4%
3	Sometimes	212	17.5%
4	Most of the time	170	14%
5	Always	197	16.2%



Sysmiss		65	
---------	--	----	--

## Q56: Parent understand troubles past 30 days

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1197 Invalid: 81

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

#### CATEGORIES

Value	Category	Cases	
1	Never	199	16.6%
2	Rarely	157	13.1%
3	Sometimes	213	17.8%
4	Most of the time	214	17.9%
5	Always	414	34.6%
Sysmiss		81	

## Q57: Parent know what you do past 30 days

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1193 Invalid: 85

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	138	11.6%
2	Rarely	128	10.7%

3	Sometimes	161	13.5%
4	Most of the time	253	21.2%
5	Always	513	43%
Sysmiss		85	

### Q58: Parent go through things past 30 days

Data file: ARG2012\_SantaFe\_Public\_Use

#### Overview

Valid: 1195 Invalid: 83

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

##### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

##### CATEGORIES

Value	Category	Cases	
1		488	40.8%
2		246	20.6%
3		228	19.1%
4		128	10.7%
5		105	8.8%
Sysmiss		83	

### QN6: Went hungry most of time/always past 30 days

Data file: ARG2012\_SantaFe\_Public\_Use

#### Overview

Valid: 1257 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	52	4.1%
2	No	1205	95.9%
Sysmiss		21	

**QN7: Ate fruit 2+ times per day past 30 days****Data file:** ARG2012\_SantaFe\_Public\_Use**Overview**

Valid: 1265 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	407	32.2%
2	No	858	67.8%
Sysmiss		13	

**QN8: Ate vegetables 3+ times per day past 30 day****Data file:** ARG2012\_SantaFe\_Public\_Use**Overview**

Valid: 1263 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	107	8.5%
2	No	1156	91.5%
Sysmiss		15	

**QN9: Drank soft drinks 1+ times per day past 30 day****Data file: ARG2012\_SantaFe\_Public\_Use****Overview**

Valid: 1263 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	740	58.6%
2	No	523	41.4%
Sysmiss		15	

**QN10: Ate fast food 3+ days past 7 day****Data file: ARG2012\_SantaFe\_Public\_Use****Overview**

Valid: 1272 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

## CATEGORIES

Value	Category	Cases	
1	Yes	62	4.9%
2	No	1210	95.1%
Sysmiss		6	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: ARG2012\_SantaFe\_Public\_Use****Overview**

Valid: 1267 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	112	8.8%
2	No	1155	91.2%
Sysmiss		11	

## QN12: Never/rarely wash hands before eating past 30 days

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1254 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	197	15.7%
2	No	1057	84.3%
Sysmiss		24	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1268 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	95	7.5%
2	No	1173	92.5%
Sysmiss		10	

### QN14: Never/rarely use soap on hands past 30 days

Data file: ARG2012\_SantaFe\_Public\_Use

#### Overview

Valid: 1263 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	107	8.5%
2	No	1156	91.5%
Sysmiss		15	

### QN15: Attacked 1+ times past 12 months

Data file: ARG2012\_SantaFe\_Public\_Use

#### Overview

Valid: 1255 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	269	21.4%
2	No	986	78.6%
Sysmiss		23	

**QN16: In fight 1+ times past 12 months****Data file:** ARG2012\_SantaFe\_Public\_Use**Overview**

Valid: 1273 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	370	29.1%
2	No	903	70.9%
Sysmiss		5	

**QN17: Seriously injured 1+ times past 12 months****Data file:** ARG2012\_SantaFe\_Public\_Use**Overview**

Valid: 1104 Invalid: 174

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	363	32.9%
2	No	741	67.1%
Sysmiss		174	

**QN18: Broken bone as most serious injury****Data file:** ARG2012\_SantaFe\_Public\_Use**Overview**

Valid: 285 Invalid: 993

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

### CATEGORIES

Value	Category	Cases	
1	Yes	78	27.4%
2	No	207	72.6%
Sysmiss		993	

## QN19: Motor vehicle caused most serious injury

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 291 Invalid: 987

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	29	10%
2	No	262	90%
Sysmiss		987	

## QN20: Bullied 1+ of past 30 days

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1224 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES



Value	Category	Cases	
1	Yes	283	23.1%
2	No	941	76.9%
Sysmiss		54	

## QN21: Of students bullied, most often hit, kicked, etc

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 228 Invalid: 1050

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

#### CATEGORIES

Value	Category	Cases	
1	Yes	33	14.5%
2	No	195	85.5%
Sysmiss		1050	

## QN22: Lonely most times/always past 12 months

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1264 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	124	9.8%
2	No	1140	90.2%
Sysmiss		14	

**QN23: Worry prevented sleep most time/always past 12 mos****Data file: ARG2012\_SantaFe\_Public\_Use****Overview**

Valid: 1268 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	116	9.1%
2	No	1152	90.9%
Sysmiss		10	

**QN24: Considered suicide past 12 months****Data file: ARG2012\_SantaFe\_Public\_Use****Overview**

Valid: 1242 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	237	19.1%
2	No	1005	80.9%
Sysmiss		36	

**QN25: Made suicide plan past 12 months****Data file: ARG2012\_SantaFe\_Public\_Use****Overview**

Valid: 1246 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	227	18.2%
2	No	1019	81.8%
Sysmiss		32	

### QN26: 1+ times attempt suicide 12 mos.

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1263 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	218	17.3%
2	No	1045	82.7%
Sysmiss		15	

### QN27: No close friends

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1245 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	81	6.5%
2	No	1164	93.5%
Sysmiss		33	

### QN28: Age first cigarette before 14

Data file: ARG2012\_SantaFe\_Public\_Use

#### Overview

Valid: 538 Invalid: 740

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

##### CATEGORIES

Value	Category	Cases	
1	Yes	306	56.9%
2	No	232	43.1%
Sysmiss		740	

### QN29: Smoked cigarettes 1+ of past 30 days

Data file: ARG2012\_SantaFe\_Public\_Use

#### Overview

Valid: 1256 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	296	23.6%
2	No	960	76.4%
Sysmiss		22	

**QN30: Used other tobacco 1+ of past 30 days****Data file:** ARG2012\_SantaFe\_Public\_Use**Overview**

Valid: 1267 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	94	7.4%
2	No	1173	92.6%
Sysmiss		11	

**QN31: Tried to quit smoking past 12 months****Data file:** ARG2012\_SantaFe\_Public\_Use**Overview**

Valid: 259 Invalid: 1019

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	171	66%
2	No	88	34%
Sysmiss		1019	

**QN32: Others present smoking 1+ of past 7 days****Data file:** ARG2012\_SantaFe\_Public\_Use**Overview**

Valid: 1255 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	1003	79.9%
2	No	252	20.1%
Sysmiss		23	

## QN33: Either/Both parents use tobacco

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1254 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	434	34.6%
2	No	820	65.4%
Sysmiss		24	

## QN34: Age first alcohol before 14

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 998 Invalid: 280

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	636	63.7%
2	No	362	36.3%
Sysmiss		280	

**QN35: Drank 1+ days past 30 days****Data file:** ARG2012\_SantaFe\_Public\_Use**Overview**

Valid: 1213 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	820	67.6%
2	No	393	32.4%
Sysmiss		65	

**QN36: Of current drinkers, drank 2+ drinks/day 30 days****Data file:** ARG2012\_SantaFe\_Public\_Use**Overview**

Valid: 847 Invalid: 431

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

## CATEGORIES

Value	Category	Cases	
1	Yes	551	65.1%
2	No	296	34.9%
Sysmiss		431	

**QN37: Of current drinkers, got alcohol from friends****Data file: ARG2012\_SantaFe\_Public\_Use****Overview**

Valid: 814 Invalid: 464

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

## CATEGORIES

Value	Category	Cases	
1	Yes	258	31.7%
2	No	556	68.3%
Sysmiss		464	

**QN38: 1+ times drunk in lifetime****Data file: ARG2012\_SantaFe\_Public\_Use****Overview**

Valid: 1229 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	519	42.2%
2	No	710	57.8%
Sysmiss		49	

**QN39: Alcohol trouble 1+ times in lifetime****Data file: ARG2012\_SantaFe\_Public\_Use****Overview**

Valid: 1216 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

### CATEGORIES

Value	Category	Cases	
1	Yes	346	28.5%
2	No	870	71.5%
Sysmiss		62	

## QN40: Age first drugs before 14

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 153 Invalid: 1125

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
1	Yes	83	54.2%
2	No	70	45.8%
Sysmiss		1125	

## QN41: Marijuana 1+ times in lifetime

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1221 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	119	9.7%
2	No	1102	90.3%
Sysmiss		57	

**QN42: Marijuana 1+ times p 30 days****Data file:** ARG2012\_SantaFe\_Public\_Use**Overview**

Valid: 1230 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	81	6.6%
2	No	1149	93.4%
Sysmiss		48	

**QN43: Amphetamines 1+ times lifetime****Data file:** ARG2012\_SantaFe\_Public\_Use**Overview**

Valid: 1215 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	36	3%
2	No	1179	97%
Sysmiss		63	

**QN44: Ever had sex****Data file:** ARG2012\_SantaFe\_Public\_Use**Overview**

Valid: 1167    Invalid: 111

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	551	47.2%
2	No	616	52.8%
Sysmiss		111	

**QN45: Age first sexual intercourse before 14****Data file:** ARG2012\_SantaFe\_Public\_Use**Overview**

Valid: 487    Invalid: 791

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	177	36.3%
2	No	310	63.7%
Sysmiss		791	

**QN46: 2+ sex partners lifetime****Data file:** ARG2012\_SantaFe\_Public\_Use**Overview**

Valid: 1207    Invalid: 71

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	263	21.8%
2	No	944	78.2%
Sysmiss		71	

### QN47: Used condom at last sex

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 492 Invalid: 786

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	380	77.2%
2	No	112	22.8%
Sysmiss		786	

### QN48: Used birth control at last sex

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 480 Invalid: 798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	289	60.2%
2	No	191	39.8%
Sysmiss		798	

### QN49: Active 60+ mins/day for 5+ of past 7 days

Data file: ARG2012\_SantaFe\_Public\_Use

#### Overview

Valid: 1224 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	388	31.7%
2	No	836	68.3%
Sysmiss		54	

### QN50: Walk/Bike to/from school 0 of past 7 days

Data file: ARG2012\_SantaFe\_Public\_Use

#### Overview

Valid: 1211 Invalid: 67

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	323	26.7%
2	No	888	73.3%
Sysmiss		67	

**QN51: 3+ days PE each week****Data file:** ARG2012\_SantaFe\_Public\_Use**Overview**

Valid: 1189 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	291	24.5%
2	No	898	75.5%
Sysmiss		89	

**QN52: Sitting activities 3+ hours/day of usual day****Data file:** ARG2012\_SantaFe\_Public\_Use**Overview**

Valid: 1212 Invalid: 66

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

## CATEGORIES

Value	Category	Cases	
1	Yes	645	53.2%
2	No	567	46.8%
Sysmiss		66	

**QN53: Miss school no permission 1+ of past 30 days****Data file:** ARG2012\_SantaFe\_Public\_Use**Overview**

Valid: 1213 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	402	33.1%
2	No	811	66.9%
Sysmiss		65	

### QN54: Students most/always kind 30 days

Data file: ARG2012\_SantaFe\_Public\_Use

#### Overview

Valid: 1198 Invalid: 80

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	692	57.8%
2	No	506	42.2%
Sysmiss		80	

### QN55: Parents most/always check homework

Data file: ARG2012\_SantaFe\_Public\_Use

#### Overview

Valid: 1213 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	367	30.3%
2	No	846	69.7%
Sysmiss		65	

## QN56: Parents most/always understand problems

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1197 Invalid: 81

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	628	52.5%
2	No	569	47.5%
Sysmiss		81	

## QN57: Parents most/always know about free time

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1193 Invalid: 85

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	766	64.2%
2	No	427	35.8%
Sysmiss		85	



**QN58: Parents never/rarely go thru things****Data file:** ARG2012\_SantaFe\_Public\_Use**Overview**

Valid: 1195    Invalid: 83

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	734	61.4%
2	No	461	38.6%
Sysmiss		83	

**QNOWTG: Overweight****Data file:** ARG2012\_SantaFe\_Public\_Use**Overview**

Valid: 966    Invalid: 312

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

## CATEGORIES

Value	Category	Cases	
1	Yes	251	26%
2	No	715	74%
Sysmiss		312	

**QNOBESEG: Obese****Data file:** ARG2012\_SantaFe\_Public\_Use**Overview**

Valid: 966    Invalid: 312

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1	Yes	46	4.8%
2	No	920	95.2%
Sysmiss		312	

## QNUNWTG: Underweight

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 966    Invalid: 312

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1	Yes	21	2.2%
2	No	945	97.8%
Sysmiss		312	

## QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: ARG2012\_SantaFe\_Public\_Use

### Overview

Valid: 1255    Invalid: 23

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	162	12.9%
2	No	1093	87.1%
Sysmiss		23	

### QNANYTBG: Used any tobacco past 30 days

Data file: ARG2012\_SantaFe\_Public\_Use

#### Overview

Valid: 1253 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	315	25.1%
2	No	938	74.9%
Sysmiss		25	

### QNPA7G: Physically active all past 7 days

Data file: ARG2012\_SantaFe\_Public\_Use

#### Overview

Valid: 1224 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	220	18%
2	No	1004	82%
Sysmiss		54	

**QNPE5G: Attended PE 5+ days each week****Data file:** ARG2012\_SantaFe\_Public\_Use**Overview**

Valid: 1189 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	244	20.5%
2	No	945	79.5%
Sysmiss		89	

**QNC1G: Among heavy drinkers, ever sex****Data file:** ARG2012\_SantaFe\_Public\_Use**Overview**

Valid: 474 Invalid: 804

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	318	67.1%
2	No	156	32.9%
Sysmiss		804	

**QNC2G: Among those worried, currently bullied****Data file:** ARG2012\_SantaFe\_Public\_Use**Overview**

Valid: 109 Invalid: 1169

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	44	40.4%
2	No	65	59.6%
Sysmiss		1169	

### WEIGHT: Weight

Data file: ARG2012\_SantaFe\_Public\_Use

#### Overview

Valid: 1278 Invalid: 0 Minimum: 74.557 Maximum: 284.231 Mean: 123.2 Standard deviation: 43.798  
Type: Continuous Decimal: 0 Width: 10 Range: 3.2196 - 1361.2246 Format: Numeric

### STRATUM: Stratum

Data file: ARG2012\_SantaFe\_Public\_Use

#### Overview

Valid: 1278 Invalid: 0 Minimum: 201221001 Maximum: 201221012 Mean: 201221006.683 Standard deviation: 11.88  
Type: Continuous Decimal: 0 Width: 9 Range: 201201001 - 201224012 Format: Numeric

### PSU: Primary Sampling Unit

Data file: ARG2012\_SantaFe\_Public\_Use

#### Overview

Valid: 1278 Invalid: 0 Minimum: 1 Maximum: 25 Mean: 12.973 Standard deviation: 7.097  
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 36 Format: Numeric

**Q1: How old are you****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 1225 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	0	0%
2	12 years old	2	0.2%
3	13 years old	235	19.2%
4	14 years old	337	27.5%
5	15 years old	336	27.4%
6	16 years old or older	315	25.7%
Sysmiss		9	

**Q2: Sex****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 1226 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	650	53%
2	Female	576	47%
Sysmiss		8	

**Q3: In what grade are you****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use**

## Overview

Valid: 1222 Invalid: 12  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

### CATEGORIES

Value	Category	Cases	
1	8th EGB	571	46.7%
2	9th EGB	295	24.1%
3	1st Pol	356	29.1%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		12	

## Q4: How tall are you

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

## Overview

Valid: 768 Invalid: 466 Minimum: 1.3 Maximum: 1.9 Mean: 1.632 Standard deviation: 0.101  
 Type: Continuous Decimal: 2 Width: 5 Range: 1.2 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q5: How much do you weigh

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

## Overview

Valid: 768 Invalid: 466 Minimum: 32 Maximum: 164 Mean: 57.473 Standard deviation: 12.23  
 Type: Continuous Decimal: 2 Width: 5 Range: 30 - 180 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days**

**Data file:** ARG2012\_SantiagoDelEstro\_Public\_Use

**Overview**

Valid: 1227 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	806	65.7%
2	Rarely	236	19.2%
3	Sometimes	128	10.4%
4	Most of the time	27	2.2%
5	Always	30	2.4%
Sysmiss		7	

**Q7: Eat fruit per day past 30 days**

**Data file:** ARG2012\_SantiagoDelEstro\_Public\_Use

**Overview**

Valid: 1225 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	100	8.2%



2	Less than one time per day	231	18.9%
3	1 time per day	380	31%
4	2 times per day	285	23.3%
5	3 times per day	114	9.3%
6	4 times per day	38	3.1%
7	5 or more times per day	77	6.3%
Sysmiss		9	

## Q8: Eat vegetables past 30 days

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1226 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	91	7.4%
2	Less than one time per day	209	17%
3	1 time per day	484	39.5%
4	2 times per day	303	24.7%
5	3 times per day	46	3.8%
6	4 times per day	17	1.4%
7	5 or more times per day	76	6.2%
Sysmiss		8	

## Q9: Drink soft drinks past 30 days

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1223 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	62	5.1%
2	Less than one time per day	233	19.1%
3	1 time per day	297	24.3%
4	2 times per day	258	21.1%
5	3 times per day	133	10.9%
6	4 times per day	63	5.2%
7	5 or more times per day	177	14.5%
Sysmiss		11	

## Q10: Ate fast food past 7 days

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1222 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	798	65.3%
2	1 day	253	20.7%
3	2 days	91	7.4%
4	3 days	39	3.2%
5	4 days	13	1.1%
6	5 days	7	0.6%
7	6 days	7	0.6%

8	7 days	14	1.1%
Sysmiss		12	

## Q11: How many times per day brush teeth

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1224 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	22	1.8%
2	Less than 1 time per day	70	5.7%
3	1 time per day	223	18.2%
4	2 times per day	370	30.2%
5	3 times per day	383	31.3%
6	4 or more times per day	156	12.7%
Sysmiss		10	

## Q12: Wash hands before eating past 30 days

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1220 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	20	1.6%
2	Rarely	70	5.7%
3	Sometimes	153	12.5%
4	Most of the time	357	29.3%
5	Always	620	50.8%
Sysmiss		14	

### Q13: Wash hands after toilet past 30 day

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

#### Overview

Valid: 1226 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	14	1.1%
2	Rarely	28	2.3%
3	Sometimes	69	5.6%
4	Most of the time	184	15%
5	Always	931	75.9%
Sysmiss		8	

### Q14: Used soap on hands past 30 days

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

#### Overview

Valid: 1215 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

#### CATEGORIES

Value	Category	Cases	
1	Never	18	1.5%
2	Rarely	74	6.1%
3	Sometimes	202	16.6%
4	Most of the time	301	24.8%
5	Always	620	51%
Sysmiss		19	

### Q15: Times attacked past 12 mo.

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

#### Overview

Valid: 1218 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

#### CATEGORIES

Value	Category	Cases	
1	0 times	936	76.8%
2	1 time	127	10.4%
3	2 or 3 times	88	7.2%
4	4 or 5 times	22	1.8%
5	6 or 7 times	13	1.1%
6	8 or 9 times	10	0.8%
7	10 or 11 times	1	0.1%
8	12 or more times	21	1.7%
Sysmiss		16	

### Q16: How many times in fight 12 mos

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

## Overview

Valid: 1232 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	793	64.4%
2	1 time	195	15.8%
3	2 or 3 times	138	11.2%
4	4 or 5 times	33	2.7%
5	6 or 7 times	20	1.6%
6	8 or 9 times	5	0.4%
7	10 or 11 times	6	0.5%
8	12 or more times	42	3.4%
Sysmiss		2	

## Q17: How many times injured past 12 months

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

## Overview

Valid: 1062 Invalid: 172

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	676	63.7%
2	1 time	251	23.6%
3	2 or 3 times	99	9.3%

4	4 or 5 times	13	1.2%
5	6 or 7 times	9	0.8%
6	8 or 9 times	1	0.1%
7	10 or 11 times	1	0.1%
8	12 or more times	12	1.1%
Sysmiss		172	

### Q18: What was serious injury past 12 mo.

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

#### Overview

Valid: 1111 Invalid: 123

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	825	74.3%
2	Broken bone/dislocated joint	64	5.8%
3	I had a cut or stab wound	20	1.8%
4	Concussion/head injury	36	3.2%
5	I had a gunshot wound	3	0.3%
6	I had a bad burn	6	0.5%
7	I was poisoned	4	0.4%
8	Something else happened to me	153	13.8%
Sysmiss		123	

### Q19: Cause of injury past 12 mo.

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

#### Overview

Valid: 1091 Invalid: 143

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	796	73%
2	Motor vehicle accident	28	2.6%
3	I fell	129	11.8%
4	Something fell on me or hit me	22	2%
5	I was attacked	8	0.7%
6	Was in a fire	1	0.1%
7	breathed something bad	3	0.3%
8	Something else	104	9.5%
Sysmiss		143	

## Q20: How many days bullied past 30 days

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1158 Invalid: 76

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	819	70.7%
2	1 or 2 days	213	18.4%
3	3 to 5 days	42	3.6%
4	6 to 9 days	18	1.6%
5	10 to 19 days	14	1.2%



6	20 to 29 days	9	0.8%
7	All 30 days	43	3.7%
Sysmiss		76	

## Q21: How bullied past 30 days

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1145 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	883	77.1%
2	Kicked, pushed, or shoved	13	1.1%
3	Made fun of race	18	1.6%
4	Made fun because of religion	5	0.4%
5	Made fun of about sex	37	3.2%
6	Left out of activities	10	0.9%
7	Made fun of about body	67	5.9%
8	Some other way	112	9.8%
Sysmiss		89	

## Q22: Times felt lonely past 12 mo.

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1206 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	528	43.8%
2	Rarely	315	26.1%
3	Sometimes	253	21%
4	Most of the time	77	6.4%
5	Always	33	2.7%
Sysmiss		28	

### Q23: Times could not sleep past 12 mo.

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

#### Overview

Valid: 1232 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	454	36.9%
2	Rarely	384	31.2%
3	Sometimes	298	24.2%
4	Most of the time	74	6%
5	Always	22	1.8%
Sysmiss		2	

### Q24: Ever considered suicide 12 mos

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

#### Overview

Valid: 1211 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	173	14.3%
2	No	1038	85.7%
Sysmiss		23	

## Q25: Ever make suicide plan 12 mos

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1229 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	167	13.6%
2	No	1062	86.4%
Sysmiss		5	

## Q26: Times attempted suicide 12 mos.

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1222 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1060	86.7%
2	1 time	109	8.9%
3	2 or 3 times	32	2.6%
4	4 or 5 times	11	0.9%
5	6 or more times	10	0.8%
Sysmiss		12	

### Q27: Number close friends

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

#### Overview

Valid: 1215 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	66	5.4%
2	1	103	8.5%
3	2	157	12.9%
4	3 or more	889	73.2%
Sysmiss		19	

### Q28: Age first tried cigarette

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

#### Overview

Valid: 1200 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	773	64.4%
2	7 years old or younger	17	1.4%
3	8 or 9 years old	29	2.4%
4	10 or 11 years old	77	6.4%
5	12 or 13 years old	157	13.1%
6	14 or 15 years old	112	9.3%
7	16 years old or older	35	2.9%
Sysmiss		34	

## Q29: How many days smoked 30 days

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1223 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	1030	84.2%
2	1 or 2 days	93	7.6%
3	3 to 5 days	23	1.9%
4	6 to 9 days	19	1.6%
5	10 to 19 days	23	1.9%
6	20 to 29 days	7	0.6%
7	All 30 days	28	2.3%
Sysmiss		11	

**Q30: Other tobacco past 30 days****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 1231 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	1184	96.2%
2	1 or 2 days	23	1.9%
3	3 to 5 days	7	0.6%
4	6 to 9 days	4	0.3%
5	10 to 19 days	6	0.5%
6	20 to 29 days	2	0.2%
7	All 30 days	5	0.4%
Sysmiss		3	

**Q31: Try stop smoking past 12 mo.****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 1212 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

## CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	881	72.7%
2	Did not smoke cigarettes	151	12.5%
3	Yes	140	11.6%
4	No	40	3.3%
Sysmiss		22	

### Q32: Others present smoking past 7 days

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

#### Overview

Valid: 1220 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	313	25.7%
2	1 or 2 days	374	30.7%
3	3 or 4 days	177	14.5%
4	5 or 6 days	62	5.1%
5	All 7 days	294	24.1%
Sysmiss		14	

### Q33: Parents who use tobacco

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

#### Overview

Valid: 1231 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	824	66.9%
2	My father or male guardian	201	16.3%
3	My mother or female guardian	93	7.6%
4	Both	75	6.1%
5	I do not know	38	3.1%
Sysmiss		3	

**Q34: Age first drink alcohol****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 1121 Invalid: 113

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

## CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	371	33.1%
2	7 years old or younger	48	4.3%
3	8 or 9 years old	26	2.3%
4	10 or 11 years old	85	7.6%
5	12 or 13 years old	250	22.3%
6	14 or 15 years old	281	25.1%
7	16 years old or older	60	5.4%
Sysmiss		113	

**Q35: Days one drink or more past 30 days****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 1168 Invalid: 66

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

### CATEGORIES

Value	Category	Cases	
1	0 days	647	55.4%
2	1 or 2 days	318	27.2%
3	3 to 5 days	89	7.6%
4	6 to 9 days	47	4%
5	10 to 19 days	35	3%
6	20 to 29 days	17	1.5%
7	All 30 days	15	1.3%
Sysmiss		66	

## Q36: Number of drinks past 30 days

Data file: ARG2012\_SantiagoDeEstro\_Public\_Use

### Overview

Valid: 1199 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	606	50.5%
2	Less than one drink	140	11.7%
3	1 drink	92	7.7%
4	2 drinks	73	6.1%
5	3 drinks	71	5.9%
6	4 drinks	44	3.7%

7	5 or more drinks	173	14.4%
Sysmiss		35	

### Q37: How got drinks past 30 days

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

#### Overview

Valid: 1177 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

##### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	646	54.9%
2	I bought in a store	133	11.3%
3	I gave someone money to buy	34	2.9%
4	I got it from my friends	239	20.3%
5	I got it from my family	62	5.3%
6	I stole it	3	0.3%
7	Some other way	60	5.1%
Sysmiss		57	

### Q38: Times drunk during life

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

#### Overview

Valid: 1214 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	904	74.5%
2	1 or 2 times	231	19%
3	3 to 9 times	50	4.1%
4	10 or more times	29	2.4%
Sysmiss		20	

### Q39: Number of troubles as result of drinking

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

#### Overview

Valid: 1188 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	1025	86.3%
2	1 or 2 times	124	10.4%
3	3 to 9 times	22	1.9%
4	10 or more times	17	1.4%
Sysmiss		46	

### Q40: Age first drugs

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

#### Overview

Valid: 1211 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

How old were you when you first used drugs?

### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1144	94.5%
2	7 years old or younger	5	0.4%
3	8 or 9 years old	8	0.7%
4	10 or 11 years old	4	0.3%
5	12 or 13 years old	11	0.9%
6	14 or 15 years old	26	2.1%
7	16 years old or older	13	1.1%
Sysmiss		23	

## Q41: Times used marijuana lifetime

Data file: ARG2012\_SantiagoDeEstro\_Public\_Use

### Overview

Valid: 1208 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	1151	95.3%
2	1 or 2 times	22	1.8%
3	3 to 9 times	14	1.2%
4	10 to 19 times	4	0.3%
5	20 or more times	17	1.4%
Sysmiss		26	

**Q42: Times used marijuana past 30 days****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 1226 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1182	96.4%
2	1 or 2 times	20	1.6%
3	3 to 9 times	13	1.1%
4	10 to 19 times	3	0.2%
5	20 or more times	8	0.7%
Sysmiss		8	

**Q43: Times used amphetamines lifetime****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 1218 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1206	99%

2	1 or 2 times	4	0.3%
3	3 to 9 times	6	0.5%
4	10 to 19 times	0	0%
5	20 or more times	2	0.2%
Sysmiss		16	

**Q44: Ever had sex****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 1184 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

Have you ever had sexual intercourse?

## CATEGORIES

Value	Category	Cases	
1	Yes	551	46.5%
2	No	633	53.5%
Sysmiss		50	

**Q45: Age first sexual intercourse****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 1194 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	703	58.9%

2	11 years old or younger	47	3.9%
3	12 years old	56	4.7%
4	13 years old	98	8.2%
5	14 years old	130	10.9%
6	15 years old	110	9.2%
7	16 years old or older	50	4.2%
Sysmiss		40	

## Q46: How many sex partners

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1208 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	715	59.2%
2	1 person	205	17%
3	2 people	99	8.2%
4	3 people	71	5.9%
5	4 people	31	2.6%
6	5 people	21	1.7%
7	6 or more people	66	5.5%
Sysmiss		26	

## Q47: Used condom at last intercourse

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1197 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	706	59%
2	Yes	375	31.3%
3	No	116	9.7%
Sysmiss		37	

## Q48: Used birth control last intercourse

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1199 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	714	59.5%
2	Yes	230	19.2%
3	No	160	13.3%
4	I do not know	95	7.9%
Sysmiss		35	

## Q49: Days active 60 min plus past 7 days

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1224 Invalid: 10



Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

### CATEGORIES

Value	Category	Cases	
1	0 days	198	16.2%
2	1 day	238	19.4%
3	2 days	226	18.5%
4	3 days	124	10.1%
5	4 days	76	6.2%
6	5 days	108	8.8%
7	6 days	36	2.9%
8	7 days	218	17.8%
Sysmiss		10	

## Q50: Walk or bike to school past 7 days

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1212    Invalid: 22

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

### CATEGORIES

Value	Category	Cases	
1	0 days	404	33.3%
2	1 day	73	6%
3	2 days	58	4.8%

4	3 days	52	4.3%
5	4 days	37	3.1%
6	5 days	152	12.5%
7	6 days	23	1.9%
8	7 days	413	34.1%
Sysmiss		22	

## Q51: Days went to PE each week

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1196 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

#### CATEGORIES

Value	Category	Cases	
1	0 days	88	7.4%
2	1 day	272	22.7%
3	2 days	481	40.2%
4	3 days	31	2.6%
5	4 days	27	2.3%
6	5 or more days	297	24.8%
Sysmiss		38	

## Q52: Time spent sitting on usual day

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1217 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	356	29.3%
2	1 to 2 hours per day	362	29.7%
3	3 to 4 hours per day	276	22.7%
4	5 to 6 hours per day	92	7.6%
5	7 to 8 hours per day	39	3.2%
6	More than 8 hours per day	92	7.6%
Sysmiss		17	

## Q53: Miss school no permission past 30 days

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1216 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

### CATEGORIES

Value	Category	Cases	
1	0 days	805	66.2%
2	1 or 2 days	255	21%
3	3 to 5 days	74	6.1%
4	6 to 9 days	37	3%
5	10 or more days	45	3.7%
Sysmiss		18	

**Q54: Others helpful in school past 30 days****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 1203 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

## CATEGORIES

Value	Category	Cases	
1	Never	101	8.4%
2	Rarely	206	17.1%
3	Sometimes	252	20.9%
4	Most of the time	311	25.9%
5	Always	333	27.7%
Sysmiss		31	

**Q55: Parents check homework past 30 days****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 1215 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

## CATEGORIES

Value	Category	Cases	
1	Never	295	24.3%
2	Rarely	218	17.9%
3	Sometimes	203	16.7%
4	Most of the time	197	16.2%
5	Always	302	24.9%

Sysmiss		19	
---------	--	----	--

## Q56: Parent understand troubles past 30 days

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1203 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

#### CATEGORIES

Value	Category	Cases	
1	Never	180	15%
2	Rarely	202	16.8%
3	Sometimes	203	16.9%
4	Most of the time	228	19%
5	Always	390	32.4%
Sysmiss		31	

## Q57: Parent know what you do past 30 days

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1204 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	245	20.3%
2	Rarely	171	14.2%

3	Sometimes	225	18.7%
4	Most of the time	206	17.1%
5	Always	357	29.7%
Sysmiss		30	

## Q58: Parent go through things past 30 days

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1209 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

#### CATEGORIES

Value	Category	Cases	
1		571	47.2%
2		226	18.7%
3		199	16.5%
4		106	8.8%
5		107	8.9%
Sysmiss		25	

## QN6: Went hungry most of time/always past 30 days

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1227 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	57	4.6%
2	No	1170	95.4%
Sysmiss		7	

**QN7: Ate fruit 2+ times per day past 30 days****Data file:** ARG2012\_SantiagoDelEstro\_Public\_Use**Overview**

Valid: 1225 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	514	42%
2	No	711	58%
Sysmiss		9	

**QN8: Ate vegetables 3+ times per day past 30 day****Data file:** ARG2012\_SantiagoDelEstro\_Public\_Use**Overview**

Valid: 1226 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	139	11.3%
2	No	1087	88.7%
Sysmiss		8	

**QN9: Drank soft drinks 1+ times per day past 30 day****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 1223 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	928	75.9%
2	No	295	24.1%
Sysmiss		11	

**QN10: Ate fast food 3+ days past 7 day****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 1222 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

## CATEGORIES

Value	Category	Cases	
1	Yes	80	6.5%
2	No	1142	93.5%
Sysmiss		12	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 1224 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	92	7.5%
2	No	1132	92.5%
Sysmiss		10	

## QN12: Never/rarely wash hands before eating past 30 days

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1220 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	90	7.4%
2	No	1130	92.6%
Sysmiss		14	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1226 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	42	3.4%
2	No	1184	96.6%
Sysmiss		8	

### QN14: Never/rarely use soap on hands past 30 days

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

#### Overview

Valid: 1215 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	92	7.6%
2	No	1123	92.4%
Sysmiss		19	

### QN15: Attacked 1+ times past 12 months

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

#### Overview

Valid: 1218 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	282	23.2%
2	No	936	76.8%
Sysmiss		16	

**QN16: In fight 1+ times past 12 months****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 1232 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	439	35.6%
2	No	793	64.4%
Sysmiss		2	

**QN17: Seriously injured 1+ times past 12 months****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 1062 Invalid: 172

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	386	36.3%
2	No	676	63.7%
Sysmiss		172	

**QN18: Broken bone as most serious injury****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 286 Invalid: 948

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

### CATEGORIES

Value	Category	Cases	
1	Yes	64	22.4%
2	No	222	77.6%
Sysmiss		948	

## QN19: Motor vehicle caused most serious injury

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 295 Invalid: 939

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	28	9.5%
2	No	267	90.5%
Sysmiss		939	

## QN20: Bullied 1+ of past 30 days

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1158 Invalid: 76

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	339	29.3%
2	No	819	70.7%
Sysmiss		76	

### QN21: Of students bullied, most often hit, kicked, etc

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

#### Overview

Valid: 262 Invalid: 972

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

##### CATEGORIES

Value	Category	Cases	
1	Yes	13	5%
2	No	249	95%
Sysmiss		972	

### QN22: Lonely most times/always past 12 months

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

#### Overview

Valid: 1206 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	110	9.1%
2	No	1096	90.9%
Sysmiss		28	

**QN23: Worry prevented sleep most time/always past 12 mos****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 1232 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	96	7.8%
2	No	1136	92.2%
Sysmiss		2	

**QN24: Considered suicide past 12 months****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 1211 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	173	14.3%
2	No	1038	85.7%
Sysmiss		23	

**QN25: Made suicide plan past 12 months****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 1229 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	167	13.6%
2	No	1062	86.4%
Sysmiss		5	

### QN26: 1+ times attempt suicide 12 mos.

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1222 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	162	13.3%
2	No	1060	86.7%
Sysmiss		12	

### QN27: No close friends

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1215 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	66	5.4%
2	No	1149	94.6%
Sysmiss		19	

**QN28: Age first cigarette before 14****Data file:** ARG2012\_SantiagoDelEstro\_Public\_Use**Overview**

Valid: 427    Invalid: 807

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	280	65.6%
2	No	147	34.4%
Sysmiss		807	

**QN29: Smoked cigarettes 1+ of past 30 days****Data file:** ARG2012\_SantiagoDelEstro\_Public\_Use**Overview**

Valid: 1223    Invalid: 11

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	193	15.8%
2	No	1030	84.2%
Sysmiss		11	



**QN30: Used other tobacco 1+ of past 30 days****Data file:** ARG2012\_SantiagoDelEstro\_Public\_Use**Overview**

Valid: 1231 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	47	3.8%
2	No	1184	96.2%
Sysmiss		3	

**QN31: Tried to quit smoking past 12 months****Data file:** ARG2012\_SantiagoDelEstro\_Public\_Use**Overview**

Valid: 180 Invalid: 1054

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	140	77.8%
2	No	40	22.2%
Sysmiss		1054	

**QN32: Others present smoking 1+ of past 7 days****Data file:** ARG2012\_SantiagoDelEstro\_Public\_Use**Overview**

Valid: 1220 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	907	74.3%
2	No	313	25.7%
Sysmiss		14	

### QN33: Either/Both parents use tobacco

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1231 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	369	30%
2	No	862	70%
Sysmiss		3	

### QN34: Age first alcohol before 14

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 750 Invalid: 484

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	409	54.5%
2	No	341	45.5%
Sysmiss		484	

**QN35: Drank 1+ days past 30 days****Data file:** ARG2012\_SantiagoDelEstro\_Public\_Use**Overview**

Valid: 1168 Invalid: 66

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	521	44.6%
2	No	647	55.4%
Sysmiss		66	

**QN36: Of current drinkers, drank 2+ drinks/day 30 days****Data file:** ARG2012\_SantiagoDelEstro\_Public\_Use**Overview**

Valid: 593 Invalid: 641

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

## CATEGORIES

Value	Category	Cases	
1	Yes	361	60.9%
2	No	232	39.1%
Sysmiss		641	

**QN37: Of current drinkers, got alcohol from friends****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 531 Invalid: 703

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

## CATEGORIES

Value	Category	Cases	
1	Yes	239	45%
2	No	292	55%
Sysmiss		703	

**QN38: 1+ times drunk in lifetime****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 1214 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	310	25.5%
2	No	904	74.5%
Sysmiss		20	

**QN39: Alcohol trouble 1+ times in lifetime****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 1188 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

### CATEGORIES

Value	Category	Cases	
1	Yes	163	13.7%
2	No	1025	86.3%
Sysmiss		46	

## QN40: Age first drugs before 14

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 67 Invalid: 1167

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
1	Yes	28	41.8%
2	No	39	58.2%
Sysmiss		1167	

## QN41: Marijuana 1+ times in lifetime

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1208 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	57	4.7%
2	No	1151	95.3%
Sysmiss		26	

**QN42: Marijuana 1+ times p 30 days****Data file:** ARG2012\_SantiagoDelEstro\_Public\_Use**Overview**

Valid: 1226 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	44	3.6%
2	No	1182	96.4%
Sysmiss		8	

**QN43: Amphetamines 1+ times lifetime****Data file:** ARG2012\_SantiagoDelEstro\_Public\_Use**Overview**

Valid: 1218 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	12	1%
2	No	1206	99%
Sysmiss		16	

**QN44: Ever had sex****Data file:** ARG2012\_SantiagoDelEstro\_Public\_Use**Overview**

Valid: 1184 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	551	46.5%
2	No	633	53.5%
Sysmiss		50	

**QN45: Age first sexual intercourse before 14****Data file:** ARG2012\_SantiagoDelEstro\_Public\_Use**Overview**

Valid: 491 Invalid: 743

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	201	40.9%
2	No	290	59.1%
Sysmiss		743	

**QN46: 2+ sex partners lifetime****Data file:** ARG2012\_SantiagoDelEstro\_Public\_Use**Overview**

Valid: 1208 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	288	23.8%
2	No	920	76.2%
Sysmiss		26	

### QN47: Used condom at last sex

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 491 Invalid: 743

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	375	76.4%
2	No	116	23.6%
Sysmiss		743	

### QN48: Used birth control at last sex

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 485 Invalid: 749

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

### CATEGORIES



Value	Category	Cases	
1	Yes	230	47.4%
2	No	255	52.6%
Sysmiss		749	

### QN49: Active 60+ mins/day for 5+ of past 7 days

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

#### Overview

Valid: 1224 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	362	29.6%
2	No	862	70.4%
Sysmiss		10	

### QN50: Walk/Bike to/from school 0 of past 7 days

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

#### Overview

Valid: 1212 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	404	33.3%
2	No	808	66.7%
Sysmiss		22	

**QN51: 3+ days PE each week****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 1196 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	355	29.7%
2	No	841	70.3%
Sysmiss		38	

**QN52: Sitting activities 3+ hours/day of usual day****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 1217 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

## CATEGORIES

Value	Category	Cases	
1	Yes	499	41%
2	No	718	59%
Sysmiss		17	

**QN53: Miss school no permission 1+ of past 30 days****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 1216 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	411	33.8%
2	No	805	66.2%
Sysmiss		18	

### QN54: Students most/always kind 30 days

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

#### Overview

Valid: 1203 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	644	53.5%
2	No	559	46.5%
Sysmiss		31	

### QN55: Parents most/always check homework

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

#### Overview

Valid: 1215 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	499	41.1%
2	No	716	58.9%
Sysmiss		19	

## QN56: Parents most/always understand problems

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1203 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	618	51.4%
2	No	585	48.6%
Sysmiss		31	

## QN57: Parents most/always know about free time

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1204 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	563	46.8%
2	No	641	53.2%
Sysmiss		30	

**QN58: Parents never/rarely go thru things****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 1209 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	797	65.9%
2	No	412	34.1%
Sysmiss		25	

**QNOWTG: Overweight****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 768 Invalid: 466

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

**CATEGORIES**

Value	Category	Cases	
1	Yes	231	30.1%
2	No	537	69.9%
Sysmiss		466	

**QNOBESEG: Obese****Data file: ARG2012\_SantiagoDelEstro\_Public\_Use****Overview**

Valid: 768 Invalid: 466

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1	Yes	42	5.5%
2	No	726	94.5%
Sysmiss		466	

## QNUNWTG: Underweight

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 768    Invalid: 466

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1	Yes	20	2.6%
2	No	748	97.4%
Sysmiss		466	

## QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1218    Invalid: 16

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	215	17.7%
2	No	1003	82.3%
Sysmiss		16	

## QNANYTBG: Used any tobacco past 30 days

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1221 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	197	16.1%
2	No	1024	83.9%
Sysmiss		13	

## QNPA7G: Physically active all past 7 days

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

### Overview

Valid: 1224 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

#### CATEGORIES

Value	Category	Cases	
1	Yes	218	17.8%
2	No	1006	82.2%
Sysmiss		10	

**QNPE5G: Attended PE 5+ days each week****Data file:** ARG2012\_SantiagoDelEstro\_Public\_Use**Overview**

Valid: 1196    Invalid: 38

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	297	24.8%
2	No	899	75.2%
Sysmiss		38	

**QNC1G: Among heavy drinkers, ever sex****Data file:** ARG2012\_SantiagoDelEstro\_Public\_Use**Overview**

Valid: 295    Invalid: 939

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	202	68.5%
2	No	93	31.5%
Sysmiss		939	

**QNC2G: Among those worried, currently bullied****Data file:** ARG2012\_SantiagoDelEstro\_Public\_Use**Overview**

Valid: 85    Invalid: 1149

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	40	47.1%
2	No	45	52.9%
Sysmiss		1149	

### WEIGHT: Weight

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

#### Overview

Valid: 1234 Invalid: 0 Minimum: 17.217 Maximum: 67.485 Mean: 30.976 Standard deviation: 9.783  
Type: Continuous Decimal: 0 Width: 10 Range: 3.2196 - 1361.2246 Format: Numeric

### STRATUM: Stratum

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

#### Overview

Valid: 1234 Invalid: 0 Minimum: 201222001 Maximum: 201222011 Mean: 201222006.173 Standard deviation: 12.09  
Type: Continuous Decimal: 0 Width: 9 Range: 201201001 - 201224012 Format: Numeric

### PSU: Primary Sampling Unit

Data file: ARG2012\_SantiagoDelEstro\_Public\_Use

#### Overview

Valid: 1234 Invalid: 0 Minimum: 1 Maximum: 22 Mean: 11.87 Standard deviation: 6.151  
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 36 Format: Numeric

**Q1: How old are you****Data file: ARG2012\_TierraDelFuego\_Public\_Use****Overview**

Valid: 520 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	1	0.2%
2	12 years old	7	1.3%
3	13 years old	108	20.8%
4	14 years old	173	33.3%
5	15 years old	131	25.2%
6	16 years old or older	100	19.2%
Sysmiss		1	

**Q2: Sex****Data file: ARG2012\_TierraDelFuego\_Public\_Use****Overview**

Valid: 515 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	276	53.6%
2	Female	239	46.4%
Sysmiss		6	

**Q3: In what grade are you****Data file: ARG2012\_TierraDelFuego\_Public\_Use**

## Overview

Valid: 514 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

### CATEGORIES

Value	Category	Cases	
1	8th EGB	291	56.6%
2	9th EGB	176	34.2%
3	1st Pol	47	9.1%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		7	

## Q4: How tall are you

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 291 Invalid: 230 Minimum: 1.32 Maximum: 1.85 Mean: 1.616 Standard deviation: 0.085

Type: Continuous Decimal: 2 Width: 5 Range: 1.2 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q5: How much do you weigh

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 291 Invalid: 230 Minimum: 35 Maximum: 90 Mean: 59.093 Standard deviation: 9.46

Type: Continuous Decimal: 2 Width: 5 Range: 30 - 180 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days**

**Data file:** ARG2012\_TierraDelFuego\_Public\_Use

**Overview**

Valid: 510 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	303	59.4%
2	Rarely	134	26.3%
3	Sometimes	49	9.6%
4	Most of the time	14	2.7%
5	Always	10	2%
Sysmiss		11	

**Q7: Eat fruit per day past 30 days**

**Data file:** ARG2012\_TierraDelFuego\_Public\_Use

**Overview**

Valid: 509 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	72	14.1%

2	Less than one time per day	156	30.6%
3	1 time per day	157	30.8%
4	2 times per day	74	14.5%
5	3 times per day	27	5.3%
6	4 times per day	13	2.6%
7	5 or more times per day	10	2%
Sysmiss		12	

## Q8: Eat vegetables past 30 days

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 513 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	40	7.8%
2	Less than one time per day	148	28.8%
3	1 time per day	192	37.4%
4	2 times per day	84	16.4%
5	3 times per day	21	4.1%
6	4 times per day	14	2.7%
7	5 or more times per day	14	2.7%
Sysmiss		8	

## Q9: Drink soft drinks past 30 days

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 507 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	41	8.1%
2	Less than one time per day	148	29.2%
3	1 time per day	107	21.1%
4	2 times per day	72	14.2%
5	3 times per day	49	9.7%
6	4 times per day	24	4.7%
7	5 or more times per day	66	13%
Sysmiss		14	

## Q10: Ate fast food past 7 days

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 519 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	299	57.6%
2	1 day	139	26.8%
3	2 days	47	9.1%
4	3 days	15	2.9%
5	4 days	11	2.1%
6	5 days	4	0.8%
7	6 days	0	0%

8	7 days	4	0.8%
Sysmiss		2	

## Q11: How many times per day brush teeth

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 513 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	7	1.4%
2	Less than 1 time per day	34	6.6%
3	1 time per day	99	19.3%
4	2 times per day	181	35.3%
5	3 times per day	141	27.5%
6	4 or more times per day	51	9.9%
Sysmiss		8	

## Q12: Wash hands before eating past 30 days

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 511 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	27	5.3%
2	Rarely	62	12.1%
3	Sometimes	154	30.1%
4	Most of the time	161	31.5%
5	Always	107	20.9%
Sysmiss		10	

### Q13: Wash hands after toilet past 30 day

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 513 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	14	2.7%
2	Rarely	44	8.6%
3	Sometimes	96	18.7%
4	Most of the time	123	24%
5	Always	236	46%
Sysmiss		8	

### Q14: Used soap on hands past 30 days

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 509 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION



During the past 30 days, how often did you use soap when washing your hands?

#### CATEGORIES

Value	Category	Cases	
1	Never	32	6.3%
2	Rarely	72	14.1%
3	Sometimes	83	16.3%
4	Most of the time	118	23.2%
5	Always	204	40.1%
Sysmiss		12	

### Q15: Times attacked past 12 mo.

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 515 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

#### CATEGORIES

Value	Category	Cases	
1	0 times	350	68%
2	1 time	80	15.5%
3	2 or 3 times	41	8%
4	4 or 5 times	9	1.7%
5	6 or 7 times	6	1.2%
6	8 or 9 times	8	1.6%
7	10 or 11 times	2	0.4%
8	12 or more times	19	3.7%
Sysmiss		6	

### Q16: How many times in fight 12 mos

Data file: ARG2012\_TierraDelFuego\_Public\_Use

## Overview

Valid: 518 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	283	54.6%
2	1 time	109	21%
3	2 or 3 times	72	13.9%
4	4 or 5 times	20	3.9%
5	6 or 7 times	6	1.2%
6	8 or 9 times	1	0.2%
7	10 or 11 times	4	0.8%
8	12 or more times	23	4.4%
Sysmiss		3	

## Q17: How many times injured past 12 months

Data file: ARG2012\_TierraDelFuego\_Public\_Use

## Overview

Valid: 476 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	275	57.8%
2	1 time	129	27.1%
3	2 or 3 times	35	7.4%

4	4 or 5 times	14	2.9%
5	6 or 7 times	9	1.9%
6	8 or 9 times	6	1.3%
7	10 or 11 times	2	0.4%
8	12 or more times	6	1.3%
Sysmiss		45	

## Q18: What was serious injury past 12 mo.

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 482 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

#### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

#### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	311	64.5%
2	Broken bone/dislocated joint	65	13.5%
3	I had a cut or stab wound	7	1.5%
4	Concussion/head injury	12	2.5%
5	I had a gunshot wound	7	1.5%
6	I had a bad burn	10	2.1%
7	I was poisoned	4	0.8%
8	Something else happened to me	66	13.7%
Sysmiss		39	

## Q19: Cause of injury past 12 mo.

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 480 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	311	64.8%
2	Motor vehicle accident	25	5.2%
3	I fell	58	12.1%
4	Something fell on me or hit me	19	4%
5	I was attacked	16	3.3%
6	Was in a fire	4	0.8%
7	breathed something bad	6	1.3%
8	Something else	41	8.5%
Sysmiss		41	

## Q20: How many days bullied past 30 days

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 502 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	360	71.7%
2	1 or 2 days	81	16.1%
3	3 to 5 days	27	5.4%
4	6 to 9 days	20	4%
5	10 to 19 days	3	0.6%

6	20 to 29 days	2	0.4%
7	All 30 days	9	1.8%
Sysmiss		19	

## Q21: How bullied past 30 days

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 497 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	376	75.7%
2	Kicked, pushed, or shoved	19	3.8%
3	Made fun of race	15	3%
4	Made fun because of religion	7	1.4%
5	Made fun of about sex	38	7.6%
6	Left out of activities	7	1.4%
7	Made fun of about body	18	3.6%
8	Some other way	17	3.4%
Sysmiss		24	

## Q22: Times felt lonely past 12 mo.

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 500 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	201	40.2%
2	Rarely	129	25.8%
3	Sometimes	120	24%
4	Most of the time	37	7.4%
5	Always	13	2.6%
Sysmiss		21	

### Q23: Times could not sleep past 12 mo.

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 512 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	225	43.9%
2	Rarely	150	29.3%
3	Sometimes	90	17.6%
4	Most of the time	39	7.6%
5	Always	8	1.6%
Sysmiss		9	

### Q24: Ever considered suicide 12 mos

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 493 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	77	15.6%
2	No	416	84.4%
Sysmiss		28	

## Q25: Ever make suicide plan 12 mos

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 490 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	67	13.7%
2	No	423	86.3%
Sysmiss		31	

## Q26: Times attempted suicide 12 mos.

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 507 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	440	86.8%
2	1 time	30	5.9%
3	2 or 3 times	19	3.7%
4	4 or 5 times	5	1%
5	6 or more times	13	2.6%
Sysmiss		14	

### Q27: Number close friends

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 499 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	38	7.6%
2	1	42	8.4%
3	2	96	19.2%
4	3 or more	323	64.7%
Sysmiss		22	

### Q28: Age first tried cigarette

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 499 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	247	49.5%
2	7 years old or younger	39	7.8%
3	8 or 9 years old	25	5%
4	10 or 11 years old	21	4.2%
5	12 or 13 years old	99	19.8%
6	14 or 15 years old	66	13.2%
7	16 years old or older	2	0.4%
Sysmiss		22	

## Q29: How many days smoked 30 days

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 502 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	326	64.9%
2	1 or 2 days	41	8.2%
3	3 to 5 days	37	7.4%
4	6 to 9 days	16	3.2%
5	10 to 19 days	27	5.4%
6	20 to 29 days	16	3.2%
7	All 30 days	39	7.8%
Sysmiss		19	

**Q30: Other tobacco past 30 days****Data file:** ARG2012\_TierraDelFuego\_Public\_Use**Overview**

Valid: 508 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

**CATEGORIES**

Value	Category	Cases	
1	0 days	425	83.7%
2	1 or 2 days	40	7.9%
3	3 to 5 days	20	3.9%
4	6 to 9 days	9	1.8%
5	10 to 19 days	5	1%
6	20 to 29 days	1	0.2%
7	All 30 days	8	1.6%
Sysmiss		13	

**Q31: Try stop smoking past 12 mo.****Data file:** ARG2012\_TierraDelFuego\_Public\_Use**Overview**

Valid: 489 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 12 months, have you ever tried to stop smoking cigarettes?

**CATEGORIES**

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	292	59.7%
2	Did not smoke cigarettes	37	7.6%
3	Yes	72	14.7%
4	No	88	18%
Sysmiss		32	

### Q32: Others present smoking past 7 days

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 497 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	82	16.5%
2	1 or 2 days	97	19.5%
3	3 or 4 days	71	14.3%
4	5 or 6 days	57	11.5%
5	All 7 days	190	38.2%
Sysmiss		24	

### Q33: Parents who use tobacco

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 498 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	214	43%
2	My father or male guardian	92	18.5%
3	My mother or female guardian	81	16.3%
4	Both	99	19.9%
5	I do not know	12	2.4%
Sysmiss		23	

**Q34: Age first drink alcohol****Data file: ARG2012\_TierraDelFuego\_Public\_Use****Overview**

Valid: 454 Invalid: 67

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

## CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	171	37.7%
2	7 years old or younger	54	11.9%
3	8 or 9 years old	23	5.1%
4	10 or 11 years old	33	7.3%
5	12 or 13 years old	96	21.1%
6	14 or 15 years old	70	15.4%
7	16 years old or older	7	1.5%
Sysmiss		67	

**Q35: Days one drink or more past 30 days****Data file: ARG2012\_TierraDelFuego\_Public\_Use****Overview**

Valid: 469 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

### CATEGORIES

Value	Category	Cases	
1	0 days	240	51.2%
2	1 or 2 days	110	23.5%
3	3 to 5 days	38	8.1%
4	6 to 9 days	39	8.3%
5	10 to 19 days	23	4.9%
6	20 to 29 days	8	1.7%
7	All 30 days	11	2.3%
Sysmiss		52	

## Q36: Number of drinks past 30 days

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 483 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	246	50.9%
2	Less than one drink	72	14.9%
3	1 drink	50	10.4%
4	2 drinks	25	5.2%
5	3 drinks	22	4.6%
6	4 drinks	15	3.1%

7	5 or more drinks	53	11%
Sysmiss		38	

### Q37: How got drinks past 30 days

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 471 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

##### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	256	54.4%
2	I bought in a store	51	10.8%
3	I gave someone money to buy	28	5.9%
4	I got it from my friends	81	17.2%
5	I got it from my family	32	6.8%
6	I stole it	2	0.4%
7	Some other way	21	4.5%
Sysmiss		50	

### Q38: Times drunk during life

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 477 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	327	68.6%
2	1 or 2 times	102	21.4%
3	3 to 9 times	34	7.1%
4	10 or more times	14	2.9%
Sysmiss		44	

### Q39: Number of troubles as result of drinking

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 470 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	346	73.6%
2	1 or 2 times	92	19.6%
3	3 to 9 times	18	3.8%
4	10 or more times	14	3%
Sysmiss		51	

### Q40: Age first drugs

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 461 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

How old were you when you first used drugs?

### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	363	78.7%
2	7 years old or younger	20	4.3%
3	8 or 9 years old	10	2.2%
4	10 or 11 years old	7	1.5%
5	12 or 13 years old	27	5.9%
6	14 or 15 years old	30	6.5%
7	16 years old or older	4	0.9%
Sysmiss		60	

## Q41: Times used marijuana lifetime

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 458 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	379	82.8%
2	1 or 2 times	21	4.6%
3	3 to 9 times	24	5.2%
4	10 to 19 times	8	1.7%
5	20 or more times	26	5.7%
Sysmiss		63	



**Q42: Times used marijuana past 30 days****Data file:** ARG2012\_TierraDelFuego\_Public\_Use**Overview**

Valid: 467 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	397	85%
2	1 or 2 times	25	5.4%
3	3 to 9 times	20	4.3%
4	10 to 19 times	11	2.4%
5	20 or more times	14	3%
Sysmiss		54	

**Q43: Times used amphetamines lifetime****Data file:** ARG2012\_TierraDelFuego\_Public\_Use**Overview**

Valid: 468 Invalid: 53

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	447	95.5%

2	1 or 2 times	9	1.9%
3	3 to 9 times	6	1.3%
4	10 to 19 times	2	0.4%
5	20 or more times	4	0.9%
Sysmiss		53	

#### Q44: Ever had sex

Data file: ARG2012\_TierraDelFuego\_Public\_Use

##### Overview

Valid: 438 Invalid: 83

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

###### LITERAL QUESTION

Have you ever had sexual intercourse?

###### CATEGORIES

Value	Category	Cases	
1	Yes	202	46.1%
2	No	236	53.9%
Sysmiss		83	

#### Q45: Age first sexual intercourse

Data file: ARG2012\_TierraDelFuego\_Public\_Use

##### Overview

Valid: 445 Invalid: 76

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

###### LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

###### CATEGORIES

Value	Category	Cases	
1	Never had sex	266	59.8%

2	11 years old or younger	37	8.3%
3	12 years old	14	3.1%
4	13 years old	41	9.2%
5	14 years old	40	9%
6	15 years old	39	8.8%
7	16 years old or older	8	1.8%
Sysmiss		76	

## Q46: How many sex partners

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 459 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	291	63.4%
2	1 person	94	20.5%
3	2 people	29	6.3%
4	3 people	10	2.2%
5	4 people	11	2.4%
6	5 people	6	1.3%
7	6 or more people	18	3.9%
Sysmiss		62	

## Q47: Used condom at last intercourse

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 447 Invalid: 74

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	269	60.2%
2	Yes	129	28.9%
3	No	49	11%
Sysmiss		74	

## Q48: Used birth control last intercourse

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 445 Invalid: 76

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	267	60%
2	Yes	84	18.9%
3	No	69	15.5%
4	I do not know	25	5.6%
Sysmiss		76	

## Q49: Days active 60 min plus past 7 days

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 444 Invalid: 77

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

### CATEGORIES

Value	Category	Cases	
1	0 days	43	9.7%
2	1 day	48	10.8%
3	2 days	136	30.6%
4	3 days	76	17.1%
5	4 days	60	13.5%
6	5 days	23	5.2%
7	6 days	11	2.5%
8	7 days	47	10.6%
Sysmiss		77	

## Q50: Walk or bike to school past 7 days

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 439    Invalid: 82

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

### CATEGORIES

Value	Category	Cases	
1	0 days	77	17.5%
2	1 day	46	10.5%
3	2 days	45	10.3%

4	3 days	35	8%
5	4 days	49	11.2%
6	5 days	42	9.6%
7	6 days	22	5%
8	7 days	123	28%
Sysmiss		82	

### Q51: Days went to PE each week

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 431 Invalid: 90

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

##### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

##### CATEGORIES

Value	Category	Cases	
1	0 days	40	9.3%
2	1 day	51	11.8%
3	2 days	274	63.6%
4	3 days	19	4.4%
5	4 days	10	2.3%
6	5 or more days	37	8.6%
Sysmiss		90	

### Q52: Time spent sitting on usual day

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 433 Invalid: 88

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	47	10.9%
2	1 to 2 hours per day	136	31.4%
3	3 to 4 hours per day	135	31.2%
4	5 to 6 hours per day	53	12.2%
5	7 to 8 hours per day	33	7.6%
6	More than 8 hours per day	29	6.7%
Sysmiss		88	

## Q53: Miss school no permission past 30 days

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 432 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

### CATEGORIES

Value	Category	Cases	
1	0 days	224	51.9%
2	1 or 2 days	116	26.9%
3	3 to 5 days	47	10.9%
4	6 to 9 days	17	3.9%
5	10 or more days	28	6.5%
Sysmiss		89	

**Q54: Others helpful in school past 30 days****Data file: ARG2012\_TierraDelFuego\_Public\_Use****Overview**

Valid: 431 Invalid: 90

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

## CATEGORIES

Value	Category	Cases	
1	Never	71	16.5%
2	Rarely	56	13%
3	Sometimes	140	32.5%
4	Most of the time	111	25.8%
5	Always	53	12.3%
Sysmiss		90	

**Q55: Parents check homework past 30 days****Data file: ARG2012\_TierraDelFuego\_Public\_Use****Overview**

Valid: 419 Invalid: 102

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

## CATEGORIES

Value	Category	Cases	
1	Never	97	23.2%
2	Rarely	79	18.9%
3	Sometimes	128	30.5%
4	Most of the time	55	13.1%
5	Always	60	14.3%



Sysmiss		102	
---------	--	-----	--

## Q56: Parent understand troubles past 30 days

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 415 Invalid: 106

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

#### CATEGORIES

Value	Category	Cases	
1	Never	71	17.1%
2	Rarely	89	21.4%
3	Sometimes	119	28.7%
4	Most of the time	67	16.1%
5	Always	69	16.6%
Sysmiss		106	

## Q57: Parent know what you do past 30 days

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 418 Invalid: 103

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	60	14.4%
2	Rarely	77	18.4%

3	Sometimes	98	23.4%
4	Most of the time	95	22.7%
5	Always	88	21.1%
Sysmiss		103	

### Q58: Parent go through things past 30 days

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 417 Invalid: 104

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

##### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

##### CATEGORIES

Value	Category	Cases	
1		172	41.2%
2		109	26.1%
3		69	16.5%
4		41	9.8%
5		26	6.2%
Sysmiss		104	

### QN6: Went hungry most of time/always past 30 days

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 510 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	24	4.7%
2	No	486	95.3%
Sysmiss		11	

**QN7: Ate fruit 2+ times per day past 30 days****Data file:** ARG2012\_TierraDelFuego\_Public\_Use**Overview**

Valid: 509 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	124	24.4%
2	No	385	75.6%
Sysmiss		12	

**QN8: Ate vegetables 3+ times per day past 30 day****Data file:** ARG2012\_TierraDelFuego\_Public\_Use**Overview**

Valid: 513 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	49	9.6%
2	No	464	90.4%
Sysmiss		8	

**QN9: Drank soft drinks 1+ times per day past 30 day****Data file: ARG2012\_TierraDelFuego\_Public\_Use****Overview**

Valid: 507 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	318	62.7%
2	No	189	37.3%
Sysmiss		14	

**QN10: Ate fast food 3+ days past 7 day****Data file: ARG2012\_TierraDelFuego\_Public\_Use****Overview**

Valid: 519 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

## CATEGORIES

Value	Category	Cases	
1	Yes	34	6.6%
2	No	485	93.4%
Sysmiss		2	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: ARG2012\_TierraDelFuego\_Public\_Use****Overview**

Valid: 513 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	41	8%
2	No	472	92%
Sysmiss		8	

## QN12: Never/rarely wash hands before eating past 30 days

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 511 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	89	17.4%
2	No	422	82.6%
Sysmiss		10	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 513 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	58	11.3%
2	No	455	88.7%
Sysmiss		8	

**QN14: Never/rarely use soap on hands past 30 days****Data file:** ARG2012\_TierraDelFuego\_Public\_Use**Overview**

Valid: 509 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	104	20.4%
2	No	405	79.6%
Sysmiss		12	

**QN15: Attacked 1+ times past 12 months****Data file:** ARG2012\_TierraDelFuego\_Public\_Use**Overview**

Valid: 515 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	165	32%
2	No	350	68%
Sysmiss		6	

**QN16: In fight 1+ times past 12 months****Data file:** ARG2012\_TierraDelFuego\_Public\_Use**Overview**

Valid: 518 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	235	45.4%
2	No	283	54.6%
Sysmiss		3	

**QN17: Seriously injured 1+ times past 12 months****Data file:** ARG2012\_TierraDelFuego\_Public\_Use**Overview**

Valid: 476 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	201	42.2%
2	No	275	57.8%
Sysmiss		45	

**QN18: Broken bone as most serious injury****Data file:** ARG2012\_TierraDelFuego\_Public\_Use**Overview**

Valid: 171 Invalid: 350

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

### CATEGORIES

Value	Category	Cases	
1	Yes	65	38%
2	No	106	62%
Sysmiss		350	

## QN19: Motor vehicle caused most serious injury

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 169 Invalid: 352

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	25	14.8%
2	No	144	85.2%
Sysmiss		352	

## QN20: Bullied 1+ of past 30 days

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 502 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES



Value	Category	Cases	
1	Yes	142	28.3%
2	No	360	71.7%
Sysmiss		19	

## QN21: Of students bullied, most often hit, kicked, etc

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 121 Invalid: 400

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

#### CATEGORIES

Value	Category	Cases	
1	Yes	19	15.7%
2	No	102	84.3%
Sysmiss		400	

## QN22: Lonely most times/always past 12 months

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 500 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	50	10%
2	No	450	90%
Sysmiss		21	

**QN23: Worry prevented sleep most time/always past 12 mos****Data file: ARG2012\_TierraDelFuego\_Public\_Use****Overview**

Valid: 512 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	47	9.2%
2	No	465	90.8%
Sysmiss		9	

**QN24: Considered suicide past 12 months****Data file: ARG2012\_TierraDelFuego\_Public\_Use****Overview**

Valid: 493 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	77	15.6%
2	No	416	84.4%
Sysmiss		28	

**QN25: Made suicide plan past 12 months****Data file: ARG2012\_TierraDelFuego\_Public\_Use****Overview**

Valid: 490 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	67	13.7%
2	No	423	86.3%
Sysmiss		31	

### QN26: 1+ times attempt suicide 12 mos.

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 507 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	67	13.2%
2	No	440	86.8%
Sysmiss		14	

### QN27: No close friends

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 499 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	38	7.6%
2	No	461	92.4%
Sysmiss		22	

### QN28: Age first cigarette before 14

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 252 Invalid: 269

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

##### CATEGORIES

Value	Category	Cases	
1	Yes	184	73%
2	No	68	27%
Sysmiss		269	

### QN29: Smoked cigarettes 1+ of past 30 days

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 502 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	176	35.1%
2	No	326	64.9%
Sysmiss		19	

**QN30: Used other tobacco 1+ of past 30 days****Data file:** ARG2012\_TierraDelFuego\_Public\_Use**Overview**

Valid: 508 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	83	16.3%
2	No	425	83.7%
Sysmiss		13	

**QN31: Tried to quit smoking past 12 months****Data file:** ARG2012\_TierraDelFuego\_Public\_Use**Overview**

Valid: 160 Invalid: 361

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	72	45%
2	No	88	55%
Sysmiss		361	

**QN32: Others present smoking 1+ of past 7 days****Data file:** ARG2012\_TierraDelFuego\_Public\_Use**Overview**

Valid: 497 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	415	83.5%
2	No	82	16.5%
Sysmiss		24	

## QN33: Either/Both parents use tobacco

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 498 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	272	54.6%
2	No	226	45.4%
Sysmiss		23	

## QN34: Age first alcohol before 14

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 283 Invalid: 238

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	206	72.8%
2	No	77	27.2%
Sysmiss		238	

**QN35: Drank 1+ days past 30 days****Data file:** ARG2012\_TierraDelFuego\_Public\_Use**Overview**

Valid: 469 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	229	48.8%
2	No	240	51.2%
Sysmiss		52	

**QN36: Of current drinkers, drank 2+ drinks/day 30 days****Data file:** ARG2012\_TierraDelFuego\_Public\_Use**Overview**

Valid: 237 Invalid: 284

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

## CATEGORIES

Value	Category	Cases	
1	Yes	115	48.5%
2	No	122	51.5%
Sysmiss		284	

**QN37: Of current drinkers, got alcohol from friends****Data file: ARG2012\_TierraDelFuego\_Public\_Use****Overview**

Valid: 215 Invalid: 306

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

## CATEGORIES

Value	Category	Cases	
1	Yes	81	37.7%
2	No	134	62.3%
Sysmiss		306	

**QN38: 1+ times drunk in lifetime****Data file: ARG2012\_TierraDelFuego\_Public\_Use****Overview**

Valid: 477 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	150	31.4%
2	No	327	68.6%
Sysmiss		44	

**QN39: Alcohol trouble 1+ times in lifetime****Data file: ARG2012\_TierraDelFuego\_Public\_Use****Overview**

Valid: 470 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

### CATEGORIES

Value	Category	Cases	
1	Yes	124	26.4%
2	No	346	73.6%
Sysmiss		51	

### QN40: Age first drugs before 14

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 98 Invalid: 423

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
1	Yes	64	65.3%
2	No	34	34.7%
Sysmiss		423	

### QN41: Marijuana 1+ times in lifetime

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 458 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	79	17.2%
2	No	379	82.8%
Sysmiss		63	

**QN42: Marijuana 1+ times p 30 days****Data file:** ARG2012\_TierraDelFuego\_Public\_Use**Overview**

Valid: 467 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	70	15%
2	No	397	85%
Sysmiss		54	

**QN43: Amphetamines 1+ times lifetime****Data file:** ARG2012\_TierraDelFuego\_Public\_Use**Overview**

Valid: 468 Invalid: 53

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	21	4.5%
2	No	447	95.5%
Sysmiss		53	

**QN44: Ever had sex****Data file:** ARG2012\_TierraDelFuego\_Public\_Use**Overview**

Valid: 438 Invalid: 83

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	202	46.1%
2	No	236	53.9%
Sysmiss		83	

**QN45: Age first sexual intercourse before 14****Data file:** ARG2012\_TierraDelFuego\_Public\_Use**Overview**

Valid: 179 Invalid: 342

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	92	51.4%
2	No	87	48.6%
Sysmiss		342	

**QN46: 2+ sex partners lifetime****Data file:** ARG2012\_TierraDelFuego\_Public\_Use**Overview**

Valid: 459 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	74	16.1%
2	No	385	83.9%
Sysmiss		62	

### QN47: Used condom at last sex

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 178 Invalid: 343

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	129	72.5%
2	No	49	27.5%
Sysmiss		343	

### QN48: Used birth control at last sex

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 178 Invalid: 343

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	84	47.2%
2	No	94	52.8%
Sysmiss		343	

### QN49: Active 60+ mins/day for 5+ of past 7 days

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 444 Invalid: 77

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	81	18.2%
2	No	363	81.8%
Sysmiss		77	

### QN50: Walk/Bike to/from school 0 of past 7 days

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 439 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	77	17.5%
2	No	362	82.5%
Sysmiss		82	

**QN51: 3+ days PE each week****Data file:** ARG2012\_TierraDelFuego\_Public\_Use**Overview**

Valid: 431 Invalid: 90

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	66	15.3%
2	No	365	84.7%
Sysmiss		90	

**QN52: Sitting activities 3+ hours/day of usual day****Data file:** ARG2012\_TierraDelFuego\_Public\_Use**Overview**

Valid: 433 Invalid: 88

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

## CATEGORIES

Value	Category	Cases	
1	Yes	250	57.7%
2	No	183	42.3%
Sysmiss		88	

**QN53: Miss school no permission 1+ of past 30 days****Data file:** ARG2012\_TierraDelFuego\_Public\_Use**Overview**

Valid: 432 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	208	48.1%
2	No	224	51.9%
Sysmiss		89	

### QN54: Students most/always kind 30 days

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 431 Invalid: 90

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	164	38.1%
2	No	267	61.9%
Sysmiss		90	

### QN55: Parents most/always check homework

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 419 Invalid: 102

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	115	27.4%
2	No	304	72.6%
Sysmiss		102	

## QN56: Parents most/always understand problems

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 415 Invalid: 106

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	136	32.8%
2	No	279	67.2%
Sysmiss		106	

## QN57: Parents most/always know about free time

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 418 Invalid: 103

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	183	43.8%
2	No	235	56.2%
Sysmiss		103	



**QN58: Parents never/rarely go thru things****Data file:** ARG2012\_TierraDelFuego\_Public\_Use**Overview**

Valid: 417 Invalid: 104

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	281	67.4%
2	No	136	32.6%
Sysmiss		104	

**QNOWTG: Overweight****Data file:** ARG2012\_TierraDelFuego\_Public\_Use**Overview**

Valid: 0 Invalid: 521

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

**CATEGORIES**

Value	Category
1	Yes
2	No
Sysmiss	

**QNOBESEG: Obese****Data file:** ARG2012\_TierraDelFuego\_Public\_Use**Overview**

Valid: 0 Invalid: 521

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese ( $>+2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

## QNUNWTG: Underweight

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 0    Invalid: 521

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were underweight ( $<-2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

## QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: ARG2012\_TierraDelFuego\_Public\_Use

### Overview

Valid: 506    Invalid: 15

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	54	10.7%
2	No	452	89.3%
Sysmiss		15	

### QNANYTBG: Used any tobacco past 30 days

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 498 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	186	37.3%
2	No	312	62.7%
Sysmiss		23	

### QNPA7G: Physically active all past 7 days

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 444 Invalid: 77

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	47	10.6%
2	No	397	89.4%
Sysmiss		77	

**QNPE5G: Attended PE 5+ days each week****Data file: ARG2012\_TierraDelFuego\_Public\_Use****Overview**

Valid: 431 Invalid: 90

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	37	8.6%
2	No	394	91.4%
Sysmiss		90	

**QNC1G: Among heavy drinkers, ever sex****Data file: ARG2012\_TierraDelFuego\_Public\_Use****Overview**

Valid: 126 Invalid: 395

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	83	65.9%
2	No	43	34.1%
Sysmiss		395	

**QNC2G: Among those worried, currently bullied****Data file: ARG2012\_TierraDelFuego\_Public\_Use****Overview**

Valid: 42 Invalid: 479

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	26	61.9%
2	No	16	38.1%
Sysmiss		479	

### WEIGHT: Weight

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 521 Invalid: 0 Minimum: 3.22 Maximum: 16.481 Mean: 6.291 Standard deviation: 2.332  
Type: Continuous Decimal: 0 Width: 10 Range: 3.2196 - 1361.2246 Format: Numeric

### STRATUM: Stratum

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 521 Invalid: 0 Minimum: 201223001 Maximum: 201223013 Mean: 201223006.177 Standard deviation: 10.501  
Type: Continuous Decimal: 0 Width: 9 Range: 201201001 - 201224012 Format: Numeric

### PSU: Primary Sampling Unit

Data file: ARG2012\_TierraDelFuego\_Public\_Use

#### Overview

Valid: 521 Invalid: 0 Minimum: 1 Maximum: 36 Mean: 19.808 Standard deviation: 10.94  
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 36 Format: Numeric

**Q1: How old are you****Data file: ARG2012\_Tucuman\_Public\_Use****Overview**

Valid: 1434 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	2	0.1%
2	12 years old	4	0.3%
3	13 years old	311	21.7%
4	14 years old	443	30.9%
5	15 years old	430	30%
6	16 years old or older	244	17%
Sysmiss		11	

**Q2: Sex****Data file: ARG2012\_Tucuman\_Public\_Use****Overview**

Valid: 1433 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	651	45.4%
2	Female	782	54.6%
Sysmiss		12	

**Q3: In what grade are you****Data file: ARG2012\_Tucuman\_Public\_Use**

## Overview

Valid: 1440 Invalid: 5  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

### CATEGORIES

Value	Category	Cases	
1	8th EGB	558	38.8%
2	9th EGB	423	29.4%
3	1st Pol	459	31.9%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		5	

## Q4: How tall are you

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 813 Invalid: 632 Minimum: 1.28 Maximum: 1.99 Mean: 1.631 Standard deviation: 0.095  
 Type: Continuous Decimal: 2 Width: 5 Range: 1.2 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q5: How much do you weigh

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 813 Invalid: 632 Minimum: 32 Maximum: 125 Mean: 57.817 Standard deviation: 11.489  
 Type: Continuous Decimal: 2 Width: 5 Range: 30 - 180 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days**

**Data file:** ARG2012\_Tucuman\_Public\_Use

**Overview**

Valid: 1426 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	1032	72.4%
2	Rarely	241	16.9%
3	Sometimes	113	7.9%
4	Most of the time	23	1.6%
5	Always	17	1.2%
Sysmiss		19	

**Q7: Eat fruit per day past 30 days**

**Data file:** ARG2012\_Tucuman\_Public\_Use

**Overview**

Valid: 1435 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	115	8%



2	Less than one time per day	265	18.5%
3	1 time per day	520	36.2%
4	2 times per day	305	21.3%
5	3 times per day	130	9.1%
6	4 times per day	30	2.1%
7	5 or more times per day	70	4.9%
Sysmiss		10	

## Q8: Eat vegetables past 30 days

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1429 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	79	5.5%
2	Less than one time per day	214	15%
3	1 time per day	595	41.6%
4	2 times per day	372	26%
5	3 times per day	83	5.8%
6	4 times per day	28	2%
7	5 or more times per day	58	4.1%
Sysmiss		16	

## Q9: Drink soft drinks past 30 days

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1429 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	123	8.6%
2	Less than one time per day	212	14.8%
3	1 time per day	271	19%
4	2 times per day	317	22.2%
5	3 times per day	161	11.3%
6	4 times per day	103	7.2%
7	5 or more times per day	242	16.9%
Sysmiss		16	

## Q10: Ate fast food past 7 days

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1432 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	971	67.8%
2	1 day	286	20%
3	2 days	92	6.4%
4	3 days	40	2.8%
5	4 days	9	0.6%
6	5 days	11	0.8%
7	6 days	4	0.3%

8	7 days	19	1.3%
Sysmiss		13	

## Q11: How many times per day brush teeth

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1432 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	19	1.3%
2	Less than 1 time per day	59	4.1%
3	1 time per day	181	12.6%
4	2 times per day	406	28.4%
5	3 times per day	533	37.2%
6	4 or more times per day	234	16.3%
Sysmiss		13	

## Q12: Wash hands before eating past 30 days

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1425 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	22	1.5%
2	Rarely	147	10.3%
3	Sometimes	184	12.9%
4	Most of the time	431	30.2%
5	Always	641	45%
Sysmiss		20	

### Q13: Wash hands after toilet past 30 day

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1420 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	12	0.8%
2	Rarely	34	2.4%
3	Sometimes	168	11.8%
4	Most of the time	220	15.5%
5	Always	986	69.4%
Sysmiss		25	

### Q14: Used soap on hands past 30 days

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1422 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

## CATEGORIES

Value	Category	Cases	
1	Never	15	1.1%
2	Rarely	47	3.3%
3	Sometimes	176	12.4%
4	Most of the time	373	26.2%
5	Always	811	57%
Sysmiss		23	

### Q15: Times attacked past 12 mo.

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1415 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

##### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

## CATEGORIES

Value	Category	Cases	
1	0 times	1152	81.4%
2	1 time	126	8.9%
3	2 or 3 times	69	4.9%
4	4 or 5 times	17	1.2%
5	6 or 7 times	9	0.6%
6	8 or 9 times	9	0.6%
7	10 or 11 times	3	0.2%
8	12 or more times	30	2.1%
Sysmiss		30	

### Q16: How many times in fight 12 mos

Data file: ARG2012\_Tucuman\_Public\_Use

## Overview

Valid: 1438 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	993	69.1%
2	1 time	223	15.5%
3	2 or 3 times	114	7.9%
4	4 or 5 times	32	2.2%
5	6 or 7 times	21	1.5%
6	8 or 9 times	10	0.7%
7	10 or 11 times	8	0.6%
8	12 or more times	37	2.6%
Sysmiss		7	

## Q17: How many times injured past 12 months

Data file: ARG2012\_Tucuman\_Public\_Use

## Overview

Valid: 1297 Invalid: 148

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	967	74.6%
2	1 time	213	16.4%
3	2 or 3 times	84	6.5%

4	4 or 5 times	15	1.2%
5	6 or 7 times	8	0.6%
6	8 or 9 times	1	0.1%
7	10 or 11 times	1	0.1%
8	12 or more times	8	0.6%
Sysmiss		148	

### Q18: What was serious injury past 12 mo.

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1324 Invalid: 121

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1066	80.5%
2	Broken bone/dislocated joint	74	5.6%
3	I had a cut or stab wound	24	1.8%
4	Concussion/head injury	16	1.2%
5	I had a gunshot wound	1	0.1%
6	I had a bad burn	4	0.3%
7	I was poisoned	3	0.2%
8	Something else happened to me	136	10.3%
Sysmiss		121	

### Q19: Cause of injury past 12 mo.

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1318 Invalid: 127

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1063	80.7%
2	Motor vehicle accident	35	2.7%
3	I fell	88	6.7%
4	Something fell on me or hit me	13	1%
5	I was attacked	12	0.9%
6	Was in a fire	1	0.1%
7	breathed something bad	2	0.2%
8	Something else	104	7.9%
Sysmiss		127	

## Q20: How many days bullied past 30 days

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1385 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	1075	77.6%
2	1 or 2 days	185	13.4%
3	3 to 5 days	51	3.7%
4	6 to 9 days	26	1.9%
5	10 to 19 days	12	0.9%



6	20 to 29 days	6	0.4%
7	All 30 days	30	2.2%
Sysmiss		60	

## Q21: How bullied past 30 days

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1373 Invalid: 72

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	1123	81.8%
2	Kicked, pushed, or shoved	12	0.9%
3	Made fun of race	11	0.8%
4	Made fun because of religion	8	0.6%
5	Made fun of about sex	50	3.6%
6	Left out of activities	16	1.2%
7	Made fun of about body	66	4.8%
8	Some other way	87	6.3%
Sysmiss		72	

## Q22: Times felt lonely past 12 mo.

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1404 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	571	40.7%
2	Rarely	375	26.7%
3	Sometimes	332	23.6%
4	Most of the time	89	6.3%
5	Always	37	2.6%
Sysmiss		41	

### Q23: Times could not sleep past 12 mo.

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1433 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	555	38.7%
2	Rarely	439	30.6%
3	Sometimes	323	22.5%
4	Most of the time	87	6.1%
5	Always	29	2%
Sysmiss		12	

### Q24: Ever considered suicide 12 mos

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1412 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	211	14.9%
2	No	1201	85.1%
Sysmiss		33	

## Q25: Ever make suicide plan 12 mos

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1426 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	215	15.1%
2	No	1211	84.9%
Sysmiss		19	

## Q26: Times attempted suicide 12 mos.

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1422 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1235	86.8%
2	1 time	117	8.2%
3	2 or 3 times	39	2.7%
4	4 or 5 times	13	0.9%
5	6 or more times	18	1.3%
Sysmiss		23	

### Q27: Number close friends

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1395 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	56	4%
2	1	97	7%
3	2	216	15.5%
4	3 or more	1026	73.5%
Sysmiss		50	

### Q28: Age first tried cigarette

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1383 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	897	64.9%
2	7 years old or younger	25	1.8%
3	8 or 9 years old	36	2.6%
4	10 or 11 years old	59	4.3%
5	12 or 13 years old	211	15.3%
6	14 or 15 years old	140	10.1%
7	16 years old or older	15	1.1%
Sysmiss		62	

## Q29: How many days smoked 30 days

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1417 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	1110	78.3%
2	1 or 2 days	130	9.2%
3	3 to 5 days	60	4.2%
4	6 to 9 days	33	2.3%
5	10 to 19 days	29	2%
6	20 to 29 days	12	0.8%
7	All 30 days	43	3%
Sysmiss		28	

**Q30: Other tobacco past 30 days****Data file: ARG2012\_Tucuman\_Public\_Use****Overview**

Valid: 1428 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	1376	96.4%
2	1 or 2 days	27	1.9%
3	3 to 5 days	7	0.5%
4	6 to 9 days	8	0.6%
5	10 to 19 days	3	0.2%
6	20 to 29 days	2	0.1%
7	All 30 days	5	0.4%
Sysmiss		17	

**Q31: Try stop smoking past 12 mo.****Data file: ARG2012\_Tucuman\_Public\_Use****Overview**

Valid: 1418 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

## CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	1008	71.1%
2	Did not smoke cigarettes	133	9.4%
3	Yes	175	12.3%
4	No	102	7.2%
Sysmiss		27	

### Q32: Others present smoking past 7 days

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1433 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	302	21.1%
2	1 or 2 days	346	24.1%
3	3 or 4 days	256	17.9%
4	5 or 6 days	195	13.6%
5	All 7 days	334	23.3%
Sysmiss		12	

### Q33: Parents who use tobacco

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1436 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	830	57.8%
2	My father or male guardian	345	24%
3	My mother or female guardian	130	9.1%
4	Both	110	7.7%
5	I do not know	21	1.5%
Sysmiss		9	

**Q34: Age first drink alcohol****Data file: ARG2012\_Tucuman\_Public\_Use****Overview**

Valid: 1344 Invalid: 101

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

## CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	481	35.8%
2	7 years old or younger	48	3.6%
3	8 or 9 years old	40	3%
4	10 or 11 years old	108	8%
5	12 or 13 years old	361	26.9%
6	14 or 15 years old	284	21.1%
7	16 years old or older	22	1.6%
Sysmiss		101	

**Q35: Days one drink or more past 30 days****Data file: ARG2012\_Tucuman\_Public\_Use****Overview**

Valid: 1389 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

### CATEGORIES

Value	Category	Cases	
1	0 days	760	54.7%
2	1 or 2 days	355	25.6%
3	3 to 5 days	107	7.7%
4	6 to 9 days	61	4.4%
5	10 to 19 days	59	4.2%
6	20 to 29 days	21	1.5%
7	All 30 days	26	1.9%
Sysmiss		56	

## Q36: Number of drinks past 30 days

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1407 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	725	51.5%
2	Less than one drink	142	10.1%
3	1 drink	93	6.6%
4	2 drinks	103	7.3%
5	3 drinks	109	7.7%
6	4 drinks	43	3.1%

7	5 or more drinks	192	13.6%
Sysmiss		38	

### Q37: How got drinks past 30 days

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1383 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

##### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	733	53%
2	I bought in a store	166	12%
3	I gave someone money to buy	52	3.8%
4	I got it from my friends	288	20.8%
5	I got it from my family	44	3.2%
6	I stole it	6	0.4%
7	Some other way	94	6.8%
Sysmiss		62	

### Q38: Times drunk during life

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1418 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	982	69.3%
2	1 or 2 times	282	19.9%
3	3 to 9 times	93	6.6%
4	10 or more times	61	4.3%
Sysmiss		27	

### Q39: Number of troubles as result of drinking

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1407 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	1131	80.4%
2	1 or 2 times	196	13.9%
3	3 to 9 times	44	3.1%
4	10 or more times	36	2.6%
Sysmiss		38	

### Q40: Age first drugs

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1401 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

How old were you when you first used drugs?

### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1318	94.1%
2	7 years old or younger	8	0.6%
3	8 or 9 years old	9	0.6%
4	10 or 11 years old	4	0.3%
5	12 or 13 years old	20	1.4%
6	14 or 15 years old	38	2.7%
7	16 years old or older	4	0.3%
Sysmiss		44	

## Q41: Times used marijuana lifetime

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1403 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	1337	95.3%
2	1 or 2 times	23	1.6%
3	3 to 9 times	19	1.4%
4	10 to 19 times	7	0.5%
5	20 or more times	17	1.2%
Sysmiss		42	

**Q42: Times used marijuana past 30 days****Data file: ARG2012\_Tucuman\_Public\_Use****Overview**

Valid: 1422 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1371	96.4%
2	1 or 2 times	24	1.7%
3	3 to 9 times	14	1%
4	10 to 19 times	4	0.3%
5	20 or more times	9	0.6%
Sysmiss		23	

**Q43: Times used amphetamines lifetime****Data file: ARG2012\_Tucuman\_Public\_Use****Overview**

Valid: 1411 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1394	98.8%

2	1 or 2 times	8	0.6%
3	3 to 9 times	5	0.4%
4	10 to 19 times	3	0.2%
5	20 or more times	1	0.1%
Sysmiss		34	

**Q44: Ever had sex****Data file: ARG2012\_Tucuman\_Public\_Use****Overview**

Valid: 1383 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

Have you ever had sexual intercourse?

## CATEGORIES

Value	Category	Cases	
1	Yes	570	41.2%
2	No	813	58.8%
Sysmiss		62	

**Q45: Age first sexual intercourse****Data file: ARG2012\_Tucuman\_Public\_Use****Overview**

Valid: 1368 Invalid: 77

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	919	67.2%

2	11 years old or younger	44	3.2%
3	12 years old	45	3.3%
4	13 years old	101	7.4%
5	14 years old	150	11%
6	15 years old	92	6.7%
7	16 years old or older	17	1.2%
Sysmiss		77	

## Q46: How many sex partners

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1406 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	946	67.3%
2	1 person	215	15.3%
3	2 people	98	7%
4	3 people	48	3.4%
5	4 people	30	2.1%
6	5 people	23	1.6%
7	6 or more people	46	3.3%
Sysmiss		39	

## Q47: Used condom at last intercourse

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1398 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	949	67.9%
2	Yes	330	23.6%
3	No	119	8.5%
Sysmiss		47	

## Q48: Used birth control last intercourse

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1394 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	936	67.1%
2	Yes	200	14.3%
3	No	187	13.4%
4	I do not know	71	5.1%
Sysmiss		51	

## Q49: Days active 60 min plus past 7 days

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1413 Invalid: 32



Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

**CATEGORIES**

Value	Category	Cases	
1	0 days	187	13.2%
2	1 day	207	14.6%
3	2 days	270	19.1%
4	3 days	187	13.2%
5	4 days	161	11.4%
6	5 days	105	7.4%
7	6 days	48	3.4%
8	7 days	248	17.6%
Sysmiss		32	

**Q50: Walk or bike to school past 7 days****Data file:** ARG2012\_Tucuman\_Public\_Use**Overview**

Valid: 1400    Invalid: 45

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

**CATEGORIES**

Value	Category	Cases	
1	0 days	493	35.2%
2	1 day	95	6.8%
3	2 days	78	5.6%

4	3 days	57	4.1%
5	4 days	49	3.5%
6	5 days	193	13.8%
7	6 days	29	2.1%
8	7 days	406	29%
Sysmiss		45	

## Q51: Days went to PE each week

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1376 Invalid: 69

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

#### CATEGORIES

Value	Category	Cases	
1	0 days	103	7.5%
2	1 day	178	12.9%
3	2 days	787	57.2%
4	3 days	70	5.1%
5	4 days	23	1.7%
6	5 or more days	215	15.6%
Sysmiss		69	

## Q52: Time spent sitting on usual day

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1401 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	263	18.8%
2	1 to 2 hours per day	454	32.4%
3	3 to 4 hours per day	360	25.7%
4	5 to 6 hours per day	170	12.1%
5	7 to 8 hours per day	52	3.7%
6	More than 8 hours per day	102	7.3%
Sysmiss		44	

## Q53: Miss school no permission past 30 days

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1396 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

### CATEGORIES

Value	Category	Cases	
1	0 days	873	62.5%
2	1 or 2 days	338	24.2%
3	3 to 5 days	95	6.8%
4	6 to 9 days	47	3.4%
5	10 or more days	43	3.1%
Sysmiss		49	

**Q54: Others helpful in school past 30 days****Data file: ARG2012\_Tucuman\_Public\_Use****Overview**

Valid: 1380 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

## CATEGORIES

Value	Category	Cases	
1	Never	92	6.7%
2	Rarely	290	21%
3	Sometimes	293	21.2%
4	Most of the time	364	26.4%
5	Always	341	24.7%
Sysmiss		65	

**Q55: Parents check homework past 30 days****Data file: ARG2012\_Tucuman\_Public\_Use****Overview**

Valid: 1403 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

## CATEGORIES

Value	Category	Cases	
1	Never	442	31.5%
2	Rarely	273	19.5%
3	Sometimes	266	19%
4	Most of the time	192	13.7%
5	Always	230	16.4%

Sysmiss		42	
---------	--	----	--

## Q56: Parent understand troubles past 30 days

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1387 Invalid: 58

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

#### CATEGORIES

Value	Category	Cases	
1	Never	234	16.9%
2	Rarely	239	17.2%
3	Sometimes	254	18.3%
4	Most of the time	244	17.6%
5	Always	416	30%
Sysmiss		58	

## Q57: Parent know what you do past 30 days

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1386 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	223	16.1%
2	Rarely	233	16.8%

3	Sometimes	243	17.5%
4	Most of the time	278	20.1%
5	Always	409	29.5%
Sysmiss		59	

## Q58: Parent go through things past 30 days

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1380 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

#### CATEGORIES

Value	Category	Cases	
1		586	42.5%
2		320	23.2%
3		209	15.1%
4		150	10.9%
5		115	8.3%
Sysmiss		65	

## QN6: Went hungry most of time/always past 30 days

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1426 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	40	2.8%
2	No	1386	97.2%
Sysmiss		19	

### QN7: Ate fruit 2+ times per day past 30 days

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1435 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	535	37.3%
2	No	900	62.7%
Sysmiss		10	

### QN8: Ate vegetables 3+ times per day past 30 day

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1429 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	169	11.8%
2	No	1260	88.2%
Sysmiss		16	

**QN9: Drank soft drinks 1+ times per day past 30 day****Data file: ARG2012\_Tucuman\_Public\_Use****Overview**

Valid: 1429 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	1094	76.6%
2	No	335	23.4%
Sysmiss		16	

**QN10: Ate fast food 3+ days past 7 day****Data file: ARG2012\_Tucuman\_Public\_Use****Overview**

Valid: 1432 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

## CATEGORIES

Value	Category	Cases	
1	Yes	83	5.8%
2	No	1349	94.2%
Sysmiss		13	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: ARG2012\_Tucuman\_Public\_Use****Overview**

Valid: 1432 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	78	5.4%
2	No	1354	94.6%
Sysmiss		13	

## QN12: Never/rarely wash hands before eating past 30 days

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1425 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	169	11.9%
2	No	1256	88.1%
Sysmiss		20	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1420 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	46	3.2%
2	No	1374	96.8%
Sysmiss		25	

### QN14: Never/rarely use soap on hands past 30 days

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1422 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	62	4.4%
2	No	1360	95.6%
Sysmiss		23	

### QN15: Attacked 1+ times past 12 months

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1415 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	263	18.6%
2	No	1152	81.4%
Sysmiss		30	

**QN16: In fight 1+ times past 12 months****Data file:** ARG2012\_Tucuman\_Public\_Use**Overview**

Valid: 1438 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	445	30.9%
2	No	993	69.1%
Sysmiss		7	

**QN17: Seriously injured 1+ times past 12 months****Data file:** ARG2012\_Tucuman\_Public\_Use**Overview**

Valid: 1297 Invalid: 148

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	330	25.4%
2	No	967	74.6%
Sysmiss		148	

**QN18: Broken bone as most serious injury****Data file:** ARG2012\_Tucuman\_Public\_Use**Overview**

Valid: 258 Invalid: 1187

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

### CATEGORIES

Value	Category	Cases	
1	Yes	74	28.7%
2	No	184	71.3%
Sysmiss		1187	

## QN19: Motor vehicle caused most serious injury

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 255 Invalid: 1190

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	35	13.7%
2	No	220	86.3%
Sysmiss		1190	

## QN20: Bullied 1+ of past 30 days

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1385 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	310	22.4%
2	No	1075	77.6%
Sysmiss		60	

### QN21: Of students bullied, most often hit, kicked, etc

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 250 Invalid: 1195

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

##### CATEGORIES

Value	Category	Cases	
1	Yes	12	4.8%
2	No	238	95.2%
Sysmiss		1195	

### QN22: Lonely most times/always past 12 months

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1404 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	126	9%
2	No	1278	91%
Sysmiss		41	

**QN23: Worry prevented sleep most time/always past 12 mos****Data file: ARG2012\_Tucuman\_Public\_Use****Overview**

Valid: 1433 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	116	8.1%
2	No	1317	91.9%
Sysmiss		12	

**QN24: Considered suicide past 12 months****Data file: ARG2012\_Tucuman\_Public\_Use****Overview**

Valid: 1412 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	211	14.9%
2	No	1201	85.1%
Sysmiss		33	

**QN25: Made suicide plan past 12 months****Data file: ARG2012\_Tucuman\_Public\_Use****Overview**

Valid: 1426 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	215	15.1%
2	No	1211	84.9%
Sysmiss		19	

### QN26: 1+ times attempt suicide 12 mos.

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1422 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	187	13.2%
2	No	1235	86.8%
Sysmiss		23	

### QN27: No close friends

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1395 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	56	4%
2	No	1339	96%
Sysmiss		50	

### QN28: Age first cigarette before 14

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 486 Invalid: 959

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

##### CATEGORIES

Value	Category	Cases	
1	Yes	331	68.1%
2	No	155	31.9%
Sysmiss		959	

### QN29: Smoked cigarettes 1+ of past 30 days

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1417 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	307	21.7%
2	No	1110	78.3%
Sysmiss		28	



**QN30: Used other tobacco 1+ of past 30 days****Data file:** ARG2012\_Tucuman\_Public\_Use**Overview**

Valid: 1428 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	52	3.6%
2	No	1376	96.4%
Sysmiss		17	

**QN31: Tried to quit smoking past 12 months****Data file:** ARG2012\_Tucuman\_Public\_Use**Overview**

Valid: 277 Invalid: 1168

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	175	63.2%
2	No	102	36.8%
Sysmiss		1168	

**QN32: Others present smoking 1+ of past 7 days****Data file:** ARG2012\_Tucuman\_Public\_Use**Overview**

Valid: 1433 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	1131	78.9%
2	No	302	21.1%
Sysmiss		12	

## QN33: Either/Both parents use tobacco

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1436 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	585	40.7%
2	No	851	59.3%
Sysmiss		9	

## QN34: Age first alcohol before 14

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 863 Invalid: 582

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	557	64.5%
2	No	306	35.5%
Sysmiss		582	

**QN35: Drank 1+ days past 30 days****Data file:** ARG2012\_Tucuman\_Public\_Use**Overview**

Valid: 1389 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	629	45.3%
2	No	760	54.7%
Sysmiss		56	

**QN36: Of current drinkers, drank 2+ drinks/day 30 days****Data file:** ARG2012\_Tucuman\_Public\_Use**Overview**

Valid: 682 Invalid: 763

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

## CATEGORIES

Value	Category	Cases	
1	Yes	447	65.5%
2	No	235	34.5%
Sysmiss		763	

**QN37: Of current drinkers, got alcohol from friends****Data file: ARG2012\_Tucuman\_Public\_Use****Overview**

Valid: 650 Invalid: 795

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

## CATEGORIES

Value	Category	Cases	
1	Yes	288	44.3%
2	No	362	55.7%
Sysmiss		795	

**QN38: 1+ times drunk in lifetime****Data file: ARG2012\_Tucuman\_Public\_Use****Overview**

Valid: 1418 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	436	30.7%
2	No	982	69.3%
Sysmiss		27	

**QN39: Alcohol trouble 1+ times in lifetime****Data file: ARG2012\_Tucuman\_Public\_Use****Overview**

Valid: 1407 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

### CATEGORIES

Value	Category	Cases	
1	Yes	276	19.6%
2	No	1131	80.4%
Sysmiss		38	

### QN40: Age first drugs before 14

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 83 Invalid: 1362

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
1	Yes	41	49.4%
2	No	42	50.6%
Sysmiss		1362	

### QN41: Marijuana 1+ times in lifetime

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1403 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	66	4.7%
2	No	1337	95.3%
Sysmiss		42	

**QN42: Marijuana 1+ times p 30 days****Data file:** ARG2012\_Tucuman\_Public\_Use**Overview**

Valid: 1422 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	51	3.6%
2	No	1371	96.4%
Sysmiss		23	

**QN43: Amphetamines 1+ times lifetime****Data file:** ARG2012\_Tucuman\_Public\_Use**Overview**

Valid: 1411 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	17	1.2%
2	No	1394	98.8%
Sysmiss		34	

**QN44: Ever had sex****Data file:** ARG2012\_Tucuman\_Public\_Use**Overview**

Valid: 1383 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	570	41.2%
2	No	813	58.8%
Sysmiss		62	

**QN45: Age first sexual intercourse before 14****Data file:** ARG2012\_Tucuman\_Public\_Use**Overview**

Valid: 449 Invalid: 996

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

## CATEGORIES

Value	Category	Cases	
1	Yes	190	42.3%
2	No	259	57.7%
Sysmiss		996	

**QN46: 2+ sex partners lifetime****Data file:** ARG2012\_Tucuman\_Public\_Use**Overview**

Valid: 1406 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	245	17.4%
2	No	1161	82.6%
Sysmiss		39	

### QN47: Used condom at last sex

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 449 Invalid: 996

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	330	73.5%
2	No	119	26.5%
Sysmiss		996	

### QN48: Used birth control at last sex

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 458 Invalid: 987

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

### CATEGORIES



Value	Category	Cases	
1	Yes	200	43.7%
2	No	258	56.3%
Sysmiss		987	

### QN49: Active 60+ mins/day for 5+ of past 7 days

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1413 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	401	28.4%
2	No	1012	71.6%
Sysmiss		32	

### QN50: Walk/Bike to/from school 0 of past 7 days

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1400 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	493	35.2%
2	No	907	64.8%
Sysmiss		45	

**QN51: 3+ days PE each week****Data file: ARG2012\_Tucuman\_Public\_Use****Overview**

Valid: 1376 Invalid: 69

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	308	22.4%
2	No	1068	77.6%
Sysmiss		69	

**QN52: Sitting activities 3+ hours/day of usual day****Data file: ARG2012\_Tucuman\_Public\_Use****Overview**

Valid: 1401 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

## CATEGORIES

Value	Category	Cases	
1	Yes	684	48.8%
2	No	717	51.2%
Sysmiss		44	

**QN53: Miss school no permission 1+ of past 30 days****Data file: ARG2012\_Tucuman\_Public\_Use****Overview**

Valid: 1396 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	523	37.5%
2	No	873	62.5%
Sysmiss		49	

### QN54: Students most/always kind 30 days

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1380 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	705	51.1%
2	No	675	48.9%
Sysmiss		65	

### QN55: Parents most/always check homework

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1403 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	422	30.1%
2	No	981	69.9%
Sysmiss		42	

## QN56: Parents most/always understand problems

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1387 Invalid: 58

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	660	47.6%
2	No	727	52.4%
Sysmiss		58	

## QN57: Parents most/always know about free time

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1386 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	687	49.6%
2	No	699	50.4%
Sysmiss		59	

**QN58: Parents never/rarely go thru things****Data file:** ARG2012\_Tucuman\_Public\_Use**Overview**

Valid: 1380 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	906	65.7%
2	No	474	34.3%
Sysmiss		65	

**QNOWTG: Overweight****Data file:** ARG2012\_Tucuman\_Public\_Use**Overview**

Valid: 0 Invalid: 1445

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

**CATEGORIES**

Value	Category
1	Yes
2	No
Sysmiss	

**QNOBESEG: Obese****Data file:** ARG2012\_Tucuman\_Public\_Use**Overview**

Valid: 0 Invalid: 1445

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese ( $>+2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

## QNUNWTG: Underweight

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 0    Invalid: 1445

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were underweight ( $<-2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

## QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1422    Invalid: 23

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	225	15.8%
2	No	1197	84.2%
Sysmiss		23	

## QNANYTBG: Used any tobacco past 30 days

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1414 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	313	22.1%
2	No	1101	77.9%
Sysmiss		31	

## QNPA7G: Physically active all past 7 days

Data file: ARG2012\_Tucuman\_Public\_Use

### Overview

Valid: 1413 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

#### CATEGORIES

Value	Category	Cases	
1	Yes	248	17.6%
2	No	1165	82.4%
Sysmiss		32	

**QNPE5G: Attended PE 5+ days each week****Data file: ARG2012\_Tucuman\_Public\_Use****Overview**

Valid: 1376 Invalid: 69

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	215	15.6%
2	No	1161	84.4%
Sysmiss		69	

**QNC1G: Among heavy drinkers, ever sex****Data file: ARG2012\_Tucuman\_Public\_Use****Overview**

Valid: 407 Invalid: 1038

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	275	67.6%
2	No	132	32.4%
Sysmiss		1038	

**QNC2G: Among those worried, currently bullied****Data file: ARG2012\_Tucuman\_Public\_Use****Overview**

Valid: 109 Invalid: 1336

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	43	39.4%
2	No	66	60.6%
Sysmiss		1336	

### WEIGHT: Weight

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1445 Invalid: 0 Minimum: 32.072 Maximum: 112.715 Mean: 54.599 Standard deviation: 13.698  
Type: Continuous Decimal: 0 Width: 10 Range: 3.2196 - 1361.2246 Format: Numeric

### STRATUM: Stratum

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1445 Invalid: 0 Minimum: 201224001 Maximum: 201224012 Mean: 201224006.318 Standard deviation: 29.558  
Type: Continuous Decimal: 0 Width: 9 Range: 201201001 - 201224012 Format: Numeric

### PSU: Primary Sampling Unit

Data file: ARG2012\_Tucuman\_Public\_Use

#### Overview

Valid: 1445 Invalid: 0 Minimum: 1 Maximum: 24 Mean: 12.145 Standard deviation: 6.249  
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 36 Format: Numeric

# study\_resources

## questionnaires

### Questionnaire (Spanish)

---

title Questionnaire (Spanish)  
country Argentina  
filename 2012\_Argentina\_GSHS\_Questionnaire\_ES.pdf

---

### Questionnaire (English)

---

title Questionnaire (English)  
country Argentina  
filename 2012\_Argentina\_GSHS\_QuestionnaireEnglish.pdf

---

## reports

### National Fact Sheet

---

title National Fact Sheet  
filename Argentina\_GSHS\_FS\_2012\_National.pdf

---

### Buenos Aires Fact Sheet

---

title Buenos Aires Fact Sheet  
country Argentina  
filename Argentina\_GSHS\_FS\_2012\_Buenos\_Aires.pdf

---

### Catamarca Fact Sheet

---

title Catamarca Fact Sheet  
country Argentina  
filename Argentina\_GSHS\_FS\_2012\_Catamarca.pdf

---

### Chaco Fact Sheet

---

title Chaco Fact Sheet  
country Argentina  
filename Argentina\_GSHS\_FS\_2012\_Chaco.pdf

---

### Jujuy Fact Sheet

---

title Jujuy Fact Sheet  
country Argentina  
filename Argentina\_GSHS\_FS\_2012\_Jujuy.pdf

---

## La Pampa Fact Sheet

---

title La Pampa Fact Sheet  
country Argentina  
filename Argentina\_GSHS\_FS\_2012\_La\_Pampa.pdf

---

## La Rioja Fact Sheet

---

title La Rioja Fact Sheet  
country Argentina  
filename Argentina\_GSHS\_FS\_2012\_La\_Rioja.pdf

---

## Misiones Fact Sheet

---

title Misiones Fact Sheet  
country Argentina  
filename Argentina\_GSHS\_FS\_2012\_Misiones.pdf

---

## Neuquen Fact Sheet

---

title Neuquen Fact Sheet  
country Argentina  
filename Argentina\_GSHS\_FS\_2012\_Neuquen.pdf

---

## San Juan Fact Sheet

---

title San Juan Fact Sheet  
country Argentina  
filename Argentina\_GSHS\_FS\_2012\_San\_Juan.pdf

---

## Santa Cruz Fact Sheet

---

title Santa Cruz Fact Sheet  
country Argentina  
filename Argentina\_GSHS\_FS\_2012\_Santa\_Cruz.pdf

---

## Santa Fe Fact Sheet

---

title Santa Fe Fact Sheet  
country Argentina  
filename Argentina\_GSHS\_FS\_2012\_Santa\_Fe.pdf

---

## Santiago de Estero Fact Sheet

---

title Santiago de Estero Fact Sheet  
country Argentina  
filename Argentina\_GSHS\_FS\_2012\_Santiago\_del\_Estero.pdf

---

## Tierra del Fuego Fact Sheet

---

title      Tierra del Fuego Fact Sheet  
country   Argentina  
filename Argentina\_GSHS\_FS\_2012\_Tierra\_del\_Fuego.pdf

---

## Tucuman Fact Sheet

---

title      Tucuman Fact Sheet  
country   Argentina  
filename Argentina\_GSHS\_FS\_2012\_Tucuman.pdf

---

## Chubut Fact Sheet

---

title      Chubut Fact Sheet  
country   Argentina  
filename Argentina\_GSHS\_FS\_2012\_Chubut.pdf

---

## Cordoba Fact Sheet

---

title      Cordoba Fact Sheet  
country   Argentina  
filename Argentina\_GSHS\_FS\_2012\_Cordoba.pdf

---

## Corrientes Fact Sheet

---

title      Corrientes Fact Sheet  
country   Argentina  
filename Argentina\_GSHS\_FS\_2012\_Corrientes.pdf

---

## Entre Rios Fact Sheet

---

title      Entre Rios Fact Sheet  
country   Argentina  
filename Argentina\_GSHS\_FS\_2012\_Entre\_Rios.pdf

---

## Rio Negro Fact Sheet

---

title      Rio Negro Fact Sheet  
country   Argentina  
filename Argentina\_GSHS\_FS\_2012\_Rio\_Negro.pdf

---

## Salta Fact Sheet

---

title      Salta Fact Sheet  
country   Argentina  
filename Argentina\_GSHS\_FS\_2012\_Salta.pdf

---

## San Luis Fact Sheet

---

title San Luis Fact Sheet  
country Argentina  
filename Argentina\_GSHS\_FS\_2012\_San\_Luis.pdf

---

## Mendoza Fact Sheet

---

title Mendoza Fact Sheet  
filename Argentina\_GSHS\_FS\_2012\_Mendoza.pdf

---

## Ciudad de Buenos Aires Fact Sheet

---

title Ciudad de Buenos Aires Fact Sheet  
filename Argentina\_GSHS\_FS\_2012\_Ciudad\_de\_Buenos\_Aires.pdf

---

## technical\_documents

### Codebook

---

title Codebook  
country Argentina  
filename ARG2012\_public\_use\_codebook.pdf

---