

Global School-Based Student Health Survey 2014

National Center for Control of Rheumatic Fever and Heart Disease

report_generated_on: November 6, 2023

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER

BGD_2014_GSHS_v01_M

TITLE

Global School-Based Student Health Survey 2014

COUNTRY

Name	Country code
Bangladesh	BGD

STUDY TYPE

Global School-Based Student Health Survey

SERIES INFORMATION

This is the first GSHS conducted by Bangladesh.

ABSTRACT

The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA

Sample survey data [ssd]

UNIT OF ANALYSIS

Individuals

Version

VERSION DESCRIPTION

Public-use dataset

VERSION DATE

2018-08-10

Scope

NOTES

The following core modules were included in the survey:

alcohol use
 dietary behaviours
 drug use
 hygiene
 mental health
 physical activity
 protective factors
 sexual behaviours
 tobacco use
 violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
hygiene
mental health
physical activity
sexual behaviours
tobacco use
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE

National coverage

UNIVERSE

School-going adolescents aged 13-17 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
National Center for Control of Rheumatic Fever and Heart Disease

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE

The 2014 Bangladesh GSHS was a school-based survey of students in Classes 7, 8, 9, and 10, which are typically attended by students aged 13-17. A two-stage cluster sample design was used to produce data representative of all students in Classes 7, 8, 9, and 10 in Bangladesh. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate

RESPONSE RATE

The school response rate was 97%, the student response rate was 94%, and the overall response rate was 91%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

data_collection

DATES OF DATA COLLECTION

Start	End
2014	2014

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

alcohol use

dietary behaviours

drug use

hygiene

mental health

physical activity

protective factors

sexual behaviours

tobacco use

violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_BGD_2014_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Yue Wu		World Health Organization	Documentation of data
Melanie Cowan		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2018-08-10

DDI DOCUMENT VERSION

Identical to a metadata (BGD_2014_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
BGD2014_Public_Use Bangladesh public-use dataset	2989	135

Data file: BGD2014_Public_Use

Bangladesh public-use dataset

Cases: 2989

variables: 135

variables

ID	Name	Label	Question
V1	Q1	Custom Age	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V16	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V17	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V18	Q18	Serious injury broken bone	During the past 12 months, what was the most serious injury that happened to you?
V20	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V22	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V23	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V24	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?

ID	Name	Label	Question
V25	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Close friends	How many close friends do you have?
V28	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V29	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V34	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V35	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Initiation of drug use	How old were you when you first used drugs?
V41	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V45	Q45	Sex before 14 years	How old were you when you had sexual intercourse for the first time?
V47	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Physical activity ≥ 5 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?
V51	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

ID	Name	Label	Question
V53	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V54	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V60	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V61	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V62	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V63	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V64	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V65	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V66	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V67	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V68	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V69	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V70	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V71	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V73	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V75	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V76	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V77	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V78	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V79	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V80	QN27	Did not have any close friends	Percentage of students who did not have any close friends

ID	Name	Label	Question
V81	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V82	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V83	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V84	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V85	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V86	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V88	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V89	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V90	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V91	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V92	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V93	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V94	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V95	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V96	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V97	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V98	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)
V100	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V101	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V102	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V103	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V104	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)

ID	Name	Label	Question
V105	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V106	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V107	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V108	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V109	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V110	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V111	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V115	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V116	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V117	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V118	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V119	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V120	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V121	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V122	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)
V123	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V124	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V125	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V126	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V127	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V128	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V129	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

ID	Name	Label	Question
V130	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V131	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V132	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V133	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V134	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V135	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V136	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V137	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V138	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V139	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V140	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V141	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V142	weight		
V143	stratum		
V144	psu		

total: 135

Q1: Custom Age**Data file: BGD2014_Public_Use****Overview**

Valid: 2982 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	8	0.3%
2	12 years old	96	3.2%
3	13 years old	612	20.5%
4	14 years old	1093	36.7%
5	15 years old	952	31.9%
6	16 years old	196	6.6%
7	17 years old	25	0.8%
8	18 years old or older	0	0%
Sysmiss		7	

Q10: Fast food eating**Data file: BGD2014_Public_Use****Overview**

Valid: 2949 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1328	45%
2	1 day	445	15.1%
3	2 days	302	10.2%

4	3 days	596	20.2%
5	4 days	82	2.8%
6	5 days	70	2.4%
7	6 days	53	1.8%
8	7 days	73	2.5%
Sysmiss		40	

Q2: Sex

Data file: BGD2014_Public_Use

Overview

Valid: 2980 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1192	40%
2	Female	1788	60%
Sysmiss		9	

Q3: In what grade are you

Data file: BGD2014_Public_Use

Overview

Valid: 2970 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	M 3	859	28.9%
2	M 4	328	11%
3	M 5	1478	49.8%

4	M 6	305	10.3%
5	M 7	0	0%
Sysmiss		19	

Q4: How tall are you**Data file: BGD2014_Public_Use****Overview**

Valid: 2703 Invalid: 286 Minimum: 1.27 Maximum: 1.9 Mean: 1.563 Standard deviation: 0.0873
 Type: Continuous Decimal: 2 Width: 5 Range: 1.27 - 1.87 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh**Data file: BGD2014_Public_Use****Overview**

Valid: 2703 Invalid: 286 Minimum: 28 Maximum: 102 Mean: 45.878 Standard deviation: 7.868
 Type: Continuous Decimal: 2 Width: 5 Range: 28 - 116 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry**Data file: BGD2014_Public_Use****Overview**

Valid: 2914 Invalid: 75
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1057	36.3%
2	Rarely	216	7.4%
3	Sometimes	1215	41.7%
4	Most of the time	235	8.1%
5	Always	191	6.6%
Sysmiss		75	

Q7: No fruit eating

Data file: BGD2014_Public_Use

Overview

Valid: 2951 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	117	4%
2	Less than one time per day	1274	43.2%
3	1 time per day	786	26.6%
4	2 times per day	321	10.9%
5	3 times per day	405	13.7%
6	4 times per day	23	0.8%
7	5 or more times per day	25	0.8%
Sysmiss		38	

Q8: No vegetable eating**Data file: BGD2014_Public_Use****Overview**

Valid: 2950 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	38	1.3%
2	Less than one time per day	609	20.6%
3	1 time per day	656	22.2%
4	2 times per day	618	20.9%
5	3 times per day	944	32%
6	4 times per day	30	1%
7	5 or more times per day	55	1.9%
Sysmiss		39	

Q9: Soft drinks**Data file: BGD2014_Public_Use****Overview**

Valid: 2929 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	449	15.3%
2	Less than one time per day	1071	36.6%

3	1 time per day	475	16.2%
4	2 times per day	542	18.5%
5	3 times per day	124	4.2%
6	4 times per day	54	1.8%
7	5 or more times per day	214	7.3%
Sysmiss		60	

Q11: Tooth brushing

Data file: BGD2014_Public_Use

Overview

Valid: 2983 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	27	0.9%
2	Less than 1 time per day	292	9.8%
3	1 time per day	677	22.7%
4	2 times per day	1729	58%
5	3 times per day	238	8%
6	4 or more times per day	20	0.7%
Sysmiss		6	

Q12: Hand washing before eating

Data file: BGD2014_Public_Use

Overview

Valid: 2970 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	87	2.9%
2	Rarely	13	0.4%
3	Sometimes	228	7.7%
4	Most of the time	369	12.4%
5	Always	2273	76.5%
Sysmiss		19	

Q13: Hand washing after toilet

Data file: BGD2014_Public_Use

Overview

Valid: 2972 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	54	1.8%
2	Rarely	16	0.5%
3	Sometimes	167	5.6%
4	Most of the time	279	9.4%
5	Always	2456	82.6%
Sysmiss		17	

Q14: Hand washing with soap

Data file: BGD2014_Public_Use

Overview

Valid: 2962 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	52	1.8%
2	Rarely	77	2.6%
3	Sometimes	341	11.5%
4	Most of the time	558	18.8%
5	Always	1934	65.3%
Sysmiss		27	

Q15: Physically attacked

Data file: BGD2014_Public_Use

Overview

Valid: 2952 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	1298	44%
2	1 time	479	16.2%
3	2 or 3 times	614	20.8%
4	4 or 5 times	220	7.5%
5	6 or 7 times	109	3.7%
6	8 or 9 times	49	1.7%
7	10 or 11 times	55	1.9%
8	12 or more times	128	4.3%
Sysmiss		37	

Q16: Physical fighting**Data file: BGD2014_Public_Use****Overview**

Valid: 2981 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	2507	84.1%
2	1 time	200	6.7%
3	2 or 3 times	157	5.3%
4	4 or 5 times	46	1.5%
5	6 or 7 times	13	0.4%
6	8 or 9 times	13	0.4%
7	10 or 11 times	7	0.2%
8	12 or more times	38	1.3%
Sysmiss		8	

Q17: Seriously injured**Data file: BGD2014_Public_Use****Overview**

Valid: 2538 Invalid: 451

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	1652	65.1%
2	1 time	536	21.1%
3	2 or 3 times	221	8.7%
4	4 or 5 times	60	2.4%
5	6 or 7 times	24	0.9%
6	8 or 9 times	14	0.6%
7	10 or 11 times	6	0.2%
8	12 or more times	25	1%
Sysmiss		451	

Q18: Serious injury broken bone

Data file: BGD2014_Public_Use

Overview

Valid: 2530 Invalid: 459

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1739	68.7%
2	Broken bone/dislocated joint	79	3.1%
3	I had a cut or stab wound	407	16.1%
4	Concussion/head injury	87	3.4%
5	I had a gunshot wound	4	0.2%
6	I had a bad burn	30	1.2%
7	I was poisoned	5	0.2%
8	Something else happened to me	179	7.1%
Sysmiss		459	

Q20: Bullied

Data file: BGD2014_Public_Use

Overview

Valid: 2975 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	2367	79.6%
2	1 or 2 days	414	13.9%
3	3 to 5 days	132	4.4%
4	6 to 9 days	25	0.8%
5	10 to 19 days	20	0.7%
6	20 to 29 days	11	0.4%
7	All 30 days	6	0.2%
Sysmiss		14	

Q22: Felt lonely

Data file: BGD2014_Public_Use

Overview

Valid: 2976 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	1181	39.7%
2	Rarely	545	18.3%
3	Sometimes	969	32.6%

4	Most of the time	201	6.8%
5	Always	80	2.7%
Sysmiss		13	

Q23: Could not sleep**Data file:** BGD2014_Public_Use**Overview**

Valid: 2978 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	1206	40.5%
2	Rarely	597	20%
3	Sometimes	1037	34.8%
4	Most of the time	116	3.9%
5	Always	22	0.7%
Sysmiss		11	

Q24: Considered suicide**Data file:** BGD2014_Public_Use**Overview**

Valid: 2947 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	127	4.3%
2	No	2820	95.7%
Sysmiss		42	

Q25: Made a suicide plan

Data file: BGD2014_Public_Use

Overview

Valid: 2965 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	171	5.8%
2	No	2794	94.2%
Sysmiss		24	

Q26: Attempted suicide

Data file: BGD2014_Public_Use

Overview

Valid: 2970 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	2818	94.9%
2	1 time	104	3.5%
3	2 or 3 times	31	1%

4	4 or 5 times	12	0.4%
5	6 or more times	5	0.2%
Sysmiss		19	

Q27: Close friends

Data file: BGD2014_Public_Use

Overview

Valid: 2957 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	256	8.7%
2	1	933	31.6%
3	2	737	24.9%
4	3 or more	1031	34.9%
Sysmiss		32	

Q28: Initiation of cigarette use

Data file: BGD2014_Public_Use

Overview

Valid: 2652 Invalid: 337

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2411	90.9%

2	7 years old or younger	36	1.4%
3	8 or 9 years old	14	0.5%
4	10 or 11 years old	19	0.7%
5	12 or 13 years old	132	5%
6	14 or 15 years old	34	1.3%
7	16 or 17 years old	6	0.2%
8	18 years old or older	0	0%
Sysmiss		337	

Q29: Current cigarette use

Data file: BGD2014_Public_Use

Overview

Valid: 2963 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	2765	93.3%
2	1 or 2 days	39	1.3%
3	3 to 5 days	12	0.4%
4	6 to 9 days	8	0.3%
5	10 to 19 days	131	4.4%
6	20 to 29 days	5	0.2%
7	All 30 days	3	0.1%
Sysmiss		26	

Q30: Other tobacco use

Data file: BGD2014_Public_Use

Overview

Valid: 2971 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	2784	93.7%
2	1 or 2 days	36	1.2%
3	3 to 5 days	14	0.5%
4	6 to 9 days	23	0.8%
5	10 to 19 days	109	3.7%
6	20 to 29 days	3	0.1%
7	All 30 days	2	0.1%
Sysmiss		18	

Q31: Smoking cessation

Data file: BGD2014_Public_Use

Overview

Valid: 2677 Invalid: 312

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2460	91.9%
2	Did not smoke cigarettes	36	1.3%
3	Yes	116	4.3%
4	No	65	2.4%
Sysmiss		312	

Q32: Smoking in their presence**Data file: BGD2014_Public_Use****Overview**

Valid: 2972 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	2013	67.7%
2	1 or 2 days	424	14.3%
3	3 or 4 days	97	3.3%
4	5 or 6 days	110	3.7%
5	All 7 days	328	11%
Sysmiss		17	

Q33: Parental tobacco use**Data file: BGD2014_Public_Use****Overview**

Valid: 2961 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	2063	69.7%
2	My father or male guardian	618	20.9%
3	My mother or female guardian	61	2.1%
4	Both	105	3.5%
5	I do not know	114	3.9%

Sysmiss		28	
---------	--	----	--

Q34: Initiation of alcohol use

Data file: BGD2014_Public_Use

Overview

Valid: 2932 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	2877	98.1%
2	7 years old or younger	14	0.5%
3	8 or 9 years old	8	0.3%
4	10 or 11 years old	11	0.4%
5	12 or 13 years old	11	0.4%
6	14 or 15 years old	10	0.3%
7	16 or 17 years old	1	0%
8	18 years old or older	0	0%
Sysmiss		57	

Q35: Current alcohol use

Data file: BGD2014_Public_Use

Overview

Valid: 2967 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	2941	99.1%
2	1 or 2 days	10	0.3%
3	3 to 5 days	6	0.2%
4	6 to 9 days	5	0.2%
5	10 to 19 days	3	0.1%
6	20 to 29 days	2	0.1%
7	All 30 days	0	0%
Sysmiss		22	

Q36: Drank 2+ drinks

Data file: BGD2014_Public_Use

Overview

Valid: 2957 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	2921	98.8%
2	Less than one drink	16	0.5%
3	1 drink	5	0.2%
4	2 drinks	8	0.3%
5	3 drinks	0	0%
6	4 drinks	5	0.2%
7	5 or more drinks	2	0.1%
Sysmiss		32	

Q37: Source of alcohol**Data file: BGD2014_Public_Use****Overview**

Valid: 2947 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	2927	99.3%
2	I bought in a store	6	0.2%
3	I gave someone money to buy	5	0.2%
4	I got it from my friends	4	0.1%
5	I got it from my family	4	0.1%
6	I stole it	0	0%
7	Some other way	1	0%
Sysmiss		42	

Q38: Really drunk**Data file: BGD2014_Public_Use****Overview**

Valid: 2952 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	2933	99.4%
2	1 or 2 times	5	0.2%
3	3 to 9 times	9	0.3%
4	10 or more times	5	0.2%
Sysmiss		37	

Q39: Trouble from drinking

Data file: BGD2014_Public_Use

Overview

Valid: 2946 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	2931	99.5%
2	1 or 2 times	3	0.1%
3	3 to 9 times	8	0.3%
4	10 or more times	4	0.1%
Sysmiss		43	

Q40: Initiation of drug use

Data file: BGD2014_Public_Use

Overview

Valid: 2929 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY

SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	2886	98.5%
2	7 years old or younger	10	0.3%
3	8 or 9 years old	9	0.3%
4	10 or 11 years old	6	0.2%
5	12 or 13 years old	10	0.3%
6	14 or 15 years old	8	0.3%
7	16 or 17 years old	0	0%
8	18 years old or older	0	0%
Sysmiss		60	

Q41: Ever marijuana use

Data file: BGD2014_Public_Use

Overview

Valid: 2950 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	2931	99.4%
2	1 or 2 times	7	0.2%
3	3 to 9 times	6	0.2%
4	10 to 19 times	3	0.1%
5	20 or more times	3	0.1%
Sysmiss		39	

Q42: Current marijuana use**Data file: BGD2014_Public_Use****Overview**

Valid: 2941 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	2920	99.3%
2	1 or 2 times	10	0.3%
3	3 to 9 times	4	0.1%
4	10 to 19 times	4	0.1%
5	20 or more times	3	0.1%
Sysmiss		48	

Q43: Amphetamine or methamphetamine use**Data file: BGD2014_Public_Use****Overview**

Valid: 2933 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	2911	99.2%
2	1 or 2 times	13	0.4%

3	3 to 9 times	4	0.1%
4	10 to 19 times	1	0%
5	20 or more times	4	0.1%
Sysmiss		56	

Q44: Ever sexual intercourse

Data file: BGD2014_Public_Use

Overview

Valid: 2643 Invalid: 346

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	218	8.2%
2	No	2425	91.8%
Sysmiss		346	

Q45: Sex before 14 years

Data file: BGD2014_Public_Use

Overview

Valid: 2932 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	2745	93.6%
2	11 years old or younger	1	0%

3	12 years old	12	0.4%
4	13 years old	46	1.6%
5	14 years old	25	0.9%
6	15 years old	102	3.5%
7	16 or 17 years old	1	0%
8	18 years old or older	0	0%
Sysmiss		57	

Q47: Condom use

Data file: BGD2014_Public_Use

Overview

Valid: 2764 Invalid: 225

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	2589	93.7%
2	Yes	131	4.7%
3	No	44	1.6%
Sysmiss		225	

Q48: Birth control used

Data file: BGD2014_Public_Use

Overview

Valid: 2665 Invalid: 324

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	2481	93.1%
2	Yes	137	5.1%
3	No	28	1.1%
4	I do not know	19	0.7%
Sysmiss		324	

Q49: Physical activity \geq 5 days

Data file: BGD2014_Public_Use

Overview

Valid: 2915 Invalid: 74

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	672	23.1%
2	1 day	180	6.2%
3	2 days	108	3.7%
4	3 days	90	3.1%
5	4 days	122	4.2%
6	5 days	146	5%
7	6 days	190	6.5%
8	7 days	1407	48.3%
Sysmiss		74	

Q50: Walk or bike to school

Data file: BGD2014_Public_Use

Overview

Valid: 2928 Invalid: 61

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	835	28.5%
2	1 day	100	3.4%
3	2 days	124	4.2%
4	3 days	98	3.3%
5	4 days	70	2.4%
6	5 days	96	3.3%
7	6 days	255	8.7%
8	7 days	1350	46.1%
Sysmiss		61	

Q51: PE attendance

Data file: BGD2014_Public_Use

Overview

Valid: 2868 Invalid: 121

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	224	7.8%

2	1 day	321	11.2%
3	2 days	1093	38.1%
4	3 days	418	14.6%
5	4 days	153	5.3%
6	5 or more days	659	23%
Sysmiss		121	

Q52: Sitting activities

Data file: BGD2014_Public_Use

Overview

Valid: 2883 Invalid: 106

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	1141	39.6%
2	1 to 2 hours per day	1342	46.5%
3	3 to 4 hours per day	242	8.4%
4	5 to 6 hours per day	92	3.2%
5	7 to 8 hours per day	48	1.7%
6	More than 8 hours per day	18	0.6%
Sysmiss		106	

Q53: Miss school no permission

Data file: BGD2014_Public_Use

Overview

Valid: 2882 Invalid: 107

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	1856	64.4%
2	1 or 2 days	844	29.3%
3	3 to 5 days	80	2.8%
4	6 to 9 days	55	1.9%
5	10 or more days	47	1.6%
Sysmiss		107	

Q54: Other students kind and helpful

Data file: BGD2014_Public_Use

Overview

Valid: 2846 Invalid: 143

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	374	13.1%
2	Rarely	96	3.4%
3	Sometimes	592	20.8%
4	Most of the time	1227	43.1%
5	Always	557	19.6%
Sysmiss		143	

Q55: Parents check homework

Data file: BGD2014_Public_Use

Overview

Valid: 2880 Invalid: 109

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	395	13.7%
2	Rarely	80	2.8%
3	Sometimes	635	22%
4	Most of the time	1111	38.6%
5	Always	659	22.9%
Sysmiss		109	

Q56: Parents understand problems

Data file: BGD2014_Public_Use

Overview

Valid: 2871 Invalid: 118

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	307	10.7%
2	Rarely	150	5.2%
3	Sometimes	984	34.3%
4	Most of the time	800	27.9%
5	Always	630	21.9%
Sysmiss		118	

Q57: Parents know about free time

Data file: BGD2014_Public_Use

Overview

Valid: 2863 Invalid: 126

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	493	17.2%
2	Rarely	68	2.4%
3	Sometimes	960	33.5%
4	Most of the time	713	24.9%
5	Always	629	22%
Sysmiss		126	

Q58: Parents go through their things

Data file: BGD2014_Public_Use

Overview

Valid: 2871 Invalid: 118 Mean: 1.489 Standard deviation: 0.871

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		2006	69.9%
2		479	16.7%
3		271	9.4%
4		77	2.7%
5		38	1.3%
Sysmiss		118	

QN6: Most of the time or always went hungry**Data file: BGD2014_Public_Use****Overview**

Valid: 2914 Invalid: 75 Mean: 1.854 Standard deviation: 0.353
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	426	14.6%
2	No	2488	85.4%
Sysmiss		75	

QN7: Did not eat fruit**Data file: BGD2014_Public_Use****Overview**

Valid: 2951 Invalid: 38 Mean: 1.96 Standard deviation: 0.195
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	117	4%
2	No	2834	96%
Sysmiss		38	

QN8: Did not eat vegetables**Data file: BGD2014_Public_Use****Overview**

Valid: 2950 Invalid: 39 Mean: 1.987 Standard deviation: 0.113

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	38	1.3%
2	No	2912	98.7%
Sysmiss		39	

QN9: Did not drink carbonated soft drinks

Data file: BGD2014_Public_Use

Overview

Valid: 2929 Invalid: 60 Mean: 1.847 Standard deviation: 0.36
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	449	15.3%
2	No	2480	84.7%
Sysmiss		60	

QN10: Did not eat food from a fast food restaurant

Data file: BGD2014_Public_Use

Overview

Valid: 2949 Invalid: 40 Mean: 1.55 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1328	45%
2	No	1621	55%
Sysmiss		40	

QN11: Usually cleaned or brushed their teeth

Data file: BGD2014_Public_Use

Overview

Valid: 2983 Invalid: 6 Mean: 1.107 Standard deviation: 0.309
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2664	89.3%
2	No	319	10.7%
Sysmiss		6	

QN12: Never or rarely washed their hands before eating

Data file: BGD2014_Public_Use

Overview

Valid: 2970 Invalid: 19 Mean: 1.966 Standard deviation: 0.18
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	100	3.4%
2	No	2870	96.6%
Sysmiss		19	

QN13: Never or rarely washed their hands after using the toilet or latrine**Data file: BGD2014_Public_Use****Overview**

Valid: 2972 Invalid: 17 Mean: 1.976 Standard deviation: 0.152
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	70	2.4%
2	No	2902	97.6%
Sysmiss		17	

QN14: Never or rarely used soap when washing their hands**Data file: BGD2014_Public_Use****Overview**

Valid: 2962 Invalid: 27 Mean: 1.956 Standard deviation: 0.204
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	129	4.4%
2	No	2833	95.6%
Sysmiss		27	

QN15: Were physically attacked**Data file: BGD2014_Public_Use****Overview**

Valid: 2952 Invalid: 37 Mean: 1.44 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1654	56%
2	No	1298	44%
Sysmiss		37	

QN16: Were in a physical fight

Data file: BGD2014_Public_Use

Overview

Valid: 2981 Invalid: 8 Mean: 1.841 Standard deviation: 0.366
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	474	15.9%
2	No	2507	84.1%
Sysmiss		8	

QN17: Were seriously injured

Data file: BGD2014_Public_Use

Overview

Valid: 2538 Invalid: 451 Mean: 1.651 Standard deviation: 0.477
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	886	34.9%
2	No	1652	65.1%
Sysmiss		451	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: BGD2014_Public_Use

Overview

Valid: 791 Invalid: 2198 Mean: 1.9 Standard deviation: 0.3
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	79	10%
2	No	712	90%
Sysmiss		2198	

QN20: Were bullied

Data file: BGD2014_Public_Use

Overview

Valid: 2975 Invalid: 14 Mean: 1.796 Standard deviation: 0.403
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	608	20.4%
2	No	2367	79.6%
Sysmiss		14	

QN22: Most of the time or always felt lonely**Data file: BGD2014_Public_Use****Overview**

Valid: 2976 Invalid: 13 Mean: 1.906 Standard deviation: 0.292
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	281	9.4%
2	No	2695	90.6%
Sysmiss		13	

QN23: Most of the time or always were so worried about something that they could not sleep at night**Data file: BGD2014_Public_Use****Overview**

Valid: 2978 Invalid: 11 Mean: 1.954 Standard deviation: 0.21
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	138	4.6%
2	No	2840	95.4%
Sysmiss		11	

QN24: Seriously considered attempting suicide**Data file: BGD2014_Public_Use****Overview**

Valid: 2947 Invalid: 42 Mean: 1.957 Standard deviation: 0.203
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	127	4.3%
2	No	2820	95.7%
Sysmiss		42	

QN25: Made a plan about how they would attempt suicide

Data file: BGD2014_Public_Use

Overview

Valid: 2965 Invalid: 24 Mean: 1.942 Standard deviation: 0.233
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	171	5.8%
2	No	2794	94.2%
Sysmiss		24	

QN26: Attempted suicide

Data file: BGD2014_Public_Use

Overview

Valid: 2970 Invalid: 19 Mean: 1.949 Standard deviation: 0.22
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	152	5.1%
2	No	2818	94.9%
Sysmiss		19	

QN27: Did not have any close friends**Data file:** BGD2014_Public_Use**Overview**

Valid: 2957 Invalid: 32 Mean: 1.913 Standard deviation: 0.281
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1	Yes	256	8.7%
2	No	2701	91.3%
Sysmiss		32	

QN28: Tried a cigarette before age 14 years**Data file:** BGD2014_Public_Use**Overview**

Valid: 241 Invalid: 2748 Mean: 1.166 Standard deviation: 0.373
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1	Yes	201	83.4%
2	No	40	16.6%
Sysmiss		2748	

QN29: Currently smoked cigarettes**Data file: BGD2014_Public_Use****Overview**

Valid: 2963 Invalid: 26 Mean: 1.933 Standard deviation: 0.25
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	198	6.7%
2	No	2765	93.3%
Sysmiss		26	

QN30: Currently used any tobacco products other than cigarettes**Data file: BGD2014_Public_Use****Overview**

Valid: 2971 Invalid: 18 Mean: 1.937 Standard deviation: 0.243
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	187	6.3%
2	No	2784	93.7%
Sysmiss		18	

QN31: Tried to quit smoking cigarettes**Data file: BGD2014_Public_Use****Overview**

Valid: 181 Invalid: 2808 Mean: 1.359 Standard deviation: 0.481
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	116	64.1%
2	No	65	35.9%
Sysmiss		2808	

QN32: Reported that people smoked in their presence

Data file: BGD2014_Public_Use

Overview

Valid: 2972 Invalid: 17 Mean: 1.677 Standard deviation: 0.468
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	959	32.3%
2	No	2013	67.7%
Sysmiss		17	

QN33: Had parents or guardians who used any form of tobacco

Data file: BGD2014_Public_Use

Overview

Valid: 2961 Invalid: 28 Mean: 1.735 Standard deviation: 0.441
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	784	26.5%
2	No	2177	73.5%
Sysmiss		28	

QN34: Drank alcohol before age 14 years

Data file: BGD2014_Public_Use

Overview

Valid: 55 Invalid: 2934 Mean: 1.2 Standard deviation: 0.404
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category	Cases	
1	Yes	44	80%
2	No	11	20%
Sysmiss		2934	

QN35: Currently drank alcohol

Data file: BGD2014_Public_Use

Overview

Valid: 2967 Invalid: 22 Mean: 1.991 Standard deviation: 0.0932
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	26	0.9%
2	No	2941	99.1%
Sysmiss		22	

QN36: Usually drank two or more drinks per day**Data file: BGD2014_Public_Use****Overview**

Valid: 36 Invalid: 2953 Mean: 1.583 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	15	41.7%
2	No	21	58.3%
Sysmiss		2953	

QN37: Usually obtained the alcohol they drank from friends**Data file: BGD2014_Public_Use****Overview**

Valid: 20 Invalid: 2969 Mean: 1.8 Standard deviation: 0.41
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	4	20%
2	No	16	80%
Sysmiss		2969	

QN38: Ever drank so much alcohol that they were really drunk**Data file: BGD2014_Public_Use**

Overview

Valid: 2952 Invalid: 37 Mean: 1.994 Standard deviation: 0.08
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	19	0.6%
2	No	2933	99.4%
Sysmiss		37	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: BGD2014_Public_Use

Overview

Valid: 2946 Invalid: 43 Mean: 1.995 Standard deviation: 0.0712
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	15	0.5%
2	No	2931	99.5%
Sysmiss		43	

QN40: Used drugs before age 14 years

Data file: BGD2014_Public_Use

Overview

Valid: 43 Invalid: 2946 Mean: 1.186 Standard deviation: 0.394
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1	Yes	35	81.4%
2	No	8	18.6%
Sysmiss		2946	

QN41: Ever used marijuana

Data file: BGD2014_Public_Use

Overview

Valid: 2950 Invalid: 39 Mean: 1.994 Standard deviation: 0.08
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	19	0.6%
2	No	2931	99.4%
Sysmiss		39	

QN42: Currently used marijuana

Data file: BGD2014_Public_Use

Overview

Valid: 2941 Invalid: 48 Mean: 1.993 Standard deviation: 0.0842
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	21	0.7%
2	No	2920	99.3%
Sysmiss		48	

QN47: Used a condom**Data file:** BGD2014_Public_Use**Overview**

Valid: 175 Invalid: 2814 Mean: 1.251 Standard deviation: 0.435
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	131	74.9%
2	No	44	25.1%
Sysmiss		2814	

QN48: Used a method of birth control other than condoms**Data file:** BGD2014_Public_Use**Overview**

Valid: 184 Invalid: 2805 Mean: 1.255 Standard deviation: 0.437
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	137	74.5%
2	No	47	25.5%
Sysmiss		2805	

QN49: Were not physically active**Data file: BGD2014_Public_Use****Overview**

Valid: 2915 Invalid: 74 Mean: 1.769 Standard deviation: 0.421
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	672	23.1%
2	No	2243	76.9%
Sysmiss		74	

QN50: Did not walk or ride a bicycle to or from school**Data file: BGD2014_Public_Use****Overview**

Valid: 2928 Invalid: 61 Mean: 1.715 Standard deviation: 0.452
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	835	28.5%
2	No	2093	71.5%
Sysmiss		61	

QN51: Did not attend physical education classes**Data file: BGD2014_Public_Use****Overview**

Valid: 2868 Invalid: 121 Mean: 1.922 Standard deviation: 0.268
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	224	7.8%
2	No	2644	92.2%
Sysmiss		121	

QN52: Spent three or more hours per day doing sitting activities

Data file: BGD2014_Public_Use

Overview

Valid: 2883 Invalid: 106 Mean: 1.861 Standard deviation: 0.346
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
1	Yes	400	13.9%
2	No	2483	86.1%
Sysmiss		106	

QN53: Missed classes or school without permission

Data file: BGD2014_Public_Use

Overview

Valid: 2882 Invalid: 107 Mean: 1.644 Standard deviation: 0.479
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1026	35.6%
2	No	1856	64.4%
Sysmiss		107	

QN43: Ever used amphetamines or methamphetamines

Data file: BGD2014_Public_Use

Overview

Valid: 2933 Invalid: 56 Mean: 1.992 Standard deviation: 0.0863
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	22	0.8%
2	No	2911	99.2%
Sysmiss		56	

QN44: Ever had sexual intercourse

Data file: BGD2014_Public_Use

Overview

Valid: 2643 Invalid: 346 Mean: 1.918 Standard deviation: 0.275
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	218	8.2%
2	No	2425	91.8%
Sysmiss		346	

QN45: Had sexual intercourse before age 14 years**Data file: BGD2014_Public_Use****Overview**

Valid: 187 Invalid: 2802 Mean: 1.684 Standard deviation: 0.466
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	59	31.6%
2	No	128	68.4%
Sysmiss		2802	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful**Data file: BGD2014_Public_Use****Overview**

Valid: 2846 Invalid: 143 Mean: 1.373 Standard deviation: 0.484
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1784	62.7%
2	No	1062	37.3%
Sysmiss		143	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done**Data file: BGD2014_Public_Use**

Overview

Valid: 2880 Invalid: 109 Mean: 1.385 Standard deviation: 0.487
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1770	61.5%
2	No	1110	38.5%
Sysmiss		109	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: BGD2014_Public_Use

Overview

Valid: 2871 Invalid: 118 Mean: 1.502 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1430	49.8%
2	No	1441	50.2%
Sysmiss		118	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: BGD2014_Public_Use

Overview

Valid: 2863 Invalid: 126 Mean: 1.531 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1342	46.9%
2	No	1521	53.1%
Sysmiss		126	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: BGD2014_Public_Use

Overview

Valid: 2871 Invalid: 118 Mean: 1.134 Standard deviation: 0.341
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2485	86.6%
2	No	386	13.4%
Sysmiss		118	

QNUNWTG: Were underweight

Data file: BGD2014_Public_Use

Overview

Valid: 2703 Invalid: 286 Mean: 1.889 Standard deviation: 0.314
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	300	11.1%
2	No	2403	88.9%
Sysmiss		286	

QNOWTG: Were overweight

Data file: BGD2014_Public_Use

Overview

Valid: 2703 Invalid: 286 Mean: 1.926 Standard deviation: 0.262
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	200	7.4%
2	No	2503	92.6%
Sysmiss		286	

QNOBESEG: Were obese

Data file: BGD2014_Public_Use

Overview

Valid: 2703 Invalid: 286 Mean: 1.987 Standard deviation: 0.115
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	36	1.3%
2	No	2667	98.7%
Sysmiss		286	

QNFR1G: Usually ate fruit less than one time per day**Data file: BGD2014_Public_Use****Overview**

Valid: 2951 Invalid: 38 Mean: 1.568 Standard deviation: 0.495
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1274	43.2%
2	No	1677	56.8%
Sysmiss		38	

QNFR1G: Usually ate fruit one or more times per day**Data file: BGD2014_Public_Use****Overview**

Valid: 2951 Invalid: 38 Mean: 1.471 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1560	52.9%
2	No	1391	47.1%
Sysmiss		38	

QNFR2G: Usually ate fruit two or more times per day**Data file: BGD2014_Public_Use****Overview**

Valid: 2951 Invalid: 38 Mean: 1.738 Standard deviation: 0.44
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	774	26.2%
2	No	2177	73.8%
Sysmiss		38	

QNFR3G: Usually ate fruit three or more times per day

Data file: BGD2014_Public_Use

Overview

Valid: 2951 Invalid: 38 Mean: 1.846 Standard deviation: 0.361
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	453	15.4%
2	No	2498	84.6%
Sysmiss		38	

QNVEGLG: Usually ate vegetables less than one time per day

Data file: BGD2014_Public_Use

Overview

Valid: 2950 Invalid: 39 Mean: 1.794 Standard deviation: 0.405
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	609	20.6%
2	No	2341	79.4%
Sysmiss		39	

QNVEG1G: Usually ate vegetables one or more times per day

Data file: BGD2014_Public_Use

Overview

Valid: 2950 Invalid: 39 Mean: 1.219 Standard deviation: 0.414
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2303	78.1%
2	No	647	21.9%
Sysmiss		39	

QNVEG2G: Usually ate vegetables two or more times per day

Data file: BGD2014_Public_Use

Overview

Valid: 2950 Invalid: 39 Mean: 1.442 Standard deviation: 0.497
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1647	55.8%
2	No	1303	44.2%
Sysmiss		39	

QNVEG3G: Usually ate vegetables three or more times per day**Data file: BGD2014_Public_Use****Overview**

Valid: 2950 Invalid: 39 Mean: 1.651 Standard deviation: 0.477
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1029	34.9%
2	No	1921	65.1%
Sysmiss		39	

QNSODALG: Usually drank carbonated soft drinks less than one time per day**Data file: BGD2014_Public_Use****Overview**

Valid: 2929 Invalid: 60 Mean: 1.634 Standard deviation: 0.482
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1071	36.6%
2	No	1858	63.4%
Sysmiss		60	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day**Data file: BGD2014_Public_Use****Overview**

Valid: 2929 Invalid: 60 Mean: 1.519 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1409	48.1%
2	No	1520	51.9%
Sysmiss		60	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day

Data file: BGD2014_Public_Use

Overview

Valid: 2929 Invalid: 60 Mean: 1.681 Standard deviation: 0.466
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	934	31.9%
2	No	1995	68.1%
Sysmiss		60	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day

Data file: BGD2014_Public_Use

Overview

Valid: 2929 Invalid: 60 Mean: 1.866 Standard deviation: 0.341
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	392	13.4%
2	No	2537	86.6%
Sysmiss		60	

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: BGD2014_Public_Use

Overview

Valid: 2949 Invalid: 40 Mean: 1.45 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1621	55%
2	No	1328	45%
Sysmiss		40	

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: BGD2014_Public_Use

Overview

Valid: 2949 Invalid: 40 Mean: 1.601 Standard deviation: 0.49
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1176	39.9%
2	No	1773	60.1%
Sysmiss		40	

QNFF3G: Ate food from a fast food restaurant three or more days**Data file: BGD2014_Public_Use****Overview**

Valid: 2949 Invalid: 40 Mean: 1.704 Standard deviation: 0.457
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	874	29.6%
2	No	2075	70.4%
Sysmiss		40	

QNC2G: Were bullied and could not sleep at night**Data file: BGD2014_Public_Use****Overview**

Valid: 138 Invalid: 2851 Mean: 1.543 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	63	45.7%
2	No	75	54.3%
Sysmiss		2851	

QNTOB2G: Currently used any tobacco product**Data file: BGD2014_Public_Use****Overview**

Valid: 2961 Invalid: 28 Mean: 1.92 Standard deviation: 0.271
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	237	8%
2	No	2724	92%
Sysmiss		28	

QNNOTB2G: Did not currently use any tobacco products

Data file: BGD2014_Public_Use

Overview

Valid: 2955 Invalid: 34 Mean: 1.078 Standard deviation: 0.268
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2724	92.2%
2	No	231	7.8%
Sysmiss		34	

QNBCANYG: Used a method of birth control

Data file: BGD2014_Public_Use

Overview

Valid: 163 Invalid: 2826 Mean: 1.117 Standard deviation: 0.322
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	144	88.3%
2	No	19	11.7%
Sysmiss		2826	

QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: BGD2014_Public_Use

Overview

Valid: 18 Invalid: 2971 Mean: 1.444 Standard deviation: 0.511
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	10	55.6%
2	No	8	44.4%
Sysmiss		2971	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: BGD2014_Public_Use

Overview

Valid: 2915 Invalid: 74 Mean: 1.402 Standard deviation: 0.49
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1743	59.8%
2	No	1172	40.2%
Sysmiss		74	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days**Data file: BGD2014_Public_Use****Overview**

Valid: 2915 Invalid: 74 Mean: 1.517 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1407	48.3%
2	No	1508	51.7%
Sysmiss		74	

QNPE3G: Attended physical education classes on three or more days**Data file: BGD2014_Public_Use****Overview**

Valid: 2868 Invalid: 121 Mean: 1.571 Standard deviation: 0.495
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	1230	42.9%
2	No	1638	57.1%
Sysmiss		121	

QNPE5G: Attended physical education classes on five or more days**Data file: BGD2014_Public_Use****Overview**

Valid: 2868 Invalid: 121 Mean: 1.77 Standard deviation: 0.421

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	659	23%
2	No	2209	77%
Sysmiss		121	

WEIGHT:**Data file: BGD2014_Public_Use****Overview**

Valid: 2989 Invalid: 0 Mean: 1710.009 Standard deviation: 1683.091
 Type: Continuous Decimal: 0 Width: 10 Range: 42.0329 - 329.5608 Format: Numeric

STRATUM:**Data file: BGD2014_Public_Use****Overview**

Valid: 2989 Invalid: 0 Mean: 201401015.487 Standard deviation: 13.654
 Type: Discrete Decimal: 0 Width: 9 Range: 201501001 - 201501019 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
201401001		115	3.8%
201401002		102	3.4%
201401003		63	2.1%
201401004		98	3.3%
201401005		115	3.8%
201401006		55	1.8%
201401007		76	2.5%
201401008		119	4%
201401009		91	3%
201401010		126	4.2%
201401011		122	4.1%

201401012		54	1.8%
201401013		98	3.3%
201401014		136	4.6%
201401015		109	3.6%
201401016		162	5.4%
201401017		122	4.1%
201401018		144	4.8%
201401019		74	2.5%
201401020		101	3.4%
201401021		97	3.2%
201401022		81	2.7%
201401023		44	1.5%
201401024		88	2.9%
201401025		136	4.6%
201401026		60	2%
201401027		84	2.8%
201401028		79	2.6%
201401029		88	2.9%
201401030		150	5%

PSU:**Data file: BGD2014_Public_Use****Overview**

Valid: 2989 Invalid: 0 Mean: 30.496 Standard deviation: 17.013
 Type: Continuous Decimal: 0 Width: 5 Range: 1 - 38 Format: Numeric

study_resources

questionnaires

Questionnaire

title Questionnaire
country Bangladesh
filename https://extranet.who.int/ncdsmicrodata/index.php/catalog/485/download/3769/2014_GSHS_Bangladesh_Questionnaire.pdf

reports

Fact Sheet

title Fact Sheet
country Bangladesh
filename <https://extranet.who.int/ncdsmicrodata/index.php/catalog/485/download/3770/2014-Bangladesh-fact-sheet.pdf>

technical_documents

Codebook

title Codebook
country Bangladesh
filename https://extranet.who.int/ncdsmicrodata/index.php/catalog/485/download/3771/BGD2014_public_use_codebook.pdf
