

# Global School-Based Student Health Survey 2016

**Ministry of Health**

report\_generated\_on: November 6, 2023

visit\_data\_catalog\_at: <http://catalog.ihsn.org/>

## Identification

### SURVEY ID NUMBER

BTN\_2016\_GSHS\_v01\_M

### TITLE

Global School-Based Student Health Survey 2016

### COUNTRY

Name	Country code
Bhutan	BTN

### STUDY TYPE

Global School-Based Student Health Survey

### SERIES INFORMATION

This is the first GSHS conducted by Bhutan.

### ABSTRACT

The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

### KIND OF DATA

Sample survey data [ssd]

### UNIT OF ANALYSIS

Individuals

## Version

### VERSION DESCRIPTION

Public-use dataset

## Scope

### NOTES

The following core modules were included in the survey:

alcohol use  
 dietary behaviours  
 drug use  
 hygiene  
 mental health  
 physical activity  
 protective factors  
 sexual behaviours  
 tobacco use  
 violence and unintentional injury

### TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

### KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
hygiene
mental health
physical activity
sexual behaviours
tobacco use
violence and unintentional injury
overweight
obesity
bullying

## Coverage

### GEOGRAPHIC COVERAGE

National plus urban and rural

### UNIVERSE

School-going adolescents aged 13-17 years.

## Producers and sponsors

### PRIMARY INVESTIGATORS

Name
Ministry of Health

### FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

## Sampling

### SAMPLING PROCEDURE

A two-stage cluster sample design was used to produce data representative of all students in Grades 7 - 11 in Bhutan. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

### RESPONSE RATE

The school response rate was 100%, the student response rate was 95%, and the overall response rate was 95%.

### WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

## data\_collection

### DATES OF DATA COLLECTION

Start	End
2016	2016

### DATA COLLECTION MODE

self-administered

## questionnaires

### QUESTIONNAIRES

The following core modules were included in the survey:

alcohol use

dietary behaviours

drug use

hygiene

mental health

physical activity

protective factors

sexual behaviours

tobacco use

violence and unintentional injury

## data\_processing

### DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

## Access policy

### CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	<a href="#">Link</a>

## ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

## CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

## Disclaimer and copyrights

## DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

## Metadata production

## DDI DOCUMENT ID

DDI\_BTN\_2016\_GSHS\_v01\_M

## PRODUCERS

Name	Abbreviation	Affiliation	Role
Melanie Cowan		World Health Organization	Documentation of data
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

## DATE OF METADATA PRODUCTION

2020-02-12

## DDI DOCUMENT VERSION

Identical to a metadata (BTN\_2016\_GSHS\_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

**data\_dictionary**

<b>Data file</b>	<b>Cases</b>	<b>variables</b>
<b>2016BTN (National)</b>	7576	141
<b>2016BTN (Urban)</b>	3629	141
<b>2016BTN (Rural)</b>	3947	141



**Data file: 2016BTN (National)**

Cases: 7576

variables: 141

**variables**

ID	Name	Label	Question
V1	Q1	Custom Age	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V16	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V17	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V18	Q18	Serious injury type	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Serious injury cause	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V21	Q21	Bullied how	During the past 30 days, how were you bullied most often?
V22	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V23	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?



ID	Name	Label	Question
V24	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Close friends	How many close friends do you have?
V28	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V29	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V34	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V35	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Initiation of drug use	How old were you when you first used drugs?
V41	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V45	Q45	Age first had sex	How old were you when you had sexual intercourse for the first time?
V46	Q46	Number of sex partners	During your life, with how many people have you had sexual intercourse?
V47	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Physical activity past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V51	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V54	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V60	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V61	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V62	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V63	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V64	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V65	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V66	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V67	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V68	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V69	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V70	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V71	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V72	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V73	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V74	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )

ID	Name	Label	Question
V75	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V76	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V77	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V78	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V79	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V80	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V81	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V82	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V83	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V84	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V85	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V86	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V88	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V89	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V90	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V91	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V92	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V93	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V94	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V95	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V96	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V97	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V98	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V99	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V100	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V101	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V102	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V103	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V104	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V105	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V106	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V107	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V108	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V109	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V110	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V111	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V115	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V116	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V117	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V118	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V119	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V120	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V121	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V122	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V123	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V124	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V125	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V126	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V127	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V128	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V129	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V130	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V131	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V132	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V133	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V134	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V135	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V136	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V137	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V138	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V139	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey )
V140	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V141	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V142	weight		
V143	stratum		
V144	psu		

total: 141

**Data file: 2016BTN (Urban)**

Cases: 3629

variables: 141

**variables**

ID	Name	Label	Question
V145	Q1	Custom Age	How old are you?
V146	Q2	Sex	What is your sex?
V147	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V148	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V149	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V150	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V151	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V152	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V153	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V154	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V155	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V156	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V157	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V158	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V159	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V160	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V161	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V162	Q18	Serious injury type	During the past 12 months, what was the most serious injury that happened to you?
V163	Q19	Serious injury cause	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V164	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V165	Q21	Bullied how	During the past 30 days, how were you bullied most often?
V166	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V167	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V168	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V169	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V170	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V171	Q27	Close friends	How many close friends do you have?
V172	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V173	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V174	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V175	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V176	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V177	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V178	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V179	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V180	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V181	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V182	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V183	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V184	Q40	Initiation of drug use	How old were you when you first used drugs?
V185	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V186	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V187	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V188	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V189	Q45	Age first had sex	How old were you when you had sexual intercourse for the first time?
V190	Q46	Number of sex partners	During your life, with how many people have you had sexual intercourse?
V191	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V192	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V193	Q49	Physical activity past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V194	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V195	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V196	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V197	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V198	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V199	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V200	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V201	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V202	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V203	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V204	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V205	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V206	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V207	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V208	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V209	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V210	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V211	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V212	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V213	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V214	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V215	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V216	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V217	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V218	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )



ID	Name	Label	Question
V219	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V220	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V221	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V222	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V223	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V224	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V225	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V226	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V227	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V228	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V229	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V230	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V231	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V232	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V233	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V234	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V235	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V236	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V237	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V238	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V239	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V240	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V241	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V242	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V243	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V244	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V245	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V246	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V247	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V248	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V249	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V250	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V251	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V252	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V253	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V254	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V255	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V259	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V260	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V261	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V262	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V263	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V264	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V265	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V266	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V267	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V268	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V269	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V270	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V271	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V272	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V273	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V274	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V275	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V276	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V277	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V278	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V279	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V280	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V281	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V282	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V283	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey )
V284	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V285	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V286	weight		
V287	stratum		
V288	psu		

total: 141

**Data file: 2016BTN (Rural)**

Cases: 3947

variables: 141

**variables**

ID	Name	Label	Question
V289	Q1	Custom Age	How old are you?
V290	Q2	Sex	What is your sex?
V291	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V292	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V293	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V294	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V295	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V296	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V297	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V298	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V299	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V300	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V301	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V302	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V303	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V304	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V305	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V306	Q18	Serious injury type	During the past 12 months, what was the most serious injury that happened to you?
V307	Q19	Serious injury cause	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V308	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V309	Q21	Bullied how	During the past 30 days, how were you bullied most often?
V310	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V311	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V312	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V313	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V314	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V315	Q27	Close friends	How many close friends do you have?
V316	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V317	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V318	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V319	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V320	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V321	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V322	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V323	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V324	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V325	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V326	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V327	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V328	Q40	Initiation of drug use	How old were you when you first used drugs?
V329	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V330	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V331	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V332	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V333	Q45	Age first had sex	How old were you when you had sexual intercourse for the first time?
V334	Q46	Number of sex partners	During your life, with how many people have you had sexual intercourse?
V335	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V336	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V337	Q49	Physical activity past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V338	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V339	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V340	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V341	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V342	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V343	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V344	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V345	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V346	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V347	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V348	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V349	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V350	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V351	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V352	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V353	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V354	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V355	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V356	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V357	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V358	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V359	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V360	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V361	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V362	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )

ID	Name	Label	Question
V363	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V364	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V365	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V366	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V367	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V368	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V369	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V370	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V371	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V372	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V373	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V374	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V375	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V376	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V377	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V378	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V379	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V380	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V381	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V382	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V383	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V384	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V385	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V386	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V387	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V388	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V389	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V390	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V391	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V392	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V393	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V394	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V395	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V396	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V397	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V398	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V399	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V403	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V404	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V405	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V406	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V407	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V408	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V409	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V410	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)



ID	Name	Label	Question
V411	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V412	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V413	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V414	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V415	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V416	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V417	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V418	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V419	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V420	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V421	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V422	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V423	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V424	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V425	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V426	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V427	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey )
V428	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V429	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V430	weight		
V431	stratum		
V432	psu		

total: 141



**Q1: Custom Age****Data file: 2016BTN (National)****Overview**

Valid: 7552 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	66	0.9%
2	12 years old	260	3.4%
3	13 years old	716	9.5%
4	14 years old	1068	14.1%
5	15 years old	1243	16.5%
6	16 years old	1438	19%
7	17 years old	1344	17.8%
8	18 years old or older	1417	18.8%
Sysmiss		24	

**Q10: Fast food eating****Data file: 2016BTN (National)****Overview**

Valid: 0 Invalid: 7576

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

## LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category
1	0 days
2	1 day
3	2 days

4	3 days
5	4 days
6	5 days
7	6 days
8	7 days
Sysmiss	

## Q2: Sex

Data file: 2016BTN (National)

### Overview

Valid: 7489 Invalid: 87

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

What is your sex?

#### CATEGORIES

Value	Category	Cases	
1	Male	3384	45.2%
2	Female	4105	54.8%
Sysmiss		87	

## Q3: In what grade are you

Data file: 2016BTN (National)

### Overview

Valid: 7424 Invalid: 152

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

#### CATEGORIES

Value	Category	Cases	
1	Class 7	1720	23.2%
2	Class 8	1693	22.8%
3	Class 9	1617	21.8%

4	Class 10	1454	19.6%
5	Class 11	940	12.7%
Sysmiss		152	

#### Q4: How tall are you

Data file: 2016BTN (National)

##### Overview

Valid: 7341 Invalid: 235 Minimum: 1.27 Maximum: 1.92 Mean: 1.573 Standard deviation: 0.0793  
Type: Continuous Decimal: 2 Width: 5 Range: 1.27 - 1.87 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

###### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

#### Q5: How much do you weigh

Data file: 2016BTN (National)

##### Overview

Valid: 7341 Invalid: 235 Minimum: 27 Maximum: 100 Mean: 51.516 Standard deviation: 8.488  
Type: Continuous Decimal: 2 Width: 5 Range: 28 - 116 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

###### LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

#### Q6: How often went hungry

Data file: 2016BTN (National)

##### Overview

Valid: 0 Invalid: 7576  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

### CATEGORIES

Value	Category
1	Never
2	Rarely
3	Sometimes
4	Most of the time
5	Always
Sysmiss	

## Q7: No fruit eating

Data file: 2016BTN (National)

### Overview

Valid: 7542 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	1005	13.3%
2	Less than one time per day	2766	36.7%
3	1 time per day	1479	19.6%
4	2 times per day	964	12.8%
5	3 times per day	623	8.3%
6	4 times per day	202	2.7%
7	5 or more times per day	503	6.7%
Sysmiss		34	

**Q8: No vegetable eating****Data file: 2016BTN (National)****Overview**

Valid: 7543 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	348	4.6%
2	Less than one time per day	1281	17%
3	1 time per day	1367	18.1%
4	2 times per day	1568	20.8%
5	3 times per day	1687	22.4%
6	4 times per day	301	4%
7	5 or more times per day	991	13.1%
Sysmiss		33	

**Q9: Soft drinks****Data file: 2016BTN (National)****Overview**

Valid: 7566 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

## CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	1174	15.5%
2	Less than one time per day	3525	46.6%

3	1 time per day	1333	17.6%
4	2 times per day	662	8.7%
5	3 times per day	317	4.2%
6	4 times per day	153	2%
7	5 or more times per day	402	5.3%
Sysmiss		10	

## Q11: Tooth brushing

Data file: 2016BTN (National)

### Overview

Valid: 7530 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	150	2%
2	Less than 1 time per day	424	5.6%
3	1 time per day	3838	51%
4	2 times per day	2117	28.1%
5	3 times per day	364	4.8%
6	4 or more times per day	637	8.5%
Sysmiss		46	

## Q12: Hand washing before eating

Data file: 2016BTN (National)

### Overview

Valid: 7543 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.



## LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

## CATEGORIES

Value	Category	Cases	
1	Never	80	1.1%
2	Rarely	196	2.6%
3	Sometimes	1162	15.4%
4	Most of the time	2323	30.8%
5	Always	3782	50.1%
Sysmiss		33	

### Q13: Hand washing after toilet

Data file: 2016BTN (National)

#### Overview

Valid: 7523 Invalid: 53

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

## LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

## CATEGORIES

Value	Category	Cases	
1	Never	79	1.1%
2	Rarely	231	3.1%
3	Sometimes	1230	16.3%
4	Most of the time	2183	29%
5	Always	3800	50.5%
Sysmiss		53	

### Q14: Hand washing with soap

Data file: 2016BTN (National)

#### Overview

Valid: 7529 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

### CATEGORIES

Value	Category	Cases	
1	Never	102	1.4%
2	Rarely	345	4.6%
3	Sometimes	2218	29.5%
4	Most of the time	2785	37%
5	Always	2079	27.6%
Sysmiss		47	

## Q15: Physically attacked

Data file: 2016BTN (National)

### Overview

Valid: 7563 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

### CATEGORIES

Value	Category	Cases	
1	0 times	4694	62.1%
2	1 time	1068	14.1%
3	2 or 3 times	1102	14.6%
4	4 or 5 times	320	4.2%
5	6 or 7 times	142	1.9%
6	8 or 9 times	62	0.8%
7	10 or 11 times	43	0.6%
8	12 or more times	132	1.7%
Sysmiss		13	

**Q16: Physical fighting****Data file: 2016BTN (National)****Overview**

Valid: 7546 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

**LITERAL QUESTION**

During the past 12 months, how many times were you in a physical fight?

**CATEGORIES**

Value	Category	Cases	
1	0 times	4636	61.4%
2	1 time	1353	17.9%
3	2 or 3 times	1073	14.2%
4	4 or 5 times	249	3.3%
5	6 or 7 times	82	1.1%
6	8 or 9 times	45	0.6%
7	10 or 11 times	34	0.5%
8	12 or more times	74	1%
Sysmiss		30	

**Q17: Seriously injured****Data file: 2016BTN (National)****Overview**

Valid: 6892 Invalid: 684

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

**LITERAL QUESTION**

During the past 12 months, how many times were you seriously injured?

**CATEGORIES**

Value	Category	Cases	
1	0 times	3909	56.7%
2	1 time	1561	22.6%
3	2 or 3 times	986	14.3%
4	4 or 5 times	238	3.5%
5	6 or 7 times	90	1.3%
6	8 or 9 times	37	0.5%
7	10 or 11 times	23	0.3%
8	12 or more times	48	0.7%
Sysmiss		684	

### Q18: Serious injury type

Data file: 2016BTN (National)

#### Overview

Valid: 7021 Invalid: 555

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	4523	64.4%
2	Broken bone/dislocated joint	319	4.5%
3	I had a cut or stab wound	668	9.5%
4	Concussion/head injury	205	2.9%
5	I had a gunshot wound	13	0.2%
6	I had a bad burn	49	0.7%
7	I was poisoned	47	0.7%
8	Something else happened to me	1197	17%
Sysmiss		555	

### Q19: Serious injury cause

Data file: 2016BTN (National)

## Overview

Valid: 7020 Invalid: 556

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	4613	65.7%
2	Motor vehicle accident	70	1%
3	I fell	553	7.9%
4	Something fell on me or hit me	371	5.3%
5	I was attacked	182	2.6%
6	Was in a fire	48	0.7%
7	breathed something bad	69	1%
8	Something else	1114	15.9%
Sysmiss		556	

## Q20: Bullied

Data file: 2016BTN (National)

## Overview

Valid: 7320 Invalid: 256

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	5433	74.2%

2	1 or 2 days	1279	17.5%
3	3 to 5 days	328	4.5%
4	6 to 9 days	112	1.5%
5	10 to 19 days	73	1%
6	20 to 29 days	32	0.4%
7	All 30 days	63	0.9%
Sysmiss		256	

## Q21: Bullied how

Data file: 2016BTN (National)

### Overview

Valid: 7304 Invalid: 272

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	5590	76.5%
2	Kicked, pushed, or shoved	273	3.7%
3	Made fun of race	156	2.1%
4	Made fun because of religion	73	1%
5	Made fun of about sex	162	2.2%
6	Left out of activities	90	1.2%
7	Made fun of about body	373	5.1%
8	Some other way	587	8%
Sysmiss		272	

## Q22: Felt lonely

Data file: 2016BTN (National)

### Overview

Valid: 7470 Invalid: 106

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 5    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

### CATEGORIES

Value	Category	Cases	
1	Never	1475	19.7%
2	Rarely	1269	17%
3	Sometimes	3733	50%
4	Most of the time	785	10.5%
5	Always	208	2.8%
Sysmiss		106	

## Q23: Could not sleep

Data file: 2016BTN (National)

### Overview

Valid: 7565    Invalid: 11

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 5    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

### CATEGORIES

Value	Category	Cases	
1	Never	2119	28%
2	Rarely	1568	20.7%
3	Sometimes	3251	43%
4	Most of the time	510	6.7%
5	Always	117	1.5%
Sysmiss		11	

**Q24: Considered suicide****Data file: 2016BTN (National)****Overview**

Valid: 7487 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

## LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

## CATEGORIES

Value	Category	Cases	
1	Yes	862	11.5%
2	No	6625	88.5%
Sysmiss		89	

**Q25: Made a suicide plan****Data file: 2016BTN (National)****Overview**

Valid: 7551 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

## LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

## CATEGORIES

Value	Category	Cases	
1	Yes	1043	13.8%
2	No	6508	86.2%
Sysmiss		25	

**Q26: Attempted suicide****Data file: 2016BTN (National)**



## Overview

Valid: 7534 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	0 times	6706	89%
2	1 time	505	6.7%
3	2 or 3 times	229	3%
4	4 or 5 times	56	0.7%
5	6 or more times	38	0.5%
Sysmiss		42	

## Q27: Close friends

Data file: 2016BTN (National)

## Overview

Valid: 7509 Invalid: 67

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

How many close friends do you have?

### CATEGORIES

Value	Category	Cases	
1	0	689	9.2%
2	1	1180	15.7%
3	2	1464	19.5%
4	3 or more	4176	55.6%
Sysmiss		67	

**Q28: Initiation of cigarette use****Data file: 2016BTN (National)****Overview**

Valid: 7241 Invalid: 335

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

How old were you when you first tried a cigarette?

## CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	4604	63.6%
2	7 years old or younger	205	2.8%
3	8 or 9 years old	214	3%
4	10 or 11 years old	324	4.5%
5	12 or 13 years old	621	8.6%
6	14 or 15 years old	832	11.5%
7	16 or 17 years old	376	5.2%
8	18 years old or older	65	0.9%
Sysmiss		335	

**Q29: Current cigarette use****Data file: 2016BTN (National)****Overview**

Valid: 7528 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

## CATEGORIES

Value	Category	Cases	
1	0 days	5652	75.1%
2	1 or 2 days	829	11%

3	3 to 5 days	327	4.3%
4	6 to 9 days	263	3.5%
5	10 to 19 days	218	2.9%
6	20 to 29 days	98	1.3%
7	All 30 days	141	1.9%
Sysmiss		48	

### Q30: Other tobacco use

Data file: 2016BTN (National)

#### Overview

Valid: 7558 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

##### CATEGORIES

Value	Category	Cases	
1	0 days	6166	81.6%
2	1 or 2 days	548	7.3%
3	3 to 5 days	183	2.4%
4	6 to 9 days	120	1.6%
5	10 to 19 days	105	1.4%
6	20 to 29 days	83	1.1%
7	All 30 days	353	4.7%
Sysmiss		18	

### Q31: Smoking cessation

Data file: 2016BTN (National)

#### Overview

Valid: 7264 Invalid: 312

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	4852	66.8%
2	Did not smoke cigarettes	456	6.3%
3	Yes	1624	22.4%
4	No	332	4.6%
Sysmiss		312	

## Q32: Smoking in their presence

Data file: 2016BTN (National)

### Overview

Valid: 7564 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

### CATEGORIES

Value	Category	Cases	
1	0 days	3899	51.5%
2	1 or 2 days	2100	27.8%
3	3 or 4 days	756	10%
4	5 or 6 days	329	4.3%
5	All 7 days	480	6.3%
Sysmiss		12	

## Q33: Parental tobacco use

Data file: 2016BTN (National)

## Overview

Valid: 7550 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

### CATEGORIES

Value	Category	Cases	
1	Neither	3300	43.7%
2	My father or male guardian	1274	16.9%
3	My mother or female guardian	733	9.7%
4	Both	831	11%
5	I do not know	1412	18.7%
Sysmiss		26	

## Q34: Initiation of alcohol use

Data file: 2016BTN (National)

## Overview

Valid: 7087 Invalid: 489

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

### CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	4029	56.9%
2	7 years old or younger	478	6.7%
3	8 or 9 years old	202	2.9%
4	10 or 11 years old	322	4.5%
5	12 or 13 years old	603	8.5%
6	14 or 15 years old	884	12.5%

7	16 or 17 years old	492	6.9%
8	18 years old or older	77	1.1%
Sysmiss		489	

### Q35: Current alcohol use

Data file: 2016BTN (National)

#### Overview

Valid: 7428 Invalid: 148

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

##### CATEGORIES

Value	Category	Cases	
1	0 days	5562	74.9%
2	1 or 2 days	1408	19%
3	3 to 5 days	272	3.7%
4	6 to 9 days	91	1.2%
5	10 to 19 days	60	0.8%
6	20 to 29 days	20	0.3%
7	All 30 days	15	0.2%
Sysmiss		148	

### Q36: Drank 2+ drinks

Data file: 2016BTN (National)

#### Overview

Valid: 7552 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

#### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

#### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	5601	74.2%
2	Less than one drink	1097	14.5%
3	1 drink	496	6.6%
4	2 drinks	195	2.6%
5	3 drinks	98	1.3%
6	4 drinks	23	0.3%
7	5 or more drinks	42	0.6%
Sysmiss		24	

### Q37: Source of alcohol

Data file: 2016BTN (National)

#### Overview

Valid: 7486 Invalid: 90

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

#### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

#### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	5567	74.4%
2	I bought in a store	502	6.7%
3	I gave someone money to buy	229	3.1%
4	I got it from my friends	770	10.3%
5	I got it from my family	161	2.2%
6	I stole it	66	0.9%
7	Some other way	191	2.6%
Sysmiss		90	

**Q38: Really drunk****Data file: 2016BTN (National)****Overview**

Valid: 7454 Invalid: 122

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

**LITERAL QUESTION**

During your life, how many times did you drink so much alcohol that you were really drunk?

**CATEGORIES**

Value	Category	Cases	
1	0 times	5546	74.4%
2	1 or 2 times	1423	19.1%
3	3 to 9 times	307	4.1%
4	10 or more times	178	2.4%
Sysmiss		122	

**Q39: Trouble from drinking****Data file: 2016BTN (National)****Overview**

Valid: 7275 Invalid: 301

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

**LITERAL QUESTION**

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

**CATEGORIES**

Value	Category	Cases	
1	0 times	6487	89.2%



2	1 or 2 times	621	8.5%
3	3 to 9 times	104	1.4%
4	10 or more times	63	0.9%
Sysmiss		301	

## Q40: Initiation of drug use

Data file: 2016BTN (National)

### Overview

Valid: 7354 Invalid: 222

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

How old were you when you first used drugs?

#### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	5884	80%
2	7 years old or younger	64	0.9%
3	8 or 9 years old	75	1%
4	10 or 11 years old	96	1.3%
5	12 or 13 years old	304	4.1%
6	14 or 15 years old	546	7.4%
7	16 or 17 years old	323	4.4%
8	18 years old or older	62	0.8%
Sysmiss		222	

## Q41: Ever marijuana use

Data file: 2016BTN (National)

### Overview

Valid: 7454 Invalid: 122

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

#### CATEGORIES

Value	Category	Cases	
1	0 times	6183	82.9%
2	1 or 2 times	477	6.4%
3	3 to 9 times	290	3.9%
4	10 to 19 times	168	2.3%
5	20 or more times	336	4.5%
Sysmiss		122	

### Q42: Current marijuana use

Data file: 2016BTN (National)

#### Overview

Valid: 7497 Invalid: 79

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

#### CATEGORIES

Value	Category	Cases	
1	0 times	6581	87.8%
2	1 or 2 times	476	6.3%
3	3 to 9 times	201	2.7%
4	10 to 19 times	99	1.3%
5	20 or more times	140	1.9%
Sysmiss		79	

### Q43: Amphetamine or methamphetamine use

Data file: 2016BTN (National)

## Overview

Valid: 0 Invalid: 7576

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

### CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 to 19 times
5	20 or more times
Sysmiss	

## Q44: Ever sexual intercourse

Data file: 2016BTN (National)

## Overview

Valid: 7076 Invalid: 500

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

Have you ever had sexual intercourse?

### CATEGORIES

Value	Category	Cases	
1	Yes	1256	17.8%
2	No	5820	82.2%
Sysmiss		500	

**Q45: Age first had sex****Data file: 2016BTN (National)****Overview**

Valid: 7467 Invalid: 109

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	6542	87.6%
2	11 years old or younger	191	2.6%
3	12 years old	86	1.2%
4	13 years old	80	1.1%
5	14 years old	92	1.2%
6	15 years old	165	2.2%
7	16 or 17 years old	221	3%
8	18 years old or older	90	1.2%
Sysmiss		109	

**Q46: Number of sex partners****Data file: 2016BTN (National)****Overview**

Valid: 7431 Invalid: 145

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	6539	88%
2	1 person	358	4.8%

3	2 people	190	2.6%
4	3 people	121	1.6%
5	4 people	74	1%
6	5 people	41	0.6%
7	6 or more people	108	1.5%
Sysmiss		145	

## Q47: Condom use

Data file: 2016BTN (National)

### Overview

Valid: 7313 Invalid: 263

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	6431	87.9%
2	Yes	547	7.5%
3	No	335	4.6%
Sysmiss		263	

## Q48: Birth control used

Data file: 2016BTN (National)

### Overview

Valid: 7190 Invalid: 386

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	6262	87.1%
2	Yes	371	5.2%
3	No	375	5.2%
4	I do not know	182	2.5%
Sysmiss		386	

**Q49: Physical activity past 7 days****Data file: 2016BTN (National)****Overview**

Valid: 7538 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

## LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

## CATEGORIES

Value	Category	Cases	
1	0 days	1981	26.3%
2	1 day	1589	21.1%
3	2 days	951	12.6%
4	3 days	806	10.7%
5	4 days	470	6.2%
6	5 days	417	5.5%
7	6 days	265	3.5%
8	7 days	1059	14%
Sysmiss		38	

**Q50: Walk or bike to school****Data file: 2016BTN (National)****Overview**

Valid: 7530 Invalid: 46

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

**CATEGORIES**

Value	Category	Cases	
1	0 days	4282	56.9%
2	1 day	636	8.4%
3	2 days	336	4.5%
4	3 days	235	3.1%
5	4 days	126	1.7%
6	5 days	139	1.8%
7	6 days	306	4.1%
8	7 days	1470	19.5%
Sysmiss		46	

**Q51: PE attendance****Data file: 2016BTN (National)****Overview**

Valid: 7495    Invalid: 81

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 6    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During this school year, on how many days did you go to physical education (PE) class each week?

**CATEGORIES**

Value	Category	Cases	
1	0 days	4606	61.5%
2	1 day	1432	19.1%
3	2 days	402	5.4%

4	3 days	205	2.7%
5	4 days	131	1.7%
6	5 or more days	719	9.6%
Sysmiss		81	

## Q52: Sitting activities

Data file: 2016BTN (National)

### Overview

Valid: 7550 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

#### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	2760	36.6%
2	1 to 2 hours per day	2629	34.8%
3	3 to 4 hours per day	1285	17%
4	5 to 6 hours per day	410	5.4%
5	7 to 8 hours per day	170	2.3%
6	More than 8 hours per day	296	3.9%
Sysmiss		26	

## Q53: Miss school no permission

Data file: 2016BTN (National)

### Overview

Valid: 7502 Invalid: 74

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION



During the past 30 days, on how many days did you miss classes or school without permission?

#### CATEGORIES

Value	Category	Cases	
1	0 days	5645	75.2%
2	1 or 2 days	1307	17.4%
3	3 to 5 days	345	4.6%
4	6 to 9 days	106	1.4%
5	10 or more days	99	1.3%
Sysmiss		74	

### Q54: Other students kind and helpful

Data file: 2016BTN (National)

#### Overview

Valid: 7555 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

#### CATEGORIES

Value	Category	Cases	
1	Never	333	4.4%
2	Rarely	890	11.8%
3	Sometimes	3141	41.6%
4	Most of the time	2291	30.3%
5	Always	900	11.9%
Sysmiss		21	

### Q55: Parents check homework

Data file: 2016BTN (National)

#### Overview

Valid: 7539 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

### CATEGORIES

Value	Category	Cases	
1	Never	2530	33.6%
2	Rarely	780	10.3%
3	Sometimes	2246	29.8%
4	Most of the time	1204	16%
5	Always	779	10.3%
Sysmiss		37	

## Q56: Parents understand problems

Data file: 2016BTN (National)

### Overview

Valid: 7474 Invalid: 102

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

### CATEGORIES

Value	Category	Cases	
1	Never	1141	15.3%
2	Rarely	733	9.8%
3	Sometimes	2288	30.6%
4	Most of the time	1696	22.7%
5	Always	1616	21.6%
Sysmiss		102	

## Q57: Parents know about free time

Data file: 2016BTN (National)

## Overview

Valid: 7552 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

### CATEGORIES

Value	Category	Cases	
1	Never	1348	17.8%
2	Rarely	956	12.7%
3	Sometimes	2543	33.7%
4	Most of the time	1589	21%
5	Always	1116	14.8%
Sysmiss		24	

## Q58: Parents go through their things

Data file: 2016BTN (National)

## Overview

Valid: 7522 Invalid: 54 Mean: 2.194 Standard deviation: 1.178

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

### CATEGORIES

Value	Category	Cases	
1		3085	41%
2		1119	14.9%
3		2415	32.1%
4		583	7.8%
5		320	4.3%
Sysmiss		54	

**QN6: Most of the time or always went hungry****Data file: 2016BTN (National)****Overview**

Valid: 0    Invalid: 7576

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

## CATEGORIES

Value	Category
Sysmiss	

**QN7: Did not eat fruit****Data file: 2016BTN (National)****Overview**

Valid: 7542    Invalid: 34    Mean: 1.867    Standard deviation: 0.34

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		1005	13.3%
2		6537	86.7%
Sysmiss		34	

**QN8: Did not eat vegetables****Data file: 2016BTN (National)****Overview**

Valid: 7543    Invalid: 33    Mean: 1.954    Standard deviation: 0.21

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		348	4.6%
2		7195	95.4%
Sysmiss		33	

## QN9: Did not drink carbonated soft drinks

Data file: 2016BTN (National)

### Overview

Valid: 7566 Invalid: 10 Mean: 1.845 Standard deviation: 0.362  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		1174	15.5%
2		6392	84.5%
Sysmiss		10	

## QN10: Did not eat food from a fast food restaurant

Data file: 2016BTN (National)

### Overview

Valid: 0 Invalid: 7576  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

### CATEGORIES

Value	Category
-------	----------

Sysmiss

**QN11: Usually cleaned or brushed their teeth****Data file: 2016BTN (National)****Overview**

Valid: 7530 Invalid: 46 Mean: 1.076 Standard deviation: 0.265  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		6956	92.4%
2		574	7.6%
Sysmiss		46	

**QN12: Never or rarely washed their hands before eating****Data file: 2016BTN (National)****Overview**

Valid: 7543 Invalid: 33 Mean: 1.963 Standard deviation: 0.188  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		276	3.7%
2		7267	96.3%
Sysmiss		33	

**QN13: Never or rarely washed their hands after using the toilet or latrine****Data file: 2016BTN (National)**

## Overview

Valid: 7523 Invalid: 53 Mean: 1.959 Standard deviation: 0.199  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		310	4.1%
2		7213	95.9%
Sysmiss		53	

## QN14: Never or rarely used soap when washing their hands

Data file: 2016BTN (National)

## Overview

Valid: 7529 Invalid: 47 Mean: 1.941 Standard deviation: 0.236  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		447	5.9%
2		7082	94.1%
Sysmiss		47	

## QN15: Were physically attacked

Data file: 2016BTN (National)

## Overview

Valid: 7563 Invalid: 13 Mean: 1.621 Standard deviation: 0.485  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

## CATEGORIES

Value	Category	Cases	
1		2869	37.9%
2		4694	62.1%
Sysmiss		13	

## QN16: Were in a physical fight

Data file: 2016BTN (National)

### Overview

Valid: 7546 Invalid: 30 Mean: 1.614 Standard deviation: 0.487  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

## LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

## CATEGORIES

Value	Category	Cases	
1		2910	38.6%
2		4636	61.4%
Sysmiss		30	

## QN17: Were seriously injured

Data file: 2016BTN (National)

### Overview

Valid: 6892 Invalid: 684 Mean: 1.567 Standard deviation: 0.496  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

## LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

## CATEGORIES

Value	Category	Cases	
1		2983	43.3%
2		3909	56.7%
Sysmiss		684	



**QN18: Reported that their most serious injury was a broken bone or dislocated joint****Data file: 2016BTN (National)****Overview**

Valid: 2498   Invalid: 5078   Mean: 1.872   Standard deviation: 0.334  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

**CATEGORIES**

Value	Category	Cases	
1		319	12.8%
2		2179	87.2%
Sysmiss		5078	

**QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle****Data file: 2016BTN (National)****Overview**

Valid: 2407   Invalid: 5169   Mean: 1.971   Standard deviation: 0.168  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

**CATEGORIES**

Value	Category	Cases	
1		70	2.9%
2		2337	97.1%
Sysmiss		5169	

**QN20: Were bullied****Data file: 2016BTN (National)**

## Overview

Valid: 7320 Invalid: 256 Mean: 1.742 Standard deviation: 0.437  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		1887	25.8%
2		5433	74.2%
Sysmiss		256	

## QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

Data file: 2016BTN (National)

## Overview

Valid: 1714 Invalid: 5862 Mean: 1.841 Standard deviation: 0.366  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )

### CATEGORIES

Value	Category	Cases	
1		273	15.9%
2		1441	84.1%
Sysmiss		5862	

## QN22: Most of the time or always felt lonely

Data file: 2016BTN (National)

## Overview

Valid: 7470 Invalid: 106 Mean: 1.867 Standard deviation: 0.34  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1		993	13.3%
2		6477	86.7%
Sysmiss		106	

## QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: 2016BTN (National)

### Overview

Valid: 7565 Invalid: 11 Mean: 1.917 Standard deviation: 0.276  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1		627	8.3%
2		6938	91.7%
Sysmiss		11	

## QN24: Seriously considered attempting suicide

Data file: 2016BTN (National)

### Overview

Valid: 7487 Invalid: 89 Mean: 1.885 Standard deviation: 0.319  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1		862	11.5%
2		6625	88.5%
Sysmiss		89	

## QN25: Made a plan about how they would attempt suicide

Data file: 2016BTN (National)

### Overview

Valid: 7551 Invalid: 25 Mean: 1.862 Standard deviation: 0.345  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

#### CATEGORIES

Value	Category	Cases	
1		1043	13.8%
2		6508	86.2%
Sysmiss		25	

## QN26: Attempted suicide

Data file: 2016BTN (National)

### Overview

Valid: 7534 Invalid: 42 Mean: 1.89 Standard deviation: 0.313  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

#### CATEGORIES

Value	Category	Cases	
1		828	11%
2		6706	89%
Sysmiss		42	

**QN27: Did not have any close friends****Data file: 2016BTN (National)****Overview**

Valid: 7509   Invalid: 67   Mean: 1.908   Standard deviation: 0.289  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who did not have any close friends

## CATEGORIES

Value	Category	Cases	
1		689	9.2%
2		6820	90.8%
Sysmiss		67	

**QN28: Tried a cigarette before age 14 years****Data file: 2016BTN (National)****Overview**

Valid: 2637   Invalid: 4939   Mean: 1.483   Standard deviation: 0.5  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

## CATEGORIES

Value	Category	Cases	
1		1364	51.7%
2		1273	48.3%
Sysmiss		4939	

**QN29: Currently smoked cigarettes****Data file: 2016BTN (National)****Overview**

Valid: 7528   Invalid: 48   Mean: 1.751   Standard deviation: 0.433  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		1876	24.9%
2		5652	75.1%
Sysmiss		48	

## QN30: Currently used any tobacco products other than cigarettes

Data file: 2016BTN (National)

### Overview

Valid: 7558 Invalid: 18 Mean: 1.816 Standard deviation: 0.388  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		1392	18.4%
2		6166	81.6%
Sysmiss		18	

## QN31: Tried to quit smoking cigarettes

Data file: 2016BTN (National)

### Overview

Valid: 1956 Invalid: 5620 Mean: 1.17 Standard deviation: 0.375  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1		1624	83%
2		332	17%
Sysmiss		5620	

## QN32: Reported that people smoked in their presence

Data file: 2016BTN (National)

### Overview

Valid: 7564 Invalid: 12 Mean: 1.515 Standard deviation: 0.5  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

#### CATEGORIES

Value	Category	Cases	
1		3665	48.5%
2		3899	51.5%
Sysmiss		12	

## QN33: Had parents or guardians who used any form of tobacco

Data file: 2016BTN (National)

### Overview

Valid: 7550 Invalid: 26 Mean: 1.624 Standard deviation: 0.484  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

#### CATEGORIES

Value	Category	Cases	
1		2838	37.6%
2		4712	62.4%
Sysmiss		26	

**QN34: Drank alcohol before age 14 years****Data file: 2016BTN (National)****Overview**

Valid: 3058   Invalid: 4518   Mean: 1.475   Standard deviation: 0.499  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

**CATEGORIES**

Value	Category	Cases	
1		1605	52.5%
2		1453	47.5%
Sysmiss		4518	

**QN35: Currently drank alcohol****Data file: 2016BTN (National)****Overview**

Valid: 7428   Invalid: 148   Mean: 1.749   Standard deviation: 0.434  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		1866	25.1%
2		5562	74.9%
Sysmiss		148	

**QN36: Usually drank two or more drinks per day****Data file: 2016BTN (National)****Overview**

Valid: 1951   Invalid: 5625   Mean: 1.817   Standard deviation: 0.387  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		358	18.3%
2		1593	81.7%
Sysmiss		5625	

## QN37: Usually obtained the alcohol they drank from friends

Data file: 2016BTN (National)

### Overview

Valid: 1919 Invalid: 5657 Mean: 1.599 Standard deviation: 0.49  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		770	40.1%
2		1149	59.9%
Sysmiss		5657	

## QN47: Used a condom

Data file: 2016BTN (National)

### Overview

Valid: 882 Invalid: 6694 Mean: 1.38 Standard deviation: 0.486  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

### CATEGORIES

Value	Category	Cases	
1		547	62%
2		335	38%
Sysmiss		6694	

### QN38: Ever drank so much alcohol that they were really drunk

Data file: 2016BTN (National)

#### Overview

Valid: 7454   Invalid: 122   Mean: 1.744   Standard deviation: 0.436  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

##### CATEGORIES

Value	Category	Cases	
1		1908	25.6%
2		5546	74.4%
Sysmiss		122	

### QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: 2016BTN (National)

#### Overview

Valid: 7275   Invalid: 301   Mean: 1.892   Standard deviation: 0.311  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

##### CATEGORIES

Value	Category	Cases	
1		788	10.8%
2		6487	89.2%
Sysmiss		301	

**QN40: Used drugs before age 14 years****Data file: 2016BTN (National)****Overview**

Valid: 1470   Invalid: 6106   Mean: 1.633   Standard deviation: 0.482  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

**CATEGORIES**

Value	Category	Cases	
1		539	36.7%
2		931	63.3%
Sysmiss		6106	

**QN41: Ever used marijuana****Data file: 2016BTN (National)****Overview**

Valid: 7454   Invalid: 122   Mean: 1.829   Standard deviation: 0.376  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who ever used marijuana (one or more times during their life)

**CATEGORIES**

Value	Category	Cases	
1		1271	17.1%
2		6183	82.9%
Sysmiss		122	

**QN42: Currently used marijuana****Data file: 2016BTN (National)****Overview**

Valid: 7497   Invalid: 79   Mean: 1.878   Standard deviation: 0.328  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

#### CATEGORIES

Value	Category	Cases	
1		916	12.2%
2		6581	87.8%
Sysmiss		79	

### Q43: Ever used amphetamines or methamphetamines

Data file: 2016BTN (National)

#### Overview

Valid: 0 Invalid: 7576

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

#### CATEGORIES

Value	Category
Sysmiss	

### Q44: Ever had sexual intercourse

Data file: 2016BTN (National)

#### Overview

Valid: 7076 Invalid: 500 Mean: 1.822 Standard deviation: 0.382

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ever had sexual intercourse

#### CATEGORIES

Value	Category	Cases	
1		1256	17.8%
2		5820	82.2%

Sysmiss		500	
---------	--	-----	--

### QN45: Had sexual intercourse before age 14 years

Data file: 2016BTN (National)

#### Overview

Valid: 925    Invalid: 6651    Mean: 1.614    Standard deviation: 0.487  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

##### CATEGORIES

Value	Category	Cases	
1		357	38.6%
2		568	61.4%
Sysmiss		6651	

### QN46: Had sexual intercourse with two or more persons

Data file: 2016BTN (National)

#### Overview

Valid: 7431    Invalid: 145    Mean: 1.928    Standard deviation: 0.258  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

##### CATEGORIES

Value	Category	Cases	
1		534	7.2%
2		6897	92.8%
Sysmiss		145	

### QN48: Used a method of birth control other than condoms

Data file: 2016BTN (National)

## Overview

Valid: 928    Invalid: 6648    Mean: 1.6    Standard deviation: 0.49  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

### CATEGORIES

Value	Category	Cases	
1		371	40%
2		557	60%
Sysmiss		6648	

## QN49: Were not physically active

Data file: 2016BTN (National)

## Overview

Valid: 7538    Invalid: 38    Mean: 1.737    Standard deviation: 0.44  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		1981	26.3%
2		5557	73.7%
Sysmiss		38	

## QN50: Did not walk or ride a bicycle to or from school

Data file: 2016BTN (National)

## Overview

Valid: 7530    Invalid: 46    Mean: 1.431    Standard deviation: 0.495  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		4282	56.9%
2		3248	43.1%
Sysmiss		46	

## QN51: Did not attend physical education classes

Data file: 2016BTN (National)

### Overview

Valid: 7495 Invalid: 81 Mean: 1.385 Standard deviation: 0.487  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

### CATEGORIES

Value	Category	Cases	
1		4606	61.5%
2		2889	38.5%
Sysmiss		81	

## QN52: Spent three or more hours per day doing sitting activities

Data file: 2016BTN (National)

### Overview

Valid: 7550 Invalid: 26 Mean: 1.714 Standard deviation: 0.452  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		2161	28.6%
2		5389	71.4%
Sysmiss		26	

### QN53: Missed classes or school without permission

Data file: 2016BTN (National)

#### Overview

Valid: 7502 Invalid: 74 Mean: 1.752 Standard deviation: 0.432  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		1857	24.8%
2		5645	75.2%
Sysmiss		74	

### QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: 2016BTN (National)

#### Overview

Valid: 7555 Invalid: 21 Mean: 1.578 Standard deviation: 0.494  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		3191	42.2%
2		4364	57.8%
Sysmiss		21	



## QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: 2016BTN (National)

### Overview

Valid: 7539 Invalid: 37 Mean: 1.737 Standard deviation: 0.44  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

#### CATEGORIES

Value	Category	Cases	
1		1983	26.3%
2		5556	73.7%
Sysmiss		37	

## QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: 2016BTN (National)

### Overview

Valid: 7474 Invalid: 102 Mean: 1.557 Standard deviation: 0.497  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

#### CATEGORIES

Value	Category	Cases	
1		3312	44.3%
2		4162	55.7%
Sysmiss		102	

## QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: 2016BTN (National)

## Overview

Valid: 7552 Invalid: 24 Mean: 1.642 Standard deviation: 0.479  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		2705	35.8%
2		4847	64.2%
Sysmiss		24	

## QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: 2016BTN (National)

## Overview

Valid: 7522 Invalid: 54 Mean: 1.441 Standard deviation: 0.497  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		4204	55.9%
2		3318	44.1%
Sysmiss		54	

## QNUNWTG: Were underweight

Data file: 2016BTN (National)

## Overview

Valid: 7341 Invalid: 235 Mean: 1.981 Standard deviation: 0.138  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were underweight ( $<-2SD$  from median for BMI by age and sex)

#### CATEGORIES

Value	Category	Cases	
1		142	1.9%
2		7199	98.1%
Sysmiss		235	

## QNOWTG: Were overweight

Data file: 2016BTN (National)

### Overview

Valid: 7341 Invalid: 235 Mean: 1.885 Standard deviation: 0.319  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were overweight ( $>+1SD$  from median for BMI by age and sex)

#### CATEGORIES

Value	Category	Cases	
1		841	11.5%
2		6500	88.5%
Sysmiss		235	

## QNOBESEG: Were obese

Data file: 2016BTN (National)

### Overview

Valid: 7341 Invalid: 235 Mean: 1.981 Standard deviation: 0.135  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese ( $>+2SD$  from median for BMI by age and sex)

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		137	1.9%
2		7204	98.1%
Sysmiss		235	

### QNFR1G: Usually ate fruit less than one time per day

Data file: 2016BTN (National)

#### Overview

Valid: 7542 Invalid: 34 Mean: 1.633 Standard deviation: 0.482  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		2766	36.7%
2		4776	63.3%
Sysmiss		34	

### QNFR1G: Usually ate fruit one or more times per day

Data file: 2016BTN (National)

#### Overview

Valid: 7542 Invalid: 34 Mean: 1.5 Standard deviation: 0.5  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		3771	50%
2		3771	50%
Sysmiss		34	

**QNFR2G: Usually ate fruit two or more times per day****Data file: 2016BTN (National)****Overview**

Valid: 7542   Invalid: 34   Mean: 1.696   Standard deviation: 0.46  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		2292	30.4%
2		5250	69.6%
Sysmiss		34	

**QNFR3G: Usually ate fruit three or more times per day****Data file: 2016BTN (National)****Overview**

Valid: 7542   Invalid: 34   Mean: 1.824   Standard deviation: 0.381  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		1328	17.6%
2		6214	82.4%
Sysmiss		34	

**QNVEGLG: Usually ate vegetables less than one time per day****Data file: 2016BTN (National)****Overview**

Valid: 7543   Invalid: 33   Mean: 1.83   Standard deviation: 0.376  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		1281	17%
2		6262	83%
Sysmiss		33	

## QNVEG1G: Usually ate vegetables one or more times per day

Data file: 2016BTN (National)

### Overview

Valid: 7543 Invalid: 33 Mean: 1.216 Standard deviation: 0.412  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		5914	78.4%
2		1629	21.6%
Sysmiss		33	

## QNVEG2G: Usually ate vegetables two or more times per day

Data file: 2016BTN (National)

### Overview

Valid: 7543 Invalid: 33 Mean: 1.397 Standard deviation: 0.489  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		4547	60.3%
2		2996	39.7%
Sysmiss		33	

### QNVEG3G: Usually ate vegetables three or more times per day

Data file: 2016BTN (National)

#### Overview

Valid: 7543 Invalid: 33 Mean: 1.605 Standard deviation: 0.489  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		2979	39.5%
2		4564	60.5%
Sysmiss		33	

### QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: 2016BTN (National)

#### Overview

Valid: 7566 Invalid: 10 Mean: 1.534 Standard deviation: 0.499  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		3525	46.6%
2		4041	53.4%
Sysmiss		10	

**QNSODA1G: Usually drank carbonated soft drinks one or more times per day****Data file: 2016BTN (National)****Overview**

Valid: 7566 Invalid: 10 Mean: 1.621 Standard deviation: 0.485  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		2867	37.9%
2		4699	62.1%
Sysmiss		10	

**QNSODA2G: Usually drank carbonated soft drinks two or more times per day****Data file: 2016BTN (National)****Overview**

Valid: 7566 Invalid: 10 Mean: 1.797 Standard deviation: 0.402  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		1534	20.3%
2		6032	79.7%
Sysmiss		10	

**QNSODA3G: Usually drank carbonated soft drinks three or more times per day****Data file: 2016BTN (National)****Overview**

Valid: 7566 Invalid: 10 Mean: 1.885 Standard deviation: 0.319  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		872	11.5%
2		6694	88.5%
Sysmiss		10	

## QNFF1G: Ate food from a fast food restaurant one or more days

Data file: 2016BTN (National)

### Overview

Valid: 0 Invalid: 7576

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

### CATEGORIES

Value	Category
Sysmiss	

## QNFF2G: Ate food from a fast food restaurant two or more days

Data file: 2016BTN (National)

### Overview

Valid: 0 Invalid: 7576

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

### CATEGORIES

Value	Category
Sysmiss	

**QNFF3G: Ate food from a fast food restaurant three or more days****Data file: 2016BTN (National)****Overview**

Valid: 0 Invalid: 7576

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

**CATEGORIES**

Value	Category
Sysmiss	

**QNC2G: Were bullied and could not sleep at night****Data file: 2016BTN (National)****Overview**

Valid: 594 Invalid: 6982 Mean: 1.609 Standard deviation: 0.488

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		232	39.1%
2		362	60.9%
Sysmiss		6982	

**QNTOB2G: Currently used any tobacco product****Data file: 2016BTN (National)****Overview**

Valid: 7541 Invalid: 35 Mean: 1.705 Standard deviation: 0.456

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		2226	29.5%
2		5315	70.5%
Sysmiss		35	

## QNNOTB2G: Did not currently use any tobacco products

Data file: 2016BTN (National)

### Overview

Valid: 7511 Invalid: 65 Mean: 1.292 Standard deviation: 0.455  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		5315	70.8%
2		2196	29.2%
Sysmiss		65	

## QNBCANYG: Used a method of birth control

Data file: 2016BTN (National)

### Overview

Valid: 791 Invalid: 6785 Mean: 1.225 Standard deviation: 0.418  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

### CATEGORIES

Value	Category	Cases	
1		613	77.5%
2		178	22.5%
Sysmiss		6785	

### QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: 2016BTN (National)

#### Overview

Valid: 1760 Invalid: 5816 Mean: 1.674 Standard deviation: 0.469  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

##### CATEGORIES

Value	Category	Cases	
1		574	32.6%
2		1186	67.4%
Sysmiss		5816	

### QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: 2016BTN (National)

#### Overview

Valid: 7538 Invalid: 38 Mean: 1.769 Standard deviation: 0.421  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		1741	23.1%
2		5797	76.9%
Sysmiss		38	

**QNPA7G: Were physically active at least 60 minutes per day on all 7 days****Data file: 2016BTN (National)****Overview**

Valid: 7538   Invalid: 38   Mean: 1.86   Standard deviation: 0.348  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey )

**CATEGORIES**

Value	Category	Cases	
1		1059	14%
2		6479	86%
Sysmiss		38	

**QNPE3G: Attended physical education classes on three or more days****Data file: 2016BTN (National)****Overview**

Valid: 7495   Invalid: 81   Mean: 1.859   Standard deviation: 0.348  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who attended physical education classes on three or more days (each week during this school year)

**CATEGORIES**

Value	Category	Cases	
1		1055	14.1%
2		6440	85.9%
Sysmiss		81	

**QNPE5G: Attended physical education classes on five or more days****Data file: 2016BTN (National)****Overview**

Valid: 7495   Invalid: 81   Mean: 1.904   Standard deviation: 0.295

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

## CATEGORIES

Value	Category	Cases	
1		719	9.6%
2		6776	90.4%
Sysmiss		81	

**WEIGHT:****Data file: 2016BTN (National)****Overview**

Valid: 7576    Invalid: 0    Mean: 8.202    Standard deviation: 1.929

Type: Continuous    Decimal: 0    Width: 10    Range: 42.0329 - 329.5608    Format: Numeric

**STRATUM:****Data file: 2016BTN (National)****Overview**

Valid: 7576    Invalid: 0    Mean: 201601527.148    Standard deviation: 499.85

Type: Discrete    Decimal: 0    Width: 9    Range: 201501001 - 201501019    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
201601001		256	3.4%
201601002		270	3.6%
201601003		327	4.3%
201601004		291	3.8%
201601005		321	4.2%
201601006		279	3.7%
201601007		336	4.4%
201601008		323	4.3%
201601009		320	4.2%
201601010		271	3.6%
201601011		294	3.9%

201601012		341	4.5%
201602001		402	5.3%
201602002		380	5%
201602003		384	5.1%
201602004		387	5.1%
201602005		374	4.9%
201602006		432	5.7%
201602007		375	4.9%
201602008		298	3.9%
201602009		398	5.3%
201602010		195	2.6%
201602011		125	1.6%
201602012		197	2.6%

**PSU:****Data file: 2016BTN (National)****Overview**

Valid: 7576   Invalid: 0   Mean: 11.834   Standard deviation: 6.668  
 Type: Continuous   Decimal: 0   Width: 5   Range: 1 - 38   Format: Numeric

**Q1: Custom Age****Data file: 2016BTN (Urban)****Overview**

Valid: 3618 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	39	1.1%
2	12 years old	147	4.1%
3	13 years old	326	9%
4	14 years old	489	13.5%
5	15 years old	539	14.9%
6	16 years old	684	18.9%
7	17 years old	655	18.1%
8	18 years old or older	739	20.4%
Sysmiss		11	

**Q2: Sex****Data file: 2016BTN (Urban)****Overview**

Valid: 3584 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	1649	46%
2	Female	1935	54%
Sysmiss		45	



**Q3: In what grade are you****Data file: 2016BTN (Urban)****Overview**

Valid: 3566 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

## CATEGORIES

Value	Category	Cases	
1	Class 7	681	19.1%
2	Class 8	673	18.9%
3	Class 9	835	23.4%
4	Class 10	766	21.5%
5	Class 11	611	17.1%
Sysmiss		63	

**Q4: How tall are you****Data file: 2016BTN (Urban)****Overview**

Valid: 3500 Invalid: 129 Minimum: 1.27 Maximum: 1.92 Mean: 1.581 Standard deviation: 0.0799

Type: Continuous Decimal: 2 Width: 5 Range: 1.27 - 1.87 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q5: How much do you weigh****Data file: 2016BTN (Urban)****Overview**

Valid: 3500 Invalid: 129 Minimum: 29 Maximum: 100 Mean: 51.857 Standard deviation: 8.769

Type: Continuous Decimal: 2 Width: 5 Range: 28 - 116 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q6: How often went hungry

Data file: 2016BTN (Urban)

### Overview

Valid: 0 Invalid: 3629

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

### CATEGORIES

Value	Category
1	Never
2	Rarely
3	Sometimes
4	Most of the time
5	Always
Sysmiss	

## Q7: No fruit eating

Data file: 2016BTN (Urban)

### Overview

Valid: 3613 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	440	12.2%
2	Less than one time per day	1338	37%
3	1 time per day	697	19.3%
4	2 times per day	501	13.9%
5	3 times per day	300	8.3%
6	4 times per day	102	2.8%
7	5 or more times per day	235	6.5%
Sysmiss		16	

## Q8: No vegetable eating

Data file: 2016BTN (Urban)

### Overview

Valid: 3615 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	150	4.1%
2	Less than one time per day	593	16.4%
3	1 time per day	641	17.7%
4	2 times per day	743	20.6%
5	3 times per day	853	23.6%
6	4 times per day	148	4.1%
7	5 or more times per day	487	13.5%
Sysmiss		14	

## Q9: Soft drinks

Data file: 2016BTN (Urban)

## Overview

Valid: 3626 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	531	14.6%
2	Less than one time per day	1670	46.1%
3	1 time per day	664	18.3%
4	2 times per day	328	9%
5	3 times per day	172	4.7%
6	4 times per day	71	2%
7	5 or more times per day	190	5.2%
Sysmiss		3	

## Q10: Fast food eating

Data file: 2016BTN (Urban)

## Overview

Valid: 0 Invalid: 3629

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category
1	0 days
2	1 day
3	2 days
4	3 days

5	4 days
6	5 days
7	6 days
8	7 days
Sysmiss	

## Q11: Tooth brushing

Data file: 2016BTN (Urban)

### Overview

Valid: 3605 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	68	1.9%
2	Less than 1 time per day	169	4.7%
3	1 time per day	1824	50.6%
4	2 times per day	1132	31.4%
5	3 times per day	154	4.3%
6	4 or more times per day	258	7.2%
Sysmiss		24	

## Q12: Hand washing before eating

Data file: 2016BTN (Urban)

### Overview

Valid: 3615 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
1	Never	45	1.2%
2	Rarely	99	2.7%
3	Sometimes	546	15.1%
4	Most of the time	1102	30.5%
5	Always	1823	50.4%
Sysmiss		14	

### Q13: Hand washing after toilet

Data file: 2016BTN (Urban)

#### Overview

Valid: 3603 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

#### CATEGORIES

Value	Category	Cases	
1	Never	39	1.1%
2	Rarely	115	3.2%
3	Sometimes	514	14.3%
4	Most of the time	1009	28%
5	Always	1926	53.5%
Sysmiss		26	

### Q14: Hand washing with soap

Data file: 2016BTN (Urban)

#### Overview

Valid: 3600 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

### CATEGORIES

Value	Category	Cases	
1	Never	57	1.6%
2	Rarely	176	4.9%
3	Sometimes	902	25.1%
4	Most of the time	1368	38%
5	Always	1097	30.5%
Sysmiss		29	

## Q15: Physically attacked

Data file: 2016BTN (Urban)

### Overview

Valid: 3625 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

### CATEGORIES

Value	Category	Cases	
1	0 times	2324	64.1%
2	1 time	467	12.9%
3	2 or 3 times	502	13.8%
4	4 or 5 times	149	4.1%
5	6 or 7 times	69	1.9%
6	8 or 9 times	28	0.8%
7	10 or 11 times	24	0.7%
8	12 or more times	62	1.7%
Sysmiss		4	

**Q16: Physical fighting****Data file: 2016BTN (Urban)****Overview**

Valid: 3613    Invalid: 16

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

**LITERAL QUESTION**

During the past 12 months, how many times were you in a physical fight?

**CATEGORIES**

Value	Category	Cases	
1	0 times	2323	64.3%
2	1 time	597	16.5%
3	2 or 3 times	482	13.3%
4	4 or 5 times	108	3%
5	6 or 7 times	30	0.8%
6	8 or 9 times	20	0.6%
7	10 or 11 times	20	0.6%
8	12 or more times	33	0.9%
Sysmiss		16	

**Q17: Seriously injured****Data file: 2016BTN (Urban)****Overview**

Valid: 3294    Invalid: 335

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

**LITERAL QUESTION**

During the past 12 months, how many times were you seriously injured?

**CATEGORIES**



Value	Category	Cases	
1	0 times	1880	57.1%
2	1 time	763	23.2%
3	2 or 3 times	458	13.9%
4	4 or 5 times	102	3.1%
5	6 or 7 times	37	1.1%
6	8 or 9 times	20	0.6%
7	10 or 11 times	11	0.3%
8	12 or more times	23	0.7%
Sysmiss		335	

### Q18: Serious injury type

Data file: 2016BTN (Urban)

#### Overview

Valid: 3350 Invalid: 279

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2193	65.5%
2	Broken bone/dislocated joint	161	4.8%
3	I had a cut or stab wound	322	9.6%
4	Concussion/head injury	91	2.7%
5	I had a gunshot wound	5	0.1%
6	I had a bad burn	27	0.8%
7	I was poisoned	15	0.4%
8	Something else happened to me	536	16%
Sysmiss		279	

### Q19: Serious injury cause

Data file: 2016BTN (Urban)

## Overview

Valid: 3349 Invalid: 280

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2237	66.8%
2	Motor vehicle accident	32	1%
3	I fell	283	8.5%
4	Something fell on me or hit me	134	4%
5	I was attacked	80	2.4%
6	Was in a fire	25	0.7%
7	breathed something bad	31	0.9%
8	Something else	527	15.7%
Sysmiss		280	

## Q20: Bullied

Data file: 2016BTN (Urban)

## Overview

Valid: 3510 Invalid: 119

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	2643	75.3%

2	1 or 2 days	573	16.3%
3	3 to 5 days	140	4%
4	6 to 9 days	60	1.7%
5	10 to 19 days	38	1.1%
6	20 to 29 days	17	0.5%
7	All 30 days	39	1.1%
Sysmiss		119	

## Q21: Bullied how

Data file: 2016BTN (Urban)

### Overview

Valid: 3508 Invalid: 121

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	2707	77.2%
2	Kicked, pushed, or shoved	133	3.8%
3	Made fun of race	71	2%
4	Made fun because of religion	28	0.8%
5	Made fun of about sex	83	2.4%
6	Left out of activities	37	1.1%
7	Made fun of about body	170	4.8%
8	Some other way	279	8%
Sysmiss		121	

## Q22: Felt lonely

Data file: 2016BTN (Urban)

### Overview

Valid: 3570 Invalid: 59

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 5    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

### CATEGORIES

Value	Category	Cases	
1	Never	718	20.1%
2	Rarely	742	20.8%
3	Sometimes	1664	46.6%
4	Most of the time	351	9.8%
5	Always	95	2.7%
Sysmiss		59	

## Q23: Could not sleep

Data file: 2016BTN (Urban)

### Overview

Valid: 3623    Invalid: 6

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 5    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

### CATEGORIES

Value	Category	Cases	
1	Never	995	27.5%
2	Rarely	882	24.3%
3	Sometimes	1453	40.1%
4	Most of the time	245	6.8%
5	Always	48	1.3%
Sysmiss		6	

**Q24: Considered suicide****Data file: 2016BTN (Urban)****Overview**

Valid: 3590 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

## LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

## CATEGORIES

Value	Category	Cases	
1	Yes	393	10.9%
2	No	3197	89.1%
Sysmiss		39	

**Q25: Made a suicide plan****Data file: 2016BTN (Urban)****Overview**

Valid: 3614 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

## LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

## CATEGORIES

Value	Category	Cases	
1	Yes	463	12.8%
2	No	3151	87.2%
Sysmiss		15	

**Q26: Attempted suicide****Data file: 2016BTN (Urban)**

## Overview

Valid: 3608 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	0 times	3265	90.5%
2	1 time	213	5.9%
3	2 or 3 times	100	2.8%
4	4 or 5 times	17	0.5%
5	6 or more times	13	0.4%
Sysmiss		21	

## Q27: Close friends

Data file: 2016BTN (Urban)

## Overview

Valid: 3595 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

How many close friends do you have?

### CATEGORIES

Value	Category	Cases	
1	0	328	9.1%
2	1	555	15.4%
3	2	673	18.7%
4	3 or more	2039	56.7%
Sysmiss		34	

**Q28: Initiation of cigarette use****Data file: 2016BTN (Urban)****Overview**

Valid: 3512 Invalid: 117

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

How old were you when you first tried a cigarette?

## CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2094	59.6%
2	7 years old or younger	105	3%
3	8 or 9 years old	111	3.2%
4	10 or 11 years old	176	5%
5	12 or 13 years old	331	9.4%
6	14 or 15 years old	456	13%
7	16 or 17 years old	202	5.8%
8	18 years old or older	37	1.1%
Sysmiss		117	

**Q29: Current cigarette use****Data file: 2016BTN (Urban)****Overview**

Valid: 3608 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

## CATEGORIES

Value	Category	Cases	
1	0 days	2628	72.8%
2	1 or 2 days	418	11.6%

3	3 to 5 days	162	4.5%
4	6 to 9 days	140	3.9%
5	10 to 19 days	118	3.3%
6	20 to 29 days	58	1.6%
7	All 30 days	84	2.3%
Sysmiss		21	

### Q30: Other tobacco use

Data file: 2016BTN (Urban)

#### Overview

Valid: 3618 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

##### CATEGORIES

Value	Category	Cases	
1	0 days	2910	80.4%
2	1 or 2 days	270	7.5%
3	3 to 5 days	93	2.6%
4	6 to 9 days	58	1.6%
5	10 to 19 days	57	1.6%
6	20 to 29 days	38	1.1%
7	All 30 days	192	5.3%
Sysmiss		11	

### Q31: Smoking cessation

Data file: 2016BTN (Urban)

#### Overview

Valid: 3524 Invalid: 105

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2228	63.2%
2	Did not smoke cigarettes	257	7.3%
3	Yes	859	24.4%
4	No	180	5.1%
Sysmiss		105	

## Q32: Smoking in their presence

Data file: 2016BTN (Urban)

### Overview

Valid: 3621 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

### CATEGORIES

Value	Category	Cases	
1	0 days	1690	46.7%
2	1 or 2 days	1076	29.7%
3	3 or 4 days	400	11%
4	5 or 6 days	176	4.9%
5	All 7 days	279	7.7%
Sysmiss		8	

## Q33: Parental tobacco use

Data file: 2016BTN (Urban)

## Overview

Valid: 3620 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

### CATEGORIES

Value	Category	Cases	
1	Neither	1602	44.3%
2	My father or male guardian	622	17.2%
3	My mother or female guardian	333	9.2%
4	Both	451	12.5%
5	I do not know	612	16.9%
Sysmiss		9	

## Q34: Initiation of alcohol use

Data file: 2016BTN (Urban)

## Overview

Valid: 3401 Invalid: 228

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

### CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	1872	55%
2	7 years old or younger	226	6.6%
3	8 or 9 years old	97	2.9%
4	10 or 11 years old	154	4.5%
5	12 or 13 years old	297	8.7%
6	14 or 15 years old	448	13.2%

7	16 or 17 years old	267	7.9%
8	18 years old or older	40	1.2%
Sysmiss		228	

### Q35: Current alcohol use

Data file: 2016BTN (Urban)

#### Overview

Valid: 3553 Invalid: 76

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

##### CATEGORIES

Value	Category	Cases	
1	0 days	2632	74.1%
2	1 or 2 days	676	19%
3	3 to 5 days	147	4.1%
4	6 to 9 days	47	1.3%
5	10 to 19 days	33	0.9%
6	20 to 29 days	13	0.4%
7	All 30 days	5	0.1%
Sysmiss		76	

### Q36: Drank 2+ drinks

Data file: 2016BTN (Urban)

#### Overview

Valid: 3616 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

#### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

#### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	2656	73.5%
2	Less than one drink	542	15%
3	1 drink	246	6.8%
4	2 drinks	90	2.5%
5	3 drinks	44	1.2%
6	4 drinks	11	0.3%
7	5 or more drinks	27	0.7%
Sysmiss		13	

### Q37: Source of alcohol

Data file: 2016BTN (Urban)

#### Overview

Valid: 3592 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

#### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

#### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	2636	73.4%
2	I bought in a store	274	7.6%
3	I gave someone money to buy	99	2.8%
4	I got it from my friends	379	10.6%
5	I got it from my family	61	1.7%
6	I stole it	35	1%
7	Some other way	108	3%
Sysmiss		37	

**Q38: Really drunk****Data file: 2016BTN (Urban)****Overview**

Valid: 3571 Invalid: 58

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	2646	74.1%
2	1 or 2 times	677	19%
3	3 to 9 times	159	4.5%
4	10 or more times	89	2.5%
Sysmiss		58	

**Q39: Trouble from drinking****Data file: 2016BTN (Urban)****Overview**

Valid: 3487 Invalid: 142

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	3109	89.2%

2	1 or 2 times	299	8.6%
3	3 to 9 times	52	1.5%
4	10 or more times	27	0.8%
Sysmiss		142	

## Q40: Initiation of drug use

Data file: 2016BTN (Urban)

### Overview

Valid: 3512 Invalid: 117

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

How old were you when you first used drugs?

#### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	2764	78.7%
2	7 years old or younger	30	0.9%
3	8 or 9 years old	39	1.1%
4	10 or 11 years old	43	1.2%
5	12 or 13 years old	163	4.6%
6	14 or 15 years old	269	7.7%
7	16 or 17 years old	167	4.8%
8	18 years old or older	37	1.1%
Sysmiss		117	

## Q41: Ever marijuana use

Data file: 2016BTN (Urban)

### Overview

Valid: 3567 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

#### CATEGORIES

Value	Category	Cases	
1	0 times	2936	82.3%
2	1 or 2 times	236	6.6%
3	3 to 9 times	156	4.4%
4	10 to 19 times	84	2.4%
5	20 or more times	155	4.3%
Sysmiss		62	

### Q42: Current marijuana use

Data file: 2016BTN (Urban)

#### Overview

Valid: 3584 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

#### CATEGORIES

Value	Category	Cases	
1	0 times	3151	87.9%
2	1 or 2 times	219	6.1%
3	3 to 9 times	101	2.8%
4	10 to 19 times	50	1.4%
5	20 or more times	63	1.8%
Sysmiss		45	

### Q43: Amphetamine or methamphetamine use

Data file: 2016BTN (Urban)

## Overview

Valid: 0 Invalid: 3629

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

### CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 to 19 times
5	20 or more times
Sysmiss	

## Q44: Ever sexual intercourse

Data file: 2016BTN (Urban)

## Overview

Valid: 3399 Invalid: 230

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

Have you ever had sexual intercourse?

### CATEGORIES

Value	Category	Cases	
1	Yes	571	16.8%
2	No	2828	83.2%
Sysmiss		230	



**Q45: Age first had sex****Data file: 2016BTN (Urban)****Overview**

Valid: 3582 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	3140	87.7%
2	11 years old or younger	84	2.3%
3	12 years old	35	1%
4	13 years old	34	0.9%
5	14 years old	37	1%
6	15 years old	77	2.1%
7	16 or 17 years old	128	3.6%
8	18 years old or older	47	1.3%
Sysmiss		47	

**Q46: Number of sex partners****Data file: 2016BTN (Urban)****Overview**

Valid: 3561 Invalid: 68

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	3138	88.1%
2	1 person	180	5.1%

3	2 people	89	2.5%
4	3 people	56	1.6%
5	4 people	31	0.9%
6	5 people	18	0.5%
7	6 or more people	49	1.4%
Sysmiss		68	

## Q47: Condom use

Data file: 2016BTN (Urban)

### Overview

Valid: 3511 Invalid: 118

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	3090	88%
2	Yes	278	7.9%
3	No	143	4.1%
Sysmiss		118	

## Q48: Birth control used

Data file: 2016BTN (Urban)

### Overview

Valid: 3449 Invalid: 180

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	3010	87.3%
2	Yes	174	5%
3	No	189	5.5%
4	I do not know	76	2.2%
Sysmiss		180	

**Q49: Physical activity past 7 days****Data file: 2016BTN (Urban)****Overview**

Valid: 3612 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

## LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

## CATEGORIES

Value	Category	Cases	
1	0 days	903	25%
2	1 day	706	19.5%
3	2 days	441	12.2%
4	3 days	361	10%
5	4 days	254	7%
6	5 days	221	6.1%
7	6 days	111	3.1%
8	7 days	615	17%
Sysmiss		17	

**Q50: Walk or bike to school****Data file: 2016BTN (Urban)****Overview**

Valid: 3603 Invalid: 26

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

**CATEGORIES**

Value	Category	Cases	
1	0 days	1901	52.8%
2	1 day	252	7%
3	2 days	156	4.3%
4	3 days	115	3.2%
5	4 days	60	1.7%
6	5 days	77	2.1%
7	6 days	170	4.7%
8	7 days	872	24.2%
Sysmiss		26	

**Q51: PE attendance****Data file: 2016BTN (Urban)****Overview**

Valid: 3585    Invalid: 44

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 6    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During this school year, on how many days did you go to physical education (PE) class each week?

**CATEGORIES**

Value	Category	Cases	
1	0 days	2280	63.6%
2	1 day	593	16.5%
3	2 days	186	5.2%

4	3 days	98	2.7%
5	4 days	73	2%
6	5 or more days	355	9.9%
Sysmiss		44	

## Q52: Sitting activities

Data file: 2016BTN (Urban)

### Overview

Valid: 3619 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

#### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	1162	32.1%
2	1 to 2 hours per day	1285	35.5%
3	3 to 4 hours per day	682	18.8%
4	5 to 6 hours per day	234	6.5%
5	7 to 8 hours per day	87	2.4%
6	More than 8 hours per day	169	4.7%
Sysmiss		10	

## Q53: Miss school no permission

Data file: 2016BTN (Urban)

### Overview

Valid: 3584 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

## CATEGORIES

Value	Category	Cases	
1	0 days	2730	76.2%
2	1 or 2 days	603	16.8%
3	3 to 5 days	154	4.3%
4	6 to 9 days	49	1.4%
5	10 or more days	48	1.3%
Sysmiss		45	

### Q54: Other students kind and helpful

Data file: 2016BTN (Urban)

#### Overview

Valid: 3619 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

## CATEGORIES

Value	Category	Cases	
1	Never	154	4.3%
2	Rarely	465	12.8%
3	Sometimes	1432	39.6%
4	Most of the time	1118	30.9%
5	Always	450	12.4%
Sysmiss		10	

### Q55: Parents check homework

Data file: 2016BTN (Urban)

#### Overview

Valid: 3611 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

### CATEGORIES

Value	Category	Cases	
1	Never	1136	31.5%
2	Rarely	446	12.4%
3	Sometimes	1051	29.1%
4	Most of the time	568	15.7%
5	Always	410	11.4%
Sysmiss		18	

## Q56: Parents understand problems

Data file: 2016BTN (Urban)

### Overview

Valid: 3584 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

### CATEGORIES

Value	Category	Cases	
1	Never	521	14.5%
2	Rarely	392	10.9%
3	Sometimes	1039	29%
4	Most of the time	833	23.2%
5	Always	799	22.3%
Sysmiss		45	

## Q57: Parents know about free time

Data file: 2016BTN (Urban)

## Overview

Valid: 3615 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

### CATEGORIES

Value	Category	Cases	
1	Never	567	15.7%
2	Rarely	512	14.2%
3	Sometimes	1113	30.8%
4	Most of the time	807	22.3%
5	Always	616	17%
Sysmiss		14	

## Q58: Parents go through their things

Data file: 2016BTN (Urban)

## Overview

Valid: 3595 Invalid: 34 Mean: 2.201 Standard deviation: 1.192

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

### CATEGORIES

Value	Category	Cases	
1		1447	40.3%
2		615	17.1%
3		1077	30%
4		275	7.6%
5		181	5%
Sysmiss		34	



**QN6: Most of the time or always went hungry****Data file: 2016BTN (Urban)****Overview**

Valid: 0    Invalid: 3629

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

## CATEGORIES

Value	Category
Sysmiss	

**QN7: Did not eat fruit****Data file: 2016BTN (Urban)****Overview**

Valid: 3613    Invalid: 16    Mean: 1.878    Standard deviation: 0.327

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		440	12.2%
2		3173	87.8%
Sysmiss		16	

**QN8: Did not eat vegetables****Data file: 2016BTN (Urban)****Overview**

Valid: 3615    Invalid: 14    Mean: 1.959    Standard deviation: 0.199

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		150	4.1%
2		3465	95.9%
Sysmiss		14	

## QN9: Did not drink carbonated soft drinks

Data file: 2016BTN (Urban)

### Overview

Valid: 3626 Invalid: 3 Mean: 1.854 Standard deviation: 0.354  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		531	14.6%
2		3095	85.4%
Sysmiss		3	

## QN10: Did not eat food from a fast food restaurant

Data file: 2016BTN (Urban)

### Overview

Valid: 0 Invalid: 3629  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

### CATEGORIES

Value	Category
-------	----------

Sysmiss

**QN11: Usually cleaned or brushed their teeth****Data file: 2016BTN (Urban)****Overview**

Valid: 3605   Invalid: 24   Mean: 1.066   Standard deviation: 0.248  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		3368	93.4%
2		237	6.6%
Sysmiss		24	

**QN12: Never or rarely washed their hands before eating****Data file: 2016BTN (Urban)****Overview**

Valid: 3615   Invalid: 14   Mean: 1.96   Standard deviation: 0.196  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		144	4%
2		3471	96%
Sysmiss		14	

**QN13: Never or rarely washed their hands after using the toilet or latrine****Data file: 2016BTN (Urban)**

## Overview

Valid: 3603 Invalid: 26 Mean: 1.957 Standard deviation: 0.202  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		154	4.3%
2		3449	95.7%
Sysmiss		26	

## QN14: Never or rarely used soap when washing their hands

Data file: 2016BTN (Urban)

## Overview

Valid: 3600 Invalid: 29 Mean: 1.935 Standard deviation: 0.246  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		233	6.5%
2		3367	93.5%
Sysmiss		29	

## QN15: Were physically attacked

Data file: 2016BTN (Urban)

## Overview

Valid: 3625 Invalid: 4 Mean: 1.641 Standard deviation: 0.48  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

## CATEGORIES

Value	Category	Cases	
1		1301	35.9%
2		2324	64.1%
Sysmiss		4	

### QN16: Were in a physical fight

Data file: 2016BTN (Urban)

#### Overview

Valid: 3613 Invalid: 16 Mean: 1.643 Standard deviation: 0.479  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

## CATEGORIES

Value	Category	Cases	
1		1290	35.7%
2		2323	64.3%
Sysmiss		16	

### QN17: Were seriously injured

Data file: 2016BTN (Urban)

#### Overview

Valid: 3294 Invalid: 335 Mean: 1.571 Standard deviation: 0.495  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

## CATEGORIES

Value	Category	Cases	
1		1414	42.9%
2		1880	57.1%
Sysmiss		335	

**QN18: Reported that their most serious injury was a broken bone or dislocated joint****Data file: 2016BTN (Urban)****Overview**

Valid: 1157    Invalid: 2472    Mean: 1.861    Standard deviation: 0.346  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

**CATEGORIES**

Value	Category	Cases	
1		161	13.9%
2		996	86.1%
Sysmiss		2472	

**QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle****Data file: 2016BTN (Urban)****Overview**

Valid: 1112    Invalid: 2517    Mean: 1.971    Standard deviation: 0.167  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

**CATEGORIES**

Value	Category	Cases	
1		32	2.9%
2		1080	97.1%
Sysmiss		2517	

**QN20: Were bullied****Data file: 2016BTN (Urban)**

## Overview

Valid: 3510 Invalid: 119 Mean: 1.753 Standard deviation: 0.431  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		867	24.7%
2		2643	75.3%
Sysmiss		119	

## QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

Data file: 2016BTN (Urban)

## Overview

Valid: 801 Invalid: 2828 Mean: 1.834 Standard deviation: 0.372  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )

### CATEGORIES

Value	Category	Cases	
1		133	16.6%
2		668	83.4%
Sysmiss		2828	

## QN22: Most of the time or always felt lonely

Data file: 2016BTN (Urban)

## Overview

Valid: 3570 Invalid: 59 Mean: 1.875 Standard deviation: 0.331  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1		446	12.5%
2		3124	87.5%
Sysmiss		59	

## QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: 2016BTN (Urban)

### Overview

Valid: 3623 Invalid: 6 Mean: 1.919 Standard deviation: 0.273  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1		293	8.1%
2		3330	91.9%
Sysmiss		6	

## QN24: Seriously considered attempting suicide

Data file: 2016BTN (Urban)

### Overview

Valid: 3590 Invalid: 39 Mean: 1.891 Standard deviation: 0.312  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

### CATEGORIES



Value	Category	Cases	
1		393	10.9%
2		3197	89.1%
Sysmiss		39	

## QN25: Made a plan about how they would attempt suicide

Data file: 2016BTN (Urban)

### Overview

Valid: 3614 Invalid: 15 Mean: 1.872 Standard deviation: 0.334  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

#### CATEGORIES

Value	Category	Cases	
1		463	12.8%
2		3151	87.2%
Sysmiss		15	

## QN26: Attempted suicide

Data file: 2016BTN (Urban)

### Overview

Valid: 3608 Invalid: 21 Mean: 1.905 Standard deviation: 0.293  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

#### CATEGORIES

Value	Category	Cases	
1		343	9.5%
2		3265	90.5%
Sysmiss		21	

**QN27: Did not have any close friends****Data file: 2016BTN (Urban)****Overview**

Valid: 3595   Invalid: 34   Mean: 1.909   Standard deviation: 0.288  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who did not have any close friends

## CATEGORIES

Value	Category	Cases	
1		328	9.1%
2		3267	90.9%
Sysmiss		34	

**QN28: Tried a cigarette before age 14 years****Data file: 2016BTN (Urban)****Overview**

Valid: 1418   Invalid: 2211   Mean: 1.49   Standard deviation: 0.5  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

## CATEGORIES

Value	Category	Cases	
1		723	51%
2		695	49%
Sysmiss		2211	

**QN29: Currently smoked cigarettes****Data file: 2016BTN (Urban)****Overview**

Valid: 3608   Invalid: 21   Mean: 1.728   Standard deviation: 0.445  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		980	27.2%
2		2628	72.8%
Sysmiss		21	

## QN30: Currently used any tobacco products other than cigarettes

Data file: 2016BTN (Urban)

### Overview

Valid: 3618 Invalid: 11 Mean: 1.804 Standard deviation: 0.397  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		708	19.6%
2		2910	80.4%
Sysmiss		11	

## QN31: Tried to quit smoking cigarettes

Data file: 2016BTN (Urban)

### Overview

Valid: 1039 Invalid: 2590 Mean: 1.173 Standard deviation: 0.379  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1		859	82.7%
2		180	17.3%
Sysmiss		2590	

## QN32: Reported that people smoked in their presence

Data file: 2016BTN (Urban)

### Overview

Valid: 3621 Invalid: 8 Mean: 1.467 Standard deviation: 0.499  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

#### CATEGORIES

Value	Category	Cases	
1		1931	53.3%
2		1690	46.7%
Sysmiss		8	

## QN33: Had parents or guardians who used any form of tobacco

Data file: 2016BTN (Urban)

### Overview

Valid: 3620 Invalid: 9 Mean: 1.612 Standard deviation: 0.487  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

#### CATEGORIES

Value	Category	Cases	
1		1406	38.8%
2		2214	61.2%
Sysmiss		9	

**QN34: Drank alcohol before age 14 years****Data file: 2016BTN (Urban)****Overview**

Valid: 1529   Invalid: 2100   Mean: 1.494   Standard deviation: 0.5  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

## CATEGORIES

Value	Category	Cases	
1		774	50.6%
2		755	49.4%
Sysmiss		2100	

**QN35: Currently drank alcohol****Data file: 2016BTN (Urban)****Overview**

Valid: 3553   Invalid: 76   Mean: 1.741   Standard deviation: 0.438  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		921	25.9%
2		2632	74.1%
Sysmiss		76	

**QN36: Usually drank two or more drinks per day****Data file: 2016BTN (Urban)****Overview**

Valid: 960   Invalid: 2669   Mean: 1.821   Standard deviation: 0.384  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		172	17.9%
2		788	82.1%
Sysmiss		2669	

## QN37: Usually obtained the alcohol they drank from friends

Data file: 2016BTN (Urban)

### Overview

Valid: 956 Invalid: 2673 Mean: 1.604 Standard deviation: 0.489  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		379	39.6%
2		577	60.4%
Sysmiss		2673	

## QN38: Ever drank so much alcohol that they were really drunk

Data file: 2016BTN (Urban)

### Overview

Valid: 3571 Invalid: 58 Mean: 1.741 Standard deviation: 0.438  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

### CATEGORIES

Value	Category	Cases	
1		925	25.9%
2		2646	74.1%
Sysmiss		58	

### QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: 2016BTN (Urban)

#### Overview

Valid: 3487 Invalid: 142 Mean: 1.892 Standard deviation: 0.311  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

##### CATEGORIES

Value	Category	Cases	
1		378	10.8%
2		3109	89.2%
Sysmiss		142	

### QN40: Used drugs before age 14 years

Data file: 2016BTN (Urban)

#### Overview

Valid: 748 Invalid: 2881 Mean: 1.632 Standard deviation: 0.482  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

##### CATEGORIES

Value	Category	Cases	
1		275	36.8%
2		473	63.2%
Sysmiss		2881	

**QN41: Ever used marijuana****Data file: 2016BTN (Urban)****Overview**

Valid: 3567   Invalid: 62   Mean: 1.823   Standard deviation: 0.382  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who ever used marijuana (one or more times during their life)

**CATEGORIES**

Value	Category	Cases	
1		631	17.7%
2		2936	82.3%
Sysmiss		62	

**QN42: Currently used marijuana****Data file: 2016BTN (Urban)****Overview**

Valid: 3584   Invalid: 45   Mean: 1.879   Standard deviation: 0.326  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		433	12.1%
2		3151	87.9%
Sysmiss		45	

**QN43: Ever used amphetamines or methamphetamines****Data file: 2016BTN (Urban)****Overview**

Valid: 0   Invalid: 3629  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

### CATEGORIES

Value	Category
Sysmiss	

## QN44: Ever had sexual intercourse

Data file: 2016BTN (Urban)

### Overview

Valid: 3399 Invalid: 230 Mean: 1.832 Standard deviation: 0.374  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ever had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1		571	16.8%
2		2828	83.2%
Sysmiss		230	

## QN45: Had sexual intercourse before age 14 years

Data file: 2016BTN (Urban)

### Overview

Valid: 442 Invalid: 3187 Mean: 1.654 Standard deviation: 0.476  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

### CATEGORIES

Value	Category	Cases	
1		153	34.6%
2		289	65.4%

Sysmiss		3187	
---------	--	------	--

## QN46: Had sexual intercourse with two or more persons

Data file: 2016BTN (Urban)

### Overview

Valid: 3561 Invalid: 68 Mean: 1.932 Standard deviation: 0.252  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

#### CATEGORIES

Value	Category	Cases	
1		243	6.8%
2		3318	93.2%
Sysmiss		68	

## QN47: Used a condom

Data file: 2016BTN (Urban)

### Overview

Valid: 421 Invalid: 3208 Mean: 1.34 Standard deviation: 0.474  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

#### CATEGORIES

Value	Category	Cases	
1		278	66%
2		143	34%
Sysmiss		3208	

## QN48: Used a method of birth control other than condoms

Data file: 2016BTN (Urban)

## Overview

Valid: 439 Invalid: 3190 Mean: 1.604 Standard deviation: 0.49  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

### CATEGORIES

Value	Category	Cases	
1		174	39.6%
2		265	60.4%
Sysmiss		3190	

## QN49: Were not physically active

Data file: 2016BTN (Urban)

## Overview

Valid: 3612 Invalid: 17 Mean: 1.75 Standard deviation: 0.433  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		903	25%
2		2709	75%
Sysmiss		17	

## QN50: Did not walk or ride a bicycle to or from school

Data file: 2016BTN (Urban)

## Overview

Valid: 3603 Invalid: 26 Mean: 1.472 Standard deviation: 0.499  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		1901	52.8%
2		1702	47.2%
Sysmiss		26	

## QN51: Did not attend physical education classes

Data file: 2016BTN (Urban)

### Overview

Valid: 3585 Invalid: 44 Mean: 1.364 Standard deviation: 0.481  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

### CATEGORIES

Value	Category	Cases	
1		2280	63.6%
2		1305	36.4%
Sysmiss		44	

## QN52: Spent three or more hours per day doing sitting activities

Data file: 2016BTN (Urban)

### Overview

Valid: 3619 Invalid: 10 Mean: 1.676 Standard deviation: 0.468  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		1172	32.4%
2		2447	67.6%
Sysmiss		10	

### QN53: Missed classes or school without permission

Data file: 2016BTN (Urban)

#### Overview

Valid: 3584 Invalid: 45 Mean: 1.762 Standard deviation: 0.426  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		854	23.8%
2		2730	76.2%
Sysmiss		45	

### QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: 2016BTN (Urban)

#### Overview

Valid: 3619 Invalid: 10 Mean: 1.567 Standard deviation: 0.496  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		1568	43.3%
2		2051	56.7%
Sysmiss		10	

### QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: 2016BTN (Urban)

#### Overview

Valid: 3611 Invalid: 18 Mean: 1.729 Standard deviation: 0.444  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		978	27.1%
2		2633	72.9%
Sysmiss		18	

### QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: 2016BTN (Urban)

#### Overview

Valid: 3584 Invalid: 45 Mean: 1.545 Standard deviation: 0.498  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		1632	45.5%
2		1952	54.5%
Sysmiss		45	

### QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: 2016BTN (Urban)

## Overview

Valid: 3615 Invalid: 14 Mean: 1.606 Standard deviation: 0.489  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		1423	39.4%
2		2192	60.6%
Sysmiss		14	

## QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: 2016BTN (Urban)

## Overview

Valid: 3595 Invalid: 34 Mean: 1.426 Standard deviation: 0.495  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		2062	57.4%
2		1533	42.6%
Sysmiss		34	

## QNUNWTG: Were underweight

Data file: 2016BTN (Urban)

## Overview

Valid: 3500 Invalid: 129 Mean: 1.977 Standard deviation: 0.15  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were underweight ( $<-2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1		81	2.3%
2		3419	97.7%
Sysmiss		129	

## QNOWTG: Were overweight

Data file: 2016BTN (Urban)

### Overview

Valid: 3500 Invalid: 129 Mean: 1.882 Standard deviation: 0.323  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were overweight ( $>+1SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1		413	11.8%
2		3087	88.2%
Sysmiss		129	

## QNOBESEG: Were obese

Data file: 2016BTN (Urban)

### Overview

Valid: 3500 Invalid: 129 Mean: 1.977 Standard deviation: 0.15  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese ( $>+2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--



1		81	2.3%
2		3419	97.7%
Sysmiss		129	

### QNFR1G: Usually ate fruit less than one time per day

Data file: 2016BTN (Urban)

#### Overview

Valid: 3613   Invalid: 16   Mean: 1.63   Standard deviation: 0.483  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		1338	37%
2		2275	63%
Sysmiss		16	

### QNFR1G: Usually ate fruit one or more times per day

Data file: 2016BTN (Urban)

#### Overview

Valid: 3613   Invalid: 16   Mean: 1.492   Standard deviation: 0.5  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		1835	50.8%
2		1778	49.2%
Sysmiss		16	

**QNFR2G: Usually ate fruit two or more times per day****Data file: 2016BTN (Urban)****Overview**

Valid: 3613   Invalid: 16   Mean: 1.685   Standard deviation: 0.465  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		1138	31.5%
2		2475	68.5%
Sysmiss		16	

**QNFR3G: Usually ate fruit three or more times per day****Data file: 2016BTN (Urban)****Overview**

Valid: 3613   Invalid: 16   Mean: 1.824   Standard deviation: 0.381  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		637	17.6%
2		2976	82.4%
Sysmiss		16	

**QNVEGLG: Usually ate vegetables less than one time per day****Data file: 2016BTN (Urban)****Overview**

Valid: 3615   Invalid: 14   Mean: 1.836   Standard deviation: 0.37  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		593	16.4%
2		3022	83.6%
Sysmiss		14	

## QNVEG1G: Usually ate vegetables one or more times per day

Data file: 2016BTN (Urban)

### Overview

Valid: 3615 Invalid: 14 Mean: 1.206 Standard deviation: 0.404  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		2872	79.4%
2		743	20.6%
Sysmiss		14	

## QNVEG2G: Usually ate vegetables two or more times per day

Data file: 2016BTN (Urban)

### Overview

Valid: 3615 Invalid: 14 Mean: 1.383 Standard deviation: 0.486  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		2231	61.7%
2		1384	38.3%
Sysmiss		14	

### QNVEG3G: Usually ate vegetables three or more times per day

Data file: 2016BTN (Urban)

#### Overview

Valid: 3615   Invalid: 14   Mean: 1.588   Standard deviation: 0.492  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		1488	41.2%
2		2127	58.8%
Sysmiss		14	

### QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: 2016BTN (Urban)

#### Overview

Valid: 3626   Invalid: 3   Mean: 1.539   Standard deviation: 0.499  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		1670	46.1%
2		1956	53.9%
Sysmiss		3	

**QNSODA1G: Usually drank carbonated soft drinks one or more times per day****Data file: 2016BTN (Urban)****Overview**

Valid: 3626   Invalid: 3   Mean: 1.607   Standard deviation: 0.488  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		1425	39.3%
2		2201	60.7%
Sysmiss		3	

**QNSODA2G: Usually drank carbonated soft drinks two or more times per day****Data file: 2016BTN (Urban)****Overview**

Valid: 3626   Invalid: 3   Mean: 1.79   Standard deviation: 0.407  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		761	21%
2		2865	79%
Sysmiss		3	

**QNSODA3G: Usually drank carbonated soft drinks three or more times per day****Data file: 2016BTN (Urban)****Overview**

Valid: 3626   Invalid: 3   Mean: 1.881   Standard deviation: 0.324  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		433	11.9%
2		3193	88.1%
Sysmiss		3	

## QNFF1G: Ate food from a fast food restaurant one or more days

Data file: 2016BTN (Urban)

### Overview

Valid: 0 Invalid: 3629

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

### CATEGORIES

Value	Category
Sysmiss	

## QNFF2G: Ate food from a fast food restaurant two or more days

Data file: 2016BTN (Urban)

### Overview

Valid: 0 Invalid: 3629

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

### CATEGORIES

Value	Category
Sysmiss	

**QNFF3G: Ate food from a fast food restaurant three or more days****Data file: 2016BTN (Urban)****Overview**

Valid: 0 Invalid: 3629

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

## CATEGORIES

Value	Category
Sysmiss	

**QNC2G: Were bullied and could not sleep at night****Data file: 2016BTN (Urban)****Overview**

Valid: 280 Invalid: 3349 Mean: 1.646 Standard deviation: 0.479

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		99	35.4%
2		181	64.6%
Sysmiss		3349	

**QNTOB2G: Currently used any tobacco product****Data file: 2016BTN (Urban)****Overview**

Valid: 3612 Invalid: 17 Mean: 1.678 Standard deviation: 0.467

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		1163	32.2%
2		2449	67.8%
Sysmiss		17	

## QNNOTB2G: Did not currently use any tobacco products

Data file: 2016BTN (Urban)

### Overview

Valid: 3598 Invalid: 31 Mean: 1.319 Standard deviation: 0.466  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		2449	68.1%
2		1149	31.9%
Sysmiss		31	

## QNBCANYG: Used a method of birth control

Data file: 2016BTN (Urban)

### Overview

Valid: 390 Invalid: 3239 Mean: 1.21 Standard deviation: 0.408  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

### CATEGORIES



Value	Category	Cases	
1		308	79%
2		82	21%
Sysmiss		3239	

### QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: 2016BTN (Urban)

#### Overview

Valid: 854 Invalid: 2775 Mean: 1.685 Standard deviation: 0.465  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

##### CATEGORIES

Value	Category	Cases	
1		269	31.5%
2		585	68.5%
Sysmiss		2775	

### QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: 2016BTN (Urban)

#### Overview

Valid: 3612 Invalid: 17 Mean: 1.738 Standard deviation: 0.44  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		947	26.2%
2		2665	73.8%
Sysmiss		17	

**QNPA7G: Were physically active at least 60 minutes per day on all 7 days****Data file: 2016BTN (Urban)****Overview**

Valid: 3612    Invalid: 17    Mean: 1.83    Standard deviation: 0.376  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey )

**CATEGORIES**

Value	Category	Cases	
1		615	17%
2		2997	83%
Sysmiss		17	

**QNPE3G: Attended physical education classes on three or more days****Data file: 2016BTN (Urban)****Overview**

Valid: 3585    Invalid: 44    Mean: 1.853    Standard deviation: 0.354  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who attended physical education classes on three or more days (each week during this school year)

**CATEGORIES**

Value	Category	Cases	
1		526	14.7%
2		3059	85.3%
Sysmiss		44	

**QNPE5G: Attended physical education classes on five or more days****Data file: 2016BTN (Urban)****Overview**

Valid: 3585    Invalid: 44    Mean: 1.901    Standard deviation: 0.299

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

## CATEGORIES

Value	Category	Cases	
1		355	9.9%
2		3230	90.1%
Sysmiss		44	

**WEIGHT:****Data file: 2016BTN (Urban)****Overview**

Valid: 3629    Invalid: 0    Mean: 9.921    Standard deviation: 1.212

Type: Continuous    Decimal: 0    Width: 10    Range: 42.0329 - 329.5608    Format: Numeric

**STRATUM:****Data file: 2016BTN (Urban)****Overview**

Valid: 3629    Invalid: 0    Mean: 201601006.633    Standard deviation: 38.953

Type: Discrete    Decimal: 0    Width: 9    Range: 201501001 - 201501019    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
201601001		256	7.1%
201601002		270	7.4%
201601003		327	9%
201601004		291	8%
201601005		321	8.8%
201601006		279	7.7%
201601007		336	9.3%
201601008		323	8.9%
201601009		320	8.8%
201601010		271	7.5%
201601011		294	8.1%

201601012

341

9.4%

**PSU:****Data file: 2016BTN (Urban)****Overview**

Valid: 3629   Invalid: 0   Mean: 12.787   Standard deviation: 6.851

Type: Continuous   Decimal: 0   Width: 5   Range: 1 - 38   Format: Numeric

**Q1: Custom Age****Data file: 2016BTN (Rural)****Overview**

Valid: 3934 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	27	0.7%
2	12 years old	113	2.9%
3	13 years old	390	9.9%
4	14 years old	579	14.7%
5	15 years old	704	17.9%
6	16 years old	754	19.2%
7	17 years old	689	17.5%
8	18 years old or older	678	17.2%
Sysmiss		13	

**Q2: Sex****Data file: 2016BTN (Rural)****Overview**

Valid: 3905 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	1735	44.4%
2	Female	2170	55.6%
Sysmiss		42	

**Q3: In what grade are you****Data file: 2016BTN (Rural)****Overview**

Valid: 3858 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

## CATEGORIES

Value	Category	Cases	
1	Class 7	1039	26.9%
2	Class 8	1020	26.4%
3	Class 9	782	20.3%
4	Class 10	688	17.8%
5	Class 11	329	8.5%
Sysmiss		89	

**Q4: How tall are you****Data file: 2016BTN (Rural)****Overview**

Valid: 3841 Invalid: 106 Minimum: 1.29 Maximum: 1.84 Mean: 1.566 Standard deviation: 0.078

Type: Continuous Decimal: 2 Width: 5 Range: 1.27 - 1.87 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q5: How much do you weigh****Data file: 2016BTN (Rural)****Overview**

Valid: 3841 Invalid: 106 Minimum: 27 Maximum: 99 Mean: 51.206 Standard deviation: 8.211

Type: Continuous Decimal: 2 Width: 5 Range: 28 - 116 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q6: How often went hungry

Data file: 2016BTN (Rural)

### Overview

Valid: 0 Invalid: 3947

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

### CATEGORIES

Value	Category
1	Never
2	Rarely
3	Sometimes
4	Most of the time
5	Always
Sysmiss	

## Q7: No fruit eating

Data file: 2016BTN (Rural)

### Overview

Valid: 3929 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	565	14.4%
2	Less than one time per day	1428	36.3%
3	1 time per day	782	19.9%
4	2 times per day	463	11.8%
5	3 times per day	323	8.2%
6	4 times per day	100	2.5%
7	5 or more times per day	268	6.8%
Sysmiss		18	

## Q8: No vegetable eating

Data file: 2016BTN (Rural)

### Overview

Valid: 3928 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	198	5%
2	Less than one time per day	688	17.5%
3	1 time per day	726	18.5%
4	2 times per day	825	21%
5	3 times per day	834	21.2%
6	4 times per day	153	3.9%
7	5 or more times per day	504	12.8%
Sysmiss		19	

## Q9: Soft drinks

Data file: 2016BTN (Rural)



## Overview

Valid: 3940 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	643	16.3%
2	Less than one time per day	1855	47.1%
3	1 time per day	669	17%
4	2 times per day	334	8.5%
5	3 times per day	145	3.7%
6	4 times per day	82	2.1%
7	5 or more times per day	212	5.4%
Sysmiss		7	

## Q10: Fast food eating

Data file: 2016BTN (Rural)

## Overview

Valid: 0 Invalid: 3947

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category
1	0 days
2	1 day
3	2 days
4	3 days

5	4 days
6	5 days
7	6 days
8	7 days
Sysmiss	

## Q11: Tooth brushing

Data file: 2016BTN (Rural)

### Overview

Valid: 3925 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	82	2.1%
2	Less than 1 time per day	255	6.5%
3	1 time per day	2014	51.3%
4	2 times per day	985	25.1%
5	3 times per day	210	5.4%
6	4 or more times per day	379	9.7%
Sysmiss		22	

## Q12: Hand washing before eating

Data file: 2016BTN (Rural)

### Overview

Valid: 3928 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
1	Never	35	0.9%
2	Rarely	97	2.5%
3	Sometimes	616	15.7%
4	Most of the time	1221	31.1%
5	Always	1959	49.9%
Sysmiss		19	

### Q13: Hand washing after toilet

Data file: 2016BTN (Rural)

#### Overview

Valid: 3920 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

#### CATEGORIES

Value	Category	Cases	
1	Never	40	1%
2	Rarely	116	3%
3	Sometimes	716	18.3%
4	Most of the time	1174	29.9%
5	Always	1874	47.8%
Sysmiss		27	

### Q14: Hand washing with soap

Data file: 2016BTN (Rural)

#### Overview

Valid: 3929 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

### CATEGORIES

Value	Category	Cases	
1	Never	45	1.1%
2	Rarely	169	4.3%
3	Sometimes	1316	33.5%
4	Most of the time	1417	36.1%
5	Always	982	25%
Sysmiss		18	

## Q15: Physically attacked

Data file: 2016BTN (Rural)

### Overview

Valid: 3938 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

### CATEGORIES

Value	Category	Cases	
1	0 times	2370	60.2%
2	1 time	601	15.3%
3	2 or 3 times	600	15.2%
4	4 or 5 times	171	4.3%
5	6 or 7 times	73	1.9%
6	8 or 9 times	34	0.9%
7	10 or 11 times	19	0.5%
8	12 or more times	70	1.8%
Sysmiss		9	

**Q16: Physical fighting****Data file: 2016BTN (Rural)****Overview**

Valid: 3933 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

**LITERAL QUESTION**

During the past 12 months, how many times were you in a physical fight?

**CATEGORIES**

Value	Category	Cases	
1	0 times	2313	58.8%
2	1 time	756	19.2%
3	2 or 3 times	591	15%
4	4 or 5 times	141	3.6%
5	6 or 7 times	52	1.3%
6	8 or 9 times	25	0.6%
7	10 or 11 times	14	0.4%
8	12 or more times	41	1%
Sysmiss		14	

**Q17: Seriously injured****Data file: 2016BTN (Rural)****Overview**

Valid: 3598 Invalid: 349

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

**LITERAL QUESTION**

During the past 12 months, how many times were you seriously injured?

**CATEGORIES**

Value	Category	Cases	
1	0 times	2029	56.4%
2	1 time	798	22.2%
3	2 or 3 times	528	14.7%
4	4 or 5 times	136	3.8%
5	6 or 7 times	53	1.5%
6	8 or 9 times	17	0.5%
7	10 or 11 times	12	0.3%
8	12 or more times	25	0.7%
Sysmiss		349	

### Q18: Serious injury type

Data file: 2016BTN (Rural)

#### Overview

Valid: 3671 Invalid: 276

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2330	63.5%
2	Broken bone/dislocated joint	158	4.3%
3	I had a cut or stab wound	346	9.4%
4	Concussion/head injury	114	3.1%
5	I had a gunshot wound	8	0.2%
6	I had a bad burn	22	0.6%
7	I was poisoned	32	0.9%
8	Something else happened to me	661	18%
Sysmiss		276	

### Q19: Serious injury cause

Data file: 2016BTN (Rural)

## Overview

Valid: 3671 Invalid: 276

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2376	64.7%
2	Motor vehicle accident	38	1%
3	I fell	270	7.4%
4	Something fell on me or hit me	237	6.5%
5	I was attacked	102	2.8%
6	Was in a fire	23	0.6%
7	breathed something bad	38	1%
8	Something else	587	16%
Sysmiss		276	

## Q20: Bullied

Data file: 2016BTN (Rural)

## Overview

Valid: 3810 Invalid: 137

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	2790	73.2%

2	1 or 2 days	706	18.5%
3	3 to 5 days	188	4.9%
4	6 to 9 days	52	1.4%
5	10 to 19 days	35	0.9%
6	20 to 29 days	15	0.4%
7	All 30 days	24	0.6%
Sysmiss		137	

## Q21: Bullied how

Data file: 2016BTN (Rural)

### Overview

Valid: 3796 Invalid: 151

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	2883	75.9%
2	Kicked, pushed, or shoved	140	3.7%
3	Made fun of race	85	2.2%
4	Made fun because of religion	45	1.2%
5	Made fun of about sex	79	2.1%
6	Left out of activities	53	1.4%
7	Made fun of about body	203	5.3%
8	Some other way	308	8.1%
Sysmiss		151	

## Q22: Felt lonely

Data file: 2016BTN (Rural)

### Overview

Valid: 3900 Invalid: 47



Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 5    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

### CATEGORIES

Value	Category	Cases	
1	Never	757	19.4%
2	Rarely	527	13.5%
3	Sometimes	2069	53.1%
4	Most of the time	434	11.1%
5	Always	113	2.9%
Sysmiss		47	

## Q23: Could not sleep

Data file: 2016BTN (Rural)

### Overview

Valid: 3942    Invalid: 5

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 5    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

### CATEGORIES

Value	Category	Cases	
1	Never	1124	28.5%
2	Rarely	686	17.4%
3	Sometimes	1798	45.6%
4	Most of the time	265	6.7%
5	Always	69	1.8%
Sysmiss		5	

**Q24: Considered suicide****Data file: 2016BTN (Rural)****Overview**

Valid: 3897 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

## LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

## CATEGORIES

Value	Category	Cases	
1	Yes	469	12%
2	No	3428	88%
Sysmiss		50	

**Q25: Made a suicide plan****Data file: 2016BTN (Rural)****Overview**

Valid: 3937 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

## LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

## CATEGORIES

Value	Category	Cases	
1	Yes	580	14.7%
2	No	3357	85.3%
Sysmiss		10	

**Q26: Attempted suicide****Data file: 2016BTN (Rural)**

## Overview

Valid: 3926 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	0 times	3441	87.6%
2	1 time	292	7.4%
3	2 or 3 times	129	3.3%
4	4 or 5 times	39	1%
5	6 or more times	25	0.6%
Sysmiss		21	

## Q27: Close friends

Data file: 2016BTN (Rural)

## Overview

Valid: 3914 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

How many close friends do you have?

### CATEGORIES

Value	Category	Cases	
1	0	361	9.2%
2	1	625	16%
3	2	791	20.2%
4	3 or more	2137	54.6%
Sysmiss		33	

**Q28: Initiation of cigarette use****Data file: 2016BTN (Rural)****Overview**

Valid: 3729 Invalid: 218

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

How old were you when you first tried a cigarette?

## CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2510	67.3%
2	7 years old or younger	100	2.7%
3	8 or 9 years old	103	2.8%
4	10 or 11 years old	148	4%
5	12 or 13 years old	290	7.8%
6	14 or 15 years old	376	10.1%
7	16 or 17 years old	174	4.7%
8	18 years old or older	28	0.8%
Sysmiss		218	

**Q29: Current cigarette use****Data file: 2016BTN (Rural)****Overview**

Valid: 3920 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

## CATEGORIES

Value	Category	Cases	
1	0 days	3024	77.1%
2	1 or 2 days	411	10.5%

3	3 to 5 days	165	4.2%
4	6 to 9 days	123	3.1%
5	10 to 19 days	100	2.6%
6	20 to 29 days	40	1%
7	All 30 days	57	1.5%
Sysmiss		27	

### Q30: Other tobacco use

Data file: 2016BTN (Rural)

#### Overview

Valid: 3940 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

##### CATEGORIES

Value	Category	Cases	
1	0 days	3256	82.6%
2	1 or 2 days	278	7.1%
3	3 to 5 days	90	2.3%
4	6 to 9 days	62	1.6%
5	10 to 19 days	48	1.2%
6	20 to 29 days	45	1.1%
7	All 30 days	161	4.1%
Sysmiss		7	

### Q31: Smoking cessation

Data file: 2016BTN (Rural)

#### Overview

Valid: 3740 Invalid: 207

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2624	70.2%
2	Did not smoke cigarettes	199	5.3%
3	Yes	765	20.5%
4	No	152	4.1%
Sysmiss		207	

## Q32: Smoking in their presence

Data file: 2016BTN (Rural)

### Overview

Valid: 3943 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

### CATEGORIES

Value	Category	Cases	
1	0 days	2209	56%
2	1 or 2 days	1024	26%
3	3 or 4 days	356	9%
4	5 or 6 days	153	3.9%
5	All 7 days	201	5.1%
Sysmiss		4	

## Q33: Parental tobacco use

Data file: 2016BTN (Rural)

## Overview

Valid: 3930 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

### CATEGORIES

Value	Category	Cases	
1	Neither	1698	43.2%
2	My father or male guardian	652	16.6%
3	My mother or female guardian	400	10.2%
4	Both	380	9.7%
5	I do not know	800	20.4%
Sysmiss		17	

## Q34: Initiation of alcohol use

Data file: 2016BTN (Rural)

## Overview

Valid: 3686 Invalid: 261

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

### CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	2157	58.5%
2	7 years old or younger	252	6.8%
3	8 or 9 years old	105	2.8%
4	10 or 11 years old	168	4.6%
5	12 or 13 years old	306	8.3%
6	14 or 15 years old	436	11.8%

7	16 or 17 years old	225	6.1%
8	18 years old or older	37	1%
Sysmiss		261	

### Q35: Current alcohol use

Data file: 2016BTN (Rural)

#### Overview

Valid: 3875 Invalid: 72

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

##### CATEGORIES

Value	Category	Cases	
1	0 days	2930	75.6%
2	1 or 2 days	732	18.9%
3	3 to 5 days	125	3.2%
4	6 to 9 days	44	1.1%
5	10 to 19 days	27	0.7%
6	20 to 29 days	7	0.2%
7	All 30 days	10	0.3%
Sysmiss		72	

### Q36: Drank 2+ drinks

Data file: 2016BTN (Rural)

#### Overview

Valid: 3936 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of



liquor, or a mixed drink.

#### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

#### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	2945	74.8%
2	Less than one drink	555	14.1%
3	1 drink	250	6.4%
4	2 drinks	105	2.7%
5	3 drinks	54	1.4%
6	4 drinks	12	0.3%
7	5 or more drinks	15	0.4%
Sysmiss		11	

### Q37: Source of alcohol

Data file: 2016BTN (Rural)

#### Overview

Valid: 3894 Invalid: 53

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

#### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

#### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	2931	75.3%
2	I bought in a store	228	5.9%
3	I gave someone money to buy	130	3.3%
4	I got it from my friends	391	10%
5	I got it from my family	100	2.6%
6	I stole it	31	0.8%
7	Some other way	83	2.1%
Sysmiss		53	

**Q38: Really drunk****Data file: 2016BTN (Rural)****Overview**

Valid: 3883 Invalid: 64

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

**LITERAL QUESTION**

During your life, how many times did you drink so much alcohol that you were really drunk?

**CATEGORIES**

Value	Category	Cases	
1	0 times	2900	74.7%
2	1 or 2 times	746	19.2%
3	3 to 9 times	148	3.8%
4	10 or more times	89	2.3%
Sysmiss		64	

**Q39: Trouble from drinking****Data file: 2016BTN (Rural)****Overview**

Valid: 3788 Invalid: 159

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

**LITERAL QUESTION**

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

**CATEGORIES**

Value	Category	Cases	
1	0 times	3378	89.2%

2	1 or 2 times	322	8.5%
3	3 to 9 times	52	1.4%
4	10 or more times	36	1%
Sysmiss		159	

## Q40: Initiation of drug use

Data file: 2016BTN (Rural)

### Overview

Valid: 3842 Invalid: 105

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

How old were you when you first used drugs?

#### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	3120	81.2%
2	7 years old or younger	34	0.9%
3	8 or 9 years old	36	0.9%
4	10 or 11 years old	53	1.4%
5	12 or 13 years old	141	3.7%
6	14 or 15 years old	277	7.2%
7	16 or 17 years old	156	4.1%
8	18 years old or older	25	0.7%
Sysmiss		105	

## Q41: Ever marijuana use

Data file: 2016BTN (Rural)

### Overview

Valid: 3887 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

#### CATEGORIES

Value	Category	Cases	
1	0 times	3247	83.5%
2	1 or 2 times	241	6.2%
3	3 to 9 times	134	3.4%
4	10 to 19 times	84	2.2%
5	20 or more times	181	4.7%
Sysmiss		60	

### Q42: Current marijuana use

Data file: 2016BTN (Rural)

#### Overview

Valid: 3913 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

#### CATEGORIES

Value	Category	Cases	
1	0 times	3430	87.7%
2	1 or 2 times	257	6.6%
3	3 to 9 times	100	2.6%
4	10 to 19 times	49	1.3%
5	20 or more times	77	2%
Sysmiss		34	

### Q43: Amphetamine or methamphetamine use

Data file: 2016BTN (Rural)

## Overview

Valid: 0 Invalid: 3947

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

### CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 to 19 times
5	20 or more times
Sysmiss	

## Q44: Ever sexual intercourse

Data file: 2016BTN (Rural)

## Overview

Valid: 3677 Invalid: 270

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

Have you ever had sexual intercourse?

### CATEGORIES

Value	Category	Cases	
1	Yes	685	18.6%
2	No	2992	81.4%
Sysmiss		270	

**Q45: Age first had sex****Data file: 2016BTN (Rural)****Overview**

Valid: 3885 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	3402	87.6%
2	11 years old or younger	107	2.8%
3	12 years old	51	1.3%
4	13 years old	46	1.2%
5	14 years old	55	1.4%
6	15 years old	88	2.3%
7	16 or 17 years old	93	2.4%
8	18 years old or older	43	1.1%
Sysmiss		62	

**Q46: Number of sex partners****Data file: 2016BTN (Rural)****Overview**

Valid: 3870 Invalid: 77

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	3401	87.9%
2	1 person	178	4.6%

3	2 people	101	2.6%
4	3 people	65	1.7%
5	4 people	43	1.1%
6	5 people	23	0.6%
7	6 or more people	59	1.5%
Sysmiss		77	

## Q47: Condom use

Data file: 2016BTN (Rural)

### Overview

Valid: 3802 Invalid: 145

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	3341	87.9%
2	Yes	269	7.1%
3	No	192	5%
Sysmiss		145	

## Q48: Birth control used

Data file: 2016BTN (Rural)

### Overview

Valid: 3741 Invalid: 206

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	3252	86.9%
2	Yes	197	5.3%
3	No	186	5%
4	I do not know	106	2.8%
Sysmiss		206	

**Q49: Physical activity past 7 days****Data file: 2016BTN (Rural)****Overview**

Valid: 3926 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

## LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

## CATEGORIES

Value	Category	Cases	
1	0 days	1078	27.5%
2	1 day	883	22.5%
3	2 days	510	13%
4	3 days	445	11.3%
5	4 days	216	5.5%
6	5 days	196	5%
7	6 days	154	3.9%
8	7 days	444	11.3%
Sysmiss		21	

**Q50: Walk or bike to school****Data file: 2016BTN (Rural)****Overview**

Valid: 3927 Invalid: 20



Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

**CATEGORIES**

Value	Category	Cases	
1	0 days	2381	60.6%
2	1 day	384	9.8%
3	2 days	180	4.6%
4	3 days	120	3.1%
5	4 days	66	1.7%
6	5 days	62	1.6%
7	6 days	136	3.5%
8	7 days	598	15.2%
Sysmiss		20	

**Q51: PE attendance****Data file: 2016BTN (Rural)****Overview**

Valid: 3910    Invalid: 37

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 6    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During this school year, on how many days did you go to physical education (PE) class each week?

**CATEGORIES**

Value	Category	Cases	
1	0 days	2326	59.5%
2	1 day	839	21.5%
3	2 days	216	5.5%

4	3 days	107	2.7%
5	4 days	58	1.5%
6	5 or more days	364	9.3%
Sysmiss		37	

## Q52: Sitting activities

Data file: 2016BTN (Rural)

### Overview

Valid: 3931 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

#### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	1598	40.7%
2	1 to 2 hours per day	1344	34.2%
3	3 to 4 hours per day	603	15.3%
4	5 to 6 hours per day	176	4.5%
5	7 to 8 hours per day	83	2.1%
6	More than 8 hours per day	127	3.2%
Sysmiss		16	

## Q53: Miss school no permission

Data file: 2016BTN (Rural)

### Overview

Valid: 3918 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

## CATEGORIES

Value	Category	Cases	
1	0 days	2915	74.4%
2	1 or 2 days	704	18%
3	3 to 5 days	191	4.9%
4	6 to 9 days	57	1.5%
5	10 or more days	51	1.3%
Sysmiss		29	

## Q54: Other students kind and helpful

Data file: 2016BTN (Rural)

### Overview

Valid: 3936 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

## CATEGORIES

Value	Category	Cases	
1	Never	179	4.5%
2	Rarely	425	10.8%
3	Sometimes	1709	43.4%
4	Most of the time	1173	29.8%
5	Always	450	11.4%
Sysmiss		11	

## Q55: Parents check homework

Data file: 2016BTN (Rural)

### Overview

Valid: 3928 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

### CATEGORIES

Value	Category	Cases	
1	Never	1394	35.5%
2	Rarely	334	8.5%
3	Sometimes	1195	30.4%
4	Most of the time	636	16.2%
5	Always	369	9.4%
Sysmiss		19	

## Q56: Parents understand problems

Data file: 2016BTN (Rural)

### Overview

Valid: 3890 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

### CATEGORIES

Value	Category	Cases	
1	Never	620	15.9%
2	Rarely	341	8.8%
3	Sometimes	1249	32.1%
4	Most of the time	863	22.2%
5	Always	817	21%
Sysmiss		57	

## Q57: Parents know about free time

Data file: 2016BTN (Rural)

## Overview

Valid: 3937 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

### CATEGORIES

Value	Category	Cases	
1	Never	781	19.8%
2	Rarely	444	11.3%
3	Sometimes	1430	36.3%
4	Most of the time	782	19.9%
5	Always	500	12.7%
Sysmiss		10	

## Q58: Parents go through their things

Data file: 2016BTN (Rural)

## Overview

Valid: 3927 Invalid: 20 Mean: 2.187 Standard deviation: 1.164

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

### CATEGORIES

Value	Category	Cases	
1		1638	41.7%
2		504	12.8%
3		1338	34.1%
4		308	7.8%
5		139	3.5%
Sysmiss		20	

**QN6: Most of the time or always went hungry****Data file: 2016BTN (Rural)****Overview**

Valid: 0    Invalid: 3947

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

## CATEGORIES

Value	Category
Sysmiss	

**QN7: Did not eat fruit****Data file: 2016BTN (Rural)****Overview**

Valid: 3929    Invalid: 18    Mean: 1.856    Standard deviation: 0.351

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		565	14.4%
2		3364	85.6%
Sysmiss		18	

**QN8: Did not eat vegetables****Data file: 2016BTN (Rural)****Overview**

Valid: 3928    Invalid: 19    Mean: 1.95    Standard deviation: 0.219

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		198	5%
2		3730	95%
Sysmiss		19	

## QN9: Did not drink carbonated soft drinks

Data file: 2016BTN (Rural)

### Overview

Valid: 3940 Invalid: 7 Mean: 1.837 Standard deviation: 0.37  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		643	16.3%
2		3297	83.7%
Sysmiss		7	

## QN10: Did not eat food from a fast food restaurant

Data file: 2016BTN (Rural)

### Overview

Valid: 0 Invalid: 3947  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

### CATEGORIES

Value	Category
-------	----------

Sysmiss

**QN11: Usually cleaned or brushed their teeth****Data file: 2016BTN (Rural)****Overview**

Valid: 3925 Invalid: 22 Mean: 1.086 Standard deviation: 0.28  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		3588	91.4%
2		337	8.6%
Sysmiss		22	

**QN12: Never or rarely washed their hands before eating****Data file: 2016BTN (Rural)****Overview**

Valid: 3928 Invalid: 19 Mean: 1.966 Standard deviation: 0.18  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		132	3.4%
2		3796	96.6%
Sysmiss		19	

**QN13: Never or rarely washed their hands after using the toilet or latrine****Data file: 2016BTN (Rural)**



## Overview

Valid: 3920 Invalid: 27 Mean: 1.96 Standard deviation: 0.196  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		156	4%
2		3764	96%
Sysmiss		27	

## QN14: Never or rarely used soap when washing their hands

Data file: 2016BTN (Rural)

## Overview

Valid: 3929 Invalid: 18 Mean: 1.946 Standard deviation: 0.227  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		214	5.4%
2		3715	94.6%
Sysmiss		18	

## QN15: Were physically attacked

Data file: 2016BTN (Rural)

## Overview

Valid: 3938 Invalid: 9 Mean: 1.602 Standard deviation: 0.49  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

## CATEGORIES

Value	Category	Cases	
1		1568	39.8%
2		2370	60.2%
Sysmiss		9	

### QN16: Were in a physical fight

Data file: 2016BTN (Rural)

#### Overview

Valid: 3933 Invalid: 14 Mean: 1.588 Standard deviation: 0.492  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

## CATEGORIES

Value	Category	Cases	
1		1620	41.2%
2		2313	58.8%
Sysmiss		14	

### QN17: Were seriously injured

Data file: 2016BTN (Rural)

#### Overview

Valid: 3598 Invalid: 349 Mean: 1.564 Standard deviation: 0.496  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

## CATEGORIES

Value	Category	Cases	
1		1569	43.6%
2		2029	56.4%
Sysmiss		349	

**QN18: Reported that their most serious injury was a broken bone or dislocated joint****Data file: 2016BTN (Rural)****Overview**

Valid: 1341    Invalid: 2606    Mean: 1.882    Standard deviation: 0.323  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

**CATEGORIES**

Value	Category	Cases	
1		158	11.8%
2		1183	88.2%
Sysmiss		2606	

**QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle****Data file: 2016BTN (Rural)****Overview**

Valid: 1295    Invalid: 2652    Mean: 1.971    Standard deviation: 0.169  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

**CATEGORIES**

Value	Category	Cases	
1		38	2.9%
2		1257	97.1%
Sysmiss		2652	

**QN20: Were bullied****Data file: 2016BTN (Rural)**

## Overview

Valid: 3810   Invalid: 137   Mean: 1.732   Standard deviation: 0.443  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		1020	26.8%
2		2790	73.2%
Sysmiss		137	

## QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

Data file: 2016BTN (Rural)

## Overview

Valid: 913   Invalid: 3034   Mean: 1.847   Standard deviation: 0.361  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )

### CATEGORIES

Value	Category	Cases	
1		140	15.3%
2		773	84.7%
Sysmiss		3034	

## QN22: Most of the time or always felt lonely

Data file: 2016BTN (Rural)

## Overview

Valid: 3900   Invalid: 47   Mean: 1.86   Standard deviation: 0.347  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1		547	14%
2		3353	86%
Sysmiss		47	

## QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: 2016BTN (Rural)

### Overview

Valid: 3942 Invalid: 5 Mean: 1.915 Standard deviation: 0.279  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1		334	8.5%
2		3608	91.5%
Sysmiss		5	

## QN24: Seriously considered attempting suicide

Data file: 2016BTN (Rural)

### Overview

Valid: 3897 Invalid: 50 Mean: 1.88 Standard deviation: 0.325  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1		469	12%
2		3428	88%
Sysmiss		50	

## QN25: Made a plan about how they would attempt suicide

Data file: 2016BTN (Rural)

### Overview

Valid: 3937 Invalid: 10 Mean: 1.853 Standard deviation: 0.354  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

#### CATEGORIES

Value	Category	Cases	
1		580	14.7%
2		3357	85.3%
Sysmiss		10	

## QN26: Attempted suicide

Data file: 2016BTN (Rural)

### Overview

Valid: 3926 Invalid: 21 Mean: 1.876 Standard deviation: 0.329  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

#### CATEGORIES

Value	Category	Cases	
1		485	12.4%
2		3441	87.6%
Sysmiss		21	

**QN27: Did not have any close friends****Data file: 2016BTN (Rural)****Overview**

Valid: 3914   Invalid: 33   Mean: 1.908   Standard deviation: 0.289  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who did not have any close friends

## CATEGORIES

Value	Category	Cases	
1		361	9.2%
2		3553	90.8%
Sysmiss		33	

**QN28: Tried a cigarette before age 14 years****Data file: 2016BTN (Rural)****Overview**

Valid: 1219   Invalid: 2728   Mean: 1.474   Standard deviation: 0.5  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

## CATEGORIES

Value	Category	Cases	
1		641	52.6%
2		578	47.4%
Sysmiss		2728	

**QN29: Currently smoked cigarettes****Data file: 2016BTN (Rural)****Overview**

Valid: 3920   Invalid: 27   Mean: 1.771   Standard deviation: 0.42  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		896	22.9%
2		3024	77.1%
Sysmiss		27	

## QN30: Currently used any tobacco products other than cigarettes

Data file: 2016BTN (Rural)

### Overview

Valid: 3940 Invalid: 7 Mean: 1.826 Standard deviation: 0.379  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		684	17.4%
2		3256	82.6%
Sysmiss		7	

## QN31: Tried to quit smoking cigarettes

Data file: 2016BTN (Rural)

### Overview

Valid: 917 Invalid: 3030 Mean: 1.166 Standard deviation: 0.372  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

### CATEGORIES



Value	Category	Cases	
1		765	83.4%
2		152	16.6%
Sysmiss		3030	

## QN32: Reported that people smoked in their presence

Data file: 2016BTN (Rural)

### Overview

Valid: 3943 Invalid: 4 Mean: 1.56 Standard deviation: 0.496  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

#### CATEGORIES

Value	Category	Cases	
1		1734	44%
2		2209	56%
Sysmiss		4	

## QN33: Had parents or guardians who used any form of tobacco

Data file: 2016BTN (Rural)

### Overview

Valid: 3930 Invalid: 17 Mean: 1.636 Standard deviation: 0.481  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

#### CATEGORIES

Value	Category	Cases	
1		1432	36.4%
2		2498	63.6%
Sysmiss		17	

**QN34: Drank alcohol before age 14 years****Data file: 2016BTN (Rural)****Overview**

Valid: 1529   Invalid: 2418   Mean: 1.457   Standard deviation: 0.498  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

**CATEGORIES**

Value	Category	Cases	
1		831	54.3%
2		698	45.7%
Sysmiss		2418	

**QN35: Currently drank alcohol****Data file: 2016BTN (Rural)****Overview**

Valid: 3875   Invalid: 72   Mean: 1.756   Standard deviation: 0.429  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		945	24.4%
2		2930	75.6%
Sysmiss		72	

**QN36: Usually drank two or more drinks per day****Data file: 2016BTN (Rural)****Overview**

Valid: 991   Invalid: 2956   Mean: 1.812   Standard deviation: 0.391  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		186	18.8%
2		805	81.2%
Sysmiss		2956	

## QN37: Usually obtained the alcohol they drank from friends

Data file: 2016BTN (Rural)

### Overview

Valid: 963 Invalid: 2984 Mean: 1.594 Standard deviation: 0.491  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		391	40.6%
2		572	59.4%
Sysmiss		2984	

## QN38: Ever drank so much alcohol that they were really drunk

Data file: 2016BTN (Rural)

### Overview

Valid: 3883 Invalid: 64 Mean: 1.747 Standard deviation: 0.435  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

### CATEGORIES

Value	Category	Cases	
1		983	25.3%
2		2900	74.7%
Sysmiss		64	

### QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: 2016BTN (Rural)

#### Overview

Valid: 3788 Invalid: 159 Mean: 1.892 Standard deviation: 0.311  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

##### CATEGORIES

Value	Category	Cases	
1		410	10.8%
2		3378	89.2%
Sysmiss		159	

### QN40: Used drugs before age 14 years

Data file: 2016BTN (Rural)

#### Overview

Valid: 722 Invalid: 3225 Mean: 1.634 Standard deviation: 0.482  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

##### CATEGORIES

Value	Category	Cases	
1		264	36.6%
2		458	63.4%
Sysmiss		3225	

**QN41: Ever used marijuana****Data file: 2016BTN (Rural)****Overview**

Valid: 3887   Invalid: 60   Mean: 1.835   Standard deviation: 0.371  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who ever used marijuana (one or more times during their life)

**CATEGORIES**

Value	Category	Cases	
1		640	16.5%
2		3247	83.5%
Sysmiss		60	

**QN42: Currently used marijuana****Data file: 2016BTN (Rural)****Overview**

Valid: 3913   Invalid: 34   Mean: 1.877   Standard deviation: 0.329  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		483	12.3%
2		3430	87.7%
Sysmiss		34	

**QN43: Ever used amphetamines or methamphetamines****Data file: 2016BTN (Rural)****Overview**

Valid: 0   Invalid: 3947  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

### CATEGORIES

Value	Category
Sysmiss	

## QN44: Ever had sexual intercourse

Data file: 2016BTN (Rural)

### Overview

Valid: 3677 Invalid: 270 Mean: 1.814 Standard deviation: 0.389  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ever had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1		685	18.6%
2		2992	81.4%
Sysmiss		270	

## QN45: Had sexual intercourse before age 14 years

Data file: 2016BTN (Rural)

### Overview

Valid: 483 Invalid: 3464 Mean: 1.578 Standard deviation: 0.494  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

### CATEGORIES

Value	Category	Cases	
1		204	42.2%
2		279	57.8%

Sysmiss		3464	
---------	--	------	--

## QN46: Had sexual intercourse with two or more persons

Data file: 2016BTN (Rural)

### Overview

Valid: 3870 Invalid: 77 Mean: 1.925 Standard deviation: 0.264  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

#### CATEGORIES

Value	Category	Cases	
1		291	7.5%
2		3579	92.5%
Sysmiss		77	

## QN47: Used a condom

Data file: 2016BTN (Rural)

### Overview

Valid: 461 Invalid: 3486 Mean: 1.416 Standard deviation: 0.494  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

#### CATEGORIES

Value	Category	Cases	
1		269	58.4%
2		192	41.6%
Sysmiss		3486	

## QN48: Used a method of birth control other than condoms

Data file: 2016BTN (Rural)

## Overview

Valid: 489    Invalid: 3458    Mean: 1.597    Standard deviation: 0.491  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

### CATEGORIES

Value	Category	Cases	
1		197	40.3%
2		292	59.7%
Sysmiss		3458	

## QN49: Were not physically active

Data file: 2016BTN (Rural)

## Overview

Valid: 3926    Invalid: 21    Mean: 1.725    Standard deviation: 0.446  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		1078	27.5%
2		2848	72.5%
Sysmiss		21	

## QN50: Did not walk or ride a bicycle to or from school

Data file: 2016BTN (Rural)

## Overview

Valid: 3927    Invalid: 20    Mean: 1.394    Standard deviation: 0.489  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		2381	60.6%
2		1546	39.4%
Sysmiss		20	

## QN51: Did not attend physical education classes

Data file: 2016BTN (Rural)

### Overview

Valid: 3910 Invalid: 37 Mean: 1.405 Standard deviation: 0.491  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

### CATEGORIES

Value	Category	Cases	
1		2326	59.5%
2		1584	40.5%
Sysmiss		37	

## QN52: Spent three or more hours per day doing sitting activities

Data file: 2016BTN (Rural)

### Overview

Valid: 3931 Invalid: 16 Mean: 1.748 Standard deviation: 0.434  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		989	25.2%
2		2942	74.8%
Sysmiss		16	

### QN53: Missed classes or school without permission

Data file: 2016BTN (Rural)

#### Overview

Valid: 3918 Invalid: 29 Mean: 1.744 Standard deviation: 0.436  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		1003	25.6%
2		2915	74.4%
Sysmiss		29	

### QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: 2016BTN (Rural)

#### Overview

Valid: 3936 Invalid: 11 Mean: 1.588 Standard deviation: 0.492  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		1623	41.2%
2		2313	58.8%
Sysmiss		11	

### QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: 2016BTN (Rural)

#### Overview

Valid: 3928 Invalid: 19 Mean: 1.744 Standard deviation: 0.436  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		1005	25.6%
2		2923	74.4%
Sysmiss		19	

### QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: 2016BTN (Rural)

#### Overview

Valid: 3890 Invalid: 57 Mean: 1.568 Standard deviation: 0.495  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		1680	43.2%
2		2210	56.8%
Sysmiss		57	

### QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: 2016BTN (Rural)

## Overview

Valid: 3937 Invalid: 10 Mean: 1.674 Standard deviation: 0.469  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		1282	32.6%
2		2655	67.4%
Sysmiss		10	

## QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: 2016BTN (Rural)

## Overview

Valid: 3927 Invalid: 20 Mean: 1.455 Standard deviation: 0.498  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		2142	54.5%
2		1785	45.5%
Sysmiss		20	

## QNUNWTG: Were underweight

Data file: 2016BTN (Rural)

## Overview

Valid: 3841 Invalid: 106 Mean: 1.984 Standard deviation: 0.125  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were underweight ( $<-2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1		61	1.6%
2		3780	98.4%
Sysmiss		106	

## QNOWTG: Were overweight

Data file: 2016BTN (Rural)

### Overview

Valid: 3841 Invalid: 106 Mean: 1.889 Standard deviation: 0.315  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were overweight ( $>+1SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1		428	11.1%
2		3413	88.9%
Sysmiss		106	

## QNOBESEG: Were obese

Data file: 2016BTN (Rural)

### Overview

Valid: 3841 Invalid: 106 Mean: 1.985 Standard deviation: 0.12  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese ( $>+2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		56	1.5%
2		3785	98.5%
Sysmiss		106	

### QNFR1G: Usually ate fruit less than one time per day

Data file: 2016BTN (Rural)

#### Overview

Valid: 3929 Invalid: 18 Mean: 1.637 Standard deviation: 0.481  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		1428	36.3%
2		2501	63.7%
Sysmiss		18	

### QNFR1G: Usually ate fruit one or more times per day

Data file: 2016BTN (Rural)

#### Overview

Valid: 3929 Invalid: 18 Mean: 1.507 Standard deviation: 0.5  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		1936	49.3%
2		1993	50.7%
Sysmiss		18	

**QNFR2G: Usually ate fruit two or more times per day****Data file: 2016BTN (Rural)****Overview**

Valid: 3929   Invalid: 18   Mean: 1.706   Standard deviation: 0.456  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		1154	29.4%
2		2775	70.6%
Sysmiss		18	

**QNFR3G: Usually ate fruit three or more times per day****Data file: 2016BTN (Rural)****Overview**

Valid: 3929   Invalid: 18   Mean: 1.824   Standard deviation: 0.381  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		691	17.6%
2		3238	82.4%
Sysmiss		18	

**QNVEGLG: Usually ate vegetables less than one time per day****Data file: 2016BTN (Rural)****Overview**

Valid: 3928   Invalid: 19   Mean: 1.825   Standard deviation: 0.38  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		688	17.5%
2		3240	82.5%
Sysmiss		19	

## QNVEG1G: Usually ate vegetables one or more times per day

Data file: 2016BTN (Rural)

### Overview

Valid: 3928 Invalid: 19 Mean: 1.226 Standard deviation: 0.418  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		3042	77.4%
2		886	22.6%
Sysmiss		19	

## QNVEG2G: Usually ate vegetables two or more times per day

Data file: 2016BTN (Rural)

### Overview

Valid: 3928 Invalid: 19 Mean: 1.41 Standard deviation: 0.492  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--



1		2316	59%
2		1612	41%
Sysmiss		19	

### QNVG3G: Usually ate vegetables three or more times per day

Data file: 2016BTN (Rural)

#### Overview

Valid: 3928 Invalid: 19 Mean: 1.62 Standard deviation: 0.485  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		1491	38%
2		2437	62%
Sysmiss		19	

### QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: 2016BTN (Rural)

#### Overview

Valid: 3940 Invalid: 7 Mean: 1.529 Standard deviation: 0.499  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		1855	47.1%
2		2085	52.9%
Sysmiss		7	

**QNSODA1G: Usually drank carbonated soft drinks one or more times per day****Data file: 2016BTN (Rural)****Overview**

Valid: 3940   Invalid: 7   Mean: 1.634   Standard deviation: 0.482  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		1442	36.6%
2		2498	63.4%
Sysmiss		7	

**QNSODA2G: Usually drank carbonated soft drinks two or more times per day****Data file: 2016BTN (Rural)****Overview**

Valid: 3940   Invalid: 7   Mean: 1.804   Standard deviation: 0.397  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		773	19.6%
2		3167	80.4%
Sysmiss		7	

**QNSODA3G: Usually drank carbonated soft drinks three or more times per day****Data file: 2016BTN (Rural)****Overview**

Valid: 3940   Invalid: 7   Mean: 1.889   Standard deviation: 0.315  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		439	11.1%
2		3501	88.9%
Sysmiss		7	

## QNFF1G: Ate food from a fast food restaurant one or more days

Data file: 2016BTN (Rural)

### Overview

Valid: 0 Invalid: 3947

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

### CATEGORIES

Value	Category
Sysmiss	

## QNFF2G: Ate food from a fast food restaurant two or more days

Data file: 2016BTN (Rural)

### Overview

Valid: 0 Invalid: 3947

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

### CATEGORIES

Value	Category
Sysmiss	

**QNFF3G: Ate food from a fast food restaurant three or more days****Data file: 2016BTN (Rural)****Overview**

Valid: 0 Invalid: 3947

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

## CATEGORIES

Value	Category
Sysmiss	

**QNC2G: Were bullied and could not sleep at night****Data file: 2016BTN (Rural)****Overview**

Valid: 314 Invalid: 3633 Mean: 1.576 Standard deviation: 0.495

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		133	42.4%
2		181	57.6%
Sysmiss		3633	

**QNTOB2G: Currently used any tobacco product****Data file: 2016BTN (Rural)****Overview**

Valid: 3929 Invalid: 18 Mean: 1.729 Standard deviation: 0.444

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		1063	27.1%
2		2866	72.9%
Sysmiss		18	

## QNNOTB2G: Did not currently use any tobacco products

Data file: 2016BTN (Rural)

### Overview

Valid: 3913   Invalid: 34   Mean: 1.268   Standard deviation: 0.443  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		2866	73.2%
2		1047	26.8%
Sysmiss		34	

## QNBCANYG: Used a method of birth control

Data file: 2016BTN (Rural)

### Overview

Valid: 401   Invalid: 3546   Mean: 1.239   Standard deviation: 0.427  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

### CATEGORIES

Value	Category	Cases	
1		305	76.1%
2		96	23.9%
Sysmiss		3546	

### QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: 2016BTN (Rural)

#### Overview

Valid: 906 Invalid: 3041 Mean: 1.663 Standard deviation: 0.473  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

##### CATEGORIES

Value	Category	Cases	
1		305	33.7%
2		601	66.3%
Sysmiss		3041	

### QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: 2016BTN (Rural)

#### Overview

Valid: 3926 Invalid: 21 Mean: 1.798 Standard deviation: 0.402  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		794	20.2%
2		3132	79.8%
Sysmiss		21	

**QNPA7G: Were physically active at least 60 minutes per day on all 7 days****Data file: 2016BTN (Rural)****Overview**

Valid: 3926    Invalid: 21    Mean: 1.887    Standard deviation: 0.317  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey )

**CATEGORIES**

Value	Category	Cases	
1		444	11.3%
2		3482	88.7%
Sysmiss		21	

**QNPE3G: Attended physical education classes on three or more days****Data file: 2016BTN (Rural)****Overview**

Valid: 3910    Invalid: 37    Mean: 1.865    Standard deviation: 0.342  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who attended physical education classes on three or more days (each week during this school year)

**CATEGORIES**

Value	Category	Cases	
1		529	13.5%
2		3381	86.5%
Sysmiss		37	

**QNPE5G: Attended physical education classes on five or more days****Data file: 2016BTN (Rural)****Overview**

Valid: 3910    Invalid: 37    Mean: 1.907    Standard deviation: 0.291

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

## CATEGORIES

Value	Category	Cases	
1		364	9.3%
2		3546	90.7%
Sysmiss		37	

**WEIGHT:****Data file: 2016BTN (Rural)****Overview**

Valid: 3947    Invalid: 0    Mean: 6.621    Standard deviation: 0.755

Type: Continuous    Decimal: 0    Width: 10    Range: 42.0329 - 329.5608    Format: Numeric

**STRATUM:****Data file: 2016BTN (Rural)****Overview**

Valid: 3947    Invalid: 0    Mean: 201602005.727    Standard deviation: 29.947

Type: Discrete    Decimal: 0    Width: 9    Range: 201501001 - 201501019    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
201602001		402	10.2%
201602002		380	9.6%
201602003		384	9.7%
201602004		387	9.8%
201602005		374	9.5%
201602006		432	10.9%
201602007		375	9.5%
201602008		298	7.6%
201602009		398	10.1%
201602010		195	4.9%
201602011		125	3.2%



201602012

197

5%

**PSU:****Data file: 2016BTN (Rural)****Overview**

Valid: 3947   Invalid: 0   Mean: 10.959   Standard deviation: 6.371

Type: Continuous   Decimal: 0   Width: 5   Range: 1 - 38   Format: Numeric

# study\_resources

## questionnaires

### Questionnaire

---

title Questionnaire  
filename 2016\_GSHS\_Bhutan\_Questionnaire.pdf

---

## reports

### Fact Sheet (National)

---

title Fact Sheet (National)  
filename gshs\_fs\_bhutan\_2016.pdf

---

### Fact Sheet (Urban)

---

title Fact Sheet (Urban)  
filename gshs\_fs\_bhutan\_urban\_2016.pdf

---

### Fact Sheet (Rural)

---

title Fact Sheet (Rural)  
filename gshs\_fs\_bhutan\_rural\_2016.pdf

---

## technical\_documents

### Codebook (National)

---

title Codebook (National)  
filename 2016BTH\_Public\_Use\_Codebook.pdf

---

### Codebook (Urban)

---

title Codebook (Urban)  
filename 2016BTAH\_Public\_Use\_Codebook.pdf

---

### Codebook (Rural)

---

title Codebook (Rural)  
filename 2016BTBH\_Public\_Use\_Codebook.pdf

---