

STEPwise Approach to Non-Communicable Diseases Risk Factor Surveillance 2017

Ministry of Health and Population

report_generated_on: November 9, 2023

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER

CAF_2017_STEPS_v01_M

TITLE

STEPwise Approach to Non-Communicable Diseases Risk Factor Surveillance 2017

SUBTITLE

Bangui and Ombella M'Poko

COUNTRY

| Name | Country code |
|--------------------------|--------------|
| Central African Republic | CAF |

STUDY TYPE

Other Household Survey [hh/oth]

SERIES INFORMATION

This is the second STEPS conducted by Central African Republic.

ABSTRACT

STEPS is a household-based survey to obtain core data on the established risk factors that determine the major burden of NCDs.

KIND OF DATA

Sample survey data [ssd]

UNIT OF ANALYSIS

Individuals

Version

VERSION DESCRIPTION

Public-use dataset

Scope

NOTES

The following topics were included in the survey: tobacco use, alcohol consumption, diet, physical activity, history of raised blood glucose and history of raised blood pressure. Additionally, the following measures were taken: blood pressure, height, weight, waist circumference, hip circumference, heart rate, fasting blood glucose and total cholesterol.

TOPICS

| Topic | Vocabulary |
|-------|------------|
| STEPS | Survey |

KEYWORDS

| Keyword |
|--------------------------|
| noncommunicable diseases |
| risk factors |
| health surveys |

| |
|-------------------|
| tobacco use |
| alcohol use |
| diet |
| nutrition |
| physical activity |
| blood pressure |
| overweight |
| obesity |
| diabetes |
| hypertension |
| blood glucose |
| cholesterol |

Coverage

GEOGRAPHIC COVERAGE

Subnational coverage: Bangui and Ombella M'Poko.

UNIVERSE

Adults aged 15-64 years.

Producers and sponsors

PRIMARY INVESTIGATORS

| Name |
|-----------------------------------|
| Ministry of Health and Population |

Sampling

SAMPLING PROCEDURE

A multi-stage cluster sampling design was used to produce representative data. Only one participant was selected per selected household.

RESPONSE RATE

The overall response rate was 70%.

WEIGHTING

Analysis weights reflect adjustments for differences in the age-sex composition of the sample population as compared to the target population.

Different weight variables are available per Step:

wStep1 - for interview data

wStep2 - for physical measures

wStep3 - for biochemical measures

This allows for differences in the weight calculation for each Step of the survey as the age-sex composition of the respondents to each Step can differ slightly due to refusal or drop out. Additionally, some countries perform subsampling for Step 2 and/or Step 3. When no subsampling is done and response rates do not differ across Steps of the survey, the 3 weight variables will be the same.

data_collection

DATES OF DATA COLLECTION

| Start | End |
|---------|---------|
| 2017-03 | 2017-06 |

DATA COLLECTION MODE

Face-to-face [f2f]

Access policy

CONTACTS

| Name | Affiliation | Email | URL |
|-----------------------|---------------------------|-----------------------|----------------------|
| NCD Surveillance Team | World Health Organization | ncdmonitoring@who.int | Link |

ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on STEPS data should cite the survey report (if available) and acknowledge the data source in the following manner:

"This paper uses data from the [country] [year] STEPS survey, implemented by [implementing agency] with the support of the World Health Organization."

ACCESS AUTHORITY

| Name | Affiliation | Email | URL |
|-----------------------|---------------------------|-----------------------|----------------------|
| NCD Surveillance Team | World Health Organization | ncdmonitoring@who.int | Link |

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_CAF_2017_STEPS_v01_M

PRODUCERS

| Name | Abbreviation | Affiliation | Role |
|---------------|--------------|---------------------------|---|
| Yue Wu | | World Health Organization | Documentation of data |
| Melanie Cowan | | World Health Organization | Supervision and review of metadata and documentation of study |

| | | | |
|-------------------------------------|-------|----------------|--|
| Development Economics Data Group | DECDG | The World Bank | Metadata adapted for World Bank Microdata Library |
|-------------------------------------|-------|----------------|--|

DATE OF METADATA PRODUCTION

2020-04-04

DDI DOCUMENT VERSION

Identical to a metadata (CAF_2017_STEPS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

| Data file | Cases | variables |
|--|--------------|------------------|
| caf2017 Subnational public-use dataset | 3301 | 137 |

Data file: caf2017

Subnational public-use dataset

Cases: 3301

variables: 137

variables

| ID | Name | Label | Question |
|------|----------|---|----------|
| V139 | pid | participant ID - unique record ID | |
| V140 | i1 | code ID du grappe/arrondissement /sous prÃ©fectures | |
| V141 | i2 | nom du grappe centre/auartier/village | |
| V142 | i4 | date of interview | |
| V143 | i6 | interview language | |
| V144 | i7 | time of interview | |
| V145 | agerange | ageranges for which survey was designed | |
| V146 | sex | sex | |
| V147 | c4 | yrs of education | |
| V148 | c5 | highest level of education | |
| V149 | c6 | ethnic group | |
| V150 | c7 | marital status | |
| V151 | c8 | work status | |
| V152 | c9 | adults older than 18yrs in household | |
| V153 | c10a | average earnings of household per week | |
| V154 | c10b | average earnings of household per month | |
| V155 | c10c | average earnings of household per year | |
| V156 | t1 | current smoking | |
| V157 | t2 | current daily smoking | |
| V158 | t3 | age started smoking | |
| V159 | t4a | time since started smoking (years) | |
| V160 | t4b | time since started smoking (months) | |
| V161 | t4c | time since started smoking (weeks) | |
| V162 | t5a | manufactured cigs smoked per day | |
| V163 | t5b | hand-rolled cigs smoked per day | |
| V164 | t5c | pipes smoked per day | |
| V165 | t5d | cigars smoked per day | |
| V166 | t5e | other smoked per day | |
| V167 | t5other | specify other product smoked | |
| V168 | t6 | past daily smoking | |
| V169 | t7 | age quit smoking | |
| V170 | t8a | time since quitting smoking (years) | |
| V171 | t8b | time since quitting smoking (months) | |
| V172 | t8c | time since quitting smoking (weeks) | |
| V173 | t9 | current smokeless tobacco use | |
| V174 | t10 | current daily smokeless tobacco use | |
| V175 | t11a | Snuff, by mouth times per day | |

| ID | Name | Label | Question |
|------|----------|--|----------|
| V176 | t11b | Snuff, by nose times per day | |
| V177 | t11c | Chewing tobacco times per day | |
| V178 | t11d | Betel, quid times per day | |
| V179 | t11e | other smokeless product per day | |
| V180 | t11other | specify other smokeless product per day | |
| V181 | t12 | past daily smokeless use | |
| V182 | t13 | exposed to smoke in home | |
| V183 | t14 | exposed to smoke at work | |
| V184 | a1a | ever drank alcohol | |
| V185 | a1b | drank alcohol in past 12 mos | |
| V186 | a2 | freq drinking in past 12 mos | |
| V187 | a3 | drank alcohol in past 30 days | |
| V188 | a4 | number drinking occasions past 30 days | |
| V189 | a5 | average number drinks per occasion past 30 days | |
| V190 | a6 | largest number drinks past 30 days | |
| V191 | a7 | times drank 5+(men)/4+(women) drinks in single occasion past 30 days | |
| V192 | a8 | drinking with meals in past 30 days | |
| V193 | a9a | number of drinks consumed last Monday | |
| V194 | a9b | number of drinks consumed last Tuesday | |
| V195 | a9c | number of drinks consumed last Wednesday | |
| V196 | a9d | number of drinks consumed last Thursday | |
| V197 | a9e | number of drinks consumed last Friday | |
| V198 | a9f | number of drinks consumed last Saturday | |
| V199 | a9g | number of drinks consumed last Sunday | |
| V200 | d1 | days fruit eaten per week | |
| V201 | d2 | servings fruit eaten per day | |
| V202 | d3 | days veg eaten per week | |
| V203 | d4 | servings veg eaten per day | |
| V204 | d5 | oil used most often | |
| V205 | d5other | other type of oil most often used | |
| V206 | d6 | meals eaten per week prepared outside home | |
| V207 | p1 | vig activity at work | |
| V208 | p2 | vig activity at work: days per week | |
| V209 | p3a | vig activity at work: hours per day | |
| V210 | p3b | vig activity at work: mins per day | |
| V211 | p4 | mod activity at work | |
| V212 | p5 | mod activity at work: days per week | |
| V213 | p6a | mod activity at work: hours per day | |
| V214 | p6b | mod activity at work: mins per day | |
| V215 | p7 | active transport | |
| V216 | p8 | active transport: days per week | |
| V217 | p9a | active transport: hours per day | |
| V218 | p9b | active transport: mins per day | |
| V219 | p10 | vig leisure activity | |
| V220 | p11 | vig leisure activity: days per week | |

| ID | Name | Label | Question |
|------|------|--|----------|
| V221 | p12a | vig leisure activity: hours per day | |
| V222 | p12b | vig leisure activity: mins per day | |
| V223 | p13 | mod leisure activity | |
| V224 | p14 | mod leisure activity: days per week | |
| V225 | p15a | mod leisure activity: hours per day | |
| V226 | p15b | mod leisure activity: mins per day | |
| V227 | p16a | sedentary time: hours per day | |
| V228 | p16b | sedentary time: mins per day | |
| V229 | h1 | BP ever measured | |
| V230 | h2a | ever told had high BP | |
| V231 | h2b | told had high BP in past 12 mos | |
| V232 | h3a | currently receiving for high BP: drugs | |
| V233 | h3b | currently receiving for high BP: advice to reduce salt intake | |
| V234 | h3c | currently receiving for high BP: advice/treatment to lose weight | |
| V235 | h3d | currently receiving for high BP: advice/treatment to stop smoking | |
| V236 | h3e | currently receiving for high BP: advice/treatment to exercise more | |
| V237 | h4 | ever seen trad'l healer for high BP | |
| V238 | h5 | taking trad'l meds for high BP | |
| V239 | h6 | ever had gluc measured | |
| V240 | h7a | ever told had high gluc | |
| V241 | h7b | told had high gluc in past 12 mos | |
| V242 | h8a | currently receiving for high gluc: insulin | |
| V243 | h8b | currently receiving for high gluc: drugs | |
| V244 | h8c | currently receiving for high gluc: special diet | |
| V245 | h8d | currently receiving for high gluc: advice/treatment to lose weight | |
| V246 | h8e | currently receiving for high gluc: advice/treatment to stop smoking | |
| V247 | h8f | currently receiving for high gluc: advice/treatment to exercise more | |
| V248 | h9 | seen trad'l healer for high gluc in past 12 mos | |
| V249 | h10 | taking trad'l meds for high gluc | |
| V250 | m3 | height (cm) | |
| V251 | m4 | weight (kg) | |
| V252 | m5 | pregnant | |
| V253 | m7 | waist circumference (cm) | |
| V254 | m10 | cuff size | |
| V255 | m11a | BP reading 1: systolic | |
| V256 | m11b | BP reading 1: diastolic | |
| V257 | m12a | BP reading 2: systolic | |
| V258 | m12b | BP reading 2: diastolic | |
| V259 | m13a | BP reading 3: systolic | |
| V260 | m13b | BP reading 3: diastolic | |
| V261 | m14 | took raised BP meds in past 2 weeks | |
| V262 | m15 | hip circumference (cm) | |
| V263 | m16a | heart rate reading 1 (beats per minute) | |
| V264 | m16b | heart rate reading 2 (beats per minute) | |
| V265 | m16c | heart rate reading 3 (beats per minute) | |

| ID | Name | Label | Question |
|------|---------|---|----------|
| V266 | b1 | ate/drank in past 12 hours (fasting status) | |
| V267 | b5 | fasting blood glucose (mg/dl) | |
| V268 | b6 | took insulin today | |
| V269 | b8 | total cholesterol (mg/dl) | |
| V270 | b9 | chol meds taken in past 2 weeks | |
| V271 | psu | psu | |
| V272 | stratum | stratum | |
| V273 | wstep1 | final analysis weight for step 1 (interview) - pop adjusted only | |
| V274 | wstep2 | final analysis weight for step 2 (physical measures) - pop adjusted only | |
| V275 | wstep3 | final analysis weight for step 3 (biochemical measures) - pop adjusted only | |

total: 137

PID: participant ID - unique record ID**Data file: caf2017****Overview**

Valid: 3285 Invalid: 16 Minimum: 1004 Maximum: 28032017 Mean: 1388413.356 Standard deviation: 767615.191

Type: Continuous Decimal: 0 Width: 10 Range: 1004 - 28032017 Format: Numeric

I1: code ID du grappe/arrondissement /sous prÃ©fectures**Data file: caf2017****Overview**

Valid: 3301 Invalid: 0

Type: Discrete Width: 16 Range: - Format: character

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|------------------|----------|-------|-------|
| 1 Arrondissement | | 57 | 1.7% |
| 2 Arrondissement | | 325 | 9.8% |
| 3 Arrondissement | | 74 | 2.2% |
| 4 Arrondissement | | 442 | 13.4% |
| 5 Arrondissement | | 237 | 7.2% |
| 6 Arrondissement | | 174 | 5.3% |
| 8 Arrondissement | | 387 | 11.7% |
| Bimbo | | 1171 | 35.5% |
| Boali | | 157 | 4.8% |
| Bogangolo | | 32 | 1% |
| Bossebele | | 3 | 0.1% |
| Damara | | 122 | 3.7% |
| YalokÃ© | | 120 | 3.6% |

I2: nom du grappe centre/auartier/village**Data file: caf2017****Overview**

Valid: 3301 Invalid: 0

Type: Discrete Width: 20 Range: - Format: character

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------------------|----------|-------|------|
| 002010990 | | 1 | 0% |
| Ambassana | | 148 | 4.5% |
| Arabe 2 | | 61 | 1.8% |
| BARLATA | | 1 | 0% |
| BATALIMO | | 75 | 2.3% |
| BAYONNE | | 1 | 0% |
| BIBALE | | 1 | 0% |
| Bacongo | | 20 | 0.6% |
| Boali Centre | | 2 | 0.1% |
| Bogangolo Centre | | 32 | 1% |
| Bosewi | | 98 | 3% |
| Bossekara | | 155 | 4.7% |
| Bouboui | | 4 | 0.1% |
| Bouboui 1 | | 9 | 0.3% |
| Bruxelle Gremboutou | | 79 | 2.4% |
| BÃ©goua | | 13 | 0.4% |
| CAMEROUNAIS | | 1 | 0% |
| CAMEROUNAIS DOUALA | | 1 | 0% |
| Camp Total | | 3 | 0.1% |
| Centre Ville | | 57 | 1.7% |
| Cite Jean 23 | | 73 | 2.2% |
| DEMBIA | | 1 | 0% |
| DENLUIYA 1 | | 1 | 0% |
| Damala Centre | | 34 | 1% |
| Dedengue 3 | | 42 | 1.3% |
| Ed Ville | | 89 | 2.7% |
| FIENDO | | 1 | 0% |
| FOULBE | | 1 | 0% |
| Fatima Magale | | 22 | 0.7% |
| GBAYA DOMBIA | | 44 | 1.3% |
| GIBALET | | 1 | 0% |
| Galabadja 2 | | 70 | 2.1% |
| Galabadja 3 | | 122 | 3.7% |
| Galabadja 4 | | 3 | 0.1% |
| Galabadja-Sinistre | | 55 | 1.7% |

| | | |
|----------------------|-----|-------|
| Gbanikola 1 | 69 | 2.1% |
| Gobongo 1 | 114 | 3.5% |
| Gobongo 3 | 48 | 1.5% |
| Guerengou | 15 | 0.5% |
| Guitangola | 6 | 0.2% |
| Guitangola 2 | 91 | 2.8% |
| Guitangola 3 | 119 | 3.6% |
| GuÃ©zeli | 22 | 0.7% |
| KAIMBA | 2 | 0.1% |
| KEPETENE 2 | 1 | 0% |
| KEPETENE 5 | 1 | 0% |
| KOKORO 1 | 5 | 0.2% |
| KOKORO 1 BIS | 45 | 1.4% |
| KOKORO 2 | 4 | 0.1% |
| KOKORO 3 | 41 | 1.2% |
| KOKORO BIS | 29 | 0.9% |
| KOKORO4 | 3 | 0.1% |
| KONGBO LAPOT | 1 | 0% |
| KPETENE 5 | 31 | 0.9% |
| Kaimba | 28 | 0.8% |
| Kokoro 1 | 340 | 10.3% |
| Kokoro 3 | 2 | 0.1% |
| Koula Mandja | 18 | 0.5% |
| Kpetene 2 | 61 | 1.8% |
| Kpetene 3 | 7 | 0.2% |
| Kpetene 5 | 20 | 0.6% |
| Lakouanga 1 | 26 | 0.8% |
| Lakouanga 5 | 40 | 1.2% |
| Lakouanga senegalais | 48 | 1.5% |
| Lando | 42 | 1.3% |
| Linguissa 2 | 38 | 1.2% |
| Lipia 1 | 48 | 1.5% |
| Lipia 2 | 31 | 0.9% |
| Lipia 3 | 58 | 1.8% |
| MADJA OTTO | 42 | 1.3% |
| MODOUA | 70 | 2.1% |
| MOSQUE CENTRALE | 1 | 0% |
| MOUSSA BAWA | 1 | 0% |
| Ngola 1 | 42 | 1.3% |

| | | | |
|-----------|--|----|------|
| Ngola 2 | | 76 | 2.3% |
| PLATEAU | | 1 | 0% |
| RAMADJI | | 1 | 0% |
| SANBO | | 1 | 0% |
| Sangba | | 11 | 0.3% |
| Sapeke 1 | | 27 | 0.8% |
| Sica 3 | | 54 | 1.6% |
| Tagoro | | 46 | 1.4% |
| Votongbo | | 84 | 2.5% |
| YABASSA | | 1 | 0% |
| YALOWA | | 6 | 0.2% |
| YELIMA | | 1 | 0% |
| Yapele 1 | | 57 | 1.7% |
| kina | | 1 | 0% |
| kokoro | | 1 | 0% |
| kpetene 5 | | 2 | 0.1% |

I4: date of interview

Data file: caf2017

Overview

Valid: 3299 Minimum: 2017-03-02 Maximum: 2017-10-09
 Type: Discrete Width: 11 Range: - Format: character

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|------------|----------|-------|------|
| 2017-03-02 | | 1 | 0% |
| 2017-03-03 | | 9 | 0.3% |
| 2017-03-09 | | 2 | 0.1% |
| 2017-03-11 | | 26 | 0.8% |
| 2017-03-12 | | 42 | 1.3% |
| 2017-03-13 | | 37 | 1.1% |
| 2017-03-14 | | 54 | 1.6% |
| 2017-03-15 | | 31 | 0.9% |
| 2017-03-16 | | 56 | 1.7% |
| 2017-03-17 | | 63 | 1.9% |
| 2017-03-18 | | 85 | 2.6% |

| | | | |
|------------|--|-----|------|
| 2017-03-20 | | 5 | 0.2% |
| 2017-03-21 | | 24 | 0.7% |
| 2017-03-22 | | 80 | 2.4% |
| 2017-03-24 | | 42 | 1.3% |
| 2017-03-25 | | 27 | 0.8% |
| 2017-03-26 | | 1 | 0% |
| 2017-03-27 | | 32 | 1% |
| 2017-03-28 | | 62 | 1.9% |
| 2017-03-30 | | 87 | 2.6% |
| 2017-04-02 | | 1 | 0% |
| 2017-04-03 | | 1 | 0% |
| 2017-04-07 | | 1 | 0% |
| 2017-04-08 | | 126 | 3.8% |
| 2017-04-09 | | 139 | 4.2% |
| 2017-04-10 | | 54 | 1.6% |
| 2017-04-11 | | 142 | 4.3% |
| 2017-04-12 | | 125 | 3.8% |
| 2017-04-13 | | 1 | 0% |
| 2017-04-14 | | 85 | 2.6% |
| 2017-04-15 | | 1 | 0% |
| 2017-04-18 | | 84 | 2.5% |
| 2017-04-19 | | 38 | 1.2% |
| 2017-04-24 | | 1 | 0% |
| 2017-04-25 | | 115 | 3.5% |
| 2017-04-26 | | 175 | 5.3% |
| 2017-04-27 | | 196 | 5.9% |
| 2017-04-28 | | 111 | 3.4% |
| 2017-04-29 | | 69 | 2.1% |
| 2017-05-02 | | 185 | 5.6% |
| 2017-05-03 | | 143 | 4.3% |
| 2017-05-08 | | 1 | 0% |
| 2017-05-09 | | 91 | 2.8% |
| 2017-05-10 | | 35 | 1.1% |
| 2017-05-11 | | 15 | 0.5% |
| 2017-05-12 | | 15 | 0.5% |
| 2017-05-15 | | 1 | 0% |
| 2017-05-16 | | 59 | 1.8% |
| 2017-05-17 | | 77 | 2.3% |
| 2017-05-18 | | 33 | 1% |

| | | | |
|------------|--|----|------|
| 2017-05-19 | | 74 | 2.2% |
| 2017-06-02 | | 4 | 0.1% |
| 2017-06-03 | | 88 | 2.7% |
| 2017-06-05 | | 28 | 0.8% |
| 2017-06-07 | | 57 | 1.7% |
| 2017-06-08 | | 88 | 2.7% |
| 2017-06-18 | | 1 | 0% |
| 2017-10-02 | | 1 | 0% |
| 2017-10-08 | | 1 | 0% |
| 2017-10-09 | | 71 | 2.2% |

I6: interview language

Data file: caf2017

Overview

Valid: 3298 Invalid: 0
 Type: Discrete Width: 9 Range: - Format: character

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|----------|----------|-------|-------|
| Autre | | 1 | 0% |
| Français | | 1 | 0% |
| Sangho | | 3296 | 99.9% |

I7: time of interview

Data file: caf2017

Overview

Valid: 2828 Minimum: 1900-01-01 Maximum: 1900-01-01
 Type: Discrete Width: 11 Range: - Format: character

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|------------|----------|-------|------|
| 1900-01-01 | | 2828 | 100% |

AGERANGE: ageranges for which survey was designed**Data file: caf2017****Overview**

Valid: 3301 Invalid: 0
 Type: Discrete Width: 5 Range: - Format: character

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 25-34 | | 866 | 26.2% |
| 35-44 | | 702 | 21.3% |
| 45-54 | | 779 | 23.6% |
| 55-64 | | 954 | 28.9% |

SEX: sex**Data file: caf2017****Overview**

Valid: 3301 Invalid: 0
 Type: Discrete Width: 5 Range: - Format: character

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| Men | | 1209 | 36.6% |
| Women | | 2092 | 63.4% |

C4: yrs of education**Data file: caf2017****Overview**

Valid: 3271 Invalid: 30 Minimum: 0 Maximum: 33 Mean: 6.732 Standard deviation: 4.841
 Type: Continuous Decimal: 0 Width: 10 Range: 0 - 33 Format: Numeric

C5: highest level of education**Data file: caf2017**

Overview

Valid: 3295 Invalid: 6
 Type: Discrete Decimal: 0 Width: 34 Range: 1 - 88 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|-----------------------------------|-------|-------|
| 1 | Aucune instruction officielle | 500 | 15.2% |
| 2 | Moins que l'École primaire | 493 | 15% |
| 3 | Fin de l'École primaire | 829 | 25.2% |
| 4 | Fin de l'École secondaire | 829 | 25.2% |
| 5 | Fin du lycée ou Équivalent | 276 | 8.4% |
| 6 | Ecole supérieure, Université | 218 | 6.6% |
| 7 | Diplôme post-universitaire obtenu | 63 | 1.9% |
| 88 | Refus | 87 | 2.6% |
| Sysmiss | | 6 | |

C6: ethnic group

Data file: caf2017

Overview

Valid: 3298 Invalid: 3
 Type: Discrete Decimal: 0 Width: 27 Range: 1 - 88 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|-------|-----------------------------|-------|-------|
| 1 | Gbaya | 755 | 22.9% |
| 2 | Banda | 362 | 11% |
| 3 | Mandia | 471 | 14.3% |
| 4 | Ngbaka Bantou | 390 | 11.8% |
| 5 | groupe Sarah | 234 | 7.1% |
| 6 | Groupe Arabe Peuhl | 265 | 8% |
| 7 | Mboum | 285 | 8.6% |
| 8 | Ngbandji | 182 | 5.5% |
| 9 | Zandé-Nzakara | 35 | 1.1% |
| 10 | Autres ethnies locales | 270 | 8.2% |
| 11 | Ethnies non centrafricaines | 12 | 0.4% |

| | | | |
|---------|--------|----|------|
| 88 | Refuse | 37 | 1.1% |
| Sysmiss | | 3 | |

C7: marital status

Data file: caf2017

Overview

Valid: 3290 Invalid: 11

Type: Discrete Decimal: 0 Width: 16 Range: 1 - 88 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Jamais mari  (e) | 445 | 13.5% |
| 2 | Mari  (e) | 317 | 9.6% |
| 3 | S  par  (e) | 217 | 6.6% |
| 4 | Divorc  (e) | 35 | 1.1% |
| 5 | Veuf(ve) | 548 | 16.7% |
| 6 | Cohabitation | 1654 | 50.3% |
| 88 | Refus   | 74 | 2.2% |
| Sysmiss | | 11 | |

C8: work status

Data file: caf2017

Overview

Valid: 3298 Invalid: 3

Type: Discrete Decimal: 0 Width: 26 Range: 1 - 88 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|-------|----------------------------|-------|-------|
| 1 | Employ  (e) de l'Etat | 234 | 7.1% |
| 2 | Employ  (e) dans le priv   | 461 | 14% |
| 3 | Commer  ant | 961 | 29.1% |
| 4 | Cultivateur | 857 | 26% |
| 5 |   tudiant(e) | 135 | 4.1% |
| 6 | Femme au foyer | 211 | 6.4% |

| | | | |
|---------|--------------|-----|------|
| 7 | RetraitÃ©(e) | 122 | 3.7% |
| 8 | ChÃ©meur(se) | 144 | 4.4% |
| 9 | Invalide | 118 | 3.6% |
| 88 | RefusÃ© | 55 | 1.7% |
| Sysmiss | | 3 | |

C9: adults older than 18yrs in household

Data file: caf2017

Overview

Valid: 3298 Invalid: 3 Minimum: 0 Maximum: 56 Mean: 3.29 Standard deviation: 2.732
Type: Continuous Decimal: 0 Width: 10 Range: 0 - 56 Format: Numeric

C10A: average earnings of household per week

Data file: caf2017

Overview

Valid: 3223 Invalid: 78 Minimum: 0 Maximum: 1400000 Mean: 23508.418 Standard deviation: 46032.712
Type: Continuous Decimal: 0 Width: 10 Range: 0 - 1400000 Format: Numeric

C10B: average earnings of household per month

Data file: caf2017

Overview

Valid: 70 Invalid: 3231 Minimum: 0 Maximum: 250000 Mean: 62242.857 Standard deviation: 50056.326
Type: Continuous Decimal: 0 Width: 10 Range: 0 - 250000 Format: Numeric

C10C: average earnings of household per year

Data file: caf2017

Overview

Valid: 6 Invalid: 3295 Minimum: 0 Maximum: 320000 Mean: 106669.667 Standard deviation: 165244.966
Type: Continuous Decimal: 0 Width: 10 Range: 0 - 320000 Format: Numeric

T1: current smoking

Data file: caf2017

Overview

Valid: 3298 Invalid: 3
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 201 | 6.1% |
| 2 | No | 3097 | 93.9% |
| Sysmiss | | 3 | |

T2: current daily smoking

Data file: caf2017

Overview

Valid: 211 Invalid: 3090

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 191 | 90.5% |
| 2 | No | 20 | 9.5% |
| Sysmiss | | 3090 | |

T3: age started smoking

Data file: caf2017

Overview

Valid: 189 Invalid: 3112 Minimum: 3 Maximum: 96 Mean: 24.032 Standard deviation: 11.464

Type: Continuous Decimal: 0 Width: 10 Range: 3 - 96 Format: Numeric

T4A: time since started smoking (years)

Data file: caf2017

Overview

Valid: 183 Invalid: 3118

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 77 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|------|
| 1 | | 6 | 3.3% |
| 2 | | 10 | 5.5% |
| 3 | | 4 | 2.2% |
| 4 | | 5 | 2.7% |
| 5 | | 4 | 2.2% |
| 6 | | 9 | 4.9% |
| 7 | | 4 | 2.2% |
| 8 | | 2 | 1.1% |
| 9 | | 3 | 1.6% |
| 10 | | 13 | 7.1% |
| 11 | | 4 | 2.2% |
| 12 | | 7 | 3.8% |
| 13 | | 2 | 1.1% |
| 14 | | 4 | 2.2% |
| 15 | | 9 | 4.9% |
| 16 | | 6 | 3.3% |
| 17 | | 8 | 4.4% |
| 18 | | 3 | 1.6% |
| 19 | | 3 | 1.6% |
| 20 | | 15 | 8.2% |
| 21 | | 1 | 0.5% |
| 22 | | 5 | 2.7% |
| 24 | | 4 | 2.2% |
| 25 | | 8 | 4.4% |
| 26 | | 2 | 1.1% |
| 27 | | 1 | 0.5% |
| 28 | | 2 | 1.1% |
| 30 | | 7 | 3.8% |
| 32 | | 1 | 0.5% |
| 33 | | 4 | 2.2% |
| 34 | | 4 | 2.2% |
| 35 | | 1 | 0.5% |
| 36 | | 1 | 0.5% |
| 37 | | 2 | 1.1% |
| 39 | | 3 | 1.6% |
| 40 | | 4 | 2.2% |
| 41 | | 2 | 1.1% |
| 42 | | 2 | 1.1% |

| | | | |
|---------|------------|------|------|
| 44 | | 2 | 1.1% |
| 46 | | 1 | 0.5% |
| 48 | | 1 | 0.5% |
| 50 | | 1 | 0.5% |
| 62 | | 2 | 1.1% |
| 77 | Don't know | 1 | 0.5% |
| Sysmiss | | 3118 | |

T4B: time since started smoking (months)

Data file: caf2017

Overview

Valid: 8 Invalid: 3293 Minimum: 8 Maximum: 620 Mean: 239.75 Standard deviation: 192.637
 Type: Continuous Decimal: 0 Width: 10 Range: 8 - 620 Format: Numeric

T4C: time since started smoking (weeks)

Data file: caf2017

Overview

Valid: 10 Invalid: 3291 Minimum: 1 Maximum: 181 Mean: 52.4 Standard deviation: 62.514
 Type: Continuous Decimal: 0 Width: 10 Range: 1 - 181 Format: Numeric

T5A: manufactured cigs smoked per day

Data file: caf2017

Overview

Valid: 160 Invalid: 3141 Minimum: 1 Maximum: 41 Mean: 7.694 Standard deviation: 6.087
 Type: Continuous Decimal: 0 Width: 10 Range: 1 - 41 Format: Numeric

T5B: hand-rolled cigs smoked per day

Data file: caf2017

Overview

Valid: 8 Invalid: 3293
 Type: Discrete Decimal: 0 Width: 10 Range: 0 - 15 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases |
|-------|----------|-------|
|-------|----------|-------|

| | | | |
|---------|--|------|-------|
| 0 | | 1 | 12.5% |
| 1 | | 3 | 37.5% |
| 4 | | 2 | 25% |
| 10 | | 1 | 12.5% |
| 15 | | 1 | 12.5% |
| Sysmiss | | 3293 | |

T5C: pipes smoked per day

Data file: caf2017

Overview

Valid: 3 Invalid: 3298

Type: Discrete Decimal: 0 Width: 10 Range: 0 - 20 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 0 | | 1 | 33.3% |
| 1 | | 1 | 33.3% |
| 20 | | 1 | 33.3% |
| Sysmiss | | 3298 | |

T5D: cigars smoked per day

Data file: caf2017

Overview

Valid: 1 Invalid: 3300

Type: Discrete Decimal: 0 Width: 10 Range: 0 - 0 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|------|
| 0 | | 1 | 100% |
| Sysmiss | | 3300 | |

T5E: other smoked per day

Data file: caf2017

Overview

Valid: 4 Invalid: 3297

Type: Discrete Decimal: 0 Width: 10 Range: 0 - 3 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 0 | | 1 | 25% |
| 1 | | 2 | 50% |
| 3 | | 1 | 25% |
| Sysmiss | | 3297 | |

T5OTHER: specify other product smoked

Data file: caf2017

Overview

Valid: 0 Invalid: 3301

Type: Discrete Decimal: 0 Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category |
|---------|----------|
| Sysmiss | |

T6: past daily smoking

Data file: caf2017

Overview

Valid: 3212 Invalid: 89

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 71 | 2.2% |
| 2 | No | 3141 | 97.8% |
| Sysmiss | | 89 | |

T7: age quit smoking**Data file: caf2017****Overview**

Valid: 62 Invalid: 3239

Type: Discrete Decimal: 0 Width: 10 Range: 13 - 77 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 13 | | 1 | 1.6% |
| 17 | | 1 | 1.6% |
| 18 | | 1 | 1.6% |
| 20 | | 3 | 4.8% |
| 21 | | 1 | 1.6% |
| 22 | | 1 | 1.6% |
| 23 | | 1 | 1.6% |
| 24 | | 2 | 3.2% |
| 25 | | 8 | 12.9% |
| 27 | | 1 | 1.6% |
| 29 | | 2 | 3.2% |
| 30 | | 4 | 6.5% |
| 31 | | 2 | 3.2% |
| 32 | | 2 | 3.2% |
| 35 | | 3 | 4.8% |
| 37 | | 2 | 3.2% |
| 38 | | 1 | 1.6% |
| 39 | | 1 | 1.6% |
| 40 | | 5 | 8.1% |
| 41 | | 2 | 3.2% |
| 42 | | 2 | 3.2% |
| 43 | | 2 | 3.2% |
| 44 | | 2 | 3.2% |
| 46 | | 1 | 1.6% |
| 47 | | 1 | 1.6% |
| 50 | | 3 | 4.8% |
| 51 | | 2 | 3.2% |
| 52 | | 1 | 1.6% |

| | | | |
|---------|------------|------|------|
| 53 | | 1 | 1.6% |
| 55 | | 1 | 1.6% |
| 62 | | 1 | 1.6% |
| 77 | Don't know | 1 | 1.6% |
| Sysmiss | | 3239 | |

T8A: time since quitting smoking (years)

Data file: caf2017

Overview

Valid: 63 Invalid: 3238

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 77 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | | 9 | 14.3% |
| 2 | | 3 | 4.8% |
| 3 | | 5 | 7.9% |
| 4 | | 2 | 3.2% |
| 5 | | 5 | 7.9% |
| 6 | | 1 | 1.6% |
| 7 | | 2 | 3.2% |
| 10 | | 7 | 11.1% |
| 11 | | 1 | 1.6% |
| 12 | | 1 | 1.6% |
| 13 | | 1 | 1.6% |
| 14 | | 1 | 1.6% |
| 15 | | 3 | 4.8% |
| 16 | | 3 | 4.8% |
| 17 | | 2 | 3.2% |
| 18 | | 1 | 1.6% |
| 19 | | 2 | 3.2% |
| 20 | | 5 | 7.9% |
| 22 | | 1 | 1.6% |
| 23 | | 2 | 3.2% |
| 27 | | 2 | 3.2% |
| 30 | | 1 | 1.6% |

| | | | |
|---------|------------|------|------|
| 33 | | 1 | 1.6% |
| 35 | | 1 | 1.6% |
| 77 | Don't know | 1 | 1.6% |
| Sysmiss | | 3238 | |

T8B: time since quitting smoking (months)

Data file: caf2017

Overview

Valid: 1 Invalid: 3300

Type: Discrete Decimal: 0 Width: 10 Range: 5 - 5 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|------|
| 5 | | 1 | 100% |
| Sysmiss | | 3300 | |

T8C: time since quitting smoking (weeks)

Data file: caf2017

Overview

Valid: 1 Invalid: 3300

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 1 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|------|
| 1 | | 1 | 100% |
| Sysmiss | | 3300 | |

T9: current smokeless tobacco use

Data file: caf2017

Overview

Valid: 3298 Invalid: 3

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 434 | 13.2% |
| 2 | No | 2864 | 86.8% |
| Sysmiss | | 3 | |

T10: current daily smokeless tobacco use

Data file: caf2017

Overview

Valid: 430 Invalid: 2871

Type: Discrete Decimal: 0 Width: 10 Range: 0 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 0 | | 21 | 4.9% |
| 1 | Yes | 409 | 95.1% |
| 2 | No | 0 | 0% |
| Sysmiss | | 2871 | |

T11A: Snuff, by mouth times per day

Data file: caf2017

Overview

Valid: 11 Invalid: 3290

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 10 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | | 3 | 27.3% |
| 2 | | 2 | 18.2% |
| 3 | | 1 | 9.1% |
| 4 | | 1 | 9.1% |
| 5 | | 1 | 9.1% |

| | | | |
|---------|--|------|-------|
| 6 | | 1 | 9.1% |
| 10 | | 2 | 18.2% |
| Sysmiss | | 3290 | |

T11B: Snuff, by nose times per day

Data file: caf2017

Overview

Valid: 414 Invalid: 2887

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 77 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|------------|-------|-------|
| 1 | | 173 | 41.8% |
| 2 | | 72 | 17.4% |
| 3 | | 45 | 10.9% |
| 4 | | 23 | 5.6% |
| 5 | | 34 | 8.2% |
| 6 | | 16 | 3.9% |
| 7 | | 17 | 4.1% |
| 8 | | 5 | 1.2% |
| 10 | | 17 | 4.1% |
| 12 | | 3 | 0.7% |
| 14 | | 2 | 0.5% |
| 15 | | 5 | 1.2% |
| 20 | | 1 | 0.2% |
| 77 | Don't know | 1 | 0.2% |
| Sysmiss | | 2887 | |

T11C: Chewing tobacco times per day

Data file: caf2017

Overview

Valid: 2 Invalid: 3299

Type: Discrete Decimal: 0 Width: 10 Range: 6 - 7 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 6 | | 1 | 50% |
| 7 | | 1 | 50% |
| Sysmiss | | 3299 | |

T11D: Betel, quid times per day

Data file: caf2017

Overview

Valid: 1 Invalid: 3300

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 1 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|------|
| 1 | | 1 | 100% |
| Sysmiss | | 3300 | |

T11E: other smokeless product per day

Data file: caf2017

Overview

Valid: 0 Invalid: 3301

Type: Discrete Decimal: 0 Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category |
|---------|----------|
| Sysmiss | |

T11OTHER: specify other smokeless product per day

Data file: caf2017

Overview

Valid: 5 Invalid: 0

Type: Discrete Width: 1 Range: - Format: character

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|------|
| n | | 5 | 100% |

T12: past daily smokeless use

Data file: caf2017

Overview

Valid: 3286 Invalid: 15

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 260 | 7.9% |
| 2 | No | 3026 | 92.1% |
| Sysmiss | | 15 | |

T13: exposed to smoke in home

Data file: caf2017

Overview

Valid: 3281 Invalid: 20

Type: Discrete Decimal: 0 Width: 10 Range: 0 - 77 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 0 | | 2136 | 65.1% |
| 1 | | 99 | 3% |
| 2 | | 90 | 2.7% |
| 3 | | 100 | 3% |
| 4 | | 54 | 1.6% |
| 5 | | 102 | 3.1% |
| 6 | | 61 | 1.9% |

| | | | |
|---------|------------|-----|-------|
| 7 | | 626 | 19.1% |
| 10 | | 3 | 0.1% |
| 15 | | 1 | 0% |
| 20 | | 1 | 0% |
| 65 | | 1 | 0% |
| 70 | | 4 | 0.1% |
| 77 | Don't know | 3 | 0.1% |
| Sysmiss | | 20 | |

T14: exposed to smoke at work

Data file: caf2017

Overview

Valid: 3278 Invalid: 23

Type: Discrete Decimal: 0 Width: 41 Range: 0 - 77 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|---|-------|-------|
| 0 | | 2831 | 86.4% |
| 1 | | 66 | 2% |
| 2 | | 28 | 0.9% |
| 3 | | 22 | 0.7% |
| 4 | | 8 | 0.2% |
| 5 | | 31 | 0.9% |
| 6 | | 11 | 0.3% |
| 7 | | 276 | 8.4% |
| 10 | | 2 | 0.1% |
| 20 | | 1 | 0% |
| 77 | Don't know or Don't work in a closed area | 2 | 0.1% |
| Sysmiss | | 23 | |

A1A: ever drank alcohol

Data file: caf2017

Overview

Valid: 3296 Invalid: 5

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 2017 | 61.2% |
| 2 | No | 1279 | 38.8% |
| Sysmiss | | 5 | |

A1B: drank alcohol in past 12 mos

Data file: caf2017

Overview

Valid: 2035 Invalid: 1266

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1721 | 84.6% |
| 2 | No | 314 | 15.4% |
| Sysmiss | | 1266 | |

A2: freq drinking in past 12 mos

Data file: caf2017

Overview

Valid: 1725 Invalid: 1576

Type: Discrete Decimal: 0 Width: 22 Range: 1 - 5 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|------------------------|-------|-------|
| 1 | Daily | 154 | 8.9% |
| 2 | 5-6 days per week | 176 | 10.2% |
| 3 | 1-4 days per week | 564 | 32.7% |
| 4 | 1-3 days per month | 402 | 23.3% |
| 5 | Less than once a month | 429 | 24.9% |
| Sysmiss | | 1576 | |

A3: drank alcohol in past 30 days**Data file: caf2017****Overview**

Valid: 1721 Invalid: 1580

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1449 | 84.2% |
| 2 | No | 272 | 15.8% |
| Sysmiss | | 1580 | |

A4: number drinking occasions past 30 days**Data file: caf2017****Overview**

Valid: 1395 Invalid: 1906

Type: Discrete Decimal: 0 Width: 10 Range: 0 - 90 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 0 | | 98 | 7% |
| 1 | | 361 | 25.9% |
| 2 | | 257 | 18.4% |
| 3 | | 140 | 10% |
| 4 | | 117 | 8.4% |
| 5 | | 50 | 3.6% |
| 6 | | 48 | 3.4% |
| 7 | | 39 | 2.8% |
| 8 | | 51 | 3.7% |
| 9 | | 4 | 0.3% |
| 10 | | 34 | 2.4% |
| 11 | | 2 | 0.1% |
| 12 | | 30 | 2.2% |

| | | | |
|---------|------------|------|------|
| 13 | | 1 | 0.1% |
| 14 | | 6 | 0.4% |
| 15 | | 11 | 0.8% |
| 16 | | 17 | 1.2% |
| 17 | | 2 | 0.1% |
| 20 | | 23 | 1.6% |
| 21 | | 4 | 0.3% |
| 22 | | 1 | 0.1% |
| 24 | | 26 | 1.9% |
| 25 | | 7 | 0.5% |
| 26 | | 3 | 0.2% |
| 27 | | 1 | 0.1% |
| 28 | | 2 | 0.1% |
| 29 | | 1 | 0.1% |
| 30 | | 36 | 2.6% |
| 32 | | 8 | 0.6% |
| 34 | | 1 | 0.1% |
| 35 | | 1 | 0.1% |
| 40 | | 2 | 0.1% |
| 48 | | 2 | 0.1% |
| 56 | | 1 | 0.1% |
| 60 | | 3 | 0.2% |
| 77 | Don't know | 2 | 0.1% |
| 80 | | 1 | 0.1% |
| 84 | | 1 | 0.1% |
| 90 | | 1 | 0.1% |
| Sysmiss | | 1906 | |

A5: average number drinks per occasion past 30 days

Data file: caf2017

Overview

Valid: 1414 Invalid: 1887

Type: Discrete Decimal: 0 Width: 10 Range: 0 - 96 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|--|
|-------|----------|-------|--|

| | | | |
|---------|------------|------|-------|
| 0 | | 42 | 3% |
| 1 | | 73 | 5.2% |
| 2 | | 234 | 16.5% |
| 3 | | 81 | 5.7% |
| 4 | | 287 | 20.3% |
| 5 | | 66 | 4.7% |
| 6 | | 237 | 16.8% |
| 7 | | 18 | 1.3% |
| 8 | | 98 | 6.9% |
| 9 | | 27 | 1.9% |
| 10 | | 55 | 3.9% |
| 11 | | 3 | 0.2% |
| 12 | | 49 | 3.5% |
| 13 | | 1 | 0.1% |
| 14 | | 10 | 0.7% |
| 15 | | 8 | 0.6% |
| 16 | | 17 | 1.2% |
| 17 | | 1 | 0.1% |
| 18 | | 5 | 0.4% |
| 20 | | 16 | 1.1% |
| 21 | | 1 | 0.1% |
| 24 | | 19 | 1.3% |
| 25 | | 1 | 0.1% |
| 30 | | 9 | 0.6% |
| 32 | | 15 | 1.1% |
| 33 | | 1 | 0.1% |
| 44 | | 2 | 0.1% |
| 48 | | 21 | 1.5% |
| 54 | | 1 | 0.1% |
| 60 | | 1 | 0.1% |
| 64 | | 7 | 0.5% |
| 77 | Don't know | 4 | 0.3% |
| 90 | | 2 | 0.1% |
| 96 | | 2 | 0.1% |
| Sysmiss | | 1887 | |

A6: largest number drinks past 30 days

Data file: caf2017

Overview

Valid: 1420 Invalid: 1881

Type: Discrete Decimal: 0 Width: 10 Range: 0 - 90 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 0 | | 88 | 6.2% |
| 1 | | 61 | 4.3% |
| 2 | | 150 | 10.6% |
| 3 | | 61 | 4.3% |
| 4 | | 238 | 16.8% |
| 5 | | 44 | 3.1% |
| 6 | | 233 | 16.4% |
| 7 | | 27 | 1.9% |
| 8 | | 153 | 10.8% |
| 9 | | 25 | 1.8% |
| 10 | | 99 | 7% |
| 11 | | 3 | 0.2% |
| 12 | | 84 | 5.9% |
| 14 | | 24 | 1.7% |
| 15 | | 11 | 0.8% |
| 16 | | 26 | 1.8% |
| 17 | | 1 | 0.1% |
| 18 | | 13 | 0.9% |
| 20 | | 30 | 2.1% |
| 21 | | 3 | 0.2% |
| 22 | | 2 | 0.1% |
| 23 | | 1 | 0.1% |
| 24 | | 12 | 0.8% |
| 25 | | 4 | 0.3% |
| 26 | | 1 | 0.1% |
| 27 | | 1 | 0.1% |
| 28 | | 2 | 0.1% |
| 30 | | 7 | 0.5% |
| 32 | | 1 | 0.1% |
| 34 | | 1 | 0.1% |
| 36 | | 1 | 0.1% |
| 38 | | 1 | 0.1% |

| | | | |
|---------|------------|------|------|
| 46 | | 1 | 0.1% |
| 50 | | 1 | 0.1% |
| 77 | Don't know | 8 | 0.6% |
| 86 | | 1 | 0.1% |
| 90 | | 1 | 0.1% |
| Sysmiss | | 1881 | |

A7: times drank 5+(men)/4+(women) drinks in single occasion past 30 days

Data file: caf2017

Overview

Valid: 1401 Invalid: 1900

Type: Discrete Decimal: 0 Width: 10 Range: 0 - 96 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 0 | | 313 | 22.3% |
| 1 | | 253 | 18.1% |
| 2 | | 143 | 10.2% |
| 3 | | 71 | 5.1% |
| 4 | | 177 | 12.6% |
| 5 | | 91 | 6.5% |
| 6 | | 111 | 7.9% |
| 7 | | 32 | 2.3% |
| 8 | | 31 | 2.2% |
| 9 | | 10 | 0.7% |
| 10 | | 29 | 2.1% |
| 11 | | 1 | 0.1% |
| 12 | | 19 | 1.4% |
| 14 | | 8 | 0.6% |
| 15 | | 3 | 0.2% |
| 16 | | 7 | 0.5% |
| 17 | | 1 | 0.1% |
| 18 | | 2 | 0.1% |
| 20 | | 7 | 0.5% |
| 22 | | 1 | 0.1% |
| 24 | | 20 | 1.4% |

| | | | |
|---------|------------|------|------|
| 25 | | 7 | 0.5% |
| 26 | | 1 | 0.1% |
| 27 | | 1 | 0.1% |
| 30 | | 13 | 0.9% |
| 32 | | 14 | 1% |
| 35 | | 1 | 0.1% |
| 36 | | 2 | 0.1% |
| 40 | | 1 | 0.1% |
| 48 | | 16 | 1.1% |
| 64 | | 6 | 0.4% |
| 77 | Don't know | 4 | 0.3% |
| 80 | | 1 | 0.1% |
| 90 | | 2 | 0.1% |
| 96 | | 2 | 0.1% |
| Sysmiss | | 1900 | |

A8: drinking with meals in past 30 days

Data file: caf2017

Overview

Valid: 1434 Invalid: 1867

Type: Discrete Decimal: 0 Width: 20 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------------------|-------|-------|
| 1 | usually with meals | 345 | 24.1% |
| 2 | sometimes with meals | 452 | 31.5% |
| 3 | rarely with meals | 126 | 8.8% |
| 4 | never with meals | 511 | 35.6% |
| Sysmiss | | 1867 | |

A9A: number of drinks consumed last Monday

Data file: caf2017

Overview

Valid: 1364 Invalid: 1937 Minimum: 0 Maximum: 33 Mean: 1.262 Standard deviation: 3.075

Type: Continuous Decimal: 0 Width: 10 Range: 0 - 33 Format: Numeric

A9B: number of drinks consumed last Tuesday**Data file:** caf2017**Overview**

Valid: 1354 Invalid: 1947 Minimum: 0 Maximum: 88 Mean: 1.106 Standard deviation: 3.771
Type: Continuous Decimal: 0 Width: 10 Range: 0 - 88 Format: Numeric

A9C: number of drinks consumed last Wednesday**Data file:** caf2017**Overview**

Valid: 1357 Invalid: 1944 Minimum: 0 Maximum: 33 Mean: 1.211 Standard deviation: 3.307
Type: Continuous Decimal: 0 Width: 10 Range: 0 - 33 Format: Numeric

A9D: number of drinks consumed last Thursday**Data file:** caf2017**Overview**

Valid: 1357 Invalid: 1944 Minimum: 0 Maximum: 33 Mean: 1.032 Standard deviation: 2.795
Type: Continuous Decimal: 0 Width: 10 Range: 0 - 33 Format: Numeric

A9E: number of drinks consumed last Friday**Data file:** caf2017**Overview**

Valid: 1358 Invalid: 1943 Minimum: 0 Maximum: 33 Mean: 1.149 Standard deviation: 2.949
Type: Continuous Decimal: 0 Width: 10 Range: 0 - 33 Format: Numeric

A9F: number of drinks consumed last Saturday**Data file:** caf2017**Overview**

Valid: 1360 Invalid: 1941 Minimum: 0 Maximum: 33 Mean: 1.591 Standard deviation: 3.32
Type: Continuous Decimal: 0 Width: 10 Range: 0 - 33 Format: Numeric

A9G: number of drinks consumed last Sunday**Data file:** caf2017

Overview

Valid: 1360 Invalid: 1941 Minimum: 0 Maximum: 33 Mean: 1.719 Standard deviation: 3.752
 Type: Continuous Decimal: 0 Width: 10 Range: 0 - 33 Format: Numeric

D1: days fruit eaten per week

Data file: caf2017

Overview

Valid: 3265 Invalid: 36
 Type: Discrete Decimal: 0 Width: 10 Range: 0 - 9 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|------------|-------|-------|
| 0 | | 318 | 9.7% |
| 1 | | 424 | 13% |
| 2 | | 449 | 13.8% |
| 3 | | 530 | 16.2% |
| 4 | | 284 | 8.7% |
| 5 | | 209 | 6.4% |
| 6 | | 118 | 3.6% |
| 7 | | 925 | 28.3% |
| 8 | Don't know | 6 | 0.2% |
| 9 | Don't know | 2 | 0.1% |
| Sysmiss | | 36 | |

D2: servings fruit eaten per day

Data file: caf2017

Overview

Valid: 3263 Invalid: 38
 Type: Discrete Decimal: 0 Width: 10 Range: 0 - 77 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 0 | | 468 | 14.3% |
| 1 | | 680 | 20.8% |
| 2 | | 568 | 17.4% |

| | | | |
|---------|------------|-----|-------|
| 3 | | 344 | 10.5% |
| 4 | | 271 | 8.3% |
| 5 | | 327 | 10% |
| 6 | | 106 | 3.2% |
| 7 | | 146 | 4.5% |
| 8 | | 50 | 1.5% |
| 9 | | 23 | 0.7% |
| 10 | | 120 | 3.7% |
| 12 | | 16 | 0.5% |
| 14 | | 8 | 0.2% |
| 15 | | 44 | 1.3% |
| 16 | | 3 | 0.1% |
| 20 | | 40 | 1.2% |
| 21 | | 2 | 0.1% |
| 22 | | 1 | 0% |
| 24 | | 3 | 0.1% |
| 25 | | 16 | 0.5% |
| 28 | | 3 | 0.1% |
| 30 | | 10 | 0.3% |
| 35 | | 1 | 0% |
| 40 | | 7 | 0.2% |
| 56 | | 1 | 0% |
| 57 | | 1 | 0% |
| 60 | | 1 | 0% |
| 77 | Don't know | 3 | 0.1% |
| Sysmiss | | 38 | |

D3: days veg eaten per week

Data file: caf2017

Overview

Valid: 3286 Invalid: 15

Type: Discrete Decimal: 0 Width: 10 Range: 0 - 9 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|------|
| 0 | | 94 | 2.9% |

| | | | |
|---------|------------|------|-------|
| 1 | | 99 | 3% |
| 2 | | 220 | 6.7% |
| 3 | | 375 | 11.4% |
| 4 | | 369 | 11.2% |
| 5 | | 373 | 11.4% |
| 6 | | 272 | 8.3% |
| 7 | | 1480 | 45% |
| 8 | Don't know | 3 | 0.1% |
| 9 | Don't know | 1 | 0% |
| Sysmiss | | 15 | |

D4: servings veg eaten per day

Data file: caf2017

Overview

Valid: 3265 Invalid: 36

Type: Discrete Decimal: 0 Width: 10 Range: 0 - 9 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 0 | | 568 | 17.4% |
| 1 | | 659 | 20.2% |
| 2 | | 608 | 18.6% |
| 3 | | 320 | 9.8% |
| 4 | | 186 | 5.7% |
| 5 | | 785 | 24% |
| 6 | | 40 | 1.2% |
| 7 | | 91 | 2.8% |
| 8 | | 5 | 0.2% |
| 9 | | 3 | 0.1% |
| Sysmiss | | 36 | |

D5: oil used most often

Data file: caf2017

Overview

Valid: 3299 Invalid: 2

Type: Discrete Decimal: 0 Width: 26 Range: 1 - 77 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|---------------------------|-------|-------|
| 1 | Huile vÃ©gÃ©tale | 2120 | 64.3% |
| 2 | Huile de palme | 1126 | 34.1% |
| 3 | Beurre ou beurre allÃ©gÃ© | 26 | 0.8% |
| 4 | Margarine | 9 | 0.3% |
| 5 | Autres | 10 | 0.3% |
| 6 | Aucune en particulier | 6 | 0.2% |
| 7 | Aucune utilisÃ©e | 1 | 0% |
| 77 | Ne Sait Pas | 1 | 0% |
| Sysmiss | | 2 | |

D5OTHER: other type of oil most often used

Data file: caf2017

Overview

Valid: 0 Invalid: 3301

Type: Discrete Decimal: 0 Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category |
|---------|----------|
| Sysmiss | |

D6: meals eaten per week prepared outside home

Data file: caf2017

Overview

Valid: 3288 Invalid: 13 Minimum: 0 Maximum: 56 Mean: 1.89 Standard deviation: 2.451

Type: Continuous Decimal: 0 Width: 10 Range: 0 - 56 Format: Numeric

P1: vig activity at work

Data file: caf2017

Overview

Valid: 3294 Invalid: 7

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1849 | 56.1% |
| 2 | No | 1445 | 43.9% |
| Sysmiss | | 7 | |

P2: vig activity at work: days per week

Data file: caf2017

Overview

Valid: 1852 Invalid: 1449

Type: Discrete Decimal: 0 Width: 10 Range: 0 - 7 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 0 | | 1 | 0.1% |
| 1 | | 135 | 7.3% |
| 2 | | 222 | 12% |
| 3 | | 312 | 16.8% |
| 4 | | 176 | 9.5% |
| 5 | | 181 | 9.8% |
| 6 | | 543 | 29.3% |
| 7 | | 282 | 15.2% |
| Sysmiss | | 1449 | |

P3A: vig activity at work: hours per day

Data file: caf2017

Overview

Valid: 1851 Invalid: 1450

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 12 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|--|
|-------|----------|-------|--|

| | | | |
|---------|--|------|-------|
| 1 | | 15 | 0.8% |
| 2 | | 283 | 15.3% |
| 3 | | 434 | 23.4% |
| 4 | | 423 | 22.9% |
| 5 | | 94 | 5.1% |
| 6 | | 263 | 14.2% |
| 7 | | 184 | 9.9% |
| 8 | | 141 | 7.6% |
| 9 | | 8 | 0.4% |
| 10 | | 3 | 0.2% |
| 12 | | 3 | 0.2% |
| Sysmiss | | 1450 | |

P3B: vig activity at work: mins per day

Data file: caf2017

Overview

Valid: 1851 Invalid: 1450 Minimum: 0 Maximum: 48 Mean: 0.592 Standard deviation: 4.368
 Type: Continuous Decimal: 0 Width: 10 Range: 0 - 48 Format: Numeric

P4: mod activity at work

Data file: caf2017

Overview

Valid: 3288 Invalid: 13
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 2036 | 61.9% |
| 2 | No | 1252 | 38.1% |
| Sysmiss | | 13 | |

P5: mod activity at work: days per week

Data file: caf2017

Overview

Valid: 2032 Invalid: 1269

Type: Discrete Decimal: 0 Width: 10 Range: 0 - 7 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 0 | | 3 | 0.1% |
| 1 | | 146 | 7.2% |
| 2 | | 279 | 13.7% |
| 3 | | 303 | 14.9% |
| 4 | | 159 | 7.8% |
| 5 | | 193 | 9.5% |
| 6 | | 467 | 23% |
| 7 | | 482 | 23.7% |
| Sysmiss | | 1269 | |

P6A: mod activity at work: hours per day

Data file: caf2017

Overview

Valid: 2039 Invalid: 1262

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 9 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | | 14 | 0.7% |
| 2 | | 76 | 3.7% |
| 3 | | 146 | 7.2% |
| 4 | | 302 | 14.8% |
| 5 | | 243 | 11.9% |
| 6 | | 575 | 28.2% |
| 7 | | 404 | 19.8% |
| 8 | | 262 | 12.8% |
| 9 | | 17 | 0.8% |
| Sysmiss | | 1262 | |

P6B: mod activity at work: mins per day**Data file: caf2017****Overview**

Valid: 2039 Invalid: 1262 Minimum: 0 Maximum: 30 Mean: 0.0706 Standard deviation: 1.43
 Type: Continuous Decimal: 0 Width: 10 Range: 0 - 30 Format: Numeric

P7: active transport**Data file: caf2017****Overview**

Valid: 3296 Invalid: 5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 2998 | 91% |
| 2 | No | 298 | 9% |
| Sysmiss | | 5 | |

P8: active transport: days per week**Data file: caf2017****Overview**

Valid: 3002 Invalid: 299
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | | 237 | 7.9% |
| 2 | | 318 | 10.6% |
| 3 | | 442 | 14.7% |
| 4 | | 253 | 8.4% |
| 5 | | 271 | 9% |
| 6 | | 576 | 19.2% |
| 7 | | 905 | 30.1% |
| Sysmiss | | 299 | |

P9A: active transport: hours per day**Data file: caf2017****Overview**

Valid: 3005 Invalid: 296

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 10 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | | 2116 | 70.4% |
| 2 | | 807 | 26.9% |
| 3 | | 72 | 2.4% |
| 4 | | 3 | 0.1% |
| 10 | | 7 | 0.2% |
| Sysmiss | | 296 | |

P9B: active transport: mins per day**Data file: caf2017****Overview**

Valid: 3005 Invalid: 296 Minimum: 0 Maximum: 50 Mean: 18.408 Standard deviation: 15.827

Type: Continuous Decimal: 0 Width: 10 Range: 0 - 50 Format: Numeric

P10: vig leisure activity**Data file: caf2017****Overview**

Valid: 3284 Invalid: 17

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 512 | 15.6% |
| 2 | No | 2772 | 84.4% |
| Sysmiss | | 17 | |

P11: vig leisure activity: days per week**Data file: caf2017****Overview**

Valid: 513 Invalid: 2788

Type: Discrete Decimal: 0 Width: 10 Range: 0 - 7 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 0 | | 5 | 1% |
| 1 | | 219 | 42.7% |
| 2 | | 109 | 21.2% |
| 3 | | 65 | 12.7% |
| 4 | | 26 | 5.1% |
| 5 | | 15 | 2.9% |
| 6 | | 28 | 5.5% |
| 7 | | 46 | 9% |
| Sysmiss | | 2788 | |

P12A: vig leisure activity: hours per day**Data file: caf2017****Overview**

Valid: 514 Invalid: 2787

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | | 495 | 96.3% |
| 2 | | 18 | 3.5% |
| 4 | | 1 | 0.2% |
| Sysmiss | | 2787 | |

P12B: vig leisure activity: mins per day**Data file: caf2017**

Overview

Valid: 514 Invalid: 2787 Minimum: 0 Maximum: 50 Mean: 31.358 Standard deviation: 15.812
 Type: Continuous Decimal: 0 Width: 10 Range: 0 - 50 Format: Numeric

P13: mod leisure activity

Data file: caf2017

Overview

Valid: 3292 Invalid: 9
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 518 | 15.7% |
| 2 | No | 2774 | 84.3% |
| Sysmiss | | 9 | |

P14: mod leisure activity: days per week

Data file: caf2017

Overview

Valid: 521 Invalid: 2780
 Type: Discrete Decimal: 0 Width: 10 Range: 0 - 7 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 0 | | 2 | 0.4% |
| 1 | | 130 | 25% |
| 2 | | 92 | 17.7% |
| 3 | | 64 | 12.3% |
| 4 | | 22 | 4.2% |
| 5 | | 19 | 3.6% |
| 6 | | 119 | 22.8% |
| 7 | | 73 | 14% |
| Sysmiss | | 2780 | |

P15A: mod leisure activity: hours per day**Data file: caf2017****Overview**

Valid: 523 Invalid: 2778

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | | 364 | 69.6% |
| 2 | | 157 | 30% |
| 5 | | 1 | 0.2% |
| 7 | | 1 | 0.2% |
| Sysmiss | | 2778 | |

P15B: mod leisure activity: mins per day**Data file: caf2017****Overview**

Valid: 523 Invalid: 2778 Minimum: 0 Maximum: 50 Mean: 29.428 Standard deviation: 12.829

Type: Continuous Decimal: 0 Width: 10 Range: 0 - 50 Format: Numeric

P16A: sedentary time: hours per day**Data file: caf2017****Overview**

Valid: 3301 Invalid: 0

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 11 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | | 803 | 24.3% |
| 2 | | 583 | 17.7% |
| 3 | | 663 | 20.1% |
| 4 | | 432 | 13.1% |
| 5 | | 176 | 5.3% |
| 6 | | 69 | 2.1% |

| | | | |
|----|--|-----|------|
| 7 | | 58 | 1.8% |
| 8 | | 43 | 1.3% |
| 9 | | 68 | 2.1% |
| 10 | | 108 | 3.3% |
| 11 | | 298 | 9% |

P16B: sedentary time: mins per day

Data file: caf2017

Overview

Valid: 3301 Invalid: 0 Minimum: 0 Maximum: 30 Mean: 1.223 Standard deviation: 4.923
 Type: Continuous Decimal: 0 Width: 10 Range: 0 - 30 Format: Numeric

H1: BP ever measured

Data file: caf2017

Overview

Valid: 3298 Invalid: 3
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 685 | 20.8% |
| 2 | No | 2613 | 79.2% |
| Sysmiss | | 3 | |

H2A: ever told had high BP

Data file: caf2017

Overview

Valid: 813 Invalid: 2488
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | Yes | 490 | 60.3% |

| | | | |
|---------|----|------|-------|
| 2 | No | 323 | 39.7% |
| Sysmiss | | 2488 | |

H2B: told had high BP in past 12 mos

Data file: caf2017

Overview

Valid: 503 Invalid: 2798

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 348 | 69.2% |
| 2 | No | 155 | 30.8% |
| Sysmiss | | 2798 | |

H3A: currently receiving for high BP: drugs

Data file: caf2017

Overview

Valid: 480 Invalid: 2821

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 286 | 59.6% |
| 2 | No | 194 | 40.4% |
| Sysmiss | | 2821 | |

H3B: currently receiving for high BP: advice to reduce salt intake

Data file: caf2017

Overview

Valid: 475 Invalid: 2826

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 422 | 88.8% |
| 2 | No | 53 | 11.2% |
| Sysmiss | | 2826 | |

H3C: currently receiving for high BP: advice/treatment to lose weight

Data file: caf2017

Overview

Valid: 456 Invalid: 2845

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 307 | 67.3% |
| 2 | No | 149 | 32.7% |
| Sysmiss | | 2845 | |

H3D: currently receiving for high BP: advice/treatment to stop smoking

Data file: caf2017

Overview

Valid: 455 Invalid: 2846

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 263 | 57.8% |
| 2 | No | 192 | 42.2% |
| Sysmiss | | 2846 | |

H3E: currently receiving for high BP: advice/treatment to exercise more**Data file: caf2017****Overview**

Valid: 452 Invalid: 2849

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 294 | 65% |
| 2 | No | 158 | 35% |
| Sysmiss | | 2849 | |

H4: ever seen trad'l healer for high BP**Data file: caf2017****Overview**

Valid: 460 Invalid: 2841

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 121 | 26.3% |
| 2 | No | 339 | 73.7% |
| Sysmiss | | 2841 | |

H5: taking trad'l meds for high BP**Data file: caf2017****Overview**

Valid: 440 Invalid: 2861

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-----|
| 1 | Yes | 88 | 20% |

| | | | |
|---------|----|------|-----|
| 2 | No | 352 | 80% |
| Sysmiss | | 2861 | |

H6: ever had gluc measured

Data file: caf2017

Overview

Valid: 3283 Invalid: 18

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 70 | 2.1% |
| 2 | No | 3213 | 97.9% |
| Sysmiss | | 18 | |

H7A: ever told had high gluc

Data file: caf2017

Overview

Valid: 218 Invalid: 3083

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 46 | 21.1% |
| 2 | No | 172 | 78.9% |
| Sysmiss | | 3083 | |

H7B: told had high gluc in past 12 mos

Data file: caf2017

Overview

Valid: 65 Invalid: 3236

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 40 | 61.5% |
| 2 | No | 25 | 38.5% |
| Sysmiss | | 3236 | |

H8A: currently receiving for high gluc: insulin

Data file: caf2017

Overview

Valid: 58 Invalid: 3243

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 36 | 62.1% |
| 2 | No | 22 | 37.9% |
| Sysmiss | | 3243 | |

H8B: currently receiving for high gluc: drugs

Data file: caf2017

Overview

Valid: 49 Invalid: 3252

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 33 | 67.3% |
| 2 | No | 16 | 32.7% |
| Sysmiss | | 3252 | |

H8C: currently receiving for high gluc: special diet**Data file: caf2017****Overview**

Valid: 50 Invalid: 3251

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 38 | 76% |
| 2 | No | 12 | 24% |
| Sysmiss | | 3251 | |

H8D: currently receiving for high gluc: advice/treatment to lose weight**Data file: caf2017****Overview**

Valid: 50 Invalid: 3251

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 34 | 68% |
| 2 | No | 16 | 32% |
| Sysmiss | | 3251 | |

H8E: currently receiving for high gluc: advice/treatment to stop smoking**Data file: caf2017****Overview**

Valid: 50 Invalid: 3251

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-----|
| 1 | Yes | 27 | 54% |

| | | | |
|---------|----|------|-----|
| 2 | No | 23 | 46% |
| Sysmiss | | 3251 | |

H8F: currently receiving for high gluc: advice/treatment to exercise more

Data file: caf2017

Overview

Valid: 49 Invalid: 3252

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 28 | 57.1% |
| 2 | No | 21 | 42.9% |
| Sysmiss | | 3252 | |

H9: seen trad'l healer for high gluc in past 12 mos

Data file: caf2017

Overview

Valid: 41 Invalid: 3260

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 18 | 43.9% |
| 2 | No | 23 | 56.1% |
| Sysmiss | | 3260 | |

H10: taking trad'l meds for high gluc

Data file: caf2017

Overview

Valid: 41 Invalid: 3260

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 16 | 39% |
| 2 | No | 25 | 61% |
| Sysmiss | | 3260 | |

M3: height (cm)

Data file: caf2017

Overview

Valid: 3298 Invalid: 3 Minimum: 52 Maximum: 888 Mean: 163.873 Standard deviation: 16.978
 Type: Continuous Decimal: 0 Width: 10 Range: 52 - 888 Format: Numeric

M4: weight (kg)

Data file: caf2017

Overview

Valid: 3297 Invalid: 4 Minimum: 6 Maximum: 715 Mean: 63.078 Standard deviation: 23.297
 Type: Continuous Decimal: 0 Width: 10 Range: 6 - 715 Format: Numeric

M5: pregnant

Data file: caf2017

Overview

Valid: 380 Invalid: 2921
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 4 | 1.1% |
| 2 | No | 376 | 98.9% |
| Sysmiss | | 2921 | |

M7: waist circumference (cm)

Data file: caf2017

Overview

Valid: 3297 Invalid: 4 Minimum: 0.29 Maximum: 869 Mean: 85.777 Standard deviation: 19.123
 Type: Continuous Decimal: 0 Width: 10 Range: 0.29 - 869 Format: Numeric

M10: cuff size

Data file: caf2017

Overview

Valid: 2669 Invalid: 632
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | petit | 30 | 1.1% |
| 2 | moyen | 2471 | 92.6% |
| 3 | large | 168 | 6.3% |
| Sysmiss | | 632 | |

M11A: BP reading 1: systolic

Data file: caf2017

Overview

Valid: 3297 Invalid: 4 Minimum: 60 Maximum: 888 Mean: 138.244 Standard deviation: 49.683
 Type: Continuous Decimal: 0 Width: 10 Range: 60 - 888 Format: Numeric

M11B: BP reading 1: diastolic

Data file: caf2017

Overview

Valid: 3292 Invalid: 9 Minimum: 30 Maximum: 888 Mean: 89.005 Standard deviation: 48.936
 Type: Continuous Decimal: 0 Width: 10 Range: 30 - 888 Format: Numeric

M12A: BP reading 2: systolic

Data file: caf2017

Overview

Valid: 3299 Invalid: 2 Minimum: 60 Maximum: 888 Mean: 134.404 Standard deviation: 43.703
 Type: Continuous Decimal: 0 Width: 10 Range: 60 - 888 Format: Numeric

M12B: BP reading 2: diastolic**Data file:** caf2017**Overview**

Valid: 3299 Invalid: 2 Minimum: 30 Maximum: 888 Mean: 87.254 Standard deviation: 48.805
 Type: Continuous Decimal: 0 Width: 10 Range: 30 - 888 Format: Numeric

M13A: BP reading 3: systolic**Data file:** caf2017**Overview**

Valid: 3298 Invalid: 3 Minimum: 60 Maximum: 888 Mean: 132.867 Standard deviation: 47.097
 Type: Continuous Decimal: 0 Width: 10 Range: 60 - 888 Format: Numeric

M13B: BP reading 3: diastolic**Data file:** caf2017**Overview**

Valid: 3299 Invalid: 2 Minimum: 30 Maximum: 888 Mean: 86.352 Standard deviation: 50.811
 Type: Continuous Decimal: 0 Width: 10 Range: 30 - 888 Format: Numeric

M14: took raised BP meds in past 2 weeks**Data file:** caf2017**Overview**

Valid: 3288 Invalid: 13
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 95 | 2.9% |
| 2 | No | 3193 | 97.1% |
| Sysmiss | | 13 | |

M15: hip circumference (cm)**Data file:** caf2017

Overview

Valid: 3299 Invalid: 2 Minimum: 5 Maximum: 927 Mean: 95.844 Standard deviation: 31.4
 Type: Continuous Decimal: 0 Width: 10 Range: 5 - 927 Format: Numeric

M16A: heart rate reading 1 (beats per minute)

Data file: caf2017

Overview

Valid: 3299 Invalid: 2 Minimum: 8 Maximum: 898 Mean: 83.138 Standard deviation: 26.372
 Type: Continuous Decimal: 0 Width: 10 Range: 8 - 898 Format: Numeric

M16B: heart rate reading 2 (beats per minute)

Data file: caf2017

Overview

Valid: 3293 Invalid: 8 Minimum: 7 Maximum: 894 Mean: 82.852 Standard deviation: 25.672
 Type: Continuous Decimal: 0 Width: 10 Range: 7 - 894 Format: Numeric

M16C: heart rate reading 3 (beats per minute)

Data file: caf2017

Overview

Valid: 3275 Invalid: 26 Minimum: 0 Maximum: 999 Mean: 83.543 Standard deviation: 28.942
 Type: Continuous Decimal: 0 Width: 10 Range: 0 - 999 Format: Numeric

B1: ate/drank in past 12 hours (fasting status)

Data file: caf2017

Overview

Valid: 3290 Invalid: 11
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 2454 | 74.6% |
| 2 | No | 836 | 25.4% |
| Sysmiss | | 11 | |

B5: fasting blood glucose (mg/dl)**Data file:** caf2017**Overview**

Valid: 2455 Invalid: 846 Minimum: 3 Maximum: 902 Mean: 98.8 Standard deviation: 44.234
 Type: Continuous Decimal: 0 Width: 10 Range: 3 - 902 Format: Numeric

B6: took insulin today**Data file:** caf2017**Overview**

Valid: 3280 Invalid: 21
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 24 | 0.7% |
| 2 | No | 3256 | 99.3% |
| Sysmiss | | 21 | |

B8: total cholesterol (mg/dl)**Data file:** caf2017**Overview**

Valid: 2419 Invalid: 882 Minimum: -14.6 Maximum: 365 Mean: 163.694 Standard deviation: 47.169
 Type: Continuous Decimal: 0 Width: 10 Range: -14.6 - 365 Format: Numeric

B9: chol meds taken in past 2 weeks**Data file:** caf2017**Overview**

Valid: 3289 Invalid: 12
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|------|
| 1 | Yes | 0 | 0% |
| 2 | No | 3289 | 100% |

| | | | |
|---------|--|----|--|
| Sysmiss | | 12 | |
|---------|--|----|--|

PSU: psu**Data file: caf2017****Overview**

Valid: 3301 Invalid: 0
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 13 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | | 57 | 1.7% |
| 2 | | 325 | 9.8% |
| 3 | | 74 | 2.2% |
| 4 | | 442 | 13.4% |
| 5 | | 237 | 7.2% |
| 6 | | 174 | 5.3% |
| 7 | | 387 | 11.7% |
| 8 | | 1061 | 32.1% |
| 9 | | 110 | 3.3% |
| 10 | | 157 | 4.8% |
| 11 | | 35 | 1.1% |
| 12 | | 120 | 3.6% |
| 13 | | 122 | 3.7% |

STRATUM: stratum**Data file: caf2017****Overview**

Valid: 2914 Invalid: 387
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | | 1309 | 44.9% |
| 2 | | 1171 | 40.2% |

| | | | |
|---------|--|-----|-------|
| 3 | | 434 | 14.9% |
| Sysmiss | | 387 | |

WSTEP1: final analysis weight for step 1 (interview) - pop adjusted only

Data file: caf2017

Overview

Valid: 3301 Invalid: 0 Minimum: 0.264 Maximum: 2.308 Mean: 1 Standard deviation: 0.616
 Type: Continuous Decimal: 0 Width: 10 Range: 0.264482498168945 - 2.30751919746399 Format: Numeric

WSTEP2: final analysis weight for step 2 (physical measures) - pop adjusted only

Data file: caf2017

Overview

Valid: 3301 Invalid: 0 Minimum: 0.264 Maximum: 2.308 Mean: 1 Standard deviation: 0.616
 Type: Continuous Decimal: 0 Width: 10 Range: 0.264482498168945 - 2.30751919746399 Format: Numeric

WSTEP3: final analysis weight for step 3 (biochemical measures) - pop adjusted only

Data file: caf2017

Overview

Valid: 3301 Invalid: 0 Minimum: 0.252 Maximum: 2.226 Mean: 1.002 Standard deviation: 0.606
 Type: Continuous Decimal: 0 Width: 10 Range: 0.252366185188293 - 2.22593784332275 Format: Numeric

study_resources

questionnaires

Questionnaire (French)

title Questionnaire (French)
country Central African Republic
filename STEPS_CentralAfricanRepublic_2017_Questionnaire_FR.pdf

reports

Country Report (French)

title Country Report (French)
filename Rapport_STEPS_RCA_2017_FINAL.pdf

technical_documents

Generic STEPS Questionnaire (version 2.1)

title Generic STEPS Questionnaire (version 2.1)
filename STEPS_Instrument_v2_1.pdf
