

# Global School-Based Student Health Survey 2005

**Ministry of Health**

report\_generated\_on: November 9, 2023

visit\_data\_catalog\_at: <http://catalog.ihsn.org/>

## Identification

---

### SURVEY ID NUMBER

CHL\_2005\_GSHS\_v01\_M

### TITLE

Global School-Based Student Health Survey 2005

### SUBTITLE

Metro Region with intervention, Metro Region without intervention, Region VIII with intervention, Region VIII without intervention

### COUNTRY

Name	Country code
Chile	CHL

### STUDY TYPE

Other Household Survey [hh/oth]

### SERIES INFORMATION

This is the second GSHS conducted by Chile.

### ABSTRACT

The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

### KIND OF DATA

Sample survey data [ssd]

### UNIT OF ANALYSIS

Individuals

## Version

---

### VERSION DESCRIPTION

Public-use dataset

### VERSION DATE

2018-06-25

## Scope

---

### NOTES

The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- tobacco use
- violence and unintentional injury

## TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

## KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
hygiene
mental health
physical activity
sexual behaviours
HIV
tobacco use
violence and unintentional injury
bullying

## Coverage

## GEOGRAPHIC COVERAGE

Subnational coverage for Metro Region with intervention, Metro Region without intervention, Region VIII with intervention, and Region VIII without intervention.

## UNIVERSE

School-going adolescents aged 13-15 years.

## Producers and sponsors

## PRIMARY INVESTIGATORS

Name
Ministry of Health

## FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO

## Sampling

### SAMPLING PROCEDURE

The 2004 Chile GSHS was a school-based survey of students in grades 7° primary, 8° primary, and 1° secondary. A two-stage cluster sample design was used to produce data representative of all students in grades 7° primary, 8° primary, and 1° secondary in Chile. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

A total of 2,016 students participated in the Chile (Region V) GSHS.

A total of 2,033 students participated in the Chile (Region I) GSHS.

A total of 1,971 students participated in the Chile (Region VIII) GSHS.

A total of 2,111 students participated in the Chile (Metropolitan Region) GSHS.

A total of 1,772 students participated in the Chile (Metropolitan Mun with Intervention) GSHS.

A total of 1,777 students participated in the Chile (Metropolitan Mun without Intervention) GSHS.

A total of 1,859 students participated in the Chile (Region VIII Mun with Intervention) GSHS.

A total of 1,857 students participated in the Chile (Region VIII Mun without Intervention) GSHS.

### RESPONSE RATE

Metropolitan Region with Intervention: The school response rate was 100%, the student response rate was 80%, and the overall response rate was 80%.

Metropolitan Region without Intervention: The school response rate was 100%, the student response rate was 85%, and the overall response rate was 85%.

Region VIII with Intervention: The school response rate was 100%, the student response rate was 89%, and the overall response rate was 89%.

Region VIII without Intervention: The school response rate was 100%, the student response rate was 82%, and the overall response rate was 82%.

### WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

## data\_collection

### DATES OF DATA COLLECTION

Start	End
2005-10	2005-10

### DATA COLLECTION MODE

self-administered

## questionnaires

### QUESTIONNAIRES

The following core modules were included in the survey:

alcohol use

dietary behaviours

drug use

hygiene  
 mental health  
 physical activity  
 protective factors  
 sexual behaviours  
 tobacco use  
 violence and unintentional injury

## data\_processing

### DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

## Access policy

### CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	<a href="#">Link</a>

### ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

### CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

## Disclaimer and copyrights

### DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

## Metadata production

### DDI DOCUMENT ID

DDI\_CHL\_2005\_GSHS\_v01\_M

### PRODUCERS

Name	Abbreviation	Affiliation	Role
Amber Abernethie		World Health Organization	Documentation of data
Melanie Cowan		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

### DATE OF METADATA PRODUCTION

2018-06-25

DDI DOCUMENT VERSION

Identical to a metadata (CHL\_2005\_GSHS\_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

**data\_dictionary**

<b>Data file</b>	<b>Cases</b>	<b>variables</b>
<b>CLBH2005_public_use</b> Metropolitan Region with intervention public-use dataset	1772	110
<b>CLCH2005_public_use</b> Metropolitan Region without intervention public-use dataset	1777	110
<b>CLGH2005_public_use</b> Region VIII with intervention public-use dataset	1859	110
<b>CLHH2005_public_use</b> Region VIII without intervention public-use dataset	1857	110





**Data file: CLBH2005\_public\_use**

Metropolitan Region with intervention public-use dataset

Cases: 1772

variables: 110

**variables**

ID	Name	Label	Question
V1905	Q1	How old are you	How old are you?
V1906	Q2	Sex	What is your sex?
V1907	Q3	In what grade are you	In what grade are you?
V1908	Q4	How tall are you	How tall are you without your shoes on?
V1909	Q5	How much do you weigh	How much do you weigh without your shoes on?
V1910	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V1911	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V1912	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V1914	Q10	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V1915	Q11	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V1916	Q12	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V1917	Q13	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V1918	Q14	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V1919	Q15	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V1920	Q16	Doing what during injury past 12 mo.	During the past 12 months, what were you doing when the most serious injury happened to you?
V1921	Q17	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V1922	Q18	How injury happened past 12 mo.	During the past 12 months, how did the most serious injury happen to you?
V1923	Q19	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V1924	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V1925	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V1926	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?
V1927	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V1928	Q24	Sad and hopeless past 12 mo.	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing your usual activities?
V1929	Q25	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?

ID	Name	Label	Question
V1930	Q26	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V1931	Q27	Number close friends	How many close friends do you have?
V1932	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V1933	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V1934	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?
V1935	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V1936	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V1937	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V1938	Q34	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V1939	Q35	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V1940	Q36	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank?
V1941	Q37	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V1942	Q38	Number of troubles as result of drinking	During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V1943	Q39	Number times drug use during life	During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?
V1944	Q40	Ever had sex	Have you ever had sexual intercourse?
V1945	Q41	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V1946	Q42	How many sex partners	During your life, with how many people have you had sexual intercourse?
V1947	Q43	Sexual intercourse past 12 mo.	During the past 12 months, have you had sexual intercourse?
V1948	Q44	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V1949	Q45	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?
V1950	Q46	Active 60 min plus per day usual week	During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?
V1951	Q47	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?
V1952	Q48	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to and from school?
V1953	Q49	How long to from school past 7 days	During the past 7 days, how long did it usually take for you to get to and from school each day?
V1954	Q50	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V1955	Q51	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V1956	Q52	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V1957	Q53	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?

ID	Name	Label	Question
V1958	Q54	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V1959	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home
V1960	QN7	Ate fruit 1+ times per day past 30 days	Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V1961	QN8	Ate vegetables 1+ times per day past 30 day	Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V1963	QN10	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V1964	QN11	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V1965	QN12	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V1966	QN13	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V1967	QN14	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V1968	QN15	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V1969	QN16	Playing sport caused most serious injury past 12mo	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport
V1970	QN17	Falling caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall
V1971	QN18	Accident caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident
V1972	QN19	Broken bone as most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury
V1973	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V1974	QN21	Of students bullied, most often hit, kicked, etc	Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V1975	QN22	Lonely most times/always past 12 months	Percentage of students who felt lonely most of the time or always during the past 12 months
V1976	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months
V1977	QN24	Sad/Hopeless everyday 2+ weeks past 12 months	Percentage of students who felt sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months
V1978	QN25	Considered suicide past 12 months	Percentage of students who seriously considered attempting suicide during the past 12 months
V1979	QN26	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V1980	QN27	No close friends	Percentage of students who have no close friends
V1981	QN28	Of current smokers, age first cigarette before 13	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger

ID	Name	Label	Question
V1982	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V1983	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days
V1984	QN31	Tried to quit smoking past 12 months	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months
V1985	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoking in their presence on one or more of the past seven days
V1986	QN33	Either/Both parents use tobacco	Percentage of students who have a parent or guardian who uses any form of tobacco
V1987	QN34	Drank 1+ days past 30 days	Percentage of students who drank alcohol on one or more of the past 30 days
V1988	QN35	Of current drinkers, drank 2+ drinks/day 30 days	Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days
V1989	QN36	Of current drinkers, bought alcohol in store	Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days
V1990	QN37	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V1991	QN38	Alcohol trouble 1+ times in lifetime	Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life
V1992	QN39	Used drugs 1+ times in lifetime	Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life
V1993	QN40	Ever had sex	Percentage of students who have ever had sexual intercourse
V1994	QN41	Age first sexual intercourse 12 or younger	Percentage of students who had sexual intercourse for the first time before age 13
V1995	QN42	2+ sex partners lifetime	Percentage of students who have had sexual intercourse with two or more people during their life time
V1996	QN43	Sexual intercourse past 12 months	Percentage of students who had sexual intercourse during the past 12 months
V1997	QN44	Of sexually active 12 mos, use condoms at last sex	Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse
V1998	QN45	Active 60+ mins/day for all of past 7 days	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days
V1999	QN46	Active 60+ min/day all 7 days of usual week	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week
V2000	QN47	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day
V2001	QN48	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to and from school during the past seven days
V2002	QN49	Less than 29 minutes to/from school past 7 days	Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days
V2003	QN50	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V2004	QN51	Students never/rarely kind/helpful past 30 days	Percentage of students who reported that most of the students in their school were kind and helpful most of the time or always during the past 30 days

ID	Name	Label	Question
V2005	QN52	Parents never/rarely check homework past 30 days	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V2006	QN53	Parents never/rarely understand problems past 30	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V2007	QN54	Parents never/rarely know about free time past 30	Percentage of students whose parents or guardians knew what they were doing with their free time most of the time or always during the past 30 days
V2008	qnrovwtg	At risk for becoming overweight	Percentage of students at risk for becoming overweight
V2009	qnovwtg	Overweight	Percentage of students who are overweight
V2010	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days
V2011	qnanytbq	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days of the past 30 days
V2012	qnminpag	Exercised 60 min/day <=5 days	Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average
V2013	qnwkrdg	Walked/biked <2.5 hrs 7 days	Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days
V2014	weight	Weight	
V2015	psu	Primary Sampling Unit	
V2016	stratum	Stratum	

total: 110

**Data file: CLCH2005\_public\_use**

Metropolitan Region without intervention public-use dataset

Cases:	1777
variables:	110

**variables**

ID	Name	Label	Question
V2017	Q1	How old are you	How old are you?
V2018	Q2	Sex	What is your sex?
V2019	Q3	In what grade are you	In what grade are you?
V2020	Q4	How tall are you	How tall are you without your shoes on?
V2021	Q5	How much do you weigh	How much do you weigh without your shoes on?
V2022	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V2023	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V2024	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V2026	Q10	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V2027	Q11	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V2028	Q12	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V2029	Q13	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V2030	Q14	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V2031	Q15	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V2032	Q16	Doing what during injury past 12 mo.	During the past 12 months, what were you doing when the most serious injury happened to you?
V2033	Q17	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V2034	Q18	How injury happened past 12 mo.	During the past 12 months, how did the most serious injury happen to you?
V2035	Q19	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V2036	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V2037	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V2038	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?
V2039	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V2040	Q24	Sad and hopeless past 12 mo.	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing your usual activities?
V2041	Q25	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?

ID	Name	Label	Question
V2042	Q26	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V2043	Q27	Number close friends	How many close friends do you have?
V2044	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V2045	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V2046	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?
V2047	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V2048	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V2049	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V2050	Q34	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V2051	Q35	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V2052	Q36	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank?
V2053	Q37	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V2054	Q38	Number of troubles as result of drinking	During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V2055	Q39	Number times drug use during life	During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?
V2056	Q40	Ever had sex	Have you ever had sexual intercourse?
V2057	Q41	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V2058	Q42	How many sex partners	During your life, with how many people have you had sexual intercourse?
V2059	Q43	Sexual intercourse past 12 mo.	During the past 12 months, have you had sexual intercourse?
V2060	Q44	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V2061	Q45	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?
V2062	Q46	Active 60 min plus per day usual week	During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?
V2063	Q47	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?
V2064	Q48	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to and from school?
V2065	Q49	How long to from school past 7 days	During the past 7 days, how long did it usually take for you to get to and from school each day?
V2066	Q50	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V2067	Q51	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V2068	Q52	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V2069	Q53	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?

ID	Name	Label	Question
V2070	Q54	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V2071	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home
V2072	QN7	Ate fruit 1+ times per day past 30 days	Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V2073	QN8	Ate vegetables 1+ times per day past 30 day	Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V2075	QN10	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V2076	QN11	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V2077	QN12	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V2078	QN13	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V2079	QN14	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V2080	QN15	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V2081	QN16	Playing sport caused most serious injury past 12mo	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport
V2082	QN17	Falling caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall
V2083	QN18	Accident caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident
V2084	QN19	Broken bone as most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury
V2085	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V2086	QN21	Of students bullied, most often hit, kicked, etc	Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V2087	QN22	Lonely most times/always past 12 months	Percentage of students who felt lonely most of the time or always during the past 12 months
V2088	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months
V2089	QN24	Sad/Hopeless everyday 2+ weeks past 12 months	Percentage of students who felt sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months
V2090	QN25	Considered suicide past 12 months	Percentage of students who seriously considered attempting suicide during the past 12 months
V2091	QN26	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V2092	QN27	No close friends	Percentage of students who have no close friends
V2093	QN28	Of current smokers, age first cigarette before 13	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger



ID	Name	Label	Question
V2094	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V2095	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days
V2096	QN31	Tried to quit smoking past 12 months	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months
V2097	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoking in their presence on one or more of the past seven days
V2098	QN33	Either/Both parents use tobacco	Percentage of students who have a parent or guardian who uses any form of tobacco
V2099	QN34	Drank 1+ days past 30 days	Percentage of students who drank alcohol on one or more of the past 30 days
V2100	QN35	Of current drinkers, drank 2+ drinks/day 30 days	Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days
V2101	QN36	Of current drinkers, bought alcohol in store	Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days
V2102	QN37	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V2103	QN38	Alcohol trouble 1+ times in lifetime	Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life
V2104	QN39	Used drugs 1+ times in lifetime	Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life
V2105	QN40	Ever had sex	Percentage of students who have ever had sexual intercourse
V2106	QN41	Age first sexual intercourse 12 or younger	Percentage of students who had sexual intercourse for the first time before age 13
V2107	QN42	2+ sex partners lifetime	Percentage of students who have had sexual intercourse with two or more people during their life time
V2108	QN43	Sexual intercourse past 12 months	Percentage of students who had sexual intercourse during the past 12 months
V2109	QN44	Of sexually active 12 mos, use condoms at last sex	Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse
V2110	QN45	Active 60+ mins/day for all of past 7 days	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days
V2111	QN46	Active 60+ min/day all 7 days of usual week	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week
V2112	QN47	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day
V2113	QN48	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to and from school during the past seven days
V2114	QN49	Less than 29 minutes to/from school past 7 days	Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days
V2115	QN50	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V2116	QN51	Students never/rarely kind/helpful past 30 days	Percentage of students who reported that most of the students in their school were kind and helpful most of the time or always during the past 30 days

ID	Name	Label	Question
V2117	QN52	Parents never/rarely check homework past 30 days	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V2118	QN53	Parents never/rarely understand problems past 30	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V2119	QN54	Parents never/rarely know about free time past 30	Percentage of students whose parents or guardians knew what they were doing with their free time most of the time or always during the past 30 days
V2120	qnrovwtg	At risk for becoming overweight	Percentage of students at risk for becoming overweight
V2121	qnovwtg	Overweight	Percentage of students who are overweight
V2122	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days
V2123	qnanytbq	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days of the past 30 days
V2124	qnminpag	Exercised 60 min/day <=5 days	Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average
V2125	qnwkrdg	Walked/biked <2.5 hrs 7 days	Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days
V2126	weight	Weight	
V2127	psu	Primary Sampling Unit	
V2128	stratum	Stratum	

total: 110

**Data file: CLGH2005\_public\_use**

Region VIII with intervention public-use dataset

Cases: 1859

variables: 110

**variables**

ID	Name	Label	Question
V2129	Q1	How old are you	How old are you?
V2130	Q2	Sex	What is your sex?
V2131	Q3	In what grade are you	In what grade are you?
V2132	Q4	How tall are you	How tall are you without your shoes on?
V2133	Q5	How much do you weigh	How much do you weigh without your shoes on?
V2134	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V2135	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V2136	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V2138	Q10	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V2139	Q11	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V2140	Q12	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V2141	Q13	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V2142	Q14	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V2143	Q15	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V2144	Q16	Doing what during injury past 12 mo.	During the past 12 months, what were you doing when the most serious injury happened to you?
V2145	Q17	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V2146	Q18	How injury happened past 12 mo.	During the past 12 months, how did the most serious injury happen to you?
V2147	Q19	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V2148	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V2149	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V2150	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?
V2151	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V2152	Q24	Sad and hopeless past 12 mo.	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing your usual activities?
V2153	Q25	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?

ID	Name	Label	Question
V2154	Q26	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V2155	Q27	Number close friends	How many close friends do you have?
V2156	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V2157	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V2158	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?
V2159	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V2160	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V2161	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V2162	Q34	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V2163	Q35	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V2164	Q36	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank?
V2165	Q37	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V2166	Q38	Number of troubles as result of drinking	During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V2167	Q39	Number times drug use during life	During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?
V2168	Q40	Ever had sex	Have you ever had sexual intercourse?
V2169	Q41	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V2170	Q42	How many sex partners	During your life, with how many people have you had sexual intercourse?
V2171	Q43	Sexual intercourse past 12 mo.	During the past 12 months, have you had sexual intercourse?
V2172	Q44	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V2173	Q45	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?
V2174	Q46	Active 60 min plus per day usual week	During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?
V2175	Q47	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?
V2176	Q48	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to and from school?
V2177	Q49	How long to from school past 7 days	During the past 7 days, how long did it usually take for you to get to and from school each day?
V2178	Q50	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V2179	Q51	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V2180	Q52	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V2181	Q53	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?

ID	Name	Label	Question
V2182	Q54	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V2183	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home
V2184	QN7	Ate fruit 1+ times per day past 30 days	Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V2185	QN8	Ate vegetables 1+ times per day past 30 day	Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V2187	QN10	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V2188	QN11	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V2189	QN12	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V2190	QN13	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V2191	QN14	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V2192	QN15	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V2193	QN16	Playing sport caused most serious injury past 12mo	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport
V2194	QN17	Falling caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall
V2195	QN18	Accident caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident
V2196	QN19	Broken bone as most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury
V2197	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V2198	QN21	Of students bullied, most often hit, kicked, etc	Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V2199	QN22	Lonely most times/always past 12 months	Percentage of students who felt lonely most of the time or always during the past 12 months
V2200	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months
V2201	QN24	Sad/Hopeless everyday 2+ weeks past 12 months	Percentage of students who felt sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months
V2202	QN25	Considered suicide past 12 months	Percentage of students who seriously considered attempting suicide during the past 12 months
V2203	QN26	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V2204	QN27	No close friends	Percentage of students who have no close friends
V2205	QN28	Of current smokers, age first cigarette before 13	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger

ID	Name	Label	Question
V2206	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V2207	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days
V2208	QN31	Tried to quit smoking past 12 months	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months
V2209	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoking in their presence on one or more of the past seven days
V2210	QN33	Either/Both parents use tobacco	Percentage of students who have a parent or guardian who uses any form of tobacco
V2211	QN34	Drank 1+ days past 30 days	Percentage of students who drank alcohol on one or more of the past 30 days
V2212	QN35	Of current drinkers, drank 2+ drinks/day 30 days	Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days
V2213	QN36	Of current drinkers, bought alcohol in store	Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days
V2214	QN37	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V2215	QN38	Alcohol trouble 1+ times in lifetime	Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life
V2216	QN39	Used drugs 1+ times in lifetime	Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life
V2217	QN40	Ever had sex	Percentage of students who have ever had sexual intercourse
V2218	QN41	Age first sexual intercourse 12 or younger	Percentage of students who had sexual intercourse for the first time before age 13
V2219	QN42	2+ sex partners lifetime	Percentage of students who have had sexual intercourse with two or more people during their life time
V2220	QN43	Sexual intercourse past 12 months	Percentage of students who had sexual intercourse during the past 12 months
V2221	QN44	Of sexually active 12 mos, use condoms at last sex	Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse
V2222	QN45	Active 60+ mins/day for all of past 7 days	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days
V2223	QN46	Active 60+ min/day all 7 days of usual week	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week
V2224	QN47	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day
V2225	QN48	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to and from school during the past seven days
V2226	QN49	Less than 29 minutes to/from school past 7 days	Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days
V2227	QN50	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V2228	QN51	Students never/rarely kind/helpful past 30 days	Percentage of students who reported that most of the students in their school were kind and helpful most of the time or always during the past 30 days

ID	Name	Label	Question
V2229	QN52	Parents never/rarely check homework past 30 days	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V2230	QN53	Parents never/rarely understand problems past 30	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V2231	QN54	Parents never/rarely know about free time past 30	Percentage of students whose parents or guardians knew what they were doing with their free time most of the time or always during the past 30 days
V2232	qnrovwtg	At risk for becoming overweight	Percentage of students at risk for becoming overweight
V2233	qnovwtg	Overweight	Percentage of students who are overweight
V2234	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days
V2235	qnanytbq	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days of the past 30 days
V2236	qnminpag	Exercised 60 min/day <=5 days	Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average
V2237	qnwkrdg	Walked/biked <2.5 hrs 7 days	Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days
V2238	weight	Weight	
V2239	psu	Primary Sampling Unit	
V2240	stratum	Stratum	

total: 110

**Data file: CLHH2005\_public\_use**

Region VIII without intervention public-use dataset

Cases: 1857

variables: 110

**variables**

ID	Name	Label	Question
V2241	Q1	How old are you	How old are you?
V2242	Q2	Sex	What is your sex?
V2243	Q3	In what grade are you	In what grade are you?
V2244	Q4	How tall are you	How tall are you without your shoes on?
V2245	Q5	How much do you weigh	How much do you weigh without your shoes on?
V2246	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V2247	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V2248	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V2250	Q10	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V2251	Q11	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V2252	Q12	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V2253	Q13	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V2254	Q14	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V2255	Q15	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V2256	Q16	Doing what during injury past 12 mo.	During the past 12 months, what were you doing when the most serious injury happened to you?
V2257	Q17	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V2258	Q18	How injury happened past 12 mo.	During the past 12 months, how did the most serious injury happen to you?
V2259	Q19	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V2260	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V2261	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V2262	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?
V2263	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V2264	Q24	Sad and hopeless past 12 mo.	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing your usual activities?
V2265	Q25	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?



ID	Name	Label	Question
V2266	Q26	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V2267	Q27	Number close friends	How many close friends do you have?
V2268	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V2269	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V2270	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?
V2271	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V2272	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V2273	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V2274	Q34	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V2275	Q35	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V2276	Q36	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank?
V2277	Q37	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V2278	Q38	Number of troubles as result of drinking	During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V2279	Q39	Number times drug use during life	During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?
V2280	Q40	Ever had sex	Have you ever had sexual intercourse?
V2281	Q41	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V2282	Q42	How many sex partners	During your life, with how many people have you had sexual intercourse?
V2283	Q43	Sexual intercourse past 12 mo.	During the past 12 months, have you had sexual intercourse?
V2284	Q44	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V2285	Q45	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?
V2286	Q46	Active 60 min plus per day usual week	During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?
V2287	Q47	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?
V2288	Q48	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to and from school?
V2289	Q49	How long to from school past 7 days	During the past 7 days, how long did it usually take for you to get to and from school each day?
V2290	Q50	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V2291	Q51	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V2292	Q52	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V2293	Q53	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?

ID	Name	Label	Question
V2294	Q54	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V2295	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home
V2296	QN7	Ate fruit 1+ times per day past 30 days	Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V2297	QN8	Ate vegetables 1+ times per day past 30 day	Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V2299	QN10	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V2300	QN11	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V2301	QN12	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V2302	QN13	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V2303	QN14	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V2304	QN15	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V2305	QN16	Playing sport caused most serious injury past 12mo	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport
V2306	QN17	Falling caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall
V2307	QN18	Accident caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident
V2308	QN19	Broken bone as most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury
V2309	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V2310	QN21	Of students bullied, most often hit, kicked, etc	Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V2311	QN22	Lonely most times/always past 12 months	Percentage of students who felt lonely most of the time or always during the past 12 months
V2312	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months
V2313	QN24	Sad/Hopeless everyday 2+ weeks past 12 months	Percentage of students who felt sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months
V2314	QN25	Considered suicide past 12 months	Percentage of students who seriously considered attempting suicide during the past 12 months
V2315	QN26	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V2316	QN27	No close friends	Percentage of students who have no close friends
V2317	QN28	Of current smokers, age first cigarette before 13	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger

ID	Name	Label	Question
V2318	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V2319	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days
V2320	QN31	Tried to quit smoking past 12 months	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months
V2321	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoking in their presence on one or more of the past seven days
V2322	QN33	Either/Both parents use tobacco	Percentage of students who have a parent or guardian who uses any form of tobacco
V2323	QN34	Drank 1+ days past 30 days	Percentage of students who drank alcohol on one or more of the past 30 days
V2324	QN35	Of current drinkers, drank 2+ drinks/day 30 days	Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days
V2325	QN36	Of current drinkers, bought alcohol in store	Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days
V2326	QN37	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V2327	QN38	Alcohol trouble 1+ times in lifetime	Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life
V2328	QN39	Used drugs 1+ times in lifetime	Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life
V2329	QN40	Ever had sex	Percentage of students who have ever had sexual intercourse
V2330	QN41	Age first sexual intercourse 12 or younger	Percentage of students who had sexual intercourse for the first time before age 13
V2331	QN42	2+ sex partners lifetime	Percentage of students who have had sexual intercourse with two or more people during their life time
V2332	QN43	Sexual intercourse past 12 months	Percentage of students who had sexual intercourse during the past 12 months
V2333	QN44	Of sexually active 12 mos, use condoms at last sex	Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse
V2334	QN45	Active 60+ mins/day for all of past 7 days	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days
V2335	QN46	Active 60+ min/day all 7 days of usual week	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week
V2336	QN47	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day
V2337	QN48	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to and from school during the past seven days
V2338	QN49	Less than 29 minutes to/from school past 7 days	Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days
V2339	QN50	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V2340	QN51	Students never/rarely kind/helpful past 30 days	Percentage of students who reported that most of the students in their school were kind and helpful most of the time or always during the past 30 days

ID	Name	Label	Question
V2341	QN52	Parents never/rarely check homework past 30 days	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V2342	QN53	Parents never/rarely understand problems past 30	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V2343	QN54	Parents never/rarely know about free time past 30	Percentage of students whose parents or guardians knew what they were doing with their free time most of the time or always during the past 30 days
V2344	qnrovwtg	At risk for becoming overweight	Percentage of students at risk for becoming overweight
V2345	qnovwtg	Overweight	Percentage of students who are overweight
V2346	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days
V2347	qnanytbq	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days of the past 30 days
V2348	qnminpag	Exercised 60 min/day <=5 days	Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average
V2349	qnwkrdg	Walked/biked <2.5 hrs 7 days	Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days
V2350	weight	Weight	
V2351	psu	Primary Sampling Unit	
V2352	stratum	Stratum	

total: 110



**Q1: How old are you****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1766 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	3	0.2%
2	12 years old	413	23.4%
3	13 years old	719	40.7%
4	14 years old	462	26.2%
5	15 years old	132	7.5%
6	16 years old or older	37	2.1%
Sysmiss		6	

**Q2: Sex****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1765 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	905	51.3%
2	Female	860	48.7%
Sysmiss		7	

**Q3: In what grade are you****Data file:** CLBH2005\_public\_use

**Overview**

Valid: 1751 Invalid: 21  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

In what grade are you?

## CATEGORIES

Value	Category	Cases	
1	7° Primary grade	828	47.3%
2	8° Primary grade	839	47.9%
3	1° Secondary grade	84	4.8%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		21	

**Q4: How tall are you**

Data file: CLBH2005\_public\_use

**Overview**

Valid: 1717 Invalid: 55 Minimum: 1.3 Maximum: 1.95  
 Type: Continuous Decimal: 0 Width: 4 Range: 1.3 - 1.95 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How tall are you without your shoes on?

**description**

## DEFINITION

(Note:  
 Data are in meters.)

**Q5: How much do you weigh**

Data file: CLBH2005\_public\_use

**Overview**

Valid: 1717 Invalid: 55 Minimum: 28 Maximum: 105  
 Type: Continuous Decimal: 0 Width: 6 Range: 28 - 105 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How much do you weigh without your shoes on?

### description

### DEFINITION

(Note: Data are in kilograms.)

## Q6: Went hungry past 30 days

Data file: CLBH2005\_public\_use

### Overview

Valid: 1768 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

### CATEGORIES

Value	Category	Cases	
1	Never	1328	75.1%
2	Rarely	311	17.6%
3	Sometimes	106	6%
4	Most of the time	13	0.7%
5	Always	10	0.6%
Sysmiss		4	

## Q7: Eat fruit per day past 30 days

Data file: CLBH2005\_public\_use

### Overview

Valid: 1760 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	110	6.3%
2	Less than one time per day	306	17.4%
3	1 time per day	507	28.8%
4	2 times per day	455	25.9%
5	3 times per day	217	12.3%
6	4 times per day	54	3.1%
7	5 or more times per day	111	6.3%
Sysmiss		12	

## Q8: Eat vegetables past 30 days

Data file: CLBH2005\_public\_use

### Overview

Valid: 1744 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	77	4.4%
2	Less than one time per day	234	13.4%
3	1 time per day	763	43.8%
4	2 times per day	363	20.8%
5	3 times per day	132	7.6%
6	4 times per day	42	2.4%
7	5 or more times per day	133	7.6%
Sysmiss		28	

**Q10: Wash hands before eating past 30 days****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1763 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about cleaning your teeth and washing your hands.

**LITERAL QUESTION**

During the past 30 days, how often did you wash your hands before eating?

**CATEGORIES**

Value	Category	Cases	
1	Never	26	1.5%
2	Rarely	54	3.1%
3	Sometimes	147	8.3%
4	Most of the time	385	21.8%
5	Always	1151	65.3%
Sysmiss		9	

**Q11: Wash hands after toilet past 30 day****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1760 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about cleaning your teeth and washing your hands.

**LITERAL QUESTION**

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

**CATEGORIES**

Value	Category	Cases	
1	Never	16	0.9%
2	Rarely	18	1%
3	Sometimes	48	2.7%

4	Most of the time	172	9.8%
5	Always	1506	85.6%
Sysmiss		12	

## Q12: Used soap on hands past 30 days

Data file: CLBH2005\_public\_use

### Overview

Valid: 1745 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

#### CATEGORIES

Value	Category	Cases	
1	Never	33	1.9%
2	Rarely	45	2.6%
3	Sometimes	143	8.2%
4	Most of the time	419	24%
5	Always	1105	63.3%
Sysmiss		27	

## Q13: Times attacked past 12 mo.

Data file: CLBH2005\_public\_use

### Overview

Valid: 1718 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1162	67.6%
2	1 time	257	15%
3	2 or 3 times	168	9.8%
4	4 or 5 times	49	2.9%
5	6 or 7 times	26	1.5%
6	8 or 9 times	8	0.5%
7	10 or 11 times	13	0.8%
8	12 or more times	35	2%
Sysmiss		54	

### Q14: How many times in fight 12 mos

Data file: CLBH2005\_public\_use

#### Overview

Valid: 1762 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two or more students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

#### CATEGORIES

Value	Category	Cases	
1	0 times	980	55.6%
2	1 time	364	20.7%
3	2 or 3 times	229	13%
4	4 or 5 times	56	3.2%
5	6 or 7 times	38	2.2%
6	8 or 9 times	26	1.5%
7	10 or 11 times	11	0.6%
8	12 or more times	58	3.3%
Sysmiss		10	

**Q15: How many times injured past 12 months****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1518 Invalid: 254

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

## CATEGORIES

Value	Category	Cases	
1	0 times	1016	66.9%
2	1 time	346	22.8%
3	2 or 3 times	115	7.6%
4	4 or 5 times	19	1.3%
5	6 or 7 times	6	0.4%
6	8 or 9 times	7	0.5%
7	10 or 11 times	2	0.1%
8	12 or more times	7	0.5%
Sysmiss		254	

**Q16: Doing what during injury past 12 mo.****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1552 Invalid: 220

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, what were you doing when the most serious injury happened to you?

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1031	66.4%
2	Playing a sport	251	16.2%
3	Walking/running	79	5.1%
4	Riding a bicycle or scooter	35	2.3%
5	Riding/driving motor vehicle	3	0.2%
6	Doing work	4	0.3%
7	Nothing	11	0.7%
8	Something else	138	8.9%
Sysmiss		220	

### Q17: Cause of injury past 12 mo.

Data file: CLBH2005\_public\_use

#### Overview

Valid: 1549 Invalid: 223

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1033	66.7%
2	Motor vehicle accident	20	1.3%
3	I fell	219	14.1%
4	Something fell on me or hit me	42	2.7%
5	I was fighting with someone	25	1.6%
6	Attacked or assaulted	6	0.4%
7	Was in a fire	5	0.3%
8	Something else	199	12.8%
Sysmiss		223	

**Q18: How injury happened past 12 mo.****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1535 Invalid: 237

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, how did the most serious injury happen to you?

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1026	66.8%
2	I hurt myself by accident	324	21.1%
3	Someone hurt me by accident	101	6.6%
4	I hurt myself on purpose	19	1.2%
5	Someone hurt me on purpose	65	4.2%
Sysmiss		237	

**Q19: What was serious injury past 12 mo.****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1555 Invalid: 217

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1033	66.4%
2	Broken bone/dislocated joint	244	15.7%

3	Cut, puncture, stab wound	33	2.1%
4	Concussion/head injury	51	3.3%
5	I had a gunshot wound	2	0.1%
6	I had a bad burn	7	0.5%
7	Lost foot, leg, hand, or arm	7	0.5%
8	Something else happened to me	178	11.4%
Sysmiss		217	

## Q20: How many days bullied past 30 days

Data file: CLBH2005\_public\_use

### Overview

Valid: 1579 Invalid: 193

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

#### CATEGORIES

Value	Category	Cases	
1	0 days	902	57.1%
2	1 or 2 days	298	18.9%
3	3 to 5 days	112	7.1%
4	6 to 9 days	86	5.4%
5	10 to 19 days	61	3.9%
6	20 to 29 days	26	1.6%
7	All 30 days	94	6%
Sysmiss		193	

## Q21: How bullied past 30 days

Data file: CLBH2005\_public\_use

### Overview

Valid: 1566 Invalid: 206

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

### CATEGORIES

Value	Category	Cases	
1	Not bullied	903	57.7%
2	Kicked, pushed, or shoved	57	3.6%
3	Made fun because of race/color	63	4%
4	Made fun because of religion	17	1.1%
5	Made fun of about sex	58	3.7%
6	Left out of activities	19	1.2%
7	Made fun of about body	195	12.5%
8	Some other way	254	16.2%
Sysmiss		206	

## Q22: Times felt lonely past 12 mo.

Data file: CLBH2005\_public\_use

### Overview

Valid: 1760 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

### CATEGORIES

Value	Category	Cases	
1	Never	619	35.2%
2	Rarely	463	26.3%
3	Sometimes	416	23.6%
4	Most of the time	162	9.2%
5	Always	100	5.7%

Sysmiss

12

**Q23: Times could not sleep past 12 mo.****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1767 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

## LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

## CATEGORIES

Value	Category	Cases	
1	Never	672	38%
2	Rarely	556	31.5%
3	Sometimes	395	22.4%
4	Most of the time	100	5.7%
5	Always	44	2.5%
Sysmiss		5	

**Q24: Sad and hopeless past 12 mo.****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1760 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

## LITERAL QUESTION

During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing your usual activities?

## CATEGORIES

Value	Category	Cases	
1	Yes	552	31.4%

2	No	1208	68.6%
Sysmiss		12	

## Q25: Ever considered suicide 12 mos

Data file: CLBH2005\_public\_use

### Overview

Valid: 1751 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

#### CATEGORIES

Value	Category	Cases	
1	Yes	341	19.5%
2	No	1410	80.5%
Sysmiss		21	

## Q26: Ever make suicide plan 12 mos

Data file: CLBH2005\_public\_use

### Overview

Valid: 1718 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	Yes	263	15.3%
2	No	1455	84.7%
Sysmiss		54	

**Q27: Number close friends****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1755    Invalid: 17

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 4    Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

## LITERAL QUESTION

How many close friends do you have?

## CATEGORIES

Value	Category	Cases	
1	0	129	7.4%
2	1	233	13.3%
3	2	315	17.9%
4	3 or more	1078	61.4%
Sysmiss		17	

**Q28: Age first tried cigarette****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1576    Invalid: 196

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 7    Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

How old were you when you first tried a cigarette?

## CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	791	50.2%
2	7 years old or younger	64	4.1%
3	8 or 9 years old	76	4.8%
4	10 or 11 years old	217	13.8%

5	12 or 13 years old	351	22.3%
6	14 or 15 years old	75	4.8%
7	16 years old or older	2	0.1%
Sysmiss		196	

## Q29: How many days smoked 30 days

Data file: CLBH2005\_public\_use

### Overview

Valid: 1588 Invalid: 184

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

#### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

#### CATEGORIES

Value	Category	Cases	
1	0 days	1175	74%
2	1 or 2 days	166	10.5%
3	3 to 5 days	67	4.2%
4	6 to 9 days	41	2.6%
5	10 to 19 days	48	3%
6	20 to 29 days	30	1.9%
7	All 30 days	61	3.8%
Sysmiss		184	

## Q30: Other tobacco past 30 days

Data file: CLBH2005\_public\_use

### Overview

Valid: 1770 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

#### LITERAL QUESTION

During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	1671	94.4%
2	1 or 2 days	64	3.6%
3	3 to 5 days	12	0.7%
4	6 to 9 days	9	0.5%
5	10 to 19 days	8	0.5%
6	20 to 29 days	1	0.1%
7	All 30 days	5	0.3%
Sysmiss		2	

### Q31: Try stop smoking past 12 mo.

Data file: CLBH2005\_public\_use

#### Overview

Valid: 1458 Invalid: 314

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

## CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	781	53.6%
2	Did not smoke cigarettes	192	13.2%
3	Yes	335	23%
4	No	150	10.3%
Sysmiss		314	

### Q32: Others present smoking past 7 days

Data file: CLBH2005\_public\_use

#### Overview

Valid: 1751 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

### CATEGORIES

Value	Category	Cases	
1	0 days	369	21.1%
2	1 or 2 days	423	24.2%
3	3 or 4 days	235	13.4%
4	5 or 6 days	152	8.7%
5	All 7 days	572	32.7%
Sysmiss		21	

## Q33: Parents who use tobacco

Data file: CLBH2005\_public\_use

### Overview

Valid: 1762 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

### CATEGORIES

Value	Category	Cases	
1	Neither	740	42%
2	My father or male guardian	324	18.4%
3	My mother or female guardian	237	13.5%
4	Both	373	21.2%
5	I do not know	88	5%
Sysmiss		10	

## Q34: Days one drink or more past 30 days

Data file: CLBH2005\_public\_use

## Overview

Valid: 1667 Invalid: 105

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

### CATEGORIES

Value	Category	Cases	
1	0 days	1243	74.6%
2	1 or 2 days	288	17.3%
3	3 to 5 days	74	4.4%
4	6 to 9 days	33	2%
5	10 to 19 days	20	1.2%
6	20 to 29 days	3	0.2%
7	All 30 days	6	0.4%
Sysmiss		105	

## Q35: Number of drinks past 30 days

Data file: CLBH2005\_public\_use

## Overview

Valid: 1664 Invalid: 108

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1228	73.8%
2	Less than one drink	224	13.5%
3	1 drink	77	4.6%
4	2 drinks	49	2.9%



5	3 drinks	25	1.5%
6	4 drinks	22	1.3%
7	5 or more drinks	39	2.3%
Sysmiss		108	

### Q36: How got drinks past 30 days

Data file: CLBH2005\_public\_use

#### Overview

Valid: 1628 Invalid: 144

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

##### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank?

##### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1215	74.6%
2	I bought in a store	103	6.3%
3	I gave someone money to buy	37	2.3%
4	I got it from my friends	121	7.4%
5	I got it from home	81	5%
6	I stole it	4	0.2%
7	I made it myself	0	0%
8	I got it some other way	67	4.1%
Sysmiss		144	

### Q37: Times drunk during life

Data file: CLBH2005\_public\_use

#### Overview

Valid: 1762 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

#### LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1403	79.6%
2	1 or 2 times	263	14.9%
3	3 to 9 times	67	3.8%
4	10 or more times	29	1.6%
Sysmiss		10	

### Q38: Number of troubles as result of drinking

Data file: CLBH2005\_public\_use

#### Overview

Valid: 1767 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

#### LITERAL QUESTION

During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1511	85.5%
2	1 or 2 times	203	11.5%
3	3 to 9 times	34	1.9%
4	10 or more times	19	1.1%
Sysmiss		5	

### Q39: Number times drug use during life

Data file: CLBH2005\_public\_use

#### Overview

Valid: 1745 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about drugs.

### LITERAL QUESTION

During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 times	1584	90.8%
2	1 or 2 times	99	5.7%
3	3 to 9 times	39	2.2%
4	10 or more times	23	1.3%
Sysmiss		27	

## Q40: Ever had sex

Data file: CLBH2005\_public\_use

### Overview

Valid: 1472 Invalid: 300

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

Have you ever had sexual intercourse?

### CATEGORIES

Value	Category	Cases	
1	Yes	172	11.7%
2	No	1300	88.3%
Sysmiss		300	

## Q41: Age first sexual intercourse

Data file: CLBH2005\_public\_use

### Overview

Valid: 1496 Invalid: 276

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	1301	87%
2	11 years old or younger	57	3.8%
3	12 years old	36	2.4%
4	13 years old	47	3.1%
5	14 years old	37	2.5%
6	15 years old	12	0.8%
7	16 years old or older	6	0.4%
Sysmiss		276	

## Q42: How many sex partners

Data file: CLBH2005\_public\_use

### Overview

Valid: 1502 Invalid: 270

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	1319	87.8%
2	1 person	110	7.3%
3	2 people	35	2.3%
4	3 people	13	0.9%
5	4 people	9	0.6%
6	5 people	4	0.3%
7	6 or more people	12	0.8%
Sysmiss		270	

**Q43: Sexual intercourse past 12 mo.****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1616    Invalid: 156

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

During the past 12 months, have you had sexual intercourse?

## CATEGORIES

Value	Category	Cases	
1	Yes	107	6.6%
2	No	1509	93.4%
Sysmiss		156	

**Q44: Used condom at last intercourse****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1485    Invalid: 287

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 3    Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	1302	87.7%
2	Yes	81	5.5%
3	No	102	6.9%
Sysmiss		287	

**Q45: Days active 60 min plus past 7 days****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1767 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

## LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?

## CATEGORIES

Value	Category	Cases	
1	0 days	410	23.2%
2	1 day	48	2.7%
3	2 days	272	15.4%
4	3 days	56	3.2%
5	4 days	304	17.2%
6	5 days	170	9.6%
7	6 days	384	21.7%
8	7 days	123	7%
Sysmiss		5	

**Q46: Active 60 min plus per day usual week****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1756 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

## LITERAL QUESTION

During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?

## CATEGORIES

Value	Category	Cases	
1	0 days	267	15.2%
2	1 day	245	14%
3	2 days	50	2.8%
4	3 days	89	5.1%
5	4 days	55	3.1%
6	5 days	168	9.6%
7	6 days	873	49.7%
8	7 days	9	0.5%
Sysmiss		16	

### Q47: Time spent sitting on usual day

Data file: CLBH2005\_public\_use

#### Overview

Valid: 1742 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

##### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?

##### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	611	35.1%
2	1 to 2 hours per day	535	30.7%
3	3 to 4 hours per day	353	20.3%
4	5 to 6 hours per day	125	7.2%
5	7 to 8 hours per day	47	2.7%
6	More than 8 hours per day	71	4.1%
Sysmiss		30	

### Q48: Walk or bike to school past 7 days

Data file: CLBH2005\_public\_use

#### Overview

Valid: 1754 Invalid: 18

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to and from school?

### CATEGORIES

Value	Category	Cases	
1	0 days	437	24.9%
2	1 day	108	6.2%
3	2 days	62	3.5%
4	3 days	69	3.9%
5	4 days	50	2.9%
6	5 days	342	19.5%
7	6 days	24	1.4%
8	7 days	662	37.7%
Sysmiss		18	

## Q49: How long to from school past 7 days

Data file: CLBH2005\_public\_use

### Overview

Valid: 1750    Invalid: 22

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 7    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

### LITERAL QUESTION

During the past 7 days, how long did it usually take for you to get to and from school each day?

### CATEGORIES

Value	Category	Cases	
1	Less than 10 minutes per day	685	39.1%
2	10 to 19 minutes per day	480	27.4%
3	20 to 29 minutes per day	248	14.2%
4	30 to 39 minutes per day	169	9.7%
5	40 to 49 minutes per day	68	3.9%
6	50 to 59 minutes per day	27	1.5%



7	60 or more minutes per day	73	4.2%
Sysmiss		22	

## Q50: Miss school no permission past 30 days

Data file: CLBH2005\_public\_use

### Overview

Valid: 1763 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

#### CATEGORIES

Value	Category	Cases	
1	0 days	1330	75.4%
2	1 or 2 days	296	16.8%
3	3 to 5 days	83	4.7%
4	6 to 9 days	28	1.6%
5	10 or more days	26	1.5%
Sysmiss		9	

## Q51: Others helpful in school past 30 days

Data file: CLBH2005\_public\_use

### Overview

Valid: 1755 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

#### CATEGORIES

Value	Category	Cases	
1	Never	215	12.3%

2	Rarely	462	26.3%
3	Sometimes	446	25.4%
4	Most of the time	352	20.1%
5	Always	280	16%
Sysmiss		17	

## Q52: Parents check homework past 30 days

Data file: CLBH2005\_public\_use

### Overview

Valid: 1751 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

#### CATEGORIES

Value	Category	Cases	
1	Never	342	19.5%
2	Rarely	263	15%
3	Sometimes	294	16.8%
4	Most of the time	308	17.6%
5	Always	544	31.1%
Sysmiss		21	

## Q53: Parent understand troubles past 30 days

Data file: CLBH2005\_public\_use

### Overview

Valid: 1766 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

## CATEGORIES

Value	Category	Cases	
1	Never	399	22.6%
2	Rarely	280	15.9%
3	Sometimes	260	14.7%
4	Most of the time	274	15.5%
5	Always	553	31.3%
Sysmiss		6	

**Q54: Parent know what you do past 30 days****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1763 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

## CATEGORIES

Value	Category	Cases	
1	Never	341	19.3%
2	Rarely	256	14.5%
3	Sometimes	249	14.1%
4	Most of the time	298	16.9%
5	Always	619	35.1%
Sysmiss		9	

**QN6: Went hungry most of time/always past 30 days****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1768 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home

## CATEGORIES

Value	Category	Cases	
1	Yes	23	1.3%
2	No	1745	98.7%
Sysmiss		4	

### QN7: Ate fruit 1+ times per day past 30 days

Data file: CLBH2005\_public\_use

#### Overview

Valid: 1760 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	1344	76.4%
2	No	416	23.6%
Sysmiss		12	

### QN8: Ate vegetables 1+ times per day past 30 day

Data file: CLBH2005\_public\_use

#### Overview

Valid: 1744 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	1433	82.2%
2	No	311	17.8%

Sysmiss		28	
---------	--	----	--

### QN10: Never/rarely wash hands before eating past 30 days

Data file: CLBH2005\_public\_use

#### Overview

Valid: 1763 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	80	4.5%
2	No	1683	95.5%
Sysmiss		9	

### QN11: Never/rarely wash hands after toilet past 30 days

Data file: CLBH2005\_public\_use

#### Overview

Valid: 1760 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	34	1.9%
2	No	1726	98.1%
Sysmiss		12	

### QN12: Never/rarely use soap on hands past 30 days

Data file: CLBH2005\_public\_use

**Overview**

Valid: 1745 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	78	4.5%
2	No	1667	95.5%
Sysmiss		27	

**QN13: Attacked 1+ times past 12 months**

Data file: CLBH2005\_public\_use

**Overview**

Valid: 1718 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	556	32.4%
2	No	1162	67.6%
Sysmiss		54	

**QN14: In fight 1+ times past 12 months**

Data file: CLBH2005\_public\_use

**Overview**

Valid: 1762 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	782	44.4%
2	No	980	55.6%
Sysmiss		10	

**QN15: Seriously injured 1+ times past 12 months**

Data file: CLBH2005\_public\_use

**Overview**

Valid: 1518 Invalid: 254

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	502	33.1%
2	No	1016	66.9%
Sysmiss		254	

**QN16: Playing sport caused most serious injury past 12mo**

Data file: CLBH2005\_public\_use

**Overview**

Valid: 497 Invalid: 1275

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport

## CATEGORIES

Value	Category	Cases	
1	Yes	236	47.5%
2	No	261	52.5%
Sysmiss		1275	

**QN17: Falling caused most serious injury past 12 months****Data file:** CLBH2005\_public\_use**Overview**

Valid: 495    Invalid: 1277

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall

**CATEGORIES**

Value	Category	Cases	
1	Yes	208	42%
2	No	287	58%
Sysmiss		1277	

**QN18: Accident caused most serious injury past 12 months****Data file:** CLBH2005\_public\_use**Overview**

Valid: 487    Invalid: 1285

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident

**CATEGORIES**

Value	Category	Cases	
1	Yes	306	62.8%
2	No	181	37.2%
Sysmiss		1285	

**QN19: Broken bone as most serious injury past 12 months****Data file:** CLBH2005\_public\_use



**Overview**

Valid: 498 Invalid: 1274

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury

## CATEGORIES

Value	Category	Cases	
1	Yes	234	47%
2	No	264	53%
Sysmiss		1274	

**QN20: Bullied 1+ of past 30 days**

Data file: CLBH2005\_public\_use

**Overview**

Valid: 1579 Invalid: 193

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	677	42.9%
2	No	902	57.1%
Sysmiss		193	

**QN21: Of students bullied, most often hit, kicked, etc**

Data file: CLBH2005\_public\_use

**Overview**

Valid: 653 Invalid: 1119

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

## CATEGORIES

Value	Category	Cases	
1	Yes	55	8.4%
2	No	598	91.6%
Sysmiss		1119	

**QN22: Lonely most times/always past 12 months**

Data file: CLBH2005\_public\_use

**Overview**

Valid: 1760 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who felt lonely most of the time or always during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	262	14.9%
2	No	1498	85.1%
Sysmiss		12	

**QN23: Worry prevented sleep most time/always past 12 mos**

Data file: CLBH2005\_public\_use

**Overview**

Valid: 1767 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	144	8.1%
2	No	1623	91.9%

Sysmiss		5	
---------	--	---	--

## QN24: Sad/Hopeless everyday 2+ weeks past 12 months

Data file: CLBH2005\_public\_use

### Overview

Valid: 1760 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who felt sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	552	31.4%
2	No	1208	68.6%
Sysmiss		12	

## QN25: Considered suicide past 12 months

Data file: CLBH2005\_public\_use

### Overview

Valid: 1751 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who seriously considered attempting suicide during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	341	19.5%
2	No	1410	80.5%
Sysmiss		21	

## QN26: Made suicide plan past 12 months

Data file: CLBH2005\_public\_use

**Overview**

Valid: 1718 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	263	15.3%
2	No	1455	84.7%
Sysmiss		54	

**QN27: No close friends**

Data file: CLBH2005\_public\_use

**Overview**

Valid: 1755 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who have no close friends

## CATEGORIES

Value	Category	Cases	
1	Yes	129	7.4%
2	No	1626	92.6%
Sysmiss		17	

**QN28: Of current smokers, age first cigarette before 13**

Data file: CLBH2005\_public\_use

**Overview**

Valid: 405 Invalid: 1367

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age

9 or younger

## CATEGORIES

Value	Category	Cases	
1	Yes	364	89.9%
2	No	41	10.1%
Sysmiss		1367	

**QN29: Smoked cigarettes 1+ of past 30 days****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1588 Invalid: 184

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	413	26%
2	No	1175	74%
Sysmiss		184	

**QN30: Used other tobacco 1+ of past 30 days****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1770 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	99	5.6%
2	No	1671	94.4%
Sysmiss		2	

**QN31: Tried to quit smoking past 12 months****Data file:** CLBH2005\_public\_use**Overview**

Valid: 485    Invalid: 1287

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months

**CATEGORIES**

Value	Category	Cases	
1	Yes	335	69.1%
2	No	150	30.9%
Sysmiss		1287	

**QN32: Others present smoking 1+ of past 7 days****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1751    Invalid: 21

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who reported people smoking in their presence on one or more of the past seven days

**CATEGORIES**

Value	Category	Cases	
1	Yes	1382	78.9%
2	No	369	21.1%
Sysmiss		21	

**QN33: Either/Both parents use tobacco****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1762    Invalid: 10

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who have a parent or guardian who uses any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	934	53%
2	No	828	47%
Sysmiss		10	

## QN34: Drank 1+ days past 30 days

Data file: CLBH2005\_public\_use

### Overview

Valid: 1667    Invalid: 105

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who drank alcohol on one or more of the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	424	25.4%
2	No	1243	74.6%
Sysmiss		105	

## QN35: Of current drinkers, drank 2+ drinks/day 30 days

Data file: CLBH2005\_public\_use

### Overview

Valid: 422    Invalid: 1350

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	135	32%
2	No	287	68%
Sysmiss		1350	

### QN36: Of current drinkers, bought alcohol in store

Data file: CLBH2005\_public\_use

#### Overview

Valid: 413 Invalid: 1359

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	103	24.9%
2	No	310	75.1%
Sysmiss		1359	

### QN37: 1+ times drunk in lifetime

Data file: CLBH2005\_public\_use

#### Overview

Valid: 1762 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

##### CATEGORIES

Value	Category	Cases	
1	Yes	359	20.4%
2	No	1403	79.6%
Sysmiss		10	



**QN38: Alcohol trouble 1+ times in lifetime****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1767 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	256	14.5%
2	No	1511	85.5%
Sysmiss		5	

**QN39: Used drugs 1+ times in lifetime****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1745 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	161	9.2%
2	No	1584	90.8%
Sysmiss		27	

**QN40: Ever had sex****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1472 Invalid: 300

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who have ever had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	172	11.7%
2	No	1300	88.3%
Sysmiss		300	

## QN41: Age first sexual intercourse 12 or younger

Data file: CLBH2005\_public\_use

### Overview

Valid: 1496 Invalid: 276

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse for the first time before age 13

### CATEGORIES

Value	Category	Cases	
1	Yes	93	6.2%
2	No	1403	93.8%
Sysmiss		276	

## QN42: 2+ sex partners lifetime

Data file: CLBH2005\_public\_use

### Overview

Valid: 1502 Invalid: 270

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who have had sexual intercourse with two or more people during their life time

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	73	4.9%
2	No	1429	95.1%
Sysmiss		270	

### QN43: Sexual intercourse past 12 months

Data file: CLBH2005\_public\_use

#### Overview

Valid: 1616 Invalid: 156

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who had sexual intercourse during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	107	6.6%
2	No	1509	93.4%
Sysmiss		156	

### QN44: Of sexually active 12 mos, use condoms at last sex

Data file: CLBH2005\_public\_use

#### Overview

Valid: 107 Invalid: 1665

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse

##### CATEGORIES

Value	Category	Cases	
1	Yes	52	48.6%
2	No	55	51.4%
Sysmiss		1665	

**QN45: Active 60+ mins/day for all of past 7 days****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1767 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days

## CATEGORIES

Value	Category	Cases	
1	Yes	123	7%
2	No	1644	93%
Sysmiss		5	

**QN46: Active 60+ min/day all 7 days of usual week****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1756 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week

## CATEGORIES

Value	Category	Cases	
1	Yes	9	0.5%
2	No	1747	99.5%
Sysmiss		16	

**QN47: Sitting activities 3+ hours/day of usual day****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1742 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day

### CATEGORIES

Value	Category	Cases	
1	Yes	596	34.2%
2	No	1146	65.8%
Sysmiss		30	

## QN48: Walk/Bike to/from school 0 of past 7 days

Data file: CLBH2005\_public\_use

### Overview

Valid: 1754 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to and from school during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	437	24.9%
2	No	1317	75.1%
Sysmiss		18	

## QN49: Less than 29 minutes to/from school past 7 days

Data file: CLBH2005\_public\_use

### Overview

Valid: 1750 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1413	80.7%
2	No	337	19.3%
Sysmiss		22	

**QN50: Miss school no permission 1+ of past 30 days****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1763 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	433	24.6%
2	No	1330	75.4%
Sysmiss		9	

**QN51: Students never/rarely kind/helpful past 30 days****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1755 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who reported that most of the students in their school were kind and helpful most of the time or always during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	677	38.6%
2	No	1078	61.4%
Sysmiss		17	

**QN52: Parents never/rarely check homework past 30 days****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1751 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	605	34.6%
2	No	1146	65.4%
Sysmiss		21	

**QN53: Parents never/rarely understand problems past 30****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1766 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	679	38.4%
2	No	1087	61.6%
Sysmiss		6	

**QN54: Parents never/rarely know about free time past 30****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1763 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians knew what they were doing with their free time most of the time or always during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	597	33.9%
2	No	1166	66.1%
Sysmiss		9	

## QNRVWTG: At risk for becoming overweight

Data file: CLBH2005\_public\_use

### Overview

Valid: 1717 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students at risk for becoming overweight

### CATEGORIES

Value	Category	Cases	
1	Yes	467	27.2%
2	No	1250	72.8%
Sysmiss		55	

## QNOVWTG: Overweight

Data file: CLBH2005\_public\_use

### Overview

Valid: 1717 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who are overweight

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--



1	Yes	139	8.1%
2	No	1578	91.9%
Sysmiss		55	

### QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: CLBH2005\_public\_use

#### Overview

Valid: 1734 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	395	22.8%
2	No	1339	77.2%
Sysmiss		38	

### QNANYTBG: Used any tobacco past 30 days

Data file: CLBH2005\_public\_use

#### Overview

Valid: 1587 Invalid: 185

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used any tobacco on one or more days of the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	436	27.5%
2	No	1151	72.5%
Sysmiss		185	

**QNMINPAG: Exercised 60 min/day <=5 days****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1752 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average

## CATEGORIES

Value	Category	Cases	
1	Yes	1022	58.3%
2	No	730	41.7%
Sysmiss		20	

**QNWKRDG: Walked/biked <2.5 hrs 7 days****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1733 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days

## CATEGORIES

Value	Category	Cases	
1	Yes	1488	85.9%
2	No	245	14.1%
Sysmiss		39	

**WEIGHT: Weight****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1772 Invalid: 0

Type: Continuous Decimal: 0 Width: 12 Range: 11.4124 - 28.3909 Format: Numeric Weighted: yes

**PSU: Primary Sampling Unit****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1772    Invalid: 0

Type: Continuous    Decimal: 0    Width: 5    Range: 1 - 25    Format: Numeric

**STRATUM: Stratum****Data file:** CLBH2005\_public\_use**Overview**

Valid: 1772    Invalid: 0

Type: Discrete    Decimal: 0    Width: 9    Range: 200502001 - 200502012    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
200502001		87	4.9%
200502002		96	5.4%
200502003		179	10.1%
200502004		152	8.6%
200502005		191	10.8%
200502006		144	8.1%
200502007		143	8.1%
200502008		165	9.3%
200502009		150	8.5%
200502010		200	11.3%
200502011		105	5.9%
200502012		160	9%

**Q1: How old are you****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1767 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	8	0.5%
2	12 years old	285	16.1%
3	13 years old	494	28%
4	14 years old	546	30.9%
5	15 years old	302	17.1%
6	16 years old or older	132	7.5%
Sysmiss		10	

**Q2: Sex****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1763 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	825	46.8%
2	Female	938	53.2%
Sysmiss		14	

**Q3: In what grade are you****Data file:** CLCH2005\_public\_use

## Overview

Valid: 1749   Invalid: 28  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade are you?

### CATEGORIES

Value	Category	Cases	
1	7° Primary grade	536	30.6%
2	8° Primary grade	651	37.2%
3	1° Secondary grade	562	32.1%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		28	

## Q4: How tall are you

Data file: CLCH2005\_public\_use

## Overview

Valid: 1711   Invalid: 66   Minimum: 1.31   Maximum: 1.84  
 Type: Continuous   Decimal: 0   Width: 4   Range: 1.3 - 1.95   Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on?

## description

### DEFINITION

(Note:  
 Data are in meters.)

## Q5: How much do you weigh

Data file: CLCH2005\_public\_use

## Overview

Valid: 1711   Invalid: 66   Minimum: 31   Maximum: 114  
 Type: Continuous   Decimal: 0   Width: 6   Range: 28 - 105   Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How much do you weigh without your shoes on?

### description

### DEFINITION

(Note: Data are in kilograms.)

## Q6: Went hungry past 30 days

Data file: CLCH2005\_public\_use

### Overview

Valid: 1772 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

### CATEGORIES

Value	Category	Cases	
1	Never	1335	75.3%
2	Rarely	308	17.4%
3	Sometimes	109	6.2%
4	Most of the time	12	0.7%
5	Always	8	0.5%
Sysmiss		5	

## Q7: Eat fruit per day past 30 days

Data file: CLCH2005\_public\_use

### Overview

Valid: 1767 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	116	6.6%
2	Less than one time per day	338	19.1%
3	1 time per day	507	28.7%
4	2 times per day	417	23.6%
5	3 times per day	228	12.9%
6	4 times per day	50	2.8%
7	5 or more times per day	111	6.3%
Sysmiss		10	

## Q8: Eat vegetables past 30 days

Data file: CLCH2005\_public\_use

### Overview

Valid: 1737 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	70	4%
2	Less than one time per day	238	13.7%
3	1 time per day	737	42.4%
4	2 times per day	400	23%
5	3 times per day	119	6.9%
6	4 times per day	40	2.3%
7	5 or more times per day	133	7.7%
Sysmiss		40	

**Q10: Wash hands before eating past 30 days****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1769 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about cleaning your teeth and washing your hands.

**LITERAL QUESTION**

During the past 30 days, how often did you wash your hands before eating?

**CATEGORIES**

Value	Category	Cases	
1	Never	27	1.5%
2	Rarely	56	3.2%
3	Sometimes	178	10.1%
4	Most of the time	441	24.9%
5	Always	1067	60.3%
Sysmiss		8	

**Q11: Wash hands after toilet past 30 day****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1757 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about cleaning your teeth and washing your hands.

**LITERAL QUESTION**

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

**CATEGORIES**

Value	Category	Cases	
1	Never	10	0.6%
2	Rarely	17	1%
3	Sometimes	66	3.8%



4	Most of the time	176	10%
5	Always	1488	84.7%
Sysmiss		20	

## Q12: Used soap on hands past 30 days

Data file: CLCH2005\_public\_use

### Overview

Valid: 1745 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

#### CATEGORIES

Value	Category	Cases	
1	Never	23	1.3%
2	Rarely	38	2.2%
3	Sometimes	177	10.1%
4	Most of the time	469	26.9%
5	Always	1038	59.5%
Sysmiss		32	

## Q13: Times attacked past 12 mo.

Data file: CLCH2005\_public\_use

### Overview

Valid: 1733 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1174	67.7%
2	1 time	233	13.4%
3	2 or 3 times	177	10.2%
4	4 or 5 times	53	3.1%
5	6 or 7 times	18	1%
6	8 or 9 times	20	1.2%
7	10 or 11 times	15	0.9%
8	12 or more times	43	2.5%
Sysmiss		44	

### Q14: How many times in fight 12 mos

Data file: CLCH2005\_public\_use

#### Overview

Valid: 1756 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two or more students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1008	57.4%
2	1 time	314	17.9%
3	2 or 3 times	238	13.6%
4	4 or 5 times	68	3.9%
5	6 or 7 times	46	2.6%
6	8 or 9 times	22	1.3%
7	10 or 11 times	5	0.3%
8	12 or more times	55	3.1%
Sysmiss		21	

**Q15: How many times injured past 12 months****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1531 Invalid: 246

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

## CATEGORIES

Value	Category	Cases	
1	0 times	1019	66.6%
2	1 time	337	22%
3	2 or 3 times	127	8.3%
4	4 or 5 times	26	1.7%
5	6 or 7 times	9	0.6%
6	8 or 9 times	7	0.5%
7	10 or 11 times	1	0.1%
8	12 or more times	5	0.3%
Sysmiss		246	

**Q16: Doing what during injury past 12 mo.****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1559 Invalid: 218

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, what were you doing when the most serious injury happened to you?

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1031	66.1%
2	Playing a sport	253	16.2%
3	Walking/running	49	3.1%
4	Riding a bicycle or scooter	30	1.9%
5	Riding/driving motor vehicle	8	0.5%
6	Doing work	9	0.6%
7	Nothing	15	1%
8	Something else	164	10.5%
Sysmiss		218	

### Q17: Cause of injury past 12 mo.

Data file: CLCH2005\_public\_use

#### Overview

Valid: 1553 Invalid: 224

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1029	66.3%
2	Motor vehicle accident	20	1.3%
3	I fell	191	12.3%
4	Something fell on me or hit me	43	2.8%
5	I was fighting with someone	23	1.5%
6	Attacked or assaulted	9	0.6%
7	Was in a fire	3	0.2%
8	Something else	235	15.1%
Sysmiss		224	

**Q18: How injury happened past 12 mo.****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1521 Invalid: 256

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, how did the most serious injury happen to you?

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1017	66.9%
2	I hurt myself by accident	343	22.6%
3	Someone hurt me by accident	76	5%
4	I hurt myself on purpose	22	1.4%
5	Someone hurt me on purpose	63	4.1%
Sysmiss		256	

**Q19: What was serious injury past 12 mo.****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1560 Invalid: 217

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1031	66.1%
2	Broken bone/dislocated joint	224	14.4%

3	Cut, puncture, stab wound	34	2.2%
4	Concussion/head injury	42	2.7%
5	I had a gunshot wound	4	0.3%
6	I had a bad burn	13	0.8%
7	Lost foot, leg, hand, or arm	2	0.1%
8	Something else happened to me	210	13.5%
Sysmiss		217	

## Q20: How many days bullied past 30 days

Data file: CLCH2005\_public\_use

### Overview

Valid: 1629 Invalid: 148

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

#### CATEGORIES

Value	Category	Cases	
1	0 days	940	57.7%
2	1 or 2 days	323	19.8%
3	3 to 5 days	112	6.9%
4	6 to 9 days	72	4.4%
5	10 to 19 days	57	3.5%
6	20 to 29 days	38	2.3%
7	All 30 days	87	5.3%
Sysmiss		148	

## Q21: How bullied past 30 days

Data file: CLCH2005\_public\_use

### Overview

Valid: 1627 Invalid: 150

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

### CATEGORIES

Value	Category	Cases	
1	Not bullied	940	57.8%
2	Kicked, pushed, or shoved	53	3.3%
3	Made fun because of race/color	56	3.4%
4	Made fun because of religion	19	1.2%
5	Made fun of about sex	64	3.9%
6	Left out of activities	25	1.5%
7	Made fun of about body	179	11%
8	Some other way	291	17.9%
Sysmiss		150	

## Q22: Times felt lonely past 12 mo.

Data file: CLCH2005\_public\_use

### Overview

Valid: 1769 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

### CATEGORIES

Value	Category	Cases	
1	Never	540	30.5%
2	Rarely	472	26.7%
3	Sometimes	451	25.5%
4	Most of the time	205	11.6%
5	Always	101	5.7%

Sysmiss

8

**Q23: Times could not sleep past 12 mo.****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1772 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

## LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

## CATEGORIES

Value	Category	Cases	
1	Never	557	31.4%
2	Rarely	660	37.2%
3	Sometimes	402	22.7%
4	Most of the time	116	6.5%
5	Always	37	2.1%
Sysmiss		5	

**Q24: Sad and hopeless past 12 mo.****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1766 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

## LITERAL QUESTION

During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing your usual activities?

## CATEGORIES

Value	Category	Cases	
1	Yes	536	30.4%



2	No	1230	69.6%
Sysmiss		11	

## Q25: Ever considered suicide 12 mos

Data file: CLCH2005\_public\_use

### Overview

Valid: 1756 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

#### CATEGORIES

Value	Category	Cases	
1	Yes	390	22.2%
2	No	1366	77.8%
Sysmiss		21	

## Q26: Ever make suicide plan 12 mos

Data file: CLCH2005\_public\_use

### Overview

Valid: 1743 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	Yes	294	16.9%
2	No	1449	83.1%
Sysmiss		34	

**Q27: Number close friends****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1765    Invalid: 12

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 4    Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

## LITERAL QUESTION

How many close friends do you have?

## CATEGORIES

Value	Category	Cases	
1	0	140	7.9%
2	1	197	11.2%
3	2	321	18.2%
4	3 or more	1107	62.7%
Sysmiss		12	

**Q28: Age first tried cigarette****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1604    Invalid: 173

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 7    Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

How old were you when you first tried a cigarette?

## CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	732	45.6%
2	7 years old or younger	52	3.2%
3	8 or 9 years old	92	5.7%
4	10 or 11 years old	227	14.2%

5	12 or 13 years old	361	22.5%
6	14 or 15 years old	130	8.1%
7	16 years old or older	10	0.6%
Sysmiss		173	

## Q29: How many days smoked 30 days

Data file: CLCH2005\_public\_use

### Overview

Valid: 1600 Invalid: 177

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

#### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

#### CATEGORIES

Value	Category	Cases	
1	0 days	1081	67.6%
2	1 or 2 days	157	9.8%
3	3 to 5 days	90	5.6%
4	6 to 9 days	51	3.2%
5	10 to 19 days	57	3.6%
6	20 to 29 days	44	2.8%
7	All 30 days	120	7.5%
Sysmiss		177	

## Q30: Other tobacco past 30 days

Data file: CLCH2005\_public\_use

### Overview

Valid: 1774 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

#### LITERAL QUESTION

During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	1673	94.3%
2	1 or 2 days	57	3.2%
3	3 to 5 days	16	0.9%
4	6 to 9 days	13	0.7%
5	10 to 19 days	5	0.3%
6	20 to 29 days	4	0.2%
7	All 30 days	6	0.3%
Sysmiss		3	

### Q31: Try stop smoking past 12 mo.

Data file: CLCH2005\_public\_use

#### Overview

Valid: 1508 Invalid: 269

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

## CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	724	48%
2	Did not smoke cigarettes	192	12.7%
3	Yes	388	25.7%
4	No	204	13.5%
Sysmiss		269	

### Q32: Others present smoking past 7 days

Data file: CLCH2005\_public\_use

#### Overview

Valid: 1756 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

### CATEGORIES

Value	Category	Cases	
1	0 days	297	16.9%
2	1 or 2 days	433	24.7%
3	3 or 4 days	259	14.7%
4	5 or 6 days	168	9.6%
5	All 7 days	599	34.1%
Sysmiss		21	

## Q33: Parents who use tobacco

Data file: CLCH2005\_public\_use

### Overview

Valid: 1771 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

### CATEGORIES

Value	Category	Cases	
1	Neither	713	40.3%
2	My father or male guardian	305	17.2%
3	My mother or female guardian	281	15.9%
4	Both	389	22%
5	I do not know	83	4.7%
Sysmiss		6	

## Q34: Days one drink or more past 30 days

Data file: CLCH2005\_public\_use

## Overview

Valid: 1670 Invalid: 107

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

### CATEGORIES

Value	Category	Cases	
1	0 days	1087	65.1%
2	1 or 2 days	341	20.4%
3	3 to 5 days	117	7%
4	6 to 9 days	65	3.9%
5	10 to 19 days	42	2.5%
6	20 to 29 days	11	0.7%
7	All 30 days	7	0.4%
Sysmiss		107	

## Q35: Number of drinks past 30 days

Data file: CLCH2005\_public\_use

## Overview

Valid: 1667 Invalid: 110

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1076	64.5%
2	Less than one drink	253	15.2%
3	1 drink	110	6.6%
4	2 drinks	73	4.4%

5	3 drinks	60	3.6%
6	4 drinks	30	1.8%
7	5 or more drinks	65	3.9%
Sysmiss		110	

### Q36: How got drinks past 30 days

Data file: CLCH2005\_public\_use

#### Overview

Valid: 1636 Invalid: 141

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

##### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank?

##### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1063	65%
2	I bought in a store	135	8.3%
3	I gave someone money to buy	47	2.9%
4	I got it from my friends	165	10.1%
5	I got it from home	103	6.3%
6	I stole it	5	0.3%
7	I made it myself	0	0%
8	I got it some other way	118	7.2%
Sysmiss		141	

### Q37: Times drunk during life

Data file: CLCH2005\_public\_use

#### Overview

Valid: 1771 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

#### LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1271	71.8%
2	1 or 2 times	343	19.4%
3	3 to 9 times	91	5.1%
4	10 or more times	66	3.7%
Sysmiss		6	

### Q38: Number of troubles as result of drinking

Data file: CLCH2005\_public\_use

#### Overview

Valid: 1768 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

#### LITERAL QUESTION

During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1469	83.1%
2	1 or 2 times	210	11.9%
3	3 to 9 times	56	3.2%
4	10 or more times	33	1.9%
Sysmiss		9	

### Q39: Number times drug use during life

Data file: CLCH2005\_public\_use

#### Overview

Valid: 1752 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next question asks about drugs.

### LITERAL QUESTION

During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 times	1524	87%
2	1 or 2 times	131	7.5%
3	3 to 9 times	41	2.3%
4	10 or more times	56	3.2%
Sysmiss		25	

## Q40: Ever had sex

Data file: CLCH2005\_public\_use

### Overview

Valid: 1473 Invalid: 304

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

Have you ever had sexual intercourse?

### CATEGORIES

Value	Category	Cases	
1	Yes	255	17.3%
2	No	1218	82.7%
Sysmiss		304	

## Q41: Age first sexual intercourse

Data file: CLCH2005\_public\_use

### Overview

Valid: 1509 Invalid: 268

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	1227	81.3%
2	11 years old or younger	47	3.1%
3	12 years old	36	2.4%
4	13 years old	52	3.4%
5	14 years old	93	6.2%
6	15 years old	36	2.4%
7	16 years old or older	18	1.2%
Sysmiss		268	

## Q42: How many sex partners

Data file: CLCH2005\_public\_use

### Overview

Valid: 1513 Invalid: 264

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	1250	82.6%
2	1 person	152	10%
3	2 people	44	2.9%
4	3 people	31	2%
5	4 people	12	0.8%
6	5 people	6	0.4%
7	6 or more people	18	1.2%
Sysmiss		264	

**Q43: Sexual intercourse past 12 mo.****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1613    Invalid: 164

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 5 questions ask about sexual intercourse.

**LITERAL QUESTION**

During the past 12 months, have you had sexual intercourse?

**CATEGORIES**

Value	Category	Cases	
1	Yes	187	11.6%
2	No	1426	88.4%
Sysmiss		164	

**Q44: Used condom at last intercourse****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1486    Invalid: 291

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 3    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 5 questions ask about sexual intercourse.

**LITERAL QUESTION**

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

**CATEGORIES**

Value	Category	Cases	
1	Never had sex	1226	82.5%
2	Yes	144	9.7%
3	No	116	7.8%
Sysmiss		291	

**Q45: Days active 60 min plus past 7 days****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1768 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

## LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?

## CATEGORIES

Value	Category	Cases	
1	0 days	439	24.8%
2	1 day	53	3%
3	2 days	228	12.9%
4	3 days	49	2.8%
5	4 days	282	16%
6	5 days	168	9.5%
7	6 days	407	23%
8	7 days	142	8%
Sysmiss		9	

**Q46: Active 60 min plus per day usual week****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1756 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

## LITERAL QUESTION

During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?

## CATEGORIES

Value	Category	Cases	
1	0 days	293	16.7%
2	1 day	265	15.1%
3	2 days	54	3.1%
4	3 days	78	4.4%
5	4 days	44	2.5%
6	5 days	179	10.2%
7	6 days	834	47.5%
8	7 days	9	0.5%
Sysmiss		21	

### Q47: Time spent sitting on usual day

Data file: CLCH2005\_public\_use

#### Overview

Valid: 1745 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

##### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?

##### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	562	32.2%
2	1 to 2 hours per day	536	30.7%
3	3 to 4 hours per day	352	20.2%
4	5 to 6 hours per day	152	8.7%
5	7 to 8 hours per day	59	3.4%
6	More than 8 hours per day	84	4.8%
Sysmiss		32	

### Q48: Walk or bike to school past 7 days

Data file: CLCH2005\_public\_use

#### Overview

Valid: 1770 Invalid: 7

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to and from school?

### CATEGORIES

Value	Category	Cases	
1	0 days	650	36.7%
2	1 day	108	6.1%
3	2 days	55	3.1%
4	3 days	36	2%
5	4 days	24	1.4%
6	5 days	280	15.8%
7	6 days	32	1.8%
8	7 days	585	33.1%
Sysmiss		7	

## Q49: How long to from school past 7 days

Data file: CLCH2005\_public\_use

### Overview

Valid: 1753    Invalid: 24

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 7    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

### LITERAL QUESTION

During the past 7 days, how long did it usually take for you to get to and from school each day?

### CATEGORIES

Value	Category	Cases	
1	Less than 10 minutes per day	456	26%
2	10 to 19 minutes per day	456	26%
3	20 to 29 minutes per day	262	14.9%
4	30 to 39 minutes per day	195	11.1%
5	40 to 49 minutes per day	85	4.8%
6	50 to 59 minutes per day	64	3.7%

7	60 or more minutes per day	235	13.4%
Sysmiss		24	

## Q50: Miss school no permission past 30 days

Data file: CLCH2005\_public\_use

### Overview

Valid: 1763 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

#### CATEGORIES

Value	Category	Cases	
1	0 days	1261	71.5%
2	1 or 2 days	299	17%
3	3 to 5 days	110	6.2%
4	6 to 9 days	37	2.1%
5	10 or more days	56	3.2%
Sysmiss		14	

## Q51: Others helpful in school past 30 days

Data file: CLCH2005\_public\_use

### Overview

Valid: 1763 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

#### CATEGORIES

Value	Category	Cases	
1	Never	188	10.7%

2	Rarely	457	25.9%
3	Sometimes	426	24.2%
4	Most of the time	378	21.4%
5	Always	314	17.8%
Sysmiss		14	

## Q52: Parents check homework past 30 days

Data file: CLCH2005\_public\_use

### Overview

Valid: 1750 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

#### CATEGORIES

Value	Category	Cases	
1	Never	414	23.7%
2	Rarely	293	16.7%
3	Sometimes	354	20.2%
4	Most of the time	273	15.6%
5	Always	416	23.8%
Sysmiss		27	

## Q53: Parent understand troubles past 30 days

Data file: CLCH2005\_public\_use

### Overview

Valid: 1763 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?



## CATEGORIES

Value	Category	Cases	
1	Never	404	22.9%
2	Rarely	313	17.8%
3	Sometimes	281	15.9%
4	Most of the time	243	13.8%
5	Always	522	29.6%
Sysmiss		14	

**Q54: Parent know what you do past 30 days****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1760 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

## CATEGORIES

Value	Category	Cases	
1	Never	315	17.9%
2	Rarely	272	15.5%
3	Sometimes	263	14.9%
4	Most of the time	329	18.7%
5	Always	581	33%
Sysmiss		17	

**QN6: Went hungry most of time/always past 30 days****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1772 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home

## CATEGORIES

Value	Category	Cases	
1	Yes	20	1.1%
2	No	1752	98.9%
Sysmiss		5	

**QN7: Ate fruit 1+ times per day past 30 days**

Data file: CLCH2005\_public\_use

**Overview**

Valid: 1767 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	1313	74.3%
2	No	454	25.7%
Sysmiss		10	

**QN8: Ate vegetables 1+ times per day past 30 day**

Data file: CLCH2005\_public\_use

**Overview**

Valid: 1737 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	1429	82.3%
2	No	308	17.7%

Sysmiss		40	
---------	--	----	--

### QN10: Never/rarely wash hands before eating past 30 days

Data file: CLCH2005\_public\_use

#### Overview

Valid: 1769 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	83	4.7%
2	No	1686	95.3%
Sysmiss		8	

### QN11: Never/rarely wash hands after toilet past 30 days

Data file: CLCH2005\_public\_use

#### Overview

Valid: 1757 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	27	1.5%
2	No	1730	98.5%
Sysmiss		20	

### QN12: Never/rarely use soap on hands past 30 days

Data file: CLCH2005\_public\_use

**Overview**

Valid: 1745 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	61	3.5%
2	No	1684	96.5%
Sysmiss		32	

**QN13: Attacked 1+ times past 12 months**

Data file: CLCH2005\_public\_use

**Overview**

Valid: 1733 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	559	32.3%
2	No	1174	67.7%
Sysmiss		44	

**QN14: In fight 1+ times past 12 months**

Data file: CLCH2005\_public\_use

**Overview**

Valid: 1756 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	748	42.6%
2	No	1008	57.4%
Sysmiss		21	

**QN15: Seriously injured 1+ times past 12 months**

Data file: CLCH2005\_public\_use

**Overview**

Valid: 1531 Invalid: 246

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	512	33.4%
2	No	1019	66.6%
Sysmiss		246	

**QN16: Playing sport caused most serious injury past 12mo**

Data file: CLCH2005\_public\_use

**Overview**

Valid: 508 Invalid: 1269

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport

## CATEGORIES

Value	Category	Cases	
1	Yes	240	47.2%
2	No	268	52.8%
Sysmiss		1269	

**QN17: Falling caused most serious injury past 12 months****Data file:** CLCH2005\_public\_use**Overview**

Valid: 506 Invalid: 1271

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall

**CATEGORIES**

Value	Category	Cases	
1	Yes	187	37%
2	No	319	63%
Sysmiss		1271	

**QN18: Accident caused most serious injury past 12 months****Data file:** CLCH2005\_public\_use**Overview**

Valid: 489 Invalid: 1288

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident

**CATEGORIES**

Value	Category	Cases	
1	Yes	331	67.7%
2	No	158	32.3%
Sysmiss		1288	

**QN19: Broken bone as most serious injury past 12 months****Data file:** CLCH2005\_public\_use

## Overview

Valid: 509 Invalid: 1268

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury

### CATEGORIES

Value	Category	Cases	
1	Yes	217	42.6%
2	No	292	57.4%
Sysmiss		1268	

## QN20: Bullied 1+ of past 30 days

Data file: CLCH2005\_public\_use

## Overview

Valid: 1629 Invalid: 148

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	689	42.3%
2	No	940	57.7%
Sysmiss		148	

## QN21: Of students bullied, most often hit, kicked, etc

Data file: CLCH2005\_public\_use

## Overview

Valid: 677 Invalid: 1100

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

## CATEGORIES

Value	Category	Cases	
1	Yes	49	7.2%
2	No	628	92.8%
Sysmiss		1100	

**QN22: Lonely most times/always past 12 months**

Data file: CLCH2005\_public\_use

**Overview**

Valid: 1769 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who felt lonely most of the time or always during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	306	17.3%
2	No	1463	82.7%
Sysmiss		8	

**QN23: Worry prevented sleep most time/always past 12 mos**

Data file: CLCH2005\_public\_use

**Overview**

Valid: 1772 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	153	8.6%
2	No	1619	91.4%



Sysmiss		5	
---------	--	---	--

## QN24: Sad/Hopeless everyday 2+ weeks past 12 months

Data file: CLCH2005\_public\_use

### Overview

Valid: 1766 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who felt sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	536	30.4%
2	No	1230	69.6%
Sysmiss		11	

## QN25: Considered suicide past 12 months

Data file: CLCH2005\_public\_use

### Overview

Valid: 1756 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who seriously considered attempting suicide during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	390	22.2%
2	No	1366	77.8%
Sysmiss		21	

## QN26: Made suicide plan past 12 months

Data file: CLCH2005\_public\_use

**Overview**

Valid: 1743 Invalid: 34  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	294	16.9%
2	No	1449	83.1%
Sysmiss		34	

**QN27: No close friends**

Data file: CLCH2005\_public\_use

**Overview**

Valid: 1765 Invalid: 12  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who have no close friends

## CATEGORIES

Value	Category	Cases	
1	Yes	140	7.9%
2	No	1625	92.1%
Sysmiss		12	

**QN28: Of current smokers, age first cigarette before 13**

Data file: CLCH2005\_public\_use

**Overview**

Valid: 516 Invalid: 1261  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age

9 or younger

## CATEGORIES

Value	Category	Cases	
1	Yes	430	83.3%
2	No	86	16.7%
Sysmiss		1261	

**QN29: Smoked cigarettes 1+ of past 30 days**

Data file: CLCH2005\_public\_use

**Overview**

Valid: 1600 Invalid: 177

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	519	32.4%
2	No	1081	67.6%
Sysmiss		177	

**QN30: Used other tobacco 1+ of past 30 days**

Data file: CLCH2005\_public\_use

**Overview**

Valid: 1774 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	101	5.7%
2	No	1673	94.3%
Sysmiss		3	

**QN31: Tried to quit smoking past 12 months****Data file:** CLCH2005\_public\_use**Overview**

Valid: 592    Invalid: 1185

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months

**CATEGORIES**

Value	Category	Cases	
1	Yes	388	65.5%
2	No	204	34.5%
Sysmiss		1185	

**QN32: Others present smoking 1+ of past 7 days****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1756    Invalid: 21

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who reported people smoking in their presence on one or more of the past seven days

**CATEGORIES**

Value	Category	Cases	
1	Yes	1459	83.1%
2	No	297	16.9%
Sysmiss		21	

**QN33: Either/Both parents use tobacco****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1771    Invalid: 6

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who have a parent or guardian who uses any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	975	55.1%
2	No	796	44.9%
Sysmiss		6	

## QN34: Drank 1+ days past 30 days

Data file: CLCH2005\_public\_use

### Overview

Valid: 1670    Invalid: 107

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who drank alcohol on one or more of the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	583	34.9%
2	No	1087	65.1%
Sysmiss		107	

## QN35: Of current drinkers, drank 2+ drinks/day 30 days

Data file: CLCH2005\_public\_use

### Overview

Valid: 581    Invalid: 1196

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	228	39.2%
2	No	353	60.8%
Sysmiss		1196	

### QN36: Of current drinkers, bought alcohol in store

Data file: CLCH2005\_public\_use

#### Overview

Valid: 573 Invalid: 1204

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	135	23.6%
2	No	438	76.4%
Sysmiss		1204	

### QN37: 1+ times drunk in lifetime

Data file: CLCH2005\_public\_use

#### Overview

Valid: 1771 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

##### CATEGORIES

Value	Category	Cases	
1	Yes	500	28.2%
2	No	1271	71.8%
Sysmiss		6	

**QN38: Alcohol trouble 1+ times in lifetime****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1768    Invalid: 9

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	299	16.9%
2	No	1469	83.1%
Sysmiss		9	

**QN39: Used drugs 1+ times in lifetime****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1752    Invalid: 25

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	228	13%
2	No	1524	87%
Sysmiss		25	

**QN40: Ever had sex****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1473    Invalid: 304

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who have ever had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	255	17.3%
2	No	1218	82.7%
Sysmiss		304	

## QN41: Age first sexual intercourse 12 or younger

Data file: CLCH2005\_public\_use

### Overview

Valid: 1509 Invalid: 268

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse for the first time before age 13

### CATEGORIES

Value	Category	Cases	
1	Yes	83	5.5%
2	No	1426	94.5%
Sysmiss		268	

## QN42: 2+ sex partners lifetime

Data file: CLCH2005\_public\_use

### Overview

Valid: 1513 Invalid: 264

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who have had sexual intercourse with two or more people during their life time

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--



1	Yes	111	7.3%
2	No	1402	92.7%
Sysmiss		264	

### QN43: Sexual intercourse past 12 months

Data file: CLCH2005\_public\_use

#### Overview

Valid: 1613 Invalid: 164

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who had sexual intercourse during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	187	11.6%
2	No	1426	88.4%
Sysmiss		164	

### QN44: Of sexually active 12 mos, use condoms at last sex

Data file: CLCH2005\_public\_use

#### Overview

Valid: 185 Invalid: 1592

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse

##### CATEGORIES

Value	Category	Cases	
1	Yes	107	57.8%
2	No	78	42.2%
Sysmiss		1592	

**QN45: Active 60+ mins/day for all of past 7 days****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1768 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days

## CATEGORIES

Value	Category	Cases	
1	Yes	142	8%
2	No	1626	92%
Sysmiss		9	

**QN46: Active 60+ min/day all 7 days of usual week****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1756 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week

## CATEGORIES

Value	Category	Cases	
1	Yes	9	0.5%
2	No	1747	99.5%
Sysmiss		21	

**QN47: Sitting activities 3+ hours/day of usual day****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1745 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day

### CATEGORIES

Value	Category	Cases	
1	Yes	647	37.1%
2	No	1098	62.9%
Sysmiss		32	

### Q48: Walk/Bike to/from school 0 of past 7 days

Data file: CLCH2005\_public\_use

### Overview

Valid: 1770 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to and from school during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	650	36.7%
2	No	1120	63.3%
Sysmiss		7	

### Q49: Less than 29 minutes to/from school past 7 days

Data file: CLCH2005\_public\_use

### Overview

Valid: 1753 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

### LITERAL QUESTION

Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1174	67%
2	No	579	33%
Sysmiss		24	

### QN50: Miss school no permission 1+ of past 30 days

Data file: CLCH2005\_public\_use

#### Overview

Valid: 1763 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	502	28.5%
2	No	1261	71.5%
Sysmiss		14	

### QN51: Students never/rarely kind/helpful past 30 days

Data file: CLCH2005\_public\_use

#### Overview

Valid: 1763 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who reported that most of the students in their school were kind and helpful most of the time or always during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	645	36.6%
2	No	1118	63.4%
Sysmiss		14	

**QN52: Parents never/rarely check homework past 30 days****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1750 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	707	40.4%
2	No	1043	59.6%
Sysmiss		27	

**QN53: Parents never/rarely understand problems past 30****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1763 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	717	40.7%
2	No	1046	59.3%
Sysmiss		14	

**QN54: Parents never/rarely know about free time past 30****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1760 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians knew what they were doing with their free time most of the time or always during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	587	33.4%
2	No	1173	66.6%
Sysmiss		17	

## QNR0VWTG: At risk for becoming overweight

Data file: CLCH2005\_public\_use

### Overview

Valid: 1711 Invalid: 66

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students at risk for becoming overweight

### CATEGORIES

Value	Category	Cases	
1	Yes	470	27.5%
2	No	1241	72.5%
Sysmiss		66	

## QNOVWTG: Overweight

Data file: CLCH2005\_public\_use

### Overview

Valid: 1711 Invalid: 66

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who are overweight

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	133	7.8%
2	No	1578	92.2%
Sysmiss		66	

### QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: CLCH2005\_public\_use

#### Overview

Valid: 1733 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	388	22.4%
2	No	1345	77.6%
Sysmiss		44	

### QNANYTBG: Used any tobacco past 30 days

Data file: CLCH2005\_public\_use

#### Overview

Valid: 1597 Invalid: 180

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used any tobacco on one or more days of the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	530	33.2%
2	No	1067	66.8%
Sysmiss		180	

**QNMINPAG: Exercised 60 min/day <=5 days****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1749 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average

## CATEGORIES

Value	Category	Cases	
1	Yes	1055	60.3%
2	No	694	39.7%
Sysmiss		28	

**QNWKRDG: Walked/biked <2.5 hrs 7 days****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1750 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days

## CATEGORIES

Value	Category	Cases	
1	Yes	1481	84.6%
2	No	269	15.4%
Sysmiss		27	

**WEIGHT: Weight****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1777 Invalid: 0

Type: Continuous Decimal: 0 Width: 12 Range: 11.4124 - 28.3909 Format: Numeric Weighted: yes



**PSU: Primary Sampling Unit****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1777    Invalid: 0

Type: Continuous    Decimal: 0    Width: 5    Range: 1 - 25    Format: Numeric

**STRATUM: Stratum****Data file:** CLCH2005\_public\_use**Overview**

Valid: 1777    Invalid: 0

Type: Discrete    Decimal: 0    Width: 9    Range: 200502001 - 200502012    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
200502001		167	9.4%
200502002		62	3.5%
200502003		133	7.5%
200502004		176	9.9%
200502005		127	7.1%
200502006		164	9.2%
200502007		197	11.1%
200502008		122	6.9%
200502009		169	9.5%
200502010		157	8.8%
200502011		126	7.1%
200502012		177	10%

**Q1: How old are you****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1849 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	1	0.1%
2	12 years old	458	24.8%
3	13 years old	809	43.8%
4	14 years old	426	23%
5	15 years old	118	6.4%
6	16 years old or older	37	2%
Sysmiss		10	

**Q2: Sex****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1842 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	900	48.9%
2	Female	942	51.1%
Sysmiss		17	

**Q3: In what grade are you****Data file:** CLGH2005\_public\_use

## Overview

Valid: 1836 Invalid: 23  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade are you?

### CATEGORIES

Value	Category	Cases	
1	7° Primary grade	941	51.3%
2	8° Primary grade	893	48.6%
3	1° Secondary grade	2	0.1%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		23	

## Q4: How tall are you

Data file: CLGH2005\_public\_use

## Overview

Valid: 1807 Invalid: 52 Minimum: 1.3 Maximum: 1.93  
 Type: Continuous Decimal: 0 Width: 4 Range: 1.3 - 1.95 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on?

## description

### DEFINITION

(Note:  
 Data are in meters.)

## Q5: How much do you weigh

Data file: CLGH2005\_public\_use

## Overview

Valid: 1807 Invalid: 52 Minimum: 30 Maximum: 102  
 Type: Continuous Decimal: 0 Width: 6 Range: 28 - 105 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How much do you weigh without your shoes on?

### description

### DEFINITION

(Note: Data are in kilograms.)

## Q6: Went hungry past 30 days

Data file: CLGH2005\_public\_use

### Overview

Valid: 1856 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

### CATEGORIES

Value	Category	Cases	
1	Never	1428	76.9%
2	Rarely	296	15.9%
3	Sometimes	113	6.1%
4	Most of the time	9	0.5%
5	Always	10	0.5%
Sysmiss		3	

## Q7: Eat fruit per day past 30 days

Data file: CLGH2005\_public\_use

### Overview

Valid: 1852 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	117	6.3%
2	Less than one time per day	332	17.9%
3	1 time per day	542	29.3%
4	2 times per day	458	24.7%
5	3 times per day	249	13.4%
6	4 times per day	57	3.1%
7	5 or more times per day	97	5.2%
Sysmiss		7	

## Q8: Eat vegetables past 30 days

Data file: CLGH2005\_public\_use

### Overview

Valid: 1835 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	80	4.4%
2	Less than one time per day	261	14.2%
3	1 time per day	783	42.7%
4	2 times per day	428	23.3%
5	3 times per day	130	7.1%
6	4 times per day	42	2.3%
7	5 or more times per day	111	6%
Sysmiss		24	

**Q10: Wash hands before eating past 30 days****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1857    Invalid: 2

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 5    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about cleaning your teeth and washing your hands.

**LITERAL QUESTION**

During the past 30 days, how often did you wash your hands before eating?

**CATEGORIES**

Value	Category	Cases	
1	Never	29	1.6%
2	Rarely	41	2.2%
3	Sometimes	128	6.9%
4	Most of the time	389	20.9%
5	Always	1270	68.4%
Sysmiss		2	

**Q11: Wash hands after toilet past 30 day****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1848    Invalid: 11

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 5    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about cleaning your teeth and washing your hands.

**LITERAL QUESTION**

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

**CATEGORIES**

Value	Category	Cases	
1	Never	14	0.8%
2	Rarely	16	0.9%
3	Sometimes	59	3.2%

4	Most of the time	171	9.3%
5	Always	1588	85.9%
Sysmiss		11	

## Q12: Used soap on hands past 30 days

Data file: CLGH2005\_public\_use

### Overview

Valid: 1836 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

#### CATEGORIES

Value	Category	Cases	
1	Never	38	2.1%
2	Rarely	67	3.6%
3	Sometimes	175	9.5%
4	Most of the time	504	27.5%
5	Always	1052	57.3%
Sysmiss		23	

## Q13: Times attacked past 12 mo.

Data file: CLGH2005\_public\_use

### Overview

Valid: 1819 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1278	70.3%
2	1 time	223	12.3%
3	2 or 3 times	174	9.6%
4	4 or 5 times	50	2.7%
5	6 or 7 times	23	1.3%
6	8 or 9 times	19	1%
7	10 or 11 times	12	0.7%
8	12 or more times	40	2.2%
Sysmiss		40	

### Q14: How many times in fight 12 mos

Data file: CLGH2005\_public\_use

#### Overview

Valid: 1852 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two or more students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1118	60.4%
2	1 time	349	18.8%
3	2 or 3 times	207	11.2%
4	4 or 5 times	63	3.4%
5	6 or 7 times	35	1.9%
6	8 or 9 times	21	1.1%
7	10 or 11 times	4	0.2%
8	12 or more times	55	3%
Sysmiss		7	



**Q15: How many times injured past 12 months****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1625 Invalid: 234

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

## CATEGORIES

Value	Category	Cases	
1	0 times	1053	64.8%
2	1 time	368	22.6%
3	2 or 3 times	154	9.5%
4	4 or 5 times	23	1.4%
5	6 or 7 times	6	0.4%
6	8 or 9 times	13	0.8%
7	10 or 11 times	1	0.1%
8	12 or more times	7	0.4%
Sysmiss		234	

**Q16: Doing what during injury past 12 mo.****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1639 Invalid: 220

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, what were you doing when the most serious injury happened to you?

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1065	65%
2	Playing a sport	262	16%
3	Walking/running	77	4.7%
4	Riding a bicycle or scooter	65	4%
5	Riding/driving motor vehicle	6	0.4%
6	Doing work	11	0.7%
7	Nothing	14	0.9%
8	Something else	139	8.5%
Sysmiss		220	

### Q17: Cause of injury past 12 mo.

Data file: CLGH2005\_public\_use

#### Overview

Valid: 1633 Invalid: 226

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1065	65.2%
2	Motor vehicle accident	13	0.8%
3	I fell	247	15.1%
4	Something fell on me or hit me	32	2%
5	I was fighting with someone	24	1.5%
6	Attacked or assaulted	6	0.4%
7	Was in a fire	4	0.2%
8	Something else	242	14.8%
Sysmiss		226	

**Q18: How injury happened past 12 mo.****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1613 Invalid: 246

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, how did the most serious injury happen to you?

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1057	65.5%
2	I hurt myself by accident	360	22.3%
3	Someone hurt me by accident	84	5.2%
4	I hurt myself on purpose	26	1.6%
5	Someone hurt me on purpose	86	5.3%
Sysmiss		246	

**Q19: What was serious injury past 12 mo.****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1639 Invalid: 220

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1064	64.9%
2	Broken bone/dislocated joint	232	14.2%

3	Cut, puncture, stab wound	40	2.4%
4	Concussion/head injury	47	2.9%
5	I had a gunshot wound	3	0.2%
6	I had a bad burn	8	0.5%
7	Lost foot, leg, hand, or arm	3	0.2%
8	Something else happened to me	242	14.8%
Sysmiss		220	

## Q20: How many days bullied past 30 days

Data file: CLGH2005\_public\_use

### Overview

Valid: 1682 Invalid: 177

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

#### CATEGORIES

Value	Category	Cases	
1	0 days	880	52.3%
2	1 or 2 days	386	22.9%
3	3 to 5 days	135	8%
4	6 to 9 days	80	4.8%
5	10 to 19 days	49	2.9%
6	20 to 29 days	33	2%
7	All 30 days	119	7.1%
Sysmiss		177	

## Q21: How bullied past 30 days

Data file: CLGH2005\_public\_use

### Overview

Valid: 1667 Invalid: 192

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

### CATEGORIES

Value	Category	Cases	
1	Not bullied	882	52.9%
2	Kicked, pushed, or shoved	40	2.4%
3	Made fun because of race/color	79	4.7%
4	Made fun because of religion	21	1.3%
5	Made fun of about sex	59	3.5%
6	Left out of activities	41	2.5%
7	Made fun of about body	234	14%
8	Some other way	311	18.7%
Sysmiss		192	

## Q22: Times felt lonely past 12 mo.

Data file: CLGH2005\_public\_use

### Overview

Valid: 1850 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

### CATEGORIES

Value	Category	Cases	
1	Never	623	33.7%
2	Rarely	490	26.5%
3	Sometimes	455	24.6%
4	Most of the time	181	9.8%
5	Always	101	5.5%

Sysmiss

9

**Q23: Times could not sleep past 12 mo.****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1852 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

## LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

## CATEGORIES

Value	Category	Cases	
1	Never	703	38%
2	Rarely	568	30.7%
3	Sometimes	432	23.3%
4	Most of the time	106	5.7%
5	Always	43	2.3%
Sysmiss		7	

**Q24: Sad and hopeless past 12 mo.****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1849 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

## LITERAL QUESTION

During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing your usual activities?

## CATEGORIES

Value	Category	Cases	
1	Yes	526	28.4%

2	No	1323	71.6%
Sysmiss		10	

## Q25: Ever considered suicide 12 mos

Data file: CLGH2005\_public\_use

### Overview

Valid: 1838 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

#### CATEGORIES

Value	Category	Cases	
1	Yes	354	19.3%
2	No	1484	80.7%
Sysmiss		21	

## Q26: Ever make suicide plan 12 mos

Data file: CLGH2005\_public\_use

### Overview

Valid: 1806 Invalid: 53

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	Yes	249	13.8%
2	No	1557	86.2%
Sysmiss		53	

**Q27: Number close friends****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1837    Invalid: 22

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 4    Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

## LITERAL QUESTION

How many close friends do you have?

## CATEGORIES

Value	Category	Cases	
1	0	170	9.3%
2	1	239	13%
3	2	293	15.9%
4	3 or more	1135	61.8%
Sysmiss		22	

**Q28: Age first tried cigarette****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1711    Invalid: 148

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 7    Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

How old were you when you first tried a cigarette?

## CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1039	60.7%
2	7 years old or younger	59	3.4%
3	8 or 9 years old	83	4.9%
4	10 or 11 years old	193	11.3%



5	12 or 13 years old	278	16.2%
6	14 or 15 years old	59	3.4%
7	16 years old or older	0	0%
Sysmiss		148	

## Q29: How many days smoked 30 days

Data file: CLGH2005\_public\_use

### Overview

Valid: 1705 Invalid: 154

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

#### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

#### CATEGORIES

Value	Category	Cases	
1	0 days	1405	82.4%
2	1 or 2 days	126	7.4%
3	3 to 5 days	48	2.8%
4	6 to 9 days	40	2.3%
5	10 to 19 days	32	1.9%
6	20 to 29 days	19	1.1%
7	All 30 days	35	2.1%
Sysmiss		154	

## Q30: Other tobacco past 30 days

Data file: CLGH2005\_public\_use

### Overview

Valid: 1853 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

#### LITERAL QUESTION

During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	1765	95.3%
2	1 or 2 days	53	2.9%
3	3 to 5 days	10	0.5%
4	6 to 9 days	13	0.7%
5	10 to 19 days	5	0.3%
6	20 to 29 days	1	0.1%
7	All 30 days	6	0.3%
Sysmiss		6	

### Q31: Try stop smoking past 12 mo.

Data file: CLGH2005\_public\_use

#### Overview

Valid: 1611 Invalid: 248

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

## CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1022	63.4%
2	Did not smoke cigarettes	221	13.7%
3	Yes	235	14.6%
4	No	133	8.3%
Sysmiss		248	

### Q32: Others present smoking past 7 days

Data file: CLGH2005\_public\_use

#### Overview

Valid: 1839 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

### CATEGORIES

Value	Category	Cases	
1	0 days	521	28.3%
2	1 or 2 days	569	30.9%
3	3 or 4 days	244	13.3%
4	5 or 6 days	134	7.3%
5	All 7 days	371	20.2%
Sysmiss		20	

## Q33: Parents who use tobacco

Data file: CLGH2005\_public\_use

### Overview

Valid: 1849 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

### CATEGORIES

Value	Category	Cases	
1	Neither	1027	55.5%
2	My father or male guardian	305	16.5%
3	My mother or female guardian	187	10.1%
4	Both	241	13%
5	I do not know	89	4.8%
Sysmiss		10	

## Q34: Days one drink or more past 30 days

Data file: CLGH2005\_public\_use

## Overview

Valid: 1736 Invalid: 123

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

### CATEGORIES

Value	Category	Cases	
1	0 days	1368	78.8%
2	1 or 2 days	248	14.3%
3	3 to 5 days	75	4.3%
4	6 to 9 days	23	1.3%
5	10 to 19 days	14	0.8%
6	20 to 29 days	3	0.2%
7	All 30 days	5	0.3%
Sysmiss		123	

## Q35: Number of drinks past 30 days

Data file: CLGH2005\_public\_use

## Overview

Valid: 1721 Invalid: 138

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1346	78.2%
2	Less than one drink	183	10.6%
3	1 drink	71	4.1%
4	2 drinks	46	2.7%

5	3 drinks	29	1.7%
6	4 drinks	12	0.7%
7	5 or more drinks	34	2%
Sysmiss		138	

### Q36: How got drinks past 30 days

Data file: CLGH2005\_public\_use

#### Overview

Valid: 1698 Invalid: 161

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

##### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank?

##### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1335	78.6%
2	I bought in a store	53	3.1%
3	I gave someone money to buy	32	1.9%
4	I got it from my friends	108	6.4%
5	I got it from home	92	5.4%
6	I stole it	12	0.7%
7	I made it myself	0	0%
8	I got it some other way	66	3.9%
Sysmiss		161	

### Q37: Times drunk during life

Data file: CLGH2005\_public\_use

#### Overview

Valid: 1839 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

#### LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1477	80.3%
2	1 or 2 times	261	14.2%
3	3 to 9 times	62	3.4%
4	10 or more times	39	2.1%
Sysmiss		20	

### Q38: Number of troubles as result of drinking

Data file: CLGH2005\_public\_use

#### Overview

Valid: 1833 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

#### LITERAL QUESTION

During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1673	91.3%
2	1 or 2 times	121	6.6%
3	3 to 9 times	28	1.5%
4	10 or more times	11	0.6%
Sysmiss		26	

### Q39: Number times drug use during life

Data file: CLGH2005\_public\_use

#### Overview

Valid: 1825 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about drugs.

### LITERAL QUESTION

During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 times	1709	93.6%
2	1 or 2 times	78	4.3%
3	3 to 9 times	16	0.9%
4	10 or more times	22	1.2%
Sysmiss		34	

## Q40: Ever had sex

Data file: CLGH2005\_public\_use

### Overview

Valid: 1552 Invalid: 307

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

Have you ever had sexual intercourse?

### CATEGORIES

Value	Category	Cases	
1	Yes	145	9.3%
2	No	1407	90.7%
Sysmiss		307	

## Q41: Age first sexual intercourse

Data file: CLGH2005\_public\_use

### Overview

Valid: 1576 Invalid: 283

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	1416	89.8%
2	11 years old or younger	49	3.1%
3	12 years old	32	2%
4	13 years old	39	2.5%
5	14 years old	21	1.3%
6	15 years old	18	1.1%
7	16 years old or older	1	0.1%
Sysmiss		283	

## Q42: How many sex partners

Data file: CLGH2005\_public\_use

### Overview

Valid: 1596 Invalid: 263

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	1438	90.1%
2	1 person	93	5.8%
3	2 people	27	1.7%
4	3 people	14	0.9%
5	4 people	6	0.4%
6	5 people	4	0.3%
7	6 or more people	14	0.9%
Sysmiss		263	



**Q43: Sexual intercourse past 12 mo.****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1697    Invalid: 162

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

During the past 12 months, have you had sexual intercourse?

## CATEGORIES

Value	Category	Cases	
1	Yes	82	4.8%
2	No	1615	95.2%
Sysmiss		162	

**Q44: Used condom at last intercourse****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1564    Invalid: 295

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 3    Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	1412	90.3%
2	Yes	82	5.2%
3	No	70	4.5%
Sysmiss		295	

**Q45: Days active 60 min plus past 7 days****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1834 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?

**CATEGORIES**

Value	Category	Cases	
1	0 days	337	18.4%
2	1 day	52	2.8%
3	2 days	240	13.1%
4	3 days	76	4.1%
5	4 days	367	20%
6	5 days	110	6%
7	6 days	423	23.1%
8	7 days	229	12.5%
Sysmiss		25	

**Q46: Active 60 min plus per day usual week****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1814 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?

**CATEGORIES**

Value	Category	Cases	
1	0 days	210	11.6%
2	1 day	229	12.6%
3	2 days	62	3.4%
4	3 days	82	4.5%
5	4 days	50	2.8%
6	5 days	173	9.5%
7	6 days	995	54.9%
8	7 days	13	0.7%
Sysmiss		45	

### Q47: Time spent sitting on usual day

Data file: CLGH2005\_public\_use

#### Overview

Valid: 1800 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

##### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?

##### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	635	35.3%
2	1 to 2 hours per day	593	32.9%
3	3 to 4 hours per day	345	19.2%
4	5 to 6 hours per day	114	6.3%
5	7 to 8 hours per day	53	2.9%
6	More than 8 hours per day	60	3.3%
Sysmiss		59	

### Q48: Walk or bike to school past 7 days

Data file: CLGH2005\_public\_use

#### Overview

Valid: 1827 Invalid: 32

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to and from school?

### CATEGORIES

Value	Category	Cases	
1	0 days	408	22.3%
2	1 day	105	5.7%
3	2 days	67	3.7%
4	3 days	52	2.8%
5	4 days	43	2.4%
6	5 days	367	20.1%
7	6 days	39	2.1%
8	7 days	746	40.8%
Sysmiss		32	

## Q49: How long to from school past 7 days

Data file: CLGH2005\_public\_use

### Overview

Valid: 1800    Invalid: 59

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 7    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

### LITERAL QUESTION

During the past 7 days, how long did it usually take for you to get to and from school each day?

### CATEGORIES

Value	Category	Cases	
1	Less than 10 minutes per day	669	37.2%
2	10 to 19 minutes per day	512	28.4%
3	20 to 29 minutes per day	244	13.6%
4	30 to 39 minutes per day	171	9.5%
5	40 to 49 minutes per day	58	3.2%
6	50 to 59 minutes per day	46	2.6%

7	60 or more minutes per day	100	5.6%
Sysmiss		59	

## Q50: Miss school no permission past 30 days

Data file: CLGH2005\_public\_use

### Overview

Valid: 1823 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

#### CATEGORIES

Value	Category	Cases	
1	0 days	1501	82.3%
2	1 or 2 days	224	12.3%
3	3 to 5 days	59	3.2%
4	6 to 9 days	14	0.8%
5	10 or more days	25	1.4%
Sysmiss		36	

## Q51: Others helpful in school past 30 days

Data file: CLGH2005\_public\_use

### Overview

Valid: 1812 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

#### CATEGORIES

Value	Category	Cases	
1	Never	203	11.2%

2	Rarely	373	20.6%
3	Sometimes	428	23.6%
4	Most of the time	406	22.4%
5	Always	402	22.2%
Sysmiss		47	

## Q52: Parents check homework past 30 days

Data file: CLGH2005\_public\_use

### Overview

Valid: 1802 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

#### CATEGORIES

Value	Category	Cases	
1	Never	343	19%
2	Rarely	243	13.5%
3	Sometimes	256	14.2%
4	Most of the time	328	18.2%
5	Always	632	35.1%
Sysmiss		57	

## Q53: Parent understand troubles past 30 days

Data file: CLGH2005\_public\_use

### Overview

Valid: 1821 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

## CATEGORIES

Value	Category	Cases	
1	Never	402	22.1%
2	Rarely	280	15.4%
3	Sometimes	234	12.9%
4	Most of the time	301	16.5%
5	Always	604	33.2%
Sysmiss		38	

**Q54: Parent know what you do past 30 days****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1807 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

## CATEGORIES

Value	Category	Cases	
1	Never	283	15.7%
2	Rarely	236	13.1%
3	Sometimes	242	13.4%
4	Most of the time	322	17.8%
5	Always	724	40.1%
Sysmiss		52	

**QN6: Went hungry most of time/always past 30 days****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1856 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home

## CATEGORIES

Value	Category	Cases	
1	Yes	19	1%
2	No	1837	99%
Sysmiss		3	

### QN7: Ate fruit 1+ times per day past 30 days

Data file: CLGH2005\_public\_use

#### Overview

Valid: 1852 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	1403	75.8%
2	No	449	24.2%
Sysmiss		7	

### QN8: Ate vegetables 1+ times per day past 30 day

Data file: CLGH2005\_public\_use

#### Overview

Valid: 1835 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	1494	81.4%
2	No	341	18.6%



Sysmiss		24	
---------	--	----	--

**QN10: Never/rarely wash hands before eating past 30 days****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1857 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	70	3.8%
2	No	1787	96.2%
Sysmiss		2	

**QN11: Never/rarely wash hands after toilet past 30 days****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1848 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	30	1.6%
2	No	1818	98.4%
Sysmiss		11	

**QN12: Never/rarely use soap on hands past 30 days****Data file:** CLGH2005\_public\_use

**Overview**

Valid: 1836 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	105	5.7%
2	No	1731	94.3%
Sysmiss		23	

**QN13: Attacked 1+ times past 12 months**

Data file: CLGH2005\_public\_use

**Overview**

Valid: 1819 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	541	29.7%
2	No	1278	70.3%
Sysmiss		40	

**QN14: In fight 1+ times past 12 months**

Data file: CLGH2005\_public\_use

**Overview**

Valid: 1852 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	734	39.6%
2	No	1118	60.4%
Sysmiss		7	

**QN15: Seriously injured 1+ times past 12 months**

Data file: CLGH2005\_public\_use

**Overview**

Valid: 1625 Invalid: 234

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	572	35.2%
2	No	1053	64.8%
Sysmiss		234	

**QN16: Playing sport caused most serious injury past 12mo**

Data file: CLGH2005\_public\_use

**Overview**

Valid: 570 Invalid: 1289

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport

## CATEGORIES

Value	Category	Cases	
1	Yes	261	45.8%
2	No	309	54.2%
Sysmiss		1289	

**QN17: Falling caused most serious injury past 12 months****Data file:** CLGH2005\_public\_use**Overview**

Valid: 566 Invalid: 1293

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall

**CATEGORIES**

Value	Category	Cases	
1	Yes	247	43.6%
2	No	319	56.4%
Sysmiss		1293	

**QN18: Accident caused most serious injury past 12 months****Data file:** CLGH2005\_public\_use**Overview**

Valid: 552 Invalid: 1307

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident

**CATEGORIES**

Value	Category	Cases	
1	Yes	358	64.9%
2	No	194	35.1%
Sysmiss		1307	

**QN19: Broken bone as most serious injury past 12 months****Data file:** CLGH2005\_public\_use

## Overview

Valid: 571 Invalid: 1288

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury

### CATEGORIES

Value	Category	Cases	
1	Yes	231	40.5%
2	No	340	59.5%
Sysmiss		1288	

## QN20: Bullied 1+ of past 30 days

Data file: CLGH2005\_public\_use

## Overview

Valid: 1682 Invalid: 177

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	802	47.7%
2	No	880	52.3%
Sysmiss		177	

## QN21: Of students bullied, most often hit, kicked, etc

Data file: CLGH2005\_public\_use

## Overview

Valid: 777 Invalid: 1082

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

## CATEGORIES

Value	Category	Cases	
1	Yes	39	5%
2	No	738	95%
Sysmiss		1082	

**QN22: Lonely most times/always past 12 months**

Data file: CLGH2005\_public\_use

**Overview**

Valid: 1850 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who felt lonely most of the time or always during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	282	15.2%
2	No	1568	84.8%
Sysmiss		9	

**QN23: Worry prevented sleep most time/always past 12 mos**

Data file: CLGH2005\_public\_use

**Overview**

Valid: 1852 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	149	8%
2	No	1703	92%

Sysmiss		7	
---------	--	---	--

## QN24: Sad/Hopeless everyday 2+ weeks past 12 months

Data file: CLGH2005\_public\_use

### Overview

Valid: 1849 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who felt sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	526	28.4%
2	No	1323	71.6%
Sysmiss		10	

## QN25: Considered suicide past 12 months

Data file: CLGH2005\_public\_use

### Overview

Valid: 1838 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who seriously considered attempting suicide during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	354	19.3%
2	No	1484	80.7%
Sysmiss		21	

## QN26: Made suicide plan past 12 months

Data file: CLGH2005\_public\_use

**Overview**

Valid: 1806 Invalid: 53

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	249	13.8%
2	No	1557	86.2%
Sysmiss		53	

**QN27: No close friends****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1837 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who have no close friends

## CATEGORIES

Value	Category	Cases	
1	Yes	170	9.3%
2	No	1667	90.7%
Sysmiss		22	

**QN28: Of current smokers, age first cigarette before 13****Data file:** CLGH2005\_public\_use**Overview**

Valid: 296 Invalid: 1563

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age



9 or younger

## CATEGORIES

Value	Category	Cases	
1	Yes	258	87.2%
2	No	38	12.8%
Sysmiss		1563	

**QN29: Smoked cigarettes 1+ of past 30 days****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1705    Invalid: 154

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	300	17.6%
2	No	1405	82.4%
Sysmiss		154	

**QN30: Used other tobacco 1+ of past 30 days****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1853    Invalid: 6

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	88	4.7%
2	No	1765	95.3%
Sysmiss		6	

**QN31: Tried to quit smoking past 12 months****Data file:** CLGH2005\_public\_use**Overview**

Valid: 368    Invalid: 1491

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months

**CATEGORIES**

Value	Category	Cases	
1	Yes	235	63.9%
2	No	133	36.1%
Sysmiss		1491	

**QN32: Others present smoking 1+ of past 7 days****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1839    Invalid: 20

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who reported people smoking in their presence on one or more of the past seven days

**CATEGORIES**

Value	Category	Cases	
1	Yes	1318	71.7%
2	No	521	28.3%
Sysmiss		20	

**QN33: Either/Both parents use tobacco****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1849    Invalid: 10

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who have a parent or guardian who uses any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	733	39.6%
2	No	1116	60.4%
Sysmiss		10	

## QN34: Drank 1+ days past 30 days

Data file: CLGH2005\_public\_use

### Overview

Valid: 1736    Invalid: 123

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who drank alcohol on one or more of the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	368	21.2%
2	No	1368	78.8%
Sysmiss		123	

## QN35: Of current drinkers, drank 2+ drinks/day 30 days

Data file: CLGH2005\_public\_use

### Overview

Valid: 361    Invalid: 1498

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	120	33.2%
2	No	241	66.8%
Sysmiss		1498	

### QN36: Of current drinkers, bought alcohol in store

Data file: CLGH2005\_public\_use

#### Overview

Valid: 358 Invalid: 1501

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	53	14.8%
2	No	305	85.2%
Sysmiss		1501	

### QN37: 1+ times drunk in lifetime

Data file: CLGH2005\_public\_use

#### Overview

Valid: 1839 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

##### CATEGORIES

Value	Category	Cases	
1	Yes	362	19.7%
2	No	1477	80.3%
Sysmiss		20	

**QN38: Alcohol trouble 1+ times in lifetime****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1833 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	160	8.7%
2	No	1673	91.3%
Sysmiss		26	

**QN39: Used drugs 1+ times in lifetime****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1825 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	116	6.4%
2	No	1709	93.6%
Sysmiss		34	

**QN40: Ever had sex****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1552 Invalid: 307

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who have ever had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	145	9.3%
2	No	1407	90.7%
Sysmiss		307	

## QN41: Age first sexual intercourse 12 or younger

Data file: CLGH2005\_public\_use

### Overview

Valid: 1576 Invalid: 283

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse for the first time before age 13

### CATEGORIES

Value	Category	Cases	
1	Yes	81	5.1%
2	No	1495	94.9%
Sysmiss		283	

## QN42: 2+ sex partners lifetime

Data file: CLGH2005\_public\_use

### Overview

Valid: 1596 Invalid: 263

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who have had sexual intercourse with two or more people during their life time

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	65	4.1%
2	No	1531	95.9%
Sysmiss		263	

### QN43: Sexual intercourse past 12 months

Data file: CLGH2005\_public\_use

#### Overview

Valid: 1697 Invalid: 162

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who had sexual intercourse during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	82	4.8%
2	No	1615	95.2%
Sysmiss		162	

### QN44: Of sexually active 12 mos, use condoms at last sex

Data file: CLGH2005\_public\_use

#### Overview

Valid: 80 Invalid: 1779

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse

##### CATEGORIES

Value	Category	Cases	
1	Yes	45	56.3%
2	No	35	43.8%
Sysmiss		1779	

**QN45: Active 60+ mins/day for all of past 7 days****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1834 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days

## CATEGORIES

Value	Category	Cases	
1	Yes	229	12.5%
2	No	1605	87.5%
Sysmiss		25	

**QN46: Active 60+ min/day all 7 days of usual week****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1814 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week

## CATEGORIES

Value	Category	Cases	
1	Yes	13	0.7%
2	No	1801	99.3%
Sysmiss		45	

**QN47: Sitting activities 3+ hours/day of usual day****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1800 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day

### CATEGORIES

Value	Category	Cases	
1	Yes	572	31.8%
2	No	1228	68.2%
Sysmiss		59	

### QN48: Walk/Bike to/from school 0 of past 7 days

Data file: CLGH2005\_public\_use

### Overview

Valid: 1827 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to and from school during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	408	22.3%
2	No	1419	77.7%
Sysmiss		32	

### QN49: Less than 29 minutes to/from school past 7 days

Data file: CLGH2005\_public\_use

### Overview

Valid: 1800 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

### LITERAL QUESTION

Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1425	79.2%
2	No	375	20.8%
Sysmiss		59	

### QN50: Miss school no permission 1+ of past 30 days

Data file: CLGH2005\_public\_use

#### Overview

Valid: 1823 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	322	17.7%
2	No	1501	82.3%
Sysmiss		36	

### QN51: Students never/rarely kind/helpful past 30 days

Data file: CLGH2005\_public\_use

#### Overview

Valid: 1812 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who reported that most of the students in their school were kind and helpful most of the time or always during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	576	31.8%
2	No	1236	68.2%
Sysmiss		47	

**QN52: Parents never/rarely check homework past 30 days****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1802 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	586	32.5%
2	No	1216	67.5%
Sysmiss		57	

**QN53: Parents never/rarely understand problems past 30****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1821 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	682	37.5%
2	No	1139	62.5%
Sysmiss		38	

**QN54: Parents never/rarely know about free time past 30****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1807 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians knew what they were doing with their free time most of the time or always during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	519	28.7%
2	No	1288	71.3%
Sysmiss		52	

## QNR0VWTG: At risk for becoming overweight

Data file: CLGH2005\_public\_use

### Overview

Valid: 1807 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students at risk for becoming overweight

### CATEGORIES

Value	Category	Cases	
1	Yes	452	25%
2	No	1355	75%
Sysmiss		52	

## QNOVWTG: Overweight

Data file: CLGH2005\_public\_use

### Overview

Valid: 1807 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who are overweight

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	132	7.3%
2	No	1675	92.7%
Sysmiss		52	

### QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: CLGH2005\_public\_use

#### Overview

Valid: 1829 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	397	21.7%
2	No	1432	78.3%
Sysmiss		30	

### QNANYTBG: Used any tobacco past 30 days

Data file: CLGH2005\_public\_use

#### Overview

Valid: 1703 Invalid: 156

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used any tobacco on one or more days of the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	314	18.4%
2	No	1389	81.6%
Sysmiss		156	

**QNMINPAG: Exercised 60 min/day ≤5 days****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1808 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average

## CATEGORIES

Value	Category	Cases	
1	Yes	947	52.4%
2	No	861	47.6%
Sysmiss		51	

**QNWKRDG: Walked/biked <2.5 hrs 7 days****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1791 Invalid: 68

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days

## CATEGORIES

Value	Category	Cases	
1	Yes	1486	83%
2	No	305	17%
Sysmiss		68	

**WEIGHT: Weight****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1859 Invalid: 0

Type: Continuous Decimal: 0 Width: 12 Range: 11.4124 - 28.3909 Format: Numeric Weighted: yes

**PSU: Primary Sampling Unit****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1859    Invalid: 0

Type: Continuous    Decimal: 0    Width: 5    Range: 1 - 25    Format: Numeric

**STRATUM: Stratum****Data file:** CLGH2005\_public\_use**Overview**

Valid: 1859    Invalid: 0

Type: Discrete    Decimal: 0    Width: 9    Range: 200502001 - 200502012    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
200502001		127	6.8%
200502002		165	8.9%
200502003		222	11.9%
200502004		132	7.1%
200502005		167	9%
200502006		122	6.6%
200502007		165	8.9%
200502008		212	11.4%
200502009		191	10.3%
200502010		119	6.4%
200502011		95	5.1%
200502012		142	7.6%

**Q1: How old are you****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1854   Invalid: 3

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 6   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	6	0.3%
2	12 years old	288	15.5%
3	13 years old	541	29.2%
4	14 years old	553	29.8%
5	15 years old	361	19.5%
6	16 years old or older	105	5.7%
Sysmiss		3	

**Q2: Sex****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1849   Invalid: 8

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	1005	54.4%
2	Female	844	45.6%
Sysmiss		8	

**Q3: In what grade are you****Data file:** CLHH2005\_public\_use



## Overview

Valid: 1843 Invalid: 14  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade are you?

### CATEGORIES

Value	Category	Cases	
1	7° Primary grade	593	32.2%
2	8° Primary grade	593	32.2%
3	1° Secondary grade	657	35.6%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		14	

## Q4: How tall are you

Data file: CLHH2005\_public\_use

## Overview

Valid: 1823 Invalid: 34 Minimum: 1.3 Maximum: 1.81  
 Type: Continuous Decimal: 0 Width: 4 Range: 1.3 - 1.95 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on?

## description

### DEFINITION

(Note:  
 Data are in meters.)

## Q5: How much do you weigh

Data file: CLHH2005\_public\_use

## Overview

Valid: 1823 Invalid: 34 Minimum: 30 Maximum: 111  
 Type: Continuous Decimal: 0 Width: 6 Range: 28 - 105 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How much do you weigh without your shoes on?

### description

### DEFINITION

(Note: Data are in kilograms.)

## Q6: Went hungry past 30 days

Data file: CLHH2005\_public\_use

### Overview

Valid: 1854 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

### CATEGORIES

Value	Category	Cases	
1	Never	1405	75.8%
2	Rarely	303	16.3%
3	Sometimes	120	6.5%
4	Most of the time	14	0.8%
5	Always	12	0.6%
Sysmiss		3	

## Q7: Eat fruit per day past 30 days

Data file: CLHH2005\_public\_use

### Overview

Valid: 1846 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	120	6.5%
2	Less than one time per day	398	21.6%
3	1 time per day	511	27.7%
4	2 times per day	461	25%
5	3 times per day	214	11.6%
6	4 times per day	73	4%
7	5 or more times per day	69	3.7%
Sysmiss		11	

## Q8: Eat vegetables past 30 days

Data file: CLHH2005\_public\_use

### Overview

Valid: 1836 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	86	4.7%
2	Less than one time per day	245	13.3%
3	1 time per day	808	44%
4	2 times per day	420	22.9%
5	3 times per day	146	8%
6	4 times per day	44	2.4%
7	5 or more times per day	87	4.7%
Sysmiss		21	

**Q10: Wash hands before eating past 30 days****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1854    Invalid: 3

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 5    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about cleaning your teeth and washing your hands.

**LITERAL QUESTION**

During the past 30 days, how often did you wash your hands before eating?

**CATEGORIES**

Value	Category	Cases	
1	Never	25	1.3%
2	Rarely	45	2.4%
3	Sometimes	101	5.4%
4	Most of the time	398	21.5%
5	Always	1285	69.3%
Sysmiss		3	

**Q11: Wash hands after toilet past 30 day****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1839    Invalid: 18

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 5    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about cleaning your teeth and washing your hands.

**LITERAL QUESTION**

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

**CATEGORIES**

Value	Category	Cases	
1	Never	9	0.5%
2	Rarely	21	1.1%
3	Sometimes	51	2.8%

4	Most of the time	172	9.4%
5	Always	1586	86.2%
Sysmiss		18	

## Q12: Used soap on hands past 30 days

Data file: CLHH2005\_public\_use

### Overview

Valid: 1834 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

#### CATEGORIES

Value	Category	Cases	
1	Never	32	1.7%
2	Rarely	47	2.6%
3	Sometimes	189	10.3%
4	Most of the time	503	27.4%
5	Always	1063	58%
Sysmiss		23	

## Q13: Times attacked past 12 mo.

Data file: CLHH2005\_public\_use

### Overview

Valid: 1820 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1302	71.5%
2	1 time	242	13.3%
3	2 or 3 times	140	7.7%
4	4 or 5 times	40	2.2%
5	6 or 7 times	21	1.2%
6	8 or 9 times	14	0.8%
7	10 or 11 times	10	0.5%
8	12 or more times	51	2.8%
Sysmiss		37	

### Q14: How many times in fight 12 mos

Data file: CLHH2005\_public\_use

#### Overview

Valid: 1843 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two or more students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1140	61.9%
2	1 time	335	18.2%
3	2 or 3 times	181	9.8%
4	4 or 5 times	68	3.7%
5	6 or 7 times	34	1.8%
6	8 or 9 times	15	0.8%
7	10 or 11 times	14	0.8%
8	12 or more times	56	3%
Sysmiss		14	

**Q15: How many times injured past 12 months****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1648 Invalid: 209

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

## CATEGORIES

Value	Category	Cases	
1	0 times	1118	67.8%
2	1 time	343	20.8%
3	2 or 3 times	138	8.4%
4	4 or 5 times	28	1.7%
5	6 or 7 times	8	0.5%
6	8 or 9 times	6	0.4%
7	10 or 11 times	1	0.1%
8	12 or more times	6	0.4%
Sysmiss		209	

**Q16: Doing what during injury past 12 mo.****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1678 Invalid: 179

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, what were you doing when the most serious injury happened to you?

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1133	67.5%
2	Playing a sport	239	14.2%
3	Walking/running	69	4.1%
4	Riding a bicycle or scooter	50	3%
5	Riding/driving motor vehicle	9	0.5%
6	Doing work	17	1%
7	Nothing	15	0.9%
8	Something else	146	8.7%
Sysmiss		179	

### Q17: Cause of injury past 12 mo.

Data file: CLHH2005\_public\_use

#### Overview

Valid: 1675 Invalid: 182

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1130	67.5%
2	Motor vehicle accident	22	1.3%
3	I fell	218	13%
4	Something fell on me or hit me	35	2.1%
5	I was fighting with someone	29	1.7%
6	Attacked or assaulted	8	0.5%
7	Was in a fire	3	0.2%
8	Something else	230	13.7%
Sysmiss		182	



**Q18: How injury happened past 12 mo.****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1645 Invalid: 212

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, how did the most serious injury happen to you?

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1121	68.1%
2	I hurt myself by accident	334	20.3%
3	Someone hurt me by accident	82	5%
4	I hurt myself on purpose	23	1.4%
5	Someone hurt me on purpose	85	5.2%
Sysmiss		212	

**Q19: What was serious injury past 12 mo.****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1678 Invalid: 179

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1134	67.6%
2	Broken bone/dislocated joint	226	13.5%

3	Cut, puncture, stab wound	34	2%
4	Concussion/head injury	36	2.1%
5	I had a gunshot wound	2	0.1%
6	I had a bad burn	7	0.4%
7	Lost foot, leg, hand, or arm	5	0.3%
8	Something else happened to me	234	13.9%
Sysmiss		179	

## Q20: How many days bullied past 30 days

Data file: CLHH2005\_public\_use

### Overview

Valid: 1716 Invalid: 141

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

#### CATEGORIES

Value	Category	Cases	
1	0 days	924	53.8%
2	1 or 2 days	376	21.9%
3	3 to 5 days	138	8%
4	6 to 9 days	83	4.8%
5	10 to 19 days	77	4.5%
6	20 to 29 days	21	1.2%
7	All 30 days	97	5.7%
Sysmiss		141	

## Q21: How bullied past 30 days

Data file: CLHH2005\_public\_use

### Overview

Valid: 1700 Invalid: 157

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

### CATEGORIES

Value	Category	Cases	
1	Not bullied	922	54.2%
2	Kicked, pushed, or shoved	37	2.2%
3	Made fun because of race/color	38	2.2%
4	Made fun because of religion	17	1%
5	Made fun of about sex	53	3.1%
6	Left out of activities	35	2.1%
7	Made fun of about body	222	13.1%
8	Some other way	376	22.1%
Sysmiss		157	

## Q22: Times felt lonely past 12 mo.

Data file: CLHH2005\_public\_use

### Overview

Valid: 1835 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

### CATEGORIES

Value	Category	Cases	
1	Never	586	31.9%
2	Rarely	503	27.4%
3	Sometimes	481	26.2%
4	Most of the time	184	10%
5	Always	81	4.4%

Sysmiss

22

**Q23: Times could not sleep past 12 mo.****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1845 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

## LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

## CATEGORIES

Value	Category	Cases	
1	Never	652	35.3%
2	Rarely	636	34.5%
3	Sometimes	402	21.8%
4	Most of the time	98	5.3%
5	Always	57	3.1%
Sysmiss		12	

**Q24: Sad and hopeless past 12 mo.****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1846 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

## LITERAL QUESTION

During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing your usual activities?

## CATEGORIES

Value	Category	Cases	
1	Yes	489	26.5%

2	No	1357	73.5%
Sysmiss		11	

## Q25: Ever considered suicide 12 mos

Data file: CLHH2005\_public\_use

### Overview

Valid: 1837 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

#### CATEGORIES

Value	Category	Cases	
1	Yes	343	18.7%
2	No	1494	81.3%
Sysmiss		20	

## Q26: Ever make suicide plan 12 mos

Data file: CLHH2005\_public\_use

### Overview

Valid: 1807 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	Yes	245	13.6%
2	No	1562	86.4%
Sysmiss		50	

**Q27: Number close friends****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1844    Invalid: 13

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 4    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about your feelings and friendships.

**LITERAL QUESTION**

How many close friends do you have?

**CATEGORIES**

Value	Category	Cases	
1	0	137	7.4%
2	1	241	13.1%
3	2	327	17.7%
4	3 or more	1139	61.8%
Sysmiss		13	

**Q28: Age first tried cigarette****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1681    Invalid: 176

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 7    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

How old were you when you first tried a cigarette?

**CATEGORIES**

Value	Category	Cases	
1	I have never smoked cigarettes	922	54.8%
2	7 years old or younger	47	2.8%
3	8 or 9 years old	77	4.6%
4	10 or 11 years old	184	10.9%

5	12 or 13 years old	313	18.6%
6	14 or 15 years old	123	7.3%
7	16 years old or older	15	0.9%
Sysmiss		176	

## Q29: How many days smoked 30 days

Data file: CLHH2005\_public\_use

### Overview

Valid: 1735 Invalid: 122

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

#### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

#### CATEGORIES

Value	Category	Cases	
1	0 days	1324	76.3%
2	1 or 2 days	152	8.8%
3	3 to 5 days	50	2.9%
4	6 to 9 days	36	2.1%
5	10 to 19 days	62	3.6%
6	20 to 29 days	39	2.2%
7	All 30 days	72	4.1%
Sysmiss		122	

## Q30: Other tobacco past 30 days

Data file: CLHH2005\_public\_use

### Overview

Valid: 1850 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

#### LITERAL QUESTION

During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	1744	94.3%
2	1 or 2 days	47	2.5%
3	3 to 5 days	23	1.2%
4	6 to 9 days	13	0.7%
5	10 to 19 days	10	0.5%
6	20 to 29 days	4	0.2%
7	All 30 days	9	0.5%
Sysmiss		7	

### Q31: Try stop smoking past 12 mo.

Data file: CLHH2005\_public\_use

#### Overview

Valid: 1602 Invalid: 255

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

## CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	915	57.1%
2	Did not smoke cigarettes	211	13.2%
3	Yes	324	20.2%
4	No	152	9.5%
Sysmiss		255	

### Q32: Others present smoking past 7 days

Data file: CLHH2005\_public\_use

#### Overview

Valid: 1826 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

### CATEGORIES

Value	Category	Cases	
1	0 days	449	24.6%
2	1 or 2 days	533	29.2%
3	3 or 4 days	267	14.6%
4	5 or 6 days	163	8.9%
5	All 7 days	414	22.7%
Sysmiss		31	

## Q33: Parents who use tobacco

Data file: CLHH2005\_public\_use

### Overview

Valid: 1842 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

### CATEGORIES

Value	Category	Cases	
1	Neither	973	52.8%
2	My father or male guardian	317	17.2%
3	My mother or female guardian	215	11.7%
4	Both	259	14.1%
5	I do not know	78	4.2%
Sysmiss		15	

## Q34: Days one drink or more past 30 days

Data file: CLHH2005\_public\_use

## Overview

Valid: 1775 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

### CATEGORIES

Value	Category	Cases	
1	0 days	1281	72.2%
2	1 or 2 days	321	18.1%
3	3 to 5 days	80	4.5%
4	6 to 9 days	48	2.7%
5	10 to 19 days	29	1.6%
6	20 to 29 days	6	0.3%
7	All 30 days	10	0.6%
Sysmiss		82	

## Q35: Number of drinks past 30 days

Data file: CLHH2005\_public\_use

## Overview

Valid: 1770 Invalid: 87

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1267	71.6%
2	Less than one drink	215	12.1%
3	1 drink	100	5.6%
4	2 drinks	67	3.8%

5	3 drinks	40	2.3%
6	4 drinks	28	1.6%
7	5 or more drinks	53	3%
Sysmiss		87	

### Q36: How got drinks past 30 days

Data file: CLHH2005\_public\_use

#### Overview

Valid: 1745 Invalid: 112

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

##### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank?

##### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1259	72.1%
2	I bought in a store	116	6.6%
3	I gave someone money to buy	32	1.8%
4	I got it from my friends	135	7.7%
5	I got it from home	106	6.1%
6	I stole it	6	0.3%
7	I made it myself	0	0%
8	I got it some other way	91	5.2%
Sysmiss		112	

### Q37: Times drunk during life

Data file: CLHH2005\_public\_use

#### Overview

Valid: 1848 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

#### LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1427	77.2%
2	1 or 2 times	280	15.2%
3	3 to 9 times	88	4.8%
4	10 or more times	53	2.9%
Sysmiss		9	

### Q38: Number of troubles as result of drinking

Data file: CLHH2005\_public\_use

#### Overview

Valid: 1842 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

#### LITERAL QUESTION

During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1625	88.2%
2	1 or 2 times	167	9.1%
3	3 to 9 times	27	1.5%
4	10 or more times	23	1.2%
Sysmiss		15	

### Q39: Number times drug use during life

Data file: CLHH2005\_public\_use

#### Overview

Valid: 1831 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about drugs.

### LITERAL QUESTION

During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 times	1661	90.7%
2	1 or 2 times	87	4.8%
3	3 to 9 times	41	2.2%
4	10 or more times	42	2.3%
Sysmiss		26	

## Q40: Ever had sex

Data file: CLHH2005\_public\_use

### Overview

Valid: 1565 Invalid: 292

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

Have you ever had sexual intercourse?

### CATEGORIES

Value	Category	Cases	
1	Yes	230	14.7%
2	No	1335	85.3%
Sysmiss		292	

## Q41: Age first sexual intercourse

Data file: CLHH2005\_public\_use

### Overview

Valid: 1596 Invalid: 261

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	1340	84%
2	11 years old or younger	60	3.8%
3	12 years old	49	3.1%
4	13 years old	43	2.7%
5	14 years old	73	4.6%
6	15 years old	26	1.6%
7	16 years old or older	5	0.3%
Sysmiss		261	

## Q42: How many sex partners

Data file: CLHH2005\_public\_use

### Overview

Valid: 1589 Invalid: 268

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	1353	85.1%
2	1 person	105	6.6%
3	2 people	59	3.7%
4	3 people	27	1.7%
5	4 people	20	1.3%
6	5 people	5	0.3%
7	6 or more people	20	1.3%
Sysmiss		268	

**Q43: Sexual intercourse past 12 mo.****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1693    Invalid: 164

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 5 questions ask about sexual intercourse.

**LITERAL QUESTION**

During the past 12 months, have you had sexual intercourse?

**CATEGORIES**

Value	Category	Cases	
1	Yes	157	9.3%
2	No	1536	90.7%
Sysmiss		164	

**Q44: Used condom at last intercourse****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1572    Invalid: 285

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 3    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 5 questions ask about sexual intercourse.

**LITERAL QUESTION**

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

**CATEGORIES**

Value	Category	Cases	
1	Never had sex	1336	85%
2	Yes	122	7.8%
3	No	114	7.3%
Sysmiss		285	

**Q45: Days active 60 min plus past 7 days****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1846 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?

**CATEGORIES**

Value	Category	Cases	
1	0 days	342	18.5%
2	1 day	61	3.3%
3	2 days	232	12.6%
4	3 days	102	5.5%
5	4 days	358	19.4%
6	5 days	116	6.3%
7	6 days	416	22.5%
8	7 days	219	11.9%
Sysmiss		11	

**Q46: Active 60 min plus per day usual week****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1813 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?

**CATEGORIES**



Value	Category	Cases	
1	0 days	207	11.4%
2	1 day	253	14%
3	2 days	60	3.3%
4	3 days	75	4.1%
5	4 days	50	2.8%
6	5 days	194	10.7%
7	6 days	966	53.3%
8	7 days	8	0.4%
Sysmiss		44	

### Q47: Time spent sitting on usual day

Data file: CLHH2005\_public\_use

#### Overview

Valid: 1810 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

##### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?

##### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	597	33%
2	1 to 2 hours per day	641	35.4%
3	3 to 4 hours per day	334	18.5%
4	5 to 6 hours per day	134	7.4%
5	7 to 8 hours per day	42	2.3%
6	More than 8 hours per day	62	3.4%
Sysmiss		47	

### Q48: Walk or bike to school past 7 days

Data file: CLHH2005\_public\_use

#### Overview

Valid: 1837 Invalid: 20

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to and from school?

### CATEGORIES

Value	Category	Cases	
1	0 days	641	34.9%
2	1 day	119	6.5%
3	2 days	78	4.2%
4	3 days	38	2.1%
5	4 days	41	2.2%
6	5 days	289	15.7%
7	6 days	24	1.3%
8	7 days	607	33%
Sysmiss		20	

## Q49: How long to from school past 7 days

Data file: CLHH2005\_public\_use

### Overview

Valid: 1824    Invalid: 33

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 7    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

### LITERAL QUESTION

During the past 7 days, how long did it usually take for you to get to and from school each day?

### CATEGORIES

Value	Category	Cases	
1	Less than 10 minutes per day	520	28.5%
2	10 to 19 minutes per day	463	25.4%
3	20 to 29 minutes per day	313	17.2%
4	30 to 39 minutes per day	216	11.8%
5	40 to 49 minutes per day	96	5.3%
6	50 to 59 minutes per day	52	2.9%

7	60 or more minutes per day	164	9%
Sysmiss		33	

## Q50: Miss school no permission past 30 days

Data file: CLHH2005\_public\_use

### Overview

Valid: 1842 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

#### CATEGORIES

Value	Category	Cases	
1	0 days	1454	78.9%
2	1 or 2 days	249	13.5%
3	3 to 5 days	77	4.2%
4	6 to 9 days	28	1.5%
5	10 or more days	34	1.8%
Sysmiss		15	

## Q51: Others helpful in school past 30 days

Data file: CLHH2005\_public\_use

### Overview

Valid: 1829 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

#### CATEGORIES

Value	Category	Cases	
1	Never	169	9.2%

2	Rarely	444	24.3%
3	Sometimes	450	24.6%
4	Most of the time	405	22.1%
5	Always	361	19.7%
Sysmiss		28	

## Q52: Parents check homework past 30 days

Data file: CLHH2005\_public\_use

### Overview

Valid: 1814 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

#### CATEGORIES

Value	Category	Cases	
1	Never	368	20.3%
2	Rarely	316	17.4%
3	Sometimes	303	16.7%
4	Most of the time	332	18.3%
5	Always	495	27.3%
Sysmiss		43	

## Q53: Parent understand troubles past 30 days

Data file: CLHH2005\_public\_use

### Overview

Valid: 1835 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

## CATEGORIES

Value	Category	Cases	
1	Never	377	20.5%
2	Rarely	300	16.3%
3	Sometimes	288	15.7%
4	Most of the time	285	15.5%
5	Always	585	31.9%
Sysmiss		22	

**Q54: Parent know what you do past 30 days****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1823 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

## CATEGORIES

Value	Category	Cases	
1	Never	275	15.1%
2	Rarely	268	14.7%
3	Sometimes	305	16.7%
4	Most of the time	335	18.4%
5	Always	640	35.1%
Sysmiss		34	

**QN6: Went hungry most of time/always past 30 days****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1854 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home

## CATEGORIES

Value	Category	Cases	
1	Yes	26	1.4%
2	No	1828	98.6%
Sysmiss		3	

### QN7: Ate fruit 1+ times per day past 30 days

Data file: CLHH2005\_public\_use

#### Overview

Valid: 1846 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	1328	71.9%
2	No	518	28.1%
Sysmiss		11	

### QN8: Ate vegetables 1+ times per day past 30 day

Data file: CLHH2005\_public\_use

#### Overview

Valid: 1836 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	1505	82%
2	No	331	18%

Sysmiss		21	
---------	--	----	--

### QN10: Never/rarely wash hands before eating past 30 days

Data file: CLHH2005\_public\_use

#### Overview

Valid: 1854 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	70	3.8%
2	No	1784	96.2%
Sysmiss		3	

### QN11: Never/rarely wash hands after toilet past 30 days

Data file: CLHH2005\_public\_use

#### Overview

Valid: 1839 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	30	1.6%
2	No	1809	98.4%
Sysmiss		18	

### QN12: Never/rarely use soap on hands past 30 days

Data file: CLHH2005\_public\_use

**Overview**

Valid: 1834 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	79	4.3%
2	No	1755	95.7%
Sysmiss		23	

**QN13: Attacked 1+ times past 12 months**

Data file: CLHH2005\_public\_use

**Overview**

Valid: 1820 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	518	28.5%
2	No	1302	71.5%
Sysmiss		37	

**QN14: In fight 1+ times past 12 months**

Data file: CLHH2005\_public\_use

**Overview**

Valid: 1843 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months



## CATEGORIES

Value	Category	Cases	
1	Yes	703	38.1%
2	No	1140	61.9%
Sysmiss		14	

**QN15: Seriously injured 1+ times past 12 months**

Data file: CLHH2005\_public\_use

**Overview**

Valid: 1648 Invalid: 209

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	530	32.2%
2	No	1118	67.8%
Sysmiss		209	

**QN16: Playing sport caused most serious injury past 12mo**

Data file: CLHH2005\_public\_use

**Overview**

Valid: 530 Invalid: 1327

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport

## CATEGORIES

Value	Category	Cases	
1	Yes	233	44%
2	No	297	56%
Sysmiss		1327	

**QN17: Falling caused most serious injury past 12 months****Data file:** CLHH2005\_public\_use**Overview**

Valid: 529    Invalid: 1328

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall

**CATEGORIES**

Value	Category	Cases	
1	Yes	212	40.1%
2	No	317	59.9%
Sysmiss		1328	

**QN18: Accident caused most serious injury past 12 months****Data file:** CLHH2005\_public\_use**Overview**

Valid: 510    Invalid: 1347

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident

**CATEGORIES**

Value	Category	Cases	
1	Yes	322	63.1%
2	No	188	36.9%
Sysmiss		1347	

**QN19: Broken bone as most serious injury past 12 months****Data file:** CLHH2005\_public\_use

## Overview

Valid: 527 Invalid: 1330

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury

### CATEGORIES

Value	Category	Cases	
1	Yes	216	41%
2	No	311	59%
Sysmiss		1330	

## QN20: Bullied 1+ of past 30 days

Data file: CLHH2005\_public\_use

## Overview

Valid: 1716 Invalid: 141

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	792	46.2%
2	No	924	53.8%
Sysmiss		141	

## QN21: Of students bullied, most often hit, kicked, etc

Data file: CLHH2005\_public\_use

## Overview

Valid: 770 Invalid: 1087

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

## CATEGORIES

Value	Category	Cases	
1	Yes	36	4.7%
2	No	734	95.3%
Sysmiss		1087	

**QN22: Lonely most times/always past 12 months**

Data file: CLHH2005\_public\_use

**Overview**

Valid: 1835 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who felt lonely most of the time or always during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	265	14.4%
2	No	1570	85.6%
Sysmiss		22	

**QN23: Worry prevented sleep most time/always past 12 mos**

Data file: CLHH2005\_public\_use

**Overview**

Valid: 1845 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	155	8.4%
2	No	1690	91.6%

Sysmiss		12	
---------	--	----	--

## QN24: Sad/Hopeless everyday 2+ weeks past 12 months

Data file: CLHH2005\_public\_use

### Overview

Valid: 1846 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who felt sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	489	26.5%
2	No	1357	73.5%
Sysmiss		11	

## QN25: Considered suicide past 12 months

Data file: CLHH2005\_public\_use

### Overview

Valid: 1837 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who seriously considered attempting suicide during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	343	18.7%
2	No	1494	81.3%
Sysmiss		20	

## QN26: Made suicide plan past 12 months

Data file: CLHH2005\_public\_use

## Overview

Valid: 1807 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	245	13.6%
2	No	1562	86.4%
Sysmiss		50	

## QN27: No close friends

Data file: CLHH2005\_public\_use

## Overview

Valid: 1844 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who have no close friends

### CATEGORIES

Value	Category	Cases	
1	Yes	137	7.4%
2	No	1707	92.6%
Sysmiss		13	

## QN28: Of current smokers, age first cigarette before 13

Data file: CLHH2005\_public\_use

## Overview

Valid: 405 Invalid: 1452

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age

9 or younger

## CATEGORIES

Value	Category	Cases	
1	Yes	316	78%
2	No	89	22%
Sysmiss		1452	

**QN29: Smoked cigarettes 1+ of past 30 days**

Data file: CLHH2005\_public\_use

**Overview**

Valid: 1735 Invalid: 122

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	411	23.7%
2	No	1324	76.3%
Sysmiss		122	

**QN30: Used other tobacco 1+ of past 30 days**

Data file: CLHH2005\_public\_use

**Overview**

Valid: 1850 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	106	5.7%
2	No	1744	94.3%
Sysmiss		7	

**QN31: Tried to quit smoking past 12 months****Data file:** CLHH2005\_public\_use**Overview**

Valid: 476    Invalid: 1381

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months

**CATEGORIES**

Value	Category	Cases	
1	Yes	324	68.1%
2	No	152	31.9%
Sysmiss		1381	

**QN32: Others present smoking 1+ of past 7 days****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1826    Invalid: 31

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who reported people smoking in their presence on one or more of the past seven days

**CATEGORIES**

Value	Category	Cases	
1	Yes	1377	75.4%
2	No	449	24.6%
Sysmiss		31	

**QN33: Either/Both parents use tobacco****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1842    Invalid: 15



Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who have a parent or guardian who uses any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	791	42.9%
2	No	1051	57.1%
Sysmiss		15	

## QN34: Drank 1+ days past 30 days

Data file: CLHH2005\_public\_use

### Overview

Valid: 1775    Invalid: 82

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who drank alcohol on one or more of the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	494	27.8%
2	No	1281	72.2%
Sysmiss		82	

## QN35: Of current drinkers, drank 2+ drinks/day 30 days

Data file: CLHH2005\_public\_use

### Overview

Valid: 494    Invalid: 1363

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	188	38.1%
2	No	306	61.9%
Sysmiss		1363	

### QN36: Of current drinkers, bought alcohol in store

Data file: CLHH2005\_public\_use

#### Overview

Valid: 486 Invalid: 1371

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	116	23.9%
2	No	370	76.1%
Sysmiss		1371	

### QN37: 1+ times drunk in lifetime

Data file: CLHH2005\_public\_use

#### Overview

Valid: 1848 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

##### CATEGORIES

Value	Category	Cases	
1	Yes	421	22.8%
2	No	1427	77.2%
Sysmiss		9	

**QN38: Alcohol trouble 1+ times in lifetime****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1842    Invalid: 15

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	217	11.8%
2	No	1625	88.2%
Sysmiss		15	

**QN39: Used drugs 1+ times in lifetime****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1831    Invalid: 26

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	170	9.3%
2	No	1661	90.7%
Sysmiss		26	

**QN40: Ever had sex****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1565    Invalid: 292

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who have ever had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	230	14.7%
2	No	1335	85.3%
Sysmiss		292	

## QN41: Age first sexual intercourse 12 or younger

Data file: CLHH2005\_public\_use

### Overview

Valid: 1596 Invalid: 261

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse for the first time before age 13

### CATEGORIES

Value	Category	Cases	
1	Yes	109	6.8%
2	No	1487	93.2%
Sysmiss		261	

## QN42: 2+ sex partners lifetime

Data file: CLHH2005\_public\_use

### Overview

Valid: 1589 Invalid: 268

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who have had sexual intercourse with two or more people during their life time

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	131	8.2%
2	No	1458	91.8%
Sysmiss		268	

### QN43: Sexual intercourse past 12 months

Data file: CLHH2005\_public\_use

#### Overview

Valid: 1693 Invalid: 164

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who had sexual intercourse during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	157	9.3%
2	No	1536	90.7%
Sysmiss		164	

### QN44: Of sexually active 12 mos, use condoms at last sex

Data file: CLHH2005\_public\_use

#### Overview

Valid: 157 Invalid: 1700

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse

##### CATEGORIES

Value	Category	Cases	
1	Yes	88	56.1%
2	No	69	43.9%
Sysmiss		1700	

**QN45: Active 60+ mins/day for all of past 7 days****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1846 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days

## CATEGORIES

Value	Category	Cases	
1	Yes	219	11.9%
2	No	1627	88.1%
Sysmiss		11	

**QN46: Active 60+ min/day all 7 days of usual week****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1813 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week

## CATEGORIES

Value	Category	Cases	
1	Yes	8	0.4%
2	No	1805	99.6%
Sysmiss		44	

**QN47: Sitting activities 3+ hours/day of usual day****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1810 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day

### CATEGORIES

Value	Category	Cases	
1	Yes	572	31.6%
2	No	1238	68.4%
Sysmiss		47	

### QN48: Walk/Bike to/from school 0 of past 7 days

Data file: CLHH2005\_public\_use

### Overview

Valid: 1837 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to and from school during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	641	34.9%
2	No	1196	65.1%
Sysmiss		20	

### QN49: Less than 29 minutes to/from school past 7 days

Data file: CLHH2005\_public\_use

### Overview

Valid: 1824 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

### LITERAL QUESTION

Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1296	71.1%
2	No	528	28.9%
Sysmiss		33	

### QN50: Miss school no permission 1+ of past 30 days

Data file: CLHH2005\_public\_use

#### Overview

Valid: 1842 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	388	21.1%
2	No	1454	78.9%
Sysmiss		15	

### QN51: Students never/rarely kind/helpful past 30 days

Data file: CLHH2005\_public\_use

#### Overview

Valid: 1829 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who reported that most of the students in their school were kind and helpful most of the time or always during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	613	33.5%
2	No	1216	66.5%
Sysmiss		28	



**QN52: Parents never/rarely check homework past 30 days****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1814 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	684	37.7%
2	No	1130	62.3%
Sysmiss		43	

**QN53: Parents never/rarely understand problems past 30****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1835 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	677	36.9%
2	No	1158	63.1%
Sysmiss		22	

**QN54: Parents never/rarely know about free time past 30****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1823 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians knew what they were doing with their free time most of the time or always during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	543	29.8%
2	No	1280	70.2%
Sysmiss		34	

## QNR0VWTG: At risk for becoming overweight

Data file: CLHH2005\_public\_use

### Overview

Valid: 1823 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students at risk for becoming overweight

### CATEGORIES

Value	Category	Cases	
1	Yes	479	26.3%
2	No	1344	73.7%
Sysmiss		34	

## QNOVWTG: Overweight

Data file: CLHH2005\_public\_use

### Overview

Valid: 1823 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who are overweight

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	131	7.2%
2	No	1692	92.8%
Sysmiss		34	

### QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: CLHH2005\_public\_use

#### Overview

Valid: 1827 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	358	19.6%
2	No	1469	80.4%
Sysmiss		30	

### QNANYTBG: Used any tobacco past 30 days

Data file: CLHH2005\_public\_use

#### Overview

Valid: 1731 Invalid: 126

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used any tobacco on one or more days of the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	419	24.2%
2	No	1312	75.8%
Sysmiss		126	

**QNMINPAG: Exercised 60 min/day <=5 days****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1809 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average

## CATEGORIES

Value	Category	Cases	
1	Yes	992	54.8%
2	No	817	45.2%
Sysmiss		48	

**QNWKRDG: Walked/biked <2.5 hrs 7 days****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1815 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days

## CATEGORIES

Value	Category	Cases	
1	Yes	1535	84.6%
2	No	280	15.4%
Sysmiss		42	

**WEIGHT: Weight****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1857 Invalid: 0

Type: Continuous Decimal: 0 Width: 12 Range: 11.4124 - 28.3909 Format: Numeric Weighted: yes

**PSU: Primary Sampling Unit****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1857    Invalid: 0

Type: Continuous    Decimal: 0    Width: 5    Range: 1 - 25    Format: Numeric

**STRATUM: Stratum****Data file:** CLHH2005\_public\_use**Overview**

Valid: 1857    Invalid: 0

Type: Discrete    Decimal: 0    Width: 9    Range: 200502001 - 200502012    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
200502001		171	9.2%
200502002		187	10.1%
200502003		184	9.9%
200502004		127	6.8%
200502005		74	4%
200502006		128	6.9%
200502007		192	10.3%
200502008		174	9.4%
200502009		167	9%
200502010		157	8.5%
200502011		183	9.9%
200502012		113	6.1%

# study\_resources

## questionnaires

### English Questionnaire

---

title English Questionnaire  
filename Chile\_questionnaire\_english\_2004.pdf

---

### Spanish Questionnaire

---

title Spanish Questionnaire  
filename Chile\_questionnaire\_spanish\_2004.pdf

---

## reports

### Fact Sheet for Metropolitan Region without intervention

---

title Fact Sheet for Metropolitan Region without intervention  
filename Chile\_Metropolitan\_Mun\_without\_intervention\_2005.pdf

---

### Fact Sheet for Region VIII with intervention

---

title Fact Sheet for Region VIII with intervention  
filename Chile\_RegionVIII\_with\_intervention\_2005.pdf

---

### Fact Sheet for Region VIII without intervention

---

title Fact Sheet for Region VIII without intervention  
filename Chile\_RegionVIII\_without\_intervention\_2005.pdf

---

### Fact Sheet for Metropolitan Region with intervention

---

title Fact Sheet for Metropolitan Region with intervention  
filename Chile\_Metropolitan\_Mun\_with\_intervention\_2005.pdf

---

## technical\_documents

### Codebook for Metropolitan Region with intervention

---

title Codebook for Metropolitan Region with intervention  
filename CLBH2005\_public\_use\_codebook.pdf

---

### Codebook for Metropolitan Region without intervention

---

title Codebook for Metropolitan Region without intervention

filename CLCH2005\_public\_use\_codebook.pdf

---

### **Codebook for Region VIII with intervention**

---

title Codebook for Region VIII with intervention

filename CLGH2005\_public\_use\_codebook.pdf

---

### **Codebook for Region VIII without intervention**

---

title Codebook for Region VIII without intervention

filename CLHH2005\_public\_use\_codebook.pdf

---