

# Global School-Based Student Health Survey 2007

**Instituto Nacional de Cancerologia**

report\_generated\_on: November 9, 2023

visit\_data\_catalog\_at: <http://catalog.ihsn.org/>

## Identification

---

SURVEY ID NUMBER  
COL\_2007\_GSHS\_v01\_M

TITLE  
Global School-Based Student Health Survey 2007

SUBTITLE  
Subnational coverage for Bogotá, Bogotá (official schools), Bogotá (private schools), Bucaramanga City, Cali City, Manizales, and Valledupar City.

COUNTRY

Name	Country code
Colombia	COL

STUDY TYPE  
Other Household Survey [hh/oth]

SERIES INFORMATION  
This is the first GSHS conducted by Colombia.

ABSTRACT  
The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA  
Sample survey data [ssd]

UNIT OF ANALYSIS  
Individuals

## Version

---

VERSION DESCRIPTION  
Public-use dataset

VERSION DATE  
2018-06-26

## Scope

---

NOTES  
The following core modules were included in the survey:  
alcohol use  
dietary behaviours  
drug use  
physical activity  
sexual behaviours  
tobacco use  
violence and unintentional injury

TOPICS

Topic	Vocabulary
-------	------------

Global School-based Student Health Survey (GSHS)

Survey

## KEYWORDS

**Keyword**

adolescents

school health

noncommunicable diseases

risk factors

health surveys

alcohol use

diet

nutrition

drug use

physical activity

sexual behaviours

HIV

tobacco use

violence and unintentional injury

bullying

## Coverage

## GEOGRAPHIC COVERAGE

Subnational coverage for Bogotá, Bogotá (official schools), Bogotá (private schools), Bucaramanga City, Cali City, Manizales, and Valledupar City.

## UNIVERSE

School-going adolescents aged 13-15 years.

## Producers and sponsors

## PRIMARY INVESTIGATORS

**Name**

Instituto Nacional de Cancerología

## FUNDING AGENCY/SPONSOR

**Name**

World Health Organization

US Centers for Disease Control and Prevention

**Abbreviation**

WHO

CDC

## Sampling

## SAMPLING PROCEDURE

The 2006 Colombia GSHS was a school-based survey of students in grades 7, 8, 9, and 10. A two-stage cluster sample

design was used to produce data representative of all students in grades 7, 8, 9, and 10 in Colombia. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

A total of 1,737 students participated in the Colombia (Bogotá) GSHS.

A total of 1,170 students participated in the Colombia (Bogotá, official schools) GSHS.

A total of 567 students participated in the Colombia (Bogotá, private schools) GSHS.

A total of 2,093 students participated in the Colombia (Bucaramanga City) GSHS.

A total of 1,945 students participated in the Colombia (Cali City) GSHS.

A total of 2,037 students participated in the Colombia (Manizales) GSHS.

A total of 2,095 students participated in the Colombia (Valledupar City) GSHS.

#### RESPONSE RATE

Bogotá: The school response rate was 92%, the student response rate was 90%, and the overall response rate was 83%.

Bogotá, official schools: The school response rate was 97%, the student response rate was 90%, and the overall response rate was 87%.

Bogotá, private schools: The school response rate was 85%, the student response rate was 91%, and the overall response rate was 77%.

Bucaramanga City: The school response rate was 93%, the student response rate was 86%, and the overall response rate was 81%.

Cali City: The school response rate was 90%, the student response rate was 86%, and the overall response rate was 77%.

Manizales: The school response rate was 93%, the student response rate was 91%, and the overall response rate was 85%.

Valledupar City: The school response rate was 97%, the student response rate was 88%, and the overall response rate was 86%.

#### WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

## data\_collection

#### DATES OF DATA COLLECTION

Start	End
2007-10	2007-10

#### DATA COLLECTION MODE

self-administered

## questionnaires

#### QUESTIONNAIRES

The following core modules were included in the survey:

alcohol use

dietary behaviours

drug use

physical activity

sexual behaviours

tobacco use

violence and unintentional injury

## data\_processing

### DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

## Access policy

### CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	<a href="#">Link</a>

### ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

### CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

## Disclaimer and copyrights

### DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

## Metadata production

### DDI DOCUMENT ID

DDI\_COL\_2007\_GSHS\_v01\_M

### PRODUCERS

Name	Abbreviation	Affiliation	Role
Amber Abernethie		World Health Organization	Documentation of data
Melanie Cowan		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

### DATE OF METADATA PRODUCTION

2018-06-26

### DDI DOCUMENT VERSION

Identical to a metadata (COL\_2007\_GSHS\_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

**data\_dictionary**

<b>Data file</b>	<b>Cases</b>	<b>variables</b>
<b>CBGH2007_Public_Use</b> Bogotá public-use dataset	1737	80
<b>CBAH2007_Public_Use</b> Bogotá (official schools) public-use dataset	1170	80
<b>CBBH2007_Public_Use</b> Bogotá (private schools) public-use dataset	567	80
<b>CBDH2007_Public_Use</b> Bucaramanga City public-use dataset	2093	80
<b>CBEH2007_Public_Use</b> Cali City public-use dataset	1945	80
<b>CBCH2007_Public_Use</b> Manizales public-use dataset	2037	80
<b>CBFH2007_Public_Use</b> Valledupar City public-use dataset	2095	80



**Data file: CBGH2007\_Public\_Use**

Bogotá public-use dataset

Cases: 1737

variables: 80

**variables**

ID	Name	Label	Question
V2017	Q1	How old are you	How old are you?
V2018	Q2	Sex	What is your sex?
V2019	Q3	In what grade are you	In what grade are you?
V2020	Q4	How tall are you	How tall are you without your shoes on?
V2021	Q5	How much do you weigh	How much do you weigh without your shoes on?
V2022	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V2023	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V2024	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V2029	Q13	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V2030	Q14	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V2031	Q15	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V2032	Q16	Doing what during injury past 12 mo.	During the past 12 months, what were you doing when the most serious injury happened to you?
V2033	Q17	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V2034	Q18	How injury happened past 12 mo.	During the past 12 months, how did the most serious injury happen to you?
V2035	Q19	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V2036	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V2037	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V2044	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V2045	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V2046	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?
V2047	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V2048	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V2049	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V2050	Q34	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V2051	Q35	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

ID	Name	Label	Question
V2052	Q36	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank?
V2053	Q37	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V2054	Q38	Number of troubles as result of drinking	During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V2055	Q39	Number times drug use during life	During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?
V2056	Q40	Ever had sex	Have you ever had sexual intercourse?
V2057	Q41	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V2058	Q42	How many sex partners	During your life, with how many people have you had sexual intercourse?
V2059	Q43	Sexual intercourse past 12 mo.	During the past 12 months, have you had sexual intercourse?
V2060	Q44	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V2061	Q45	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?
V2062	Q46	Active 60 min plus per day usual week	During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?
V2063	Q47	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?
V2064	Q48	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to and from school?
V2065	Q49	How long to from school past 7 days	During the past 7 days, how long did it usually take for you to get to and from school each day?
V2071	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home
V2072	QN7	Ate fruit 1+ times per day past 30 days	Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V2073	QN8	Ate vegetables 1+ times per day past 30 day	Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V2078	QN13	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V2079	QN14	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V2080	QN15	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V2081	QN16	Playing sport caused most serious injury past 12mo	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport
V2082	QN17	Falling caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall
V2083	QN18	Accident caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident
V2084	QN19	Broken bone as most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury

ID	Name	Label	Question
V2085	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V2086	QN21	Of students bullied, most often hit, kicked, etc	Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V2093	QN28	Of current smokers, age first cigarette before 13	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger
V2094	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V2095	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days
V2096	QN31	Tried to quit smoking past 12 months	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months
V2097	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoking in their presence on one or more of the past seven days
V2098	QN33	Either/Both parents use tobacco	Percentage of students who have a parent or guardian who uses any form of tobacco
V2099	QN34	Drank 1+ days past 30 days	Percentage of students who drank alcohol on one or more of the past 30 days
V2100	QN35	Of current drinkers, drank 2+ drinks/day 30 days	Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days
V2101	QN36	Of current drinkers, bought alcohol in store	Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days
V2102	QN37	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V2103	QN38	Alcohol trouble 1+ times in lifetime	Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life
V2104	QN39	Used drugs 1+ times in lifetime	Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life
V2105	QN40	Ever had sex	Percentage of students who have ever had sexual intercourse
V2106	QN41	Age first sexual intercourse 12 or younger	Percentage of students who had sexual intercourse for the first time before age 13
V2107	QN42	2+ sex partners lifetime	Percentage of students who have had sexual intercourse with two or more people during their life time
V2108	QN43	Sexual intercourse past 12 months	Percentage of students who had sexual intercourse during the past 12 months
V2109	QN44	Of sexually active 12 mos, use condoms at last sex	Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse
V2110	QN45	Active 60+ mins/day for all of past 7 days	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days
V2111	QN46	Active 60+ min/day all 7 days of usual week	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week
V2112	QN47	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day
V2113	QN48	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to and from school during the past seven days
V2114	QN49	Less than 29 minutes to/from school past 7 days	Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days

ID	Name	Label	Question
V2122	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days
V2123	qnanytbq	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days of the past 30 days
V2124	qnminpag	Exercised 60 min/day <=5 days	Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average
V2125	qnwkrdg	Walked/biked <2.5 hrs 7 days	Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days
V2126	weight	Weight	
V2127	psu	Primary Sampling Unit	
V2128	stratum	Stratum	

total: 80

**Data file: CBAH2007\_Public\_Use**

Bogotá (official schools) public-use dataset

Cases: 1170

variables: 80

**variables**

ID	Name	Label	Question
V2129	Q1	How old are you	How old are you?
V2130	Q2	Sex	What is your sex?
V2131	Q3	In what grade are you	In what grade are you?
V2132	Q4	How tall are you	How tall are you without your shoes on?
V2133	Q5	How much do you weigh	How much do you weigh without your shoes on?
V2134	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V2135	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V2136	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V2141	Q13	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V2142	Q14	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V2143	Q15	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V2144	Q16	Doing what during injury past 12 mo.	During the past 12 months, what were you doing when the most serious injury happened to you?
V2145	Q17	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V2146	Q18	How injury happened past 12 mo.	During the past 12 months, how did the most serious injury happen to you?
V2147	Q19	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V2148	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V2149	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V2156	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V2157	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V2158	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?
V2159	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V2160	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V2161	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V2162	Q34	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V2163	Q35	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

ID	Name	Label	Question
V2164	Q36	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank?
V2165	Q37	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V2166	Q38	Number of troubles as result of drinking	During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V2167	Q39	Number times drug use during life	During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?
V2168	Q40	Ever had sex	Have you ever had sexual intercourse?
V2169	Q41	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V2170	Q42	How many sex partners	During your life, with how many people have you had sexual intercourse?
V2171	Q43	Sexual intercourse past 12 mo.	During the past 12 months, have you had sexual intercourse?
V2172	Q44	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V2173	Q45	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?
V2174	Q46	Active 60 min plus per day usual week	During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?
V2175	Q47	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?
V2176	Q48	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to and from school?
V2177	Q49	How long to from school past 7 days	During the past 7 days, how long did it usually take for you to get to and from school each day?
V2183	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home
V2184	QN7	Ate fruit 1+ times per day past 30 days	Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V2185	QN8	Ate vegetables 1+ times per day past 30 day	Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V2190	QN13	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V2191	QN14	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V2192	QN15	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V2193	QN16	Playing sport caused most serious injury past 12mo	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport
V2194	QN17	Falling caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall
V2195	QN18	Accident caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident
V2196	QN19	Broken bone as most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury

ID	Name	Label	Question
V2197	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V2198	QN21	Of students bullied, most often hit, kicked, etc	Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V2205	QN28	Of current smokers, age first cigarette before 13	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger
V2206	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V2207	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days
V2208	QN31	Tried to quit smoking past 12 months	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months
V2209	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoking in their presence on one or more of the past seven days
V2210	QN33	Either/Both parents use tobacco	Percentage of students who have a parent or guardian who uses any form of tobacco
V2211	QN34	Drank 1+ days past 30 days	Percentage of students who drank alcohol on one or more of the past 30 days
V2212	QN35	Of current drinkers, drank 2+ drinks/day 30 days	Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days
V2213	QN36	Of current drinkers, bought alcohol in store	Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days
V2214	QN37	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V2215	QN38	Alcohol trouble 1+ times in lifetime	Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life
V2216	QN39	Used drugs 1+ times in lifetime	Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life
V2217	QN40	Ever had sex	Percentage of students who have ever had sexual intercourse
V2218	QN41	Age first sexual intercourse 12 or younger	Percentage of students who had sexual intercourse for the first time before age 13
V2219	QN42	2+ sex partners lifetime	Percentage of students who have had sexual intercourse with two or more people during their life time
V2220	QN43	Sexual intercourse past 12 months	Percentage of students who had sexual intercourse during the past 12 months
V2221	QN44	Of sexually active 12 mos, use condoms at last sex	Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse
V2222	QN45	Active 60+ mins/day for all of past 7 days	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days
V2223	QN46	Active 60+ min/day all 7 days of usual week	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week
V2224	QN47	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day
V2225	QN48	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to and from school during the past seven days
V2226	QN49	Less than 29 minutes to/from school past 7 days	Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days

ID	Name	Label	Question
V2234	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days
V2235	qnanytbg	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days of the past 30 days
V2236	qnminpag	Exercised 60 min/day <=5 days	Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average
V2237	qnwkrdg	Walked/biked <2.5 hrs 7 days	Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days
V2238	weight	Weight	
V2239	psu	Primary Sampling Unit	
V2240	stratum	Stratum	

total: 80

**Data file: CBBH2007\_Public\_Use**

Bogotá (private schools) public-use dataset

Cases: 567

variables: 80

**variables**

ID	Name	Label	Question
V2241	Q1	How old are you	How old are you?
V2242	Q2	Sex	What is your sex?
V2243	Q3	In what grade are you	In what grade are you?
V2244	Q4	How tall are you	How tall are you without your shoes on?
V2245	Q5	How much do you weigh	How much do you weigh without your shoes on?
V2246	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V2247	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V2248	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V2253	Q13	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V2254	Q14	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V2255	Q15	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V2256	Q16	Doing what during injury past 12 mo.	During the past 12 months, what were you doing when the most serious injury happened to you?
V2257	Q17	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V2258	Q18	How injury happened past 12 mo.	During the past 12 months, how did the most serious injury happen to you?
V2259	Q19	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V2260	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V2261	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V2268	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V2269	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V2270	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?
V2271	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V2272	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V2273	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V2274	Q34	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V2275	Q35	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

ID	Name	Label	Question
V2276	Q36	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank?
V2277	Q37	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V2278	Q38	Number of troubles as result of drinking	During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V2279	Q39	Number times drug use during life	During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?
V2280	Q40	Ever had sex	Have you ever had sexual intercourse?
V2281	Q41	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V2282	Q42	How many sex partners	During your life, with how many people have you had sexual intercourse?
V2283	Q43	Sexual intercourse past 12 mo.	During the past 12 months, have you had sexual intercourse?
V2284	Q44	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V2285	Q45	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?
V2286	Q46	Active 60 min plus per day usual week	During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?
V2287	Q47	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?
V2288	Q48	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to and from school?
V2289	Q49	How long to from school past 7 days	During the past 7 days, how long did it usually take for you to get to and from school each day?
V2295	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home
V2296	QN7	Ate fruit 1+ times per day past 30 days	Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V2297	QN8	Ate vegetables 1+ times per day past 30 day	Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V2302	QN13	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V2303	QN14	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V2304	QN15	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V2305	QN16	Playing sport caused most serious injury past 12mo	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport
V2306	QN17	Falling caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall
V2307	QN18	Accident caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident
V2308	QN19	Broken bone as most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury

ID	Name	Label	Question
V2309	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V2310	QN21	Of students bullied, most often hit, kicked, etc	Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V2317	QN28	Of current smokers, age first cigarette before 13	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger
V2318	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V2319	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days
V2320	QN31	Tried to quit smoking past 12 months	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months
V2321	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoking in their presence on one or more of the past seven days
V2322	QN33	Either/Both parents use tobacco	Percentage of students who have a parent or guardian who uses any form of tobacco
V2323	QN34	Drank 1+ days past 30 days	Percentage of students who drank alcohol on one or more of the past 30 days
V2324	QN35	Of current drinkers, drank 2+ drinks/day 30 days	Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days
V2325	QN36	Of current drinkers, bought alcohol in store	Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days
V2326	QN37	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V2327	QN38	Alcohol trouble 1+ times in lifetime	Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life
V2328	QN39	Used drugs 1+ times in lifetime	Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life
V2329	QN40	Ever had sex	Percentage of students who have ever had sexual intercourse
V2330	QN41	Age first sexual intercourse 12 or younger	Percentage of students who had sexual intercourse for the first time before age 13
V2331	QN42	2+ sex partners lifetime	Percentage of students who have had sexual intercourse with two or more people during their life time
V2332	QN43	Sexual intercourse past 12 months	Percentage of students who had sexual intercourse during the past 12 months
V2333	QN44	Of sexually active 12 mos, use condoms at last sex	Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse
V2334	QN45	Active 60+ mins/day for all of past 7 days	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days
V2335	QN46	Active 60+ min/day all 7 days of usual week	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week
V2336	QN47	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day
V2337	QN48	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to and from school during the past seven days
V2338	QN49	Less than 29 minutes to/from school past 7 days	Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days

ID	Name	Label	Question
V2346	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days
V2347	qnanytbq	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days of the past 30 days
V2348	qnminpag	Exercised 60 min/day <=5 days	Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average
V2349	qnwkrdg	Walked/biked <2.5 hrs 7 days	Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days
V2350	weight	Weight	
V2351	psu	Primary Sampling Unit	
V2352	stratum	Stratum	

total: 80

**Data file: CBDH2007\_Public\_Use**

Bucaramanga City public-use dataset

Cases: 2093

variables: 80

**variables**

ID	Name	Label	Question
V2353	Q1	How old are you	How old are you?
V2354	Q2	Sex	What is your sex?
V2355	Q3	In what grade are you	In what grade are you?
V2356	Q4	How tall are you	How tall are you without your shoes on?
V2357	Q5	How much do you weigh	How much do you weigh without your shoes on?
V2358	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V2359	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V2360	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V2365	Q13	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V2366	Q14	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V2367	Q15	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V2368	Q16	Doing what during injury past 12 mo.	During the past 12 months, what were you doing when the most serious injury happened to you?
V2369	Q17	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V2370	Q18	How injury happened past 12 mo.	During the past 12 months, how did the most serious injury happen to you?
V2371	Q19	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V2372	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V2373	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V2380	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V2381	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V2382	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?
V2383	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V2384	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V2385	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V2386	Q34	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V2387	Q35	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

ID	Name	Label	Question
V2388	Q36	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank?
V2389	Q37	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V2390	Q38	Number of troubles as result of drinking	During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V2391	Q39	Number times drug use during life	During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?
V2392	Q40	Ever had sex	Have you ever had sexual intercourse?
V2393	Q41	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V2394	Q42	How many sex partners	During your life, with how many people have you had sexual intercourse?
V2395	Q43	Sexual intercourse past 12 mo.	During the past 12 months, have you had sexual intercourse?
V2396	Q44	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V2397	Q45	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?
V2398	Q46	Active 60 min plus per day usual week	During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?
V2399	Q47	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?
V2400	Q48	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to and from school?
V2401	Q49	How long to from school past 7 days	During the past 7 days, how long did it usually take for you to get to and from school each day?
V2407	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home
V2408	QN7	Ate fruit 1+ times per day past 30 days	Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V2409	QN8	Ate vegetables 1+ times per day past 30 day	Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V2414	QN13	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V2415	QN14	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V2416	QN15	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V2417	QN16	Playing sport caused most serious injury past 12mo	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport
V2418	QN17	Falling caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall
V2419	QN18	Accident caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident
V2420	QN19	Broken bone as most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury

ID	Name	Label	Question
V2421	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V2422	QN21	Of students bullied, most often hit, kicked, etc	Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V2429	QN28	Of current smokers, age first cigarette before 13	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger
V2430	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V2431	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days
V2432	QN31	Tried to quit smoking past 12 months	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months
V2433	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoking in their presence on one or more of the past seven days
V2434	QN33	Either/Both parents use tobacco	Percentage of students who have a parent or guardian who uses any form of tobacco
V2435	QN34	Drank 1+ days past 30 days	Percentage of students who drank alcohol on one or more of the past 30 days
V2436	QN35	Of current drinkers, drank 2+ drinks/day 30 days	Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days
V2437	QN36	Of current drinkers, bought alcohol in store	Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days
V2438	QN37	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V2439	QN38	Alcohol trouble 1+ times in lifetime	Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life
V2440	QN39	Used drugs 1+ times in lifetime	Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life
V2441	QN40	Ever had sex	Percentage of students who have ever had sexual intercourse
V2442	QN41	Age first sexual intercourse 12 or younger	Percentage of students who had sexual intercourse for the first time before age 13
V2443	QN42	2+ sex partners lifetime	Percentage of students who have had sexual intercourse with two or more people during their life time
V2444	QN43	Sexual intercourse past 12 months	Percentage of students who had sexual intercourse during the past 12 months
V2445	QN44	Of sexually active 12 mos, use condoms at last sex	Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse
V2446	QN45	Active 60+ mins/day for all of past 7 days	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days
V2447	QN46	Active 60+ min/day all 7 days of usual week	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week
V2448	QN47	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day
V2449	QN48	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to and from school during the past seven days
V2450	QN49	Less than 29 minutes to/from school past 7 days	Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days

ID	Name	Label	Question
V2458	qnfrvvg	Ate 5+ fruits/vegetables 30 days	Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days
V2459	qnanytbq	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days of the past 30 days
V2460	qnminpag	Exercised 60 min/day <=5 days	Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average
V2461	qnwkrdq	Walked/biked <2.5 hrs 7 days	Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days
V2462	weight	Weight	
V2463	psu	Primary Sampling Unit	
V2464	stratum	Stratum	

total: 80

**Data file: CBEH2007\_Public\_Use**

Cali City public-use dataset

Cases: 1945

variables: 80

**variables**

ID	Name	Label	Question
V2465	Q1	How old are you	How old are you?
V2466	Q2	Sex	What is your sex?
V2467	Q3	In what grade are you	In what grade are you?
V2468	Q4	How tall are you	How tall are you without your shoes on?
V2469	Q5	How much do you weigh	How much do you weigh without your shoes on?
V2470	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V2471	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V2472	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V2477	Q13	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V2478	Q14	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V2479	Q15	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V2480	Q16	Doing what during injury past 12 mo.	During the past 12 months, what were you doing when the most serious injury happened to you?
V2481	Q17	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V2482	Q18	How injury happened past 12 mo.	During the past 12 months, how did the most serious injury happen to you?
V2483	Q19	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V2484	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V2485	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V2492	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V2493	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V2494	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?
V2495	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V2496	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V2497	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V2498	Q34	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V2499	Q35	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

ID	Name	Label	Question
V2500	Q36	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank?
V2501	Q37	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V2502	Q38	Number of troubles as result of drinking	During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V2503	Q39	Number times drug use during life	During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?
V2504	Q40	Ever had sex	Have you ever had sexual intercourse?
V2505	Q41	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V2506	Q42	How many sex partners	During your life, with how many people have you had sexual intercourse?
V2507	Q43	Sexual intercourse past 12 mo.	During the past 12 months, have you had sexual intercourse?
V2508	Q44	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V2509	Q45	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?
V2510	Q46	Active 60 min plus per day usual week	During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?
V2511	Q47	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?
V2512	Q48	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to and from school?
V2513	Q49	How long to from school past 7 days	During the past 7 days, how long did it usually take for you to get to and from school each day?
V2519	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home
V2520	QN7	Ate fruit 1+ times per day past 30 days	Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V2521	QN8	Ate vegetables 1+ times per day past 30 day	Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V2526	QN13	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V2527	QN14	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V2528	QN15	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V2529	QN16	Playing sport caused most serious injury past 12mo	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport
V2530	QN17	Falling caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall
V2531	QN18	Accident caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident
V2532	QN19	Broken bone as most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury

ID	Name	Label	Question
V2533	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V2534	QN21	Of students bullied, most often hit, kicked, etc	Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V2541	QN28	Of current smokers, age first cigarette before 13	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger
V2542	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V2543	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days
V2544	QN31	Tried to quit smoking past 12 months	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months
V2545	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoking in their presence on one or more of the past seven days
V2546	QN33	Either/Both parents use tobacco	Percentage of students who have a parent or guardian who uses any form of tobacco
V2547	QN34	Drank 1+ days past 30 days	Percentage of students who drank alcohol on one or more of the past 30 days
V2548	QN35	Of current drinkers, drank 2+ drinks/day 30 days	Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days
V2549	QN36	Of current drinkers, bought alcohol in store	Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days
V2550	QN37	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V2551	QN38	Alcohol trouble 1+ times in lifetime	Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life
V2552	QN39	Used drugs 1+ times in lifetime	Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life
V2553	QN40	Ever had sex	Percentage of students who have ever had sexual intercourse
V2554	QN41	Age first sexual intercourse 12 or younger	Percentage of students who had sexual intercourse for the first time before age 13
V2555	QN42	2+ sex partners lifetime	Percentage of students who have had sexual intercourse with two or more people during their life time
V2556	QN43	Sexual intercourse past 12 months	Percentage of students who had sexual intercourse during the past 12 months
V2557	QN44	Of sexually active 12 mos, use condoms at last sex	Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse
V2558	QN45	Active 60+ mins/day for all of past 7 days	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days
V2559	QN46	Active 60+ min/day all 7 days of usual week	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week
V2560	QN47	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day
V2561	QN48	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to and from school during the past seven days
V2562	QN49	Less than 29 minutes to/from school past 7 days	Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days

ID	Name	Label	Question
V2570	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days
V2571	qnanytbg	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days of the past 30 days
V2572	qnminpag	Exercised 60 min/day <=5 days	Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average
V2573	qnwkrdg	Walked/biked <2.5 hrs 7 days	Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days
V2574	weight	Weight	
V2575	psu	Primary Sampling Unit	
V2576	stratum	Stratum	

total: 80

**Data file: CBCH2007\_Public\_Use**

Manizales public-use dataset

Cases: 2037

variables: 80

**variables**

ID	Name	Label	Question
V2577	Q1	How old are you	How old are you?
V2578	Q2	Sex	What is your sex?
V2579	Q3	In what grade are you	In what grade are you?
V2580	Q4	How tall are you	How tall are you without your shoes on?
V2581	Q5	How much do you weigh	How much do you weigh without your shoes on?
V2582	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V2583	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V2584	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V2589	Q13	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V2590	Q14	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V2591	Q15	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V2592	Q16	Doing what during injury past 12 mo.	During the past 12 months, what were you doing when the most serious injury happened to you?
V2593	Q17	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V2594	Q18	How injury happened past 12 mo.	During the past 12 months, how did the most serious injury happen to you?
V2595	Q19	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V2596	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V2597	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V2604	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V2605	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V2606	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?
V2607	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V2608	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V2609	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V2610	Q34	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V2611	Q35	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

ID	Name	Label	Question
V2612	Q36	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank?
V2613	Q37	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V2614	Q38	Number of troubles as result of drinking	During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V2615	Q39	Number times drug use during life	During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?
V2616	Q40	Ever had sex	Have you ever had sexual intercourse?
V2617	Q41	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V2618	Q42	How many sex partners	During your life, with how many people have you had sexual intercourse?
V2619	Q43	Sexual intercourse past 12 mo.	During the past 12 months, have you had sexual intercourse?
V2620	Q44	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V2621	Q45	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?
V2622	Q46	Active 60 min plus per day usual week	During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?
V2623	Q47	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?
V2624	Q48	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to and from school?
V2625	Q49	How long to from school past 7 days	During the past 7 days, how long did it usually take for you to get to and from school each day?
V2631	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home
V2632	QN7	Ate fruit 1+ times per day past 30 days	Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V2633	QN8	Ate vegetables 1+ times per day past 30 day	Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V2638	QN13	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V2639	QN14	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V2640	QN15	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V2641	QN16	Playing sport caused most serious injury past 12mo	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport
V2642	QN17	Falling caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall
V2643	QN18	Accident caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident
V2644	QN19	Broken bone as most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury

ID	Name	Label	Question
V2645	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V2646	QN21	Of students bullied, most often hit, kicked, etc	Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V2653	QN28	Of current smokers, age first cigarette before 13	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger
V2654	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V2655	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days
V2656	QN31	Tried to quit smoking past 12 months	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months
V2657	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoking in their presence on one or more of the past seven days
V2658	QN33	Either/Both parents use tobacco	Percentage of students who have a parent or guardian who uses any form of tobacco
V2659	QN34	Drank 1+ days past 30 days	Percentage of students who drank alcohol on one or more of the past 30 days
V2660	QN35	Of current drinkers, drank 2+ drinks/day 30 days	Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days
V2661	QN36	Of current drinkers, bought alcohol in store	Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days
V2662	QN37	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V2663	QN38	Alcohol trouble 1+ times in lifetime	Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life
V2664	QN39	Used drugs 1+ times in lifetime	Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life
V2665	QN40	Ever had sex	Percentage of students who have ever had sexual intercourse
V2666	QN41	Age first sexual intercourse 12 or younger	Percentage of students who had sexual intercourse for the first time before age 13
V2667	QN42	2+ sex partners lifetime	Percentage of students who have had sexual intercourse with two or more people during their life time
V2668	QN43	Sexual intercourse past 12 months	Percentage of students who had sexual intercourse during the past 12 months
V2669	QN44	Of sexually active 12 mos, use condoms at last sex	Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse
V2670	QN45	Active 60+ mins/day for all of past 7 days	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days
V2671	QN46	Active 60+ min/day all 7 days of usual week	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week
V2672	QN47	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day
V2673	QN48	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to and from school during the past seven days
V2674	QN49	Less than 29 minutes to/from school past 7 days	Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days

ID	Name	Label	Question
V2682	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days
V2683	qnanytbq	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days of the past 30 days
V2684	qnminpag	Exercised 60 min/day <=5 days	Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average
V2685	qnwkrdg	Walked/biked <2.5 hrs 7 days	Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days
V2686	weight	Weight	
V2687	psu	Primary Sampling Unit	
V2688	stratum	Stratum	

total: 80

**Data file: CBFH2007\_Public\_Use**

Valledupar City public-use dataset

Cases: 2095

variables: 80

**variables**

ID	Name	Label	Question
V2689	Q1	How old are you	How old are you?
V2690	Q2	Sex	What is your sex?
V2691	Q3	In what grade are you	In what grade are you?
V2692	Q4	How tall are you	How tall are you without your shoes on?
V2693	Q5	How much do you weigh	How much do you weigh without your shoes on?
V2694	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V2695	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V2696	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V2701	Q13	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V2702	Q14	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V2703	Q15	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V2704	Q16	Doing what during injury past 12 mo.	During the past 12 months, what were you doing when the most serious injury happened to you?
V2705	Q17	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V2706	Q18	How injury happened past 12 mo.	During the past 12 months, how did the most serious injury happen to you?
V2707	Q19	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V2708	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V2709	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V2716	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V2717	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V2718	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?
V2719	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V2720	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V2721	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V2722	Q34	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V2723	Q35	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

ID	Name	Label	Question
V2724	Q36	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank?
V2725	Q37	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V2726	Q38	Number of troubles as result of drinking	During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V2727	Q39	Number times drug use during life	During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?
V2728	Q40	Ever had sex	Have you ever had sexual intercourse?
V2729	Q41	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V2730	Q42	How many sex partners	During your life, with how many people have you had sexual intercourse?
V2731	Q43	Sexual intercourse past 12 mo.	During the past 12 months, have you had sexual intercourse?
V2732	Q44	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V2733	Q45	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?
V2734	Q46	Active 60 min plus per day usual week	During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?
V2735	Q47	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?
V2736	Q48	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to and from school?
V2737	Q49	How long to from school past 7 days	During the past 7 days, how long did it usually take for you to get to and from school each day?
V2743	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home
V2744	QN7	Ate fruit 1+ times per day past 30 days	Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V2745	QN8	Ate vegetables 1+ times per day past 30 day	Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V2750	QN13	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V2751	QN14	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V2752	QN15	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V2753	QN16	Playing sport caused most serious injury past 12mo	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport
V2754	QN17	Falling caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall
V2755	QN18	Accident caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident
V2756	QN19	Broken bone as most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury

ID	Name	Label	Question
V2757	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V2758	QN21	Of students bullied, most often hit, kicked, etc	Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V2765	QN28	Of current smokers, age first cigarette before 13	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger
V2766	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V2767	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days
V2768	QN31	Tried to quit smoking past 12 months	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months
V2769	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoking in their presence on one or more of the past seven days
V2770	QN33	Either/Both parents use tobacco	Percentage of students who have a parent or guardian who uses any form of tobacco
V2771	QN34	Drank 1+ days past 30 days	Percentage of students who drank alcohol on one or more of the past 30 days
V2772	QN35	Of current drinkers, drank 2+ drinks/day 30 days	Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days
V2773	QN36	Of current drinkers, bought alcohol in store	Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days
V2774	QN37	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V2775	QN38	Alcohol trouble 1+ times in lifetime	Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life
V2776	QN39	Used drugs 1+ times in lifetime	Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life
V2777	QN40	Ever had sex	Percentage of students who have ever had sexual intercourse
V2778	QN41	Age first sexual intercourse 12 or younger	Percentage of students who had sexual intercourse for the first time before age 13
V2779	QN42	2+ sex partners lifetime	Percentage of students who have had sexual intercourse with two or more people during their life time
V2780	QN43	Sexual intercourse past 12 months	Percentage of students who had sexual intercourse during the past 12 months
V2781	QN44	Of sexually active 12 mos, use condoms at last sex	Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse
V2782	QN45	Active 60+ mins/day for all of past 7 days	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days
V2783	QN46	Active 60+ min/day all 7 days of usual week	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week
V2784	QN47	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day
V2785	QN48	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to and from school during the past seven days
V2786	QN49	Less than 29 minutes to/from school past 7 days	Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days

ID	Name	Label	Question
V2794	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days
V2795	qnanytbq	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days of the past 30 days
V2796	qnminpag	Exercised 60 min/day <=5 days	Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average
V2797	qnwkrdg	Walked/biked <2.5 hrs 7 days	Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days
V2798	weight	Weight	
V2799	psu	Primary Sampling Unit	
V2800	stratum	Stratum	

total: 80



**Q1: How old are you****Data file:** CBGH2007\_Public\_Use**Overview**

Valid: 1733 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	21	1.2%
2	12 years old	174	10%
3	13 years old	421	24.3%
4	14 years old	468	27%
5	15 years old	366	21.1%
6	16 years old or older	283	16.3%
Sysmiss		4	

**Q2: Sex****Data file:** CBGH2007\_Public\_Use**Overview**

Valid: 1727 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	788	45.6%
2	Female	939	54.4%
Sysmiss		10	

**Q3: In what grade are you****Data file:** CBGH2007\_Public\_Use

**Overview**

Valid: 1735 Invalid: 2  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

In what grade are you?

## CATEGORIES

Value	Category	Cases	
1	1er media or 8vo EGB	488	28.1%
2	2do media or 9no EGB	616	35.5%
3	3ero media or 1ro polimodal	384	22.1%
4	12th grade	247	14.2%
5	Ungraded or other grade	0	0%
Sysmiss		2	

**Q4: How tall are you**

Data file: CBGH2007\_Public\_Use

**Overview**

Valid: 876 Invalid: 861 Minimum: 1.3 Maximum: 1.92  
 Type: Continuous Decimal: 0 Width: 4 Range: 1.3 - 1.98 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How tall are you without your shoes on?

**description**

## DEFINITION

(Note:  
 Data are in meters.)

**Q5: How much do you weigh**

Data file: CBGH2007\_Public\_Use

**Overview**

Valid: 876 Invalid: 861 Minimum: 25 Maximum: 108  
 Type: Continuous Decimal: 0 Width: 6 Range: 31 - 170 Format: Numeric

## Questions and instructions

---

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How much do you weigh without your shoes on?

### description

---

### DEFINITION

(Note: Data are in kilograms.)

---

## Q6: Went hungry past 30 days

Data file: CBGH2007\_Public\_Use

### Overview

Valid: 1735 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

---

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

### CATEGORIES

Value	Category	Cases	
1	Never	1218	70.2%
2	Rarely	363	20.9%
3	Sometimes	128	7.4%
4	Most of the time	20	1.2%
5	Always	6	0.3%
Sysmiss		2	

---

## Q7: Eat fruit per day past 30 days

Data file: CBGH2007\_Public\_Use

### Overview

Valid: 1735 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	168	9.7%
2	Less than one time per day	416	24%
3	1 time per day	586	33.8%
4	2 times per day	293	16.9%
5	3 times per day	155	8.9%
6	4 times per day	42	2.4%
7	5 or more times per day	75	4.3%
Sysmiss		2	

## Q8: Eat vegetables past 30 days

Data file: CBGH2007\_Public\_Use

### Overview

Valid: 1732 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	157	9.1%
2	Less than one time per day	362	20.9%
3	1 time per day	542	31.3%
4	2 times per day	475	27.4%
5	3 times per day	112	6.5%
6	4 times per day	33	1.9%
7	5 or more times per day	51	2.9%
Sysmiss		5	

**Q13: Times attacked past 12 mo.****Data file:** CBGH2007\_Public\_Use**Overview**

Valid: 1727 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

## LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

## CATEGORIES

Value	Category	Cases	
1	0 times	1181	68.4%
2	1 time	238	13.8%
3	2 or 3 times	180	10.4%
4	4 or 5 times	64	3.7%
5	6 or 7 times	24	1.4%
6	8 or 9 times	5	0.3%
7	10 or 11 times	8	0.5%
8	12 or more times	27	1.6%
Sysmiss		10	

**Q14: How many times in fight 12 mos****Data file:** CBGH2007\_Public\_Use**Overview**

Valid: 1737 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two or more students of about the same strength or power choose to fight each other.

## LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

## CATEGORIES

Value	Category	Cases	
1	0 times	1060	61%
2	1 time	324	18.7%
3	2 or 3 times	219	12.6%
4	4 or 5 times	57	3.3%
5	6 or 7 times	20	1.2%
6	8 or 9 times	13	0.7%
7	10 or 11 times	9	0.5%
8	12 or more times	35	2%

### Q15: How many times injured past 12 months

Data file: CBGH2007\_Public\_Use

#### Overview

Valid: 1609 Invalid: 128

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

## CATEGORIES

Value	Category	Cases	
1	0 times	1088	67.6%
2	1 time	364	22.6%
3	2 or 3 times	118	7.3%
4	4 or 5 times	24	1.5%
5	6 or 7 times	6	0.4%
6	8 or 9 times	2	0.1%
7	10 or 11 times	2	0.1%
8	12 or more times	5	0.3%
Sysmiss		128	

**Q16: Doing what during injury past 12 mo.****Data file:** CBGH2007\_Public\_Use**Overview**

Valid: 1644 Invalid: 93

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, what were you doing when the most serious injury happened to you?

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1142	69.5%
2	Playing a sport	234	14.2%
3	Walking/running	62	3.8%
4	Riding a bicycle or scooter	40	2.4%
5	Riding/driving motor vehicle	11	0.7%
6	Doing work	15	0.9%
7	Nothing	7	0.4%
8	Something else	133	8.1%
Sysmiss		93	

**Q17: Cause of injury past 12 mo.****Data file:** CBGH2007\_Public\_Use**Overview**

Valid: 1653 Invalid: 84

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1162	70.3%
2	Motor vehicle accident	22	1.3%
3	I fell	210	12.7%
4	Something fell on me or hit me	39	2.4%
5	I was fighting with someone	25	1.5%
6	Attacked or assaulted	12	0.7%
7	Was in a fire	3	0.2%
8	Something else	180	10.9%
Sysmiss		84	

### Q18: How injury happened past 12 mo.

Data file: CBGH2007\_Public\_Use

#### Overview

Valid: 1650 Invalid: 87

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, how did the most serious injury happen to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1168	70.8%
2	I hurt myself by accident	303	18.4%
3	Someone hurt me by accident	112	6.8%
4	I hurt myself on purpose	15	0.9%
5	Someone hurt me on purpose	52	3.2%
Sysmiss		87	

### Q19: What was serious injury past 12 mo.

Data file: CBGH2007\_Public\_Use

#### Overview

Valid: 1643 Invalid: 94

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1173	71.4%
2	Broken bone/dislocated joint	162	9.9%
3	Cut, puncture, stab wound	61	3.7%
4	Concussion/head injury	38	2.3%
5	I had a gunshot wound	2	0.1%
6	I had a bad burn	3	0.2%
7	Lost foot, leg, hand, or arm	1	0.1%
8	Something else happened to me	203	12.4%
Sysmiss		94	

## Q20: How many days bullied past 30 days

Data file: CBGH2007\_Public\_Use

### Overview

Valid: 1655 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	1109	67%
2	1 or 2 days	354	21.4%
3	3 to 5 days	104	6.3%
4	6 to 9 days	36	2.2%

5	10 to 19 days	20	1.2%
6	20 to 29 days	9	0.5%
7	All 30 days	23	1.4%
Sysmiss		82	

## Q21: How bullied past 30 days

Data file: CBGH2007\_Public\_Use

### Overview

Valid: 1654 Invalid: 83

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	1109	67%
2	Kicked, pushed, or shoved	48	2.9%
3	Made fun because of race/color	31	1.9%
4	Made fun because of religion	7	0.4%
5	Made fun of about sex	70	4.2%
6	Left out of activities	52	3.1%
7	Made fun of about body	79	4.8%
8	Some other way	258	15.6%
Sysmiss		83	

## Q28: Age first tried cigarette

Data file: CBGH2007\_Public\_Use

### Overview

Valid: 1627 Invalid: 110

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	786	48.3%
2	7 years old or younger	48	3%
3	8 or 9 years old	63	3.9%
4	10 or 11 years old	216	13.3%
5	12 or 13 years old	335	20.6%
6	14 or 15 years old	163	10%
7	16 years old or older	16	1%
Sysmiss		110	

## Q29: How many days smoked 30 days

Data file: CBGH2007\_Public\_Use

### Overview

Valid: 1667 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	1301	78%
2	1 or 2 days	174	10.4%
3	3 to 5 days	69	4.1%
4	6 to 9 days	37	2.2%
5	10 to 19 days	34	2%
6	20 to 29 days	14	0.8%
7	All 30 days	38	2.3%
Sysmiss		70	

**Q30: Other tobacco past 30 days****Data file: CBGH2007\_Public\_Use****Overview**

Valid: 1736 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	1555	89.6%
2	1 or 2 days	110	6.3%
3	3 to 5 days	36	2.1%
4	6 to 9 days	14	0.8%
5	10 to 19 days	11	0.6%
6	20 to 29 days	1	0.1%
7	All 30 days	9	0.5%
Sysmiss		1	

**Q31: Try stop smoking past 12 mo.****Data file: CBGH2007\_Public\_Use****Overview**

Valid: 1575 Invalid: 162

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

## CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	776	49.3%

2	Did not smoke cigarettes	303	19.2%
3	Yes	366	23.2%
4	No	130	8.3%
Sysmiss		162	

### Q32: Others present smoking past 7 days

Data file: CBGH2007\_Public\_Use

#### Overview

Valid: 1728 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	521	30.2%
2	1 or 2 days	550	31.8%
3	3 or 4 days	246	14.2%
4	5 or 6 days	111	6.4%
5	All 7 days	300	17.4%
Sysmiss		9	

### Q33: Parents who use tobacco

Data file: CBGH2007\_Public\_Use

#### Overview

Valid: 1735 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

##### CATEGORIES

Value	Category	Cases	
1	Neither	1201	69.2%
2	My father or male guardian	263	15.2%
3	My mother or female guardian	136	7.8%
4	Both	78	4.5%
5	I do not know	57	3.3%
Sysmiss		2	

### Q34: Days one drink or more past 30 days

Data file: CBGH2007\_Public\_Use

#### Overview

Valid: 1592 Invalid: 145

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

##### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

##### CATEGORIES

Value	Category	Cases	
1	0 days	655	41.1%
2	1 or 2 days	543	34.1%
3	3 to 5 days	206	12.9%
4	6 to 9 days	112	7%
5	10 to 19 days	54	3.4%
6	20 to 29 days	17	1.1%
7	All 30 days	5	0.3%
Sysmiss		145	

### Q35: Number of drinks past 30 days

Data file: CBGH2007\_Public\_Use

#### Overview

Valid: 1604 Invalid: 133

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	645	40.2%
2	Less than one drink	213	13.3%
3	1 drink	163	10.2%
4	2 drinks	134	8.4%
5	3 drinks	122	7.6%
6	4 drinks	83	5.2%
7	5 or more drinks	244	15.2%
Sysmiss		133	

## Q36: How got drinks past 30 days

Data file: CBGH2007\_Public\_Use

### Overview

Valid: 1580 Invalid: 157

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	645	40.8%
2	I bought in a store	183	11.6%
3	I gave someone money to buy	74	4.7%
4	I got it from my friends	310	19.6%
5	I got it from home	152	9.6%
6	I stole it	10	0.6%
7	I made it myself	0	0%

8	I got it some other way	206	13%
Sysmiss		157	

### Q37: Times drunk during life

Data file: CBGH2007\_Public\_Use

#### Overview

Valid: 1725 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

##### LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

##### CATEGORIES

Value	Category	Cases	
1	0 times	924	53.6%
2	1 or 2 times	492	28.5%
3	3 to 9 times	237	13.7%
4	10 or more times	72	4.2%
Sysmiss		12	

### Q38: Number of troubles as result of drinking

Data file: CBGH2007\_Public\_Use

#### Overview

Valid: 1737 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

##### LITERAL QUESTION

During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	0 times	1302	75%
2	1 or 2 times	322	18.5%
3	3 to 9 times	88	5.1%
4	10 or more times	25	1.4%

### Q39: Number times drug use during life

Data file: CBGH2007\_Public\_Use

#### Overview

Valid: 1726 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next question asks about drugs.

##### LITERAL QUESTION

During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?

##### CATEGORIES

Value	Category	Cases	
1	0 times	1506	87.3%
2	1 or 2 times	130	7.5%
3	3 to 9 times	51	3%
4	10 or more times	39	2.3%
Sysmiss		11	

### Q40: Ever had sex

Data file: CBGH2007\_Public\_Use

#### Overview

Valid: 1638 Invalid: 99

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

##### LITERAL QUESTION

Have you ever had sexual intercourse?

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	416	25.4%
2	No	1222	74.6%
Sysmiss		99	

### Q41: Age first sexual intercourse

Data file: CBGH2007\_Public\_Use

#### Overview

Valid: 1680 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

##### LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

##### CATEGORIES

Value	Category	Cases	
1	Never had sex	1206	71.8%
2	11 years old or younger	104	6.2%
3	12 years old	71	4.2%
4	13 years old	87	5.2%
5	14 years old	97	5.8%
6	15 years old	86	5.1%
7	16 years old or older	29	1.7%
Sysmiss		57	

### Q42: How many sex partners

Data file: CBGH2007\_Public\_Use

#### Overview

Valid: 1671 Invalid: 66

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

##### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	1192	71.3%
2	1 person	219	13.1%
3	2 people	107	6.4%
4	3 people	59	3.5%
5	4 people	38	2.3%
6	5 people	12	0.7%
7	6 or more people	44	2.6%
Sysmiss		66	

**Q43: Sexual intercourse past 12 mo.**

Data file: CBGH2007\_Public\_Use

**Overview**

Valid: 1714 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

During the past 12 months, have you had sexual intercourse?

## CATEGORIES

Value	Category	Cases	
1	Yes	417	24.3%
2	No	1297	75.7%
Sysmiss		23	

**Q44: Used condom at last intercourse**

Data file: CBGH2007\_Public\_Use

**Overview**

Valid: 1670 Invalid: 67

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	1199	71.8%
2	Yes	245	14.7%
3	No	226	13.5%
Sysmiss		67	

### Q45: Days active 60 min plus past 7 days

Data file: CBGH2007\_Public\_Use

#### Overview

Valid: 1733 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

## LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?

## CATEGORIES

Value	Category	Cases	
1	0 days	409	23.6%
2	1 day	390	22.5%
3	2 days	213	12.3%
4	3 days	192	11.1%
5	4 days	124	7.2%
6	5 days	96	5.5%
7	6 days	46	2.7%
8	7 days	263	15.2%
Sysmiss		4	

### Q46: Active 60 min plus per day usual week

Data file: CBGH2007\_Public\_Use

## Overview

Valid: 1733 Invalid: 4  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?

### CATEGORIES

Value	Category	Cases	
1	0 days	425	24.5%
2	1 day	405	23.4%
3	2 days	245	14.1%
4	3 days	179	10.3%
5	4 days	121	7%
6	5 days	98	5.7%
7	6 days	43	2.5%
8	7 days	217	12.5%
Sysmiss		4	

## Q47: Time spent sitting on usual day

Data file: CBGH2007\_Public\_Use

## Overview

Valid: 1725 Invalid: 12  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	312	18.1%
2	1 to 2 hours per day	533	30.9%

3	3 to 4 hours per day	459	26.6%
4	5 to 6 hours per day	236	13.7%
5	7 to 8 hours per day	80	4.6%
6	More than 8 hours per day	105	6.1%
Sysmiss		12	

### Q48: Walk or bike to school past 7 days

Data file: CBGH2007\_Public\_Use

#### Overview

Valid: 1734 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

##### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to and from school?

##### CATEGORIES

Value	Category	Cases	
1	0 days	859	49.5%
2	1 day	107	6.2%
3	2 days	56	3.2%
4	3 days	33	1.9%
5	4 days	34	2%
6	5 days	196	11.3%
7	6 days	22	1.3%
8	7 days	427	24.6%
Sysmiss		3	

### Q49: How long to from school past 7 days

Data file: CBGH2007\_Public\_Use

#### Overview

Valid: 1729 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

## LITERAL QUESTION

During the past 7 days, how long did it usually take for you to get to and from school each day?

## CATEGORIES

Value	Category	Cases	
1	Less than 10 minutes per day	386	22.3%
2	10 to 19 minutes per day	444	25.7%
3	20 to 29 minutes per day	300	17.4%
4	30 to 39 minutes per day	235	13.6%
5	40 to 49 minutes per day	99	5.7%
6	50 to 59 minutes per day	74	4.3%
7	60 or more minutes per day	191	11%
Sysmiss		8	

### QN6: Went hungry most of time/always past 30 days

Data file: CBGH2007\_Public\_Use

#### Overview

Valid: 1735 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home

## CATEGORIES

Value	Category	Cases	
1	Yes	26	1.5%
2	No	1709	98.5%
Sysmiss		2	

### QN7: Ate fruit 1+ times per day past 30 days

Data file: CBGH2007\_Public\_Use

#### Overview

Valid: 1735 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	1151	66.3%
2	No	584	33.7%
Sysmiss		2	

---

## QN8: Ate vegetables 1+ times per day past 30 day

Data file: CBGH2007\_Public\_Use

### Overview

Valid: 1732 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	1213	70%
2	No	519	30%
Sysmiss		5	

---

## QN13: Attacked 1+ times past 12 months

Data file: CBGH2007\_Public\_Use

### Overview

Valid: 1727 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	546	31.6%
2	No	1181	68.4%
Sysmiss		10	

### QN14: In fight 1+ times past 12 months

Data file: CBGH2007\_Public\_Use

#### Overview

Valid: 1737 Invalid: 0  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	677	39%
2	No	1060	61%

### QN15: Seriously injured 1+ times past 12 months

Data file: CBGH2007\_Public\_Use

#### Overview

Valid: 1609 Invalid: 128  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	521	32.4%
2	No	1088	67.6%
Sysmiss		128	

**QN16: Playing sport caused most serious injury past 12mo****Data file:** CBGH2007\_Public\_Use**Overview**

Valid: 520 Invalid: 1217

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport

## CATEGORIES

Value	Category	Cases	
1	Yes	234	45%
2	No	286	55%
Sysmiss		1217	

**QN17: Falling caused most serious injury past 12 months****Data file:** CBGH2007\_Public\_Use**Overview**

Valid: 521 Invalid: 1216

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall

## CATEGORIES

Value	Category	Cases	
1	Yes	210	40.3%
2	No	311	59.7%
Sysmiss		1216	

**QN18: Accident caused most serious injury past 12 months****Data file:** CBGH2007\_Public\_Use**Overview**

Valid: 512 Invalid: 1225

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident

### CATEGORIES

Value	Category	Cases	
1	Yes	303	59.2%
2	No	209	40.8%
Sysmiss		1225	

---

## QN19: Broken bone as most serious injury past 12 months

Data file: CBGH2007\_Public\_Use

### Overview

Valid: 518 Invalid: 1219

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury

### CATEGORIES

Value	Category	Cases	
1	Yes	162	31.3%
2	No	356	68.7%
Sysmiss		1219	

---

## QN20: Bullied 1+ of past 30 days

Data file: CBGH2007\_Public\_Use

### Overview

Valid: 1655 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	546	33%
2	No	1109	67%
Sysmiss		82	

## QN21: Of students bullied, most often hit, kicked, etc

Data file: CBGH2007\_Public\_Use

### Overview

Valid: 545 Invalid: 1192

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

#### CATEGORIES

Value	Category	Cases	
1	Yes	48	8.8%
2	No	497	91.2%
Sysmiss		1192	

## QN28: Of current smokers, age first cigarette before 13

Data file: CBGH2007\_Public\_Use

### Overview

Valid: 364 Invalid: 1373

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger

#### CATEGORIES

Value	Category	Cases	
1	Yes	277	76.1%
2	No	87	23.9%
Sysmiss		1373	

**QN29: Smoked cigarettes 1+ of past 30 days****Data file:** CBGH2007\_Public\_Use**Overview**

Valid: 1667 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	366	22%
2	No	1301	78%
Sysmiss		70	

**QN30: Used other tobacco 1+ of past 30 days****Data file:** CBGH2007\_Public\_Use**Overview**

Valid: 1736 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	181	10.4%
2	No	1555	89.6%
Sysmiss		1	

**QN31: Tried to quit smoking past 12 months****Data file:** CBGH2007\_Public\_Use**Overview**

Valid: 496 Invalid: 1241

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

---

## LITERAL QUESTION

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	366	73.8%
2	No	130	26.2%
Sysmiss		1241	

---

**QN32: Others present smoking 1+ of past 7 days**

Data file: CBGH2007\_Public\_Use

**Overview**

Valid: 1728    Invalid: 9

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

---

## LITERAL QUESTION

Percentage of students who reported people smoking in their presence on one or more of the past seven days

## CATEGORIES

Value	Category	Cases	
1	Yes	1207	69.8%
2	No	521	30.2%
Sysmiss		9	

---

**QN33: Either/Both parents use tobacco**

Data file: CBGH2007\_Public\_Use

**Overview**

Valid: 1735    Invalid: 2

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

---

## LITERAL QUESTION

Percentage of students who have a parent or guardian who uses any form of tobacco

## CATEGORIES

Value	Category	Cases	
1	Yes	477	27.5%
2	No	1258	72.5%
Sysmiss		2	

### QN34: Drank 1+ days past 30 days

Data file: CBGH2007\_Public\_Use

#### Overview

Valid: 1592 Invalid: 145

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who drank alcohol on one or more of the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	937	58.9%
2	No	655	41.1%
Sysmiss		145	

### QN35: Of current drinkers, drank 2+ drinks/day 30 days

Data file: CBGH2007\_Public\_Use

#### Overview

Valid: 935 Invalid: 802

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	582	62.2%
2	No	353	37.8%
Sysmiss		802	

**QN36: Of current drinkers, bought alcohol in store****Data file:** CBGH2007\_Public\_Use**Overview**

Valid: 933 Invalid: 804

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	182	19.5%
2	No	751	80.5%
Sysmiss		804	

**QN37: 1+ times drunk in lifetime****Data file:** CBGH2007\_Public\_Use**Overview**

Valid: 1725 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	801	46.4%
2	No	924	53.6%
Sysmiss		12	

**QN38: Alcohol trouble 1+ times in lifetime****Data file:** CBGH2007\_Public\_Use**Overview**

Valid: 1737 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	435	25%
2	No	1302	75%

## QN39: Used drugs 1+ times in lifetime

Data file: CBGH2007\_Public\_Use

### Overview

Valid: 1726 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	220	12.7%
2	No	1506	87.3%
Sysmiss		11	

## QN40: Ever had sex

Data file: CBGH2007\_Public\_Use

### Overview

Valid: 1638 Invalid: 99

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who have ever had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	416	25.4%

2	No	1222	74.6%
Sysmiss		99	

### QN41: Age first sexual intercourse 12 or younger

Data file: CBGH2007\_Public\_Use

#### Overview

Valid: 1680 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse for the first time before age 13

CATEGORIES

Value	Category	Cases	
1	Yes	175	10.4%
2	No	1505	89.6%
Sysmiss		57	

### QN42: 2+ sex partners lifetime

Data file: CBGH2007\_Public\_Use

#### Overview

Valid: 1671 Invalid: 66

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

LITERAL QUESTION

Percentage of students who have had sexual intercourse with two or more people during their life time

CATEGORIES

Value	Category	Cases	
1	Yes	260	15.6%
2	No	1411	84.4%
Sysmiss		66	

### QN43: Sexual intercourse past 12 months

Data file: CBGH2007\_Public\_Use

**Overview**

Valid: 1714 Invalid: 23  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who had sexual intercourse during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	417	24.3%
2	No	1297	75.7%
Sysmiss		23	

**QN44: Of sexually active 12 mos, use condoms at last sex**

Data file: CBGH2007\_Public\_Use

**Overview**

Valid: 323 Invalid: 1414  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	176	54.5%
2	No	147	45.5%
Sysmiss		1414	

**QN45: Active 60+ mins/day for all of past 7 days**

Data file: CBGH2007\_Public\_Use

**Overview**

Valid: 1733 Invalid: 4  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days

## CATEGORIES

Value	Category	Cases	
1	Yes	263	15.2%
2	No	1470	84.8%
Sysmiss		4	

### QN46: Active 60+ min/day all 7 days of usual week

Data file: CBGH2007\_Public\_Use

#### Overview

Valid: 1733 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week

## CATEGORIES

Value	Category	Cases	
1	Yes	217	12.5%
2	No	1516	87.5%
Sysmiss		4	

### QN47: Sitting activities 3+ hours/day of usual day

Data file: CBGH2007\_Public\_Use

#### Overview

Valid: 1725 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day

## CATEGORIES

Value	Category	Cases	
1	Yes	880	51%
2	No	845	49%

Sysmiss		12	
---------	--	----	--

### QN48: Walk/Bike to/from school 0 of past 7 days

Data file: CBGH2007\_Public\_Use

#### Overview

Valid: 1734 Invalid: 3  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to and from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	859	49.5%
2	No	875	50.5%
Sysmiss		3	

### QN49: Less than 29 minutes to/from school past 7 days

Data file: CBGH2007\_Public\_Use

#### Overview

Valid: 1729 Invalid: 8  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	1130	65.4%
2	No	599	34.6%
Sysmiss		8	

### QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: CBGH2007\_Public\_Use

**Overview**

Valid: 1730 Invalid: 7  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	259	15%
2	No	1471	85%
Sysmiss		7	

**QNANYTBG: Used any tobacco past 30 days**

Data file: CBGH2007\_Public\_Use

**Overview**

Valid: 1667 Invalid: 70  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco on one or more days of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	378	22.7%
2	No	1289	77.3%
Sysmiss		70	

**QNMINPAG: Exercised 60 min/day <=5 days**

Data file: CBGH2007\_Public\_Use

**Overview**

Valid: 1729 Invalid: 8  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on

average

## CATEGORIES

Value	Category	Cases	
1	Yes	1399	80.9%
2	No	330	19.1%
Systemiss		8	

**QNWKRDG: Walked/biked <2.5 hrs 7 days**

Data file: CBGH2007\_Public\_Use

**Overview**

Valid: 1726 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days

## CATEGORIES

Value	Category	Cases	
1	Yes	1435	83.1%
2	No	291	16.9%
Systemiss		11	

**WEIGHT: Weight**

Data file: CBGH2007\_Public\_Use

**Overview**

Valid: 1737 Invalid: 0

Type: Continuous Decimal: 0 Width: 12 Range: 492.8664 - 2426.6785 Format: Numeric Weighted: yes

**PSU: Primary Sampling Unit**

Data file: CBGH2007\_Public\_Use

**Overview**

Valid: 1737 Invalid: 0

Type: Continuous Decimal: 0 Width: 5 Range: 1 - 47 Format: Numeric

**STRATUM: Stratum**

**Data file: CBGH2007\_Public\_Use**

**Overview**

Valid: 1737    Invalid: 0

Type: Continuous    Decimal: 0    Width: 9    Range: 200701001 - 200701023    Format: Numeric

---

**Q1: How old are you****Data file: CBAH2007\_Public\_Use****Overview**

Valid: 1169 Invalid: 1  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	11	0.9%
2	12 years old	121	10.4%
3	13 years old	275	23.5%
4	14 years old	330	28.2%
5	15 years old	265	22.7%
6	16 years old or older	167	14.3%
Sysmiss		1	

**Q2: Sex****Data file: CBAH2007\_Public\_Use****Overview**

Valid: 1168 Invalid: 2  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	518	44.3%
2	Female	650	55.7%
Sysmiss		2	

**Q3: In what grade are you****Data file: CBAH2007\_Public\_Use**

**Overview**

Valid: 1169 Invalid: 1  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

In what grade are you?

## CATEGORIES

Value	Category	Cases	
1	1er media or 8vo EGB	369	31.6%
2	2do media or 9no EGB	376	32.2%
3	3ero media or 1ro polimodal	307	26.3%
4	12th grade	117	10%
5	Ungraded or other grade	0	0%
Sysmiss		1	

**Q4: How tall are you**

Data file: CBAH2007\_Public\_Use

**Overview**

Valid: 570 Invalid: 600 Minimum: 1.3 Maximum: 1.92  
 Type: Continuous Decimal: 0 Width: 4 Range: 1.3 - 1.98 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How tall are you without your shoes on?

**description**

## DEFINITION

(Note:  
 Data are in meters.)

**Q5: How much do you weigh**

Data file: CBAH2007\_Public\_Use

**Overview**

Valid: 570 Invalid: 600 Minimum: 25 Maximum: 94  
 Type: Continuous Decimal: 0 Width: 6 Range: 31 - 170 Format: Numeric

## Questions and instructions

---

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How much do you weigh without your shoes on?

### description

---

### DEFINITION

(Note: Data are in kilograms.)

---

## Q6: Went hungry past 30 days

Data file: CBAH2007\_Public\_Use

### Overview

Valid: 1168 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

---

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

### CATEGORIES

Value	Category	Cases	
1	Never	816	69.9%
2	Rarely	256	21.9%
3	Sometimes	80	6.8%
4	Most of the time	11	0.9%
5	Always	5	0.4%
Sysmiss		2	

---

## Q7: Eat fruit per day past 30 days

Data file: CBAH2007\_Public\_Use

### Overview

Valid: 1169 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	125	10.7%
2	Less than one time per day	279	23.9%
3	1 time per day	387	33.1%
4	2 times per day	201	17.2%
5	3 times per day	98	8.4%
6	4 times per day	30	2.6%
7	5 or more times per day	49	4.2%
Sysmiss		1	

## Q8: Eat vegetables past 30 days

Data file: CBAH2007\_Public\_Use

### Overview

Valid: 1166 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	103	8.8%
2	Less than one time per day	227	19.5%
3	1 time per day	351	30.1%
4	2 times per day	337	28.9%
5	3 times per day	85	7.3%
6	4 times per day	24	2.1%
7	5 or more times per day	39	3.3%
Sysmiss		4	

**Q13: Times attacked past 12 mo.****Data file: CBAH2007\_Public\_Use****Overview**

Valid: 1164    Invalid: 6  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

## LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

## CATEGORIES

Value	Category	Cases	
1	0 times	794	68.2%
2	1 time	166	14.3%
3	2 or 3 times	119	10.2%
4	4 or 5 times	41	3.5%
5	6 or 7 times	18	1.5%
6	8 or 9 times	4	0.3%
7	10 or 11 times	6	0.5%
8	12 or more times	16	1.4%
Sysmiss		6	

**Q14: How many times in fight 12 mos****Data file: CBAH2007\_Public\_Use****Overview**

Valid: 1170    Invalid: 0  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two or more students of about the same strength or power choose to fight each other.

## LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

## CATEGORIES

Value	Category	Cases	
1	0 times	724	61.9%
2	1 time	212	18.1%
3	2 or 3 times	140	12%
4	4 or 5 times	45	3.8%
5	6 or 7 times	15	1.3%
6	8 or 9 times	10	0.9%
7	10 or 11 times	7	0.6%
8	12 or more times	17	1.5%

### Q15: How many times injured past 12 months

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 1085 Invalid: 85

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

## CATEGORIES

Value	Category	Cases	
1	0 times	749	69%
2	1 time	242	22.3%
3	2 or 3 times	73	6.7%
4	4 or 5 times	13	1.2%
5	6 or 7 times	3	0.3%
6	8 or 9 times	1	0.1%
7	10 or 11 times	1	0.1%
8	12 or more times	3	0.3%
Sysmiss		85	

**Q16: Doing what during injury past 12 mo.****Data file:** CBAH2007\_Public\_Use**Overview**

Valid: 1111 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, what were you doing when the most serious injury happened to you?

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	787	70.8%
2	Playing a sport	155	14%
3	Walking/running	39	3.5%
4	Riding a bicycle or scooter	26	2.3%
5	Riding/driving motor vehicle	5	0.5%
6	Doing work	11	1%
7	Nothing	5	0.5%
8	Something else	83	7.5%
Sysmiss		59	

**Q17: Cause of injury past 12 mo.****Data file:** CBAH2007\_Public\_Use**Overview**

Valid: 1116 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	802	71.9%
2	Motor vehicle accident	6	0.5%
3	I fell	149	13.4%
4	Something fell on me or hit me	28	2.5%
5	I was fighting with someone	14	1.3%
6	Attacked or assaulted	10	0.9%
7	Was in a fire	1	0.1%
8	Something else	106	9.5%
Sysmiss		54	

### Q18: How injury happened past 12 mo.

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 1114 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, how did the most serious injury happen to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	807	72.4%
2	I hurt myself by accident	200	18%
3	Someone hurt me by accident	66	5.9%
4	I hurt myself on purpose	8	0.7%
5	Someone hurt me on purpose	33	3%
Sysmiss		56	

### Q19: What was serious injury past 12 mo.

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 1106 Invalid: 64

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	808	73.1%
2	Broken bone/dislocated joint	101	9.1%
3	Cut, puncture, stab wound	44	4%
4	Concussion/head injury	23	2.1%
5	I had a gunshot wound	1	0.1%
6	I had a bad burn	1	0.1%
7	Lost foot, leg, hand, or arm	1	0.1%
8	Something else happened to me	127	11.5%
Sysmiss		64	

## Q20: How many days bullied past 30 days

Data file: CBAH2007\_Public\_Use

### Overview

Valid: 1120 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	767	68.5%
2	1 or 2 days	239	21.3%
3	3 to 5 days	66	5.9%
4	6 to 9 days	19	1.7%

5	10 to 19 days	12	1.1%
6	20 to 29 days	5	0.4%
7	All 30 days	12	1.1%
Sysmiss		50	

## Q21: How bullied past 30 days

Data file: CBAH2007\_Public\_Use

### Overview

Valid: 1118 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	766	68.5%
2	Kicked, pushed, or shoved	35	3.1%
3	Made fun because of race/color	14	1.3%
4	Made fun because of religion	4	0.4%
5	Made fun of about sex	39	3.5%
6	Left out of activities	36	3.2%
7	Made fun of about body	58	5.2%
8	Some other way	166	14.8%
Sysmiss		52	

## Q28: Age first tried cigarette

Data file: CBAH2007\_Public\_Use

### Overview

Valid: 1097 Invalid: 73

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	545	49.7%
2	7 years old or younger	32	2.9%
3	8 or 9 years old	45	4.1%
4	10 or 11 years old	150	13.7%
5	12 or 13 years old	206	18.8%
6	14 or 15 years old	109	9.9%
7	16 years old or older	10	0.9%
Sysmiss		73	

## Q29: How many days smoked 30 days

Data file: CBAH2007\_Public\_Use

### Overview

Valid: 1120 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	890	79.5%
2	1 or 2 days	112	10%
3	3 to 5 days	43	3.8%
4	6 to 9 days	24	2.1%
5	10 to 19 days	22	2%
6	20 to 29 days	6	0.5%
7	All 30 days	23	2.1%
Sysmiss		50	

**Q30: Other tobacco past 30 days****Data file: CBAH2007\_Public\_Use****Overview**

Valid: 1169 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	1068	91.4%
2	1 or 2 days	69	5.9%
3	3 to 5 days	14	1.2%
4	6 to 9 days	4	0.3%
5	10 to 19 days	7	0.6%
6	20 to 29 days	1	0.1%
7	All 30 days	6	0.5%
Sysmiss		1	

**Q31: Try stop smoking past 12 mo.****Data file: CBAH2007\_Public\_Use****Overview**

Valid: 1058 Invalid: 112

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

## CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	535	50.6%

2	Did not smoke cigarettes	207	19.6%
3	Yes	244	23.1%
4	No	72	6.8%
Sysmiss		112	

### Q32: Others present smoking past 7 days

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 1162 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	354	30.5%
2	1 or 2 days	376	32.4%
3	3 or 4 days	145	12.5%
4	5 or 6 days	65	5.6%
5	All 7 days	222	19.1%
Sysmiss		8	

### Q33: Parents who use tobacco

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 1168 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

##### CATEGORIES

Value	Category	Cases	
1	Neither	790	67.6%
2	My father or male guardian	189	16.2%
3	My mother or female guardian	86	7.4%
4	Both	54	4.6%
5	I do not know	49	4.2%
Sysmiss		2	

### Q34: Days one drink or more past 30 days

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 1070 Invalid: 100

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

##### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

##### CATEGORIES

Value	Category	Cases	
1	0 days	468	43.7%
2	1 or 2 days	365	34.1%
3	3 to 5 days	129	12.1%
4	6 to 9 days	62	5.8%
5	10 to 19 days	33	3.1%
6	20 to 29 days	10	0.9%
7	All 30 days	3	0.3%
Sysmiss		100	

### Q35: Number of drinks past 30 days

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 1073 Invalid: 97

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	461	43%
2	Less than one drink	126	11.7%
3	1 drink	102	9.5%
4	2 drinks	90	8.4%
5	3 drinks	71	6.6%
6	4 drinks	52	4.8%
7	5 or more drinks	171	15.9%
Sysmiss		97	

## Q36: How got drinks past 30 days

Data file: CBAH2007\_Public\_Use

### Overview

Valid: 1060 Invalid: 110

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	461	43.5%
2	I bought in a store	96	9.1%
3	I gave someone money to buy	42	4%
4	I got it from my friends	210	19.8%
5	I got it from home	104	9.8%
6	I stole it	8	0.8%
7	I made it myself	0	0%

8	I got it some other way	139	13.1%
Sysmiss		110	

### Q37: Times drunk during life

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 1161 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

##### LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

##### CATEGORIES

Value	Category	Cases	
1	0 times	610	52.5%
2	1 or 2 times	346	29.8%
3	3 to 9 times	154	13.3%
4	10 or more times	51	4.4%
Sysmiss		9	

### Q38: Number of troubles as result of drinking

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 1170 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

##### LITERAL QUESTION

During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	0 times	905	77.4%
2	1 or 2 times	198	16.9%
3	3 to 9 times	53	4.5%
4	10 or more times	14	1.2%

### Q39: Number times drug use during life

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 1162 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next question asks about drugs.

##### LITERAL QUESTION

During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?

##### CATEGORIES

Value	Category	Cases	
1	0 times	1029	88.6%
2	1 or 2 times	86	7.4%
3	3 to 9 times	22	1.9%
4	10 or more times	25	2.2%
Sysmiss		8	

### Q40: Ever had sex

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 1106 Invalid: 64

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

##### LITERAL QUESTION

Have you ever had sexual intercourse?

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	294	26.6%
2	No	812	73.4%
Sysmiss		64	

### Q41: Age first sexual intercourse

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 1129 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

##### LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

##### CATEGORIES

Value	Category	Cases	
1	Never had sex	803	71.1%
2	11 years old or younger	75	6.6%
3	12 years old	53	4.7%
4	13 years old	62	5.5%
5	14 years old	71	6.3%
6	15 years old	47	4.2%
7	16 years old or older	18	1.6%
Sysmiss		41	

### Q42: How many sex partners

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 1124 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

##### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	793	70.6%
2	1 person	152	13.5%
3	2 people	72	6.4%
4	3 people	40	3.6%
5	4 people	28	2.5%
6	5 people	9	0.8%
7	6 or more people	30	2.7%
Sysmiss		46	

**Q43: Sexual intercourse past 12 mo.**

Data file: CBAH2007\_Public\_Use

**Overview**

Valid: 1162 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

During the past 12 months, have you had sexual intercourse?

## CATEGORIES

Value	Category	Cases	
1	Yes	274	23.6%
2	No	888	76.4%
Sysmiss		8	

**Q44: Used condom at last intercourse**

Data file: CBAH2007\_Public\_Use

**Overview**

Valid: 1125 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	800	71.1%
2	Yes	173	15.4%
3	No	152	13.5%
Sysmiss		45	

### Q45: Days active 60 min plus past 7 days

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 1167 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

## LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?

## CATEGORIES

Value	Category	Cases	
1	0 days	276	23.7%
2	1 day	270	23.1%
3	2 days	137	11.7%
4	3 days	128	11%
5	4 days	83	7.1%
6	5 days	62	5.3%
7	6 days	28	2.4%
8	7 days	183	15.7%
Sysmiss		3	

### Q46: Active 60 min plus per day usual week

Data file: CBAH2007\_Public\_Use

## Overview

Valid: 1167 Invalid: 3  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?

### CATEGORIES

Value	Category	Cases	
1	0 days	291	24.9%
2	1 day	279	23.9%
3	2 days	166	14.2%
4	3 days	113	9.7%
5	4 days	80	6.9%
6	5 days	64	5.5%
7	6 days	26	2.2%
8	7 days	148	12.7%
Sysmiss		3	

## Q47: Time spent sitting on usual day

Data file: CBAH2007\_Public\_Use

## Overview

Valid: 1163 Invalid: 7  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	232	19.9%
2	1 to 2 hours per day	373	32.1%

3	3 to 4 hours per day	298	25.6%
4	5 to 6 hours per day	149	12.8%
5	7 to 8 hours per day	47	4%
6	More than 8 hours per day	64	5.5%
Sysmiss		7	

### Q48: Walk or bike to school past 7 days

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 1168 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

##### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to and from school?

##### CATEGORIES

Value	Category	Cases	
1	0 days	530	45.4%
2	1 day	67	5.7%
3	2 days	38	3.3%
4	3 days	27	2.3%
5	4 days	25	2.1%
6	5 days	154	13.2%
7	6 days	14	1.2%
8	7 days	313	26.8%
Sysmiss		2	

### Q49: How long to from school past 7 days

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 1162 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

## LITERAL QUESTION

During the past 7 days, how long did it usually take for you to get to and from school each day?

## CATEGORIES

Value	Category	Cases	
1	Less than 10 minutes per day	290	25%
2	10 to 19 minutes per day	333	28.7%
3	20 to 29 minutes per day	193	16.6%
4	30 to 39 minutes per day	149	12.8%
5	40 to 49 minutes per day	54	4.6%
6	50 to 59 minutes per day	39	3.4%
7	60 or more minutes per day	104	9%
Sysmiss		8	

### QN6: Went hungry most of time/always past 30 days

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 1168 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home

## CATEGORIES

Value	Category	Cases	
1	Yes	16	1.4%
2	No	1152	98.6%
Sysmiss		2	

### QN7: Ate fruit 1+ times per day past 30 days

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 1169 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	765	65.4%
2	No	404	34.6%
Sysmiss		1	

---

## QN8: Ate vegetables 1+ times per day past 30 day

Data file: CBAH2007\_Public\_Use

### Overview

Valid: 1166 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	836	71.7%
2	No	330	28.3%
Sysmiss		4	

---

## QN13: Attacked 1+ times past 12 months

Data file: CBAH2007\_Public\_Use

### Overview

Valid: 1164 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	370	31.8%
2	No	794	68.2%
Sysmiss		6	

### QN14: In fight 1+ times past 12 months

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 1170 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	446	38.1%
2	No	724	61.9%

### QN15: Seriously injured 1+ times past 12 months

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 1085 Invalid: 85

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	336	31%
2	No	749	69%
Sysmiss		85	

**QN16: Playing sport caused most serious injury past 12mo****Data file:** CBAH2007\_Public\_Use**Overview**

Valid: 336 Invalid: 834

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport

## CATEGORIES

Value	Category	Cases	
1	Yes	155	46.1%
2	No	181	53.9%
Sysmiss		834	

**QN17: Falling caused most serious injury past 12 months****Data file:** CBAH2007\_Public\_Use**Overview**

Valid: 336 Invalid: 834

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall

## CATEGORIES

Value	Category	Cases	
1	Yes	149	44.3%
2	No	187	55.7%
Sysmiss		834	

**QN18: Accident caused most serious injury past 12 months****Data file:** CBAH2007\_Public\_Use**Overview**

Valid: 331 Invalid: 839

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident

### CATEGORIES

Value	Category	Cases	
1	Yes	200	60.4%
2	No	131	39.6%
Sysmiss		839	

## QN19: Broken bone as most serious injury past 12 months

Data file: CBAH2007\_Public\_Use

### Overview

Valid: 334 Invalid: 836

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury

### CATEGORIES

Value	Category	Cases	
1	Yes	101	30.2%
2	No	233	69.8%
Sysmiss		836	

## QN20: Bullied 1+ of past 30 days

Data file: CBAH2007\_Public\_Use

### Overview

Valid: 1120 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	353	31.5%
2	No	767	68.5%
Sysmiss		50	

### QN21: Of students bullied, most often hit, kicked, etc

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 352 Invalid: 818

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

##### CATEGORIES

Value	Category	Cases	
1	Yes	35	9.9%
2	No	317	90.1%
Sysmiss		818	

### QN28: Of current smokers, age first cigarette before 13

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 229 Invalid: 941

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger

##### CATEGORIES

Value	Category	Cases	
1	Yes	175	76.4%
2	No	54	23.6%
Sysmiss		941	

**QN29: Smoked cigarettes 1+ of past 30 days****Data file:** CBAH2007\_Public\_Use**Overview**

Valid: 1120 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	230	20.5%
2	No	890	79.5%
Sysmiss		50	

**QN30: Used other tobacco 1+ of past 30 days****Data file:** CBAH2007\_Public\_Use**Overview**

Valid: 1169 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	101	8.6%
2	No	1068	91.4%
Sysmiss		1	

**QN31: Tried to quit smoking past 12 months****Data file:** CBAH2007\_Public\_Use**Overview**

Valid: 316 Invalid: 854

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	244	77.2%
2	No	72	22.8%
Sysmiss		854	

**QN32: Others present smoking 1+ of past 7 days**

Data file: CBAH2007\_Public\_Use

**Overview**

Valid: 1162    Invalid: 8

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who reported people smoking in their presence on one or more of the past seven days

## CATEGORIES

Value	Category	Cases	
1	Yes	808	69.5%
2	No	354	30.5%
Sysmiss		8	

**QN33: Either/Both parents use tobacco**

Data file: CBAH2007\_Public\_Use

**Overview**

Valid: 1168    Invalid: 2

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who have a parent or guardian who uses any form of tobacco

## CATEGORIES

Value	Category	Cases	
1	Yes	329	28.2%
2	No	839	71.8%
Sysmiss		2	

### QN34: Drank 1+ days past 30 days

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 1070 Invalid: 100

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who drank alcohol on one or more of the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	602	56.3%
2	No	468	43.7%
Sysmiss		100	

### QN35: Of current drinkers, drank 2+ drinks/day 30 days

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 600 Invalid: 570

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	383	63.8%
2	No	217	36.2%
Sysmiss		570	

**QN36: Of current drinkers, bought alcohol in store****Data file:** CBAH2007\_Public\_Use**Overview**

Valid: 598 Invalid: 572

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	96	16.1%
2	No	502	83.9%
Sysmiss		572	

**QN37: 1+ times drunk in lifetime****Data file:** CBAH2007\_Public\_Use**Overview**

Valid: 1161 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	551	47.5%
2	No	610	52.5%
Sysmiss		9	

**QN38: Alcohol trouble 1+ times in lifetime****Data file:** CBAH2007\_Public\_Use**Overview**

Valid: 1170 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	265	22.6%
2	No	905	77.4%

## QN39: Used drugs 1+ times in lifetime

Data file: CBAH2007\_Public\_Use

### Overview

Valid: 1162 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	133	11.4%
2	No	1029	88.6%
Sysmiss		8	

## QN40: Ever had sex

Data file: CBAH2007\_Public\_Use

### Overview

Valid: 1106 Invalid: 64

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who have ever had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	294	26.6%

2	No	812	73.4%
Sysmiss		64	

### QN41: Age first sexual intercourse 12 or younger

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 1129 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse for the first time before age 13

CATEGORIES

Value	Category	Cases	
1	Yes	128	11.3%
2	No	1001	88.7%
Sysmiss		41	

### QN42: 2+ sex partners lifetime

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 1124 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

LITERAL QUESTION

Percentage of students who have had sexual intercourse with two or more people during their life time

CATEGORIES

Value	Category	Cases	
1	Yes	179	15.9%
2	No	945	84.1%
Sysmiss		46	

### QN43: Sexual intercourse past 12 months

Data file: CBAH2007\_Public\_Use

**Overview**

Valid: 1162 Invalid: 8  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who had sexual intercourse during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	274	23.6%
2	No	888	76.4%
Sysmiss		8	

**QN44: Of sexually active 12 mos, use condoms at last sex**

Data file: CBAH2007\_Public\_Use

**Overview**

Valid: 218 Invalid: 952  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	121	55.5%
2	No	97	44.5%
Sysmiss		952	

**QN45: Active 60+ mins/day for all of past 7 days**

Data file: CBAH2007\_Public\_Use

**Overview**

Valid: 1167 Invalid: 3  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days

## CATEGORIES

Value	Category	Cases	
1	Yes	183	15.7%
2	No	984	84.3%
Sysmiss		3	

### QN46: Active 60+ min/day all 7 days of usual week

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 1167 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week

## CATEGORIES

Value	Category	Cases	
1	Yes	148	12.7%
2	No	1019	87.3%
Sysmiss		3	

### QN47: Sitting activities 3+ hours/day of usual day

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 1163 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day

## CATEGORIES

Value	Category	Cases	
1	Yes	558	48%
2	No	605	52%

Sysmiss		7	
---------	--	---	--

### QN48: Walk/Bike to/from school 0 of past 7 days

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 1168 Invalid: 2  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to and from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	530	45.4%
2	No	638	54.6%
Sysmiss		2	

### QN49: Less than 29 minutes to/from school past 7 days

Data file: CBAH2007\_Public\_Use

#### Overview

Valid: 1162 Invalid: 8  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	816	70.2%
2	No	346	29.8%
Sysmiss		8	

### QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: CBAH2007\_Public\_Use

**Overview**

Valid: 1165 Invalid: 5  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	177	15.2%
2	No	988	84.8%
Sysmiss		5	

**QNANYTBG: Used any tobacco past 30 days**

Data file: CBAH2007\_Public\_Use

**Overview**

Valid: 1120 Invalid: 50  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco on one or more days of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	234	20.9%
2	No	886	79.1%
Sysmiss		50	

**QNMINPAG: Exercised 60 min/day <=5 days**

Data file: CBAH2007\_Public\_Use

**Overview**

Valid: 1164 Invalid: 6  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on

average

## CATEGORIES

Value	Category	Cases	
1	Yes	943	81%
2	No	221	19%
Sysmiss		6	

**QNWKRDG: Walked/biked <2.5 hrs 7 days**

Data file: CBAH2007\_Public\_Use

**Overview**

Valid: 1160 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days

## CATEGORIES

Value	Category	Cases	
1	Yes	951	82%
2	No	209	18%
Sysmiss		10	

**WEIGHT: Weight**

Data file: CBAH2007\_Public\_Use

**Overview**

Valid: 1170 Invalid: 0

Type: Continuous Decimal: 0 Width: 12 Range: 492.8664 - 2426.6785 Format: Numeric Weighted: yes

**PSU: Primary Sampling Unit**

Data file: CBAH2007\_Public\_Use

**Overview**

Valid: 1170 Invalid: 0

Type: Continuous Decimal: 0 Width: 5 Range: 1 - 47 Format: Numeric

**STRATUM: Stratum**

**Data file: CBAH2007\_Public\_Use**

**Overview**

Valid: 1170 Invalid: 0

Type: Continuous Decimal: 0 Width: 9 Range: 200701001 - 200701023 Format: Numeric

---

**Q1: How old are you****Data file:** CBBH2007\_Public\_Use**Overview**

Valid: 564 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	10	1.8%
2	12 years old	53	9.4%
3	13 years old	146	25.9%
4	14 years old	138	24.5%
5	15 years old	101	17.9%
6	16 years old or older	116	20.6%
Sysmiss		3	

**Q2: Sex****Data file:** CBBH2007\_Public\_Use**Overview**

Valid: 559 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	270	48.3%
2	Female	289	51.7%
Sysmiss		8	

**Q3: In what grade are you****Data file:** CBBH2007\_Public\_Use

**Overview**

Valid: 566 Invalid: 1  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

In what grade are you?

## CATEGORIES

Value	Category	Cases	
1	1er media or 8vo EGB	119	21%
2	2do media or 9no EGB	240	42.4%
3	3ero media or 1ro polimodal	77	13.6%
4	12th grade	130	23%
5	Ungraded or other grade	0	0%
Sysmiss		1	

**Q4: How tall are you**

Data file: CBBH2007\_Public\_Use

**Overview**

Valid: 306 Invalid: 261 Minimum: 1.33 Maximum: 1.85  
 Type: Continuous Decimal: 0 Width: 4 Range: 1.3 - 1.98 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How tall are you without your shoes on?

**description**

## DEFINITION

(Note:  
 Data are in meters.)

**Q5: How much do you weigh**

Data file: CBBH2007\_Public\_Use

**Overview**

Valid: 306 Invalid: 261 Minimum: 31 Maximum: 108  
 Type: Continuous Decimal: 0 Width: 6 Range: 31 - 170 Format: Numeric

## Questions and instructions

---

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How much do you weigh without your shoes on?

### description

---

### DEFINITION

(Note: Data are in kilograms.)

---

## Q6: Went hungry past 30 days

Data file: CBBH2007\_Public\_Use

### Overview

Valid: 567 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

---

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

### CATEGORIES

Value	Category	Cases	
1	Never	402	70.9%
2	Rarely	107	18.9%
3	Sometimes	48	8.5%
4	Most of the time	9	1.6%
5	Always	1	0.2%

---

## Q7: Eat fruit per day past 30 days

Data file: CBBH2007\_Public\_Use

### Overview

Valid: 566 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	43	7.6%
2	Less than one time per day	137	24.2%
3	1 time per day	199	35.2%
4	2 times per day	92	16.3%
5	3 times per day	57	10.1%
6	4 times per day	12	2.1%
7	5 or more times per day	26	4.6%
Sysmiss		1	

## Q8: Eat vegetables past 30 days

Data file: CBBH2007\_Public\_Use

### Overview

Valid: 566 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	54	9.5%
2	Less than one time per day	135	23.9%
3	1 time per day	191	33.7%
4	2 times per day	138	24.4%
5	3 times per day	27	4.8%
6	4 times per day	9	1.6%
7	5 or more times per day	12	2.1%
Sysmiss		1	

**Q13: Times attacked past 12 mo.****Data file:** CBBH2007\_Public\_Use**Overview**

Valid: 563 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

## LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

## CATEGORIES

Value	Category	Cases	
1	0 times	387	68.7%
2	1 time	72	12.8%
3	2 or 3 times	61	10.8%
4	4 or 5 times	23	4.1%
5	6 or 7 times	6	1.1%
6	8 or 9 times	1	0.2%
7	10 or 11 times	2	0.4%
8	12 or more times	11	2%
Sysmiss		4	

**Q14: How many times in fight 12 mos****Data file:** CBBH2007\_Public\_Use**Overview**

Valid: 567 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two or more students of about the same strength or power choose to fight each other.

## LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

## CATEGORIES

Value	Category	Cases	
1	0 times	336	59.3%
2	1 time	112	19.8%
3	2 or 3 times	79	13.9%
4	4 or 5 times	12	2.1%
5	6 or 7 times	5	0.9%
6	8 or 9 times	3	0.5%
7	10 or 11 times	2	0.4%
8	12 or more times	18	3.2%

### Q15: How many times injured past 12 months

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 524 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

## CATEGORIES

Value	Category	Cases	
1	0 times	339	64.7%
2	1 time	122	23.3%
3	2 or 3 times	45	8.6%
4	4 or 5 times	11	2.1%
5	6 or 7 times	3	0.6%
6	8 or 9 times	1	0.2%
7	10 or 11 times	1	0.2%
8	12 or more times	2	0.4%
Sysmiss		43	

**Q16: Doing what during injury past 12 mo.****Data file:** CBBH2007\_Public\_Use**Overview**

Valid: 533 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, what were you doing when the most serious injury happened to you?

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	355	66.6%
2	Playing a sport	79	14.8%
3	Walking/running	23	4.3%
4	Riding a bicycle or scooter	14	2.6%
5	Riding/driving motor vehicle	6	1.1%
6	Doing work	4	0.8%
7	Nothing	2	0.4%
8	Something else	50	9.4%
Sysmiss		34	

**Q17: Cause of injury past 12 mo.****Data file:** CBBH2007\_Public\_Use**Overview**

Valid: 537 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	360	67%
2	Motor vehicle accident	16	3%
3	I fell	61	11.4%
4	Something fell on me or hit me	11	2%
5	I was fighting with someone	11	2%
6	Attacked or assaulted	2	0.4%
7	Was in a fire	2	0.4%
8	Something else	74	13.8%
Sysmiss		30	

### Q18: How injury happened past 12 mo.

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 536 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, how did the most serious injury happen to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	361	67.4%
2	I hurt myself by accident	103	19.2%
3	Someone hurt me by accident	46	8.6%
4	I hurt myself on purpose	7	1.3%
5	Someone hurt me on purpose	19	3.5%
Sysmiss		31	

### Q19: What was serious injury past 12 mo.

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 537 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	365	68%
2	Broken bone/dislocated joint	61	11.4%
3	Cut, puncture, stab wound	17	3.2%
4	Concussion/head injury	15	2.8%
5	I had a gunshot wound	1	0.2%
6	I had a bad burn	2	0.4%
7	Lost foot, leg, hand, or arm	0	0%
8	Something else happened to me	76	14.2%
Sysmiss		30	

## Q20: How many days bullied past 30 days

Data file: CBBH2007\_Public\_Use

### Overview

Valid: 535 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	342	63.9%
2	1 or 2 days	115	21.5%
3	3 to 5 days	38	7.1%
4	6 to 9 days	17	3.2%

5	10 to 19 days	8	1.5%
6	20 to 29 days	4	0.7%
7	All 30 days	11	2.1%
Sysmiss		32	

## Q21: How bullied past 30 days

Data file: CBBH2007\_Public\_Use

### Overview

Valid: 536 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	343	64%
2	Kicked, pushed, or shoved	13	2.4%
3	Made fun because of race/color	17	3.2%
4	Made fun because of religion	3	0.6%
5	Made fun of about sex	31	5.8%
6	Left out of activities	16	3%
7	Made fun of about body	21	3.9%
8	Some other way	92	17.2%
Sysmiss		31	

## Q28: Age first tried cigarette

Data file: CBBH2007\_Public\_Use

### Overview

Valid: 530 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	241	45.5%
2	7 years old or younger	16	3%
3	8 or 9 years old	18	3.4%
4	10 or 11 years old	66	12.5%
5	12 or 13 years old	129	24.3%
6	14 or 15 years old	54	10.2%
7	16 years old or older	6	1.1%
Sysmiss		37	

## Q29: How many days smoked 30 days

Data file: CBBH2007\_Public\_Use

### Overview

Valid: 547 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	411	75.1%
2	1 or 2 days	62	11.3%
3	3 to 5 days	26	4.8%
4	6 to 9 days	13	2.4%
5	10 to 19 days	12	2.2%
6	20 to 29 days	8	1.5%
7	All 30 days	15	2.7%
Sysmiss		20	

**Q30: Other tobacco past 30 days****Data file:** CBBH2007\_Public\_Use**Overview**

Valid: 567 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	487	85.9%
2	1 or 2 days	41	7.2%
3	3 to 5 days	22	3.9%
4	6 to 9 days	10	1.8%
5	10 to 19 days	4	0.7%
6	20 to 29 days	0	0%
7	All 30 days	3	0.5%

**Q31: Try stop smoking past 12 mo.****Data file:** CBBH2007\_Public\_Use**Overview**

Valid: 517 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

## CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	241	46.6%
2	Did not smoke cigarettes	96	18.6%

3	Yes	122	23.6%
4	No	58	11.2%
Sysmiss		50	

### Q32: Others present smoking past 7 days

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 566 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	167	29.5%
2	1 or 2 days	174	30.7%
3	3 or 4 days	101	17.8%
4	5 or 6 days	46	8.1%
5	All 7 days	78	13.8%
Sysmiss		1	

### Q33: Parents who use tobacco

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 567 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Neither	411	72.5%
2	My father or male guardian	74	13.1%
3	My mother or female guardian	50	8.8%
4	Both	24	4.2%
5	I do not know	8	1.4%

### Q34: Days one drink or more past 30 days

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 522 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

##### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

##### CATEGORIES

Value	Category	Cases	
1	0 days	187	35.8%
2	1 or 2 days	178	34.1%
3	3 to 5 days	77	14.8%
4	6 to 9 days	50	9.6%
5	10 to 19 days	21	4%
6	20 to 29 days	7	1.3%
7	All 30 days	2	0.4%
Sysmiss		45	

### Q35: Number of drinks past 30 days

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 531 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

## LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

## CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	184	34.7%
2	Less than one drink	87	16.4%
3	1 drink	61	11.5%
4	2 drinks	44	8.3%
5	3 drinks	51	9.6%
6	4 drinks	31	5.8%
7	5 or more drinks	73	13.7%
Sysmiss		36	

### Q36: How got drinks past 30 days

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 520 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

## LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank?

## CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	184	35.4%
2	I bought in a store	87	16.7%
3	I gave someone money to buy	32	6.2%
4	I got it from my friends	100	19.2%
5	I got it from home	48	9.2%
6	I stole it	2	0.4%
7	I made it myself	0	0%
8	I got it some other way	67	12.9%
Sysmiss		47	

**Q37: Times drunk during life****Data file: CBBH2007\_Public\_Use****Overview**

Valid: 564 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	314	55.7%
2	1 or 2 times	146	25.9%
3	3 to 9 times	83	14.7%
4	10 or more times	21	3.7%
Sysmiss		3	

**Q38: Number of troubles as result of drinking****Data file: CBBH2007\_Public\_Use****Overview**

Valid: 567 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

## LITERAL QUESTION

During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	397	70%
2	1 or 2 times	124	21.9%

3	3 to 9 times	35	6.2%
4	10 or more times	11	1.9%

### Q39: Number times drug use during life

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 564 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next question asks about drugs.

##### LITERAL QUESTION

During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?

##### CATEGORIES

Value	Category	Cases	
1	0 times	477	84.6%
2	1 or 2 times	44	7.8%
3	3 to 9 times	29	5.1%
4	10 or more times	14	2.5%
Sysmiss		3	

### Q40: Ever had sex

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 532 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

##### LITERAL QUESTION

Have you ever had sexual intercourse?

##### CATEGORIES

Value	Category	Cases	
1	Yes	122	22.9%
2	No	410	77.1%

Sysmiss		35	
---------	--	----	--

## Q41: Age first sexual intercourse

Data file: CBBH2007\_Public\_Use

### Overview

Valid: 551 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	403	73.1%
2	11 years old or younger	29	5.3%
3	12 years old	18	3.3%
4	13 years old	25	4.5%
5	14 years old	26	4.7%
6	15 years old	39	7.1%
7	16 years old or older	11	2%
Sysmiss		16	

## Q42: How many sex partners

Data file: CBBH2007\_Public\_Use

### Overview

Valid: 547 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never had sex	399	72.9%
2	1 person	67	12.2%
3	2 people	35	6.4%
4	3 people	19	3.5%
5	4 people	10	1.8%
6	5 people	3	0.5%
7	6 or more people	14	2.6%
Sysmiss		20	

### Q43: Sexual intercourse past 12 mo.

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 552 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

##### LITERAL QUESTION

During the past 12 months, have you had sexual intercourse?

##### CATEGORIES

Value	Category	Cases	
1	Yes	143	25.9%
2	No	409	74.1%
Sysmiss		15	

### Q44: Used condom at last intercourse

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 545 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

##### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR

CONDOM]?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	399	73.2%
2	Yes	72	13.2%
3	No	74	13.6%
Sysmiss		22	

**Q45: Days active 60 min plus past 7 days**

Data file: CBBH2007\_Public\_Use

**Overview**

Valid: 566 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

## LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?

## CATEGORIES

Value	Category	Cases	
1	0 days	133	23.5%
2	1 day	120	21.2%
3	2 days	76	13.4%
4	3 days	64	11.3%
5	4 days	41	7.2%
6	5 days	34	6%
7	6 days	18	3.2%
8	7 days	80	14.1%
Sysmiss		1	

**Q46: Active 60 min plus per day usual week**

Data file: CBBH2007\_Public\_Use

**Overview**

Valid: 566 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?

### CATEGORIES

Value	Category	Cases	
1	0 days	134	23.7%
2	1 day	126	22.3%
3	2 days	79	14%
4	3 days	66	11.7%
5	4 days	41	7.2%
6	5 days	34	6%
7	6 days	17	3%
8	7 days	69	12.2%
Sysmiss		1	

## Q47: Time spent sitting on usual day

Data file: CBBH2007\_Public\_Use

### Overview

Valid: 562 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	80	14.2%
2	1 to 2 hours per day	160	28.5%
3	3 to 4 hours per day	161	28.6%
4	5 to 6 hours per day	87	15.5%
5	7 to 8 hours per day	33	5.9%

6	More than 8 hours per day	41	7.3%
Sysmiss		5	

### Q48: Walk or bike to school past 7 days

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 566 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

##### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to and from school?

##### CATEGORIES

Value	Category	Cases	
1	0 days	329	58.1%
2	1 day	40	7.1%
3	2 days	18	3.2%
4	3 days	6	1.1%
5	4 days	9	1.6%
6	5 days	42	7.4%
7	6 days	8	1.4%
8	7 days	114	20.1%
Sysmiss		1	

### Q49: How long to from school past 7 days

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 567 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

##### LITERAL QUESTION

During the past 7 days, how long did it usually take for you to get to and from school each day?

## CATEGORIES

Value	Category	Cases	
1	Less than 10 minutes per day	96	16.9%
2	10 to 19 minutes per day	111	19.6%
3	20 to 29 minutes per day	107	18.9%
4	30 to 39 minutes per day	86	15.2%
5	40 to 49 minutes per day	45	7.9%
6	50 to 59 minutes per day	35	6.2%
7	60 or more minutes per day	87	15.3%

**QN6: Went hungry most of time/always past 30 days**

Data file: CBBH2007\_Public\_Use

**Overview**

Valid: 567 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home

## CATEGORIES

Value	Category	Cases	
1	Yes	10	1.8%
2	No	557	98.2%

**QN7: Ate fruit 1+ times per day past 30 days**

Data file: CBBH2007\_Public\_Use

**Overview**

Valid: 566 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	386	68.2%
2	No	180	31.8%
Sysmiss		1	

### QN8: Ate vegetables 1+ times per day past 30 day

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 566 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	377	66.6%
2	No	189	33.4%
Sysmiss		1	

### QN13: Attacked 1+ times past 12 months

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 563 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	176	31.3%
2	No	387	68.7%
Sysmiss		4	

**QN14: In fight 1+ times past 12 months****Data file:** CBBH2007\_Public\_Use**Overview**

Valid: 567 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	231	40.7%
2	No	336	59.3%

**QN15: Seriously injured 1+ times past 12 months****Data file:** CBBH2007\_Public\_Use**Overview**

Valid: 524 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	185	35.3%
2	No	339	64.7%
Sysmiss		43	

**QN16: Playing sport caused most serious injury past 12mo****Data file:** CBBH2007\_Public\_Use**Overview**

Valid: 184 Invalid: 383

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport

### CATEGORIES

Value	Category	Cases	
1	Yes	79	42.9%
2	No	105	57.1%
Sysmiss		383	

## QN17: Falling caused most serious injury past 12 months

Data file: CBBH2007\_Public\_Use

### Overview

Valid: 185 Invalid: 382

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall

### CATEGORIES

Value	Category	Cases	
1	Yes	61	33%
2	No	124	67%
Sysmiss		382	

## QN18: Accident caused most serious injury past 12 months

Data file: CBBH2007\_Public\_Use

### Overview

Valid: 181 Invalid: 386

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident

### CATEGORIES

Value	Category	Cases	
1	Yes	103	56.9%
2	No	78	43.1%
Sysmiss		386	

## QN19: Broken bone as most serious injury past 12 months

Data file: CBBH2007\_Public\_Use

### Overview

Valid: 184 Invalid: 383

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury

#### CATEGORIES

Value	Category	Cases	
1	Yes	61	33.2%
2	No	123	66.8%
Sysmiss		383	

## QN20: Bullied 1+ of past 30 days

Data file: CBBH2007\_Public\_Use

### Overview

Valid: 535 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	193	36.1%
2	No	342	63.9%
Sysmiss		32	

**QN21: Of students bullied, most often hit, kicked, etc****Data file:** CBBH2007\_Public\_Use**Overview**

Valid: 193 Invalid: 374

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

## CATEGORIES

Value	Category	Cases	
1	Yes	13	6.7%
2	No	180	93.3%
Sysmiss		374	

**QN28: Of current smokers, age first cigarette before 13****Data file:** CBBH2007\_Public\_Use**Overview**

Valid: 135 Invalid: 432

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger

## CATEGORIES

Value	Category	Cases	
1	Yes	102	75.6%
2	No	33	24.4%
Sysmiss		432	

**QN29: Smoked cigarettes 1+ of past 30 days****Data file:** CBBH2007\_Public\_Use**Overview**

Valid: 547 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	136	24.9%
2	No	411	75.1%
Sysmiss		20	

---

### QN30: Used other tobacco 1+ of past 30 days

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 567 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	80	14.1%
2	No	487	85.9%

---

### QN31: Tried to quit smoking past 12 months

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 180 Invalid: 387

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	122	67.8%
2	No	58	32.2%
Sysmiss		387	

### QN32: Others present smoking 1+ of past 7 days

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 566 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who reported people smoking in their presence on one or more of the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	399	70.5%
2	No	167	29.5%
Sysmiss		1	

### QN33: Either/Both parents use tobacco

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 567 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who have a parent or guardian who uses any form of tobacco

##### CATEGORIES

Value	Category	Cases	
1	Yes	148	26.1%
2	No	419	73.9%

### QN34: Drank 1+ days past 30 days

Data file: CBBH2007\_Public\_Use

**Overview**

Valid: 522 Invalid: 45  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank alcohol on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	335	64.2%
2	No	187	35.8%
Sysmiss		45	

**QN35: Of current drinkers, drank 2+ drinks/day 30 days**

Data file: CBBH2007\_Public\_Use

**Overview**

Valid: 335 Invalid: 232  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	199	59.4%
2	No	136	40.6%
Sysmiss		232	

**QN36: Of current drinkers, bought alcohol in store**

Data file: CBBH2007\_Public\_Use

**Overview**

Valid: 335 Invalid: 232  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during

the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	86	25.7%
2	No	249	74.3%
Sysmiss		232	

### QN37: 1+ times drunk in lifetime

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 564 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

#### LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

#### CATEGORIES

Value	Category	Cases	
1	Yes	250	44.3%
2	No	314	55.7%
Sysmiss		3	

### QN38: Alcohol trouble 1+ times in lifetime

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 567 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

#### LITERAL QUESTION

Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life

#### CATEGORIES

Value	Category	Cases	
1	Yes	170	30%
2	No	397	70%

**QN39: Used drugs 1+ times in lifetime****Data file: CBBH2007\_Public\_Use****Overview**

Valid: 564 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	87	15.4%
2	No	477	84.6%
Sysmiss		3	

**QN40: Ever had sex****Data file: CBBH2007\_Public\_Use****Overview**

Valid: 532 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who have ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	122	22.9%
2	No	410	77.1%
Sysmiss		35	

**QN41: Age first sexual intercourse 12 or younger****Data file: CBBH2007\_Public\_Use****Overview**

Valid: 551 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who had sexual intercourse for the first time before age 13

#### CATEGORIES

Value	Category	Cases	
1	Yes	47	8.5%
2	No	504	91.5%
Sysmiss		16	

---

### QN42: 2+ sex partners lifetime

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 547 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who have had sexual intercourse with two or more people during their life time

#### CATEGORIES

Value	Category	Cases	
1	Yes	81	14.8%
2	No	466	85.2%
Sysmiss		20	

---

### QN43: Sexual intercourse past 12 months

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 552 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who had sexual intercourse during the past 12 months

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	143	25.9%
2	No	409	74.1%
Sysmiss		15	

### QN44: Of sexually active 12 mos, use condoms at last sex

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 105 Invalid: 462

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse

##### CATEGORIES

Value	Category	Cases	
1	Yes	55	52.4%
2	No	50	47.6%
Sysmiss		462	

### QN45: Active 60+ mins/day for all of past 7 days

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 566 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	80	14.1%
2	No	486	85.9%
Sysmiss		1	

**QN46: Active 60+ min/day all 7 days of usual week**

Data file: CBBH2007\_Public\_Use

**Overview**

Valid: 566 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week

## CATEGORIES

Value	Category	Cases	
1	Yes	69	12.2%
2	No	497	87.8%
Sysmiss		1	

**QN47: Sitting activities 3+ hours/day of usual day**

Data file: CBBH2007\_Public\_Use

**Overview**

Valid: 562 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day

## CATEGORIES

Value	Category	Cases	
1	Yes	322	57.3%
2	No	240	42.7%
Sysmiss		5	

**QN48: Walk/Bike to/from school 0 of past 7 days**

Data file: CBBH2007\_Public\_Use

**Overview**

Valid: 566 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to and from school during the past seven days

#### CATEGORIES

Value	Category	Cases	
1	Yes	329	58.1%
2	No	237	41.9%
Sysmiss		1	

---

### QN49: Less than 29 minutes to/from school past 7 days

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 567 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days

#### CATEGORIES

Value	Category	Cases	
1	Yes	314	55.4%
2	No	253	44.6%

---

### QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 565 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	82	14.5%

2	No	483	85.5%
Sysmiss		2	

### QNANYTBG: Used any tobacco past 30 days

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 547 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

LITERAL QUESTION

Percentage of students who used any tobacco on one or more days of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	144	26.3%
2	No	403	73.7%
Sysmiss		20	

### QNMINPAG: Exercised 60 min/day <=5 days

Data file: CBBH2007\_Public\_Use

#### Overview

Valid: 565 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average

CATEGORIES

Value	Category	Cases	
1	Yes	456	80.7%
2	No	109	19.3%
Sysmiss		2	

### QNWKRDG: Walked/biked <2.5 hrs 7 days

Data file: CBBH2007\_Public\_Use

**Overview**

Valid: 566 Invalid: 1  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days

## CATEGORIES

Value	Category	Cases	
1	Yes	484	85.5%
2	No	82	14.5%
Sysmiss		1	

**WEIGHT: Weight**

Data file: CBBH2007\_Public\_Use

**Overview**

Valid: 567 Invalid: 0  
 Type: Continuous Decimal: 0 Width: 12 Range: 492.8664 - 2426.6785 Format: Numeric Weighted: yes

**PSU: Primary Sampling Unit**

Data file: CBBH2007\_Public\_Use

**Overview**

Valid: 567 Invalid: 0  
 Type: Continuous Decimal: 0 Width: 5 Range: 1 - 47 Format: Numeric

**STRATUM: Stratum**

Data file: CBBH2007\_Public\_Use

**Overview**

Valid: 567 Invalid: 0  
 Type: Continuous Decimal: 0 Width: 9 Range: 200701001 - 200701023 Format: Numeric

**Q1: How old are you****Data file:** CBDH2007\_Public\_Use**Overview**

Valid: 2085 Invalid: 8  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	13	0.6%
2	12 years old	229	11%
3	13 years old	548	26.3%
4	14 years old	541	25.9%
5	15 years old	421	20.2%
6	16 years old or older	333	16%
Sysmiss		8	

**Q2: Sex****Data file:** CBDH2007\_Public\_Use**Overview**

Valid: 2086 Invalid: 7  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	985	47.2%
2	Female	1101	52.8%
Sysmiss		7	

**Q3: In what grade are you****Data file:** CBDH2007\_Public\_Use

**Overview**

Valid: 2080 Invalid: 13  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

In what grade are you?

## CATEGORIES

Value	Category	Cases	
1	1er media or 8vo EGB	615	29.6%
2	2do media or 9no EGB	640	30.8%
3	3ero media or 1ro polimodal	352	16.9%
4	12th grade	473	22.7%
5	Ungraded or other grade	0	0%
Sysmiss		13	

**Q4: How tall are you**

Data file: CBDH2007\_Public\_Use

**Overview**

Valid: 1039 Invalid: 1054 Minimum: 1.28 Maximum: 1.93  
 Type: Continuous Decimal: 0 Width: 4 Range: 1.3 - 1.98 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How tall are you without your shoes on?

**description**

## DEFINITION

(Note:  
 Data are in meters.)

**Q5: How much do you weigh**

Data file: CBDH2007\_Public\_Use

**Overview**

Valid: 1039 Invalid: 1054 Minimum: 28 Maximum: 110  
 Type: Continuous Decimal: 0 Width: 6 Range: 31 - 170 Format: Numeric

## Questions and instructions

---

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How much do you weigh without your shoes on?

### description

---

### DEFINITION

(Note: Data are in kilograms.)

---

## Q6: Went hungry past 30 days

Data file: CBDH2007\_Public\_Use

### Overview

Valid: 2093 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

---

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

### CATEGORIES

Value	Category	Cases	
1	Never	1592	76.1%
2	Rarely	352	16.8%
3	Sometimes	124	5.9%
4	Most of the time	14	0.7%
5	Always	11	0.5%

---

## Q7: Eat fruit per day past 30 days

Data file: CBDH2007\_Public\_Use

### Overview

Valid: 2085 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	226	10.8%
2	Less than one time per day	526	25.2%
3	1 time per day	671	32.2%
4	2 times per day	347	16.6%
5	3 times per day	185	8.9%
6	4 times per day	50	2.4%
7	5 or more times per day	80	3.8%
Sysmiss		8	

## Q8: Eat vegetables past 30 days

Data file: CBDH2007\_Public\_Use

### Overview

Valid: 2076 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	219	10.5%
2	Less than one time per day	391	18.8%
3	1 time per day	923	44.5%
4	2 times per day	348	16.8%
5	3 times per day	80	3.9%
6	4 times per day	26	1.3%
7	5 or more times per day	89	4.3%
Sysmiss		17	

**Q13: Times attacked past 12 mo.****Data file:** CBDH2007\_Public\_Use**Overview**

Valid: 2068 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

## LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

## CATEGORIES

Value	Category	Cases	
1	0 times	1499	72.5%
2	1 time	254	12.3%
3	2 or 3 times	186	9%
4	4 or 5 times	49	2.4%
5	6 or 7 times	26	1.3%
6	8 or 9 times	14	0.7%
7	10 or 11 times	7	0.3%
8	12 or more times	33	1.6%
Sysmiss		25	

**Q14: How many times in fight 12 mos****Data file:** CBDH2007\_Public\_Use**Overview**

Valid: 2091 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two or more students of about the same strength or power choose to fight each other.

## LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

## CATEGORIES

Value	Category	Cases	
1	0 times	1385	66.2%
2	1 time	377	18%
3	2 or 3 times	208	9.9%
4	4 or 5 times	60	2.9%
5	6 or 7 times	24	1.1%
6	8 or 9 times	7	0.3%
7	10 or 11 times	1	0%
8	12 or more times	29	1.4%
Sysmiss		2	

### Q15: How many times injured past 12 months

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 1960 Invalid: 133

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

## CATEGORIES

Value	Category	Cases	
1	0 times	1348	68.8%
2	1 time	382	19.5%
3	2 or 3 times	173	8.8%
4	4 or 5 times	33	1.7%
5	6 or 7 times	13	0.7%
6	8 or 9 times	2	0.1%
7	10 or 11 times	2	0.1%
8	12 or more times	7	0.4%
Sysmiss		133	

**Q16: Doing what during injury past 12 mo.****Data file:** CBDH2007\_Public\_Use**Overview**

Valid: 1993 Invalid: 100

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, what were you doing when the most serious injury happened to you?

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1418	71.1%
2	Playing a sport	272	13.6%
3	Walking/running	67	3.4%
4	Riding a bicycle or scooter	44	2.2%
5	Riding/driving motor vehicle	26	1.3%
6	Doing work	16	0.8%
7	Nothing	15	0.8%
8	Something else	135	6.8%
Sysmiss		100	

**Q17: Cause of injury past 12 mo.****Data file:** CBDH2007\_Public\_Use**Overview**

Valid: 2014 Invalid: 79

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1452	72.1%
2	Motor vehicle accident	43	2.1%
3	I fell	235	11.7%
4	Something fell on me or hit me	43	2.1%
5	I was fighting with someone	20	1%
6	Attacked or assaulted	8	0.4%
7	Was in a fire	2	0.1%
8	Something else	211	10.5%
Sysmiss		79	

### Q18: How injury happened past 12 mo.

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 2008 Invalid: 85

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, how did the most serious injury happen to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1467	73.1%
2	I hurt myself by accident	351	17.5%
3	Someone hurt me by accident	125	6.2%
4	I hurt myself on purpose	14	0.7%
5	Someone hurt me on purpose	51	2.5%
Sysmiss		85	

### Q19: What was serious injury past 12 mo.

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 1999 Invalid: 94

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1467	73.4%
2	Broken bone/dislocated joint	173	8.7%
3	Cut, puncture, stab wound	68	3.4%
4	Concussion/head injury	37	1.9%
5	I had a gunshot wound	4	0.2%
6	I had a bad burn	3	0.2%
7	Lost foot, leg, hand, or arm	1	0.1%
8	Something else happened to me	246	12.3%
Sysmiss		94	

## Q20: How many days bullied past 30 days

Data file: CBDH2007\_Public\_Use

### Overview

Valid: 1990 Invalid: 103

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	1382	69.4%
2	1 or 2 days	393	19.7%
3	3 to 5 days	121	6.1%
4	6 to 9 days	32	1.6%

5	10 to 19 days	25	1.3%
6	20 to 29 days	12	0.6%
7	All 30 days	25	1.3%
Sysmiss		103	

## Q21: How bullied past 30 days

Data file: CBDH2007\_Public\_Use

### Overview

Valid: 1992 Invalid: 101

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	1384	69.5%
2	Kicked, pushed, or shoved	46	2.3%
3	Made fun because of race/color	34	1.7%
4	Made fun because of religion	16	0.8%
5	Made fun of about sex	53	2.7%
6	Left out of activities	64	3.2%
7	Made fun of about body	110	5.5%
8	Some other way	285	14.3%
Sysmiss		101	

## Q28: Age first tried cigarette

Data file: CBDH2007\_Public\_Use

### Overview

Valid: 1979 Invalid: 114

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1202	60.7%
2	7 years old or younger	60	3%
3	8 or 9 years old	80	4%
4	10 or 11 years old	165	8.3%
5	12 or 13 years old	300	15.2%
6	14 or 15 years old	153	7.7%
7	16 years old or older	19	1%
Sysmiss		114	

## Q29: How many days smoked 30 days

Data file: CBDH2007\_Public\_Use

### Overview

Valid: 2001 Invalid: 92

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	1737	86.8%
2	1 or 2 days	128	6.4%
3	3 to 5 days	54	2.7%
4	6 to 9 days	18	0.9%
5	10 to 19 days	31	1.5%
6	20 to 29 days	14	0.7%
7	All 30 days	19	0.9%
Sysmiss		92	

**Q30: Other tobacco past 30 days****Data file:** CBDH2007\_Public\_Use**Overview**

Valid: 2093 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	1969	94.1%
2	1 or 2 days	70	3.3%
3	3 to 5 days	27	1.3%
4	6 to 9 days	8	0.4%
5	10 to 19 days	6	0.3%
6	20 to 29 days	5	0.2%
7	All 30 days	8	0.4%

**Q31: Try stop smoking past 12 mo.****Data file:** CBDH2007\_Public\_Use**Overview**

Valid: 1924 Invalid: 169

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

## CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1187	61.7%
2	Did not smoke cigarettes	343	17.8%

3	Yes	311	16.2%
4	No	83	4.3%
Sysmiss		169	

### Q32: Others present smoking past 7 days

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 2079 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	616	29.6%
2	1 or 2 days	674	32.4%
3	3 or 4 days	299	14.4%
4	5 or 6 days	129	6.2%
5	All 7 days	361	17.4%
Sysmiss		14	

### Q33: Parents who use tobacco

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 2090 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Neither	1563	74.8%
2	My father or male guardian	297	14.2%
3	My mother or female guardian	112	5.4%
4	Both	54	2.6%
5	I do not know	64	3.1%
Sysmiss		3	

### Q34: Days one drink or more past 30 days

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 1915 Invalid: 178

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

##### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

##### CATEGORIES

Value	Category	Cases	
1	0 days	867	45.3%
2	1 or 2 days	644	33.6%
3	3 to 5 days	233	12.2%
4	6 to 9 days	91	4.8%
5	10 to 19 days	59	3.1%
6	20 to 29 days	15	0.8%
7	All 30 days	6	0.3%
Sysmiss		178	

### Q35: Number of drinks past 30 days

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 1920 Invalid: 173

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	855	44.5%
2	Less than one drink	230	12%
3	1 drink	202	10.5%
4	2 drinks	181	9.4%
5	3 drinks	130	6.8%
6	4 drinks	75	3.9%
7	5 or more drinks	247	12.9%
Sysmiss		173	

## Q36: How got drinks past 30 days

Data file: CBDH2007\_Public\_Use

### Overview

Valid: 1898 Invalid: 195

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	853	44.9%
2	I bought in a store	191	10.1%
3	I gave someone money to buy	32	1.7%
4	I got it from my friends	366	19.3%
5	I got it from home	220	11.6%
6	I stole it	7	0.4%
7	I made it myself	0	0%

8	I got it some other way	229	12.1%
Sysmiss		195	

### Q37: Times drunk during life

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 2069 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

##### LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

##### CATEGORIES

Value	Category	Cases	
1	0 times	1239	59.9%
2	1 or 2 times	579	28%
3	3 to 9 times	180	8.7%
4	10 or more times	71	3.4%
Sysmiss		24	

### Q38: Number of troubles as result of drinking

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 2088 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

##### LITERAL QUESTION

During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	0 times	1663	79.6%
2	1 or 2 times	333	15.9%
3	3 to 9 times	67	3.2%
4	10 or more times	25	1.2%
Sysmiss		5	

### Q39: Number times drug use during life

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 2053 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next question asks about drugs.

##### LITERAL QUESTION

During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?

##### CATEGORIES

Value	Category	Cases	
1	0 times	1898	92.5%
2	1 or 2 times	88	4.3%
3	3 to 9 times	35	1.7%
4	10 or more times	32	1.6%
Sysmiss		40	

### Q40: Ever had sex

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 1940 Invalid: 153

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

##### LITERAL QUESTION

Have you ever had sexual intercourse?

##### CATEGORIES

Value	Category	Cases	
1	Yes	458	23.6%
2	No	1482	76.4%
Sysmiss		153	

## Q41: Age first sexual intercourse

Data file: CBDH2007\_Public\_Use

### Overview

Valid: 2004 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	1466	73.2%
2	11 years old or younger	141	7%
3	12 years old	67	3.3%
4	13 years old	102	5.1%
5	14 years old	108	5.4%
6	15 years old	72	3.6%
7	16 years old or older	48	2.4%
Sysmiss		89	

## Q42: How many sex partners

Data file: CBDH2007\_Public\_Use

### Overview

Valid: 1979 Invalid: 114

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	1457	73.6%
2	1 person	267	13.5%
3	2 people	108	5.5%
4	3 people	52	2.6%
5	4 people	35	1.8%
6	5 people	19	1%
7	6 or more people	41	2.1%
Sysmiss		114	

### Q43: Sexual intercourse past 12 mo.

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 2070 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

##### LITERAL QUESTION

During the past 12 months, have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Yes	483	23.3%
2	No	1587	76.7%
Sysmiss		23	

### Q44: Used condom at last intercourse

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 1973 Invalid: 120

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	1462	74.1%
2	Yes	305	15.5%
3	No	206	10.4%
Sysmiss		120	

### Q45: Days active 60 min plus past 7 days

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 2070 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?

#### CATEGORIES

Value	Category	Cases	
1	0 days	488	23.6%
2	1 day	424	20.5%
3	2 days	288	13.9%
4	3 days	210	10.1%
5	4 days	135	6.5%
6	5 days	110	5.3%
7	6 days	46	2.2%
8	7 days	369	17.8%
Sysmiss		23	

### Q46: Active 60 min plus per day usual week

Data file: CBDH2007\_Public\_Use

## Overview

Valid: 2058 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?

### CATEGORIES

Value	Category	Cases	
1	0 days	501	24.3%
2	1 day	458	22.3%
3	2 days	270	13.1%
4	3 days	229	11.1%
5	4 days	126	6.1%
6	5 days	117	5.7%
7	6 days	57	2.8%
8	7 days	300	14.6%
Sysmiss		35	

## Q47: Time spent sitting on usual day

Data file: CBDH2007\_Public\_Use

## Overview

Valid: 2073 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	446	21.5%
2	1 to 2 hours per day	637	30.7%

3	3 to 4 hours per day	547	26.4%
4	5 to 6 hours per day	246	11.9%
5	7 to 8 hours per day	75	3.6%
6	More than 8 hours per day	122	5.9%
Sysmiss		20	

### Q48: Walk or bike to school past 7 days

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 2072 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

##### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to and from school?

##### CATEGORIES

Value	Category	Cases	
1	0 days	1106	53.4%
2	1 day	151	7.3%
3	2 days	78	3.8%
4	3 days	69	3.3%
5	4 days	40	1.9%
6	5 days	206	9.9%
7	6 days	18	0.9%
8	7 days	404	19.5%
Sysmiss		21	

### Q49: How long to from school past 7 days

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 2056 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

## LITERAL QUESTION

During the past 7 days, how long did it usually take for you to get to and from school each day?

## CATEGORIES

Value	Category	Cases	
1	Less than 10 minutes per day	491	23.9%
2	10 to 19 minutes per day	524	25.5%
3	20 to 29 minutes per day	326	15.9%
4	30 to 39 minutes per day	287	14%
5	40 to 49 minutes per day	146	7.1%
6	50 to 59 minutes per day	75	3.6%
7	60 or more minutes per day	207	10.1%
Sysmiss		37	

### QN6: Went hungry most of time/always past 30 days

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 2093 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home

## CATEGORIES

Value	Category	Cases	
1	Yes	25	1.2%
2	No	2068	98.8%

### QN7: Ate fruit 1+ times per day past 30 days

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 2085 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	1333	63.9%
2	No	752	36.1%
Systemiss		8	

### QN8: Ate vegetables 1+ times per day past 30 day

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 2076 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	1466	70.6%
2	No	610	29.4%
Systemiss		17	

### QN13: Attacked 1+ times past 12 months

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 2068 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	569	27.5%
2	No	1499	72.5%

Sysmiss		25	
---------	--	----	--

### QN14: In fight 1+ times past 12 months

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 2091 Invalid: 2  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	706	33.8%
2	No	1385	66.2%
Sysmiss		2	

### QN15: Seriously injured 1+ times past 12 months

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 1960 Invalid: 133  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	612	31.2%
2	No	1348	68.8%
Sysmiss		133	

### QN16: Playing sport caused most serious injury past 12mo

Data file: CBDH2007\_Public\_Use

**Overview**

Valid: 606 Invalid: 1487

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport

## CATEGORIES

Value	Category	Cases	
1	Yes	272	44.9%
2	No	334	55.1%
Sysmiss		1487	

**QN17: Falling caused most serious injury past 12 months**

Data file: CBDH2007\_Public\_Use

**Overview**

Valid: 611 Invalid: 1482

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall

## CATEGORIES

Value	Category	Cases	
1	Yes	235	38.5%
2	No	376	61.5%
Sysmiss		1482	

**QN18: Accident caused most serious injury past 12 months**

Data file: CBDH2007\_Public\_Use

**Overview**

Valid: 600 Invalid: 1493

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident

### CATEGORIES

Value	Category	Cases	
1	Yes	350	58.3%
2	No	250	41.7%
Sysmiss		1493	

---

## QN19: Broken bone as most serious injury past 12 months

Data file: CBDH2007\_Public\_Use

### Overview

Valid: 606 Invalid: 1487

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury

### CATEGORIES

Value	Category	Cases	
1	Yes	172	28.4%
2	No	434	71.6%
Sysmiss		1487	

---

## QN20: Bullied 1+ of past 30 days

Data file: CBDH2007\_Public\_Use

### Overview

Valid: 1990 Invalid: 103

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	608	30.6%
2	No	1382	69.4%
Sysmiss		103	

### QN21: Of students bullied, most often hit, kicked, etc

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 604 Invalid: 1489

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

##### CATEGORIES

Value	Category	Cases	
1	Yes	45	7.5%
2	No	559	92.5%
Sysmiss		1489	

### QN28: Of current smokers, age first cigarette before 13

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 264 Invalid: 1829

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger

##### CATEGORIES

Value	Category	Cases	
1	Yes	187	70.8%
2	No	77	29.2%
Sysmiss		1829	

**QN29: Smoked cigarettes 1+ of past 30 days****Data file:** CBDH2007\_Public\_Use**Overview**

Valid: 2001 Invalid: 92

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	264	13.2%
2	No	1737	86.8%
Sysmiss		92	

**QN30: Used other tobacco 1+ of past 30 days****Data file:** CBDH2007\_Public\_Use**Overview**

Valid: 2093 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	124	5.9%
2	No	1969	94.1%

**QN31: Tried to quit smoking past 12 months****Data file:** CBDH2007\_Public\_Use**Overview**

Valid: 394 Invalid: 1699

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	311	78.9%
2	No	83	21.1%
Sysmiss		1699	

## QN32: Others present smoking 1+ of past 7 days

Data file: CBDH2007\_Public\_Use

### Overview

Valid: 2079 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported people smoking in their presence on one or more of the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	1463	70.4%
2	No	616	29.6%
Sysmiss		14	

## QN33: Either/Both parents use tobacco

Data file: CBDH2007\_Public\_Use

### Overview

Valid: 2090 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who have a parent or guardian who uses any form of tobacco

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	463	22.2%
2	No	1627	77.8%
Sysmiss		3	

### QN34: Drank 1+ days past 30 days

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 1915 Invalid: 178

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who drank alcohol on one or more of the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	1048	54.7%
2	No	867	45.3%
Sysmiss		178	

### QN35: Of current drinkers, drank 2+ drinks/day 30 days

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 1048 Invalid: 1045

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	630	60.1%
2	No	418	39.9%
Sysmiss		1045	

**QN36: Of current drinkers, bought alcohol in store**

Data file: CBDH2007\_Public\_Use

**Overview**

Valid: 1042 Invalid: 1051

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	190	18.2%
2	No	852	81.8%
Sysmiss		1051	

**QN37: 1+ times drunk in lifetime**

Data file: CBDH2007\_Public\_Use

**Overview**

Valid: 2069 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	830	40.1%
2	No	1239	59.9%
Sysmiss		24	

**QN38: Alcohol trouble 1+ times in lifetime**

Data file: CBDH2007\_Public\_Use

**Overview**

Valid: 2088 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	425	20.4%
2	No	1663	79.6%
Sysmiss		5	

## QN39: Used drugs 1+ times in lifetime

Data file: CBDH2007\_Public\_Use

### Overview

Valid: 2053 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	155	7.5%
2	No	1898	92.5%
Sysmiss		40	

## QN40: Ever had sex

Data file: CBDH2007\_Public\_Use

### Overview

Valid: 1940 Invalid: 153

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who have ever had sexual intercourse

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	458	23.6%
2	No	1482	76.4%
Sysmiss		153	

### QN41: Age first sexual intercourse 12 or younger

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 2004 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who had sexual intercourse for the first time before age 13

##### CATEGORIES

Value	Category	Cases	
1	Yes	208	10.4%
2	No	1796	89.6%
Sysmiss		89	

### QN42: 2+ sex partners lifetime

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 1979 Invalid: 114

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who have had sexual intercourse with two or more people during their life time

##### CATEGORIES

Value	Category	Cases	
1	Yes	255	12.9%
2	No	1724	87.1%
Sysmiss		114	

**QN43: Sexual intercourse past 12 months****Data file:** CBDH2007\_Public\_Use**Overview**

Valid: 2070 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who had sexual intercourse during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	483	23.3%
2	No	1587	76.7%
Sysmiss		23	

**QN44: Of sexually active 12 mos, use condoms at last sex****Data file:** CBDH2007\_Public\_Use**Overview**

Valid: 362 Invalid: 1731

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	234	64.6%
2	No	128	35.4%
Sysmiss		1731	

**QN45: Active 60+ mins/day for all of past 7 days****Data file:** CBDH2007\_Public\_Use**Overview**

Valid: 2070 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	369	17.8%
2	No	1701	82.2%
Sysmiss		23	

---

## QN46: Active 60+ min/day all 7 days of usual week

Data file: CBDH2007\_Public\_Use

### Overview

Valid: 2058 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week

### CATEGORIES

Value	Category	Cases	
1	Yes	300	14.6%
2	No	1758	85.4%
Sysmiss		35	

---

## QN47: Sitting activities 3+ hours/day of usual day

Data file: CBDH2007\_Public\_Use

### Overview

Valid: 2073 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day

### CATEGORIES

Value	Category	Cases	
1	Yes	990	47.8%
2	No	1083	52.2%
Sysmiss		20	

### QN48: Walk/Bike to/from school 0 of past 7 days

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 2072 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to and from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	1106	53.4%
2	No	966	46.6%
Sysmiss		21	

### QN49: Less than 29 minutes to/from school past 7 days

Data file: CBDH2007\_Public\_Use

#### Overview

Valid: 2056 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	1341	65.2%
2	No	715	34.8%
Sysmiss		37	

**QNFRVGG: Ate 5+ fruits/vegetables 30 days**

Data file: CBDH2007\_Public\_Use

**Overview**

Valid: 2071 Invalid: 22  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	286	13.8%
2	No	1785	86.2%
Sysmiss		22	

**QNANYTBG: Used any tobacco past 30 days**

Data file: CBDH2007\_Public\_Use

**Overview**

Valid: 2001 Invalid: 92  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco on one or more days of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	278	13.9%
2	No	1723	86.1%
Sysmiss		92	

**QNMINPAG: Exercised 60 min/day <=5 days**

Data file: CBDH2007\_Public\_Use

**Overview**

Valid: 2047 Invalid: 46  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average

### CATEGORIES

Value	Category	Cases	
1	Yes	1603	78.3%
2	No	444	21.7%
Sysmiss		46	

---

## QNWKRDG: Walked/biked <2.5 hrs 7 days

Data file: CBDH2007\_Public\_Use

### Overview

Valid: 2048 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	1772	86.5%
2	No	276	13.5%
Sysmiss		45	

---

## WEIGHT: Weight

Data file: CBDH2007\_Public\_Use

### Overview

Valid: 2093 Invalid: 0

Type: Continuous Decimal: 0 Width: 12 Range: 492.8664 - 2426.6785 Format: Numeric Weighted: yes

---

## PSU: Primary Sampling Unit

Data file: CBDH2007\_Public\_Use

## Overview

Valid: 2093    Invalid: 0  
Type: Continuous    Decimal: 0    Width: 5    Range: 1 - 47    Format: Numeric

---

## STRATUM: Stratum

Data file: CBDH2007\_Public\_Use

## Overview

Valid: 2093    Invalid: 0  
Type: Continuous    Decimal: 0    Width: 9    Range: 200701001 - 200701023    Format: Numeric

---

**Q1: How old are you****Data file: CBEH2007\_Public\_Use****Overview**

Valid: 1934 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	53	2.7%
2	12 years old	313	16.2%
3	13 years old	437	22.6%
4	14 years old	429	22.2%
5	15 years old	433	22.4%
6	16 years old or older	269	13.9%
Sysmiss		11	

**Q2: Sex****Data file: CBEH2007\_Public\_Use****Overview**

Valid: 1942 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	855	44%
2	Female	1087	56%
Sysmiss		3	

**Q3: In what grade are you****Data file: CBEH2007\_Public\_Use**

**Overview**

Valid: 1945 Invalid: 0  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

In what grade are you?

## CATEGORIES

Value	Category	Cases	
1	1er media or 8vo EGB	450	23.1%
2	2do media or 9no EGB	548	28.2%
3	3ero media or 1ro polimodal	463	23.8%
4	12th grade	484	24.9%
5	Ungraded or other grade	0	0%

**Q4: How tall are you**

Data file: CBEH2007\_Public\_Use

**Overview**

Valid: 908 Invalid: 1037 Minimum: 1.27 Maximum: 1.94  
 Type: Continuous Decimal: 0 Width: 4 Range: 1.3 - 1.98 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How tall are you without your shoes on?

**description**

## DEFINITION

(Note:  
 Data are in meters.)

**Q5: How much do you weigh**

Data file: CBEH2007\_Public\_Use

**Overview**

Valid: 908 Invalid: 1037 Minimum: 30 Maximum: 97  
 Type: Continuous Decimal: 0 Width: 6 Range: 31 - 170 Format: Numeric

## Questions and instructions

---

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How much do you weigh without your shoes on?

### description

---

### DEFINITION

(Note: Data are in kilograms.)

---

## Q6: Went hungry past 30 days

Data file: CBEH2007\_Public\_Use

### Overview

Valid: 1943 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

---

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

### CATEGORIES

Value	Category	Cases	
1	Never	1456	74.9%
2	Rarely	317	16.3%
3	Sometimes	145	7.5%
4	Most of the time	10	0.5%
5	Always	15	0.8%
Sysmiss		2	

---

## Q7: Eat fruit per day past 30 days

Data file: CBEH2007\_Public\_Use

### Overview

Valid: 1936 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	247	12.8%
2	Less than one time per day	452	23.3%
3	1 time per day	593	30.6%
4	2 times per day	359	18.5%
5	3 times per day	158	8.2%
6	4 times per day	50	2.6%
7	5 or more times per day	77	4%
Sysmiss		9	

## Q8: Eat vegetables past 30 days

Data file: CBEH2007\_Public\_Use

### Overview

Valid: 1929 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	237	12.3%
2	Less than one time per day	350	18.1%
3	1 time per day	624	32.3%
4	2 times per day	464	24.1%
5	3 times per day	152	7.9%
6	4 times per day	19	1%
7	5 or more times per day	83	4.3%
Sysmiss		16	

**Q13: Times attacked past 12 mo.****Data file: CBEH2007\_Public\_Use****Overview**

Valid: 1928 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

## LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

## CATEGORIES

Value	Category	Cases	
1	0 times	1478	76.7%
2	1 time	230	11.9%
3	2 or 3 times	126	6.5%
4	4 or 5 times	44	2.3%
5	6 or 7 times	16	0.8%
6	8 or 9 times	9	0.5%
7	10 or 11 times	3	0.2%
8	12 or more times	22	1.1%
Sysmiss		17	

**Q14: How many times in fight 12 mos****Data file: CBEH2007\_Public\_Use****Overview**

Valid: 1944 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two or more students of about the same strength or power choose to fight each other.

## LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

## CATEGORIES

Value	Category	Cases	
1	0 times	1365	70.2%
2	1 time	333	17.1%
3	2 or 3 times	149	7.7%
4	4 or 5 times	50	2.6%
5	6 or 7 times	10	0.5%
6	8 or 9 times	9	0.5%
7	10 or 11 times	5	0.3%
8	12 or more times	23	1.2%
Sysmiss		1	

### Q15: How many times injured past 12 months

Data file: CBEH2007\_Public\_Use

#### Overview

Valid: 1835 Invalid: 110

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

## CATEGORIES

Value	Category	Cases	
1	0 times	1297	70.7%
2	1 time	375	20.4%
3	2 or 3 times	131	7.1%
4	4 or 5 times	20	1.1%
5	6 or 7 times	3	0.2%
6	8 or 9 times	5	0.3%
7	10 or 11 times	0	0%
8	12 or more times	4	0.2%
Sysmiss		110	

**Q16: Doing what during injury past 12 mo.****Data file:** CBEH2007\_Public\_Use**Overview**

Valid: 1865 Invalid: 80

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, what were you doing when the most serious injury happened to you?

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1362	73%
2	Playing a sport	253	13.6%
3	Walking/running	48	2.6%
4	Riding a bicycle or scooter	35	1.9%
5	Riding/driving motor vehicle	26	1.4%
6	Doing work	10	0.5%
7	Nothing	16	0.9%
8	Something else	115	6.2%
Sysmiss		80	

**Q17: Cause of injury past 12 mo.****Data file:** CBEH2007\_Public\_Use**Overview**

Valid: 1888 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1403	74.3%
2	Motor vehicle accident	21	1.1%
3	I fell	213	11.3%
4	Something fell on me or hit me	41	2.2%
5	I was fighting with someone	23	1.2%
6	Attacked or assaulted	10	0.5%
7	Was in a fire	4	0.2%
8	Something else	173	9.2%
Sysmiss		57	

### Q18: How injury happened past 12 mo.

Data file: CBEH2007\_Public\_Use

#### Overview

Valid: 1871 Invalid: 74

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, how did the most serious injury happen to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1412	75.5%
2	I hurt myself by accident	274	14.6%
3	Someone hurt me by accident	123	6.6%
4	I hurt myself on purpose	13	0.7%
5	Someone hurt me on purpose	49	2.6%
Sysmiss		74	

### Q19: What was serious injury past 12 mo.

Data file: CBEH2007\_Public\_Use

#### Overview

Valid: 1866 Invalid: 79

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1416	75.9%
2	Broken bone/dislocated joint	147	7.9%
3	Cut, puncture, stab wound	50	2.7%
4	Concussion/head injury	32	1.7%
5	I had a gunshot wound	3	0.2%
6	I had a bad burn	6	0.3%
7	Lost foot, leg, hand, or arm	4	0.2%
8	Something else happened to me	208	11.1%
Sysmiss		79	

## Q20: How many days bullied past 30 days

Data file: CBEH2007\_Public\_Use

### Overview

Valid: 1840 Invalid: 105

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	1331	72.3%
2	1 or 2 days	368	20%
3	3 to 5 days	86	4.7%
4	6 to 9 days	27	1.5%

5	10 to 19 days	17	0.9%
6	20 to 29 days	1	0.1%
7	All 30 days	10	0.5%
Sysmiss		105	

## Q21: How bullied past 30 days

Data file: CBEH2007\_Public\_Use

### Overview

Valid: 1841 Invalid: 104

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	1330	72.2%
2	Kicked, pushed, or shoved	31	1.7%
3	Made fun because of race/color	29	1.6%
4	Made fun because of religion	15	0.8%
5	Made fun of about sex	48	2.6%
6	Left out of activities	57	3.1%
7	Made fun of about body	74	4%
8	Some other way	257	14%
Sysmiss		104	

## Q28: Age first tried cigarette

Data file: CBEH2007\_Public\_Use

### Overview

Valid: 1800 Invalid: 145

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	935	51.9%
2	7 years old or younger	45	2.5%
3	8 or 9 years old	74	4.1%
4	10 or 11 years old	222	12.3%
5	12 or 13 years old	340	18.9%
6	14 or 15 years old	167	9.3%
7	16 years old or older	17	0.9%
Sysmiss		145	

## Q29: How many days smoked 30 days

Data file: CBEH2007\_Public\_Use

### Overview

Valid: 1829 Invalid: 116

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	1469	80.3%
2	1 or 2 days	167	9.1%
3	3 to 5 days	73	4%
4	6 to 9 days	47	2.6%
5	10 to 19 days	34	1.9%
6	20 to 29 days	13	0.7%
7	All 30 days	26	1.4%
Sysmiss		116	

**Q30: Other tobacco past 30 days****Data file: CBEH2007\_Public\_Use****Overview**

Valid: 1943 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	1771	91.1%
2	1 or 2 days	96	4.9%
3	3 to 5 days	31	1.6%
4	6 to 9 days	23	1.2%
5	10 to 19 days	9	0.5%
6	20 to 29 days	7	0.4%
7	All 30 days	6	0.3%
Sysmiss		2	

**Q31: Try stop smoking past 12 mo.****Data file: CBEH2007\_Public\_Use****Overview**

Valid: 1727 Invalid: 218

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

## CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	931	53.9%

2	Did not smoke cigarettes	329	19.1%
3	Yes	327	18.9%
4	No	140	8.1%
Sysmiss		218	

### Q32: Others present smoking past 7 days

Data file: CBEH2007\_Public\_Use

#### Overview

Valid: 1928 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	600	31.1%
2	1 or 2 days	585	30.3%
3	3 or 4 days	272	14.1%
4	5 or 6 days	105	5.4%
5	All 7 days	366	19%
Sysmiss		17	

### Q33: Parents who use tobacco

Data file: CBEH2007\_Public\_Use

#### Overview

Valid: 1939 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

##### CATEGORIES

Value	Category	Cases	
1	Neither	1485	76.6%
2	My father or male guardian	243	12.5%
3	My mother or female guardian	104	5.4%
4	Both	37	1.9%
5	I do not know	70	3.6%
Sysmiss		6	

### Q34: Days one drink or more past 30 days

Data file: CBEH2007\_Public\_Use

#### Overview

Valid: 1759 Invalid: 186

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

##### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

##### CATEGORIES

Value	Category	Cases	
1	0 days	805	45.8%
2	1 or 2 days	578	32.9%
3	3 to 5 days	192	10.9%
4	6 to 9 days	87	4.9%
5	10 to 19 days	66	3.8%
6	20 to 29 days	23	1.3%
7	All 30 days	8	0.5%
Sysmiss		186	

### Q35: Number of drinks past 30 days

Data file: CBEH2007\_Public\_Use

#### Overview

Valid: 1762 Invalid: 183

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	786	44.6%
2	Less than one drink	163	9.3%
3	1 drink	147	8.3%
4	2 drinks	140	7.9%
5	3 drinks	143	8.1%
6	4 drinks	81	4.6%
7	5 or more drinks	302	17.1%
Sysmiss		183	

## Q36: How got drinks past 30 days

Data file: CBEH2007\_Public\_Use

### Overview

Valid: 1737 Invalid: 208

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	785	45.2%
2	I bought in a store	177	10.2%
3	I gave someone money to buy	46	2.6%
4	I got it from my friends	440	25.3%
5	I got it from home	112	6.4%
6	I stole it	10	0.6%
7	I made it myself	0	0%

8	I got it some other way	167	9.6%
Sysmiss		208	

### Q37: Times drunk during life

Data file: CBEH2007\_Public\_Use

#### Overview

Valid: 1914 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

##### LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

##### CATEGORIES

Value	Category	Cases	
1	0 times	1180	61.7%
2	1 or 2 times	482	25.2%
3	3 to 9 times	168	8.8%
4	10 or more times	84	4.4%
Sysmiss		31	

### Q38: Number of troubles as result of drinking

Data file: CBEH2007\_Public\_Use

#### Overview

Valid: 1942 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

##### LITERAL QUESTION

During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	0 times	1591	81.9%
2	1 or 2 times	277	14.3%
3	3 to 9 times	54	2.8%
4	10 or more times	20	1%
Sysmiss		3	

### Q39: Number times drug use during life

Data file: CBEH2007\_Public\_Use

#### Overview

Valid: 1909 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next question asks about drugs.

##### LITERAL QUESTION

During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?

##### CATEGORIES

Value	Category	Cases	
1	0 times	1566	82%
2	1 or 2 times	200	10.5%
3	3 to 9 times	76	4%
4	10 or more times	67	3.5%
Sysmiss		36	

### Q40: Ever had sex

Data file: CBEH2007\_Public\_Use

#### Overview

Valid: 1813 Invalid: 132

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

##### LITERAL QUESTION

Have you ever had sexual intercourse?

##### CATEGORIES

Value	Category	Cases	
1	Yes	600	33.1%
2	No	1213	66.9%
Sysmiss		132	

## Q41: Age first sexual intercourse

Data file: CBEH2007\_Public\_Use

### Overview

Valid: 1869 Invalid: 76

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	1191	63.7%
2	11 years old or younger	210	11.2%
3	12 years old	113	6%
4	13 years old	120	6.4%
5	14 years old	119	6.4%
6	15 years old	92	4.9%
7	16 years old or older	24	1.3%
Sysmiss		76	

## Q42: How many sex partners

Data file: CBEH2007\_Public\_Use

### Overview

Valid: 1858 Invalid: 87

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	1174	63.2%
2	1 person	279	15%
3	2 people	147	7.9%
4	3 people	104	5.6%
5	4 people	42	2.3%
6	5 people	26	1.4%
7	6 or more people	86	4.6%
Sysmiss		87	

### Q43: Sexual intercourse past 12 mo.

Data file: CBEH2007\_Public\_Use

#### Overview

Valid: 1930 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

##### LITERAL QUESTION

During the past 12 months, have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Yes	559	29%
2	No	1371	71%
Sysmiss		15	

### Q44: Used condom at last intercourse

Data file: CBEH2007\_Public\_Use

#### Overview

Valid: 1856 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	1194	64.3%
2	Yes	383	20.6%
3	No	279	15%
Sysmiss		89	

### Q45: Days active 60 min plus past 7 days

Data file: CBEH2007\_Public\_Use

#### Overview

Valid: 1919 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?

#### CATEGORIES

Value	Category	Cases	
1	0 days	497	25.9%
2	1 day	360	18.8%
3	2 days	254	13.2%
4	3 days	208	10.8%
5	4 days	128	6.7%
6	5 days	104	5.4%
7	6 days	42	2.2%
8	7 days	326	17%
Sysmiss		26	

### Q46: Active 60 min plus per day usual week

Data file: CBEH2007\_Public\_Use

**Overview**

Valid: 1919 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

## LITERAL QUESTION

During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?

## CATEGORIES

Value	Category	Cases	
1	0 days	519	27%
2	1 day	384	20%
3	2 days	248	12.9%
4	3 days	210	10.9%
5	4 days	125	6.5%
6	5 days	103	5.4%
7	6 days	45	2.3%
8	7 days	285	14.9%
Sysmiss		26	

**Q47: Time spent sitting on usual day**

Data file: CBEH2007\_Public\_Use

**Overview**

Valid: 1925 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

## LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	405	21%
2	1 to 2 hours per day	541	28.1%

3	3 to 4 hours per day	515	26.8%
4	5 to 6 hours per day	266	13.8%
5	7 to 8 hours per day	69	3.6%
6	More than 8 hours per day	129	6.7%
Sysmiss		20	

### Q48: Walk or bike to school past 7 days

Data file: CBEH2007\_Public\_Use

#### Overview

Valid: 1917 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

##### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to and from school?

##### CATEGORIES

Value	Category	Cases	
1	0 days	974	50.8%
2	1 day	121	6.3%
3	2 days	72	3.8%
4	3 days	54	2.8%
5	4 days	48	2.5%
6	5 days	207	10.8%
7	6 days	28	1.5%
8	7 days	413	21.5%
Sysmiss		28	

### Q49: How long to from school past 7 days

Data file: CBEH2007\_Public\_Use

#### Overview

Valid: 1894 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

## LITERAL QUESTION

During the past 7 days, how long did it usually take for you to get to and from school each day?

## CATEGORIES

Value	Category	Cases	
1	Less than 10 minutes per day	615	32.5%
2	10 to 19 minutes per day	531	28%
3	20 to 29 minutes per day	290	15.3%
4	30 to 39 minutes per day	188	9.9%
5	40 to 49 minutes per day	86	4.5%
6	50 to 59 minutes per day	43	2.3%
7	60 or more minutes per day	141	7.4%
Sysmiss		51	

**QN6: Went hungry most of time/always past 30 days**

Data file: CBEH2007\_Public\_Use

**Overview**

Valid: 1943 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home

## CATEGORIES

Value	Category	Cases	
1	Yes	25	1.3%
2	No	1918	98.7%
Sysmiss		2	

**QN7: Ate fruit 1+ times per day past 30 days**

Data file: CBEH2007\_Public\_Use

**Overview**

Valid: 1936 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	1237	63.9%
2	No	699	36.1%
Sysmiss		9	

---

## QN8: Ate vegetables 1+ times per day past 30 day

Data file: CBEH2007\_Public\_Use

### Overview

Valid: 1929 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	1342	69.6%
2	No	587	30.4%
Sysmiss		16	

---

## QN13: Attacked 1+ times past 12 months

Data file: CBEH2007\_Public\_Use

### Overview

Valid: 1928 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	450	23.3%
2	No	1478	76.7%
Sysmiss		17	

### QN14: In fight 1+ times past 12 months

Data file: CBEH2007\_Public\_Use

#### Overview

Valid: 1944 Invalid: 1  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	579	29.8%
2	No	1365	70.2%
Sysmiss		1	

### QN15: Seriously injured 1+ times past 12 months

Data file: CBEH2007\_Public\_Use

#### Overview

Valid: 1835 Invalid: 110  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	538	29.3%
2	No	1297	70.7%
Sysmiss		110	

**QN16: Playing sport caused most serious injury past 12mo****Data file:** CBEH2007\_Public\_Use**Overview**

Valid: 535 Invalid: 1410

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport

## CATEGORIES

Value	Category	Cases	
1	Yes	253	47.3%
2	No	282	52.7%
Sysmiss		1410	

**QN17: Falling caused most serious injury past 12 months****Data file:** CBEH2007\_Public\_Use**Overview**

Valid: 537 Invalid: 1408

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall

## CATEGORIES

Value	Category	Cases	
1	Yes	213	39.7%
2	No	324	60.3%
Sysmiss		1408	

**QN18: Accident caused most serious injury past 12 months****Data file:** CBEH2007\_Public\_Use**Overview**

Valid: 527 Invalid: 1418

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident

### CATEGORIES

Value	Category	Cases	
1	Yes	274	52%
2	No	253	48%
Sysmiss		1418	

## QN19: Broken bone as most serious injury past 12 months

Data file: CBEH2007\_Public\_Use

### Overview

Valid: 534 Invalid: 1411

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury

### CATEGORIES

Value	Category	Cases	
1	Yes	147	27.5%
2	No	387	72.5%
Sysmiss		1411	

## QN20: Bullied 1+ of past 30 days

Data file: CBEH2007\_Public\_Use

### Overview

Valid: 1840 Invalid: 105

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	509	27.7%
2	No	1331	72.3%
Sysmiss		105	

## QN21: Of students bullied, most often hit, kicked, etc

Data file: CBEH2007\_Public\_Use

### Overview

Valid: 505 Invalid: 1440

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

#### CATEGORIES

Value	Category	Cases	
1	Yes	30	5.9%
2	No	475	94.1%
Sysmiss		1440	

## QN28: Of current smokers, age first cigarette before 13

Data file: CBEH2007\_Public\_Use

### Overview

Valid: 359 Invalid: 1586

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger

#### CATEGORIES

Value	Category	Cases	
1	Yes	275	76.6%
2	No	84	23.4%
Sysmiss		1586	

**QN29: Smoked cigarettes 1+ of past 30 days****Data file:** CBEH2007\_Public\_Use**Overview**

Valid: 1829    Invalid: 116  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	360	19.7%
2	No	1469	80.3%
Sysmiss		116	

**QN30: Used other tobacco 1+ of past 30 days****Data file:** CBEH2007\_Public\_Use**Overview**

Valid: 1943    Invalid: 2  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	172	8.9%
2	No	1771	91.1%
Sysmiss		2	

**QN31: Tried to quit smoking past 12 months****Data file:** CBEH2007\_Public\_Use**Overview**

Valid: 467    Invalid: 1478

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

---

## LITERAL QUESTION

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	327	70%
2	No	140	30%
Sysmiss		1478	

---

**QN32: Others present smoking 1+ of past 7 days**

Data file: CBEH2007\_Public\_Use

**Overview**

Valid: 1928    Invalid: 17

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

---

## LITERAL QUESTION

Percentage of students who reported people smoking in their presence on one or more of the past seven days

## CATEGORIES

Value	Category	Cases	
1	Yes	1328	68.9%
2	No	600	31.1%
Sysmiss		17	

---

**QN33: Either/Both parents use tobacco**

Data file: CBEH2007\_Public\_Use

**Overview**

Valid: 1939    Invalid: 6

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

---

## LITERAL QUESTION

Percentage of students who have a parent or guardian who uses any form of tobacco

## CATEGORIES

Value	Category	Cases	
1	Yes	384	19.8%
2	No	1555	80.2%
Sysmiss		6	

### QN34: Drank 1+ days past 30 days

Data file: CBEH2007\_Public\_Use

#### Overview

Valid: 1759 Invalid: 186

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who drank alcohol on one or more of the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	954	54.2%
2	No	805	45.8%
Sysmiss		186	

### QN35: Of current drinkers, drank 2+ drinks/day 30 days

Data file: CBEH2007\_Public\_Use

#### Overview

Valid: 952 Invalid: 993

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	665	69.9%
2	No	287	30.1%
Sysmiss		993	

**QN36: Of current drinkers, bought alcohol in store****Data file:** CBEH2007\_Public\_Use**Overview**

Valid: 951 Invalid: 994

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	177	18.6%
2	No	774	81.4%
Sysmiss		994	

**QN37: 1+ times drunk in lifetime****Data file:** CBEH2007\_Public\_Use**Overview**

Valid: 1914 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	734	38.3%
2	No	1180	61.7%
Sysmiss		31	

**QN38: Alcohol trouble 1+ times in lifetime****Data file:** CBEH2007\_Public\_Use**Overview**

Valid: 1942 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	351	18.1%
2	No	1591	81.9%
Sysmiss		3	

## QN39: Used drugs 1+ times in lifetime

Data file: CBEH2007\_Public\_Use

### Overview

Valid: 1909 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	343	18%
2	No	1566	82%
Sysmiss		36	

## QN40: Ever had sex

Data file: CBEH2007\_Public\_Use

### Overview

Valid: 1813 Invalid: 132

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who have ever had sexual intercourse

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	600	33.1%
2	No	1213	66.9%
Sysmiss		132	

### QN41: Age first sexual intercourse 12 or younger

Data file: CBEH2007\_Public\_Use

#### Overview

Valid: 1869 Invalid: 76

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who had sexual intercourse for the first time before age 13

##### CATEGORIES

Value	Category	Cases	
1	Yes	323	17.3%
2	No	1546	82.7%
Sysmiss		76	

### QN42: 2+ sex partners lifetime

Data file: CBEH2007\_Public\_Use

#### Overview

Valid: 1858 Invalid: 87

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who have had sexual intercourse with two or more people during their life time

##### CATEGORIES

Value	Category	Cases	
1	Yes	405	21.8%
2	No	1453	78.2%
Sysmiss		87	

**QN43: Sexual intercourse past 12 months****Data file:** CBEH2007\_Public\_Use**Overview**

Valid: 1930 Invalid: 15  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who had sexual intercourse during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	559	29%
2	No	1371	71%
Sysmiss		15	

**QN44: Of sexually active 12 mos, use condoms at last sex****Data file:** CBEH2007\_Public\_Use**Overview**

Valid: 456 Invalid: 1489  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	284	62.3%
2	No	172	37.7%
Sysmiss		1489	

**QN45: Active 60+ mins/day for all of past 7 days****Data file:** CBEH2007\_Public\_Use**Overview**

Valid: 1919 Invalid: 26  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	326	17%
2	No	1593	83%
Sysmiss		26	

## QN46: Active 60+ min/day all 7 days of usual week

Data file: CBEH2007\_Public\_Use

### Overview

Valid: 1919 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week

### CATEGORIES

Value	Category	Cases	
1	Yes	285	14.9%
2	No	1634	85.1%
Sysmiss		26	

## QN47: Sitting activities 3+ hours/day of usual day

Data file: CBEH2007\_Public\_Use

### Overview

Valid: 1925 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day

### CATEGORIES

Value	Category	Cases	
1	Yes	979	50.9%
2	No	946	49.1%
Sysmiss		20	

### QN48: Walk/Bike to/from school 0 of past 7 days

Data file: CBEH2007\_Public\_Use

#### Overview

Valid: 1917 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to and from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	974	50.8%
2	No	943	49.2%
Sysmiss		28	

### QN49: Less than 29 minutes to/from school past 7 days

Data file: CBEH2007\_Public\_Use

#### Overview

Valid: 1894 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	1436	75.8%
2	No	458	24.2%
Sysmiss		51	

**QNFRVGG: Ate 5+ fruits/vegetables 30 days****Data file:** CBEH2007\_Public\_Use**Overview**

Valid: 1926 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	298	15.5%
2	No	1628	84.5%
Sysmiss		19	

**QNANYTBG: Used any tobacco past 30 days****Data file:** CBEH2007\_Public\_Use**Overview**

Valid: 1828 Invalid: 117

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco on one or more days of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	369	20.2%
2	No	1459	79.8%
Sysmiss		117	

**QNMINPAG: Exercised 60 min/day <=5 days****Data file:** CBEH2007\_Public\_Use**Overview**

Valid: 1907 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average

### CATEGORIES

Value	Category	Cases	
1	Yes	1499	78.6%
2	No	408	21.4%
Sysmiss		38	

---

## QNWKRDG: Walked/biked <2.5 hrs 7 days

Data file: CBEH2007\_Public\_Use

### Overview

Valid: 1885 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	1655	87.8%
2	No	230	12.2%
Sysmiss		60	

---

## WEIGHT: Weight

Data file: CBEH2007\_Public\_Use

### Overview

Valid: 1945 Invalid: 0

Type: Continuous Decimal: 0 Width: 12 Range: 492.8664 - 2426.6785 Format: Numeric Weighted: yes

---

## PSU: Primary Sampling Unit

Data file: CBEH2007\_Public\_Use

## Overview

Valid: 1945 Invalid: 0  
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 47 Format: Numeric

---

## STRATUM: Stratum

Data file: CBEH2007\_Public\_Use

## Overview

Valid: 1945 Invalid: 0  
Type: Continuous Decimal: 0 Width: 9 Range: 200701001 - 200701023 Format: Numeric

---

**Q1: How old are you****Data file:** CBCH2007\_Public\_Use**Overview**

Valid: 2026 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	4	0.2%
2	12 years old	195	9.6%
3	13 years old	419	20.7%
4	14 years old	474	23.4%
5	15 years old	474	23.4%
6	16 years old or older	460	22.7%
Sysmiss		11	

**Q2: Sex****Data file:** CBCH2007\_Public\_Use**Overview**

Valid: 2032 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	924	45.5%
2	Female	1108	54.5%
Sysmiss		5	

**Q3: In what grade are you****Data file:** CBCH2007\_Public\_Use

**Overview**

Valid: 2035 Invalid: 2  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

In what grade are you?

## CATEGORIES

Value	Category	Cases	
1	1er media or 8vo EGB	703	34.5%
2	2do media or 9no EGB	427	21%
3	3ero media or 1ro polimodal	557	27.4%
4	12th grade	348	17.1%
5	Ungraded or other grade	0	0%
Sysmiss		2	

**Q4: How tall are you**

Data file: CBCH2007\_Public\_Use

**Overview**

Valid: 973 Invalid: 1064 Minimum: 1.28 Maximum: 1.99  
 Type: Continuous Decimal: 0 Width: 4 Range: 1.3 - 1.98 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How tall are you without your shoes on?

**description**

## DEFINITION

(Note:  
 Data are in meters.)

**Q5: How much do you weigh**

Data file: CBCH2007\_Public\_Use

**Overview**

Valid: 973 Invalid: 1064 Minimum: 29 Maximum: 88  
 Type: Continuous Decimal: 0 Width: 6 Range: 31 - 170 Format: Numeric

## Questions and instructions

---

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How much do you weigh without your shoes on?

### description

---

### DEFINITION

(Note: Data are in kilograms.)

---

## Q6: Went hungry past 30 days

Data file: CBCH2007\_Public\_Use

### Overview

Valid: 2035 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

---

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

### CATEGORIES

Value	Category	Cases	
1	Never	1615	79.4%
2	Rarely	299	14.7%
3	Sometimes	104	5.1%
4	Most of the time	11	0.5%
5	Always	6	0.3%
Sysmiss		2	

---

## Q7: Eat fruit per day past 30 days

Data file: CBCH2007\_Public\_Use

### Overview

Valid: 2035 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	217	10.7%
2	Less than one time per day	579	28.5%
3	1 time per day	603	29.6%
4	2 times per day	357	17.5%
5	3 times per day	152	7.5%
6	4 times per day	41	2%
7	5 or more times per day	86	4.2%
Sysmiss		2	

## Q8: Eat vegetables past 30 days

Data file: CBCH2007\_Public\_Use

### Overview

Valid: 2029 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	167	8.2%
2	Less than one time per day	408	20.1%
3	1 time per day	664	32.7%
4	2 times per day	519	25.6%
5	3 times per day	154	7.6%
6	4 times per day	36	1.8%
7	5 or more times per day	81	4%
Sysmiss		8	

**Q13: Times attacked past 12 mo.****Data file: CBCH2007\_Public\_Use****Overview**

Valid: 2020 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

## LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

## CATEGORIES

Value	Category	Cases	
1	0 times	1489	73.7%
2	1 time	251	12.4%
3	2 or 3 times	167	8.3%
4	4 or 5 times	42	2.1%
5	6 or 7 times	15	0.7%
6	8 or 9 times	11	0.5%
7	10 or 11 times	10	0.5%
8	12 or more times	35	1.7%
Sysmiss		17	

**Q14: How many times in fight 12 mos****Data file: CBCH2007\_Public\_Use****Overview**

Valid: 2037 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two or more students of about the same strength or power choose to fight each other.

## LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

## CATEGORIES

Value	Category	Cases	
1	0 times	1348	66.2%
2	1 time	357	17.5%
3	2 or 3 times	212	10.4%
4	4 or 5 times	63	3.1%
5	6 or 7 times	24	1.2%
6	8 or 9 times	5	0.2%
7	10 or 11 times	4	0.2%
8	12 or more times	24	1.2%

### Q15: How many times injured past 12 months

Data file: CBCH2007\_Public\_Use

#### Overview

Valid: 1904 Invalid: 133

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

## CATEGORIES

Value	Category	Cases	
1	0 times	1308	68.7%
2	1 time	402	21.1%
3	2 or 3 times	141	7.4%
4	4 or 5 times	31	1.6%
5	6 or 7 times	9	0.5%
6	8 or 9 times	4	0.2%
7	10 or 11 times	3	0.2%
8	12 or more times	6	0.3%
Sysmiss		133	

**Q16: Doing what during injury past 12 mo.****Data file:** CBCH2007\_Public\_Use**Overview**

Valid: 1941 Invalid: 96

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, what were you doing when the most serious injury happened to you?

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1374	70.8%
2	Playing a sport	240	12.4%
3	Walking/running	59	3%
4	Riding a bicycle or scooter	76	3.9%
5	Riding/driving motor vehicle	23	1.2%
6	Doing work	14	0.7%
7	Nothing	16	0.8%
8	Something else	139	7.2%
Sysmiss		96	

**Q17: Cause of injury past 12 mo.****Data file:** CBCH2007\_Public\_Use**Overview**

Valid: 1965 Invalid: 72

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1415	72%
2	Motor vehicle accident	22	1.1%
3	I fell	259	13.2%
4	Something fell on me or hit me	48	2.4%
5	I was fighting with someone	27	1.4%
6	Attacked or assaulted	10	0.5%
7	Was in a fire	3	0.2%
8	Something else	181	9.2%
Sysmiss		72	

### Q18: How injury happened past 12 mo.

Data file: CBCH2007\_Public\_Use

#### Overview

Valid: 1960 Invalid: 77

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, how did the most serious injury happen to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1430	73%
2	I hurt myself by accident	355	18.1%
3	Someone hurt me by accident	109	5.6%
4	I hurt myself on purpose	17	0.9%
5	Someone hurt me on purpose	49	2.5%
Sysmiss		77	

### Q19: What was serious injury past 12 mo.

Data file: CBCH2007\_Public\_Use

#### Overview

Valid: 1939 Invalid: 98

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1407	72.6%
2	Broken bone/dislocated joint	192	9.9%
3	Cut, puncture, stab wound	77	4%
4	Concussion/head injury	29	1.5%
5	I had a gunshot wound	6	0.3%
6	I had a bad burn	8	0.4%
7	Lost foot, leg, hand, or arm	2	0.1%
8	Something else happened to me	218	11.2%
Sysmiss		98	

## Q20: How many days bullied past 30 days

Data file: CBCH2007\_Public\_Use

### Overview

Valid: 1935 Invalid: 102

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	1327	68.6%
2	1 or 2 days	403	20.8%
3	3 to 5 days	95	4.9%
4	6 to 9 days	38	2%

5	10 to 19 days	27	1.4%
6	20 to 29 days	14	0.7%
7	All 30 days	31	1.6%
Sysmiss		102	

## Q21: How bullied past 30 days

Data file: CBCH2007\_Public\_Use

### Overview

Valid: 1936 Invalid: 101

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	1325	68.4%
2	Kicked, pushed, or shoved	54	2.8%
3	Made fun because of race/color	30	1.5%
4	Made fun because of religion	6	0.3%
5	Made fun of about sex	56	2.9%
6	Left out of activities	48	2.5%
7	Made fun of about body	112	5.8%
8	Some other way	305	15.8%
Sysmiss		101	

## Q28: Age first tried cigarette

Data file: CBCH2007\_Public\_Use

### Overview

Valid: 1869 Invalid: 168

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	756	40.4%
2	7 years old or younger	71	3.8%
3	8 or 9 years old	137	7.3%
4	10 or 11 years old	299	16%
5	12 or 13 years old	384	20.5%
6	14 or 15 years old	190	10.2%
7	16 years old or older	32	1.7%
Sysmiss		168	

## Q29: How many days smoked 30 days

Data file: CBCH2007\_Public\_Use

### Overview

Valid: 1918 Invalid: 119

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	1422	74.1%
2	1 or 2 days	227	11.8%
3	3 to 5 days	82	4.3%
4	6 to 9 days	68	3.5%
5	10 to 19 days	31	1.6%
6	20 to 29 days	25	1.3%
7	All 30 days	63	3.3%
Sysmiss		119	

**Q30: Other tobacco past 30 days****Data file: CBCH2007\_Public\_Use****Overview**

Valid: 2036 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	1817	89.2%
2	1 or 2 days	119	5.8%
3	3 to 5 days	38	1.9%
4	6 to 9 days	21	1%
5	10 to 19 days	17	0.8%
6	20 to 29 days	8	0.4%
7	All 30 days	16	0.8%
Sysmiss		1	

**Q31: Try stop smoking past 12 mo.****Data file: CBCH2007\_Public\_Use****Overview**

Valid: 1793 Invalid: 244

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

## CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	748	41.7%

2	Did not smoke cigarettes	399	22.3%
3	Yes	484	27%
4	No	162	9%
Sysmiss		244	

### Q32: Others present smoking past 7 days

Data file: CBCH2007\_Public\_Use

#### Overview

Valid: 2013 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	428	21.3%
2	1 or 2 days	536	26.6%
3	3 or 4 days	331	16.4%
4	5 or 6 days	147	7.3%
5	All 7 days	571	28.4%
Sysmiss		24	

### Q33: Parents who use tobacco

Data file: CBCH2007\_Public\_Use

#### Overview

Valid: 2034 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

##### CATEGORIES

Value	Category	Cases	
1	Neither	1270	62.4%
2	My father or male guardian	368	18.1%
3	My mother or female guardian	217	10.7%
4	Both	102	5%
5	I do not know	77	3.8%
Sysmiss		3	

### Q34: Days one drink or more past 30 days

Data file: CBCH2007\_Public\_Use

#### Overview

Valid: 1864 Invalid: 173

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

##### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

##### CATEGORIES

Value	Category	Cases	
1	0 days	604	32.4%
2	1 or 2 days	671	36%
3	3 to 5 days	283	15.2%
4	6 to 9 days	154	8.3%
5	10 to 19 days	109	5.8%
6	20 to 29 days	31	1.7%
7	All 30 days	12	0.6%
Sysmiss		173	

### Q35: Number of drinks past 30 days

Data file: CBCH2007\_Public\_Use

#### Overview

Valid: 1865 Invalid: 172

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	593	31.8%
2	Less than one drink	184	9.9%
3	1 drink	155	8.3%
4	2 drinks	158	8.5%
5	3 drinks	160	8.6%
6	4 drinks	94	5%
7	5 or more drinks	521	27.9%
Sysmiss		172	

## Q36: How got drinks past 30 days

Data file: CBCH2007\_Public\_Use

### Overview

Valid: 1852 Invalid: 185

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	592	32%
2	I bought in a store	245	13.2%
3	I gave someone money to buy	56	3%
4	I got it from my friends	567	30.6%
5	I got it from home	214	11.6%
6	I stole it	10	0.5%
7	I made it myself	0	0%

8	I got it some other way	168	9.1%
Sysmiss		185	

### Q37: Times drunk during life

Data file: CBCH2007\_Public\_Use

#### Overview

Valid: 2019 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

##### LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

##### CATEGORIES

Value	Category	Cases	
1	0 times	946	46.9%
2	1 or 2 times	646	32%
3	3 to 9 times	293	14.5%
4	10 or more times	134	6.6%
Sysmiss		18	

### Q38: Number of troubles as result of drinking

Data file: CBCH2007\_Public\_Use

#### Overview

Valid: 2032 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

##### LITERAL QUESTION

During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	0 times	1439	70.8%
2	1 or 2 times	459	22.6%
3	3 to 9 times	99	4.9%
4	10 or more times	35	1.7%
Sysmiss		5	

### Q39: Number times drug use during life

Data file: CBCH2007\_Public\_Use

#### Overview

Valid: 2014 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next question asks about drugs.

##### LITERAL QUESTION

During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?

##### CATEGORIES

Value	Category	Cases	
1	0 times	1507	74.8%
2	1 or 2 times	245	12.2%
3	3 to 9 times	133	6.6%
4	10 or more times	129	6.4%
Sysmiss		23	

### Q40: Ever had sex

Data file: CBCH2007\_Public\_Use

#### Overview

Valid: 1901 Invalid: 136

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

##### LITERAL QUESTION

Have you ever had sexual intercourse?

##### CATEGORIES

Value	Category	Cases	
1	Yes	742	39%
2	No	1159	61%
Sysmiss		136	

## Q41: Age first sexual intercourse

Data file: CBCH2007\_Public\_Use

### Overview

Valid: 1953 Invalid: 84

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	1131	57.9%
2	11 years old or younger	187	9.6%
3	12 years old	133	6.8%
4	13 years old	151	7.7%
5	14 years old	165	8.4%
6	15 years old	124	6.3%
7	16 years old or older	62	3.2%
Sysmiss		84	

## Q42: How many sex partners

Data file: CBCH2007\_Public\_Use

### Overview

Valid: 1936 Invalid: 101

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	1108	57.2%
2	1 person	327	16.9%
3	2 people	188	9.7%
4	3 people	110	5.7%
5	4 people	74	3.8%
6	5 people	33	1.7%
7	6 or more people	96	5%
Sysmiss		101	

### Q43: Sexual intercourse past 12 mo.

Data file: CBCH2007\_Public\_Use

#### Overview

Valid: 2008 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

##### LITERAL QUESTION

During the past 12 months, have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Yes	684	34.1%
2	No	1324	65.9%
Sysmiss		29	

### Q44: Used condom at last intercourse

Data file: CBCH2007\_Public\_Use

#### Overview

Valid: 1945 Invalid: 92

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	1120	57.6%
2	Yes	506	26%
3	No	319	16.4%
Sysmiss		92	

### Q45: Days active 60 min plus past 7 days

Data file: CBCH2007\_Public\_Use

#### Overview

Valid: 2018 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?

#### CATEGORIES

Value	Category	Cases	
1	0 days	487	24.1%
2	1 day	441	21.9%
3	2 days	302	15%
4	3 days	215	10.7%
5	4 days	116	5.7%
6	5 days	142	7%
7	6 days	49	2.4%
8	7 days	266	13.2%
Sysmiss		19	

### Q46: Active 60 min plus per day usual week

Data file: CBCH2007\_Public\_Use

## Overview

Valid: 2016    Invalid: 21  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?

### CATEGORIES

Value	Category	Cases	
1	0 days	515	25.5%
2	1 day	457	22.7%
3	2 days	308	15.3%
4	3 days	200	9.9%
5	4 days	127	6.3%
6	5 days	125	6.2%
7	6 days	51	2.5%
8	7 days	233	11.6%
Sysmiss		21	

## Q47: Time spent sitting on usual day

Data file: CBCH2007\_Public\_Use

## Overview

Valid: 2018    Invalid: 19  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 6    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	367	18.2%
2	1 to 2 hours per day	564	27.9%

3	3 to 4 hours per day	538	26.7%
4	5 to 6 hours per day	274	13.6%
5	7 to 8 hours per day	110	5.5%
6	More than 8 hours per day	165	8.2%
Sysmiss		19	

### Q48: Walk or bike to school past 7 days

Data file: CBCH2007\_Public\_Use

#### Overview

Valid: 2025 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

##### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to and from school?

##### CATEGORIES

Value	Category	Cases	
1	0 days	1009	49.8%
2	1 day	147	7.3%
3	2 days	103	5.1%
4	3 days	65	3.2%
5	4 days	59	2.9%
6	5 days	229	11.3%
7	6 days	22	1.1%
8	7 days	391	19.3%
Sysmiss		12	

### Q49: How long to from school past 7 days

Data file: CBCH2007\_Public\_Use

#### Overview

Valid: 2004 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

## LITERAL QUESTION

During the past 7 days, how long did it usually take for you to get to and from school each day?

## CATEGORIES

Value	Category	Cases	
1	Less than 10 minutes per day	575	28.7%
2	10 to 19 minutes per day	579	28.9%
3	20 to 29 minutes per day	319	15.9%
4	30 to 39 minutes per day	233	11.6%
5	40 to 49 minutes per day	114	5.7%
6	50 to 59 minutes per day	59	2.9%
7	60 or more minutes per day	125	6.2%
Sysmiss		33	

### QN6: Went hungry most of time/always past 30 days

Data file: CBCH2007\_Public\_Use

#### Overview

Valid: 2035 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home

## CATEGORIES

Value	Category	Cases	
1	Yes	17	0.8%
2	No	2018	99.2%
Sysmiss		2	

### QN7: Ate fruit 1+ times per day past 30 days

Data file: CBCH2007\_Public\_Use

#### Overview

Valid: 2035 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	1239	60.9%
2	No	796	39.1%
Sysmiss		2	

---

## QN8: Ate vegetables 1+ times per day past 30 day

Data file: CBCH2007\_Public\_Use

### Overview

Valid: 2029 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	1454	71.7%
2	No	575	28.3%
Sysmiss		8	

---

## QN13: Attacked 1+ times past 12 months

Data file: CBCH2007\_Public\_Use

### Overview

Valid: 2020 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	531	26.3%
2	No	1489	73.7%
Sysmiss		17	

### QN14: In fight 1+ times past 12 months

Data file: CBCH2007\_Public\_Use

#### Overview

Valid: 2037 Invalid: 0  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	689	33.8%
2	No	1348	66.2%

### QN15: Seriously injured 1+ times past 12 months

Data file: CBCH2007\_Public\_Use

#### Overview

Valid: 1904 Invalid: 133  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	596	31.3%
2	No	1308	68.7%
Sysmiss		133	

**QN16: Playing sport caused most serious injury past 12mo****Data file:** CBCH2007\_Public\_Use**Overview**

Valid: 591 Invalid: 1446

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport

## CATEGORIES

Value	Category	Cases	
1	Yes	240	40.6%
2	No	351	59.4%
Sysmiss		1446	

**QN17: Falling caused most serious injury past 12 months****Data file:** CBCH2007\_Public\_Use**Overview**

Valid: 594 Invalid: 1443

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall

## CATEGORIES

Value	Category	Cases	
1	Yes	259	43.6%
2	No	335	56.4%
Sysmiss		1443	

**QN18: Accident caused most serious injury past 12 months****Data file:** CBCH2007\_Public\_Use**Overview**

Valid: 580 Invalid: 1457

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident

### CATEGORIES

Value	Category	Cases	
1	Yes	355	61.2%
2	No	225	38.8%
Sysmiss		1457	

---

## QN19: Broken bone as most serious injury past 12 months

Data file: CBCH2007\_Public\_Use

### Overview

Valid: 594 Invalid: 1443

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury

### CATEGORIES

Value	Category	Cases	
1	Yes	192	32.3%
2	No	402	67.7%
Sysmiss		1443	

---

## QN20: Bullied 1+ of past 30 days

Data file: CBCH2007\_Public\_Use

### Overview

Valid: 1935 Invalid: 102

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	608	31.4%
2	No	1327	68.6%
Sysmiss		102	

### QN21: Of students bullied, most often hit, kicked, etc

Data file: CBCH2007\_Public\_Use

#### Overview

Valid: 607 Invalid: 1430

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

##### CATEGORIES

Value	Category	Cases	
1	Yes	54	8.9%
2	No	553	91.1%
Sysmiss		1430	

### QN28: Of current smokers, age first cigarette before 13

Data file: CBCH2007\_Public\_Use

#### Overview

Valid: 495 Invalid: 1542

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger

##### CATEGORIES

Value	Category	Cases	
1	Yes	398	80.4%
2	No	97	19.6%
Sysmiss		1542	

**QN29: Smoked cigarettes 1+ of past 30 days****Data file:** CBCH2007\_Public\_Use**Overview**

Valid: 1918 Invalid: 119

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	496	25.9%
2	No	1422	74.1%
Sysmiss		119	

**QN30: Used other tobacco 1+ of past 30 days****Data file:** CBCH2007\_Public\_Use**Overview**

Valid: 2036 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	219	10.8%
2	No	1817	89.2%
Sysmiss		1	

**QN31: Tried to quit smoking past 12 months****Data file:** CBCH2007\_Public\_Use**Overview**

Valid: 646 Invalid: 1391

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

---

## LITERAL QUESTION

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	484	74.9%
2	No	162	25.1%
Sysmiss		1391	

---

**QN32: Others present smoking 1+ of past 7 days**

Data file: CBCH2007\_Public\_Use

**Overview**

Valid: 2013    Invalid: 24

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

---

## LITERAL QUESTION

Percentage of students who reported people smoking in their presence on one or more of the past seven days

## CATEGORIES

Value	Category	Cases	
1	Yes	1585	78.7%
2	No	428	21.3%
Sysmiss		24	

---

**QN33: Either/Both parents use tobacco**

Data file: CBCH2007\_Public\_Use

**Overview**

Valid: 2034    Invalid: 3

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

---

## LITERAL QUESTION

Percentage of students who have a parent or guardian who uses any form of tobacco

## CATEGORIES

Value	Category	Cases	
1	Yes	687	33.8%
2	No	1347	66.2%
Sysmiss		3	

### QN34: Drank 1+ days past 30 days

Data file: CBCH2007\_Public\_Use

#### Overview

Valid: 1864 Invalid: 173

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who drank alcohol on one or more of the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	1260	67.6%
2	No	604	32.4%
Sysmiss		173	

### QN35: Of current drinkers, drank 2+ drinks/day 30 days

Data file: CBCH2007\_Public\_Use

#### Overview

Valid: 1257 Invalid: 780

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	933	74.2%
2	No	324	25.8%
Sysmiss		780	

**QN36: Of current drinkers, bought alcohol in store****Data file:** CBCH2007\_Public\_Use**Overview**

Valid: 1258 Invalid: 779

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	244	19.4%
2	No	1014	80.6%
Sysmiss		779	

**QN37: 1+ times drunk in lifetime****Data file:** CBCH2007\_Public\_Use**Overview**

Valid: 2019 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	1073	53.1%
2	No	946	46.9%
Sysmiss		18	

**QN38: Alcohol trouble 1+ times in lifetime****Data file:** CBCH2007\_Public\_Use**Overview**

Valid: 2032 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	593	29.2%
2	No	1439	70.8%
Sysmiss		5	

## QN39: Used drugs 1+ times in lifetime

Data file: CBCH2007\_Public\_Use

### Overview

Valid: 2014 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	507	25.2%
2	No	1507	74.8%
Sysmiss		23	

## QN40: Ever had sex

Data file: CBCH2007\_Public\_Use

### Overview

Valid: 1901 Invalid: 136

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who have ever had sexual intercourse

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	742	39%
2	No	1159	61%
Sysmiss		136	

### QN41: Age first sexual intercourse 12 or younger

Data file: CBCH2007\_Public\_Use

#### Overview

Valid: 1953 Invalid: 84

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who had sexual intercourse for the first time before age 13

##### CATEGORIES

Value	Category	Cases	
1	Yes	320	16.4%
2	No	1633	83.6%
Sysmiss		84	

### QN42: 2+ sex partners lifetime

Data file: CBCH2007\_Public\_Use

#### Overview

Valid: 1936 Invalid: 101

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who have had sexual intercourse with two or more people during their life time

##### CATEGORIES

Value	Category	Cases	
1	Yes	501	25.9%
2	No	1435	74.1%
Sysmiss		101	

**QN43: Sexual intercourse past 12 months****Data file:** CBCH2007\_Public\_Use**Overview**

Valid: 2008 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who had sexual intercourse during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	684	34.1%
2	No	1324	65.9%
Sysmiss		29	

**QN44: Of sexually active 12 mos, use condoms at last sex****Data file:** CBCH2007\_Public\_Use**Overview**

Valid: 595 Invalid: 1442

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	377	63.4%
2	No	218	36.6%
Sysmiss		1442	

**QN45: Active 60+ mins/day for all of past 7 days****Data file:** CBCH2007\_Public\_Use**Overview**

Valid: 2018 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	266	13.2%
2	No	1752	86.8%
Sysmiss		19	

---

## QN46: Active 60+ min/day all 7 days of usual week

Data file: CBCH2007\_Public\_Use

### Overview

Valid: 2016 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week

### CATEGORIES

Value	Category	Cases	
1	Yes	233	11.6%
2	No	1783	88.4%
Sysmiss		21	

---

## QN47: Sitting activities 3+ hours/day of usual day

Data file: CBCH2007\_Public\_Use

### Overview

Valid: 2018 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day

### CATEGORIES

Value	Category	Cases	
1	Yes	1087	53.9%
2	No	931	46.1%
Sysmiss		19	

### QN48: Walk/Bike to/from school 0 of past 7 days

Data file: CBCH2007\_Public\_Use

#### Overview

Valid: 2025 Invalid: 12  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to and from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	1009	49.8%
2	No	1016	50.2%
Sysmiss		12	

### QN49: Less than 29 minutes to/from school past 7 days

Data file: CBCH2007\_Public\_Use

#### Overview

Valid: 2004 Invalid: 33  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	1473	73.5%
2	No	531	26.5%
Sysmiss		33	

**QNFRVGG: Ate 5+ fruits/vegetables 30 days****Data file: CBCH2007\_Public\_Use****Overview**

Valid: 2028 Invalid: 9  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	303	14.9%
2	No	1725	85.1%
Sysmiss		9	

**QNANYTBG: Used any tobacco past 30 days****Data file: CBCH2007\_Public\_Use****Overview**

Valid: 1917 Invalid: 120  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco on one or more days of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	510	26.6%
2	No	1407	73.4%
Sysmiss		120	

**QNMINPAG: Exercised 60 min/day <=5 days****Data file: CBCH2007\_Public\_Use****Overview**

Valid: 2005 Invalid: 32  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average

### CATEGORIES

Value	Category	Cases	
1	Yes	1628	81.2%
2	No	377	18.8%
Sysmiss		32	

---

## QNWKRDG: Walked/biked <2.5 hrs 7 days

Data file: CBCH2007\_Public\_Use

### Overview

Valid: 2003 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	1735	86.6%
2	No	268	13.4%
Sysmiss		34	

---

## WEIGHT: Weight

Data file: CBCH2007\_Public\_Use

### Overview

Valid: 2037 Invalid: 0

Type: Continuous Decimal: 0 Width: 12 Range: 492.8664 - 2426.6785 Format: Numeric Weighted: yes

---

## PSU: Primary Sampling Unit

Data file: CBCH2007\_Public\_Use

## Overview

Valid: 2037 Invalid: 0

Type: Continuous Decimal: 0 Width: 5 Range: 1 - 47 Format: Numeric

---

## STRATUM: Stratum

Data file: CBCH2007\_Public\_Use

## Overview

Valid: 2037 Invalid: 0

Type: Continuous Decimal: 0 Width: 9 Range: 200701001 - 200701023 Format: Numeric

---

**Q1: How old are you****Data file:** CBFH2007\_Public\_Use**Overview**

Valid: 2083 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	49	2.4%
2	12 years old	238	11.4%
3	13 years old	414	19.9%
4	14 years old	464	22.3%
5	15 years old	524	25.2%
6	16 years old or older	394	18.9%
Sysmiss		12	

**Q2: Sex****Data file:** CBFH2007\_Public\_Use**Overview**

Valid: 2087 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	919	44%
2	Female	1168	56%
Sysmiss		8	

**Q3: In what grade are you****Data file:** CBFH2007\_Public\_Use

**Overview**

Valid: 2093 Invalid: 2  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

In what grade are you?

## CATEGORIES

Value	Category	Cases	
1	1er media or 8vo EGB	639	30.5%
2	2do media or 9no EGB	465	22.2%
3	3ero media or 1ro polimodal	557	26.6%
4	12th grade	432	20.6%
5	Ungraded or other grade	0	0%
Sysmiss		2	

**Q4: How tall are you**

Data file: CBFH2007\_Public\_Use

**Overview**

Valid: 930 Invalid: 1165 Minimum: 1.15 Maximum: 1.95  
 Type: Continuous Decimal: 0 Width: 4 Range: 1.3 - 1.98 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How tall are you without your shoes on?

**description**

## DEFINITION

(Note:  
 Data are in meters.)

**Q5: How much do you weigh**

Data file: CBFH2007\_Public\_Use

**Overview**

Valid: 930 Invalid: 1165 Minimum: 24 Maximum: 125  
 Type: Continuous Decimal: 0 Width: 6 Range: 31 - 170 Format: Numeric

## Questions and instructions

---

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How much do you weigh without your shoes on?

### description

---

### DEFINITION

(Note: Data are in kilograms.)

---

## Q6: Went hungry past 30 days

Data file: CBFH2007\_Public\_Use

### Overview

Valid: 2089 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

---

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

### CATEGORIES

Value	Category	Cases	
1	Never	1316	63%
2	Rarely	450	21.5%
3	Sometimes	281	13.5%
4	Most of the time	17	0.8%
5	Always	25	1.2%
Sysmiss		6	

---

## Q7: Eat fruit per day past 30 days

Data file: CBFH2007\_Public\_Use

### Overview

Valid: 2088 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	356	17%
2	Less than one time per day	508	24.3%
3	1 time per day	616	29.5%
4	2 times per day	314	15%
5	3 times per day	145	6.9%
6	4 times per day	46	2.2%
7	5 or more times per day	103	4.9%
Sysmiss		7	

## Q8: Eat vegetables past 30 days

Data file: CBFH2007\_Public\_Use

### Overview

Valid: 2083 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	224	10.8%
2	Less than one time per day	293	14.1%
3	1 time per day	761	36.5%
4	2 times per day	413	19.8%
5	3 times per day	197	9.5%
6	4 times per day	29	1.4%
7	5 or more times per day	166	8%
Sysmiss		12	

**Q13: Times attacked past 12 mo.****Data file: CBFH2007\_Public\_Use****Overview**

Valid: 2068 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

## LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

## CATEGORIES

Value	Category	Cases	
1	0 times	1567	75.8%
2	1 time	241	11.7%
3	2 or 3 times	150	7.3%
4	4 or 5 times	38	1.8%
5	6 or 7 times	10	0.5%
6	8 or 9 times	9	0.4%
7	10 or 11 times	10	0.5%
8	12 or more times	43	2.1%
Sysmiss		27	

**Q14: How many times in fight 12 mos****Data file: CBFH2007\_Public\_Use****Overview**

Valid: 2095 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two or more students of about the same strength or power choose to fight each other.

## LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

## CATEGORIES

Value	Category	Cases	
1	0 times	1468	70.1%
2	1 time	366	17.5%
3	2 or 3 times	170	8.1%
4	4 or 5 times	35	1.7%
5	6 or 7 times	14	0.7%
6	8 or 9 times	9	0.4%
7	10 or 11 times	2	0.1%
8	12 or more times	31	1.5%

### Q15: How many times injured past 12 months

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 1929 Invalid: 166

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

## CATEGORIES

Value	Category	Cases	
1	0 times	1263	65.5%
2	1 time	430	22.3%
3	2 or 3 times	164	8.5%
4	4 or 5 times	42	2.2%
5	6 or 7 times	14	0.7%
6	8 or 9 times	5	0.3%
7	10 or 11 times	2	0.1%
8	12 or more times	9	0.5%
Sysmiss		166	

**Q16: Doing what during injury past 12 mo.****Data file:** CBFH2007\_Public\_Use**Overview**

Valid: 1966 Invalid: 129

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, what were you doing when the most serious injury happened to you?

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1331	67.7%
2	Playing a sport	272	13.8%
3	Walking/running	53	2.7%
4	Riding a bicycle or scooter	50	2.5%
5	Riding/driving motor vehicle	37	1.9%
6	Doing work	15	0.8%
7	Nothing	35	1.8%
8	Something else	173	8.8%
Sysmiss		129	

**Q17: Cause of injury past 12 mo.****Data file:** CBFH2007\_Public\_Use**Overview**

Valid: 1997 Invalid: 98

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1379	69.1%
2	Motor vehicle accident	29	1.5%
3	I fell	261	13.1%
4	Something fell on me or hit me	46	2.3%
5	I was fighting with someone	15	0.8%
6	Attacked or assaulted	11	0.6%
7	Was in a fire	4	0.2%
8	Something else	252	12.6%
Sysmiss		98	

### Q18: How injury happened past 12 mo.

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 2005 Invalid: 90

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, how did the most serious injury happen to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1427	71.2%
2	I hurt myself by accident	366	18.3%
3	Someone hurt me by accident	152	7.6%
4	I hurt myself on purpose	10	0.5%
5	Someone hurt me on purpose	50	2.5%
Sysmiss		90	

### Q19: What was serious injury past 12 mo.

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 1985 Invalid: 110

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1403	70.7%
2	Broken bone/dislocated joint	148	7.5%
3	Cut, puncture, stab wound	64	3.2%
4	Concussion/head injury	34	1.7%
5	I had a gunshot wound	3	0.2%
6	I had a bad burn	16	0.8%
7	Lost foot, leg, hand, or arm	1	0.1%
8	Something else happened to me	316	15.9%
Sysmiss		110	

## Q20: How many days bullied past 30 days

Data file: CBFH2007\_Public\_Use

### Overview

Valid: 1988 Invalid: 107

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	1377	69.3%
2	1 or 2 days	382	19.2%
3	3 to 5 days	93	4.7%
4	6 to 9 days	50	2.5%

5	10 to 19 days	25	1.3%
6	20 to 29 days	8	0.4%
7	All 30 days	53	2.7%
Sysmiss		107	

## Q21: How bullied past 30 days

Data file: CBFH2007\_Public\_Use

### Overview

Valid: 1983 Invalid: 112

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	1375	69.3%
2	Kicked, pushed, or shoved	40	2%
3	Made fun because of race/color	38	1.9%
4	Made fun because of religion	19	1%
5	Made fun of about sex	58	2.9%
6	Left out of activities	60	3%
7	Made fun of about body	122	6.2%
8	Some other way	271	13.7%
Sysmiss		112	

## Q28: Age first tried cigarette

Data file: CBFH2007\_Public\_Use

### Overview

Valid: 1973 Invalid: 122

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1581	80.1%
2	7 years old or younger	34	1.7%
3	8 or 9 years old	53	2.7%
4	10 or 11 years old	63	3.2%
5	12 or 13 years old	125	6.3%
6	14 or 15 years old	102	5.2%
7	16 years old or older	15	0.8%
Sysmiss		122	

## Q29: How many days smoked 30 days

Data file: CBFH2007\_Public\_Use

### Overview

Valid: 2020 Invalid: 75

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	1925	95.3%
2	1 or 2 days	55	2.7%
3	3 to 5 days	16	0.8%
4	6 to 9 days	8	0.4%
5	10 to 19 days	5	0.2%
6	20 to 29 days	2	0.1%
7	All 30 days	9	0.4%
Sysmiss		75	

**Q30: Other tobacco past 30 days****Data file: CBFH2007\_Public\_Use****Overview**

Valid: 2094 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	2035	97.2%
2	1 or 2 days	36	1.7%
3	3 to 5 days	12	0.6%
4	6 to 9 days	6	0.3%
5	10 to 19 days	2	0.1%
6	20 to 29 days	2	0.1%
7	All 30 days	1	0%
Sysmiss		1	

**Q31: Try stop smoking past 12 mo.****Data file: CBFH2007\_Public\_Use****Overview**

Valid: 1940 Invalid: 155

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

## CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1557	80.3%

2	Did not smoke cigarettes	220	11.3%
3	Yes	95	4.9%
4	No	68	3.5%
Sysmiss		155	

### Q32: Others present smoking past 7 days

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 2068 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	767	37.1%
2	1 or 2 days	657	31.8%
3	3 or 4 days	221	10.7%
4	5 or 6 days	86	4.2%
5	All 7 days	337	16.3%
Sysmiss		27	

### Q33: Parents who use tobacco

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 2093 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

##### CATEGORIES

Value	Category	Cases	
1	Neither	1700	81.2%
2	My father or male guardian	210	10%
3	My mother or female guardian	85	4.1%
4	Both	32	1.5%
5	I do not know	66	3.2%
Sysmiss		2	

### Q34: Days one drink or more past 30 days

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 1890 Invalid: 205

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

##### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

##### CATEGORIES

Value	Category	Cases	
1	0 days	1146	60.6%
2	1 or 2 days	501	26.5%
3	3 to 5 days	122	6.5%
4	6 to 9 days	55	2.9%
5	10 to 19 days	45	2.4%
6	20 to 29 days	14	0.7%
7	All 30 days	7	0.4%
Sysmiss		205	

### Q35: Number of drinks past 30 days

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 1889 Invalid: 206

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1117	59.1%
2	Less than one drink	188	10%
3	1 drink	107	5.7%
4	2 drinks	118	6.2%
5	3 drinks	70	3.7%
6	4 drinks	56	3%
7	5 or more drinks	233	12.3%
Sysmiss		206	

## Q36: How got drinks past 30 days

Data file: CBFH2007\_Public\_Use

### Overview

Valid: 1858 Invalid: 237

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1115	60%
2	I bought in a store	79	4.3%
3	I gave someone money to buy	21	1.1%
4	I got it from my friends	348	18.7%
5	I got it from home	176	9.5%
6	I stole it	16	0.9%
7	I made it myself	0	0%

8	I got it some other way	103	5.5%
Sysmiss		237	

### Q37: Times drunk during life

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 2068 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

##### LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

##### CATEGORIES

Value	Category	Cases	
1	0 times	1452	70.2%
2	1 or 2 times	422	20.4%
3	3 to 9 times	124	6%
4	10 or more times	70	3.4%
Sysmiss		27	

### Q38: Number of troubles as result of drinking

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 2084 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

##### LITERAL QUESTION

During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	0 times	1860	89.3%
2	1 or 2 times	172	8.3%
3	3 to 9 times	36	1.7%
4	10 or more times	16	0.8%
Sysmiss		11	

### Q39: Number times drug use during life

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 2066 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next question asks about drugs.

##### LITERAL QUESTION

During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?

##### CATEGORIES

Value	Category	Cases	
1	0 times	1990	96.3%
2	1 or 2 times	47	2.3%
3	3 to 9 times	15	0.7%
4	10 or more times	14	0.7%
Sysmiss		29	

### Q40: Ever had sex

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 1932 Invalid: 163

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

##### LITERAL QUESTION

Have you ever had sexual intercourse?

##### CATEGORIES

Value	Category	Cases	
1	Yes	511	26.4%
2	No	1421	73.6%
Sysmiss		163	

## Q41: Age first sexual intercourse

Data file: CBFH2007\_Public\_Use

### Overview

Valid: 2001 Invalid: 94

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	1405	70.2%
2	11 years old or younger	181	9%
3	12 years old	78	3.9%
4	13 years old	92	4.6%
5	14 years old	92	4.6%
6	15 years old	97	4.8%
7	16 years old or older	56	2.8%
Sysmiss		94	

## Q42: How many sex partners

Data file: CBFH2007\_Public\_Use

### Overview

Valid: 1987 Invalid: 108

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	1388	69.9%
2	1 person	264	13.3%
3	2 people	124	6.2%
4	3 people	76	3.8%
5	4 people	40	2%
6	5 people	18	0.9%
7	6 or more people	77	3.9%
Sysmiss		108	

### Q43: Sexual intercourse past 12 mo.

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 2080 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

##### LITERAL QUESTION

During the past 12 months, have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Yes	478	23%
2	No	1602	77%
Sysmiss		15	

### Q44: Used condom at last intercourse

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 1973 Invalid: 122

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	1400	71%
2	Yes	322	16.3%
3	No	251	12.7%
Sysmiss		122	

### Q45: Days active 60 min plus past 7 days

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 2077 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?

#### CATEGORIES

Value	Category	Cases	
1	0 days	654	31.5%
2	1 day	428	20.6%
3	2 days	239	11.5%
4	3 days	197	9.5%
5	4 days	100	4.8%
6	5 days	100	4.8%
7	6 days	50	2.4%
8	7 days	309	14.9%
Sysmiss		18	

### Q46: Active 60 min plus per day usual week

Data file: CBFH2007\_Public\_Use

## Overview

Valid: 2065 Invalid: 30  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?

### CATEGORIES

Value	Category	Cases	
1	0 days	705	34.1%
2	1 day	438	21.2%
3	2 days	243	11.8%
4	3 days	174	8.4%
5	4 days	110	5.3%
6	5 days	97	4.7%
7	6 days	42	2%
8	7 days	256	12.4%
Sysmiss		30	

## Q47: Time spent sitting on usual day

Data file: CBFH2007\_Public\_Use

## Overview

Valid: 2080 Invalid: 15  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	536	25.8%
2	1 to 2 hours per day	638	30.7%

3	3 to 4 hours per day	494	23.8%
4	5 to 6 hours per day	222	10.7%
5	7 to 8 hours per day	73	3.5%
6	More than 8 hours per day	117	5.6%
Sysmiss		15	

### Q48: Walk or bike to school past 7 days

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 2070 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

##### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to and from school?

##### CATEGORIES

Value	Category	Cases	
1	0 days	940	45.4%
2	1 day	163	7.9%
3	2 days	97	4.7%
4	3 days	75	3.6%
5	4 days	45	2.2%
6	5 days	210	10.1%
7	6 days	35	1.7%
8	7 days	505	24.4%
Sysmiss		25	

### Q49: How long to from school past 7 days

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 2054 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

## LITERAL QUESTION

During the past 7 days, how long did it usually take for you to get to and from school each day?

## CATEGORIES

Value	Category	Cases	
1	Less than 10 minutes per day	771	37.5%
2	10 to 19 minutes per day	628	30.6%
3	20 to 29 minutes per day	309	15%
4	30 to 39 minutes per day	160	7.8%
5	40 to 49 minutes per day	75	3.7%
6	50 to 59 minutes per day	44	2.1%
7	60 or more minutes per day	67	3.3%
Sysmiss		41	

### QN6: Went hungry most of time/always past 30 days

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 2089 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home

## CATEGORIES

Value	Category	Cases	
1	Yes	42	2%
2	No	2047	98%
Sysmiss		6	

### QN7: Ate fruit 1+ times per day past 30 days

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 2088 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	1224	58.6%
2	No	864	41.4%
Sysmiss		7	

---

## QN8: Ate vegetables 1+ times per day past 30 day

Data file: CBFH2007\_Public\_Use

### Overview

Valid: 2083 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	1566	75.2%
2	No	517	24.8%
Sysmiss		12	

---

## QN13: Attacked 1+ times past 12 months

Data file: CBFH2007\_Public\_Use

### Overview

Valid: 2068 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	501	24.2%
2	No	1567	75.8%
Sysmiss		27	

### QN14: In fight 1+ times past 12 months

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 2095 Invalid: 0  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	627	29.9%
2	No	1468	70.1%

### QN15: Seriously injured 1+ times past 12 months

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 1929 Invalid: 166  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	666	34.5%
2	No	1263	65.5%
Sysmiss		166	

**QN16: Playing sport caused most serious injury past 12mo****Data file:** CBFH2007\_Public\_Use**Overview**

Valid: 662 Invalid: 1433

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport

## CATEGORIES

Value	Category	Cases	
1	Yes	272	41.1%
2	No	390	58.9%
Sysmiss		1433	

**QN17: Falling caused most serious injury past 12 months****Data file:** CBFH2007\_Public\_Use**Overview**

Valid: 665 Invalid: 1430

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall

## CATEGORIES

Value	Category	Cases	
1	Yes	261	39.2%
2	No	404	60.8%
Sysmiss		1430	

**QN18: Accident caused most serious injury past 12 months****Data file:** CBFH2007\_Public\_Use**Overview**

Valid: 659 Invalid: 1436

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident

### CATEGORIES

Value	Category	Cases	
1	Yes	365	55.4%
2	No	294	44.6%
Sysmiss		1436	

---

## QN19: Broken bone as most serious injury past 12 months

Data file: CBFH2007\_Public\_Use

### Overview

Valid: 663 Invalid: 1432

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury

### CATEGORIES

Value	Category	Cases	
1	Yes	148	22.3%
2	No	515	77.7%
Sysmiss		1432	

---

## QN20: Bullied 1+ of past 30 days

Data file: CBFH2007\_Public\_Use

### Overview

Valid: 1988 Invalid: 107

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	611	30.7%
2	No	1377	69.3%
Sysmiss		107	

### QN21: Of students bullied, most often hit, kicked, etc

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 605 Invalid: 1490

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

##### CATEGORIES

Value	Category	Cases	
1	Yes	40	6.6%
2	No	565	93.4%
Sysmiss		1490	

### QN28: Of current smokers, age first cigarette before 13

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 91 Invalid: 2004

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger

##### CATEGORIES

Value	Category	Cases	
1	Yes	53	58.2%
2	No	38	41.8%
Sysmiss		2004	

**QN29: Smoked cigarettes 1+ of past 30 days****Data file:** CBFH2007\_Public\_Use**Overview**

Valid: 2020 Invalid: 75

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	95	4.7%
2	No	1925	95.3%
Sysmiss		75	

**QN30: Used other tobacco 1+ of past 30 days****Data file:** CBFH2007\_Public\_Use**Overview**

Valid: 2094 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	59	2.8%
2	No	2035	97.2%
Sysmiss		1	

**QN31: Tried to quit smoking past 12 months****Data file:** CBFH2007\_Public\_Use**Overview**

Valid: 163 Invalid: 1932

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

---

## LITERAL QUESTION

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	95	58.3%
2	No	68	41.7%
Sysmiss		1932	

---

**QN32: Others present smoking 1+ of past 7 days**

Data file: CBFH2007\_Public\_Use

**Overview**

Valid: 2068    Invalid: 27

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

---

## LITERAL QUESTION

Percentage of students who reported people smoking in their presence on one or more of the past seven days

## CATEGORIES

Value	Category	Cases	
1	Yes	1301	62.9%
2	No	767	37.1%
Sysmiss		27	

---

**QN33: Either/Both parents use tobacco**

Data file: CBFH2007\_Public\_Use

**Overview**

Valid: 2093    Invalid: 2

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

---

## LITERAL QUESTION

Percentage of students who have a parent or guardian who uses any form of tobacco

## CATEGORIES

Value	Category	Cases	
1	Yes	327	15.6%
2	No	1766	84.4%
Sysmiss		2	

### QN34: Drank 1+ days past 30 days

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 1890 Invalid: 205

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who drank alcohol on one or more of the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	744	39.4%
2	No	1146	60.6%
Sysmiss		205	

### QN35: Of current drinkers, drank 2+ drinks/day 30 days

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 744 Invalid: 1351

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	476	64%
2	No	268	36%
Sysmiss		1351	

**QN36: Of current drinkers, bought alcohol in store****Data file:** CBFH2007\_Public\_Use**Overview**

Valid: 742 Invalid: 1353

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	79	10.6%
2	No	663	89.4%
Sysmiss		1353	

**QN37: 1+ times drunk in lifetime****Data file:** CBFH2007\_Public\_Use**Overview**

Valid: 2068 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	616	29.8%
2	No	1452	70.2%
Sysmiss		27	

**QN38: Alcohol trouble 1+ times in lifetime****Data file:** CBFH2007\_Public\_Use**Overview**

Valid: 2084 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	224	10.7%
2	No	1860	89.3%
Sysmiss		11	

---

## QN39: Used drugs 1+ times in lifetime

Data file: CBFH2007\_Public\_Use

### Overview

Valid: 2066 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	76	3.7%
2	No	1990	96.3%
Sysmiss		29	

---

## QN40: Ever had sex

Data file: CBFH2007\_Public\_Use

### Overview

Valid: 1932 Invalid: 163

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who have ever had sexual intercourse

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	511	26.4%
2	No	1421	73.6%
Sysmiss		163	

### QN41: Age first sexual intercourse 12 or younger

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 2001 Invalid: 94

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who had sexual intercourse for the first time before age 13

##### CATEGORIES

Value	Category	Cases	
1	Yes	259	12.9%
2	No	1742	87.1%
Sysmiss		94	

### QN42: 2+ sex partners lifetime

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 1987 Invalid: 108

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who have had sexual intercourse with two or more people during their life time

##### CATEGORIES

Value	Category	Cases	
1	Yes	335	16.9%
2	No	1652	83.1%
Sysmiss		108	

**QN43: Sexual intercourse past 12 months****Data file:** CBFH2007\_Public\_Use**Overview**

Valid: 2080 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who had sexual intercourse during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	478	23%
2	No	1602	77%
Sysmiss		15	

**QN44: Of sexually active 12 mos, use condoms at last sex****Data file:** CBFH2007\_Public\_Use**Overview**

Valid: 360 Invalid: 1735

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	229	63.6%
2	No	131	36.4%
Sysmiss		1735	

**QN45: Active 60+ mins/day for all of past 7 days****Data file:** CBFH2007\_Public\_Use**Overview**

Valid: 2077 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	309	14.9%
2	No	1768	85.1%
Sysmiss		18	

---

### QN46: Active 60+ min/day all 7 days of usual week

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 2065 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week

### CATEGORIES

Value	Category	Cases	
1	Yes	256	12.4%
2	No	1809	87.6%
Sysmiss		30	

---

### QN47: Sitting activities 3+ hours/day of usual day

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 2080 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day

### CATEGORIES

Value	Category	Cases	
1	Yes	906	43.6%
2	No	1174	56.4%
Sysmiss		15	

### QN48: Walk/Bike to/from school 0 of past 7 days

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 2070 Invalid: 25  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to and from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	940	45.4%
2	No	1130	54.6%
Sysmiss		25	

### QN49: Less than 29 minutes to/from school past 7 days

Data file: CBFH2007\_Public\_Use

#### Overview

Valid: 2054 Invalid: 41  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	1708	83.2%
2	No	346	16.8%
Sysmiss		41	

**QNFRVGG: Ate 5+ fruits/vegetables 30 days****Data file:** CBFH2007\_Public\_Use**Overview**

Valid: 2077 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	385	18.5%
2	No	1692	81.5%
Sysmiss		18	

**QNANYTBG: Used any tobacco past 30 days****Data file:** CBFH2007\_Public\_Use**Overview**

Valid: 2019 Invalid: 76

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco on one or more days of the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	98	4.9%
2	No	1921	95.1%
Sysmiss		76	

**QNMINPAG: Exercised 60 min/day <=5 days****Data file:** CBFH2007\_Public\_Use**Overview**

Valid: 2055 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average

### CATEGORIES

Value	Category	Cases	
1	Yes	1669	81.2%
2	No	386	18.8%
Sysmiss		40	

---

## QNWKRDG: Walked/biked <2.5 hrs 7 days

Data file: CBFH2007\_Public\_Use

### Overview

Valid: 2043 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	1779	87.1%
2	No	264	12.9%
Sysmiss		52	

---

## WEIGHT: Weight

Data file: CBFH2007\_Public\_Use

### Overview

Valid: 2095 Invalid: 0

Type: Continuous Decimal: 0 Width: 12 Range: 492.8664 - 2426.6785 Format: Numeric Weighted: yes

---

## PSU: Primary Sampling Unit

Data file: CBFH2007\_Public\_Use

## Overview

Valid: 2095 Invalid: 0  
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 47 Format: Numeric

---

## **STRATUM: Stratum**

Data file: CBFH2007\_Public\_Use

## Overview

Valid: 2095 Invalid: 0  
Type: Continuous Decimal: 0 Width: 9 Range: 200701001 - 200701023 Format: Numeric

---

# study\_resources

## questionnaires

### English Questionnaire

---

title English Questionnaire  
filename 2006\_Colombia\_GSHS\_questionnaire.pdf

---

### Spanish Questionnaire

---

title Spanish Questionnaire  
filename 2014\_gshs\_questionnaire\_colombia\_spanish.pdf

---

## reports

### Bogotá Fact Sheet

---

title Bogotá Fact Sheet  
filename 2007\_Colombia\_Bogota\_fact\_sheet.pdf

---

### Bogotá (official schools) Fact Sheet

---

title Bogotá (official schools) Fact Sheet  
filename 2007\_Colombia\_Bogota\_Official\_fact\_sheet.pdf

---

### Bogotá (private schools) Fact Sheet

---

title Bogotá (private schools) Fact Sheet  
filename 2007\_Colombia\_Bogota\_Private\_fact\_sheet.pdf

---

### Bucaramanga City Fact Sheet

---

title Bucaramanga City Fact Sheet  
filename 2007\_Colombia\_Bucaramanga\_City\_fact\_sheet.pdf

---

### Cali City Fact Sheet

---

title Cali City Fact Sheet  
filename 2007\_Colombia\_Cali\_City\_fact\_sheet.pdf

---

### Manizales Fact Sheet

---

title Manizales Fact Sheet  
filename 2007\_Colombia\_Manizales\_fact\_sheet.pdf

---

---

**Valledupar City Fact Sheet**

---

title Valledupar City Fact Sheet  
filename 2007\_Colombia\_Valledupar\_City\_fact\_sheet.pdf

---

**technical\_documents**

---

**Bogotá Codebook**

---

title Bogotá Codebook  
filename CBGH2007\_public\_use\_codebook.pdf

---

---

**Bogotá (official schools) Codebook**

---

title Bogotá (official schools) Codebook  
filename CBAH2007\_public\_use\_codebook.pdf

---

---

**Bogotá (private schools) Codebook**

---

title Bogotá (private schools) Codebook  
filename CBBH2007\_public\_use\_codebook.pdf

---

---

**Bucaramanga City Codebook**

---

title Bucaramanga City Codebook  
filename CBDH2007\_public\_use\_codebook.pdf

---

---

**Cali City Codebook**

---

title Cali City Codebook  
filename CBEH2007\_public\_use\_codebook.pdf

---

---

**Manizales Codebook**

---

title Manizales Codebook  
filename CBCH2007\_public\_use\_codebook.pdf

---

---

**Valledupar City Codebook**

---

title Valledupar City Codebook  
filename CBFH2007\_public\_use\_codebook.pdf

---