

Global School-Based Student Health Survey 2010

Ministry of Health

report_generated_on: November 28, 2023

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER
FJI_2010_GSHS_v01_M

TITLE
Global School-Based Student Health Survey 2010

COUNTRY

Name	Country code
Fiji	FJI

STUDY TYPE
Other Household Survey [hh/oth]

SERIES INFORMATION
This is the first GSHS conducted by Fiji.

ABSTRACT
The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA
Sample survey data [ssd]

UNIT OF ANALYSIS
Individuals

Version

VERSION DESCRIPTION
Public-use dataset

VERSION DATE
2018-08-07

Scope

NOTES
The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- mental health
- physical activity
- sexual behaviours
- tobacco use
- violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
mental health
physical activity
sexual behaviours
tobacco use
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE

National coverage

UNIVERSE

School-going adolescents aged 13-15 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
Ministry of Health

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE

The Fiji GSHS was a school-based survey of students in Forms 2, 3, and 4. A two-stage cluster sample design was used to

produce data representative of all students in Forms 2, 3, and 4 in Fiji. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

DEVIATIONS FROM THE SAMPLE DESIGN

The school response rate was 100%, the student response rate was 90%, and the overall response rate was 90%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

data_collection

DATES OF DATA COLLECTION

Start	End
2010	2010

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

alcohol use

dietary behaviours

drug use

mental health

physical activity

sexual behaviours

tobacco use

violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

(1) to acknowledge the data source.

- (2) to share any planned publications with WHO prior to publication.
 (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
 (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_FJI_2010_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Yue Wu		World Health Organization	Documentation of data
Melanie Cowan		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2018-08-07

DDI DOCUMENT VERSION

Identical to a metadata (FJI_2010_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
FJI2010_Public_Use National public-use dataset	1673	81

Data file: FJI2010_Public_Use

National public-use dataset

Cases: 1673

variables: 81

variables

ID	Name	Label	Question
V1	Q1	How old are you	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V15	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V16	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V17	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V20	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V21	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V22	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?
V23	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V24	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V27	Q27	Number close friends	How many close friends do you have?
V28	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V29	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other forms of tobacco	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?

ID	Name	Label	Question
V33	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V35	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V38	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V44	Q44	Ever had sex	Have you ever had sexual intercourse?
V45	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V46	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V47	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?
V51	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V59	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V60	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V61	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V68	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V69	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V70	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V73	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V74	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V75	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months
V76	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V77	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months

ID	Name	Label	Question
V78	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V80	QN27	No close friends	Percentage of students who had no close friends
V81	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V82	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V83	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V84	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V85	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V86	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V88	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V89	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V91	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V92	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V97	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V98	QN45	Age first sexual intercourse before 14	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V99	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V100	QN47	Among ever sex, used condoms at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse
V101	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse
V102	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V103	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V104	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V105	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V115	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V116	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V117	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V118	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V119	qnanytbg	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days

ID	Name	Label	Question
V120	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V121	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V122	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V123	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V124	weight	Weight	
V125	stratum	Stratum	
V126	psu	Primary Sampling Unit	

total: 81

Q1: How old are you**Data file:** FJI2010_Public_Use**Overview**

Valid: 1664 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	1	0.1%
2	12 years old	16	1%
3	13 years old	323	19.4%
4	14 years old	603	36.2%
5	15 years old	553	33.2%
6	16 years old or older	168	10.1%
Sysmiss		9	

Q15: Times attacked past 12 mo.**Data file:** FJI2010_Public_Use**Overview**

Valid: 1663 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	906	54.5%
2	1 time	263	15.8%
3	2 or 3 times	235	14.1%
4	4 or 5 times	96	5.8%

5	6 or 7 times	41	2.5%
6	8 or 9 times	28	1.7%
7	10 or 11 times	17	1%
8	12 or more times	77	4.6%
Sysmiss		10	

Q16: How many times in fight 12 mos

Data file: FJI2010_Public_Use

Overview

Valid: 1667 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	910	54.6%
2	1 time	330	19.8%
3	2 or 3 times	216	13%
4	4 or 5 times	83	5%
5	6 or 7 times	36	2.2%
6	8 or 9 times	22	1.3%
7	10 or 11 times	13	0.8%
8	12 or more times	57	3.4%
Sysmiss		6	

Q2: Sex

Data file: FJI2010_Public_Use

Overview

Valid: 1666 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	714	42.9%
2	Female	952	57.1%
Sysmiss		7	

Q3: In what grade are you

Data file: FJI2010_Public_Use

Overview

Valid: 1655 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Form 1	10	0.6%
2	Form 2	415	25.1%
3	Form 3	778	47%
4	Form 4	450	27.2%
5	FORM 5	0	0%
6	FORM 6	2	0.1%
Sysmiss		18	

Q4: How tall are you

Data file: FJI2010_Public_Use

Overview

Valid: 1537 Invalid: 136 Minimum: 1.32 Maximum: 1.97 Mean: 1.615 Standard deviation: 0.092

Type: Continuous Decimal: 0 Width: 4 Range: 1.32 - 1.97 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: FJI2010_Public_Use

Overview

Valid: 1537 Invalid: 136 Minimum: 29 Maximum: 175 Mean: 52.655 Standard deviation: 12.647
 Type: Continuous Decimal: 0 Width: 6 Range: 29 - 175 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: Went hungry past 30 days

Data file: FJI2010_Public_Use

Overview

Valid: 1664 Invalid: 9
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	567	34.1%
2	Rarely	143	8.6%
3	Sometimes	778	46.8%
4	Most of the time	132	7.9%
5	Always	44	2.6%
Sysmiss		9	

Q7: Eat fruit per day past 30 days**Data file:** FJI2010_Public_Use**Overview**

Valid: 1657 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	140	8.4%
2	Less than one time per day	315	19%
3	1 time per day	452	27.3%
4	2 times per day	302	18.2%
5	3 times per day	247	14.9%
6	4 times per day	57	3.4%
7	5 or more times per day	144	8.7%
Sysmiss		16	

Q8: Eat vegetables past 30 days**Data file:** FJI2010_Public_Use**Overview**

Valid: 1667 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	51	3.1%

2	Less than one time per day	169	10.1%
3	1 time per day	494	29.6%
4	2 times per day	371	22.3%
5	3 times per day	224	13.4%
6	4 times per day	71	4.3%
7	5 or more times per day	287	17.2%
Sysmiss		6	

Q17: How many times injured past 12 months

Data file: FJI2010_Public_Use

Overview

Valid: 1667 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	821	49.3%
2	1 time	392	23.5%
3	2 or 3 times	266	16%
4	4 or 5 times	87	5.2%
5	6 or 7 times	33	2%
6	8 or 9 times	18	1.1%
7	10 or 11 times	10	0.6%
8	12 or more times	40	2.4%
Sysmiss		6	

Q20: How many days bullied past 30 days

Data file: FJI2010_Public_Use

Overview

Valid: 1579 Invalid: 94

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	896	56.7%
2	1 or 2 days	419	26.5%
3	3 to 5 days	129	8.2%
4	6 to 9 days	67	4.2%
5	10 to 19 days	30	1.9%
6	20 to 29 days	6	0.4%
7	All 30 days	32	2%
Sysmiss		94	

Q21: How bullied past 30 days

Data file: FJI2010_Public_Use

Overview

Valid: 1573 Invalid: 100

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	968	61.5%
2	Kicked, pushed, or shoved	100	6.4%
3	Made fun of race	65	4.1%
4	Made fun because of religion	32	2%

5	Made fun of about sex	92	5.8%
6	Left out of activities	30	1.9%
7	Made fun of about body	70	4.5%
8	Some other way	216	13.7%
Sysmiss		100	

Q22: Times felt lonely past 12 mo.

Data file: FJI2010_Public_Use

Overview

Valid: 1623 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	452	27.8%
2	Rarely	130	8%
3	Sometimes	820	50.5%
4	Most of the time	160	9.9%
5	Always	61	3.8%
Sysmiss		50	

Q23: Times could not sleep past 12 mo.

Data file: FJI2010_Public_Use

Overview

Valid: 1669 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	569	34.1%
2	Rarely	163	9.8%
3	Sometimes	707	42.4%
4	Most of the time	183	11%
5	Always	47	2.8%
Sysmiss		4	

Q24: Ever considered suicide 12 mos

Data file: FJI2010_Public_Use

Overview

Valid: 1656 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	295	17.8%
2	No	1361	82.2%
Sysmiss		17	

Q25: Ever make suicide plan 12 mos

Data file: FJI2010_Public_Use

Overview

Valid: 1641 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	334	20.4%
2	No	1307	79.6%
Sysmiss		32	

Q27: Number close friends

Data file: FJI2010_Public_Use

Overview

Valid: 1660 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	120	7.2%
2	1	375	22.6%
3	2	346	20.8%
4	3 or more	819	49.3%
Sysmiss		13	

Q28: Age first tried cigarette

Data file: FJI2010_Public_Use

Overview

Valid: 1552 Invalid: 121

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1192	76.8%
2	7 years old or younger	45	2.9%
3	8 or 9 years old	45	2.9%
4	10 or 11 years old	50	3.2%
5	12 or 13 years old	97	6.3%
6	14 or 15 years old	110	7.1%
7	16 years old or older	13	0.8%
Sysmiss		121	

Q29: How many days smoked 30 days

Data file: FJI2010_Public_Use

Overview

Valid: 1658 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	1439	86.8%
2	1 or 2 days	139	8.4%
3	3 to 5 days	32	1.9%
4	6 to 9 days	16	1%
5	10 to 19 days	13	0.8%
6	20 to 29 days	8	0.5%
7	All 30 days	11	0.7%
Sysmiss		15	

Q30: Other forms of tobacco

Data file: FJI2010_Public_Use

Overview

Valid: 1667 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1537	92.2%
2	1 or 2 days	76	4.6%
3	3 to 5 days	22	1.3%
4	6 to 9 days	9	0.5%
5	10 to 19 days	11	0.7%
6	20 to 29 days	4	0.2%
7	All 30 days	8	0.5%
Sysmiss		6	

Q31: Try stop smoking past 12 mo.

Data file: FJI2010_Public_Use

Overview

Valid: 1553 Invalid: 120

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1249	80.4%
2	Did not smoke cigarettes	77	5%
3	Yes	200	12.9%
4	No	27	1.7%
Sysmiss		120	

Q32: Others present smoking past 7 days**Data file:** FJI2010_Public_Use**Overview**

Valid: 1669 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	748	44.8%
2	1 or 2 days	404	24.2%
3	3 or 4 days	145	8.7%
4	5 or 6 days	98	5.9%
5	All 7 days	274	16.4%
Sysmiss		4	

Q33: Parents who use tobacco**Data file:** FJI2010_Public_Use**Overview**

Valid: 1665 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	821	49.3%
2	My father or male guardian	407	24.4%
3	My mother or female guardian	72	4.3%
4	Both	103	6.2%
5	I do not know	262	15.7%

Sysmiss

8

Q35: Days one drink or more past 30 days**Data file:** FJI2010_Public_Use**Overview**

Valid: 1661 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	1392	83.8%
2	1 or 2 days	185	11.1%
3	3 to 5 days	42	2.5%
4	6 to 9 days	19	1.1%
5	10 to 19 days	9	0.5%
6	20 to 29 days	8	0.5%
7	All 30 days	6	0.4%
Sysmiss		12	

Q36: Number of drinks past 30 days**Data file:** FJI2010_Public_Use**Overview**

Valid: 1657 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1397	84.3%
2	Less than one drink	81	4.9%
3	1 drink	68	4.1%
4	2 drinks	45	2.7%
5	3 drinks	25	1.5%
6	4 drinks	10	0.6%
7	5 or more drinks	31	1.9%
Sysmiss		16	

Q38: Times drunk during life

Data file: FJI2010_Public_Use

Overview

Valid: 1662 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	1451	87.3%
2	1 or 2 times	139	8.4%
3	3 to 9 times	45	2.7%
4	10 or more times	27	1.6%
Sysmiss		11	

Q39: Number of troubles as result of drinking

Data file: FJI2010_Public_Use

Overview

Valid: 1658 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	1410	85%
2	1 or 2 times	167	10.1%
3	3 to 9 times	50	3%
4	10 or more times	31	1.9%
Sysmiss		15	

Q44: Ever had sex

Data file: FJI2010_Public_Use

Overview

Valid: 1490 Invalid: 183

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	245	16.4%
2	No	1245	83.6%
Sysmiss		183	

Q45: Age first sexual intercourse

Data file: FJI2010_Public_Use

Overview

Valid: 1628 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1458	89.6%
2	11 years old or younger	40	2.5%
3	12 years old	21	1.3%
4	13 years old	23	1.4%
5	14 years old	43	2.6%
6	15 years old	33	2%
7	16 years old or older	10	0.6%
Sysmiss		45	

Q46: How many sex partners

Data file: FJI2010_Public_Use

Overview

Valid: 1622 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1456	89.8%
2	1 person	84	5.2%
3	2 people	28	1.7%
4	3 people	19	1.2%
5	4 people	12	0.7%
6	5 people	8	0.5%
7	6 or more people	15	0.9%

Sysmiss		51	
---------	--	----	--

Q47: Used condom at last intercourse

Data file: FJI2010_Public_Use

Overview

Valid: 1533 Invalid: 140

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1354	88.3%
2	Yes	80	5.2%
3	No	99	6.5%
Sysmiss		140	

Q48: Used birth control last intercourse

Data file: FJI2010_Public_Use

Overview

Valid: 1543 Invalid: 130

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1362	88.3%
2	Yes	54	3.5%

3	No	96	6.2%
4	I do not know	31	2%
Sysmiss		130	

Q49: Days active 60 min plus past 7 days

Data file: FJI2010_Public_Use

Overview

Valid: 1641 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	426	26%
2	1 day	271	16.5%
3	2 days	181	11%
4	3 days	143	8.7%
5	4 days	98	6%
6	5 days	134	8.2%
7	6 days	87	5.3%
8	7 days	301	18.3%
Sysmiss		32	

Q50: Walk or bike to school past 7 days

Data file: FJI2010_Public_Use

Overview

Valid: 1616 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	921	57%
2	1 day	126	7.8%
3	2 days	79	4.9%
4	3 days	62	3.8%
5	4 days	38	2.4%
6	5 days	178	11%
7	6 days	21	1.3%
8	7 days	191	11.8%
Sysmiss		57	

Q51: Days went to PE each week

Data file: FJI2010_Public_Use

Overview

Valid: 1639 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	371	22.6%
2	1 day	642	39.2%
3	2 days	139	8.5%
4	3 days	68	4.1%
5	4 days	64	3.9%
6	5 or more days	355	21.7%
Sysmiss		34	

Q52: Time spent sitting on usual day**Data file:** FJI2010_Public_Use**Overview**

Valid: 1620 Invalid: 53

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	654	40.4%
2	1 to 2 hours per day	546	33.7%
3	3 to 4 hours per day	225	13.9%
4	5 to 6 hours per day	80	4.9%
5	7 to 8 hours per day	30	1.9%
6	More than 8 hours per day	85	5.2%
Sysmiss		53	

QN6: Went hungry most of time/always past 30 days**Data file:** FJI2010_Public_Use**Overview**

Valid: 1664 Invalid: 9 Mean: 1.894 Standard deviation: 0.308

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	176	10.6%
2	No	1488	89.4%
Sysmiss		9	

QN7: Ate fruit 2+ times per day past 30 days**Data file:** FJI2010_Public_Use**Overview**

Valid: 1657 Invalid: 16 Mean: 1.547 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	750	45.3%
2	No	907	54.7%
Sysmiss		16	

QN8: Ate vegetables 3+ times per day past 30 day**Data file:** FJI2010_Public_Use**Overview**

Valid: 1667 Invalid: 6 Mean: 1.651 Standard deviation: 0.477
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	582	34.9%
2	No	1085	65.1%
Sysmiss		6	

QN15: Attacked 1+ times past 12 months**Data file:** FJI2010_Public_Use**Overview**

Valid: 1663 Invalid: 10 Mean: 1.545 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	757	45.5%
2	No	906	54.5%
Sysmiss		10	

QN16: In fight 1+ times past 12 months

Data file: FJI2010_Public_Use

Overview

Valid: 1667 Invalid: 6 Mean: 1.546 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	757	45.4%
2	No	910	54.6%
Sysmiss		6	

QN17: Seriously injured 1+ times past 12 months

Data file: FJI2010_Public_Use

Overview

Valid: 1667 Invalid: 6 Mean: 1.493 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	846	50.7%
2	No	821	49.3%
Sysmiss		6	

QN20: Bullied 1+ of past 30 days

Data file: FJI2010_Public_Use

Overview

Valid: 1579 Invalid: 94 Mean: 1.567 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	683	43.3%
2	No	896	56.7%
Sysmiss		94	

QN21: Of students bullied, most often hit, kicked, etc

Data file: FJI2010_Public_Use

Overview

Valid: 605 Invalid: 1068 Mean: 1.835 Standard deviation: 0.372
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

CATEGORIES

Value	Category	Cases	
1	Yes	100	16.5%
2	No	505	83.5%
Sysmiss		1068	

QN22: Lonely most times/always past 12 months**Data file:** FJI2010_Public_Use**Overview**

Valid: 1623 Invalid: 50 Mean: 1.864 Standard deviation: 0.343
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	221	13.6%
2	No	1402	86.4%
Sysmiss		50	

QN23: Worry prevented sleep most time/always past 12 mos**Data file:** FJI2010_Public_Use**Overview**

Valid: 1669 Invalid: 4 Mean: 1.862 Standard deviation: 0.345
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	230	13.8%
2	No	1439	86.2%
Sysmiss		4	

QN24: Considered suicide past 12 months**Data file:** FJI2010_Public_Use**Overview**

Valid: 1656 Invalid: 17 Mean: 1.822 Standard deviation: 0.383
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	295	17.8%
2	No	1361	82.2%
Sysmiss		17	

QN25: Made suicide plan past 12 months

Data file: FJI2010_Public_Use

Overview

Valid: 1641 Invalid: 32 Mean: 1.796 Standard deviation: 0.403
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	334	20.4%
2	No	1307	79.6%
Sysmiss		32	

QN27: No close friends

Data file: FJI2010_Public_Use

Overview

Valid: 1660 Invalid: 13 Mean: 1.928 Standard deviation: 0.259
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had no close friends

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	120	7.2%
2	No	1540	92.8%
Sysmiss		13	

QN28: Age first cigarette before 14

Data file: FJI2010_Public_Use

Overview

Valid: 360 Invalid: 1313 Mean: 1.342 Standard deviation: 0.475
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

CATEGORIES

Value	Category	Cases	
1	Yes	237	65.8%
2	No	123	34.2%
Sysmiss		1313	

QN29: Smoked cigarettes 1+ of past 30 days

Data file: FJI2010_Public_Use

Overview

Valid: 1658 Invalid: 15 Mean: 1.868 Standard deviation: 0.339
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	219	13.2%
2	No	1439	86.8%
Sysmiss		15	

QN30: Used other tobacco 1+ of past 30 days**Data file:** FJI2010_Public_Use**Overview**

Valid: 1667 Invalid: 6 Mean: 1.922 Standard deviation: 0.268
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	130	7.8%
2	No	1537	92.2%
Sysmiss		6	

QN31: Tried to quit smoking past 12 months**Data file:** FJI2010_Public_Use**Overview**

Valid: 227 Invalid: 1446 Mean: 1.119 Standard deviation: 0.324
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	200	88.1%
2	No	27	11.9%
Sysmiss		1446	

QN32: Others present smoking 1+ of past 7 days**Data file:** FJI2010_Public_Use**Overview**

Valid: 1669 Invalid: 4 Mean: 1.448 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	921	55.2%
2	No	748	44.8%
Sysmiss		4	

QN33: Either/Both parents use tobacco

Data file: FJI2010_Public_Use

Overview

Valid: 1665 Invalid: 8 Mean: 1.65 Standard deviation: 0.477
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	582	35%
2	No	1083	65%
Sysmiss		8	

QN35: Drank 1+ days past 30 days

Data file: FJI2010_Public_Use

Overview

Valid: 1661 Invalid: 12 Mean: 1.838 Standard deviation: 0.369
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	269	16.2%
2	No	1392	83.8%
Sysmiss		12	

QN36: Of current drinkers, drank 2+ drinks/day 30 days

Data file: FJI2010_Public_Use

Overview

Valid: 260 Invalid: 1413 Mean: 1.573 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

CATEGORIES

Value	Category	Cases	
1	Yes	111	42.7%
2	No	149	57.3%
Sysmiss		1413	

QN38: 1+ times drunk in lifetime

Data file: FJI2010_Public_Use

Overview

Valid: 1662 Invalid: 11 Mean: 1.873 Standard deviation: 0.333
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	211	12.7%
2	No	1451	87.3%
Sysmiss		11	

QN39: Alcohol trouble 1+ times in lifetime**Data file:** FJI2010_Public_Use**Overview**

Valid: 1658 Invalid: 15 Mean: 1.85 Standard deviation: 0.357
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

CATEGORIES

Value	Category	Cases	
1	Yes	248	15%
2	No	1410	85%
Sysmiss		15	

QN47: Among ever sex, used condoms at last sex**Data file:** FJI2010_Public_Use**Overview**

Valid: 179 Invalid: 1494 Mean: 1.553 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	80	44.7%
2	No	99	55.3%
Sysmiss		1494	

QN48: Used birth control at last sex**Data file:** FJI2010_Public_Use**Overview**

Valid: 181 Invalid: 1492 Mean: 1.702 Standard deviation: 0.459
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	54	29.8%
2	No	127	70.2%
Sysmiss		1492	

QN49: Active 60+ mins/day for 5+ of past 7 days

Data file: FJI2010_Public_Use

Overview

Valid: 1641 Invalid: 32 Mean: 1.682 Standard deviation: 0.466
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	522	31.8%
2	No	1119	68.2%
Sysmiss		32	

QN50: Walk/Bike to/from school 0 of past 7 days

Data file: FJI2010_Public_Use

Overview

Valid: 1616 Invalid: 57 Mean: 1.43 Standard deviation: 0.495
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	921	57%
2	No	695	43%
Sysmiss		57	

QN51: 3+ days PE each week

Data file: FJI2010_Public_Use

Overview

Valid: 1639 Invalid: 34 Mean: 1.703 Standard deviation: 0.457
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

CATEGORIES

Value	Category	Cases	
1	Yes	487	29.7%
2	No	1152	70.3%
Sysmiss		34	

QN52: Sitting activities 3+ hours/day of usual day

Data file: FJI2010_Public_Use

Overview

Valid: 1620 Invalid: 53 Mean: 1.741 Standard deviation: 0.438
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

CATEGORIES

Value	Category	Cases	
1	Yes	420	25.9%
2	No	1200	74.1%
Sysmiss		53	

QNOWTG: Overweight**Data file:** FJI2010_Public_Use**Overview**

Valid: 1537 Invalid: 136 Mean: 1.803 Standard deviation: 0.398
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	303	19.7%
2	No	1234	80.3%
Sysmiss		136	

QN44: Ever had sex**Data file:** FJI2010_Public_Use**Overview**

Valid: 1490 Invalid: 183 Mean: 1.836 Standard deviation: 0.371
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	245	16.4%
2	No	1245	83.6%
Sysmiss		183	

QN45: Age first sexual intercourse before 14**Data file:** FJI2010_Public_Use**Overview**

Valid: 170 Invalid: 1503 Mean: 1.506 Standard deviation: 0.501
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

CATEGORIES

Value	Category	Cases	
1	Yes	84	49.4%
2	No	86	50.6%
Sysmiss		1503	

QN46: 2+ sex partners lifetime

Data file: FJI2010_Public_Use

Overview

Valid: 1622 Invalid: 51 Mean: 1.949 Standard deviation: 0.219
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

CATEGORIES

Value	Category	Cases	
1	Yes	82	5.1%
2	No	1540	94.9%
Sysmiss		51	

QNOBESEG: Obese

Data file: FJI2010_Public_Use

Overview

Valid: 1537 Invalid: 136 Mean: 1.949 Standard deviation: 0.22
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	78	5.1%
2	No	1459	94.9%
Sysmiss		136	

QNUNWTG: Underweight

Data file: FJI2010_Public_Use

Overview

Valid: 1537 Invalid: 136 Mean: 1.892 Standard deviation: 0.31
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	166	10.8%
2	No	1371	89.2%
Sysmiss		136	

QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: FJI2010_Public_Use

Overview

Valid: 1652 Invalid: 21 Mean: 1.63 Standard deviation: 0.483
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	612	37%
2	No	1040	63%
Sysmiss		21	

QNANYTBG: Used any tobacco past 30 days**Data file:** FJI2010_Public_Use**Overview**

Valid: 1652 Invalid: 21 Mean: 1.846 Standard deviation: 0.361
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	254	15.4%
2	No	1398	84.6%
Sysmiss		21	

QNPA7G: Physically active all past 7 days**Data file:** FJI2010_Public_Use**Overview**

Valid: 1641 Invalid: 32 Mean: 1.817 Standard deviation: 0.387
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	301	18.3%
2	No	1340	81.7%
Sysmiss		32	

QNPE5G: Attended PE 5+ days each week**Data file:** FJI2010_Public_Use**Overview**

Valid: 1639 Invalid: 34 Mean: 1.783 Standard deviation: 0.412
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

CATEGORIES

Value	Category	Cases	
1	Yes	355	21.7%
2	No	1284	78.3%
Sysmiss		34	

QNC1G: Among heavy drinkers, ever sex

Data file: FJI2010_Public_Use

Overview

Valid: 168 Invalid: 1505 Mean: 1.583 Standard deviation: 0.494
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	70	41.7%
2	No	98	58.3%
Sysmiss		1505	

QNC2G: Among those worried, currently bullied

Data file: FJI2010_Public_Use

Overview

Valid: 209 Invalid: 1464 Mean: 1.426 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	120	57.4%
2	No	89	42.6%
Sysmiss		1464	

WEIGHT: Weight

Data file: FJI2010_Public_Use

Overview

Valid: 1673 Invalid: 0 Mean: 28.682 Standard deviation: 18.563
 Type: Continuous Decimal: 0 Width: 10 Range: 7.3034 - 94.318 Format: Numeric Weighted: yes

STRATUM: Stratum

Data file: FJI2010_Public_Use

Overview

Valid: 1673 Invalid: 0 Mean: 201001005.286 Standard deviation: 20.646
 Type: Discrete Decimal: 0 Width: 9 Range: 201001001 - 201001012 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
201001001		198	11.8%
201001002		133	7.9%
201001003		178	10.6%
201001004		251	15%
201001005		201	12%
201001006		265	15.8%
201001007		73	4.4%
201001008		102	6.1%
201001009		56	3.3%
201001010		60	3.6%
201001011		57	3.4%
201001012		99	5.9%

PSU: Primary Sampling Unit

Data file: FJI2010_Public_Use

Overview

Valid: 1673 Invalid: 0 Mean: 10.14 Standard deviation: 6.255
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 25 Format: Numeric

study_resources

questionnaires

Questionnaire

title Questionnaire
country Fiji
filename 2008_Fiji_Islands_GSHS_Questionnaire.pdf

reports

Fact Sheet

title Fact Sheet
filename Fiji_2010_GSHS_FS.pdf

technical_documents

Codebook

title Codebook
country Fiji
filename FJI2010_PublicUseCodebook.pdf
