

Global School-Based Student Health Survey 2016

report_generated_on: November 28, 2023

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER
FJI_2016_GSHS_v01_M

TITLE
Global School-Based Student Health Survey 2016

COUNTRY

Name	Country code
Fiji	FJI

STUDY TYPE
Other Household Survey [hh/oth]

SERIES INFORMATION
This is the third GSHS conducted by Fiji.

ABSTRACT
The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA
Sample survey data [ssd]

UNIT OF ANALYSIS
Individuals

Version

VERSION DESCRIPTION
Public-use dataset

Scope

NOTES
The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- tobacco use
- violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
hygiene
mental health
physical activity
sexual behaviours
tobacco use
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE

National

UNIVERSE

School-going adolescents aged 13-17 years.

Producers and sponsors

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE

A two-stage cluster sample design was used to produce data representative of all students in grades 9-13 in Fiji Islands. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

The school response rate was 97%, the student response rate was 81%, and the overall response rate was 79%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

data_collection

DATES OF DATA COLLECTION

Start	End
2016	2016

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

alcohol use

dietary behaviours

drug use

hygiene

mental health

physical activity

protective factors

sexual behaviours

tobacco use

violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

(1) to acknowledge the data source.

(2) to share any planned publications with WHO prior to publication.

(3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.

(4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_FJI_2016_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Melanie Cowan		World Health Organization	Documentation of data
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2020-02-12

DDI DOCUMENT VERSION

Identical to a metadata (FJI_2016_GSHS_v01) published on WHO NCD microdata repository

(<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
fji2016	3705	141

Data file: fji2016

Cases: 3705

variables: 141

variables

ID	Name	Label	Question
V1	q1	Custom Age	How old are you?
V2	q2	Sex	What is your sex?
V3	q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V13	q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V15	q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V16	q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V17	q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V18	q18	Serious injury type	During the past 12 months, what was the most serious injury that happened to you?
V19	q19	Serious injury cause	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	q20	Bullied	During the past 30 days, on how many days were you bullied?
V21	q21	Bullied how	During the past 30 days, how were you bullied most often?
V22	q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V23	q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V24	q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V25	q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V27	q27	Close friends	How many close friends do you have?
V28	q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V29	q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V30	q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V33	q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V34	q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V35	q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	q40	Initiation of drug use	How old were you when you first used drugs?
V41	q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V45	q45	Age first had sex	How old were you when you had sexual intercourse for the first time?
V46	q46	Number of sex partners	During your life, with how many people have you had sexual intercourse?
V47	q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	q49	Physical activity past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V51	q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V52	q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V54	q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	qn6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V60	qn7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V61	qn8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V62	qn9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V63	qn10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V64	qn11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V65	qn12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V66	qn13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V67	qn14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V68	qn15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V69	qn16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V70	qn17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V71	qn18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V72	qn19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V73	qn20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V74	qn21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V75	qn22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V76	qn23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V77	qn24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V78	qn25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V79	qn26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V80	qn27	Did not have any close friends	Percentage of students who did not have any close friends
V81	qn28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V82	qn29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V83	qn30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V84	qn31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V85	qn32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V86	qn33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	qn34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V88	qn35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V89	qn36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V90	qn37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V91	qn38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V92	qn39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V93	qn40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V94	qn41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V95	qn42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V96	qn43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V97	qn44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V98	qn45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V99	qn46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V100	qn47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V101	qn48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V102	qn49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V103	qn50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V104	qn51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V105	qn52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V106	qn53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V107	qn54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V108	qn55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V109	qn56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V110	qn57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V111	qn58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V112	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V113	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V114	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V115	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V116	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V117	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V118	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V119	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V120	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V121	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V122	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V123	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V124	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V125	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V126	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V127	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V128	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V129	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V130	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V131	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V132	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V133	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V134	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V135	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V136	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V137	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V138	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V139	weight		
V140	stratum		
V141	psu		

total: 141

Q1: Custom Age**Data file: fji2016****Overview**

Valid: 3673 Invalid: 32

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	29	0.8%
2	12 years old	12	0.3%
3	13 years old	127	3.5%
4	14 years old	635	17.3%
5	15 years old	763	20.8%
6	16 years old	857	23.3%
7	17 years old	660	18%
8	18 years old or older	590	16.1%
Sysmiss		32	

Q10: Fast food eating**Data file: fji2016****Overview**

Valid: 3671 Invalid: 34

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1408	38.4%
2	1 day	1016	27.7%
3	2 days	519	14.1%

4	3 days	349	9.5%
5	4 days	170	4.6%
6	5 days	82	2.2%
7	6 days	47	1.3%
8	7 days	80	2.2%
Sysmiss		34	

Q2: Sex

Data file: fji2016

Overview

Valid: 3632 Invalid: 73

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1789	49.3%
2	Female	1843	50.7%
Sysmiss		73	

Q3: In what grade are you

Data file: fji2016

Overview

Valid: 3593 Invalid: 112

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Year 9	864	24%
2	Year 10	836	23.3%
3	Year 11	720	20%

4	Year 12	736	20.5%
5	Year 13	352	9.8%
6	Vocational	85	2.4%
Sysmiss		112	

Q4: How tall are you

Data file: fji2016

Overview

Valid: 3427 Invalid: 278 Minimum: 1.33 Maximum: 1.96 Mean: 1.653 Standard deviation: 0.0871
 Type: Continuous Decimal: 2 Width: 10 Range: 1.27 - 1.87 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: fji2016

Overview

Valid: 3427 Invalid: 278 Minimum: 30 Maximum: 153 Mean: 61.085 Standard deviation: 14.15
 Type: Continuous Decimal: 2 Width: 10 Range: 28 - 116 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: fji2016

Overview

Valid: 3650 Invalid: 55
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1463	40.1%
2	Rarely	335	9.2%
3	Sometimes	1447	39.6%
4	Most of the time	305	8.4%
5	Always	100	2.7%
Sysmiss		55	

Q7: No fruit eating

Data file: fji2016

Overview

Valid: 3609 Invalid: 96

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	467	12.9%
2	Less than one time per day	840	23.3%
3	1 time per day	909	25.2%
4	2 times per day	563	15.6%
5	3 times per day	381	10.6%
6	4 times per day	119	3.3%
7	5 or more times per day	330	9.1%
Sysmiss		96	

Q8: No vegetable eating**Data file: fji2016****Overview**

Valid: 3668 Invalid: 37

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	125	3.4%
2	Less than one time per day	408	11.1%
3	1 time per day	925	25.2%
4	2 times per day	929	25.3%
5	3 times per day	511	13.9%
6	4 times per day	133	3.6%
7	5 or more times per day	637	17.4%
Sysmiss		37	

Q9: Soft drinks**Data file: fji2016****Overview**

Valid: 3659 Invalid: 46

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	351	9.6%
2	Less than one time per day	1036	28.3%

3	1 time per day	976	26.7%
4	2 times per day	527	14.4%
5	3 times per day	261	7.1%
6	4 times per day	154	4.2%
7	5 or more times per day	354	9.7%
Sysmiss		46	

Q11: Tooth brushing

Data file: fji2016

Overview

Valid: 3646 Invalid: 59

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	33	0.9%
2	Less than 1 time per day	80	2.2%
3	1 time per day	448	12.3%
4	2 times per day	1653	45.3%
5	3 times per day	951	26.1%
6	4 or more times per day	481	13.2%
Sysmiss		59	

Q12: Hand washing before eating

Data file: fji2016

Overview

Valid: 3671 Invalid: 34

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	67	1.8%
2	Rarely	90	2.5%
3	Sometimes	656	17.9%
4	Most of the time	777	21.2%
5	Always	2081	56.7%
Sysmiss		34	

Q13: Hand washing after toilet

Data file: fji2016

Overview

Valid: 3645 Invalid: 60

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	42	1.2%
2	Rarely	54	1.5%
3	Sometimes	326	8.9%
4	Most of the time	573	15.7%
5	Always	2650	72.7%
Sysmiss		60	

Q14: Hand washing with soap

Data file: fji2016

Overview

Valid: 3591 Invalid: 114

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	94	2.6%
2	Rarely	124	3.5%
3	Sometimes	979	27.3%
4	Most of the time	884	24.6%
5	Always	1510	42%
Sysmiss		114	

Q15: Physically attacked

Data file: fji2016

Overview

Valid: 3664 Invalid: 41

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	2465	67.3%
2	1 time	456	12.4%
3	2 or 3 times	374	10.2%
4	4 or 5 times	123	3.4%
5	6 or 7 times	65	1.8%
6	8 or 9 times	40	1.1%
7	10 or 11 times	33	0.9%
8	12 or more times	108	2.9%
Sysmiss		41	

Q16: Physical fighting**Data file:** fji2016**Overview**

Valid: 3670 Invalid: 35

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	2459	67%
2	1 time	552	15%
3	2 or 3 times	355	9.7%
4	4 or 5 times	105	2.9%
5	6 or 7 times	58	1.6%
6	8 or 9 times	34	0.9%
7	10 or 11 times	22	0.6%
8	12 or more times	85	2.3%
Sysmiss		35	

Q17: Seriously injured**Data file:** fji2016**Overview**

Valid: 3316 Invalid: 389

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	1733	52.3%
2	1 time	794	23.9%
3	2 or 3 times	482	14.5%
4	4 or 5 times	126	3.8%
5	6 or 7 times	59	1.8%
6	8 or 9 times	34	1%
7	10 or 11 times	26	0.8%
8	12 or more times	62	1.9%
Sysmiss		389	

Q18: Serious injury type

Data file: fji2016

Overview

Valid: 3429 Invalid: 276

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2154	62.8%
2	Broken bone/dislocated joint	272	7.9%
3	I had a cut or stab wound	469	13.7%
4	Concussion/head injury	80	2.3%
5	I had a gunshot wound	23	0.7%
6	I had a bad burn	40	1.2%
7	I was poisoned	24	0.7%
8	Something else happened to me	367	10.7%
Sysmiss		276	

Q19: Serious injury cause

Data file: fji2016

Overview

Valid: 3423 Invalid: 282

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2194	64.1%
2	Motor vehicle accident	68	2%
3	I fell	365	10.7%
4	Something fell on me or hit me	183	5.3%
5	I was attacked	80	2.3%
6	Was in a fire	37	1.1%
7	breathed something bad	24	0.7%
8	Something else	472	13.8%
Sysmiss		282	

Q20: Bullied

Data file: fji2016

Overview

Valid: 3505 Invalid: 200

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	2552	72.8%

2	1 or 2 days	579	16.5%
3	3 to 5 days	163	4.7%
4	6 to 9 days	83	2.4%
5	10 to 19 days	50	1.4%
6	20 to 29 days	18	0.5%
7	All 30 days	60	1.7%
Sysmiss		200	

Q21: Bullied how

Data file: fji2016

Overview

Valid: 3475 Invalid: 230

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	2717	78.2%
2	Kicked, pushed, or shoved	126	3.6%
3	Made fun of race	112	3.2%
4	Made fun because of religion	46	1.3%
5	Made fun of about sex	86	2.5%
6	Left out of activities	47	1.4%
7	Made fun of about body	94	2.7%
8	Some other way	247	7.1%
Sysmiss		230	

Q22: Felt lonely

Data file: fji2016

Overview

Valid: 3662 Invalid: 43

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	1359	37.1%
2	Rarely	410	11.2%
3	Sometimes	1346	36.8%
4	Most of the time	366	10%
5	Always	181	4.9%
Sysmiss		43	

Q23: Could not sleep

Data file: fji2016

Overview

Valid: 3665 Invalid: 40

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	1491	40.7%
2	Rarely	397	10.8%
3	Sometimes	1275	34.8%
4	Most of the time	354	9.7%
5	Always	148	4%
Sysmiss		40	

Q24: Considered suicide**Data file:** fji2016**Overview**

Valid: 3528 Invalid: 177

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	452	12.8%
2	No	3076	87.2%
Sysmiss		177	

Q25: Made a suicide plan**Data file:** fji2016**Overview**

Valid: 3529 Invalid: 176

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	519	14.7%
2	No	3010	85.3%
Sysmiss		176	

Q26: Attempted suicide**Data file:** fji2016

Overview

Valid: 3661 Invalid: 44

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	3244	88.6%
2	1 time	239	6.5%
3	2 or 3 times	91	2.5%
4	4 or 5 times	53	1.4%
5	6 or more times	34	0.9%
Sysmiss		44	

Q27: Close friends

Data file: fji2016

Overview

Valid: 3626 Invalid: 79

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	297	8.2%
2	1	741	20.4%
3	2	678	18.7%
4	3 or more	1910	52.7%
Sysmiss		79	

Q28: Initiation of cigarette use**Data file: fji2016****Overview**

Valid: 3382 Invalid: 323

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2450	72.4%
2	7 years old or younger	98	2.9%
3	8 or 9 years old	85	2.5%
4	10 or 11 years old	92	2.7%
5	12 or 13 years old	147	4.3%
6	14 or 15 years old	227	6.7%
7	16 or 17 years old	208	6.2%
8	18 years old or older	75	2.2%
Sysmiss		323	

Q29: Current cigarette use**Data file: fji2016****Overview**

Valid: 3634 Invalid: 71

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	3069	84.5%
2	1 or 2 days	257	7.1%

3	3 to 5 days	103	2.8%
4	6 to 9 days	66	1.8%
5	10 to 19 days	46	1.3%
6	20 to 29 days	26	0.7%
7	All 30 days	67	1.8%
Sysmiss		71	

Q30: Other tobacco use

Data file: fji2016

Overview

Valid: 3663 Invalid: 42

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	3206	87.5%
2	1 or 2 days	212	5.8%
3	3 to 5 days	84	2.3%
4	6 to 9 days	68	1.9%
5	10 to 19 days	31	0.8%
6	20 to 29 days	18	0.5%
7	All 30 days	44	1.2%
Sysmiss		42	

Q31: Smoking cessation

Data file: fji2016

Overview

Valid: 3405 Invalid: 300

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2617	76.9%
2	Did not smoke cigarettes	211	6.2%
3	Yes	463	13.6%
4	No	114	3.3%
Sysmiss		300	

Q32: Smoking in their presence

Data file: fji2016

Overview

Valid: 3643 Invalid: 62

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	1753	48.1%
2	1 or 2 days	785	21.5%
3	3 or 4 days	391	10.7%
4	5 or 6 days	182	5%
5	All 7 days	532	14.6%
Sysmiss		62	

Q33: Parental tobacco use

Data file: fji2016

Overview

Valid: 3615 Invalid: 90

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	1938	53.6%
2	My father or male guardian	784	21.7%
3	My mother or female guardian	184	5.1%
4	Both	225	6.2%
5	I do not know	484	13.4%
Sysmiss		90	

Q34: Initiation of alcohol use

Data file: fji2016

Overview

Valid: 3311 Invalid: 394

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	2018	60.9%
2	7 years old or younger	120	3.6%
3	8 or 9 years old	99	3%
4	10 or 11 years old	100	3%
5	12 or 13 years old	202	6.1%
6	14 or 15 years old	310	9.4%

7	16 or 17 years old	338	10.2%
8	18 years old or older	124	3.7%
Sysmiss		394	

Q35: Current alcohol use

Data file: fji2016

Overview

Valid: 3582 Invalid: 123

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	2821	78.8%
2	1 or 2 days	447	12.5%
3	3 to 5 days	131	3.7%
4	6 to 9 days	73	2%
5	10 to 19 days	46	1.3%
6	20 to 29 days	30	0.8%
7	All 30 days	34	0.9%
Sysmiss		123	

Q36: Drank 2+ drinks

Data file: fji2016

Overview

Valid: 3597 Invalid: 108

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	2775	77.1%
2	Less than one drink	292	8.1%
3	1 drink	185	5.1%
4	2 drinks	119	3.3%
5	3 drinks	54	1.5%
6	4 drinks	31	0.9%
7	5 or more drinks	141	3.9%
Sysmiss		108	

Q37: Source of alcohol

Data file: fji2016

Overview

Valid: 3500 Invalid: 205

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	2763	78.9%
2	I bought in a store	119	3.4%
3	I gave someone money to buy	73	2.1%
4	I got it from my friends	260	7.4%
5	I got it from my family	154	4.4%
6	I stole it	37	1.1%
7	Some other way	94	2.7%
Sysmiss		205	

Q38: Really drunk**Data file:** fji2016**Overview**

Valid: 3555 Invalid: 150

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	2874	80.8%
2	1 or 2 times	392	11%
3	3 to 9 times	157	4.4%
4	10 or more times	132	3.7%
Sysmiss		150	

Q39: Trouble from drinking**Data file:** fji2016**Overview**

Valid: 3442 Invalid: 263

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	3088	89.7%

2	1 or 2 times	199	5.8%
3	3 to 9 times	86	2.5%
4	10 or more times	69	2%
Sysmiss		263	

Q40: Initiation of drug use

Data file: fji2016

Overview

Valid: 3378 Invalid: 327

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	2917	86.4%
2	7 years old or younger	77	2.3%
3	8 or 9 years old	56	1.7%
4	10 or 11 years old	43	1.3%
5	12 or 13 years old	52	1.5%
6	14 or 15 years old	105	3.1%
7	16 or 17 years old	100	3%
8	18 years old or older	28	0.8%
Sysmiss		327	

Q41: Ever marijuana use

Data file: fji2016

Overview

Valid: 3567 Invalid: 138

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	3271	91.7%
2	1 or 2 times	122	3.4%
3	3 to 9 times	63	1.8%
4	10 to 19 times	52	1.5%
5	20 or more times	59	1.7%
Sysmiss		138	

Q42: Current marijuana use

Data file: fji2016

Overview

Valid: 3573 Invalid: 132

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	3305	92.5%
2	1 or 2 times	92	2.6%
3	3 to 9 times	77	2.2%
4	10 to 19 times	54	1.5%
5	20 or more times	45	1.3%
Sysmiss		132	

Q43: Amphetamine or methamphetamine use

Data file: fji2016

Overview

Valid: 3427 Invalid: 278

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	3253	94.9%
2	1 or 2 times	59	1.7%
3	3 to 9 times	55	1.6%
4	10 to 19 times	27	0.8%
5	20 or more times	33	1%
Sysmiss		278	

Q44: Ever sexual intercourse

Data file: fji2016

Overview

Valid: 3234 Invalid: 471

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	689	21.3%
2	No	2545	78.7%
Sysmiss		471	

Q45: Age first had sex**Data file:** fji2016**Overview**

Valid: 3531 Invalid: 174

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	2969	84.1%
2	11 years old or younger	103	2.9%
3	12 years old	60	1.7%
4	13 years old	60	1.7%
5	14 years old	77	2.2%
6	15 years old	93	2.6%
7	16 or 17 years old	115	3.3%
8	18 years old or older	54	1.5%
Sysmiss		174	

Q46: Number of sex partners**Data file:** fji2016**Overview**

Valid: 3525 Invalid: 180

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	2994	84.9%
2	1 person	205	5.8%

3	2 people	104	3%
4	3 people	64	1.8%
5	4 people	43	1.2%
6	5 people	31	0.9%
7	6 or more people	84	2.4%
Sysmiss		180	

Q47: Condom use

Data file: fji2016

Overview

Valid: 3390 Invalid: 315

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	2909	85.8%
2	Yes	232	6.8%
3	No	249	7.3%
Sysmiss		315	

Q48: Birth control used

Data file: fji2016

Overview

Valid: 3378 Invalid: 327

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	2866	84.8%
2	Yes	147	4.4%
3	No	244	7.2%
4	I do not know	121	3.6%
Sysmiss		327	

Q49: Physical activity past 7 days**Data file:** fji2016**Overview**

Valid: 3577 Invalid: 128

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	906	25.3%
2	1 day	491	13.7%
3	2 days	373	10.4%
4	3 days	323	9%
5	4 days	248	6.9%
6	5 days	249	7%
7	6 days	236	6.6%
8	7 days	751	21%
Sysmiss		128	

Q50: Walk or bike to school**Data file:** fji2016**Overview**

Valid: 3625 Invalid: 80

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	1884	52%
2	1 day	276	7.6%
3	2 days	204	5.6%
4	3 days	155	4.3%
5	4 days	85	2.3%
6	5 days	361	10%
7	6 days	77	2.1%
8	7 days	583	16.1%
Sysmiss		80	

Q51: PE attendance**Data file: fji2016****Overview**

Valid: 3575 Invalid: 130

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 6 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	729	20.4%
2	1 day	1720	48.1%
3	2 days	375	10.5%

4	3 days	188	5.3%
5	4 days	137	3.8%
6	5 or more days	426	11.9%
Sysmiss		130	

Q52: Sitting activities

Data file: fji2016

Overview

Valid: 3575 Invalid: 130

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	1448	40.5%
2	1 to 2 hours per day	1065	29.8%
3	3 to 4 hours per day	538	15%
4	5 to 6 hours per day	218	6.1%
5	7 to 8 hours per day	88	2.5%
6	More than 8 hours per day	218	6.1%
Sysmiss		130	

Q53: Miss school no permission

Data file: fji2016

Overview

Valid: 3608 Invalid: 97

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	2716	75.3%
2	1 or 2 days	557	15.4%
3	3 to 5 days	192	5.3%
4	6 to 9 days	63	1.7%
5	10 or more days	80	2.2%
Sysmiss		97	

Q54: Other students kind and helpful

Data file: fji2016

Overview

Valid: 3587 Invalid: 118

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	336	9.4%
2	Rarely	244	6.8%
3	Sometimes	1182	33%
4	Most of the time	777	21.7%
5	Always	1048	29.2%
Sysmiss		118	

Q55: Parents check homework

Data file: fji2016

Overview

Valid: 3541 Invalid: 164

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	598	16.9%
2	Rarely	231	6.5%
3	Sometimes	845	23.9%
4	Most of the time	640	18.1%
5	Always	1227	34.7%
Sysmiss		164	

Q56: Parents understand problems

Data file: fji2016

Overview

Valid: 3579 Invalid: 126

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	702	19.6%
2	Rarely	279	7.8%
3	Sometimes	966	27%
4	Most of the time	561	15.7%
5	Always	1071	29.9%
Sysmiss		126	

Q57: Parents know about free time

Data file: fji2016

Overview

Valid: 3548 Invalid: 157

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	595	16.8%
2	Rarely	265	7.5%
3	Sometimes	976	27.5%
4	Most of the time	566	16%
5	Always	1146	32.3%
Sysmiss		157	

Q58: Parents go through their things

Data file: fji2016

Overview

Valid: 3467 Invalid: 238 Mean: 2.378 Standard deviation: 1.4

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		1489	42.9%
2		295	8.5%
3		949	27.4%
4		351	10.1%
5		383	11%
Sysmiss		238	

QN6: Most of the time or always went hungry**Data file:** fji2016**Overview**

Valid: 3650 Invalid: 55 Mean: 1.889 Standard deviation: 0.314
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	405	11.1%
2	No	3245	88.9%
Sysmiss		55	

QN7: Did not eat fruit**Data file:** fji2016**Overview**

Valid: 3609 Invalid: 96 Mean: 1.871 Standard deviation: 0.336
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	467	12.9%
2	No	3142	87.1%
Sysmiss		96	

QN8: Did not eat vegetables**Data file:** fji2016**Overview**

Valid: 3668 Invalid: 37 Mean: 1.966 Standard deviation: 0.181

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	125	3.4%
2	No	3543	96.6%
Sysmiss		37	

QN9: Did not drink carbonated soft drinks

Data file: fji2016

Overview

Valid: 3659 Invalid: 46 Mean: 1.904 Standard deviation: 0.295
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	351	9.6%
2	No	3308	90.4%
Sysmiss		46	

QN10: Did not eat food from a fast food restaurant

Data file: fji2016

Overview

Valid: 3671 Invalid: 34 Mean: 1.616 Standard deviation: 0.486
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1408	38.4%
2	No	2263	61.6%
Sysmiss		34	

QN11: Usually cleaned or brushed their teeth

Data file: fji2016

Overview

Valid: 3646 Invalid: 59 Mean: 1.031 Standard deviation: 0.173
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3533	96.9%
2	No	113	3.1%
Sysmiss		59	

QN12: Never or rarely washed their hands before eating

Data file: fji2016

Overview

Valid: 3671 Invalid: 34 Mean: 1.957 Standard deviation: 0.202
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	157	4.3%
2	No	3514	95.7%
Sysmiss		34	

QN13: Never or rarely washed their hands after using the toilet or latrine**Data file:** fji2016**Overview**

Valid: 3645 Invalid: 60 Mean: 1.974 Standard deviation: 0.16
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	96	2.6%
2	No	3549	97.4%
Sysmiss		60	

QN14: Never or rarely used soap when washing their hands**Data file:** fji2016**Overview**

Valid: 3591 Invalid: 114 Mean: 1.939 Standard deviation: 0.239
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	218	6.1%
2	No	3373	93.9%
Sysmiss		114	

QN15: Were physically attacked**Data file:** fji2016**Overview**

Valid: 3664 Invalid: 41 Mean: 1.673 Standard deviation: 0.469
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1199	32.7%
2	No	2465	67.3%
Sysmiss		41	

QN16: Were in a physical fight

Data file: fji2016

Overview

Valid: 3670 Invalid: 35 Mean: 1.67 Standard deviation: 0.47
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1211	33%
2	No	2459	67%
Sysmiss		35	

QN17: Were seriously injured

Data file: fji2016

Overview

Valid: 3316 Invalid: 389 Mean: 1.523 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1583	47.7%
2	No	1733	52.3%
Sysmiss		389	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: fji2016

Overview

Valid: 1275 Invalid: 2430 Mean: 1.787 Standard deviation: 0.41
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	272	21.3%
2	No	1003	78.7%
Sysmiss		2430	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: fji2016

Overview

Valid: 1229 Invalid: 2476 Mean: 1.945 Standard deviation: 0.229
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	68	5.5%
2	No	1161	94.5%
Sysmiss		2476	

QN20: Were bullied**Data file:** fji2016**Overview**

Valid: 3505 Invalid: 200 Mean: 1.728 Standard deviation: 0.445
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	953	27.2%
2	No	2552	72.8%
Sysmiss		200	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors**Data file:** fji2016**Overview**

Valid: 758 Invalid: 2947 Mean: 1.834 Standard deviation: 0.373
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	126	16.6%
2	No	632	83.4%
Sysmiss		2947	

QN22: Most of the time or always felt lonely**Data file:** fji2016**Overview**

Valid: 3662 Invalid: 43 Mean: 1.851 Standard deviation: 0.357
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	547	14.9%
2	No	3115	85.1%
Sysmiss		43	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: fji2016

Overview

Valid: 3665 Invalid: 40 Mean: 1.863 Standard deviation: 0.344
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	502	13.7%
2	No	3163	86.3%
Sysmiss		40	

QN24: Seriously considered attempting suicide

Data file: fji2016

Overview

Valid: 3528 Invalid: 177 Mean: 1.872 Standard deviation: 0.334
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	452	12.8%
2	No	3076	87.2%
Sysmiss		177	

QN25: Made a plan about how they would attempt suicide

Data file: fji2016

Overview

Valid: 3529 Invalid: 176 Mean: 1.853 Standard deviation: 0.354
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	519	14.7%
2	No	3010	85.3%
Sysmiss		176	

QN26: Attempted suicide

Data file: fji2016

Overview

Valid: 3661 Invalid: 44 Mean: 1.886 Standard deviation: 0.318
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	417	11.4%
2	No	3244	88.6%
Sysmiss		44	

QN27: Did not have any close friends**Data file: fji2016****Overview**

Valid: 3626 Invalid: 79 Mean: 1.918 Standard deviation: 0.274
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1	Yes	297	8.2%
2	No	3329	91.8%
Sysmiss		79	

QN28: Tried a cigarette before age 14 years**Data file: fji2016****Overview**

Valid: 932 Invalid: 2773 Mean: 1.547 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1	Yes	422	45.3%
2	No	510	54.7%
Sysmiss		2773	

QN29: Currently smoked cigarettes**Data file: fji2016****Overview**

Valid: 3634 Invalid: 71 Mean: 1.845 Standard deviation: 0.362
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	565	15.5%
2	No	3069	84.5%
Sysmiss		71	

QN30: Currently used any tobacco products other than cigarettes

Data file: fji2016

Overview

Valid: 3663 Invalid: 42 Mean: 1.875 Standard deviation: 0.33
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	457	12.5%
2	No	3206	87.5%
Sysmiss		42	

QN31: Tried to quit smoking cigarettes

Data file: fji2016

Overview

Valid: 577 Invalid: 3128 Mean: 1.198 Standard deviation: 0.399
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	463	80.2%
2	No	114	19.8%
Sysmiss		3128	

QN32: Reported that people smoked in their presence

Data file: fji2016

Overview

Valid: 3643 Invalid: 62 Mean: 1.481 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1890	51.9%
2	No	1753	48.1%
Sysmiss		62	

QN33: Had parents or guardians who used any form of tobacco

Data file: fji2016

Overview

Valid: 3615 Invalid: 90 Mean: 1.67 Standard deviation: 0.47
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	1193	33%
2	No	2422	67%
Sysmiss		90	

QN34: Drank alcohol before age 14 years**Data file: fji2016****Overview**

Valid: 1293 Invalid: 2412 Mean: 1.597 Standard deviation: 0.491
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category	Cases	
1	Yes	521	40.3%
2	No	772	59.7%
Sysmiss		2412	

QN35: Currently drank alcohol**Data file: fji2016****Overview**

Valid: 3582 Invalid: 123 Mean: 1.788 Standard deviation: 0.409
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	761	21.2%
2	No	2821	78.8%
Sysmiss		123	

QN36: Usually drank two or more drinks per day**Data file: fji2016****Overview**

Valid: 822 Invalid: 2883 Mean: 1.58 Standard deviation: 0.494
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	345	42%
2	No	477	58%
Sysmiss		2883	

QN37: Usually obtained the alcohol they drank from friends

Data file: fji2016

Overview

Valid: 737 Invalid: 2968 Mean: 1.647 Standard deviation: 0.478
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	260	35.3%
2	No	477	64.7%
Sysmiss		2968	

QN47: Used a condom

Data file: fji2016

Overview

Valid: 481 Invalid: 3224 Mean: 1.518 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	232	48.2%
2	No	249	51.8%
Sysmiss		3224	

QN38: Ever drank so much alcohol that they were really drunk

Data file: fji2016

Overview

Valid: 3555 Invalid: 150 Mean: 1.808 Standard deviation: 0.394
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	681	19.2%
2	No	2874	80.8%
Sysmiss		150	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: fji2016

Overview

Valid: 3442 Invalid: 263 Mean: 1.897 Standard deviation: 0.304
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	354	10.3%
2	No	3088	89.7%
Sysmiss		263	

QN40: Used drugs before age 14 years**Data file:** fji2016**Overview**

Valid: 461 Invalid: 3244 Mean: 1.505 Standard deviation: 0.501
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1	Yes	228	49.5%
2	No	233	50.5%
Sysmiss		3244	

QN41: Ever used marijuana**Data file:** fji2016**Overview**

Valid: 3567 Invalid: 138 Mean: 1.917 Standard deviation: 0.276
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	296	8.3%
2	No	3271	91.7%
Sysmiss		138	

QN42: Currently used marijuana**Data file:** fji2016**Overview**

Valid: 3573 Invalid: 132 Mean: 1.925 Standard deviation: 0.263
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	268	7.5%
2	No	3305	92.5%
Sysmiss		132	

QN43: Ever used amphetamines or methamphetamines

Data file: fji2016

Overview

Valid: 3427 Invalid: 278 Mean: 1.949 Standard deviation: 0.22
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	174	5.1%
2	No	3253	94.9%
Sysmiss		278	

QN44: Ever had sexual intercourse

Data file: fji2016

Overview

Valid: 3234 Invalid: 471 Mean: 1.787 Standard deviation: 0.41
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	689	21.3%
2	No	2545	78.7%
Sysmiss		471	

QN45: Had sexual intercourse before age 14 years

Data file: fji2016

Overview

Valid: 562 Invalid: 3143 Mean: 1.603 Standard deviation: 0.49
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	223	39.7%
2	No	339	60.3%
Sysmiss		3143	

QN46: Had sexual intercourse with two or more persons

Data file: fji2016

Overview

Valid: 3525 Invalid: 180 Mean: 1.908 Standard deviation: 0.29
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	326	9.2%
2	No	3199	90.8%
Sysmiss		180	

QN48: Used a method of birth control other than condoms**Data file:** fji2016**Overview**

Valid: 512 Invalid: 3193 Mean: 1.713 Standard deviation: 0.453
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	147	28.7%
2	No	365	71.3%
Sysmiss		3193	

QN49: Were not physically active**Data file:** fji2016**Overview**

Valid: 3577 Invalid: 128 Mean: 1.747 Standard deviation: 0.435
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	906	25.3%
2	No	2671	74.7%
Sysmiss		128	

QN50: Did not walk or ride a bicycle to or from school**Data file:** fji2016**Overview**

Valid: 3625 Invalid: 80 Mean: 1.48 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1884	52%
2	No	1741	48%
Sysmiss		80	

QN51: Did not attend physical education classes

Data file: fji2016

Overview

Valid: 3575 Invalid: 130 Mean: 1.796 Standard deviation: 0.403
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	729	20.4%
2	No	2846	79.6%
Sysmiss		130	

QN52: Spent three or more hours per day doing sitting activities

Data file: fji2016

Overview

Valid: 3575 Invalid: 130 Mean: 1.703 Standard deviation: 0.457
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1062	29.7%
2	No	2513	70.3%
Sysmiss		130	

QN53: Missed classes or school without permission

Data file: fji2016

Overview

Valid: 3608 Invalid: 97 Mean: 1.753 Standard deviation: 0.431
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	892	24.7%
2	No	2716	75.3%
Sysmiss		97	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: fji2016

Overview

Valid: 3587 Invalid: 118 Mean: 1.491 Standard deviation: 0.5
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1825	50.9%
2	No	1762	49.1%
Sysmiss		118	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: fji2016

Overview

Valid: 3541 Invalid: 164 Mean: 1.473 Standard deviation: 0.499
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1867	52.7%
2	No	1674	47.3%
Sysmiss		164	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: fji2016

Overview

Valid: 3579 Invalid: 126 Mean: 1.544 Standard deviation: 0.498
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1632	45.6%
2	No	1947	54.4%
Sysmiss		126	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: fji2016

Overview

Valid: 3548 Invalid: 157 Mean: 1.517 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1712	48.3%
2	No	1836	51.7%
Sysmiss		157	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: fji2016

Overview

Valid: 3467 Invalid: 238 Mean: 1.485 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1784	51.5%
2	No	1683	48.5%
Sysmiss		238	

QNUNWTG: Were underweight

Data file: fji2016

Overview

Valid: 3427 Invalid: 278 Mean: 1.953 Standard deviation: 0.211
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight ($<-2SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	160	4.7%
2	No	3267	95.3%
Sysmiss		278	

QNOWTG: Were overweight

Data file: fji2016

Overview

Valid: 3427 Invalid: 278 Mean: 1.708 Standard deviation: 0.455
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight ($>+1SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	1001	29.2%
2	No	2426	70.8%
Sysmiss		278	

QNOBESEG: Were obese

Data file: fji2016

Overview

Valid: 3427 Invalid: 278 Mean: 1.922 Standard deviation: 0.269
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese ($>+2SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	269	7.8%
2	No	3158	92.2%
Sysmiss		278	

QNFR1G: Usually ate fruit less than one time per day

Data file: fji2016

Overview

Valid: 3609 Invalid: 96 Mean: 1.767 Standard deviation: 0.423
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	840	23.3%
2	No	2769	76.7%
Sysmiss		96	

QNFR1G: Usually ate fruit one or more times per day

Data file: fji2016

Overview

Valid: 3609 Invalid: 96 Mean: 1.362 Standard deviation: 0.481
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2302	63.8%
2	No	1307	36.2%
Sysmiss		96	

QNFR2G: Usually ate fruit two or more times per day**Data file: fji2016****Overview**

Valid: 3609 Invalid: 96 Mean: 1.614 Standard deviation: 0.487
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1393	38.6%
2	No	2216	61.4%
Sysmiss		96	

QNFR3G: Usually ate fruit three or more times per day**Data file: fji2016****Overview**

Valid: 3609 Invalid: 96 Mean: 1.77 Standard deviation: 0.421
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	830	23%
2	No	2779	77%
Sysmiss		96	

QNVEGLG: Usually ate vegetables less than one time per day**Data file: fji2016****Overview**

Valid: 3668 Invalid: 37 Mean: 1.889 Standard deviation: 0.314
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	408	11.1%
2	No	3260	88.9%
Sysmiss		37	

QNVEG1G: Usually ate vegetables one or more times per day

Data file: fji2016

Overview

Valid: 3668 Invalid: 37 Mean: 1.145 Standard deviation: 0.352
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3135	85.5%
2	No	533	14.5%
Sysmiss		37	

QNVEG2G: Usually ate vegetables two or more times per day

Data file: fji2016

Overview

Valid: 3668 Invalid: 37 Mean: 1.397 Standard deviation: 0.489
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	2210	60.3%
2	No	1458	39.7%
Sysmiss		37	

QNVG3G: Usually ate vegetables three or more times per day

Data file: fji2016

Overview

Valid: 3668 Invalid: 37 Mean: 1.651 Standard deviation: 0.477
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1281	34.9%
2	No	2387	65.1%
Sysmiss		37	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: fji2016

Overview

Valid: 3659 Invalid: 46 Mean: 1.717 Standard deviation: 0.451
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1036	28.3%
2	No	2623	71.7%
Sysmiss		46	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day**Data file:** fji2016**Overview**

Valid: 3659 Invalid: 46 Mean: 1.379 Standard deviation: 0.485
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2272	62.1%
2	No	1387	37.9%
Sysmiss		46	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day**Data file:** fji2016**Overview**

Valid: 3659 Invalid: 46 Mean: 1.646 Standard deviation: 0.478
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1296	35.4%
2	No	2363	64.6%
Sysmiss		46	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day**Data file:** fji2016**Overview**

Valid: 3659 Invalid: 46 Mean: 1.79 Standard deviation: 0.407
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	769	21%
2	No	2890	79%
Sysmiss		46	

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: fji2016

Overview

Valid: 3671 Invalid: 34 Mean: 1.384 Standard deviation: 0.486
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2263	61.6%
2	No	1408	38.4%
Sysmiss		34	

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: fji2016

Overview

Valid: 3671 Invalid: 34 Mean: 1.66 Standard deviation: 0.474
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1247	34%
2	No	2424	66%
Sysmiss		34	

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: fji2016

Overview

Valid: 3671 Invalid: 34 Mean: 1.802 Standard deviation: 0.399
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	728	19.8%
2	No	2943	80.2%
Sysmiss		34	

QNC2G: Were bullied and could not sleep at night

Data file: fji2016

Overview

Valid: 451 Invalid: 3254 Mean: 1.523 Standard deviation: 0.5
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	215	47.7%
2	No	236	52.3%
Sysmiss		3254	

QNTOB2G: Currently used any tobacco product**Data file:** fji2016**Overview**

Valid: 3660 Invalid: 45 Mean: 1.812 Standard deviation: 0.391
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	687	18.8%
2	No	2973	81.2%
Sysmiss		45	

QNNOTB2G: Did not currently use any tobacco products**Data file:** fji2016**Overview**

Valid: 3611 Invalid: 94 Mean: 1.177 Standard deviation: 0.381
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2973	82.3%
2	No	638	17.7%
Sysmiss		94	

QNBCANYG: Used a method of birth control**Data file:** fji2016**Overview**

Valid: 394 Invalid: 3311 Mean: 1.335 Standard deviation: 0.473
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	262	66.5%
2	No	132	33.5%
Sysmiss		3311	

QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: fji2016

Overview

Valid: 551 Invalid: 3154 Mean: 1.51 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	270	49%
2	No	281	51%
Sysmiss		3154	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: fji2016

Overview

Valid: 3577 Invalid: 128 Mean: 1.654 Standard deviation: 0.476
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1236	34.6%
2	No	2341	65.4%
Sysmiss		128	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: fji2016

Overview

Valid: 3577 Invalid: 128 Mean: 1.79 Standard deviation: 0.407
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	751	21%
2	No	2826	79%
Sysmiss		128	

QNPE3G: Attended physical education classes on three or more days

Data file: fji2016

Overview

Valid: 3575 Invalid: 130 Mean: 1.79 Standard deviation: 0.407
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	751	21%
2	No	2824	79%
Sysmiss		130	

QNPE5G: Attended physical education classes on five or more days**Data file:** fji2016**Overview**

Valid: 3575 Invalid: 130 Mean: 1.881 Standard deviation: 0.324
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	426	11.9%
2	No	3149	88.1%
Sysmiss		130	

WEIGHT:**Data file:** fji2016**Overview**

Valid: 3705 Invalid: 0 Mean: 16.57 Standard deviation: 4.358
 Type: Continuous Decimal: 0 Width: 10 Range: 42.0329 - 329.5608 Format: Numeric

STRATUM:**Data file:** fji2016**Overview**

Valid: 3705 Invalid: 0 Mean: 201601006.581 Standard deviation: 45.886
 Type: Discrete Decimal: 0 Width: 10 Range: 201501001 - 201501019 Format: Numeric

Questions and instructions**CATEGORIES**

Value	Category	Cases	
201601001		296	8%
201601002		338	9.1%
201601003		360	9.7%
201601004		205	5.5%
201601005		325	8.8%

201601006		420	11.3%
201601007		323	8.7%
201601008		318	8.6%
201601009		284	7.7%
201601010		203	5.5%
201601011		191	5.2%
201601012		159	4.3%
201601013		82	2.2%
201601014		117	3.2%
201601015		84	2.3%

PSU:**Data file: fji2016****Overview**

Valid: 3705 Invalid: 0 Mean: 12.639 Standard deviation: 7.496

Type: Continuous Decimal: 0 Width: 10 Range: 1 - 38 Format: Numeric

study_resources

questionnaires

Questionnaire

title Questionnaire
filename 2015_Fiji_GSHS_Questionnaire.pdf

reports

Fact Sheet

title Fact Sheet
filename gshs_fs_fiji_2016.pdf

technical_documents

Codebook

title Codebook
filename 2016FJH_Public_Use_Codebook.pdf
